iOS UX SDK 4.8.1 Release Notes

Release Date

2018.11.16

Bug Fixes

• Header issue fixed: The umbrella header now contains all public headers in UXSDK.

iOS UX SDK 4.8 Release Notes

Release Date

2018.10.29

Supported iOS Mobile SDK

DJI iOS Mobile SDK v4.8.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Highlights

- Mavic 2 Pro and Mavic 2 Zoom support
- Mavic 2 Enterprise support, including widget and panel managing the access locker; widgets and panels for beacon, spotlight, and speaker accessories.
- Panorama, hyperlight and EHDR (enhanced HDR) shoot photo mode support added.
- Support for VPS (visual positioning system) in the dashboard widget.
- Video recording anti-flicker settings panel now available in camera settings.
- Internal storage mode panel now available in camera settings.

Supported iOS Mobile SDK

DJI iOS Mobile SDK v4.8: download at https://developer.dji.com/mobile-sdk/downloads/.

iOS Compatibility

UX SDK is compatible with iOS 9.0 and above.

Supported Products

Products	* Mavic 2 Enterprise * Mavic 2 Pro * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro, Phantom 4 Pro V2.0 & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT * Zenmuse XT2

Supported Firmware

Mavic 2 Enterprise: 00.01.0300

Mavic 2 Pro: 01.00.0100Mavic 2 Zoom: 01.00.0100

Mavic Air: 01.00.0500Spark: 01.00.1000

Matrice 200 series: 01.01.0913Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.02.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0500Matrice 600 Pro: 1.0.1.66

Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700Zenmuse XT: 1.31.0.00Zenmuse Z3: 1.11.01.50

Inspire 1 series: 1.11.01.50

Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Phantom 4 Pro V2.0: 01.00.2200

Zenmuse XT2: 1.0.0.6

Bug Fixes

- New DUX prefix: If upgrading from 4.4, all class names will need to be renamed to match the new DUX prefix.
- Better multiple camera support: Support for dual-gimbal M210 has been improved inside the default layout.

Known Issues

• Camera Settings Shoot Photo Mode: On products that support panorama shoot photo mode, the camera settings shoot photo mode menu may display incorrect or partially missing settings options. This

issue only occurs on iPhones.

- XT2 Camera Settings: When using the XT2 camera, the camera settings menu may not accurately reflect and control XT2 settings.
- Mavic 2 Remote Control: The Mavic 2 series (Mavic 2 Pro, Mavic 2 Zoom and Mavic 2 Enterprise) allows
 developers to customize the behaviour of the photo and video buttons on the RC. UXSDK does not
 currently give these buttons a default behaviour due to which clicking a picture or taking a video using the
 RC while connected to UXSDK will not work by default if the developer does not assign a behaviour to it.
- **Distortion Calibration:** Distortion calibration is currently not supported in UXSDK. Support will be added in a future release.
- Inspire 2 SSD Mode: When Inspire 2 SSD mode is enabled, the camera settings video resolution and frame rate panel may not accurately reflect the resolution and frame rate of the aircraft.

© 2	018	D	JI.	All	Ri	ght	s F	Re	se	rve	ed.																																					
1111	1111	eee.	///	///	111			11			11	111	77	//	11	11	11	11	11	11	11	-	11	100	er.	ees	e e s	100	100	77	11	//	//	//	11	11	11	11	11	11	//	//	11	e e	e e	 11	//	ı

iOS UX SDK 4.7.1 Release Notes

Release Date

2018.09.04

Highlights

Support for iOS Mobile SDK v4.7.1

iOS UX SDK 4.7 Release Notes

Release Date

2018.8.23

Highlights

- Support for iOS Mobile SDK v4.7
- FlySafe features such as self-unlock and custom unlock have been added to MapWidget. User can also customize the color of each flyzone type.
- MapWidget now has login state.
- Preflight Checklist now exposes remaining SD card error and slow SD card error.
- User can now enable/disable FPV items such as Grids, Histogram, Radar, and ColorWaveform.
- Bug fixes

Supported iOS Mobile SDK

• DJI iOS Mobile SDK v4.7: download at https://developer.dji.com/mobile-sdk/downloads/.

iOS Compatibility

UX SDK is compatible with iOS 9.0 and above.

Supported Products

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Supported Firmware

Mavic Air: 01.00.0300Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300

• Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Known Issues

• **New DUX prefix:** If upgrading from 4.4, all class names will need to be renamed to match the new DUX prefix.

• GridMode scaling: GridMode may not scale properly with some aspect ratios.

© 2018 DJI. All Rights Reserved.

iOS UX SDK 4.6 Release Notes

Release Date

2018.6.29

Highlights

- Support for iOS Mobile SDK v4.6
- · New color waveform widget
- · Bug fixes

Supported iOS Mobile SDK

• DJI iOS Mobile SDK v4.6: download at https://developer.dji.com/mobile-sdk/downloads/.

iOS Compatibility

UX SDK is compatible with iOS 9.0 and above.

	* Spark
	* Matrice 210
	* Matrice 210RTK
	* Matrice 200
	* Inspire 2
	* Mavic Pro
	* Mavic Air
	* Phantom 4, Phantom 4 Pro & Phantom 4 Advanced
Products	* Matrice 600 & Matrice 600 Pro, RTK and Ronin MX
	* Phantom 3 Standard, Advanced, 4K & Professional
	* Inspire 1, Inspire 1 Pro & Inspire 1 RAW
	* Matrice 100 with X3, X5 & X5R
	* Lightbridge 2 with A2
	* Lightbridge 2 with standalone A3 or N3
	* Focus
	* N1 Video Encoder
	* Cendence
	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S
	* Spark Camera
	* Phantom 4 Pro Camera
Cameras	* Mavic Pro Camera
	* Phantom 4 Camera
	* Phantom 3 Cameras
	* Zenmuse XT

Mavic Air: 01.00.0300Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

Known Issues

- **New DUX prefix:** If upgrading from 4.4, all class names will need to be renamed to match the new DUX prefix.
- **GridMode scaling:** GridMode may not scale properly with some aspect ratios.

© 2018 DJI. All Rights Reserved.

iOS UX SDK 4.5.1 Release Notes

Release Date

2018.5.1

Highlights

- Support for iOS Mobile SDK v4.5.1
- · Bug fixes

Supported iOS Mobile SDK

DJI iOS Mobile SDK v4.5.1: download at https://developer.dji.com/mobile-sdk/downloads/.

iOS Compatibility

UX SDK is compatible with iOS 9.0 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Osmo Mobile 2 * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Mavic Air: 01.00.0300Osmo Mobile 2: 2.1.0.20

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

• Osmo: 1.11.2.70

Osmo Pro/RAW: 1.4.0.70

Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

Map Widget-related crash: Fixed a crash which would occur when user leaves view that contains map widget.

Known Issues

- New DUX prefix: If upgrading from 4.4, all class names will need to be renamed to match the new DUX prefix.
- **GridMode scaling:** GridMode may not scale properly with some aspect ratios.

© 2018 DJI. All Rights Reserved.

iOS UX SDK 4.5 Release Notes

Release Date

2018.4.11

Highlights

- Name change: UI Library has been renamed "UX SDK".
- All interface class names were renamed to start with the prefix DUX, DJI UX.
- Bug fixes

Supported iOS Mobile SDK

• DJI iOS Mobile SDK v4.5: download at https://developer.dji.com/mobile-sdk/downloads/.

iOS Compatibility

UX SDK is compatible with iOS 9.0 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Osmo Mobile 2 * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Mavic Air: 01.00.0300Osmo Mobile 2: 2.1.0.20

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300Matrice 600 Pro: 1.0.1.65

Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

• Osmo: 1.11.2.70

Osmo Pro/RAW: 1.4.0.70

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

Unknown camera state after checking media on DJI Go: Fixed issue where upon opening DJI Go's
media playback feature to check media, then opening UX SDK, camera would enter unknown state until
user toggled camera/video slider.

Known Issues

- New DUX prefix: If upgrading from 4.4, all class names will need to be renamed to match the new DUX prefix.
- **GridMode scaling:** GridMode may not scale properly with some aspect ratios.

© 2018 DJI. All Rights Reserved.

iOS UI Library 4.4 Release Notes

Release Date

2017.12.22

Highlights

- New RTK panel
- · Bug fixes

Supported iOS Mobile SDK

DJI iOS Mobile SDK v4.4: download at https://developer.dji.com/mobile-sdk/downloads/.

iOS Compatibility

UI Libraries is compatible with iOS 9.0 and above.

Products	* Spark * Matrice 210 * Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Spark: 01.00.0701

Matrice 200 series: 01.01.0412Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0200

• Phantom 4 Pro: 01.04.0602

Z30: 1.0.0.43N3: 1.7.1.5

Mavic Pro: 01.04.0100Matrice 600 Pro: 1.0.1.65

Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0106
Zenmuse XT: 1.24.0.10
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

• Osmo: 1.11.2.70

• Osmo Pro/RAW: 1.3.0.40

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

Known Issues

Unknown camera state after checking media on DJI Go: If the user opens DJI Go's media playback
feature to check media, then opens UI Library, camera will be in an unknown state until user toggles
camera/video slider.

© 2017 DJI. All Rights Reserved.

iOS UI Library 4.3 Release Notes

Release Date

2017.09.15

Highlights

- Focus and exposure touch controls in FPV Content
- Picture-in-picture (PiP) which provides secondary FPV
- Map Content and Widget
- · Center exposure handling
- · Preflight checklist improvements, such as being able to reorder checklist items

Supported iOS Mobile SDK

DJI iOS Mobile SDK v4.3: download at https://developer.dji.com/mobile-sdk/downloads/.

iOS Compatibility

UI Libraries is compatible with iOS 9.0 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Spark: 01.00.0400

• Matrice 200: 01.00.00.0000

• Phantom 4 Advanced: 01.00.0128

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 01.04.0602

• Z30: 1.0.0.37

• N3: 1.7.0.0

• Mavic Pro: 01.03.0900

Matrice 600 Pro: 1.0.1.20

Matrice 600, RTK and Ronin MX: 1.0.1.20

• Phantom 4: 1.2.602

Zenmuse XT: 1.24.0.10

• Zenmuse Z3: 1.10.1.40

Inspire 1: 1.10.1.40

• Inspire 1 Pro (X5 camera): 1.10.1.40

Inspire 1 RAW (X5R camera): 1.10.1.40

• Osmo: 1.10.2.60

• Osmo Pro (X5 camera): 1.3.0.40

Osmo RAW (X5R camera): 1.3.0.40

Osmo+: 1.5.0.90

Osmo Mobile: 1.6.0.80

Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40

• Matrice 100: 1.3.1.0

• Lightbridge 2: 1.1.60

• A3: 1.7.0.0

Bug Fixes

• Spark: RC signal status widget was previously empty. This has been fixed.

Known Issues

•	Unknown camera state after checking media on DJI Go: If the user opens DJI Go's media playback
	feature to check media, then opens UI Library, camera will be in an unknown state until user toggles
	camera/video slider.

© 2017 DJI. All Rights Reserved.

iOS UI Library 4.2 Release Notes

Release Date

2017.07.07

Highlights

- Compatibility with Mobile SDK 4.2.2
- Support for DJI Spark
- Preflight checklist improvements
- · Minor bug fixes

Supported iOS Mobile SDK

• DJI iOS Mobile SDK v4.2.2: download at https://developer.dji.com/mobile-sdk/downloads/.

iOS Compatibility

UI Libraries is compatible with iOS 9.0 and above.