

1/12




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

## Cluster pairing interface

Cluster information:

|           |  |
|-----------|--|
| Cluster 1 | Position: <input type="text"/>               |
|           | Resource specification: <input type="text"/> |
| Cluster 2 | Position: <input type="text"/>               |
|           | Resource specification: <input type="text"/> |
| Cluster 3 | Position: <input type="text"/>               |
|           | Resource specification: <input type="text"/> |

Please pair a primary cluster and a secondary cluster:

|   |   |
|---|---|
| Primary cluster:  | Secondary cluster:  |
| <div>Cluster 1 ▼</div> <div>Cluster 2</div> <div>Cluster 3</div> <div>...</div> | <div>Cluster 1 ▼</div> <div>Cluster 2</div> <div>Cluster 3</div> <div>...</div> |

FIG. 6

Please specify a service to be backed up and a backup moment

Service name:

Whether to configure a backed up protection group for a **first service** Yes ☒ No ☐

Please configure a protection group

Component 1:  ☒

Component 2: 

|   |                                     |
|---|-------------------------------------|
| <input type="text" value="Data set 2"/> | <input checked="" type="checkbox"/> |
| <input type="text" value="Data set 3"/> | <input checked="" type="checkbox"/> |

Backup moment:

Backup periodicity:

FIG. 7




FIG. 8






FIG. 9




FIG. 10

11/12




FIG. 11




FIG. 12




FIG. 13




FIG. 14