Datum Date 03.08.2020

Date

Blatt Sheet 1 Feuille Anmelde-Nr: Application No: Demande n°:

19 160 813.2

The examination is being carried out on the following application documents

Description, Pages

3-70 filed in electronic form on 27-06-2019

1, 2, 2a, 71 filed in electronic form on 05-05-2020

Claims, Numbers

1-27 filed in electronic form on 05-05-2020

Drawings, Sheets

1/10-10/10 filed in electronic form on 27-06-2019

- The following document D1 is referred to in this communication; the numbering will be adhered to in the rest of the procedure:
 - D1 EP 2 595 344 A2 (HUAWEI TECH CO LTD [CN]) 22 May 2013 (2013-05-22)
- While the Applicant's observations submitted with the amended claims (letter of 04-05-2020) have been carefully considered, the previously expressed opinion is nevertheless maintained. The Examining Division is of the opinion, that the subject-matter of **the independent claims 1, 9, 14, 22 and 27** still does not fulfill the requirements of Article 84 EPC, and maintains its interpretation of the disclosure of D1 with respect to Articles 52(1) and 54 EPC.

The details of all the objections can be found in the following under items 3 to 5 of this communication:

- The application does not meet the requirements of Article 84 EPC, because claims 1, 9, 14 and 22 are still not clear.
- 3.1 The expressions "fault tracing detection" and "initiating fault detection" used in independent claims 1, 9, 14 and 22 leave the reader in doubt as to the meaning of the technical features to which they refer (it is not clear which faults are exactly to be detected resp. traced and how such a fault detection is actually

achieved only by obtaining just one ID of an SF node?; why is such a request packet sent?; **claim 1** only defines an ID of the SF node, but what about the other nodes on the path?), thereby rendering the definition of the subject-matter of said claims unclear (Article 84 EPC and Guidelines F-IV-4.1 and F-IV-4.3).

It is not clear for the person skilled in the art, that by the method steps defined in claim 1 (even though an order of service function nodes is now defined) a fault in a planned processing order of the service function nodes shall and actually can be determined.

It appears, that in best case it can <u>only</u> be determined, whether "the ID of the SF node" obtained in the "fault tracing detection response packet" is included in the intended "order of the plurality of service function nodes of the service chain" or not. Apparently, no other faults may be detected. Hence, it appears, that there are essential features missing to define this specific scenario.

Therefore **claims 1, 9, 14 and 22** do not meet the requirements of Article 84 EPC in that the matter for which protection is sought is not defined. The claims attempt to define the subject-matter in terms of the result to be achieved.

3.2 Likewise **claims 9 and 22** do not meet the requirements of Article 84 EPC in that the matter for which protection is sought is not defined. The claims attempt to define the subject-matter in terms of the result to be achieved. Such a definition is only allowable under the conditions elaborated in the Guidelines F-IV, 4.10. In this instance, however, such a formulation is not allowable because it appears possible to define the subject-matter in more concrete terms, viz. in terms of how the effect is to be achieved.

Claims 9 and 22 define "determining, by the device for initiating fault detection, that forwarding between the SFE and the SF node is <u>normal</u>", without specifying how is actually achieved only by obtaining just one ID of an SF node?

It appears, that in best case it can <u>only</u> be determined, whether "the ID of the SF node" obtained in the "fault tracing detection response packet" is included in the intended "order of the plurality of service function nodes of the service chain" or not. Apparently, no other faults may be detected and "normal" operation only with respect to the "order of service function nodes" may be determined. Hence, it appears, that there are essential features missing to define this specific scenario.

 Datum
 Blatt

 Date
 03.08.2020
 Sheet

 Date
 Feuille

Blatt Anmelde-Nr:
Sheet 3 Application No:
Feuille Demande n°:

No: 19 160 813.2

The present application does not meet the requirements of Article 52(1) EPC, because the subject-matter of **the independent claims 1, 9, 14, 22 and 27**, as far as they can be understood, is not new in the sense of Article 54(1) and (2) EPC.

4.1 Document D1 (see in particular: paragraphs 1-11, 65-88, 103; claims 6-10; Figure 3) discloses according to all the features of claim 1 (the references in parentheses applying to this document):

A service chain fault detection method ('fault detection method': paragraph 7; claims 6-10), wherein the service chain comprises a plurality of service function nodes, and a packet passes through according to an order of the plurality of service function nodes, ('an MPLS ring network is an MPLS LSP transport ring network constructed by means of logical structure mapping, where a group of nodes form a closed ring, each node is connected through a bidirectional communication facility to two adjacent nodes, each node in the ring may serve as a ring ingress node or may also serve as a ring egress node, and the transport directions are opposite; each direction includes working and protective ring channels, and provides redundant bandwidth or redundant network devices or both; in this manner, after the network becomes invalid or deteriorates, distributed services are able to automatically recover; to be simple, in the MPLS ring network scenario, paths are rings, and services may be transferred clockwise or counterclockwise; that is, two paths are able to protect each other; if a path in one direction is interrupted, the protective path in the opposite direction continues to transfer services to meet the objective that singlepoint link faults in a ring do not affect services'; "an order of the plurality of service function nodes" is considered, if not directly, at least implicitly given in an 'MPLS ring network' as disclosed in D1: paragraphs 1-11; claims 6-10; Figure 3), wherein the method comprises:

obtaining, by a service forwarding entity, SFE, a first fault tracing detection request packet, and determining, by the SFE, to communicate with a service function, SF, node, wherein the first fault tracing detection request packet comprises a path identifier, ID, and the path ID is used to identify a path of a service chain ('initiate a fault detection request packet; determine a ring LSP FEC corresponding to the fault detection request packet, and encapsulate the ring LSP FEC into the fault detection request packet; the ring LSP FEC specifically includes the ring ingress node address, the ring egress node address and a ring identity'; the 'ring identity' in D1 is understood as a possible "path ID"; 'send the fault detection request

packet along to downstream nodes'; a 'downstream node' in D1 is understood as an "SFE"; the aforementioned features of claim 1 are considered to be at least implicitly disclosed in D1: paragraphs 65-88);

obtaining, by the SFE, an ID of the SF node; and sending, by the SFE, a first fault tracing detection response packet to a device for initiating fault detection. wherein the first fault tracing detection response packet comprises the path ID and the ID of the SF node ('the control plane queries a downstream information mapping table of the ring LSP FEC to acquire downstream information of LSR2, which includes the address of the downstream node LSR3 and the outgoing label, encapsulates the downstream information of LSR2 into a fault detection reply packet, and returns the fault detection reply packet, Tracert echo reply, to LSR1; the fault detection reply packet includes information of LSR2 and information of LSR3; LSR1 determines, according to the returned information of LSR2 and information of LSR3, that the LSR2 node of the ring LSP has no fault, and determines that the next node of LSR2 is LSR3'; e.g. 'LSR3' in this particular scenario in D1 is understood as a possibility of an "SF"; 'encapsulate the ring LSP FEC into a fault detection reply packet, and send the fault detection reply packet after encapsulation to the ring ingress node 31'; the aforementioned features of claim 1 are considered, if not directly, at least implicitly disclosed in D1: paragraphs 65-88, 103).

The subject-matter of claim 1 is therefore not new (Article 54(1) and (2) EPC).

- 4.2 The same objection of lack of novelty also applies to **independent claims 9**, **14**, **22 and 27**, which essentially contain or should contain the corresponding combination of features as defined by claim 1.
 - Claim 9, 14, 22 and 27 is thus also not allowable under Articles 52(1), 54(1) and (2) EPC for the same reasons set out above with respect to claim 1.
- It is not at present apparent which part of the application could serve as a basis for a new, allowable claim. Should the Applicant nevertheless regard some particular matter as patentable, an independent claim should be filed taking account of Rule 43(1) EPC. The Applicant should also indicate in the letter of reply the difference of the subject-matter of the new claim vis-à-vis the state of the art and the significance thereof, preferably using the problem-solution approach.

Moreover when filing an amended set of claims, the Applicant is requested to also take the following remarks into account:

 Datum
 Blatt
 Anmelde-Nr:

 Date
 03.08.2020
 Sheet
 5
 Application No:
 19.160.813.2

 Date
 Feuille
 Demande n°:

- 5.1 New independent claims should be drafted in the two-part form in accordance with Rule 43(1) EPC.
- When filing amended claims the Applicant should at the same time bring the description into conformity with the amended claims in particular in compliance with the <u>Guidelines F-IV 4.3(iii)</u>, F-IV 4.4 and C-V 1.1.0: in order to meet the requirement of Article 84 EPC, that the claims have to be supported by the description, all embodiments of the description should fall into the scope of the claim set. Other embodiments should either be excised or it should be stated that they do not fall into the scope of the claim set ("... does not fall under the invention"). A mere renaming of such other embodiments, such as for instance "examples" or "aspects" is not sufficient.

Care should be taken during revision, especially of the introductory portion and any statements of problem or advantage, not to add subject-matter which extends beyond the content of the application as originally filed (Article 123(2) EPC).

Further the attention of the Applicant is drawn to the fact that amended claims may not relate to unsearched subject-matter (Rule 137(4) EPC).

In order to facilitate the examination of the conformity of the amended application with the requirements of Article 123(2) EPC, the Applicant is requested to clearly identify the amendments carried out, irrespective of whether they concern amendments by addition, replacement or deletion, and to indicate the passages of the application as filed on which these amendments are based.