
Preorder & Freshness Management

Web-Based Preorder and Freshness Management System for Home-Based Entrepreneurs

Case study: Wrap & Bowl Kuch Kuching, Sarawak

Supervisor: Ms. Nur Elana Binti Mohd Saferinor



The problem: separate tasks and records

- Preorder details can be scattered across messages.
- Food-safety concerns motivate clearer ingredient storage records.
- The reviewed platforms give limited control over flexible preorders and an individual business’s branding.

The five original objectives

1. To design and develop a web application that supports flexible date-based food preordering and scheduling for home-based food entrepreneurs.

2. To implement a food stock freshness monitoring feature based on ingredient shelf life and storage duration.


3. To develop a personalised single-vendor storefront module that allows sellers to strengthen branding without direct competitor distraction.

4. To implement a sales analytics dashboard that supports data-driven business decision-making for home-based food operators.

5. To develop a menu recommendation system that reduces customer decision fatigue and improves purchase conversion rates.

The solution was shaped by the client

- One branded customer and owner website.
- Morning handover, area fees, packaging stock and payment evidence.
- Client feedback simplified preparation planning and order receipt.



Actual local application capture with client photos / example records

How one preorder connects the records


01 **Choose food, date and area** → 02 **Check total and stock** → 03 **Save order and snapshots** → 04 **Deduct ingredients and packaging** → 05 **Review payment and food receipt**

Saving the order and deducting stock are one transaction.

React interface → Django rules → Supabase / PostgreSQL records

Browse one kitchen and compare choices


- Client photos, clear prices and selling units.
- Optional suggestions use date, quantity and whole-order budget.
- Customers can compare mixed-menu and one-menu options.



Actual local application capture with client photos / example records

Choose a date and see the full total


- Account access uses name, phone and a passkey.
- Checkout shows offered dates and the selected area fee.
- Bank/QR proof needs owner review; delivery can also use cash.



Actual local application capture with client photos / example records

Recorded dates guide usable stock


- Printed dates or documented storage life support unlabelled ingredients.
- Earlier deadlines and held batches affect allocation.
- Orders deduct eligible ingredients and assigned packaging.



Actual local application capture with client photos / example records

Manage the order without confusing payment


- Record payment only after checking the bank or cash.
- Confirm received only after actual delivery or collection.
- Daily summaries and printable slips support fulfilment.



Actual local application capture with client photos / example records

Use sales information with its cost limits


- Daily order totals and realised sales answer different questions.
- Sales, cost assumptions and contribution are explained separately.
- Unknown ingredient or packaging costs do not become zero.



Actual local application capture with client photos / example records

What has been tested—and what needs feedback

- Functional checks cover dates, totals, stock, payment evidence and access.
- Browser checks exercise customer and owner journeys.
- User evaluation is separate from these software checks.




Actual local application capture with client photos / example records

One connected workflow for a home kitchen

- The five objectives guide the implemented functions.
- Dates support planning; bank and courier events still need real evidence.
- Next: the recorded customer-to-kitchen walkthrough.

Demo: customer order to kitchen records



PLAY THE 2-MINUTE DEMO

Click the video in PowerPoint.

Fallback: open the MP4 or screenshot PDF.

Local application recording · client photos · example records

Questions

Thank you.

Questions about the workflow, stock rules, data model or evaluation?