

## **Appendix 1 – data and metadata**

Page 1. Metadata

Pages 2-59: Data

Pages 60-238: Literature list

- Data are mostly from the literature. See list in Appendix S3 of Meiri, S. 2018. Traits of lizards of the world – variation around a successful evolutionary design. *Global Ecology and Biogeography* 27: 1168-1172.
- "Species" is the valid name according to the reptile database (December 2019) "name in Tonini et al. tree" is the equivalent name (if it can be detected with certainty) in the phylogeny of Tonini et al . 2016
- strategy means whether we consider the species to have a fixed or a variable clutch size
- Clutch size: number of eggs per clutch, or neonates per litter. Averages were preferred over ranges. In case of multiple values we averaged the highest and lowest mean (or clutch size)
- maximum log 10 mass (g) - the mass of the largest reported specimen, based on SVL data converted to mass using taxon-specific allometric equations
- log 10 female mass (g) - the mass of average-sized female, based on mean SVL data converted to mass using taxon-specific allometric equations
- Latitude - absolute values were used in the analyses. Data are species level latitudinal centroids from Roll et al. (2017) with subsequent modifications; in decimal degrees
- Literature sources used to determine clutch size and predictors (for life history, natural history and geographic range) are provided in a separate sheet

Family	species	name in Tomini et al. tree	strateg	clutch	maximum y	mean log size	mass (g)	10 female mass (g)	insular endemic	Latitude	activity time	substrate	microhabitat	mode of reproductio	n	log NPP (°C)	temperature n (mm)	annual precipitatio	n	precipitatio	Temperature seasonality
Agamidae	<i>Acanthocercus adramitanus</i>	Acanthocercus adramitanus			variable 8.00	2.13	NA	Afrotropic	no	16.20	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.6	23.5	149	87.9	3664.6		
Agamidae	<i>Acanthocercus atricollis</i>	Acanthocercus atricollis			variable 11.36	2.25	1.70	Afrotropic	no	10.29	Diurnal	Arboreal	Scansorial	Oviparous	11.7	21.8	1002	86.1	1863.7		
Agamidae	<i>Acanthocercus cyanogaster</i>	Acanthocercus cyanogaster			variable 11.00	2.22	1.39	Afrotropic	no	1.90	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	21.4	1028	80.6	1230.3		
Agamidae	<i>Acanthocercus kivuensis</i>	NA			variable 5.00	1.88	NA	Afrotropic	no	0.18	Diurnal	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA		
Agamidae	<i>Acanthosaura armata</i>	Acanthosaura armata			variable 14.50	1.98	1.80	Oriental	no	7.74	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	25.6	2379	41.2	852.2		
Agamidae	<i>Acanthosaura capra</i>	Acanthosaura capra			variable 19.50	1.98	1.83	Oriental	no	11.93	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	23.5	2402	73.2	1124.3		
Agamidae	<i>Acanthosaura cardamomensis</i>	Acanthosaura cardamomensis			variable 20.50	2.07	1.82	Oriental	no	12.08	Cathemeral	Arboreal&Terrestri	Scansorial	Oviparous	11.8	24.2	2784	77	754.7		
Agamidae	<i>Acanthosaura crucigera</i>	Acanthosaura crucigera			variable 14.00	2.11	1.94	Oriental	no	15.13	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	25.3	1869	81.1	1577.6		
Agamidae	<i>Acanthosaura lepidogaster</i>	Acanthosaura lepidogaster			variable 13.00	1.66	1.39	Oriental	no	20.20	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	22.8	1723	79.2	3587.0		
Agamidae	<i>Acanthosaura nataliae</i>	Acanthosaura nataliae			variable 13.00	2.14	1.94	Oriental	no	15.14	Diurnal	Arboreal	Scansorial	Oviparous	11.9	23.1	2239	79.1	2078.7		
Agamidae	<i>Agama aculeata</i>	Agama aculeata			variable 12.75	1.75	1.31	Afrotropic	no	17.96	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	20.4	717	85.1	3312.9		
Agamidae	<i>Agama africana</i>	Agama africana			variable 7.55	1.77	NA	Afrotropic	no	7.95	Diurnal	Arboreal&Terrestri	Scansorial	NA	11.8	25.5	1813	72.2	1315.6		
Agamidae	<i>Agama agama</i>	Agama agama			variable 8.80	2.07	1.38	Afrotropic	no	4.20	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	25.3	1127	90.4	1719.9		
Agamidae	<i>Agama anchietae</i>	Agama anchietae			variable 11.00	1.98	1.41	Afrotropic	no	23.32	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.9	20.5	240	99.8	4204.7		
Agamidae	<i>Agama armata</i>	Agama armata			variable 14.50	1.44	1.31	Afrotropic	no	13.50	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	21.7	936	96.8	2293.6		
Agamidae	<i>Agama atra</i>	Agama atra			variable 12.50	1.98	1.35	Afrotropic	no	28.99	Diurnal	Saxicolous	Scansorial	Oviparous	11.2	16.9	486	61.2	4429.7		
Agamidae	<i>Agama boensis</i>	Agama boensis			variable 7.55	1.24	NA	Afrotropic	no	12.75	Diurnal	Terrestrial	Terrestrial	NA	11.6	27.5	1331	117.6	2395.1		
Agamidae	<i>Agama boueti</i>	Agama boueti			variable 9.30	1.65	1.35	Afrotropic	no	16.73	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	28.7	228	150.8	4366.7		
Agamidae	<i>Agama caudospinosa</i>	Agama caudospinosa			variable 7.50	2.20	1.79	Afrotropic	no	0.06	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	18.4	1022	47.1	1025.1		
Agamidae	<i>Agama doriae</i>	Agama doriae			variable 7.55	1.71	1.13	Afrotropic	no	9.44	Diurnal	Saxicolous	Scansorial	NA	11.6	25.5	1015	100.5	1901.0		
Agamidae	<i>Agama etoshae</i>	Agama etoshae			variable 9.50	1.30	NA	Afrotropic	no	18.56	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	22.5	411	113.3	3085.2		
Agamidae	<i>Agama hispida</i>	Agama hispida			variable 13.70	1.92	1.51	Afrotropic	no	29.51	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	17.7	261	60	4624.4		
Agamidae	<i>Agama impalearis</i>	Agama impalearis			variable 11.80	1.92	1.57	Paleartic	no	27.90	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.7	20.7	197	83.1	6098.0		
Agamidae	<i>Agama kaimosae</i>	Agama kaimosae			variable 7.55	2.02	NA	Afrotropic	no	1.68	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	19.3	953	58.9	959.3		
Agamidae	<i>Agama kirkii</i>	Agama kirkii			variable 10.00	1.71	1.21	Afrotropic	no	17.17	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.7	21.8	859	104	2829.6		
Agamidae	<i>Agama knobeli</i>	Agama knobeli			variable 17.50	1.98	NA	Afrotropic	no	27.42	Diurnal	Saxicolous	Scansorial	Oviparous	10.6	19.3	95	77.4	4110.9		
Agamidae	<i>Agama lionotus</i>	Agama lionotus			variable 8.88	2.03	1.47	Afrotropic	no	2.38	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	23.2	759	84.6	1241.6		
Agamidae	<i>Agama luciae</i>	Agama luciae			variable 5.00	0.80	0.80	Afrotropic	no	7.27	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	22	1035	64	1013.0		
Agamidae	<i>Agama montana</i>	Agama montana			variable 8.00	1.44	NA	Afrotropic	no	6.16	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	22.6	1212	65.6	1478.7		
Agamidae	<i>Agama mossambica</i>	Agama mossambica			variable 9.50	1.77	1.55	Afrotropic	no	13.73	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	23.6	1154	94.1	1832.8		
Agamidae	<i>Agama mwanzae</i>	Agama mwanzae			variable 7.50	2.16	1.57	Afrotropic	no	2.67	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	21.9	987	70.7	1031.6		
Agamidae	<i>Agama picta</i>	NA			variable 6.00	2.13	1.76	Afrotropic	no	8.47	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	NA	NA	NA	NA		
Agamidae	<i>Agama planiceps</i>	Agama planiceps			variable 6.50	2.05	1.37	Afrotropic	no	18.61	Diurnal	Saxicolous	Scansorial	Oviparous	11.2	20.8	501	107.5	2635.8		
Agamidae	<i>Agama spinosa</i>	Agama spinosa			variable 7.55	1.84	NA	Afrotropic	no	13.75	Diurnal	Saxicolous	Scansorial	NA	10.9	25.3	495	115.7	2754.4		
Agamidae	<i>Agama turvensis</i>	Agama turvensis			variable 7.50	1.98	NA	Afrotropic	no	4.45	Diurnal	Saxicolous	Scansorial	NA	11.7	22.1	774	93.4	1172.7		
Agamidae	<i>Agama weidholzi</i>	Agama weidholzi			variable 10.00	0.94	0.82	Afrotropic	no	12.62	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	27.7	1087	120.2	2261.4		
Agamidae	<i>Amphibolurus burnsi</i>	Lophognathus burnsi			variable 7.50	1.93	NA	Australia	no	27.08	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.1	21.8	417	45.7	5648.3		
Agamidae	<i>Amphibolurus muricatus</i>	Amphibolurus muricatus			variable 5.55	1.82	1.39	Australia	no	31.67	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	16.4	811	31.7	4300.7		
Agamidae	<i>Amphibolurus norrisi</i>	Amphibolurus norrisi			variable 4.80	1.74	1.42	Australia	no	33.50	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.1	16.8	360	31.9	3836.4		
Agamidae	<i>Aploaniotis acutirostris</i>	Aploaniotis acutirostris			variable 2.00	1.08	0.60	Oriental	yes	0.58	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	23.2	3149	25	328.1		
Agamidae	<i>Aploaniotis fusca</i>	Aploaniotis fusca			variable 1.00	1.10	0.91	Oriental	no	0.78	Diurnal	Arboreal	Scansorial	Oviparous	11.8	25.3	2908	26.2	347.0		
Agamidae	<i>Aploaniotis ornata</i>	Aploaniotis ornata			variable 2.00	0.77	0.58	Oriental	yes	5.63	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.4	2573	24.2	493.7		
Agamidae	<i>Bronchocela cristatella</i>	Bronchocela cristatella			variable 2.00	1.88	1.41	Oriental	no	1.61	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.3	2699	36.6	469.2		
Agamidae	<i>Bronchocela hayeki</i>	Bronchocela hayeki			variable 2.00	1.77	1.17	Oriental	yes	3.36	Diurnal	Arboreal	Scansorial	Oviparous	11.8	19.1	3205	27	370.0		
Agamidae	<i>Bronchocela jubata</i>	Bronchocela jubata			variable 2.00	2.07	NA	Oriental	no	1.31	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.1	2580	36.4	348.1		
Agamidae	<i>Bronchocela marmorata</i>	Bronchocela marmorata			variable 2.00	1.82	NA	Oriental	yes	11.85	Diurnal	Arboreal	Scansorial	Oviparous	11.4	25.5	2471	66.2	1060.8		
Agamidae	<i>Bronchocela rayensis</i>	NA			variable 2.00	1.31	1.29	Oriental	no	8.06	Diurnal	Arboreal	Scansorial	Oviparous	11.2	27.2	2760	60.1	599.5		
Agamidae	<i>Bronchocela shenlong</i>	NA			variable 2.00	1.60	1.55	Oriental	no	4.57	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.6	2627	27.6	482.8		
Agamidae	<i>Bronchocela smaragdina</i>	Bronchocela smaragdina			variable 3.00	1.77	1.61	Oriental	no	12.41	Diurnal	Arboreal	Scansorial	Oviparous	11.8	23.3	2134	73.7	1270.1		
Agamidae	<i>Calotes bachae</i>	Calotes bachae			variable 4.50	1.48	1.32	Oriental	no	12.39	Diurnal	Arboreal	Scansorial	Oviparous	11.9	26.6	2057	88.5	1074.0		
Agamidae	<i>Calotes calotes</i>	Calotes calotes			variable 12.50	1.98	1.31	Oriental	no	9.43	Diurnal	Arboreal	Scansorial	Oviparous	11.6	26.5	1590	72.9	1348.4		
Agamidae	<i>Calotes ceylonensis</i>	Calotes ceylonensis			variable 8.00	1.27	1.14	Oriental	yes	7.91	Diurnal	Arboreal	Scansorial	Oviparous	11.7	27.3	1454	70.7	1128.4		
Agamidae	<i>Calotes desilvai</i>	Calotes desilvai			variable 3.00	1.22	1.00	Oriental	yes	6.41	Diurnal	Arboreal	Scansorial	Oviparous	11.9	25.5	1761	30	587.0		
Agamidae	<i>Calotes emma</i>	Calotes emma			variable 7.50	1.82	1.50	Oriental	no	19.15	Diurnal	Arboreal	Scansorial	Oviparous	11.7	22.8	1800	80.4	2899.3		
Agamidae	<i>Calotes grandisquamis</i>	Calotes grandisquamis			variable 9.00	2.07	1.74	Oriental	no	10.87	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.4	2304	88.2	1240.7		
Agamidae	<i>Calotes jerdoni</i>	Calotes jerdoni			variable 15.00	1.88	1.72	Oriental	no	24.99	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	20.3	2224	87	3924.9		
Agamidae	<i>Calotes liocephalus</i>	Calotes liocephalus			variable 5.50	1.52	1.25	Oriental	yes	7.16	Diurnal	Arboreal									

Agamidae	<i>Calotes zolaiking</i>	NA	variable 3.00	1.18	1.04	Oriental	no	23.61	Diurnal	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA
Agamidae	<i>Ceratophora aspera</i>	Ceratophora aspera	variable 1.93	0.43	0.07	Oriental	yes	6.48	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	25.9	2468	39.2	563.9
Agamidae	<i>Ceratophora erdeleni</i>	Ceratophora erdeleni	variable 3.50	1.29	1.00	Oriental	yes	6.41	Diurnal	Arboreal	Scansorial	Oviparous	11.9	22.1	2522	31.3	554.0
Agamidae	<i>Ceratophora karu</i>	Ceratophora karu	variable 2.00	0.29	-0.06	Oriental	yes	6.41	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	24.7	1805	30	576.0
Agamidae	<i>Ceratophora stoddartii</i>	Ceratophora stoddartii	variable 3.50	1.36	1.09	Oriental	yes	6.92	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	20.6	2383	40.3	723.3
Agamidae	<i>Ceratophora tennentii</i>	Ceratophora tennentii	variable 3.50	1.38	0.97	Oriental	yes	7.43	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	22.7	2011	51.1	945.7
Agamidae	<i>Chelosania brunnea</i>	Chelosania brunnea	variable 5.50	1.75	1.42	Australia	no	15.29	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.3	27	939	112.1	2669.9
Agamidae	<i>Chlamydosaurus kingii</i>	Chlamydosaurus kingii	variable 11.99	2.96	2.52	Australia	no	17.37	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.3	25.3	903	97.6	3102.2
Agamidae	<i>Cophotis ceylanica</i>	Cophotis ceylanica	variable 5.00	0.98	0.85	Oriental	yes	7.02	Diurnal	Arboreal	Scansorial	Viviparous	11.8	18.4	2427	37.4	701.1
Agamidae	<i>Corytophylax subcristatus</i>	Corytophylax subcristatus	variable 2.00	1.67	0.81	Oriental	yes	11.78	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.1	27.1	3021	72	611.1
Agamidae	<i>Ctenophorus adelaidensis</i>	Ctenophorus adelaidensis	variable 3.50	0.67	0.48	Australia	no	29.55	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	19.1	601	79.9	4132.0
Agamidae	<i>Ctenophorus butlerorum</i>	Ctenophorus butlerorum	variable 2.50	0.45	NA	Australia	no	26.69	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	21.7	311	89.4	3446.5
Agamidae	<i>Ctenophorus caudicinctus</i>	Ctenophorus caudicinctus	variable 5.38	1.59	0.87	Australia	no	24.22	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	24.3	297	72.6	5582.8
Agamidae	<i>Ctenophorus clayi</i>	Ctenophorus clayi	variable 2.45	0.79	0.59	Australia	no	24.55	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.8	23.6	280	59.4	5834.4
Agamidae	<i>Ctenophorus cristatus</i>	Ctenophorus cristatus	variable 4.55	1.68	1.45	Australia	no	30.52	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	18.8	254	27.3	5011.0
Agamidae	<i>Ctenophorus decresii</i>	Ctenophorus decresii	variable 4.70	1.38	1.07	Australia	no	32.57	Diurnal	Saxicolous	Scansorial	Oviparous	11.1	17	331	25.8	5050.4
Agamidae	<i>Ctenophorus femoralis</i>	Ctenophorus femoralis	variable 2.00	0.77	0.47	Australia	no	23.13	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	25.2	269	81.5	4613.4
Agamidae	<i>Ctenophorus fionni</i>	Ctenophorus fionni	variable 3.58	1.47	0.95	Australia	no	32.18	Diurnal	Saxicolous	Scansorial	Oviparous	11.0	18.2	268	28.3	4798.6
Agamidae	<i>Ctenophorus fordi</i>	Ctenophorus fordi	variable 2.30	0.79	0.64	Australia	no	30.83	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	19.3	249	24.8	5572.9
Agamidae	<i>Ctenophorus isolepis</i>	Ctenophorus isolepis	variable 3.70	1.27	0.79	Australia	no	23.91	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	23.9	316	66.3	5475.3
Agamidae	<i>Ctenophorus maculatus</i>	Ctenophorus maculatus	variable 3.00	0.98	0.70	Australia	no	30.11	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	19.1	314	45.3	4648.5
Agamidae	<i>Ctenophorus maculosus</i>	Ctenophorus maculosus	variable 3.21	1.04	0.82	Australia	no	29.75	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	21.5	167	31.2	6297.9
Agamidae	<i>Ctenophorus mrrityana</i>	Ctenophorus mrrityana	variable 5.50	1.39	1.07	Australia	no	31.59	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	19.1	225	19.2	6048.7
Agamidae	<i>Ctenophorus nguyarna</i>	Ctenophorus nguyarna	variable 2.50	1.20	0.75	Australia	no	23.40	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.7	26.7	285	75.7	6212.9
Agamidae	<i>Ctenophorus nuchalis</i>	Ctenophorus nuchalis	variable 4.05	1.85	1.27	Australia	no	24.73	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.9	23.6	317	63.7	5549.8
Agamidae	<i>Ctenophorus ornatus</i>	Ctenophorus ornatus	variable 3.13	1.45	1.22	Australia	no	31.52	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.3	18.1	378	46.8	4908.1
Agamidae	<i>Ctenophorus parviceps</i>	Ctenophorus parviceps	variable 2.10	0.64	0.43	Australia	no	24.76	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	23.7	243	77.4	3999.4
Agamidae	<i>Ctenophorus pictus</i>	Ctenophorus pictus	variable 3.20	1.13	0.78	Australia	no	28.35	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	20.3	245	31.9	5644.9
Agamidae	<i>Ctenophorus reticulatus</i>	Ctenophorus reticulatus	variable 4.30	1.63	1.08	Australia	no	26.53	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	21.7	248	46.2	5755.5
Agamidae	<i>Ctenophorus salinarum</i>	Ctenophorus salinarum	variable 3.50	1.19	0.78	Australia	no	29.68	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	19.6	285	39.2	5371.3
Agamidae	<i>Ctenophorus scutulatus</i>	Ctenophorus scutulatus	variable 5.17	1.71	1.33	Australia	no	28.24	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	21.3	253	48	5683.5
Agamidae	<i>Ctenophorus vadnappa</i>	Ctenophorus vadnappa	variable 5.00	1.38	0.97	Australia	no	30.52	Diurnal	Saxicolous	Scansorial	Oviparous	10.7	19.3	212	23.9	6027.4
Agamidae	<i>Dendragama australis</i>	NA	variable 4.00	1.19	1.01	Oriental	yes	3.57	Diurnal	Arboreal	Scansorial	NA	11.8	21	3267	29.8	256.2
Agamidae	<i>Dendragama boulengeri</i>	Dendragama boulengeri	variable 4.00	1.21	0.97	Oriental	yes	1.57	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	21.2	2859	24.9	370.0
Agamidae	<i>Dendragama dioidema</i>	NA	variable 3.00	1.12	1.00	Oriental	yes	4.56	Diurnal	Arboreal	Scansorial	NA	11.7	18.9	2437	28.2	405.4
Agamidae	<i>Diploderma brevipes</i>	NA	variable 5.35	1.10	0.90	Oriental	yes	23.89	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	13.1	2458	61.8	4032.9
Agamidae	<i>Diploderma chapaense</i>	Japalura chapaensis	variable 4.30	1.01	0.92	Oriental	no	22.42	Diurnal	Arboreal	Scansorial	NA	11.7	22.4	1919	75.7	4494.8
Agamidae	<i>Diploderma dymondi</i>	NA	variable 8.00	1.50	0.98	Paleartic	no	26.89	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.6	12.3	924	99.3	4844.1
Agamidae	<i>Diploderma fasciata</i>	NA	variable 4.80	1.26	1.04	Paleartic	no	27.94	Diurnal	Arboreal	Scansorial	Oviparous	11.5	13.4	1165	75.7	6474.9
Agamidae	<i>Diploderma flavigeeps</i>	NA	variable 6.00	1.32	1.00	Paleartic	no	31.35	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.5	10.8	842	83.8	7152.3
Agamidae	<i>Diploderma luei</i>	NA	variable 5.50	1.13	1.01	Oriental	yes	24.24	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	15.2	2846	43	4295.8
Agamidae	<i>Diploderma makii</i>	NA	variable 6.30	1.29	0.97	Oriental	yes	23.22	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.4	17	2617	81.6	3715.8
Agamidae	<i>Diploderma micangshanensi</i>	Japalura micangshanensis	variable 3.00	1.08	0.98	Paleartic	no	33.55	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.5	10.9	747	79.1	7952.5
Agamidae	<i>Diploderma polygonatum</i>	NA	variable 3.40	1.23	0.77	Oriental	yes	24.82	Diurnal	Arboreal	Scansorial	Oviparous	11.5	19.1	2577	44.5	4498.0
Agamidae	<i>Diploderma splendidum</i>	NA	variable 6.17	1.52	1.09	Paleartic	no	29.66	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.5	12.8	1023	76.1	6844.0
Agamidae	<i>Diploderma spinhosus</i>	NA	variable 3.95	1.34	1.00	Oriental	yes	23.69	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.5	20.4	2281	67.5	4130.8
Agamidae	<i>Diploderma varcoae</i>	NA	variable 8.90	1.30	0.93	Paleartic	no	26.17	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	14	1001	79.3	5018.4
Agamidae	<i>Diploderma yunnanense</i>	NA	variable 8.00	1.35	0.97	Oriental	no	24.93	Diurnal	Arboreal	Scansorial	Oviparous	11.7	16	1105	84	4261.1
Agamidae	<i>Diporiphora albilabris</i>	Diporiphora albilabris	variable 3.70	0.82	0.70	Australia	no	15.95	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	27	935	111.5	2733.9
Agamidae	<i>Diporiphora amphiloburoides</i>	Diporiphora amphiloburoides	variable 12.00	1.51	1.35	Australia	no	26.73	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	22.6	246	53.6	5925.4
Agamidae	<i>Diporiphora australis</i>	Diporiphora australis	variable 4.50	1.17	0.71	Australia	no	21.16	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.5	23.3	909	83.2	3340.2
Agamidae	<i>Diporiphora bennetti</i>	Diporiphora bennetti	variable 4.30	1.22	0.66	Australia	no	15.53	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.2	27	897	111.7	2830.6
Agamidae	<i>Diporiphora bilineata</i>	Diporiphora bilineata	variable 5.50	0.92	0.68	Australia	no	18.82	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.4	25.8	966	105.6	2802.5
Agamidae	<i>Diporiphora margaretae</i>	Diporiphora margaretae	variable 6.00	0.81	0.72	Australia	no	15.19	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.3	26.8	1091	111.4	2153.2
Agamidae	<i>Diporiphora nobbi</i>	Diporiphora nobbi	variable 6.00	1.29	1.00	Australia	no	28.62	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.4	19.8	633	42.1	4817.2
Agamidae	<i>Diporiphora paraconvergens</i>	Diporiphora paraconvergens	variable 3.00	0.84	0.75	Australia	no	23.79	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.8	25.1	320	71.5	5702.2
Agamidae	<i>Diporiphora sobria</i>	Diporiphora arnhemica	variable 4.30	1.02	0.65	Australia	no	16.51	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	NA	NA	NA	NA	NA
Agamidae	<i>Diporiphora superba</i>	Diporiphora superba	variable 6.50	1.45	1.18	Australia	no	16.03	Diurnal	Arboreal	Scansorial	Oviparous	11.2	26.8	1083	117.5	2250.4
Agamidae	<i>Diporiphora winneckei</i>	Diporiphora winnecke	variable 3.00	1.04	0.83	Australia	no	26.45	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.8	23.8	282	61.2	5786.9
Agamidae	<i>Draco abbreviatus</i>	Draco abbreviatus	variable 3.80	1.36	1.19	Oriental	no	4.31	Diurnal	Arboreal	Scansorial	Oviparous	11.9	25.4	2517	35.1	591.5
Agamidae	<i>Draco beccarii</i>	Draco beccarii	variable 2.89	0.73	0.58	Oceania	yes	1.97	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.2	2603	38.3	424.9
Agamidae	<i>Draco biaro</i>	Draco biaro	variable 2.00	0.66	0.61	Oceania	yes	2.10	Diurnal	Arboreal	Scansorial	Oviparous	10.9	27.2	3074	44	204.5
Agamidae	<i>Draco bimaculatus</i>	Draco bimaculatus	variable 2.00	0.61	0.50	Oriental	yes	8.12	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24.5	2453	31.5	478.4
Agamidae	<i>Draco blanfordii</i>	Draco blanfordii	variable 5.10	1.32	1.01	Oriental	no	18.33	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23	1758	81.6	2545.6
Agamidae	<i>Draco boschmai</i>	Draco boschmai	variable 3.50	0.86	0.66	Oceania	yes	8.77	NA	Arboreal	Scansorial	Oviparous	11.4	25.1	1750	75.4	620.4
Agamidae	<i>Draco cornutus</i>	Draco cornutus	variable 3.00	0.88	0.72	Oriental	yes	0.86	Diurnal	Arboreal	Scansorial						

Agamidae	<i>Draco fimbriatus</i>	Draco fimbriatus	variable 2.50	1.29	0.99	Oriental	no	2.20	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.8	2833	28.1	404.5
Agamidae	<i>Draco formosus</i>	Draco formosus	variable 3.50	1.10	0.78	Oriental	no	4.54	Diurnal	Arboreal	Scansorial	Oviparous	11.9	25.5	2457	37.7	609.6
Agamidae	<i>Draco haematopogon</i>	Draco haematopogon	variable 2.50	1.02	0.73	Oriental	no	4.29	Diurnal	Arboreal	Scansorial	Oviparous	11.8	25.5	2511	43.4	752.6
Agamidae	<i>Draco indochinensis</i>	Draco indochinensis	variable 3.00	1.15	NA	Oriental	no	12.62	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.5	2106	77.8	1326.2
Agamidae	<i>Draco lineatus</i>	Draco lineatus	variable 2.50	0.87	0.60	Oceania	yes	3.38	Diurnal	Arboreal	Scansorial	Oviparous	11.4	24.3	2569	41.5	567.0
Agamidae	<i>Draco maculatus</i>	Draco maculatus	variable 3.60	0.93	0.59	Oriental	no	19.41	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.2	1940	83.2	2919.2
Agamidae	<i>Draco maximus</i>	Draco maximus	variable 4.50	1.46	1.26	Oriental	no	2.66	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.7	2938	22.3	371.6
Agamidae	<i>Draco melanopogon</i>	Draco melanopogon	variable 1.95	0.89	0.74	Oriental	no	3.01	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.9	2798	25.7	426.3
Agamidae	<i>Draco mindanensis</i>	Draco mindanensis	variable 2.00	1.08	0.75	Oriental	yes	8.33	Diurnal	Arboreal	Scansorial	Oviparous	11.6	25.4	2401	33.6	487.3
Agamidae	<i>Draco modiglianii</i>	Draco modiglianii	variable 1.50	0.63	0.40	Oriental	yes	5.40	Diurnal	Arboreal	Scansorial	Oviparous	10.9	26.6	3667	31.3	416.9
Agamidae	<i>Draco obscurus</i>	Draco obscurus	variable 3.00	1.12	0.82	Oriental	no	3.76	Diurnal	Arboreal	Scansorial	Oviparous	11.8	24.6	2857	26.1	447.0
Agamidae	<i>Draco palawanensis</i>	Draco palawanensis	variable 3.00	0.79	0.74	Oriental	yes	9.73	Diurnal	Arboreal	Scansorial	Oviparous	11.2	26.7	1771	58.4	483.0
Agamidae	<i>Draco quinquefasciatus</i>	Draco quinquefasciatus	variable 3.35	1.08	0.96	Oriental	no	1.75	Diurnal	Arboreal	Scansorial	Oviparous	11.9	25.2	3008	24.5	360.4
Agamidae	<i>Draco reticulatus</i>	Draco reticulatus	variable 2.50	1.29	0.75	Oriental	yes	11.27	Diurnal	Arboreal	Scansorial	Oviparous	11.4	26.7	2775	35.4	677.6
Agamidae	<i>Draco rhytisma</i>	Draco rhytisma	variable 1.50	0.79	0.73	Oceania	yes	1.43	NA	Arboreal	Scansorial	Oviparous	11.1	25.9	2042	42.6	457.0
Agamidae	<i>Draco spilonotus</i>	Draco spilonotus	variable 2.50	0.72	0.54	Oceania	yes	0.43	Diurnal	Arboreal	Scansorial	Oviparous	11.8	24.3	2086	22.9	212.4
Agamidae	<i>Draco spilopterus</i>	Draco spilopterus	variable 4.50	1.01	0.81	Oriental	yes	14.67	Diurnal	Arboreal	Scansorial	Oviparous	11.4	25.6	2440	65.1	1063.7
Agamidae	<i>Draco sumatranaus</i>	Draco sumatranaus	variable 3.35	0.87	0.69	Oriental	no	1.70	Diurnal	Arboreal	Scansorial	Oviparous	11.8	25.1	2932	28.6	399.2
Agamidae	<i>Draco taeniopterus</i>	Draco taeniopterus	variable 3.00	0.85	0.60	Oriental	no	13.96	Diurnal	Arboreal	Scansorial	Oviparous	11.6	26.1	1850	79.9	1488.5
Agamidae	<i>Draco timorensis</i>	Draco timorensis	variable 2.50	0.89	0.73	Oceania	yes	9.13	Diurnal	Arboreal	Scansorial	Oviparous	11.4	24.9	1359	77	814.2
Agamidae	<i>Draco volans</i>	Draco volans	variable 4.50	0.93	0.69	Oriental	yes	7.35	Diurnal	Arboreal	Scansorial	Oviparous	11.5	25.2	2536	54.8	422.2
Agamidae	<i>Gonocephalus abbotti</i>	Gonocephalus abbotti	variable 7.00	2.27	NA	Oriental	no	5.15	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.5	2529	36.2	665.4
Agamidae	<i>Gonocephalus bellii</i>	Gonocephalus bellii	variable 4.00	2.09	1.69	Oriental	no	4.78	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	25.1	2426	35.4	626.4
Agamidae	<i>Gonocephalus bornensis</i>	Gonocephalus bornensis	variable 4.00	1.96	1.65	Oriental	yes	1.21	Diurnal	Arboreal	Scansorial	Oviparous	12.0	24.8	3442	19.1	301.7
Agamidae	<i>Gonocephalus chamaeleontis</i>	Gonocephalus chamaeleontis	variable 4.00	2.24	1.77	Oriental	yes	1.21	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24.3	2936	29.3	338.1
Agamidae	<i>Gonocephalus doriae</i>	Gonocephalus doriae	variable 2.00	2.18	1.89	Oriental	yes	4.79	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.8	2307	18.7	393.6
Agamidae	<i>Gonocephalus grandis</i>	Gonocephalus grandis	variable 3.59	2.16	1.78	Oriental	no	0.76	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	25.2	2914	26.1	345.7
Agamidae	<i>Gonocephalus kuhlii</i>	Gonocephalus kuhlii	variable 4.00	2.35	2.01	Oriental	yes	7.03	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.1	3004	45.3	319.0
Agamidae	<i>Gonocephalus lacunosus</i>	Gonocephalus lacunosus	variable 7.50	2.07	1.89	Oriental	yes	3.24	Diurnal	Arboreal	Scansorial	Oviparous	11.7	21.4	2615	24	394.0
Agamidae	<i>Gonocephalus hogaster</i>	Gonocephalus hogaster	variable 3.10	2.03	1.69	Oriental	no	1.97	Diurnal	Arboreal	Scansorial	Oviparous	12.0	24.6	3118	20.2	357.0
Agamidae	<i>Gonocephalus semperi</i>	Gonocephalus semperi	variable 3.00	1.70	1.59	Oriental	yes	11.80	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	25.6	2389	52	793.4
Agamidae	<i>Gonocephalus sophiae</i>	Gonocephalus sophiae	variable 3.09	2.07	1.58	Oriental	yes	11.80	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	25.6	2389	52	793.4
Agamidae	<i>Gowidon longirostris</i>	Lophognathus longirostris	variable 4.70	1.70	1.41	Australia	no	23.73	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.8	23.7	282	61.7	5793.3
Agamidae	<i>Harpesaurus borneensis</i>	Harpesaurus borneensis	variable 2.00	0.81	0.79	Oriental	yes	1.69	Diurnal	Arboreal	Scansorial	Oviparous	12.0	25.7	3810	20.7	352.8
Agamidae	<i>Hydrosaurus amboinensis</i>	Hydrosaurus amboinensis	variable 7.50	3.21	NA	Oceania	yes	1.19	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.6	25.7	3023	21.5	351.5
Agamidae	<i>Hydrosaurus pustulatus</i>	Hydrosaurus pustulatus	variable 7.50	2.91	2.91	Oriental	yes	14.21	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.5	25.6	2438	63.2	1019.0
Agamidae	<i>Hypsilurus godeffroyi</i>	Hypsilurus godeffroyi	variable 2.50	2.68	1.75	Oceania	yes	7.50	Diurnal	Arboreal	Scansorial	Oviparous	10.9	27.3	3956	21.8	197.5
Agamidae	<i>Hypsilurus longi</i>	Hypsilurus longi	variable 1.50	2.68	2.32	Oceania	yes	5.54	NA	Arboreal	Scansorial	Oviparous	11.4	24.4	4074	31.5	344.3
Agamidae	<i>Hypsilurus macrolepis</i>	Hypsilurus macrolepis	variable 2.00	1.98	1.77	Oceania	yes	7.53	Diurnal	Arboreal	Scansorial	Oviparous	11.3	25.4	3397	19.4	381.2
Agamidae	<i>Hypsilurus magnus</i>	Hypsilurus magnus	variable 1.00	2.66	NA	Oceania	yes	4.50	NA	Semi_Aquatic	Scansorial	Oviparous	11.8	23.7	3485	20.9	348.1
Agamidae	<i>Hypsilurus modestus</i>	Hypsilurus modestus	variable 1.00	1.62	1.26	Oceania	yes	5.30	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.2	3272	28.3	436.7
Agamidae	<i>Hypsilurus papuensis</i>	Hypsilurus papuensis	variable 1.00	2.64	2.12	Oceania	yes	8.47	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	23.8	2618	33	561.1
Agamidae	<i>Hypsilurus schoedlei</i>	Hypsilurus schoedlei	variable 1.00	1.86	1.72	Oceania	yes	1.65	Diurnal	Arboreal	Scansorial	Oviparous	10.8	26.9	3796	12.7	226.9
Agamidae	<i>Intellagama lesuerii</i>	Intellagama lesuerii	variable 9.68	2.96	2.52	Australia	no	28.79	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.6	18.3	832	41.2	4261.9
Agamidae	<i>Japalura andersoniana</i>	Japalura andersoniana	variable 7.00	1.14	0.67	Oriental	no	28.53	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.4	10.6	2191	74.3	5364.9
Agamidae	<i>Japalura kumaonensis</i>	Japalura kumaonensis	variable 10.40	1.05	0.90	Oriental	no	30.58	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	10	1301	100.1	6594.6
Agamidae	<i>Japalura major</i>	Japalura major	variable 10.00	1.44	1.43	Oriental	no	31.22	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.2	4.9	1373	79.6	6864.2
Agamidae	<i>Japalura variegata</i>	Japalura variegata	variable 16.33	1.79	1.19	Oriental	no	26.69	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.4	18.4	2270	103.8	4656.3
Agamidae	<i>Laudakia agrorensis</i>	Laudakia agrorensis	variable 7.00	1.69	1.38	Oriental	no	32.78	Diurnal	Saxicolous	Scansorial	Oviparous	11.1	11.1	708	78.9	7476.7
Agamidae	<i>Laudakia melanura</i>	Laudakia melanura	variable 12.50	2.03	1.51	Paleartic	no	29.06	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.6	23	287	95.3	7324.8
Agamidae	<i>Laudakia nupta</i>	Laudakia nupta	variable 10.00	2.26	1.97	Paleartic	no	31.46	Diurnal	Saxicolous	Scansorial	Oviparous	10.5	18.6	237	101.2	8725.5
Agamidae	<i>Laudakia tuberculata</i>	Laudakia tuberculata	variable 9.40	2.07	1.69	Paleartic	no	32.53	Diurnal	Saxicolous	Scansorial	Oviparous	11.1	5.5	993	76.4	7165.6
Agamidae	<i>Leiolepis belliana</i>	Leiolepis belliana	variable 4.65	2.30	1.35	Oriental	no	13.19	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	25.9	1920	76.4	1454.1
Agamidae	<i>Leiolepis guentherpetersi</i>	Leiolepis guentherpetersi	variable 2.00	2.12	1.80	Oriental	no	15.84	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	25.7	2868	93.3	2570.9
Agamidae	<i>Leiolepis guttata</i>	Leiolepis guttata	variable 5.00	2.76	NA	Oriental	no	12.66	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	25.5	1774	82.2	1618.0
Agamidae	<i>Leiolepis reevesii</i>	Leiolepis reevesii	variable 3.58	2.39	1.59	Oriental	no	16.82	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	23.2	1680	74.4	4036.5
Agamidae	<i>Leiolepis triploida</i>	Leiolepis triploida	variable 3.00	2.05	1.91	Oriental	no	5.72	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	27	2445	40.2	529.0
Agamidae	<i>Lophocalotes achlios</i>	NA	variable 3.38	1.38	0.93	Oriental	yes	3.60	Diurnal	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA
Agamidae	<i>Lophognathus giberti</i>	Lophognathus giberti	variable 5.40	1.93	1.29	Australia	no	13.65	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.3	27.1	1186	107.9	2081.6
Agamidae	<i>Lophosaurus boydii</i>	Hypsilurus boydii	variable 3.00	2.28	2.15	Australia	no	17.55	Diurnal	Arboreal	Scansorial	Oviparous	11.6	22	1839	86.1	2539.1
Agamidae	<i>Lophosaurus dilophus</i>	Hypsilurus dilophus	variable 2.00	2.59	2.29	Oceania	yes	5.36	Diurnal	Arboreal	Scansorial	Oviparous	11.8	25.5	3180	28.5	450.6
Agamidae	<i>Lophosaurus spinipes</i>	Hypsilurus spinipes	variable 5.00	1.94	1.76	Australia	no	29.66	Diurnal	Arboreal	Scansorial	Oviparous	11.6	18.2	1200	39.5	3711.1
Agamidae	<i>Lyriocephalus scutatus</i>	Lyriocephalus scutatus	variable 3.67	2.35	1.99	Oriental	yes	6.80	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.9	2438	41.9	658.2
Agamidae	<i>Malayodracon robinsonii</i>	Gonocephalus robinsonii	variable 7.00	2.14	1.88	Oriental	no	4.13	Diurnal	Arboreal	Scansorial	Oviparous	12.0	25.2	2477	29.7	567.9
Agamidae	<i>Mantheyus phuwanensis</i>	Mantheyus phuwanensis	variable 4.00	1.38	1.26	Oriental	no	18.26	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	25.5	2979	105.8	2535.5
Agamidae	<i>Microauris aurantolabium</i>	Calotes aurantolabium	variable 4.00	1.21	1.09	Oriental	no	8.56									

Agamidae	<i>Monilesaurus rouxii</i>	NA	variable 4.15	1.26	0.94	Oriental	no	15.90	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	25.4	1769	113.3	2033.7	
Agamidae	<i>Otocryptis beddomei</i>	Otocryptis beddomei	variable 3.55	0.45	0.32	Oriental	no	8.78	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	24.3	1483	58.7	1017.4	
Agamidae	<i>Otocryptis nigristigma</i>	Otocryptis nigristigma	variable 4.00	1.22	0.60	Oriental	yes	7.80	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	27.2	1437	68.7	1127.8	
Agamidae	<i>Otocryptis wiegmanni</i>	Otocryptis wiegmanni	variable 4.00	1.22	0.67	Oriental	yes	6.85	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25.2	2268	42.8	688.2	
Agamidae	<i>Paralaudakia bocharensis</i>	Paralaudakia bocharensis	variable 4.50	1.77	NA	Paleartic	no	38.79	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	10.2	411	77.5	8580.9	
Agamidae	<i>Paralaudakia caucasia</i>	Paralaudakia caucasia	variable 9.45	2.27	1.81	Paleartic	no	35.69	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	12.6	344	73.8	8909.0	
Agamidae	<i>Paralaudakia erythrogaster</i>	Paralaudakia erythrogaster	variable 12.50	2.11	1.89	Paleartic	no	35.23	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.8	10.7	284	93.4	8631.3	
Agamidae	<i>Paralaudakia himalayana</i>	Paralaudakia himalayana	variable 3.50	2.03	NA	Paleartic	no	37.36	Diurnal	Saxicolous	Scansorial	Oviparous	10.7	4.6	331	79.1	9142.9	
Agamidae	<i>Paralaudakia lehmanni</i>	Paralaudakia lehmanni	variable 10.00	2.07	1.77	Paleartic	no	38.40	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.8	8.1	344	73.9	8602.4	
Agamidae	<i>Paralaudakia stoliczkanai</i>	Paralaudakia stoliczkanai	variable 7.50	2.32	1.84	Paleartic	no	40.66	Diurnal	NA	Scansorial	Oviparous	10.0	9.7	51	104.6	11957.3	
Agamidae	<i>Phoxophrys borneensis</i>	Phoxophrys borneensis	variable 2.00	0.96	0.86	Oriental	yes	5.01	Diurnal	Arboreal	Scansorial	Oviparous	11.9	22.6	3159	18.7	427.3	
Agamidae	<i>Phoxophrys cephalum</i>	Phoxophrys cephalum	variable 4.00	1.29	0.97	Oriental	yes	5.79	Diurnal	Arboreal&Terresti	Scansorial	Oviparous	11.9	22.4	2451	23.4	495.9	
Agamidae	<i>Phoxophrys nigribasis</i>	NA	variable 2.00	0.79	0.78	Oriental	yes	1.71	Diurnal	Semi_Aquatic	Scansorial	Oviparous	12.0	25.7	3839	24.6	376.8	
Agamidae	<i>Phoxophrys spiniceps</i>	Phoxophrys spiniceps	variable 2.00	0.84	0.84	Oriental	yes	4.12	Diurnal	Arboreal	Scansorial	Oviparous	12.0	22	3232	14	369.6	
Agamidae	<i>Phrynocephalus arabicus</i>	Phrynocephalus arabicus	Phrynocephalus arabicus	variable 3.50	0.84	0.45	Paleartic	no	23.92	Diurnal	Terrestrial	Terrestrial	Oviparous	10.3	26.7	83	114.4	7144.3
Agamidae	<i>Phrynocephalus axillaris</i>	Phrynocephalus axillaris	variable 2.60	0.91	0.59	Paleartic	no	38.62	Diurnal	Terrestrial	Terrestrial	Oviparous	10.1	10.3	57	102.7	11548.7	
Agamidae	<i>Phrynocephalus clarkorum</i>	Phrynocephalus clarkorum	variable 4.00	0.45	0.27	Paleartic	no	30.82	Diurnal	Terrestrial	Terrestrial	Oviparous	10.3	22.9	100	116.1	9078.2	
Agamidae	<i>Phrynocephalus erythrurus</i>	Phrynocephalus erythrurus	variable 2.21	0.75	0.71	Paleartic	no	32.71	Diurnal	Terrestrial	Terrestrial	Viviparous	10.7	-5	254	115	8080.4	
Agamidae	<i>Phrynocephalus Forsythii</i>	Phrynocephalus forsythii	variable 4.80	0.85	0.62	Paleartic	no	39.94	Diurnal	Terrestrial	Terrestrial	Viviparous	10.1	11.3	48	102.6	11548.7	
Agamidae	<i>Phrynocephalus frontalis</i>	NA	variable 3.20	0.82	0.62	Paleartic	no	39.71	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	3.6	340	105.5	10903.6	
Agamidae	<i>Phrynocephalus golubewii</i>	Phrynocephalus golubewii	variable 2.50	1.04	0.72	Paleartic	no	38.86	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	18.4	225	50.1	10142.0	
Agamidae	<i>Phrynocephalus guttatus</i>	Phrynocephalus guttatus	variable 3.23	0.94	0.58	Paleartic	no	46.35	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	8.2	215	31	12374.1	
Agamidae	<i>Phrynocephalus helioscopus</i>	Phrynocephalus helioscopus	variable 3.70	1.04	0.58	Paleartic	no	43.48	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	6.5	277	46.7	11810.7	
Agamidae	<i>Phrynocephalus intercapulatus</i>	Phrynocephalus intercapulatus	variable 1.00	0.51	-0.03	Paleartic	no	41.15	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	14.2	169	62.6	10919.6	
Agamidae	<i>Phrynocephalus luteoguttatus</i>	Phrynocephalus luteoguttatus	variable 3.00	0.51	0.31	Paleartic	no	30.14	Diurnal	Terrestrial	Terrestrial	Oviparous	10.3	22.5	108	109.5	8767.3	
Agamidae	<i>Phrynocephalus maculatus</i>	Phrynocephalus maculatus	variable 2.50	1.40	0.87	Paleartic	no	27.16	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	23.6	127	110.2	7830.7	
Agamidae	<i>Phrynocephalus mystaceus</i>	Phrynocephalus mystaceus	variable 5.00	1.80	1.16	Paleartic	no	42.89	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	11.8	192	47.1	11417.7	
Agamidae	<i>Phrynocephalus ornatus</i>	Phrynocephalus ornatus	variable 3.50	0.51	0.32	Paleartic	no	30.99	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	21	131	107.3	8750.9	
Agamidae	<i>Phrynocephalus persicus</i>	Phrynocephalus persicus	variable 4.50	0.84	0.46	Paleartic	no	35.82	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	12.5	324	68.7	9043.9	
Agamidae	<i>Phrynocephalus przewalskii</i>	Phrynocephalus przewalskii	variable 2.85	1.38	0.77	Paleartic	no	40.59	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	3.8	318	106.4	11357.6	
Agamidae	<i>Phrynocephalus putjatai</i>	Phrynocephalus putjatai	variable 3.10	1.29	0.83	Paleartic	no	36.45	Diurnal	Terrestrial	Terrestrial	Viviparous	11.2	1.4	339	99.9	8448.7	
Agamidae	<i>Phrynocephalus raddei</i>	Phrynocephalus raddei	variable 4.00	0.79	0.58	Paleartic	no	38.26	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	17.2	198	74.5	9788.3	
Agamidae	<i>Phrynocephalus borborowskii</i>	Phrynocephalus borborowskii	variable 3.00	1.38	1.26	Paleartic	no	37.17	Diurnal	Terrestrial	Terrestrial	Oviparous	10.1	4	34	120.4	9494.0	
Agamidae	<i>Phrynocephalus rossikowi</i>	Phrynocephalus rossikowi	variable 4.00	0.59	0.16	Paleartic	no	41.53	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	14.2	108	64.8	11446.3	
Agamidae	<i>Phrynocephalus scutellatus</i>	Phrynocephalus scutellatus	variable 4.00	0.74	0.52	Paleartic	no	31.81	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	19.2	162	100.7	8868.9	
Agamidae	<i>Phrynocephalus strauchi</i>	Phrynocephalus strauchi	variable 3.50	0.72	0.42	Paleartic	no	40.67	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	13.9	290	56	8643.5	
Agamidae	<i>Phrynocephalus theobaldi</i>	Phrynocephalus theobaldi	variable 2.20	0.91	0.64	Paleartic	no	32.75	Diurnal	Terrestrial	Terrestrial	Viviparous	10.7	-3.6	376	107	7578.0	
Agamidae	<i>Phrynocephalus versicolor</i>	Phrynocephalus versicolor	variable 3.30	0.98	0.73	Paleartic	no	42.90	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	4.6	185	98.8	12199.0	
Agamidae	<i>Phrynocephalus vlangalii</i>	Phrynocephalus vlangalii	variable 3.36	1.27	0.82	Paleartic	no	37.16	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	4	177	102.3	10128.4	
Agamidae	<i>Physignathus cocincinus</i>	Physignathus cocincinus	variable 10.36	2.76	2.13	Oriental	no	21.04	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.6	20.9	1663	74.8	4177.3	
Agamidae	<i>Pogona barbata</i>	Pogona barbata	variable 16.75	2.84	2.14	Australia	no	29.36	Diurnal	Arboreal&Terresti	Scansorial	Oviparous	11.4	18.7	630	39.6	4650.2	
Agamidae	<i>Pogona henrylawsoni</i>	Pogona henrylawsoni	variable 12.00	2.09	1.80	Australia	no	20.91	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	25.5	511	97.6	4360.9	
Agamidae	<i>Pogona microlepidota</i>	Pogona microlepidota	variable 18.00	2.32	NA	Australia	no	15.23	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	26.5	1254	113.5	1961.5	
Agamidae	<i>Pogona minor</i>	Pogona minor	variable 6.50	2.24	1.64	Australia	no	26.31	Diurnal	Arboreal&Terresti	Scansorial	Oviparous	10.9	21.8	288	51.3	5448.2	
Agamidae	<i>Pogona mitchelli</i>	Pogona mitchelli	variable 8.75	2.18	1.69	Australia	no	20.33	Diurnal	Arboreal&Terresti	Scansorial	Oviparous	11.0	27.1	469	106	4035.4	
Agamidae	<i>Pogona nullabor</i>	Pogona nullabor	variable 14.00	1.99	1.91	Australia	no	30.99	Diurnal	Arboreal&Terresti	Scansorial	Oviparous	10.8	18.5	208	17.6	4363.9	
Agamidae	<i>Pogona vitticeps</i>	Pogona vitticeps	variable 20.75	2.76	2.09	Australia	no	27.19	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	21.3	292	43	5792.7	
Agamidae	<i>Psammophilus blanfordianus</i>	Psammophilus blanfordianus	variable 5.00	1.58	1.01	Oriental	no	18.04	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.4	26.3	1218	105.5	3275.9	
Agamidae	<i>Psammophilus dorsalis</i>	Psammophilus dorsalis	variable 8.50	1.98	1.10	Oriental	no	14.04	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.4	26.7	919	89.4	2384.3	
Agamidae	<i>Pseudocalotes austeniana</i>	Pseudocalotes austeniana	variable 8.00	1.74	1.20	Oriental	no	27.24	Diurnal	Arboreal	Scansorial	Oviparous	11.6	14.8	1993	79.6	4986.0	
Agamidae	<i>Pseudocalotes bapoenensis</i>	NA	variable 11.00	1.52	1.52	Oriental	no	27.82	NA	NA	NA	Oviparous	NA	NA	NA	NA	NA	
Agamidae	<i>Pseudocalotes brevipes</i>	Pseudocalotes brevipes	variable 3.00	1.18	0.86	Oriental	no	22.90	Diurnal	Arboreal	Scansorial	Oviparous	11.6	21.4	1611	69.8	5501.1	
Agamidae	<i>Pseudocalotes cybelidermus</i>	Pseudocalotes cybelidermus	variable 2.50	1.44	1.10	Oriental	yes	5.08	Diurnal	Arboreal	Scansorial	Oviparous	11.8	19.2	3368	40	233.5	
Agamidae	<i>Pseudocalotes flavigula</i>	Pseudocalotes flavigula	variable 3.00	1.23	1.18	Oriental	no	4.19	Diurnal	Arboreal	Scansorial	Oviparous	12.0	21.2	3142	28	481.0	
Agamidae	<i>Pseudocalotes floweri</i>	Pseudocalotes floweri	variable 4.00	1.51	1.44	Oriental	no	12.74	Diurnal	Arboreal	Scansorial	Oviparous	11.8	26.6	1904	81.4	1003.5	
Agamidae	<i>Pseudocalotes guttulatus</i>	Pseudocalotes guttulatus	variable 1.50	1.46	1.24	Oriental	yes	5.09	Diurnal	Arboreal	Scansorial	Oviparous	11.8	19.2	3368	40	233.5	
Agamidae	<i>Pseudocalotes kakhienensis</i>	Pseudocalotes kakhienensis	variable 5.00	1.85	1.60	Oriental	no	22.84	Diurnal	Arboreal	Scansorial	Oviparous	11.7	19.8	1516	86.4	3469.8	
Agamidae	<i>Pseudocalotes larutensis</i>	Pseudocalotes larutensis	variable 3.00	1.18	NA	Oriental	no	4.87	Diurnal	Arboreal	Scansorial	Oviparous	11.9	22.4	3613	32	448.0	
Agamidae	<i>Pseudocalotes rhammanotus</i>	Pseudocalotes rhammanotus	variable 2.00	1.00	NA	Oriental	yes	4.94	Diurnal	Arboreal	Scansorial	Oviparous	11.8	19.3	3541	37	234.0	
Agamidae	<i>Pseudocalotes tympanistriga</i>	Pseudocalotes tympanistriga	variable 2.00	1.24	0.94	Oriental	yes	6.91	Diurnal	Arboreal	Scansorial	Oviparous	11.7	22.1	3078	40.7	294.7	
Agamidae	<i>Pseudocophotis kontumensis</i>	Pseudocophotis kontumensis	variable 7.00	1.35	1.29	Oriental	no	14.69	Diurnal	Arboreal	Scansorial	Oviparous	12.0	20.7	1741	64	2051.0	
Agamidae	<i>Pseudotrapelus agbensis</i>	Pseudotrapelus agbensis	variable 6.15	1.58	1.11	Paleartic	no	29.66	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.5	19.6	62	96.2	6216.3	
Agamidae	<i>Pseudotrapelus chlondickii</i>	NA	variable 9.00	1.72	1.72	Paleartic	no	18.68	Diurnal	Saxicolous	Scansorial	Oviparous	10.4	27	50	197.7	5438.2	
Agamidae	<i>Pseudotrapelus sinaitus</i>	Pseudotrapelus sinaitus	variable 4.45	1.65	1.24	Paleartic	no	26.18	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.4	22.3	85	95.2	6020.7	
Agamidae	<i>Ptyctolaemus gularis</i>	Ptyctolaemus gularis	variable 10.00	1.34	0.98	Oriental	no	25.87	Cathemeral	Arboreal	Scansorial	Oviparous</td						

Agamidae	<i>Salea anamallayana</i>	Salea anamallayana	variable 4.00	1.66	NA	Oriental	no	10.32	Diurnal	Arboreal	Scansorial	Oviparous	11.6	21.7	1775	65.5	1291.7
Agamidae	<i>Salea horsfieldii</i>	Salea horsfieldii	variable 3.50	1.45	1.05	Oriental	no	10.40	Diurnal	Arboreal	Scansorial	Oviparous	11.5	25.5	1415	77.4	1439.1
Agamidae	<i>Sarada superba</i>	NA	variable 15.00	1.15	0.83	Oriental	no	17.56	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	22	2272	140.7	1931.3
Agamidae	<i>Sitana devakai</i>	NA	variable 4.50	0.47	0.40	Oriental	yes	8.78	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	27.7	1197	86.1	1114.0
Agamidae	<i>Sitana fusca</i>	Sitana fusca	variable 7.20	0.53	0.39	Oriental	no	27.20	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	23.7	1652	113	4871.0
Agamidae	<i>Sitana ponticeriana</i>	Sitana ponticeriana	variable 14.30	1.24	0.64	Oriental	no	10.36	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	27.4	1257	73.1	1767.3
Agamidae	<i>Sitana sivalensis</i>	Sitana sivalensis	variable 6.86	0.43	0.43	Oriental	no	28.17	Diurnal	Arboreal& Terrestri	Scansorial	Oviparous	11.5	20.9	1556	115.5	5727.8
Agamidae	<i>Stellagama stellio</i>	Stellagama stellio	variable 8.95	2.52	1.60	Paleartic	no	34.95	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	16.5	421	79.3	7151.7
Agamidae	<i>Trapelus agilis</i>	Trapelus agilis	variable 7.00	1.72	1.23	Paleartic	no	33.03	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	18.3	226	93	8660.8
Agamidae	<i>Trapelus agnetae</i>	Trapelus agnetae	variable 9.70	1.43	1.14	Paleartic	no	29.22	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	23.2	110	90.4	8237.3
Agamidae	<i>Trapelus flavimaculatus</i>	Trapelus flavimaculatus	variable 5.00	1.88	1.46	Paleartic	no	21.88	Diurnal	Arboreal& Terrestri	Scansorial	Oviparous	10.4	26.9	82	113.5	6258.9
Agamidae	<i>Trapelus megalonyx</i>	Trapelus megalonyx	variable 5.00	1.14	1.00	Paleartic	no	30.73	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	19	232	94.3	8182.8
Agamidae	<i>Trapelus mutabilis</i>	Trapelus mutabilis	variable 8.50	1.51	1.03	Paleartic	no	23.83	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	24	31	164.4	6427.7
Agamidae	<i>Trapelus rubrigularis</i>	Trapelus rubrigularis	variable 5.00	1.45	1.07	Oriental	no	28.85	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	24.6	220	93.4	7354.6
Agamidae	<i>Trapelus ruderatus</i>	Trapelus ruderatus	variable 8.00	1.93	1.15	Paleartic	no	32.28	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.7	19.1	267	84.5	8762.5
Agamidae	<i>Trapelus sanguinolentus</i>	Trapelus sanguinolentus	variable 7.50	2.38	1.30	Paleartic	no	42.51	Diurnal	Arboreal& Terrestri	Scansorial	Oviparous	10.6	11.3	211	52.7	11121.5
Agamidae	<i>Trapelus savignii</i>	Trapelus savignii	variable 5.15	1.80	1.21	Paleartic	no	30.54	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	20.9	75	98.3	5319.9
Agamidae	<i>Trapelus tournevillei</i>	Trapelus tournevillei	variable 6.00	1.52	1.19	Paleartic	no	30.84	Diurnal	Arboreal	Scansorial	Oviparous	10.3	22.9	47	75.2	8368.5
Agamidae	<i>Tropicagama temporalis</i>	Lophognathus temporalis	variable 4.50	2.09	1.30	Australia	no	13.68	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.4	26.9	1303	100.9	1989.8
Agamidae	<i>Tymanocryptis centralis</i>	Tymanocryptis centralis	variable 7.00	0.86	0.65	Australia	no	23.88	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.9	23.9	317	66	5783.0
Agamidae	<i>Tymanocryptis cephalus</i>	Tymanocryptis cephalus	variable 7.80	0.92	0.71	Australia	no	20.99	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	26.7	302	94.6	3941.6
Agamidae	<i>Tymanocryptis intima</i>	Tymanocryptis intima	variable 8.70	0.86	0.72	Australia	no	25.11	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.7	23.3	262	55.3	5982.9
Agamidae	<i>Tymanocryptis lineata</i>	Tymanocryptis lineata	variable 6.50	1.08	0.67	Australia	no	28.62	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	20.2	344	33	5685.8
Agamidae	<i>Tymanocryptis pinguicola</i>	Tymanocryptis pinguicola	variable 4.50	0.94	0.72	Australia	no	37.12	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	12.2	796	16.5	4633.4
Agamidae	<i>Tymanocryptis tetraporophora</i>	Tymanocryptis tetraporophora	variable 8.10	1.12	0.70	Australia	no	26.31	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.8	22.8	305	55.2	5676.8
Agamidae	<i>Uromastyx acanthinura</i>	Uromastyx acanthinura	variable 13.00	3.39	2.42	Paleartic	no	29.98	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	22.1	82	78.8	7433.6
Agamidae	<i>Uromastyx aegyptia</i>	Uromastyx aegyptia	variable 20.80	3.45	3.09	Paleartic	no	24.39	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	25.6	83	107.2	7018.8
Agamidae	<i>Uromastyx alfredschmidti</i>	Uromastyx alfredschmidti	variable 11.50	2.65	NA	Paleartic	no	24.87	Diurnal	Saxicolous	Scansorial	Oviparous	10.3	23.4	24	88.7	7563.5
Agamidae	<i>Uromastyx benti</i>	Uromastyx benti	variable 8.50	2.43	2.23	Afrotropic	no	15.33	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.6	25.2	133	86.4	3794.0
Agamidae	<i>Uromastyx dispar</i>	Uromastyx dispar	variable 17.00	2.66	2.54	Paleartic	no	20.27	Diurnal	Terrestrial	Terrestrial	Oviparous	10.3	26.8	42	146.2	6144.4
Agamidae	<i>Uromastyx geyri</i>	Uromastyx geyri	variable 14.50	2.44	NA	Paleartic	no	21.54	Diurnal	Saxicolous	Scansorial	Oviparous	10.4	27.2	59	130.8	6166.0
Agamidae	<i>Uromastyx macfadyeni</i>	Uromastyx macfadyeni	variable 8.00	1.79	NA	Afrotropic	no	10.36	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	25.3	154	95.5	2404.5
Agamidae	<i>Uromastyx ocellata</i>	Uromastyx ocellata	variable 12.00	2.28	1.96	Afrotropic	no	15.83	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	26.2	382	134.5	3402.9
Agamidae	<i>Uromastyx ornata</i>	Uromastyx ornata	variable 9.00	2.52	2.10	Paleartic	no	22.85	Diurnal	Saxicolous	Scansorial	Oviparous	10.4	24.6	95	88.5	5803.0
Agamidae	<i>Uromastyx thomasi</i>	Uromastyx thomasi	variable 12.00	2.39	2.19	Paleartic	no	18.76	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	27.3	48	97.6	3781.0
Agamidae	<i>Xenagama batillifera</i>	Xenagama batillifera	variable 8.00	1.53	1.45	Afrotropic	no	9.47	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	22	495	74.9	1603.9
Agamidae	<i>Xenagama taylori</i>	Xenagama taylori	variable 5.00	1.32	1.14	Afrotropic	no	8.99	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	22.7	448	80.9	1301.6
Agamidae	<i>Xenagama wilmsi</i>	Xenagama wilmsi	variable 6.50	1.48	NA	Afrotropic	no	8.49	NA	Terrestrial	Terrestrial	Oviparous	11.4	20.7	796	72.5	1050.7
Amphisbaenidae	<i>Amphisbaena alba</i>	Amphisbaena alba	variable 9.25	3.01	2.28	Neotropic	no	12.29	Cathemeral	Fossorial&Terrest	Fossorial	Oviparous	11.8	23.6	1728	55.9	1696.8
Amphisbaenidae	<i>Amphisbaena angustifrons</i>	Amphisbaena angustifrons	variable 2.50	1.52	NA	Neotropic	no	28.79	Nocturnal	NA	Fossorial	Oviparous	11.7	19.4	917	58.4	4419.2
Amphisbaenidae	<i>Amphisbaena brasiliiana</i>	Amphisbaena brasiliiana	variable 9.00	1.37	NA	Neotropic	no	5.72	NA	Fossorial	Fossorial	Oviparous	12.0	25.8	2092	64.7	711.2
Amphisbaenidae	<i>Amphisbaena cuiabana</i>	Amphisbaena cuiabana	variable 2.00	1.37	0.68	Neotropic	no	14.91	NA	Fossorial	Fossorial	Oviparous	11.8	25.3	1650	70.4	1196.8
Amphisbaenidae	<i>Amphisbaena darwini</i>	Amphisbaena darwini	variable 5.00	1.60	NA	Neotropic	no	28.61	NA	Fossorial	Fossorial	Oviparous	11.7	18.9	1192	40.5	4234.1
Amphisbaenidae	<i>Amphisbaena dubia</i>	Amphisbaena dubia	variable 3.50	1.13	0.39	Neotropic	no	25.17	Nocturnal	NA	Fossorial	Oviparous	11.8	19.1	1627	34.9	2711.6
Amphisbaenidae	<i>Amphisbaena heathi</i>	NA	variable 3.00	-0.10	-0.34	Neotropic	no	5.48	NA	Fossorial	Fossorial	Oviparous	11.5	26.7	901	76	732.8
Amphisbaenidae	<i>Amphisbaena innocens</i>	Amphisbaena innocens	variable 2.00	1.08	NA	Neotropic	yes	18.40	NA	NA	Fossorial	Oviparous	11.6	24.5	1357	47.5	1102.9
Amphisbaenidae	<i>Amphisbaena kingii</i>	Amphisbaena kingii	variable 2.60	0.90	0.59	Neotropic	no	33.37	NA	Fossorial	Fossorial	Oviparous	11.6	17.2	902	39.7	4917.2
Amphisbaenidae	<i>Amphisbaena mertensi</i>	Amphisbaena mertensi	variable 7.00	1.82	1.63	Neotropic	no	22.63	NA	Fossorial	Fossorial	Oviparous	11.8	22.5	1461	45.1	2543.2
Amphisbaenidae	<i>Amphisbaena munoi</i>	Amphisbaena munoi	variable 1.80	0.31	-0.17	Neotropic	no	31.32	NA	Fossorial	Fossorial	Oviparous	11.8	18.1	1412	12.9	4193.4
Amphisbaenidae	<i>Amphisbaena nigricauda</i>	Amphisbaena nigricauda	variable 1.50	0.27	-0.27	Neotropic	no	18.99	NA	Fossorial	Fossorial	Oviparous	11.8	23.2	970	62.9	1619.0
Amphisbaenidae	<i>Amphisbaena roberti</i>	Amphisbaena roberti	variable 4.00	1.08	0.82	Neotropic	no	20.65	NA	NA	Fossorial	Oviparous	11.8	23.5	1433	58.4	1980.7
Amphisbaenidae	<i>Amphisbaena vermicularis</i>	Amphisbaena vermicularis	variable 4.00	1.42	NA	Neotropic	no	10.51	NA	Fossorial	Fossorial	Oviparous	11.8	25.7	1103	82.6	1186.9
Amphisbaenidae	<i>Anclyocranum Barkeri</i>	Anclyocranum Barkeri	variable 1.00	0.93	NA	Afrotropic	no	10.56	NA	NA	Fossorial	Oviparous	11.8	23.8	952	100.6	1170.3
Amphisbaenidae	<i>Anclyocranum ionidesi</i>	Anclyocranum ionidesi	variable 1.00	1.43	NA	Afrotropic	no	9.48	NA	NA	Fossorial	Oviparous	11.8	24.5	946	87.3	915.4
Amphisbaenidae	<i>Chirindia ewerbecki</i>	Chirindia ewerbecki	variable 1.00	0.11	-0.29	Afrotropic	no	10.31	NA	Fossorial	Fossorial	Oviparous	11.8	24.6	1036	92.5	1015.2
Amphisbaenidae	<i>Chirindia mpwapwaensis</i>	Chirindia mpwapwaensis	variable 1.00	0.34	0.04	Afrotropic	no	6.35	NA	Fossorial	Fossorial	Oviparous	11.7	NA	NA	NA	NA
Amphisbaenidae	<i>Chirindia rondoensis</i>	Chirindia rondoensis	variable 1.00	-0.19	NA	Afrotropic	no	10.20	NA	Fossorial	Fossorial	Oviparous	11.8	23.2	994	95.8	997.9
Amphisbaenidae	<i>Chirindia swynnertonii</i>	Chirindia swynnertonii	variable 1.00	0.18	-0.29	Afrotropic	no	19.54	NA	Fossorial	Fossorial	Oviparous	11.8	22.8	1119	86.8	2696.7
Amphisbaenidae	<i>Cynisca feae</i>	Cynisca feae	variable 2.82	0.27	-0.09	Afrotropic	no	13.85	NA	Fossorial	Fossorial	Oviparous	11.3	28	823	137.9	1761.3
Amphisbaenidae	<i>Cynisca kraussi</i>	Cynisca kraussi	variable 1.00	0.18	NA	Afrotropic	no	6.44	NA	Fossorial	Fossorial	Oviparous	11.6	26.5	1220	52.7	1151.4
Amphisbaenidae	<i>Cynisca leonina</i>	Cynisca leonina	variable 2.00	0.13	-0.23	Afrotropic	no	10.59	NA	Fossorial	Fossorial	Oviparous	11.7	26.6	2569	114.8	1382.8
Amphisbaenidae	<i>Cynisca leucura</i>	Cynisca leucura	variable 2.25	1.02	0.29	Afrotropic	no	9.70	NA	Fossorial	Fossorial	Oviparous	11.5	27.4	1032	89.9	1857.5
Amphisbaenidae	<i>Cynisca oligopholis</i>	Cynisca oligopholis	variable 4.50	0.04	-0.38	Afrotropic	no	11.17	NA	Fossorial	Fossorial	Oviparous	11.7	27.1	2204	120.1	1118.0
Amphisbaenidae	<i>Cynisca senegalensis</i>	Cynisca senegalensis	variable 2.13	0.26	-0.05	Afrotropic	no	12.62	NA	Fossorial	Fossorial	Oviparous	11.6	28.7	1146	119.5	2529.7
Amphisbaenidae	<i>Dalophia longicuda</i>	Dalophia longicuda	variable 3.00	2.24	NA	Afrotropic	no	18.37	NA	Fossorial	Fossorial	Oviparous	11.5	22.3	555	109.6	3379.5
Amphisbaenidae	<i>Dalophia pistillum</i>	Dalophia pistillum	variable 4.00														

Amphisbaenidae	<i>Leposternon polystegum</i>	Amphisbaena polystegum	variable 6.00	2.06	1.14	Neotropic	no	6.83	Diurnal	Fossilorial	Fossilorial	Oviparous	11.9	NA	NA	NA	NA
Amphisbaenidae	<i>Loveridgea ionidesii</i>	Loveridgea ionidesii	variable 1.50	0.43	NA	Afrotropic	no	10.51	NA	Fossilorial	Fossilorial	Viviparous	11.8	23.4	1062	100.3	1431.8
Amphisbaenidae	<i>Monopeltis adercae</i>	Monopeltis adercae	variable 5.00	2.20	NA	Afrotropic	no	7.56	NA	Fossilorial	Fossilorial	Oviparous	11.8	23.9	1219	77.5	1463.0
Amphisbaenidae	<i>Monopeltis anchietae</i>	Monopeltis anchietae	variable 2.40	1.52	0.98	Afrotropic	no	18.51	NA	Fossilorial	Fossilorial	Viviparous	11.4	21.8	549	108.2	3312.3
Amphisbaenidae	<i>Monopeltis capensis</i>	Monopeltis capensis	variable 2.00	1.50	NA	Afrotropic	no	23.74	Diurnal	Fossilorial	Fossilorial	Viviparous	11.4	20.5	578	78.3	3926.9
Amphisbaenidae	<i>Monopeltis galeata</i>	Monopeltis galeata	variable 6.00	2.05	1.77	Afrotropic	no	0.60	NA	Fossilorial	Fossilorial	Oviparous	11.6	24.8	2092	67.5	756.5
Amphisbaenidae	<i>Monopeltis remaclei</i>	Monopeltis remaclei	variable 8.00	2.43	NA	Afrotropic	no	6.70	NA	Fossilorial	Fossilorial	Oviparous	11.8	23.5	1202	73.5	1396.1
Amphisbaenidae	<i>Zygaspis quadrifrons</i>	Zygaspis quadrifrons	variable 3.30	0.93	0.27	Afrotropic	no	18.23	Diurnal	Fossilorial	Fossilorial	Oviparous	11.5	21.3	695	101.9	3275.8
Amphisbaenidae	<i>Zygaspis vandami</i>	Zygaspis vandami	variable 2.50	0.44	NA	Afrotropic	no	24.24	NA	Fossilorial	Fossilorial	Oviparous	11.6	22.8	645	77.1	3002.5
Anguidae	<i>Abronia aurita</i>	Abronia aurita	variable 12.00	1.53	1.35	Neotropic	no	14.79	Diurnal	Arboreal	Scansorial	Viviparous	11.8	17.2	1539	84.2	1026.1
Anguidae	<i>Abronia campbelli</i>	Abronia campbelli	variable 8.00	1.56	1.39	Neotropic	no	14.71	Diurnal	Arboreal	Scansorial	Viviparous	11.8	17.8	1176	88.6	1163.3
Anguidae	<i>Abronia deppii</i>	Abronia deppii	variable 6.00	1.48	0.50	Neotropic	no	19.01	Diurnal	Arboreal	Scansorial	Viviparous	11.7	15.3	1117	96.7	1619.4
Anguidae	<i>Abronia fimbriata</i>	Abronia fimbriata	variable 4.00	1.59	1.22	Neotropic	no	15.21	Diurnal	Arboreal	Scansorial	Viviparous	11.9	17.4	2226	63.1	1343.0
Anguidae	<i>Abronia graminea</i>	Abronia graminea	variable 5.03	1.35	1.27	Neotropic	no	19.24	Diurnal	Arboreal	Scansorial	Viviparous	11.7	13.3	1180	78.6	1901.0
Anguidae	<i>Abronia lythrochila</i>	Abronia lythrochila	variable 9.50	1.47	NA	Neotropic	no	15.97	Diurnal	Arboreal	Scansorial	Viviparous	11.8	17	1634	74.9	1262.2
Anguidae	<i>Abronia martindelcampoi</i>	Abronia martindelcampoi	variable 4.00	1.41	NA	Neotropic	no	17.57	NA	NA	NA	Viviparous	11.8	15.5	1351	104.2	1095.7
Anguidae	<i>Abronia meleodona</i>	Abronia meleodona	variable 14.00	1.47	1.30	Neotropic	no	14.53	Diurnal	Arboreal	Scansorial	Viviparous	11.8	13.2	1350	89	1013.0
Anguidae	<i>Abronia mixteca</i>	Abronia mixteca	variable 7.00	1.79	NA	Neotropic	no	17.16	Diurnal	Arboreal	Scansorial	Viviparous	11.7	15.7	946	91.8	1359.3
Anguidae	<i>Abronia oaxacae</i>	Abronia oaxacae	variable 1.00	1.43	NA	Neotropic	no	16.80	Diurnal	Arboreal	Scansorial	Viviparous	11.7	16.4	895	87.1	1461.4
Anguidae	<i>Abronia ochoterenai</i>	Abronia ochoterenai	variable 13.00	1.39	1.32	Neotropic	no	16.35	Diurnal	Arboreal	Scansorial	Viviparous	11.9	15.6	1579	80	1363.0
Anguidae	<i>Abronia smithi</i>	Abronia smithi	variable 3.50	1.34	1.18	Neotropic	no	15.59	Diurnal	Arboreal	Scansorial	Viviparous	11.8	17.8	2512	91.1	858.7
Anguidae	<i>Abronia taeniata</i>	Abronia taeniata	variable 6.40	1.68	1.14	Nearctic	no	21.03	NA	Arboreal	Scansorial	Viviparous	11.8	16.7	869	75.2	2889.0
Anguidae	<i>Anguis cephalonica</i>	Anguis cephalonica	variable 10.50	1.88	1.48	Paleartic	no	37.53	Diurnal	Terrestrial	Terrestrial	Viviparous	11.2	14.6	737	72.9	6347.1
Anguidae	<i>Anguis colchica</i>	Anguis colchica	variable 10.00	1.90	1.38	Paleartic	no	53.01	Diurnal	Cryptic	Terrestrial	Viviparous	11.2	6	598	32.4	9493.4
Anguidae	<i>Anguis fragilis</i>	Anguis fragilis	variable 9.48	1.90	1.27	Paleartic	no	50.12	Diurnal	Cryptic	Terrestrial	Viviparous	11.4	9.2	846	24.3	6158.1
Anguidae	<i>Anguis graeca</i>	Anguis graeca	variable 11.50	1.56	1.17	Paleartic	no	40.20	Diurnal	Cryptic	Terrestrial	Viviparous	11.3	12.7	832	44.5	6991.8
Anguidae	<i>Barisia ciliaris</i>	Barisia ciliaris	variable 7.50	1.89	1.27	Nearctic	no	23.43	Diurnal	Terrestrial	Terrestrial	Viviparous	11.4	16.7	608	89.1	3347.4
Anguidae	<i>Barisia herreriae</i>	Barisia herreriae	variable 6.00	1.53	1.35	Neotropic	no	18.95	NA	Arboreal&Terrestri	Scansorial	Viviparous	11.7	19.2	1044	100.9	1612.3
Anguidae	<i>Barisia imbricata</i>	Barisia imbricata	variable 11.45	1.89	1.34	Nearctic	no	22.19	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	17.3	694	90.1	2892.9
Anguidae	<i>Barisia levicollis</i>	Barisia levicollis	variable 13.00	1.88	1.74	Nearctic	no	29.21	NA	Terrestrial	Terrestrial	NA	11.3	13	577	92.6	5495.1
Anguidae	<i>Barisia rudicollis</i>	Barisia rudicollis	variable 5.00	1.56	1.31	Neotropic	no	19.16	NA	Terrestrial	Terrestrial	Viviparous	11.7	14.5	1066	93.2	1672.8
Anguidae	<i>Celestus anelpisustus</i>	Celestus anelpisustus	variable 21.00	2.78	NA	Neotropic	yes	18.70	Nocturnal	Cryptic&Fossilorial	Fossilorial	Viviparous	12.0	NA	NA	NA	NA
Anguidae	<i>Celestus costatus</i>	Celestus costatus	variable 5.60	1.56	0.95	Neotropic	yes	18.90	Diurnal	Terrestrial	Terrestrial	Viviparous	11.7	24	1384	41.9	1277.1
Anguidae	<i>Celestus crusculus</i>	Celestus crusculus	variable 3.35	1.07	0.56	Neotropic	yes	18.17	NA	Terrestrial	Terrestrial	Viviparous	11.4	25.3	1728	43.2	1010.7
Anguidae	<i>Celestus curtissi</i>	Celestus curtissi	variable 3.30	1.02	NA	Neotropic	yes	18.80	NA	Terrestrial	Terrestrial	Viviparous	11.5	24.7	1158	44	1257.2
Anguidae	<i>Celestus darlingtoni</i>	Celestus darlingtoni	variable 2.00	0.95	NA	Neotropic	yes	18.97	Diurnal	Terrestrial	Terrestrial	Viviparous	11.8	15.6	1301	39.4	1246.7
Anguidae	<i>Celestus enneagrammus</i>	Celestus enneagrammus	variable 6.00	1.41	0.83	Neotropic	no	18.44	NA	Terrestrial	Terrestrial	Viviparous	11.9	20.5	2285	77.6	2018.7
Anguidae	<i>Celestus haetianus</i>	Celestus haetianus	variable 5.50	1.16	0.95	Neotropic	yes	18.26	NA	Cryptic	Terrestrial	Viviparous	11.5	19.4	970	54.4	1094.6
Anguidae	<i>Celestus rozella</i>	Celestus rozella	variable 5.50	1.24	NA	Neotropic	no	17.00	Diurnal	Arboreal	Scansorial	Viviparous	11.8	24.1	2149	55.3	1605.8
Anguidae	<i>Celestus sepsoides</i>	Celestus sepsoides	variable 1.50	0.82	NA	Neotropic	yes	18.82	NA	Terrestrial	Terrestrial	Viviparous	11.7	23.9	1415	41.7	1222.8
Anguidae	<i>Celestus stenurus</i>	Celestus stenurus	variable 5.50	2.01	1.61	Neotropic	yes	18.96	Diurnal	Terrestrial	Terrestrial	Viviparous	11.7	24.1	1401	41.2	1292.7
Anguidae	<i>Celestus warreni</i>	Celestus warreni	variable 21.00	2.78	NA	Neotropic	yes	19.65	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.7	24.1	1472	23.8	1413.8
Anguidae	<i>Diploglossus atitlanensis</i>	Diploglossus atitlanensis	variable 12.00	1.46	NA	Neotropic	no	14.27	Diurnal	Arboreal	Scansorial	Oviparous	11.8	21.4	2055	86.6	823.5
Anguidae	<i>Diploglossus bilobatus</i>	Diploglossus bilobatus	variable 10.50	1.18	0.67	Neotropic	no	9.85	Cathemeral	Fossilorial&Terrestre	Fossilorial	Oviparous	11.6	23.8	3251	40.1	428.4
Anguidae	<i>Diploglossus bivittatus</i>	NA	variable 10.00	1.36	1.05	Neotropic	no	13.70	NA	Terrestrial	Terrestrial	Viviparous	11.8	23.3	1398	84.3	912.8
Anguidae	<i>Diploglossus delasagra</i>	Diploglossus delasagra	variable 4.00	1.48	1.28	Neotropic	yes	22.64	Diurnal	Fossilorial&Terrestre	Fossilorial	Oviparous	11.6	25.1	1425	59.2	2005.0
Anguidae	<i>Diploglossus fasciatus</i>	Diploglossus fasciatus	variable 4.00	2.00	1.47	Neotropic	no	17.42	Diurnal	Terrestrial	Terrestrial	NA	11.9	22.6	1539	63.7	1582.8
Anguidae	<i>Diploglossus garridoi</i>	Diploglossus garridoi	variable 4.00	1.24	1.24	Neotropic	yes	20.05	NA	Terrestrial	Terrestrial	Oviparous	12.0	18.6	1570	52.7	1183.3
Anguidae	<i>Diploglossus lessonae</i>	Diploglossus lessonae	variable 4.67	1.92	1.75	Neotropic	no	7.48	Diurnal	Fossilorial&Terrestre	Fossilorial	Oviparous	11.7	26.1	803	80.6	1125.3
Anguidae	<i>Diploglossus monotropis</i>	Diploglossus monotropis	variable 5.50	2.35	1.99	Neotropic	no	5.84	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23.9	3134	43	306.3
Anguidae	<i>Diploglossus nigropunctatus</i>	Diploglossus nigropunctatus	variable 4.50	1.48	1.38	Neotropic	yes	20.89	NA	Fossilorial	Fossilorial	Oviparous	11.6	23.9	995	48.1	1318.9
Anguidae	<i>Diploglossus pleii</i>	Diploglossus pleii	variable 3.00	1.91	NA	Neotropic	yes	18.28	NA	Fossilorial&Terrestre	Fossilorial	Viviparous	11.8	25	1725	32.5	1091.6
Anguidae	<i>Dopasia gracilis</i>	Dopasia gracilis	variable 5.00	2.13	NA	Oriental	no	23.65	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.6	19.6	1827	83.3	4264.9
Anguidae	<i>Dopasia hainanensis</i>	Dopasia hainanensis	variable 21.00	1.88	NA	Oriental	no	18.71	Diurnal	NA	NA	Oviparous	11.6	23	1786	76.6	3009.2
Anguidae	<i>Dopasia harti</i>	Dopasia harti	variable 6.00	1.88	1.51	Oriental	no	26.62	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	16.2	1329	71.7	6124.8
Anguidae	<i>Dopasia sokolovi</i>	Dopasia sokolovi	variable 9.00	1.27	NA	Oriental	no	13.72	Diurnal	NA	NA	Oviparous	11.8	23.7	1781	74.6	1798.0
Anguidae	<i>Elgaria coerulea</i>	Elgaria coerulea	variable 5.40	1.66	1.07	Nearctic	no	45.00	Diurnal	Cryptic	Terrestrial	Viviparous	11.5	7.9	1152	51.3	6345.7
Anguidae	<i>Elgaria kingii</i>	Elgaria kingii	variable 12.00	1.70	1.33	Nearctic	no	29.04	Diurnal	Cryptic&Terrestria	Terrestrial	Oviparous	11.3	16.1	634	83.5	5603.5
Anguidae	<i>Elgaria multicarinata</i>	Elgaria multicarinata	variable 10.90	2.07	1.47	Nearctic	no	37.63	Cathemeral	Cryptic	Terrestrial	Oviparous	11.4	14.3	647	81.4	5355.9
Anguidae	<i>Elgaria panamintina</i>	Elgaria panamintina	variable 8.00	1.83	1.31	Nearctic	no	36.89	Cathemeral	Cryptic	Terrestrial	Oviparous	10.8	13.5	200	50.4	8233.3
Anguidae	<i>Elgaria paucicarinata</i>	Elgaria paucicarinata	variable 7.00	1.47	1.05	Neotropic	no	23.59	Diurnal	Cryptic	Terrestrial	Oviparous	11.0	22.7	306	127.8	3280.7
Anguidae	<i>Gerrhonotus infernalis</i>	Gerrhonotus infernalis	variable 18.80	2.27	1.56	Nearctic	no	27.00	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.1	19.5	420	61.4	5204.8
Anguidae	<i>Gerrhonotus liocephalus</i>	Gerrhonotus liocephalus	variable 10.70	2.27	1.78	Nearctic	no	19.89	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	19.1	882	96.5	2102.6
Anguidae	<i>Gerrhonotus lugoi</i>	Gerrhonotus lugoi	variable 4.00	1.25	0.88	Neotropic	no	26.04	Nocturnal	Saxicolo	Scansorial	Oviparous	11.1	18.9	307	62.2	4876.0
Anguidae	<i>Gerrhonotus ophirurus</i>	Gerrhonotus ophirurus	variable 10.70	2.24	1.38	Neotropic	no	20.76	Diurnal	Arboreal	Scansorial	Oviparous	11.7	16.8	823	80.4	2414.3
Anguidae	<i>Gerrhonotus parvus</i>	Gerrhonotus parvus	variable 7.00	0.94	0.77	Neotropic	no	25.09	Diurnal	Saxicolo	Scansorial	Oviparous	11.5	16.8	677	64.6	41

Anguidae	<i>Mesaspis monticola</i>	Mesaspis monticola	variable 4.39	1.00	0.75	Neotropic	no	9.38	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	19.7	3363	51.7	461.0
Anguidae	<i>Mesaspis moreletii</i>	Mesaspis moreletii	variable 6.00	1.15	0.86	Neotropic	no	14.89	Diurnal	Terrestrial	Terrestrial	Viviparous	11.9	20.7	1679	72.1	1132.2
Anguidae	<i>Ophiodes fragilis</i>	Ophiodes fragilis	variable 5.55	1.91	1.44	Neotropic	no	23.53	NA	Terrestrial	Terrestrial	Viviparous	11.8	21.3	1521	45.1	2636.5
Anguidae	<i>Ophiodes intermedius</i>	Ophiodes intermedius	variable 8.70	1.80	1.23	Neotropic	no	30.00	Cathemeral	Cryptic	Terrestrial	Viviparous	11.6	19.6	970	51.5	4431.9
Anguidae	<i>Ophiodes striatus</i>	Ophiodes striatus	variable 7.30	2.01	1.38	Neotropic	no	22.22	Diurnal	Fossil&Terrestri	Fossil&Terrestri	Viviparous	11.8	21.5	1415	58.3	2282.8
Anguidae	<i>Ophiodes vertebralis</i>	Ophiodes vertebralis	variable 11.50	1.53	NA	Neotropic	no	35.34	Cathemeral	Fossil&Terrestri	Fossil&Terrestri	Viviparous	11.7	15.8	1006	23.9	4778.9
Anguidae	<i>Ophisaurus attenuatus</i>	Ophisaurus attenuatus	variable 9.74	2.17	1.63	Nearctic	no	34.29	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	16.7	1161	26.5	7561.1
Anguidae	<i>Ophisaurus compressus</i>	Ophisaurus compressus	variable 11.00	1.40	1.20	Nearctic	no	28.98	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	21.2	1326	44.3	4688.3
Anguidae	<i>Ophisaurus mimicus</i>	Ophisaurus mimicus	variable 6.00	1.32	1.15	Nearctic	no	31.63	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.6	19.2	1396	27.6	5958.9
Anguidae	<i>Ophisaurus ventralis</i>	Ophisaurus ventralis	variable 11.00	1.96	1.55	Nearctic	no	31.41	Cathemeral	Cryptic&Fossil&Terrestri	Fossil&Terrestri	Oviparous	11.6	19.2	1344	28.7	5931.4
Anguidae	<i>Pseudopus apodus</i>	Pseudopus apodus	variable 8.65	2.77	2.27	Palearctic	no	39.29	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	12.1	522	56.7	8154.6
Anniellidae	<i>Anniella alexanderae</i>	Anniella alexanderae	variable 1.60	0.85	NA	Nearctic	no	35.24	NA	Fossil&Terrestri	Fossil&Terrestri	NA	11.2	16.4	171	87.6	5736.2
Anniellidae	<i>Anniella geronimensis</i>	Anniella geronimensis	variable 1.00	0.89	0.54	Nearctic	no	30.44	Diurnal	Fossil&Terrestri	Fossil&Terrestri	Viviparous	11.0	19	168	75.3	5066.0
Anniellidae	<i>Anniella pulchra</i>	Anniella pulchra	variable 1.65	0.98	0.76	Nearctic	no	34.72	Cathemeral	Fossil&Terrestri	Fossil&Terrestri	Viviparous	11.3	16.1	343	84.8	5270.5
Bipedidae	<i>Bipes biporus</i>	Bipes biporus	variable 2.08	1.15	0.75	Nearctic	no	26.16	Diurnal	Fossil&Terrestri	Fossil&Terrestri	Oviparous	10.8	23.1	128	90.3	3998.9
Bipedidae	<i>Bipes canaliculatus</i>	Bipes canaliculatus	variable 2.80	1.15	0.93	Neotropic	no	18.35	Diurnal	Fossil&Terrestri	Fossil&Terrestri	Oviparous	11.7	24.3	878	105.9	1206.7
Bipedidae	<i>Bipes tridactylus</i>	Bipes tridactylus	variable 2.20	0.63	0.34	Neotropic	no	17.20	NA	Fossil&Terrestri	Fossil&Terrestri	Oviparous	11.8	27.2	1058	113	735.0
Blaniidae	<i>Blanus cinereus</i>	Blanus cinereus	variable 2.00	1.22	0.62	Palearctic	no	37.92	Cathemeral	Fossil&Terrestri	Fossil&Terrestri	Oviparous	11.3	14.6	601	45.6	6133.0
Blaniidae	<i>Blanus mettetali</i>	Blanus mettetali	variable 1.00	0.98	0.50	Palearctic	no	32.36	Nocturnal	Fossil&Terrestri	Fossil&Terrestri	Oviparous	11.2	17.5	401	70.1	5148.5
Blaniidae	<i>Blanus strauchi</i>	Blanus strauchi	variable 1.50	0.99	0.94	Palearctic	no	37.54	NA	Fossil&Terrestri	Fossil&Terrestri	Oviparous	11.2	14.1	711	72.1	7472.3
Cadeidae	<i>Cadea blanoides</i>	Cadea blanoides	variable 2.00	1.25	1.02	Neotropic	yes	22.64	NA	Fossil&Terrestri	Fossil&Terrestri	Oviparous	11.8	25.1	1465	55.7	1971.0
Carphodactylidae	<i>Carphodactylus laevis</i>	Carphodactylus laevis	fixed 2.00	1.53	NA	Australia	no	17.06	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	23	1726	94.3	2140.5
Carphodactylidae	<i>Nephurus amyae</i>	Nephurus amyae	fixed 2.00	1.60	1.66	Australia	no	23.29	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	10.9	22.5	280	51	6220.4
Carphodactylidae	<i>Nephurus asper</i>	Nephurus asper	fixed 2.00	1.42	1.26	Australia	no	20.65	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.3	23.6	721	78.9	4065.2
Carphodactylidae	<i>Nephurus deleani</i>	Nephurus deleani	fixed 2.00	1.26	NA	Australia	no	31.52	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	19.2	199	15.7	5479.8
Carphodactylidae	<i>Nephurus laevissimus</i>	Nephurus laevissimus	fixed 1.98	1.26	0.89	Australia	no	25.38	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	21.9	251	42.3	5976.0
Carphodactylidae	<i>Nephurus levis</i>	Nephurus levis	fixed 2.00	1.38	0.99	Australia	no	25.51	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	23.2	284	57.8	5730.8
Carphodactylidae	<i>Nephurus sheai</i>	Nephurus sheai	fixed 2.00	1.46	1.43	Australia	no	15.51	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.3	27.2	948	111.8	2690.7
Carphodactylidae	<i>Nephurus stellatus</i>	Nephurus stellatus	fixed 2.00	1.22	1.02	Australia	no	31.60	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.1	17.8	291	33.7	4439.0
Carphodactylidae	<i>Nephurus vertebralis</i>	Nephurus vertebralis	fixed 2.00	1.19	1.03	Australia	no	27.75	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	23	248	53.5	6145.3
Carphodactylidae	<i>Nephurus wheeleri</i>	Nephurus wheeleri	fixed 2.00	1.27	1.15	Australia	no	25.03	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	24	262	66.7	5734.0
Carphodactylidae	<i>Orraya occultus</i>	Orraya occultus	fixed 2.00	1.34	NA	Australia	no	13.74	Nocturnal	Saxicolous	Scansorial	Oviparous	12.0	23.1	1509	119	1491.0
Carphodactylidae	<i>Phyllurus amnicola</i>	Phyllurus amnicola	fixed 2.00	1.39	1.28	Australia	no	19.51	Nocturnal	Arboreal&Saxicol	Scansorial	Oviparous	11.5	21.9	1408	99	2960.0
Carphodactylidae	<i>Phyllurus caudianulatus</i>	Phyllurus caudianulatus	fixed 2.00	1.38	NA	Australia	no	24.55	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	19.8	1283	55.9	3359.6
Carphodactylidae	<i>Phyllurus championae</i>	Phyllurus championae	fixed 1.50	1.04	0.88	Australia	no	21.59	Nocturnal	Arboreal&Saxicol	Scansorial	Oviparous	11.8	22	1887	85	3197.0
Carphodactylidae	<i>Phyllurus gulbaru</i>	Phyllurus gulbaru	fixed 2.00	1.24	1.18	Australia	no	19.26	Nocturnal	Arboreal&Saxicol	Scansorial	Oviparous	11.8	23.1	1338	96	3125.5
Carphodactylidae	<i>Phyllurus neptys</i>	Phyllurus neptys	fixed 2.00	1.29	NA	Australia	no	21.17	Nocturnal	Arboreal&Saxicol	Scansorial	Oviparous	11.9	20.4	1505	79.6	3221.4
Carphodactylidae	<i>Phyllurus platurus</i>	Phyllurus platurus	fixed 2.00	1.36	1.11	Australia	no	33.31	Nocturnal	Arboreal&Saxicol	Scansorial	Oviparous	11.6	17.3	996	26.6	3886.5
Carphodactylidae	<i>Saltuarius cornutus</i>	Saltuarius cornutus	fixed 2.00	1.74	NA	Australia	no	17.53	Nocturnal	Arboreal&Saxicol	Scansorial	Oviparous	11.6	22.8	1941	87.9	2293.9
Carphodactylidae	<i>Saltuarius kateae</i>	Saltuarius kateae	fixed 2.00	1.36	1.26	Australia	no	29.19	Nocturnal	Saxicolous	Scansorial	Oviparous	12.0	18.4	1139	52.5	3810.0
Carphodactylidae	<i>Saltuarius moritzi</i>	Saltuarius moritzi	fixed 2.00	1.35	1.35	Australia	no	31.04	Nocturnal	Arboreal&Saxicol	Scansorial	Oviparous	11.5	16.5	1229	38	3758.6
Carphodactylidae	<i>Saltuarius salebrosus</i>	Saltuarius salebrosus	fixed 2.00	1.63	NA	Australia	no	24.77	Nocturnal	Arboreal&Saxicol	Scansorial	Oviparous	11.5	21.2	731	48.9	4209.5
Carphodactylidae	<i>Saltuarius swaini</i>	Saltuarius swaini	fixed 2.00	1.57	1.48	Australia	no	28.43	Nocturnal	Arboreal&Saxicol	Scansorial	Oviparous	11.7	19.2	1355	41.8	3438.3
Carphodactylidae	<i>Saltuarius wyberba</i>	Saltuarius wyberba	fixed 2.00	1.35	1.29	Australia	no	29.03	Nocturnal	Saxicolous	Scansorial	Oviparous	11.9	17.8	1094	46.1	3950.0
Carphodactylidae	<i>Underwoodisaurus millei</i>	Underwoodisaurus millei	fixed 2.00	1.36	1.02	Australia	no	30.82	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.2	18.5	424	31	5109.1
Carphodactylidae	<i>Underwoodisaurus seorsus</i>	Underwoodisaurus seorsus	fixed 2.00	1.26	1.16	Australia	no	22.43	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.0	24.2	378	87	5498.4
Carphodactylidae	<i>Uvidicolus sphyurus</i>	Uvidicolus sphyurus	fixed 2.00	0.97	1.02	Australia	no	29.77	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.7	16.4	782	34.1	4625.6
Chamaeleonidae	<i>Archaius tigris</i>	Archaius tigris	variable 7.50	1.36	1.21	Madagascar	yes	4.46	Diurnal	Arboreal	Scansorial	Oviparous	10.9	25.7	2634	42.3	673.3
Chamaeleonidae	<i>Bradyponion atomontanum</i>	Bradyponion atomontanum	variable 7.00	1.03	0.89	Afrotropic	no	33.37	NA	Arboreal	Scansorial	Viviparous	11.3	14.3	323	21.4	4258.3
Chamaeleonidae	<i>Bradyponion caeruleogula</i>	Bradyponion caeruleogula	variable 5.50	0.90	0.85	Afrotropic	no	28.88	NA	Arboreal	Scansorial	Viviparous	11.8	20	1098	45.7	2787.7
Chamaeleonidae	<i>Bradyponion caffer</i>	Bradyponion caffer	variable 11.00	1.16	NA	Afrotropic	no	31.47	NA	Arboreal	Scansorial	Viviparous	11.3	19.8	1250	42.8	2462.1
Chamaeleonidae	<i>Bradyponion damaranum</i>	Bradyponion damaranum	variable 11.50	1.14	NA	Afrotropic	no	33.85	Diurnal	Arboreal	Scansorial	Viviparous	11.5	16.2	690	16.5	3553.7
Chamaeleonidae	<i>Bradyponion draconmontanum</i>	Bradyponion draconmontanum	variable 11.00	1.12	NA	Afrotropic	no	28.72	NA	Arboreal	Scansorial	Viviparous	11.7	14.1	887	68.6	3766.1
Chamaeleonidae	<i>Bradyponion guttulare</i>	Bradyponion guttulare	variable 15.00	1.17	NA	Afrotropic	no	33.53	NA	Arboreal	Scansorial	Viviparous	11.2	15.6	382	35.2	4066.9
Chamaeleonidae	<i>Bradyponion kentanicum</i>	Bradyponion kentanicum	variable 5.00	0.90	0.76	Afrotropic	no	32.10	NA	Arboreal	Scansorial	Viviparous	11.3	18.8	967	45	2425.0
Chamaeleonidae	<i>Bradyponion melanocephalus</i>	Bradyponion melanocephalus	variable 14.50	1.04	0.68	Afrotropic	no	29.87	Diurnal	Arboreal	Scansorial	Viviparous	11.6	17.3	903	56	3083.5
Chamaeleonidae	<i>Bradyponion occidentale</i>	Bradyponion occidentale	variable 13.00	1.32	1.22	Afrotropic	no	30.98	Diurnal	Arboreal	Scansorial	Viviparous	11.0	17.8	178	64	3387.6
Chamaeleonidae	<i>Bradyponion pumilum</i>	Bradyponion pumilum	variable 12.50	1.40	0.97	Afrotropic	no	33.32	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	11.0	18	387	78.7	3175.6
Chamaeleonidae	<i>Bradyponion setarioi</i>	Bradyponion setarioi	variable 8.50	0.98	0.85	Afrotropic	no	27.37	Diurnal	Arboreal	Scansorial	Viviparous	11.6	21.2	864	52.1	2659.0
Chamaeleonidae	<i>Bradyponion taeniabronchus</i>	Bradyponion taeniabronchus	variable 12.00	0.96	0.86	Afrotropic	no	33.85	Diurnal	Arboreal	Scansorial	Viviparous	11.5	17.6	589	16.8	3053.6
Chamaeleonidae	<i>Bradyponion thamnobates</i>	Bradyponion thamnobates	variable 19.00	1.40	0.90	Afrotropic	no	29.79	Diurnal	Arboreal	Scansorial	Viviparous	11.8	14.6	860	66.4	3519.4
Chamaeleonidae	<i>Bradyponion transvaalense</i>	Bradyponion transvaalense	variable 12.00	1.19	NA	Afrotropic	no	24.63	Diurnal	Arboreal	Scansorial	Viviparous	11.6	18.4	816	72.2	3322.6
Chamaeleonidae	<i>Bradyponion ventrale</i>	Bradyponion ventrale	variable 13.00	1.39	1.21	Afrotropic	no	31.84	Diurnal	Arboreal	Scansorial	Viviparous	11.2	15.9	389	47.4	4548.2
Chamaeleonidae	<i>Brookesia antakarana</i>	Brookesia antakarana	variable 4.50	0.78	0.61	Madagascar	yes	12.51	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	21.7	1439	127.3	969.7
Chamaeleonidae	<i>Brookesia brygooi</i>	Brookesia brygooi	variable 3.50	0.60	0.												

Chamaeleonidae	<i>Brookesia griveaudi</i>	Brookesia griveaudi	variable 3.50	0.84	0.75	Madagascar yes	14.44	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	23.1	2274	47.1	1669.9
Chamaeleonidae	<i>Brookesia minima</i>	Brookesia minima	variable 2.00	-0.25	-0.57	Madagascar yes	13.93	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23.5	2145	96.6	1110.0
Chamaeleonidae	<i>Brookesia stumpffi</i>	Brookesia stumpffi	variable 3.50	0.71	0.58	Madagascar yes	14.57	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	25.3	1715	104	1201.2
Chamaeleonidae	<i>Brookesia superciliaris</i>	Brookesia superciliaris	variable 3.50	0.65	0.46	Madagascar yes	18.82	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	20.8	2366	54.1	2229.8
Chamaeleonidae	<i>Brookesia thieli</i>	Brookesia thieli	variable 3.00	0.43	0.43	Madagascar yes	17.71	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	19.2	2279	63.3	2221.2
Chamaeleonidae	<i>Brookesia tristis</i>	Brookesia tristis	variable 2.00	-0.31	-0.43	Madagascar yes	12.46	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	25.8	1178	103.4	1152.3
Chamaeleonidae	<i>Calumma boettgeri</i>	Calumma boettgeri	variable 3.50	0.75	0.52	Madagascar yes	13.73	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	22	1892	83.6	1300.6
Chamaeleonidae	<i>Calumma brevicorne</i>	Calumma brevicorne	variable 17.50	1.98	1.53	Madagascar yes	18.13	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	19.7	2069	67	2151.1
Chamaeleonidae	<i>Calumma gehringi</i>	NA	variable 2.75	0.68	0.56	Madagascar yes	14.37	Diurnal	Arboreal	Scansorial	Oviparous	11.9	18.7	2068	91.1	1315.6
Chamaeleonidae	<i>Calumma globifer</i>	Calumma globifer	variable 37.50	2.09	1.69	Madagascar yes	18.61	NA	Arboreal	Scansorial	Oviparous	11.8	19.3	2100	71.3	2219.9
Chamaeleonidae	<i>Calumma hilleniusi</i>	Calumma hilleniusi	variable 8.50	1.00	1.00	Madagascar yes	21.05	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	17.5	1515	87.8	2135.4
Chamaeleonidae	<i>Calumma malthe</i>	Calumma malthe	variable 34.00	1.71	1.49	Madagascar yes	16.71	NA	Arboreal	Scansorial	Oviparous	11.9	19.6	2488	58.3	2014.9
Chamaeleonidae	<i>Calumma nasutum</i>	Calumma nasutum	variable 3.50	0.56	0.47	Madagascar yes	17.97	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	20.3	1914	75.1	2036.4
Chamaeleonidae	<i>Calumma parsonii</i>	Calumma parsonii	variable 38.00	2.64	2.01	Madagascar yes	17.54	Diurnal	Arboreal	Scansorial	Oviparous	11.9	20	2372	61.6	2110.1
Chamaeleonidae	<i>Chamaeleo africanus</i>	Chamaeleo africanus	variable 34.00	2.17	1.86	Afrotropic no	13.89	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.0	26.7	485	138.8	3184.8
Chamaeleonidae	<i>Chamaeleo archieata</i>	Chamaeleo archieata	variable 12.50	1.42	NA	Afrotropic no	7.19	Diurnal	Arboreal	Scansorial	Oviparous	11.8	21.5	1232	80.8	1353.5
Chamaeleonidae	<i>Chamaeleo calyptratus</i>	Chamaeleo calyptratus	variable 35.00	2.38	2.05	Afrotropic no	16.55	Diurnal	Arboreal	Scansorial	Oviparous	10.7	23	234	80	3078.6
Chamaeleonidae	<i>Chamaeleo chamaeleon</i>	Chamaeleo chamaeleon	variable 23.65	1.98	1.47	Paleartic no	31.14	Diurnal	Arboreal	Scansorial	Oviparous	10.7	19.5	265	72.2	5962.5
Chamaeleonidae	<i>Chamaeleo dilepis</i>	Chamaeleo dilepis	variable 39.60	2.14	1.84	Afrotropic no	8.84	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	22.3	1062	79.4	1868.0
Chamaeleonidae	<i>Chamaeleo gracilis</i>	Chamaeleo gracilis	variable 35.00	2.11	1.67	Afrotropic no	2.86	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.2	1240	78.4	1306.1
Chamaeleonidae	<i>Chamaeleo laevigatus</i>	Chamaeleo laevigatus	variable 37.50	1.83	1.44	Afrotropic no	7.33	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24.5	1160	80.8	1557.7
Chamaeleonidae	<i>Chamaeleo monachus</i>	Chamaeleo monachus	variable 42.00	2.01	1.79	Afrotropic yes	12.52	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	24.8	302	143.7	1195.0
Chamaeleonidae	<i>Chamaeleo namaquensis</i>	Chamaeleo namaquensis	variable 13.20	1.91	1.58	Afrotropic no	25.26	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	19.8	194	94	3857.8
Chamaeleonidae	<i>Chamaeleo senegalensis</i>	Chamaeleo senegalensis	variable 52.20	1.85	1.59	Afrotropic no	9.00	Diurnal	Arboreal	Scansorial	Oviparous	11.6	26.6	1125	97.9	1967.1
Chamaeleonidae	<i>Chamaeleo seydelianicus</i>	Chamaeleo seydelianicus	variable 29.88	2.36	1.94	Oriental no	19.85	Diurnal	Arboreal	Scansorial	Oviparous	11.3	26.3	1110	118.9	3566.2
Chamaeleonidae	<i>Furcifer antimena</i>	Furcifer antimena	variable 15.50	1.98	1.15	Madagascar yes	22.59	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.6	24.8	462	120.1	2273.0
Chamaeleonidae	<i>Furcifer campani</i>	Furcifer campani	variable 15.00	0.95	0.61	Madagascar yes	20.45	NA	Terrestrial	Terrestrial	Oviparous	11.8	16.8	1327	89.5	2387.7
Chamaeleonidae	<i>Furcifer cephalolepis</i>	Furcifer cephalolepis	variable 5.50	1.06	NA	Madagascar yes	11.66	Diurnal	Arboreal	Scansorial	Oviparous	10.8	23	2433	51.3	1100.2
Chamaeleonidae	<i>Furcifer labordi</i>	Furcifer labordi	variable 9.00	1.81	0.98	Madagascar yes	21.25	Diurnal	Arboreal	Scansorial	Oviparous	11.6	25.5	638	133	2010.7
Chamaeleonidae	<i>Furcifer lateralis</i>	Furcifer lateralis	variable 13.50	1.75	0.94	Madagascar yes	20.44	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	22	1411	92.3	2194.9
Chamaeleonidae	<i>Furcifer major</i>	Furcifer major	variable 13.50	1.55	NA	Madagascar yes	23.58	NA	Scansorial	NA	Oviparous	11.5	22.3	818	95.8	2513.7
Chamaeleonidae	<i>Furcifer minor</i>	Furcifer minor	variable 12.00	1.36	0.91	Madagascar yes	20.58	Diurnal	Arboreal	Scansorial	Oviparous	11.7	18.2	1049	102.2	2292.9
Chamaeleonidae	<i>Furcifer oustaleti</i>	Furcifer oustaleti	variable 42.00	2.64	1.98	Madagascar yes	19.38	Diurnal	Arboreal	Scansorial	Oviparous	11.7	22.5	1484	94.5	2011.3
Chamaeleonidae	<i>Furcifer pardalis</i>	Furcifer pardalis	variable 30.00	2.43	1.39	Madagascar yes	15.16	Diurnal	Arboreal	Scansorial	Oviparous	11.7	22.2	2296	68.2	1686.3
Chamaeleonidae	<i>Furcifer petteri</i>	Furcifer petteri	variable 13.50	1.24	0.84	Madagascar yes	12.87	Diurnal	Arboreal	Scansorial	Oviparous	11.6	25.2	1342	104.6	1138.4
Chamaeleonidae	<i>Furcifer polleni</i>	Furcifer polleni	variable 9.00	1.41	0.80	Madagascar yes	12.80	NA	Arboreal	Scansorial	Oviparous	10.9	25.9	1502	83.5	1130.6
Chamaeleonidae	<i>Furcifer timoni</i>	Furcifer timoni	variable 12.33	1.32	1.31	Madagascar yes	13.20	Diurnal	Arboreal	Scansorial	Oviparous	12.0	22	1494	121.6	997.0
Chamaeleonidae	<i>Furcifer verrucosus</i>	Furcifer verrucosus	variable 34.50	2.50	1.44	Madagascar yes	20.80	Diurnal	Arboreal	Scansorial	Oviparous	11.6	23.7	960	109.2	2103.4
Chamaeleonidae	<i>Furcifer willsii</i>	Furcifer willsii	variable 11.50	1.13	0.82	Madagascar yes	16.93	NA	Arboreal	Scansorial	Oviparous	11.8	20.3	2377	61.3	2046.3
Chamaeleonidae	<i>Kinyongia adolfifridericci</i>	Kinyongia adolfifridericci	variable 3.00	0.88	0.71	Afrotropic no	0.25	Diurnal	Arboreal	Scansorial	Oviparous	11.9	20.3	1543	35.3	579.2
Chamaeleonidae	<i>Kinyongia boehmei</i>	Kinyongia boehmei	variable 8.00	1.33	0.88	Afrotropic no	3.40	Diurnal	Arboreal	Scansorial	Oviparous	11.6	20.7	732	79.4	1274.6
Chamaeleonidae	<i>Kinyongia excubitor</i>	Kinyongia excubitor	variable 15.50	1.06	NA	Afrotropic no	0.13	Diurnal	Arboreal	Scansorial	Oviparous	11.8	16.8	1533	74.3	838.0
Chamaeleonidae	<i>Kinyongia Fischeri</i>	Kinyongia Fischeri	variable 21.00	2.17	1.20	Afrotropic no	5.76	Diurnal	Arboreal	Scansorial	Oviparous	11.9	18.7	1172	61.9	1479.5
Chamaeleonidae	<i>Kinyongia matschiei</i>	Kinyongia matschiei	variable 20.00	1.89	1.54	Afrotropic no	5.02	Diurnal	Arboreal	Scansorial	Oviparous	11.9	22.5	1568	52.2	1467.7
Chamaeleonidae	<i>Kinyongia multiflumberculata</i>	Kinyongia multiflumberculata	variable 15.50	1.73	1.16	Afrotropic no	4.77	Diurnal	Arboreal	Scansorial	Oviparous	11.8	19.2	1276	58.2	1494.5
Chamaeleonidae	<i>Kinyongia oxyrhina</i>	Kinyongia oxyrhina	variable 13.00	0.98	0.95	Afrotropic no	7.14	Diurnal	Arboreal	Scansorial	Oviparous	11.9	21.6	1130	80.6	1542.4
Chamaeleonidae	<i>Kinyongia rugegensis</i>	NA	variable 4.00	0.74	0.68	Afrotropic no	3.01	Diurnal	Arboreal	Scansorial	Oviparous	11.8	18.4	995	55.4	893.0
Chamaeleonidae	<i>Kinyongia tavetana</i>	Kinyongia tavetana	variable 11.00	1.33	1.12	Afrotropic no	3.37	Diurnal	Arboreal	Scansorial	Oviparous	11.6	20.6	984	84.5	1473.4
Chamaeleonidae	<i>Kinyongia tenuis</i>	Kinyongia tenuis	variable 4.00	0.95	0.77	Afrotropic no	4.21	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.1	1214	56.4	1460.6
Chamaeleonidae	<i>Kinyongia tolleyae</i>	NA	variable 4.50	0.88	0.74	Afrotropic no	0.42	Diurnal	Arboreal	Scansorial	Oviparous	11.8	20.3	1089	34.4	433.2
Chamaeleonidae	<i>Kinyongia uluguruensis</i>	Kinyongia uluguruensis	variable 9.00	1.28	1.01	Afrotropic no	7.14	Diurnal	Arboreal	Scansorial	Oviparous	11.9	19.3	1476	74.1	1280.5
Chamaeleonidae	<i>Kinyongia uthmoelleri</i>	Kinyongia uthmoelleri	variable 9.50	1.28	0.65	Afrotropic no	3.87	Diurnal	Arboreal	Scansorial	Oviparous	11.6	21.2	841	81.5	1486.5
Chamaeleonidae	<i>Kinyongia vosseleri</i>	Kinyongia vosseleri	variable 12.00	1.57	1.16	Afrotropic no	5.03	NA	Arboreal	Scansorial	Oviparous	11.9	22.5	1562	52.3	1466.8
Chamaeleonidae	<i>Kinyongia xenorhina</i>	Kinyongia xenorhina	variable 6.00	1.40	1.30	Afrotropic no	0.10	Diurnal	Arboreal	Scansorial	Oviparous	11.8	17.8	1288	30.9	339.1
Chamaeleonidae	<i>Nadzikambia mlanjensis</i>	Nadzikambia mlanjensis	variable 7.50	1.16	1.15	Afrotropic no	15.98	NA	Arboreal	Scansorial	Oviparous	11.7	16.8	2002	74.7	2337.7
Chamaeleonidae	<i>Palleon lolontany</i>	Palleon lolontany	variable 3.00	0.04	-0.04	Madagascar yes	13.92	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	17	2277	88	1186.9
Chamaeleonidae	<i>Rhampholeon acuminatus</i>	Rhampholeon acuminatus	variable 3.00	0.71	NA	Afrotropic no	6.04	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	18.6	1142	69.7	1446.7
Chamaeleonidae	<i>Rhampholeon boulengeri</i>	Rhampholeon boulengeri	variable 2.00	0.81	0.57	Afrotropic no	0.59	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	21.5	1725	39.2	626.5
Chamaeleonidae	<i>Rhampholeon Chapmanorum</i>	Rhampholeon Chapmanorum	variable 8.00	0.60	0.51	Afrotropic no	16.93	NA	Arboreal&Terrestri	Scansorial	Oviparous	11.8	22.8	1206	86	2591.5
Chamaeleonidae	<i>Rhampholeon gorongosae</i>	Rhampholeon gorongosae	variable 11.00	0.96	0.96	Afrotropic no	18.42	NA	Arboreal&Terrestri	Scansorial	Oviparous	11.9	16.8	1420	89.1	2355.1
Chamaeleonidae	<i>Rhampholeon hattinghi</i>	NA	variable 2.00	0.69	0.56	Afrotropic no	6.85	NA	Arboreal	Scansorial	Oviparous	10.8	19.6	1348	83	1151.0
Chamaeleonidae	<i>Rhampholeon marshalli</i>	Rhampholeon marshalli	variable 14.00	1.00	0.95	Afrotropic no	19.24	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	19.2	1173	92.1	2734.2
Chamaeleonidae	<i>Rhampholeon maspictus</i>	Rhampholeon maspictus	variable 7.00	0.88	0.69	Afrotropic no	16.29	Diurnal	Arboreal	Scansorial	Oviparous	12.0	20.7	1914	77	2480.0
Chamaeleonidae	<i>Rhampholeon moyeri</i>	Rhampholeon moyeri	variable 4.50	0.59	0.39	Afrotropic no	7.34	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	19.5	1090	88.1	1555.6
Chamaeleonidae	<i>Rhampholeon nchisiensis</i>	Rhampholeon nchisiensis	variable 8.00	0.90	NA	Afrotropic no	9.49	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	19.5	1259	98.7	2030.2
Chamaeleonidae	<i>Rhampholeon nebulauctor</i>	Rhampholeon nebulauctor	variable 3.00	0.53	0.44	Afrotropic no	16.51	NA	Scansorial	Scansorial	Oviparous	11.9	21	1844	78	2538.0

Chamaeleonidae	<i>Rhampholeon spinosus</i>	Rhampholeon spinosus	variable 3.50	0.58	0.48	Afrotropic	no	4.80	Diurnal	Arboreal	Scansorial	Oviparous	11.8	20.9	1233	57.7	1534.3
Chamaeleonidae	<i>Rhampholeon temporalis</i>	Rhampholeon temporalis	variable 5.00	0.56	0.46	Afrotropic	no	5.03	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	23.3	1462	53.1	1486.4
Chamaeleonidae	<i>Rhampholeon tilburyi</i>	Rhampholeon tilburyi	variable 7.00	0.94	0.67	Afrotropic	no	15.41	Diurnal	Arboreal	Scansorial	Oviparous	11.8	17.4	1543	99.8	2141.8
Chamaeleonidae	<i>Rhampholeon uluguruensis</i>	Rhampholeon uluguruensis	variable 3.50	0.56	0.13	Afrotropic	no	7.03	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	17.4	1479	67.6	1243.4
Chamaeleonidae	<i>Rhampholeon viridis</i>	Rhampholeon viridis	variable 6.00	0.48	0.43	Afrotropic	no	4.05	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	20.4	817	68.5	1603.8
Chamaeleonidae	<i>Rieppeleon brachyurus</i>	Rieppeleon brachyurus	variable 10.00	0.56	0.48	Afrotropic	no	11.28	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	23.3	1166	95.6	1656.4
Chamaeleonidae	<i>Rieppeleon brevicaudatus</i>	Rieppeleon brevicaudatus	variable 5.00	1.03	0.72	Afrotropic	no	7.69	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	23.7	1054	78.7	1311.0
Chamaeleonidae	<i>Rieppeleon kerstenii</i>	Rieppeleon kerstenii	variable 7.50	0.96	0.66	Afrotropic	no	3.00	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.2	25.3	480	100.3	1198.1
Chamaeleonidae	<i>Trioceros affinis</i>	Trioceros affinis	variable 16.00	1.12	1.05	Afrotropic	no	8.74	Diurnal	Arboreal	Scansorial	Viviparous	11.7	18.8	1204	78.7	1198.5
Chamaeleonidae	<i>Trioceros balebicornutus</i>	Trioceros balebicornutus	variable 16.00	1.04	0.93	Afrotropic	no	6.74	Diurnal	Arboreal	Scansorial	Viviparous	11.8	13.8	1377	52	1027.4
Chamaeleonidae	<i>Trioceros bitaenius</i>	Trioceros bitaenius	variable 13.90	1.27	1.17	Afrotropic	no	2.63	Diurnal	Arboreal	Scansorial	Viviparous	11.6	22.9	986	64.1	1021.4
Chamaeleonidae	<i>Trioceros cameronensis</i>	Trioceros cameronensis	variable 8.50	1.24	1.03	Afrotropic	no	3.94	NA	Arboreal	Scansorial	Oviparous	11.7	24.6	2789	68.6	821.3
Chamaeleonidae	<i>Trioceros conirostratus</i>	NA	variable 12.00	1.15	0.96	Afrotropic	no	2.88	Diurnal	Arboreal	Scansorial	Viviparous	11.6	23.3	622	51.6	1068.7
Chamaeleonidae	<i>Trioceros cristatus</i>	Trioceros cristatus	variable 24.00	1.91	1.79	Afrotropic	no	1.92	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	24	1781	59.9	865.0
Chamaeleonidae	<i>Trioceros deremensis</i>	Trioceros deremensis	variable 24.00	1.95	1.87	Afrotropic	no	6.27	NA	Arboreal	Scansorial	Oviparous	11.9	22.4	1216	67.1	1484.3
Chamaeleonidae	<i>Trioceros ellioti</i>	Trioceros ellioti	variable 10.10	1.33	1.09	Afrotropic	no	2.81	Diurnal	Arboreal	Scansorial	Viviparous	11.9	21.7	1482	51.4	896.2
Chamaeleonidae	<i>Trioceros feae</i>	Trioceros feae	variable 4.00	1.41	1.21	Afrotropic	yes	3.47	NA	Arboreal	Scansorial	Oviparous	11.2	19.8	3197	60.2	893.0
Chamaeleonidae	<i>Trioceros fuelleborni</i>	Trioceros fuelleborni	variable 15.00	1.42	1.12	Afrotropic	no	9.04	NA	Arboreal	Scansorial	Viviparous	11.7	15.2	1637	84.6	1753.1
Chamaeleonidae	<i>Trioceros goetzei</i>	Trioceros goetzei	variable 8.00	1.30	1.17	Afrotropic	no	9.08	Diurnal	Arboreal	Scansorial	Viviparous	11.8	18.6	1235	95.2	1791.0
Chamaeleonidae	<i>Trioceros hanangensis</i>	NA	variable 8.00	1.04	1.04	Afrotropic	no	4.49	Diurnal	Arboreal	Scansorial	Viviparous	11.8	18.5	843	89.4	1132.4
Chamaeleonidae	<i>Trioceros harennae</i>	Trioceros harennae	variable 10.00	1.02	0.74	Afrotropic	no	6.69	Diurnal	Arboreal	Scansorial	Viviparous	11.8	14.5	1353	53.3	1000.3
Chamaeleonidae	<i>Trioceros hoehnelii</i>	Trioceros hoehnelii	variable 11.70	1.47	1.10	Afrotropic	no	0.06	Diurnal	Arboreal	Scansorial	Viviparous	11.8	17.3	1113	46.9	1046.4
Chamaeleonidae	<i>Trioceros incornutus</i>	Trioceros incornutus	variable 13.50	1.28	NA	Afrotropic	no	9.55	NA	Arboreal	Scansorial	Viviparous	11.7	16.2	1331	93.2	1822.8
Chamaeleonidae	<i>Trioceros ituriensis</i>	Trioceros ituriensis	variable 9.00	1.67	1.44	Afrotropic	no	0.20	Diurnal	Arboreal	Scansorial	Oviparous	12.0	21.9	1811	35.8	576.2
Chamaeleonidae	<i>Trioceros jacksonii</i>	Trioceros jacksonii	variable 16.95	1.96	1.45	Afrotropic	no	1.13	Diurnal	Arboreal	Scansorial	Oviparous	11.7	19.2	995	78.6	964.9
Chamaeleonidae	<i>Trioceros johnstoni</i>	Trioceros johnstoni	variable 13.50	1.67	1.40	Afrotropic	no	0.40	NA	Arboreal	Scansorial	Oviparous	11.9	20.9	1654	38.9	654.0
Chamaeleonidae	<i>Trioceros kinetensis</i>	Trioceros kinetensis	variable 8.00	0.93	0.71	Afrotropic	no	3.94	NA	Arboreal	Scansorial	Viviparous	11.9	13.6	1283	60.2	865.0
Chamaeleonidae	<i>Trioceros laterispinis</i>	Trioceros laterispinis	variable 15.50	1.09	NA	Afrotropic	no	8.18	Diurnal	Arboreal	Scansorial	Viviparous	11.8	17.4	946	100.6	1565.8
Chamaeleonidae	<i>Trioceros melleri</i>	Trioceros melleri	variable 47.00	2.59	2.38	Afrotropic	no	12.06	Diurnal	Arboreal	Scansorial	Oviparous	11.8	23.7	1135	94.8	1674.8
Chamaeleonidae	<i>Trioceros montium</i>	Trioceros montium	variable 6.50	1.59	1.13	Afrotropic	no	5.20	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.5	2971	70.4	1032.6
Chamaeleonidae	<i>Trioceros ntute</i>	Trioceros ntute	variable 10.00	1.09	1.04	Afrotropic	no	2.13	Diurnal	Arboreal	Scansorial	Viviparous	11.7	16.2	699	67.2	586.6
Chamaeleonidae	<i>Trioceros oweni</i>	Trioceros oweni	variable 16.00	1.82	1.67	Afrotropic	no	0.26	Diurnal	Arboreal	Scansorial	Oviparous	11.9	23.5	1817	44.4	625.3
Chamaeleonidae	<i>Trioceros perreti</i>	Trioceros perreti	variable 9.50	1.19	NA	Afrotropic	no	5.08	NA	Arboreal	Scansorial	NA	11.6	19.1	2765	71.1	973.3
Chamaeleonidae	<i>Trioceros pfefferi</i>	Trioceros pfefferi	variable 9.00	1.30	1.01	Afrotropic	no	5.70	NA	Arboreal	Scansorial	Oviparous	11.7	20.6	2621	72.6	1295.5
Chamaeleonidae	<i>Trioceros quadricornis</i>	Trioceros quadricornis	variable 13.00	1.97	1.43	Afrotropic	no	5.59	Diurnal	Arboreal	Scansorial	Oviparous	11.7	21.4	2697	71.4	1255.7
Chamaeleonidae	<i>Trioceros rufus</i>	Trioceros rufus	variable 11.50	1.03	0.86	Afrotropic	no	1.28	Diurnal	Arboreal	Scansorial	Viviparous	11.8	21.5	1406	49.1	812.1
Chamaeleonidae	<i>Trioceros schubotzi</i>	Trioceros schubotzi	variable 8.50	1.15	0.98	Afrotropic	no	0.10	Diurnal	Arboreal	Scansorial	Viviparous	11.6	7.9	1408	63.5	681.7
Chamaeleonidae	<i>Trioceros serratus</i>	Trioceros serratus	variable 8.67	1.27	1.02	Afrotropic	no	6.03	NA	Arboreal	Scansorial	Oviparous	11.7	19.3	2528	73.9	1418.0
Chamaeleonidae	<i>Trioceros sternfeldi</i>	Trioceros sternfeldi	variable 10.50	1.21	1.06	Afrotropic	no	3.47	Diurnal	Arboreal	Scansorial	Viviparous	11.7	18.2	1026	80.1	1255.3
Chamaeleonidae	<i>Trioceros tempeli</i>	Trioceros tempeli	variable 21.50	1.51	NA	Afrotropic	no	8.75	Diurnal	Arboreal	Scansorial	Viviparous	11.8	17.4	1080	98.2	1679.4
Chamaeleonidae	<i>Trioceros werneri</i>	Trioceros werneri	variable 19.00	1.40	1.32	Afrotropic	no	7.33	NA	Arboreal	Scansorial	Viviparous	11.8	20.2	1002	88.8	1552.2
Chamaeleonidae	<i>Trioceros wiedersheimi</i>	Trioceros wiedersheimi	variable 9.00	1.37	1.17	Afrotropic	no	6.18	NA	Arboreal	Scansorial	Oviparous	11.7	20.8	2224	73.9	1403.1
Cordylidae	<i>Chamaesaura aenea</i>	Chamaesaura aenea	variable 11.50	1.07	NA	Afrotropic	no	27.37	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	15.5	728	71.3	3845.7
Cordylidae	<i>Chamaesaura anguina</i>	Chamaesaura anguina	variable 6.41	1.19	0.97	Afrotropic	no	20.18	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	18.5	858	49.1	2318.2
Cordylidae	<i>Chamaesaura macrolepis</i>	Chamaesaura macrolepis	variable 7.00	1.28	1.05	Afrotropic	no	24.76	Diurnal	Terrestrial	Terrestrial	Viviparous	11.7	20.2	958	84.6	2830.1
Cordylidae	<i>Chamaesaura micropus</i>	Chamaesaura micropus	variable 4.50	0.93	0.85	Afrotropic	no	10.31	Diurnal	Terrestrial	Terrestrial	Viviparous	11.7	20.4	1127	99.4	1912.5
Cordylidae	<i>Chamaesaura tenuior</i>	Chamaesaura tenuior	variable 6.00	1.17	1.00	Afrotropic	no	1.11	Diurnal	Fossilial&Terrestri	Fossilial	Viviparous	11.8	20.4	1374	42.6	682.0
Cordylidae	<i>Cordylus aridus</i>	Cordylus aridus	variable 1.50	0.81	0.72	Afrotropic	no	33.23	NA	Saxicolous	Scansorial	Viviparous	11.0	15.4	231	32.3	4265.7
Cordylidae	<i>Cordylus cloetei</i>	Cordylus cloetei	variable 1.50	0.86	0.85	Afrotropic	no	32.16	NA	Saxicolous	Scansorial	Viviparous	11.0	14	188	44	4974.0
Cordylidae	<i>Cordylus cordylus</i>	Cordylus cordylus	variable 2.00	1.43	0.95	Afrotropic	no	32.46	Diurnal	Saxicolous	Scansorial	Viviparous	11.3	15.7	511	43.8	3899.6
Cordylidae	<i>Cordylus imkeae</i>	Cordylus imkeae	variable 1.50	0.83	0.80	Afrotropic	no	30.41	Diurnal	Saxicolous	Scansorial	Viviparous	11.1	13.1	189	67	3581.0
Cordylidae	<i>Cordylus jonesii</i>	Cordylus jonesii	variable 2.50	1.30	0.93	Afrotropic	no	23.60	NA	Arboreal&Saxicol	Scansorial	Viviparous	11.5	20.9	615	81.4	3486.3
Cordylidae	<i>Cordylus macropholis</i>	Cordylus macropholis	variable 1.50	1.02	0.79	Afrotropic	no	31.17	Diurnal	Arboreal&Saxicol	Scansorial	Viviparous	11.1	18	225	65.9	3540.0
Cordylidae	<i>Cordylus mclachlani</i>	Cordylus mclachlani	variable 2.00	0.94	NA	Afrotropic	no	32.14	Diurnal	Saxicolous	Scansorial	Viviparous	11.1	16.4	311	62.9	4590.4
Cordylidae	<i>Cordylus mclachlanae</i>	Cordylus mclachlanae	variable 2.50	1.33	1.28	Afrotropic	no	12.05	Diurnal	Saxicolous	Scansorial	Viviparous	11.9	21.9	1432	110	1581.0
Cordylidae	<i>Cordylus minor</i>	Cordylus minor	variable 1.50	0.92	NA	Afrotropic	no	32.99	Diurnal	Saxicolous	Scansorial	Viviparous	11.0	14.7	237	34.2	4638.9
Cordylidae	<i>Cordylus namakuiyus</i>	NA	variable 2.00	1.45	1.30	Afrotropic	no	15.60	Diurnal	Saxicolous	Scansorial	Viviparous	10.6	24.8	130	129.7	1911.4
Cordylidae	<i>Cordylus niger</i>	Cordylus niger	variable 2.50	1.30	0.97	Afrotropic	no	33.73	Diurnal	Saxicolous	Scansorial	Viviparous	11.2	16.7	801	61.2	3010.6
Cordylidae	<i>Cordylus nyikae</i>	Cordylus nyikae	variable 3.00	1.35	1.00	Afrotropic	no	10.17	Diurnal	Saxicolous	Scansorial	Viviparous	11.6	19.3	1298	95.6	2078.2
Cordylidae	<i>Cordylus oelofseni</i>	Cordylus oelofseni	variable 2.50	0.85	0.90	Afrotropic	no	33.29	Diurnal	Saxicolous	Scansorial	Viviparous	11.5	16.6	663	61.4	3907.7
Cordylidae	<i>Cordylus rhodesianus</i>	Cordylus rhodesianus	variable 2.50	1.28	0.97	Afrotropic	no	19.19	NA	Saxicolous	Scansorial	Viviparous	11.7	20.1	985	93.3	2827.8
Cordylidae	<i>Cordylus tropidosternum</i>	Cordylus tropidosternum	variable 2.50	1.54	0.90	Afrotropic	no	11.04	Diurnal	Arboreal&Saxicol	Scansorial	Viviparous	11.7	22.3	1053	94.6	1817.7
Cordylidae	<i>Cordylus vittifer</i>	Cordylus vittifer	variable 2.50	1.35	NA	Afrotropic	no	26.18	Diurnal	Saxicolous	Scansorial	Viviparous	11.5	17.8	695	73.5	3871.9
Cordylidae	<i>Hemicordylus capensis</i>	Hemicordylus capensis	variable 2.25	1.56	1.37	Afrotropic	no	33.11	Diurnal	Saxicolous	Scansorial	Viviparous	11.2	16	361	42.2	4298.5
Cordylidae	<i>Hemicordylus nebulosus</i>	Hemicordylus nebulosus															

Cordylidae	<i>Namazonurus lawrenci</i>	Namazonurus lawrenci	variable 2.50	0.98	0.81	Afrotropic	no	28.78	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	18.9	68	51.7	3508.7
Cordylidae	<i>Namazonurus namaquensis</i>	Namazonurus namaquensis	variable 2.50	1.12	NA	Afrotropic	no	27.19	Diurnal	Saxicolous	Scansorial	Viviparous	10.7	18.4	145	95.5	4921.4
Cordylidae	<i>Namazonurus peersi</i>	Namazonurus peersi	variable 2.50	1.18	1.10	Afrotropic	no	29.85	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	17.3	149	57	3889.5
Cordylidae	<i>Namazonurus pustulatus</i>	Namazonurus pustulatus	variable 1.33	1.12	NA	Afrotropic	no	22.54	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	20.3	229	123	3566.7
Cordylidae	<i>Ninurta coeruleopunctatus</i>	Ninurta coeruleopunctatus	variable 3.50	1.12	NA	Afrotropic	no	33.86	Diurnal	Saxicolous	Scansorial	Viviparous	11.4	16.2	583	16.9	3578.6
Cordylidae	<i>Ouroborus cataphractus</i>	Ouroborus cataphractus	variable 1.00	1.77	1.52	Afrotropic	no	31.14	Diurnal	Saxicolous	Scansorial	Viviparous	11.0	17.2	203	53.5	4191.5
Cordylidae	<i>Platysaurus attenuboroughi</i>	NA	variable 2.00	1.21	1.01	Afrotropic	no	27.39	Diurnal	Saxicolous	Scansorial	Oviparous	10.6	19.5	61	52.2	3699.6
Cordylidae	<i>Platysaurus broadleyi</i>	Platysaurus broadleyi	variable 2.00	1.20	0.92	Afrotropic	no	28.53	Diurnal	Saxicolous	Scansorial	Oviparous	10.7	21.1	122	78.5	5790.1
Cordylidae	<i>Platysaurus capensis</i>	Platysaurus capensis	variable 2.00	1.23	0.93	Afrotropic	no	28.34	Diurnal	Saxicolous	Scansorial	Oviparous	10.6	18.8	89	64.8	3962.9
Cordylidae	<i>Platysaurus guttatus</i>	Platysaurus guttatus	variable 2.00	1.62	1.06	Afrotropic	no	24.00	NA	Saxicolous	Scansorial	Oviparous	11.4	19.7	519	83.6	4044.7
Cordylidae	<i>Platysaurus imperator</i>	Platysaurus imperator	variable 2.00	2.02	1.56	Afrotropic	no	16.95	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	22.4	725	114.6	2563.0
Cordylidae	<i>Platysaurus intermedius</i>	Platysaurus intermedius	variable 2.00	1.83	1.04	Afrotropic	no	20.95	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	20.5	646	93.3	3276.9
Cordylidae	<i>Platysaurus lebomboensis</i>	Platysaurus lebomboensis	variable 1.50	0.98	0.65	Afrotropic	no	26.71	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	21.3	697	63.6	2781.3
Cordylidae	<i>Platysaurus maculatus</i>	Platysaurus maculatus	variable 2.00	1.12	0.78	Afrotropic	no	14.11	Diurnal	Saxicolous	Scansorial	Oviparous	11.8	23.3	1127	105.3	1945.2
Cordylidae	<i>Platysaurus minor</i>	Platysaurus minor	variable 2.00	0.94	0.66	Afrotropic	no	24.08	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	19.3	543	83.6	4057.1
Cordylidae	<i>Platysaurus monotropis</i>	Platysaurus monotropis	variable 2.00	1.02	0.81	Afrotropic	no	23.22	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	20.2	415	80.9	3648.4
Cordylidae	<i>Platysaurus ocellatus</i>	Platysaurus ocellatus	variable 2.00	1.33	1.08	Afrotropic	no	20.09	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	20.5	851	88.8	2989.0
Cordylidae	<i>Platysaurus orientalis</i>	Platysaurus orientalis	variable 2.00	1.28	NA	Afrotropic	no	24.55	Diurnal	NA	NA	Oviparous	11.5	18.5	649	79.2	3558.2
Cordylidae	<i>Platysaurus puncteensis</i>	Platysaurus puncteensis	variable 2.00	1.28	1.06	Afrotropic	no	18.74	NA	Saxicolous	Scansorial	Oviparous	11.8	22	1272	88.2	2618.5
Cordylidae	<i>Platysaurus torquatus</i>	Platysaurus torquatus	variable 2.00	1.00	0.88	Afrotropic	no	16.75	NA	Saxicolous	Scansorial	Oviparous	11.7	23.8	697	113.1	2552.3
Cordylidae	<i>Pseudocordylus langi</i>	Pseudocordylus langi	variable 2.00	1.52	NA	Afrotropic	no	29.83	Diurnal	Saxicolous	Scansorial	Viviparous	11.7	13.1	883	68.4	3816.9
Cordylidae	<i>Pseudocordylus melanotus</i>	Pseudocordylus melanotus	variable 3.45	2.07	1.49	Afrotropic	no	28.16	Diurnal	Saxicolous	Scansorial	Viviparous	11.6	14.6	768	67.1	4043.0
Cordylidae	<i>Pseudocordylus microlepidotus</i>	Pseudocordylus microlepidotus	variable 4.00	2.21	1.35	Afrotropic	no	32.62	Diurnal	Saxicolous	Scansorial	Viviparous	11.2	15.9	431	43.3	4127.4
Cordylidae	<i>Pseudocordylus spinosus</i>	Pseudocordylus spinosus	variable 2.50	1.25	NA	Afrotropic	no	28.77	Diurnal	Saxicolous	Scansorial	Viviparous	11.7	14.1	870	70.8	4012.4
Cordylidae	<i>Pseudocordylus subviridis</i>	Pseudocordylus subviridis	variable 3.00	1.78	1.18	Afrotropic	no	30.12	Diurnal	Saxicolous	Scansorial	Viviparous	11.6	12.8	771	61.9	4164.9
Cordylidae	<i>Pseudocordylus transvaalensis</i>	Pseudocordylus transvaalensis	variable 4.50	2.07	NA	Afrotropic	no	24.21	Diurnal	Saxicolous	Scansorial	Viviparous	11.5	18.8	637	81.5	3749.2
Cordylidae	<i>Smaug barbertonensis</i>	Smaug barbertonensis	variable 5.00	1.98	1.80	Afrotropic	no	26.42	Diurnal	Saxicolous	Scansorial	NA	11.7	17.7	918	68.6	3107.0
Cordylidae	<i>Smaug breyeri</i>	Smaug breyeri	variable 4.00	2.01	1.72	Afrotropic	no	24.20	Diurnal	Saxicolous	Scansorial	Viviparous	11.4	19.3	546	83.6	4067.7
Cordylidae	<i>Smaug depressus</i>	Smaug depressus	variable 4.00	1.73	1.70	Afrotropic	no	22.91	Diurnal	Saxicolous	Scansorial	Oviparous	11.6	20.1	845	80.6	3473.8
Cordylidae	<i>Smaug giganteus</i>	Smaug giganteus	variable 2.10	2.66	2.42	Afrotropic	no	27.66	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	16.3	607	69.4	4725.4
Cordylidae	<i>Smaug mossambicus</i>	Smaug mossambicus	variable 5.50	1.79	NA	Afrotropic	no	18.83	Diurnal	Saxicolous	Scansorial	Viviparous	11.8	20.7	1106	92.2	2690.1
Cordylidae	<i>Smaug regius</i>	Smaug regius	variable 3.50	2.01	NA	Afrotropic	no	18.14	Diurnal	Saxicolous	Scansorial	Viviparous	11.8	20	1222	96.8	2633.3
Cordylidae	<i>Smaug vandami</i>	Smaug vandami	variable 4.00	2.01	1.77	Afrotropic	no	24.71	Diurnal	Saxicolous	Scansorial	Viviparous	11.6	18.5	694	78.7	3489.1
Cordylidae	<i>Smaug warreni</i>	Smaug warreni	variable 5.00	2.11	1.80	Afrotropic	no	26.23	Diurnal	Saxicolous	Scansorial	Viviparous	11.7	21.2	699	66.6	2840.4
Corytophanidae	<i>Basiliscus basiliscus</i>	Basiliscus basiliscus	variable 9.20	2.74	2.11	Neotropic	no	8.00	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.7	24.5	2450	48.6	389.4
Corytophanidae	<i>Basiliscus galeritus</i>	Basiliscus galeritus	variable 7.50	2.69	NA	Neotropic	no	2.88	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.7	22.4	2930	41.5	410.3
Corytophanidae	<i>Basiliscus plumifrons</i>	Basiliscus plumifrons	variable 11.00	2.74	2.05	Neotropic	no	12.37	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.7	25.4	2903	51.5	635.2
Corytophanidae	<i>Basiliscus vittatus</i>	Basiliscus vittatus	variable 5.40	2.60	1.70	Neotropic	no	16.82	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.7	23.9	1744	70.9	1480.3
Corytophanidae	<i>Corytophanes cristatus</i>	Corytophanes cristatus	variable 6.00	1.77	1.58	Neotropic	no	12.05	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	24.3	2551	49.5	830.3
Corytophanidae	<i>Corytophanes hernandesii</i>	Corytophanes hernandesii	variable 3.50	1.71	1.25	Neotropic	no	17.81	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	24.7	2016	60.2	1722.5
Corytophanidae	<i>Corytophanes percarinatus</i>	Corytophanes percarinatus	variable 7.10	1.59	1.51	Neotropic	no	14.78	Diurnal	Arboreal	Scansorial	Viviparous	11.8	19.6	1901	81	994.6
Corytophanidae	<i>Laemantus longipes</i>	Laemantus longipes	variable 4.00	2.02	NA	Neotropic	no	16.96	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	24.6	2079	59.6	1660.4
Corytophanidae	<i>Laemantus serratus</i>	Laemantus serratus	variable 7.00	2.36	NA	Neotropic	no	20.37	Cathemeral	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24.9	1274	66.2	1859.3
Crotaphytidae	<i>Crotaphytus antiquus</i>	Crotaphytus antiquus	variable 3.50	1.67	1.53	Nearctic	no	25.64	Diurnal	Saxicolous	Scansorial	Oviparous	11.2	22.7	242	65.9	4706.3
Crotaphytidae	<i>Crotaphytus bicinctores</i>	Crotaphytus bicinctores	variable 4.42	1.72	1.53	Nearctic	no	37.94	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	13.6	223	39.6	8548.9
Crotaphytidae	<i>Crotaphytus collaris</i>	Crotaphytus collaris	variable 6.00	1.79	1.54	Nearctic	no	33.00	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.2	16.4	520	58	7350.4
Crotaphytidae	<i>Crotaphytus dickersonae</i>	Crotaphytus dickersonae	variable 5.00	1.71	1.46	Nearctic	no	29.11	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.8	23.8	127	82.7	5376.9
Crotaphytidae	<i>Crotaphytus grismeri</i>	Crotaphytus grismeri	variable 3.00	1.60	1.48	Nearctic	no	32.31	Diurnal	Saxicolous	Scansorial	Oviparous	11.0	23.1	110	58.9	6732.8
Crotaphytidae	<i>Crotaphytus insularis</i>	Crotaphytus insularis	variable 4.64	1.74	1.57	Nearctic	yes	29.30	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	22.2	92	72.9	5247.9
Crotaphytidae	<i>Crotaphytus nebulosus</i>	Crotaphytus nebulosus	variable 5.00	1.69	NA	Nearctic	no	30.63	Diurnal	Saxicolous	Scansorial	Oviparous	11.0	22	355	86.7	6393.3
Crotaphytidae	<i>Crotaphytus reticulatus</i>	Crotaphytus reticulatus	variable 9.80	1.82	1.67	Nearctic	no	27.46	Diurnal	Saxicolous	Scansorial	Oviparous	11.3	22.9	556	48.9	5745.4
Crotaphytidae	<i>Crotaphytus vestigium</i>	Crotaphytus vestigium	variable 2.67	1.77	1.47	Nearctic	no	30.14	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	19.3	181	74.9	5420.8
Crotaphytidae	<i>Gambelia copeii</i>	Gambelia copeii	variable 5.00	1.84	1.63	Nearctic	no	28.21	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	20.9	155	82.9	4614.4
Crotaphytidae	<i>Gambelia sila</i>	Gambelia sila	variable 3.15	1.76	1.59	Nearctic	no	36.12	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	17	254	85.8	5705.2
Crotaphytidae	<i>Gambelia wislizenii</i>	Gambelia wislizenii	variable 5.14	1.87	1.68	Nearctic	no	35.50	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	15.3	260	50.6	7836.0
Dactyloidae	<i>Anolis acutus</i>	Anolis acutus	fixed 1.00	0.80	0.23	Neotropic	yes	17.74	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	26.5	1116	37.8	1096.0
Dactyloidae	<i>Anolis aeneus</i>	Anolis aeneus	fixed 1.00	1.02	0.33	Neotropic	yes	12.25	Diurnal	Arboreal	Scansorial	Oviparous	11.9	25	2555	36.7	510.0
Dactyloidae	<i>Anolis aequatorialis</i>	Anolis aequatorialis	fixed 1.00	1.54	1.05	Neotropic	no	1.93	Diurnal	Arboreal	Scansorial	Oviparous	11.3	18.1	3005	34.7	240.3
Dactyloidae	<i>Anolis agassizii</i>	Anolis agassizii	fixed 1.00	1.62	0.98	Neotropic	yes	3.98	Diurnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Dactyloidae	<i>Anolis aliniger</i>	Anolis aliniger	fixed 1.00	0.66	NA	Neotropic	yes	18.88	Diurnal	Arboreal	Scansorial	Oviparous	11.8	22	1237	48.3	1355.1
Dactyloidae	<i>Anolis allisoni</i>	Anolis allisoni	fixed 1.00	1.31	0.58	Neotropic	yes	21.44	Diurnal	Arboreal	Scansorial	Oviparous	11.6	25.2	1346	60.5	1701.0
Dactyloidae	<i>Anolis allogus</i>	Anolis allogus	fixed 1.50	0.72	0.21	Neotropic	yes	21.31	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	25.2	1292	55.8	1613.9
Dactyloidae	<i>Anolis altitudinalis</i>	Anolis altitudinalis	fixed 1.00	0.47	0.38	Neotropic	yes	19.98	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.8	18.4	1615	56.5	1154.0
Dactyloidae	<i>Anolis alumina</i>	Anolis alumina	fixed 1.00	0.14	NA	Neotropic	yes	18.06	Diurnal	Arboreal	Scansorial	Oviparous	11.5	23.4	944	54.7	1091.9
Dactyloidae	<i>Anolis alutaceus</i>	Anolis alutaceus	fixed 1.00	0.37	-0.08	Neotropic	yes	21.65	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	24.9	1376	59	1723.2
Dactyloidae	<i>Anolis angusticeps&lt;/i</i>																

Dactyloidae	<i>Anolis argenteolus</i>	Anolis argenteolus	fixed	1.05	0.76	0.33	Neotropic	yes	20.46	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24.9	1188	53.1	1380.6
Dactyloidae	<i>Anolis armouri</i>	Anolis armouri	fixed	1.00	0.93	0.27	Neotropic	yes	18.30	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	20.9	1214	51.2	1065.0
Dactyloidae	<i>Anolis auratus</i>	Anolis auratus	fixed	1.00	0.59	0.36	Neotropic	no	3.89	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	24.6	2358	50.2	632.5
Dactyloidae	<i>Anolis aurifer</i>	NA	fixed	1.00	0.52	NA	Neotropic	yes	18.43	Diurnal	Arboreal	Scansorial	Oviparous	11.6	25.5	1588	44.3	1019.8
Dactyloidae	<i>Anolis bahorucoensis</i>	Anolis bahorucoensis	fixed	1.05	0.45	0.05	Neotropic	yes	18.16	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	21.1	962	55.3	1089.7
Dactyloidae	<i>Anolis baleatus</i>	Anolis baleatus	fixed	1.00	2.06	1.74	Neotropic	yes	18.89	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.4	1599	35.7	1202.1
Dactyloidae	<i>Anolis baracoae</i>	Anolis baracoae	fixed	1.50	2.00	1.50	Neotropic	yes	20.21	Diurnal	Arboreal	Scansorial	Oviparous	11.3	24.9	887	48	1297.9
Dactyloidae	<i>Anolis barahonae</i>	Anolis barahonae	fixed	1.08	2.00	1.77	Neotropic	yes	18.05	Diurnal	Arboreal	Scansorial	Oviparous	11.5	22.7	1083	55.2	1088.5
Dactyloidae	<i>Anolis barbatus</i>	Anolis barbatus	fixed	1.00	1.99	1.57	Neotropic	yes	22.76	Diurnal	Arboreal	Scansorial	Oviparous	11.8	24	1477	53.5	1917.3
Dactyloidae	<i>Anolis barbouri</i>	Anolis barbouri	fixed	1.00	0.55	0.30	Neotropic	yes	18.44	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	22.1	959	56.6	1227.8
Dactyloidae	<i>Anolis barkeri</i>	Anolis barkeri	fixed	1.50	1.32	0.83	Neotropic	no	17.53	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.8	24.6	2344	66.9	1875.8
Dactyloidae	<i>Anolis bartschi</i>	Anolis bartschi	fixed	1.50	1.02	0.64	Neotropic	yes	22.44	Diurnal	Saxicolous	Scansorial	Oviparous	11.8	24.7	1487	54	1846.3
Dactyloidae	<i>Anolis beckeri</i>	Anolis beckeri	fixed	1.00	0.82	0.43	Neotropic	no	16.49	Diurnal	Arboreal	Scansorial	Oviparous	11.9	23.5	2059	57.6	1493.3
Dactyloidae	<i>Anolis bicaorum</i>	Anolis bicaorum	fixed	1.00	1.12	0.69	Neotropic	yes	16.10	Diurnal	Arboreal	Scansorial	Oviparous	10.8	26.6	2694	57.3	1280.0
Dactyloidae	<i>Anolis bimaculatus</i>	Anolis bimaculatus	fixed	1.00	1.60	0.68	Neotropic	yes	17.29	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	10.9	25.8	1370	33.8	1077.8
Dactyloidae	<i>Anolis biporcatus</i>	Anolis biporcatus	fixed	1.00	1.49	1.15	Neotropic	no	11.72	Diurnal	Arboreal	Scansorial	Oviparous	11.8	24.5	2604	53.7	788.6
Dactyloidae	<i>Anolis bictectus</i>	Anolis bictectus	fixed	1.00	0.58	0.48	Neotropic	no	1.35	Diurnal	Arboreal	Scansorial	Oviparous	11.5	21.7	1549	81.4	445.5
Dactyloidae	<i>Anolis blanquillanus</i>	Anolis blanquillanus	fixed	1.00	1.10	0.74	Neotropic	yes	11.85	Diurnal	Arboreal	Scansorial	Oviparous	10.9	27.3	669	45.8	748.8
Dactyloidae	<i>Anolis bombiceps</i>	Anolis bombiceps	fixed	1.50	0.93	0.72	Neotropic	no	2.72	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	24.5	2955	20.2	454.2
Dactyloidae	<i>Anolis bonairensis</i>	Anolis bonairensis	fixed	1.00	0.94	0.54	Neotropic	yes	12.18	Diurnal	Arboreal	Scansorial	Oviparous	10.9	27.4	523	75.7	790.1
Dactyloidae	<i>Anolis boulengerianus</i>	Anolis boulengerianus	fixed	1.00	0.72	0.43	Neotropic	no	16.66	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.7	22.8	1008	95.8	1588.6
Dactyloidae	<i>Anolis brasiliensis</i>	Anolis brasiliensis	fixed	1.00	0.94	0.72	Neotropic	no	11.33	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	25.3	1660	77.1	1082.3
Dactyloidae	<i>Anolis bremeri</i>	Anolis bremeri	fixed	1.00	0.89	0.29	Neotropic	yes	22.20	Diurnal	Arboreal	Scansorial	Oviparous	11.5	25.5	1430	53.9	1814.7
Dactyloidae	<i>Anolis brevirostris</i>	Anolis brevirostris	fixed	1.00	0.50	0.20	Neotropic	yes	18.41	Diurnal	Arboreal	Scansorial	Oviparous	11.6	23.2	987	55.7	1232.8
Dactyloidae	<i>Anolis calimae</i>	Anolis calimae	fixed	1.00	0.64	0.58	Neotropic	no	4.49	NA	Scansorial	Scansorial	Oviparous	11.6	18.5	2556	25.3	227.0
Dactyloidae	<i>Anolis capito</i>	Anolis capito	fixed	1.00	1.34	1.10	Neotropic	no	13.46	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24.5	2594	53.9	974.5
Dactyloidae	<i>Anolis carlliebi</i>	Anolis carlliebi	fixed	1.00	0.32	0.30	Neotropic	no	17.45	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.9	16.9	991	82.2	1726.9
Dactyloidae	<i>Anolis carolinensis</i>	Anolis carolinensis	fixed	1.15	0.94	0.41	Nearctic	no	31.92	Diurnal	Arboreal	Scansorial	Oviparous	11.6	18.6	1273	23.7	6594.1
Dactyloidae	<i>Anolis carpenteri</i>	Anolis carpenteri	fixed	1.00	0.35	0.14	Neotropic	no	10.30	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	23.3	2845	48.4	498.8
Dactyloidae	<i>Anolis centralis</i>	Anolis centralis	fixed	1.00	0.37	-0.05	Neotropic	yes	20.70	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.1	1224	54.9	1450.7
Dactyloidae	<i>Anolis chamaeleonides</i>	Anolis chamaeleonides	fixed	1.00	2.04	1.84	Neotropic	yes	22.42	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25	1397	58.4	1897.6
Dactyloidae	<i>Anolis chloris</i>	Anolis chloris	fixed	1.00	0.70	0.61	Neotropic	no	4.06	Diurnal	Arboreal	Scansorial	Oviparous	11.6	22.7	3659	38.7	292.3
Dactyloidae	<i>Anolis chlorocyanus</i>	Anolis chlorocyanus	fixed	1.00	1.02	0.50	Neotropic	yes	18.98	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24	1372	41.2	1302.2
Dactyloidae	<i>Anolis christophei</i>	Anolis christophei	fixed	1.00	0.42	0.24	Neotropic	yes	19.06	Diurnal	Arboreal	Scansorial	Oviparous	11.8	23.4	1662	31.5	1295.7
Dactyloidae	<i>Anolis chrysolepis</i>	Anolis chrysolepis	fixed	1.00	0.93	0.57	Neotropic	no	4.08	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	25.2	2205	55.9	708.4
Dactyloidae	<i>Anolis chrysops</i>	Anolis chrysops	fixed	2.00	0.91	0.35	Neotropic	yes	16.18	Diurnal	Arboreal&Saxicol	Scansorial	NA	NA	NA	NA	NA	NA
Dactyloidae	<i>Anolis clivicola</i>	Anolis clivicola	fixed	1.00	0.41	0.13	Neotropic	yes	20.06	Diurnal	Arboreal	Scansorial	Oviparous	11.7	21.4	1488	54.2	1230.2
Dactyloidae	<i>Anolis coerulestinus</i>	Anolis coerulestinus	fixed	1.00	1.09	0.56	Neotropic	yes	18.30	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24.2	1262	49	1089.0
Dactyloidae	<i>Anolis concolor</i>	Anolis concolor	fixed	1.00	1.02	0.43	Neotropic	yes	12.91	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	NA	27.3	1998	58.8	477.0
Dactyloidae	<i>Anolis conspersus</i>	Anolis conspersus	fixed	1.00	0.96	0.19	Neotropic	yes	19.32	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.2	26.9	1413	59.8	1324.5
Dactyloidae	<i>Anolis cooki</i>	Anolis cooki	fixed	1.00	0.91	0.29	Neotropic	yes	17.98	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.6	26.8	1256	49.2	1090.7
Dactyloidae	<i>Anolis crassulus</i>	Anolis crassulus	fixed	1.00	0.64	0.33	Neotropic	no	15.30	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	19.8	1558	84.1	1066.1
Dactyloidae	<i>Anolis cristatellus</i>	Anolis cristatellus	fixed	1.00	1.02	0.45	Neotropic	yes	18.23	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	25.5	1613	36.1	1097.9
Dactyloidae	<i>Anolis cupreus</i>	Anolis cupreus	fixed	1.00	0.59	0.26	Neotropic	no	13.39	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24.8	2378	62.7	733.0
Dactyloidae	<i>Anolis cuprinus</i>	Anolis cuprinus	fixed	1.00	0.84	0.37	Neotropic	no	16.22	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	24.6	1496	96.1	1268.0
Dactyloidae	<i>Anolis cuvieri</i>	Anolis cuvieri	fixed	1.00	2.06	1.54	Neotropic	yes	18.26	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24.9	1767	31.4	1092.0
Dactyloidae	<i>Anolis cybotes</i>	Anolis cybotes	fixed	1.00	1.04	0.39	Neotropic	yes	18.90	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	24	1380	42	1276.3
Dactyloidae	<i>Anolis cymbops</i>	Anolis cymbops	fixed	1.00	0.35	0.19	Neotropic	no	18.79	NA	Scansorial	Scansorial	Oviparous	11.9	24.3	1926	85.4	2121.9
Dactyloidae	<i>Anolis damulus</i>	Anolis damulus	fixed	1.00	0.47	0.36	Neotropic	no	17.69	NA	Scansorial	Scansorial	Oviparous	12.0	22.7	3245	75.3	1973.0
Dactyloidae	<i>Anolis desiradei</i>	Anolis desiradei	fixed	2.00	1.02	0.39	Neotropic	yes	16.32	Diurnal	Arboreal&Saxicol	Scansorial	NA	NA	26.5	1395	30.7	1019.3
Dactyloidae	<i>Anolis distichus</i>	Anolis distichus	fixed	1.00	0.50	0.24	Neotropic	yes	23.34	Diurnal	Arboreal	Scansorial	Oviparous	11.0	25.5	1180	54.5	2005.4
Dactyloidae	<i>Anolis dolffusianus</i>	Anolis dolffusianus	fixed	1.00	0.26	0.03	Neotropic	no	15.06	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	21.4	2533	82.8	790.3
Dactyloidae	<i>Anolis dominicensis</i>	NA	fixed	1.00	0.61	NA	Neotropic	yes	19.16	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.1	1367	40	1356.0
Dactyloidae	<i>Anolis dracula</i>	NA	fixed	1.00	1.19	0.99	Neotropic	no	1.02	Diurnal	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Dactyloidae	<i>Anolis duellmani</i>	Anolis duellmani	fixed	1.50	0.16	0.03	Neotropic	no	18.21	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	23.8	2364	69.1	1907.1
Dactyloidae	<i>Anolis dumini</i>	Anolis dumini	fixed	1.00	0.62	0.24	Neotropic	no	18.19	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.7	25.1	993	109.5	1280.9
Dactyloidae	<i>Anolis equestris</i>	Anolis equestris	fixed	1.00	2.13	1.76	Neotropic	yes	21.81	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.2	1347	60.9	1785.6
Dactyloidae	<i>Anolis ernestwilliamsi</i>	Anolis ernestwilliamsi	fixed	1.00	1.06	0.64	Neotropic	yes	18.35	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	NA	NA	NA	NA
Dactyloidae	<i>Anolis etheridgei</i>	Anolis etheridgei	fixed	1.00	0.26	NA	Neotropic	yes	18.96	Diurnal	Arboreal	Scansorial	Oviparous	11.9	18.6	1560	30.5	1263.6
Dactyloidae	<i>Anolis eugenegrahami</i>	Anolis eugenegrahami	fixed	1.00	0.89	NA	Neotropic	yes	19.60	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.9	24.2	1462	22	1430.0
Dactyloidae	<i>Anolis evermanni</i>	Anolis evermanni	fixed	1.00	0.99	0.36	Neotropic	yes	18.22	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.6	1722	32.3	1083.4
Dactyloidae	<i>Anolis extremus</i>	Anolis extremus	fixed	1.50	1.10	0.45	Neotropic	no	13.17	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.7	1161	64.6	600.0
Dactyloidae	<i>Anolis fasciatus</i>	Anolis fasciatus	fixed	1.00	0.89	NA	Neotropic	no	0.83	Diurnal	Arboreal	Scansorial	Oviparous	11.5	23.1	2240	77.5	516.6
Dactyloidae	<i>Anolis favillarum</i>	NA	fixed	1.00	0.52	NA	Neotropic	yes	18.07	Diurnal	Arboreal	Scansorial	Oviparous	11.2	23.2	1185	55.2	1115.3
Dactyloidae	<i>Anolis festae</i>	Anolis festae	fixed	1.00														

Dactyloidae	<i>Anolis gadovii</i>	Anolis gadovii	fixed	1.50	1.02	0.71	Neotropic	no	17.00	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	25.6	1372	111.6	760.3
Dactyloidae	<i>Anolis gaigei</i>	Anolis gaigei	fixed	1.00	0.49	0.28	Neotropic	no	9.26	Diurnal	Arboreal	Scansorial	Oviparous	11.6	23.9	2199	63.5	478.8
Dactyloidae	<i>Anolis garmani</i>	Anolis garmani	fixed	1.00	1.72	1.04	Neotropic	yes	18.17	Diurnal	Arboreal	Scansorial	Oviparous	11.5	25.2	1727	42.9	1010.1
Dactyloidae	<i>Anolis gemmosus</i>	Anolis gemmosus	fixed	1.00	0.78	0.61	Neotropic	no	0.01	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	14.3	1621	44.6	257.9
Dactyloidae	<i>Anolis gingivinus</i>	Anolis gingivinus	fixed	1.00	0.89	0.37	Neotropic	yes	18.12	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.1	26.7	1114	34.6	1143.7
Dactyloidae	<i>Anolis grahami</i>	Anolis grahami	fixed	1.00	0.94	0.28	Neotropic	yes	18.16	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	25.3	1730	43.1	1009.3
Dactyloidae	<i>Anolis griseus</i>	Anolis griseus	fixed	1.02	1.70	0.90	Neotropic	yes	13.25	Diurnal	Arboreal	Scansorial	Oviparous	10.8	25	2352	39.8	712.9
Dactyloidae	<i>Anolis gundlachi</i>	Anolis gundlachi	fixed	1.00	0.96	0.27	Neotropic	yes	18.22	Diurnal	Arboreal	Scansorial	Oviparous	11.8	24.7	1700	35.1	1080.8
Dactyloidae	<i>Anolis heterodermus</i>	Anolis heterodermus	fixed	1.00	1.12	0.71	Neotropic	no	4.42	Diurnal	Arboreal	Scansorial	Oviparous	11.7	18.6	2180	35.2	287.1
Dactyloidae	<i>Anolis homolechis</i>	Anolis homolechis	fixed	1.00	0.85	0.10	Neotropic	yes	21.59	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	25	1330	58.2	1709.0
Dactyloidae	<i>Anolis humilis</i>	Anolis humilis	fixed	1.07	0.42	0.06	Neotropic	no	8.88	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	24.2	2779	53.4	473.5
Dactyloidae	<i>Anolis igniculus</i>	NA	fixed	1.00	0.55	NA	Neotropic	yes	18.74	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.7	1617	37.8	1166.0
Dactyloidae	<i>Anolis incredulus</i>	Anolis incredulus	fixed	1.00	-0.07	-0.07	Neotropic	yes	20.03	NA	Scansorial		Oviparous	11.9	NA	NA	NA	NA
Dactyloidae	<i>Anolis inderenae</i>	Anolis inderenae	fixed	2.00	1.52	1.42	Neotropic	no	4.31	NA	NA	Scansorial	Oviparous	11.6	11.8	1249	42	270.8
Dactyloidae	<i>Anolis insolitus</i>	Anolis insolitus	fixed	1.00	0.35	NA	Neotropic	yes	18.93	Diurnal	Arboreal	Scansorial	Oviparous	11.9	17.5	1507	31.7	1245.0
Dactyloidae	<i>Anolis isolepis</i>	Anolis isolepis	fixed	1.00	0.20	-0.03	Neotropic	yes	20.39	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	24.4	1281	49.4	1353.2
Dactyloidae	<i>Anolis jacare</i>	Anolis jacare	fixed	1.00	0.93	0.56	Neotropic	no	8.69	Diurnal	Arboreal	Scansorial	Oviparous	11.7	18.1	1613	46.5	433.5
Dactyloidae	<i>Anolis johnmeyei</i>	Anolis johnmeyei	fixed	1.00	0.91	0.64	Neotropic	no	15.43	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	19.5	2211	47.9	1372.7
Dactyloidae	<i>Anolis jubar</i>	Anolis jubar	fixed	1.00	0.70	0.24	Neotropic	yes	20.83	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	25.1	1227	54.8	1486.5
Dactyloidae	<i>Anolis kahouannensis</i>	Anolis kahouannensis	fixed	2.00	0.96	0.36	Neotropic	yes	16.37	Diurnal	Arboreal	Scansorial	NA	10.8	NA	NA	NA	NA
Dactyloidae	<i>Anolis kempsoni</i>	Anolis kempsoni	fixed	1.00	0.66	0.38	Neotropic	no	8.85	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	15.3	3118	45.1	478.3
Dactyloidae	<i>Anolis krugi</i>	Anolis krugi	fixed	1.00	0.55	0.04	Neotropic	yes	18.22	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.8	1677	34.7	1084.7
Dactyloidae	<i>Anolis laeviventris</i>	Anolis laeviventris	fixed	1.00	0.78	0.58	Neotropic	no	16.03	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	21.7	1969	70.2	1414.5
Dactyloidae	<i>Anolis leachii</i>	Anolis leachii	fixed	2.00	1.57	0.96	Neotropic	yes	17.15	Diurnal	Arboreal	Scansorial	Oviparous	10.8	26.6	1200	35.4	1084.9
Dactyloidae	<i>Anolis lemurinus</i>	Anolis lemurinus	fixed	1.00	1.01	0.64	Neotropic	no	15.25	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24.9	2255	55.5	1246.6
Dactyloidae	<i>Anolis limifrons</i>	Anolis limifrons	fixed	1.50	0.45	0.19	Neotropic	no	11.46	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24.6	2736	54.6	585.3
Dactyloidae	<i>Anolis lineatopus</i>	Anolis lineatopus	fixed	1.00	0.91	0.32	Neotropic	yes	18.15	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	25.3	1730	43.2	1008.9
Dactyloidae	<i>Anolis liogaster</i>	Anolis liogaster	fixed	2.00	0.78	0.21	Neotropic	no	17.58	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	18.2	1293	105.4	1110.0
Dactyloidae	<i>Anolis lionotus</i>	Anolis lionotus	fixed	1.00	0.99	0.71	Neotropic	no	9.08	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.6	24.4	2475	54.8	499.8
Dactyloidae	<i>Anolis littoralis</i>	Anolis littoralis	fixed	1.00	0.37	-0.03	Neotropic	yes	20.46	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.8	1267	48.8	1374.4
Dactyloidae	<i>Anolis lividus</i>	Anolis lividus	fixed	1.00	1.06	0.36	Neotropic	yes	16.74	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	NA	25.9	1409	36	1047.0
Dactyloidae	<i>Anolis longiceps</i>	Anolis longiceps	fixed	1.00	1.07	NA	Neotropic	yes	18.41	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.8	27.6	1534	45	1027.0
Dactyloidae	<i>Anolis longitibialis</i>	Anolis longitibialis	fixed	1.50	0.89	NA	Neotropic	yes	17.92	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	25.8	838	52.8	1069.5
Dactyloidae	<i>Anolis lososi</i>	NA	fixed	1.00	0.69	NA	Neotropic	no	4.06	Diurnal	Arboreal	Scansorial	Oviparous	11.7	16.2	1195	26.4	526.0
Dactyloidae	<i>Anolis loveridgei</i>	Anolis loveridgei	fixed	1.00	1.52	NA	Neotropic	no	15.41	Diurnal	Arboreal	Scansorial	Oviparous	11.9	21.3	1740	42.8	1375.6
Dactyloidae	<i>Anolis lysiana</i>	Anolis lysiana	fixed	2.00	0.47	0.03	Neotropic	yes	21.55	Diurnal	Arboreal	Scansorial	Oviparous	11.8	24.4	1316	55.1	1594.9
Dactyloidae	<i>Anolis luciae</i>	Anolis luciae	fixed	1.00	1.19	0.56	Neotropic	yes	13.89	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	22	3282	40.7	255.9
Dactyloidae	<i>Anolis lucius</i>	Anolis lucius	fixed	1.00	0.85	0.47	Neotropic	yes	21.83	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	24.9	1363	61.4	1790.0
Dactyloidae	<i>Anolis luteogularis</i>	Anolis luteogularis	fixed	1.00	2.14	1.66	Neotropic	yes	22.43	Diurnal	Arboreal	Scansorial	NA	11.4	25.3	1396	54.5	1897.6
Dactyloidae	<i>Anolis lyra</i>	Anolis lyra	fixed	1.00	0.97	0.97	Neotropic	no	3.35	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	25.4	5337	23	260.6
Dactyloidae	<i>Anolis macrinii</i>	Anolis macrinii	fixed	1.00	1.26	1.19	Neotropic	no	15.96	Diurnal	Arboreal	Scansorial	Oviparous	11.8	22	1113	96.8	941.3
Dactyloidae	<i>Anolis maculiventris</i>	Anolis maculiventris	fixed	1.00	0.42	0.35	Neotropic	no	5.68	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	23.6	3151	41.4	271.4
Dactyloidae	<i>Anolis mariarum</i>	Anolis mariarum	fixed	1.00	0.57	0.36	Neotropic	no	6.22	Diurnal	Arboreal	Scansorial	Oviparous	11.7	18	2600	33.4	258.3
Dactyloidae	<i>Anolis marmoratus</i>	Anolis marmoratus	fixed	1.00	1.10	0.39	Neotropic	yes	16.23	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.0	25.8	1623	36	1002.7
Dactyloidae	<i>Anolis marron</i>	Anolis marron	fixed	1.00	0.96	NA	Neotropic	yes	18.24	Diurnal	Arboreal	Scansorial	Oviparous	11.3	25.3	1277	49.2	1106.6
Dactyloidae	<i>Anolis matudai</i>	Anolis matudai	fixed	1.50	0.55	0.44	Neotropic	no	15.84	Cathemeral	Terrestrial		Oviparous	11.8	21.9	1860	95.2	1026.9
Dactyloidae	<i>Anolis megapholidotus</i>	Anolis megapholidotus	fixed	1.00	0.50	0.16	Neotropic	no	17.65	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	19.8	1002	100.1	1096.9
Dactyloidae	<i>Anolis menta</i>	Anolis menta	fixed	1.50	0.57	NA	Neotropic	no	10.89	Diurnal	Arboreal	Scansorial	Oviparous	11.0	7	1512	62	291.0
Dactyloidae	<i>Anolis meridionalis</i>	Anolis meridionalis	fixed	1.20	0.64	0.37	Neotropic	no	14.40	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	24.6	1657	70.6	1242.0
Dactyloidae	<i>Anolis mestrei</i>	Anolis mestrei	fixed	1.00	0.66	0.23	Neotropic	yes	22.60	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	24.7	1486	52	1909.5
Dactyloidae	<i>Anolis microlepidotus</i>	Anolis microlepidotus	fixed	1.50	0.52	0.24	Neotropic	no	17.74	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	20.6	1052	101.3	1260.5
Dactyloidae	<i>Anolis microlepis</i>	Anolis microlepis	fixed	1.00	0.14	0.11	Neotropic	no	11.73	NA	Scansorial		Oviparous	11.9	23.3	2738	33	450.0
Dactyloidae	<i>Anolis milleri</i>	Anolis milleri	fixed	1.50	0.59	0.23	Neotropic	no	17.29	Diurnal	Arboreal	Scansorial	Oviparous	11.9	20.1	2655	74.6	1876.9
Dactyloidae	<i>Anolis naufragus</i>	Anolis naufragus	fixed	2.00	0.66	0.46	Neotropic	no	20.24	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	17.9	1430	73.1	2413.6
Dactyloidae	<i>Anolis nebuloides</i>	Anolis nebuloides	fixed	1.00	0.56	0.21	Neotropic	no	16.74	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	20.7	1171	100.4	1122.9
Dactyloidae	<i>Anolis nebulosus</i>	Anolis nebulosus	fixed	1.00	0.64	0.16	Neotropic	no	20.94	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	19.6	963	100.4	2423.2
Dactyloidae	<i>Anolis nelsoni</i>	Anolis nelsoni	fixed	1.50	0.96	0.47	Neotropic	yes	17.42	Diurnal	Arboreal&Terrestri	Scansorial	NA	NA	NA	NA	NA	NA
Dactyloidae	<i>Anolis nigrolineatus</i>	Anolis nigrolineatus	fixed	1.00	0.55	0.37	Neotropic	no	2.65	Diurnal	Arboreal	Scansorial	Oviparous	11.5	24.9	848	99	678.0
Dactyloidae	<i>Anolis noblei</i>	Anolis noblei	fixed	1.00	2.13	1.85	Neotropic	yes	20.23	Diurnal	Arboreal	Scansorial	NA	11.7	24.1	1297	51.9	1311.0
Dactyloidae	<i>Anolis oculatus</i>	Anolis oculatus	fixed	1.05	1.28	0.47	Neotropic	yes	15.43	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.8	24.9	2233	38	914.4
Dactyloidae	<i>Anolis olssoni</i>	Anolis olssoni	fixed	1.50	0.50	0.17	Neotropic	yes	18.93	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.5	1304	44.2	1324.3
Dactyloidae	<i>Anolis omiltemanus</i>	Anolis omiltemanus	fixed	2.00	0.37	0.19	Neotropic	no	17.62	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	19.1	1183	104	1143.1
Dactyloidae	<i>Anolis onca</i>	Anolis onca	fixed	1.00	1.20	NA	Neotropic	no	11.44	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.3	26.5	696	76	771.9
Dactyloidae	<i>Anolis opalinus</i>	Anolis opalinus	fixed	1.00	0.57	0.21	Neotropic	yes	18.14	Diurnal	Arboreal	Scansorial	Oviparous	11.5	25.2	1732	43.7	1005.7
Dactyloidae	<i>Anolis ophiolepis</i>	Anolis ophiolepis	fixed</															

Dactyloidae	<i>Anolis oxylophus</i>	Anolis oxylophus	fixed	1.00	1.10	0.63	Neotropic	no	12.49	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.7	24.7	2930	52.5	596.5
Dactyloidae	<i>Anolis pachypus</i>	Anolis pachypus	fixed	1.00	0.52	0.36	Neotropic	no	9.62	Diurnal	NA	Scansorial	Oviparous	11.6	17.5	3445	48.7	450.5
Dactyloidae	<i>Anolis parvircirculus</i>	Anolis parvircirculus	fixed	1.00	0.48	0.28	Neotropic	no	16.88	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.8	22.1	1575	66.1	1662.0
Dactyloidae	<i>Anolis pentaprion</i>	Anolis pentaprion	fixed	1.00	1.02	0.62	Neotropic	no	12.66	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.7	2737	51.9	882.5
Dactyloidae	<i>Anolis peraccae</i>	Anolis peraccae	fixed	1.00	0.72	0.33	Neotropic	no	0.20	Diurnal	Arboreal	Scansorial	Oviparous	11.5	20.4	2347	58.3	380.8
Dactyloidae	<i>Anolis petersii</i>	Anolis petersii	fixed	1.00	1.74	1.30	Neotropic	no	15.45	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	18.7	2056	72.2	1193.4
Dactyloidae	<i>Anolis pigmaequestris</i>	Anolis pigmaequestris	fixed	1.00	1.74	1.49	Neotropic	yes	22.65	Diurnal	Arboreal	Scansorial	Oviparous	10.9	25.4	1369	58.7	2012.3
Dactyloidae	<i>Anolis pinchoti</i>	Anolis pinchoti	fixed	1.00	0.59	0.17	Neotropic	yes	13.35	NA	Arboreal&Terrestri	Scansorial	Oviparous	NA	26.9	1782	61	536.0
Dactyloidae	<i>Anolis placidus</i>	Anolis placidus	fixed	1.00	0.32	0.25	Neotropic	yes	18.69	Diurnal	Arboreal	Scansorial	Oviparous	11.8	19.6	1292	60.2	1316.9
Dactyloidae	<i>Anolis planiceps</i>	Anolis planiceps	fixed	1.44	0.96	0.70	Neotropic	no	4.93	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	25.1	2108	56.3	671.0
Dactyloidae	<i>Anolis podocarpus</i>	Anolis podocarpus	fixed	1.00	1.26	NA	Neotropic	no	4.14	Diurnal	Arboreal	Scansorial	Oviparous	11.8	17.9	1211	21.1	609.5
Dactyloidae	<i>Anolis poecilopus</i>	Anolis poecilopus	fixed	1.00	0.93	0.65	Neotropic	no	7.38	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.8	23.7	2796	44.8	256.9
Dactyloidae	<i>Anolis pogus</i>	Anolis pogus	fixed	1.00	0.61	0.16	Neotropic	yes	18.11	Diurnal	Fossilior&Saxicolo	Scansorial	Oviparous	10.9	26.7	1115	34.5	1143.1
Dactyloidae	<i>Anolis polylepis</i>	Anolis polylepis	fixed	1.00	0.64	0.30	Neotropic	no	8.88	Diurnal	Arboreal	Scansorial	Oviparous	11.5	24.6	3407	59.9	593.8
Dactyloidae	<i>Anolis porcatus</i>	Anolis porcatus	fixed	1.00	1.25	0.54	Neotropic	yes	21.58	Diurnal	Arboreal	Scansorial	Oviparous	11.6	25.1	1325	57.9	1700.9
Dactyloidae	<i>Anolis porcus</i>	Anolis porcus	fixed	1.00	2.00	1.78	Neotropic	yes	20.42	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.7	1237	49.3	1360.6
Dactyloidae	<i>Anolis proboscis</i>	Anolis proboscis	fixed	2.00	1.08	0.92	Neotropic	no	0.01	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.1	18.3	2109	51.6	239.9
Dactyloidae	<i>Anolis properus</i>	NA	fixed	1.00	0.52	NA	Neotropic	yes	18.48	Diurnal	Arboreal	Scansorial	Oviparous	11.3	26.4	1219	36.9	1075.6
Dactyloidae	<i>Anolis pulchellus</i>	Anolis pulchellus	fixed	1.00	0.46	0.02	Neotropic	yes	18.23	Diurnal	Arboreal	Scansorial	Oviparous	11.5	25.5	1617	36	1097.1
Dactyloidae	<i>Anolis punctatus</i>	Anolis punctatus	fixed	1.25	1.20	0.86	Neotropic	no	5.38	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.8	2215	52	721.9
Dactyloidae	<i>Anolis quaggulus</i>	Anolis quaggulus	fixed	1.00	0.25	NA	Neotropic	no	12.89	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	25	2695	54.8	650.0
Dactyloidae	<i>Anolis raviventrum</i>	NA	fixed	1.00	0.57	NA	Neotropic	yes	18.47	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.8	946	54.5	1260.0
Dactyloidae	<i>Anolis reconditus</i>	Anolis reconditus	fixed	1.00	1.31	NA	Neotropic	yes	18.07	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.4	20.6	2080	42.9	902.2
Dactyloidae	<i>Anolis rejectus</i>	Anolis rejectus	fixed	1.00	0.04	-0.12	Neotropic	yes	20.07	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.4	1351	51.3	1281.3
Dactyloidae	<i>Anolis richardii</i>	Anolis richardii	fixed	1.00	1.74	0.88	Neotropic	yes	12.20	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.8	26.2	1937	45.6	663.6
Dactyloidae	<i>Anolis rodiguezii</i>	Anolis rodiguezii	fixed	1.00	0.42	0.25	Neotropic	no	18.44	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	25.4	1591	58.9	1720.3
Dactyloidae	<i>Anolis roquet</i>	Anolis roquet	fixed	1.00	1.12	0.48	Neotropic	yes	14.65	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.1	25.9	2448	38.2	860.3
Dactyloidae	<i>Anolis rubiginosus</i>	Anolis rubiginosus	fixed	1.00	0.56	0.38	Neotropic	no	17.56	NA	NA	Scansorial	Oviparous	11.8	21.3	1993	82.3	1847.3
Dactyloidae	<i>Anolis rubribarbaris</i>	Anolis rubribarbaris	fixed	1.00	0.47	0.33	Neotropic	no	14.92	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	12.0	18.2	2162	62.7	1288.8
Dactyloidae	<i>Anolis sabanus</i>	Anolis sabanus	fixed	1.00	0.84	0.39	Neotropic	yes	17.64	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	NA	NA	NA	NA
Dactyloidae	<i>Anolis sagrei</i>	Anolis sagrei	fixed	1.00	0.94	0.36	Neotropic	no	20.64	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	24.4	1341	55.3	2467.0
Dactyloidae	<i>Anolis saxatilis</i>	Anolis whitemani	fixed	1.00	0.80	0.35	Neotropic	yes	18.94	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24.2	1229	48.8	1410.0
Dactyloidae	<i>Anolis schiedii</i>	Anolis schiedii	fixed	1.00	0.66	0.40	Neotropic	no	19.42	NA	NA	Scansorial	Oviparous	11.8	16.5	1454	70.1	2064.1
Dactyloidae	<i>Anolis schwartzi</i>	Anolis schwartzi	fixed	1.00	0.40	0.14	Neotropic	yes	17.28	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.9	25.6	1364	33.8	1073.3
Dactyloidae	<i>Anolis scyphus</i>	Anolis scyphus	fixed	1.00	1.12	0.91	Neotropic	no	0.68	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	23.5	2926	29.7	505.7
Dactyloidae	<i>Anolis semilineatus</i>	Anolis semilineatus	fixed	1.00	0.35	0.01	Neotropic	yes	18.91	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24.1	1375	41.6	1271.3
Dactyloidae	<i>Anolis sericeus</i>	Anolis sericeus	fixed	1.00	0.50	0.17	Neotropic	no	17.21	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24	1726	69.7	1611.8
Dactyloidae	<i>Anolis sheppani</i>	Anolis sheppani	fixed	1.00	0.17	0.11	Neotropic	yes	18.11	Diurnal	Arboreal	Scansorial	Oviparous	11.4	21.9	1283	56.2	1108.4
Dactyloidae	<i>Anolis shrevei</i>	Anolis shrevei	fixed	1.00	0.66	NA	Neotropic	yes	18.97	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	16.3	1407	35.6	1247.2
Dactyloidae	<i>Anolis singularis</i>	Anolis singularis	fixed	1.00	0.47	NA	Neotropic	yes	18.48	Diurnal	Arboreal	Scansorial	Oviparous	11.3	24.3	1480	37	985.0
Dactyloidae	<i>Anolis smallwoodi</i>	Anolis smallwoodi	fixed	1.00	2.13	1.70	Neotropic	yes	20.15	Diurnal	Arboreal	Scansorial	Oviparous	11.5	24.7	1027	52.2	1293.1
Dactyloidae	<i>Anolis smaragdinus</i>	Anolis smaragdinus	fixed	1.30	0.74	NA	Neotropic	yes	24.55	Diurnal	Arboreal	Scansorial	NA	10.9	25.5	1161	59.1	2235.6
Dactyloidae	<i>Anolis sminthius</i>	Anolis sminthius	fixed	1.00	0.64	0.46	Neotropic	no	14.35	Diurnal	Arboreal	Scansorial	Oviparous	11.9	20.4	1330	82.5	1049.4
Dactyloidae	<i>Anolis spectrum</i>	Anolis spectrum	fixed	1.00	0.20	-0.01	Neotropic	yes	22.65	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	24.7	1469	55.3	1974.3
Dactyloidae	<i>Anolis strahmi</i>	Anolis strahmi	fixed	1.00	1.02	0.46	Neotropic	yes	18.18	Diurnal	Saxicolous	Scansorial	Oviparous	11.6	22.1	754	54.9	1103.5
Dactyloidae	<i>Anolis subocularis</i>	Anolis subocularis	fixed	1.00	0.72	0.10	Neotropic	no	16.66	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	25	1485	108	783.0
Dactyloidae	<i>Anolis tandai</i>	Anolis tandai	fixed	1.00	0.93	0.76	Neotropic	no	7.07	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	25.2	2271	49.3	465.7
Dactyloidae	<i>Anolis taylori</i>	Anolis taylori	fixed	1.00	0.99	0.59	Neotropic	no	16.85	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	26.7	1356	114.2	644.7
Dactyloidae	<i>Anolis terraenaltae</i>	Anolis terraenaltae	fixed	2.00	1.02	0.44	Neotropic	yes	15.86	Diurnal	Arboreal	Scansorial	Oviparous	10.9	26.9	1598	37	992.0
Dactyloidae	<i>Anolis tetraii</i>	Anolis tetraii	fixed	1.00	1.12	0.85	Neotropic	no	10.26	NA	Arboreal	Scansorial	Oviparous	11.6	11.4	1694	54.1	334.7
Dactyloidae	<i>Anolis tolimensis</i>	Anolis tolimensis	fixed	1.14	0.66	0.47	Neotropic	no	4.79	Diurnal	Arboreal	Scansorial	Oviparous	11.8	22.2	2156	37.5	351.7
Dactyloidae	<i>Anolis trachyderma</i>	Anolis trachyderma	fixed	1.50	0.68	0.52	Neotropic	no	3.99	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	24.8	2765	31.2	449.7
Dactyloidae	<i>Anolis transversalis</i>	Anolis transversalis	fixed	1.00	1.28	0.98	Neotropic	no	4.82	Diurnal	Arboreal	Scansorial	Oviparous	12.0	24.8	2576	35.9	446.5
Dactyloidae	<i>Anolis trinitatis</i>	Anolis trinitatis	fixed	1.00	1.02	0.31	Neotropic	yes	13.25	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.8	25	2319	39.8	714.6
Dactyloidae	<i>Anolis tropidogaster</i>	Anolis tropidogaster	fixed	1.00	0.72	0.39	Neotropic	no	6.95	Diurnal	Arboreal	Scansorial	Oviparous	11.8	25	2548	53	483.0
Dactyloidae	<i>Anolis tropidolepis</i>	Anolis tropidolepis	fixed	1.00	0.64	0.44	Neotropic	no	10.01	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	17.2	3355	47.4	412.4
Dactyloidae	<i>Anolis tropidonotus</i>	Anolis tropidonotus	fixed	1.00	0.76	0.22	Neotropic	no	17.01	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	23.8	1744	62.6	1561.6
Dactyloidae	<i>Anolis uniformis</i>	Anolis uniformis	fixed	1.00	0.17	0.03	Neotropic	no	16.55	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	24.2	2359	54.1	1608.6
Dactyloidae	<i>Anolis ustus</i>	NA	fixed	1.00	0.40	0.27	Neotropic	no	19.23	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	25.6	1230	62.5	1754.6
Dactyloidae	<i>Anolis utilensis</i>	Anolis utilensis	fixed	1.00	0.70	0.47	Neotropic	yes	16.10	Diurnal	Arboreal	Scansorial	Oviparous	10.8	26.6	2694	57.3	1280.0
Dactyloidae	<i>Anolis valencienni</i>	Anolis valencienni	fixed	1.00	1.12	0.66	Neotropic	yes	18.16	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	25.3	1730	43.1	1009.3
Dactyloidae	<i>Anolis ventrimaculatus</i>	Anolis ventrimaculatus	fixed	1.00	1.02	0.77	Neotropic	no	4.53	Diurnal	Arboreal	Scansorial	Oviparous	11.6	17.2	2463	31.7	225.6
Dactyloidae	<i>Anolis vermiculatus</i>	Anolis vermiculatus	fixed	1.50	1.69	0.99	Neotropic	yes	22.58	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.7	24.5	1500	51.7	1899.9
Dactyloidae	<i>Anolis vinosus</i>	NA	fixed	1.00	0.52	NA	Neotropic	yes	18.26	Diurnal	Arboreal	Scansorial	Oviparous	11.6	25.8	1869	46.4	972.9
Dactyloidae	<i>Anolis vittigerus</i>	Anolis																

Diplodactylidae	<i>Amalosia jacovae</i>	Amalosia jacovae	fixed	2.00	0.67	0.45	Australia	no	26.11	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	20.4	933	46.3	3817.1
Diplodactylidae	<i>Amalosia lesuerii</i>	Amalosia lesuerii	fixed	2.00	1.01	0.71	Australia	no	32.00	Nocturnal	Saxicolous&Terres Scansorial	Oviparous	11.7	16	880	28.1	4491.9	
Diplodactylidae	<i>Amalosia obscura</i>	Amalosia obscura	fixed	2.00	0.68	NA	Australia	no	15.83	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.2	26.6	1199	118.6	2028.8	
Diplodactylidae	<i>Amalosia rhombifer</i>	Amalosia rhombifer	fixed	2.00	1.01	0.34	Australia	no	18.54	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.3	25.9	853	105.2	3130.8	
Diplodactylidae	<i>Bavayia crassicollis</i>	Bavayia crassicollis	fixed	2.00	1.11	NA	Oceania	yes	21.21	Nocturnal	Arboreal	Scansorial	Oviparous	11.1	23.3	1693	38.5	1983.9
Diplodactylidae	<i>Bavayia cyclura</i>	Bavayia cyclura	fixed	2.00	0.87	NA	Oceania	yes	21.32	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	22.1	1689	47.3	2062.6
Diplodactylidae	<i>Bavayia exsuccida</i>	Bavayia exsuccida	fixed	2.00	0.31	NA	Oceania	yes	21.17	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.6	22.8	1364	50.9	2099.4	
Diplodactylidae	<i>Bavayia geitaina</i>	Bavayia geitaina	fixed	2.00	0.87	NA	Oceania	yes	22.03	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	20.9	1895	41.9	2072.3
Diplodactylidae	<i>Bavayia goroensis</i>	Bavayia goroensis	fixed	2.00	0.35	0.35	Oceania	yes	22.24	Nocturnal	Arboreal	Scansorial	Oviparous	10.8	21.4	2478	37.6	2058.7
Diplodactylidae	<i>Bavayia montana</i>	Bavayia montana	fixed	1.50	0.95	NA	Oceania	yes	21.18	Nocturnal	Arboreal	Scansorial	Oviparous	11.5	22.2	1724	49.2	2077.3
Diplodactylidae	<i>Bavayia nubila</i>	Bavayia nubila	fixed	2.00	0.78	0.68	Oceania	yes	21.98	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	19.3	1677	43	2043.4
Diplodactylidae	<i>Bavayia ornata</i>	Bavayia ornata	fixed	2.00	0.82	NA	Oceania	yes	20.66	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	20.5	2612	49.7	1957.5
Diplodactylidae	<i>Bavayia pulchella</i>	Bavayia pulchella	fixed	2.00	0.37	NA	Oceania	yes	21.52	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	21.8	1497	48.6	2116.2
Diplodactylidae	<i>Bavayia robusta</i>	Bavayia robusta	fixed	2.00	1.06	NA	Oceania	yes	22.16	Nocturnal	Arboreal	Scansorial	Oviparous	11.2	21.5	1847	40.1	2084.3
Diplodactylidae	<i>Bavayia sauvagii</i>	Bavayia sauvagii	fixed	2.00	0.68	NA	Oceania	yes	21.41	Nocturnal	Arboreal&Terrestri Scansorial	Oviparous	11.4	22	1714	46.5	2072.4	
Diplodactylidae	<i>Bavayia septuiclavis</i>	Bavayia septuiclavis	fixed	2.00	0.39	0.31	Oceania	yes	22.13	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	21.4	1864	40.4	2084.3
Diplodactylidae	<i>Correlophus beleensis</i>	Correlophus beleensis	fixed	2.00	1.31	1.30	Oceania	yes	19.72	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	24	1724	53	1804.8
Diplodactylidae	<i>Correlophus ciliatus</i>	Correlophus ciliatus	fixed	2.00	1.66	1.68	Oceania	yes	22.18	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	21.4	1980	39.7	2076.7
Diplodactylidae	<i>Correlophus sarasinorum</i>	Correlophus sarasinorum	fixed	2.00	1.71	NA	Oceania	yes	22.20	Nocturnal	Arboreal	Scansorial	Oviparous	11.2	21.7	2099	39	2080.2
Diplodactylidae	<i>Crenadactylus horni</i>	NA	fixed	2.00	-0.09	NA	Australia	no	23.99	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	22	272	47.3	6272.8
Diplodactylidae	<i>Crenadactylus naso</i>	NA	fixed	2.00	-0.20	NA	Australia	no	16.64	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.2	26.9	881	114	2700.0
Diplodactylidae	<i>Crenadactylus occidentalis</i>	NA	fixed	2.00	-0.18	NA	Australia	no	26.42	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.1	21.8	300	78.2	4321.0
Diplodactylidae	<i>Crenadactylus ocellatus</i>	Crenadactylus ocellatus	fixed	2.00	-0.05	-0.21	Australia	no	31.20	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.3	18.2	369	46.9	4855.6
Diplodactylidae	<i>Crenadactylus pilbarensis</i>	NA	fixed	2.00	-0.36	-0.43	Australia	no	22.41	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	25.6	310	85.7	5398.8
Diplodactylidae	<i>Crenadactylus rostralis</i>	NA	fixed	2.00	-0.17	NA	Australia	no	17.96	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.1	28.3	620	120.1	3409.7
Diplodactylidae	<i>Crenadactylus tuberculatus</i>	NA	fixed	2.00	-0.39	NA	Australia	no	22.19	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.7	24.2	279	79.4	3248.4
Diplodactylidae	<i>Dactylocnemis pacificus</i>	Dactylocnemis pacificus	fixed	2.00	1.31	1.11	Oceania	yes	38.39	Nocturnal	Arboreal&Terrestri Scansorial	Viviparous	11.5	12.1	1531	16.5	3254.6	
Diplodactylidae	<i>Dierogekko inexpectatus</i>	Dierogekko inexpectatus	fixed	2.00	0.08	0.01	Oceania	yes	20.27	Nocturnal	Arboreal	Scansorial	Oviparous	11.2	23.3	1427	55	1897.5
Diplodactylidae	<i>Dierogekko insularis</i>	Dierogekko insularis	fixed	2.00	0.14	0.01	Oceania	yes	19.76	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	24.1	1631	53.3	1830.7
Diplodactylidae	<i>Dierogekko kaaalensis</i>	Dierogekko kaaalensis	fixed	2.00	0.26	0.09	Oceania	yes	20.61	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	22	1416	51.2	1949.0
Diplodactylidae	<i>Dierogekko koniambo</i>	Dierogekko koniambo	fixed	2.00	0.19	0.16	Oceania	yes	20.99	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	22.7	1336	51	2071.7
Diplodactylidae	<i>Dierogekko nehoueensis</i>	Dierogekko nehoueensis	fixed	2.00	0.10	0.00	Oceania	yes	20.47	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	23.6	1199	53.9	1954.6
Diplodactylidae	<i>Dierogekko poumensis</i>	Dierogekko poumensis	fixed	2.00	0.04	-0.08	Oceania	yes	20.27	Nocturnal	Arboreal	Scansorial	Oviparous	11.2	23.6	1385	54.7	1905.3
Diplodactylidae	<i>Dierogekko thomaswhitei</i>	Dierogekko thomaswhitei	fixed	2.00	0.25	0.23	Oceania	yes	20.77	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	21.5	1545	50.3	1985.2
Diplodactylidae	<i>Dierogekko validiclavus</i>	Dierogekko validiclavus	fixed	2.00	0.25	0.19	Oceania	yes	20.50	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	21	2281	49.9	1918.7
Diplodactylidae	<i>Diplodactylus ameyi</i>	NA	fixed	2.00	0.64	0.64	Australia	no	26.88	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	23.6	366	62	5733.9
Diplodactylidae	<i>Diplodactylus bilybara</i>	NA	fixed	2.00	0.65	NA	Australia	no	23.20	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	25.1	287	81.8	5005.1
Diplodactylidae	<i>Diplodactylus calciculus</i>	Diplodactylus calciculus	fixed	2.00	0.59	NA	Australia	no	32.42	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.1	17.5	301	26.2	4370.4
Diplodactylidae	<i>Diplodactylus capensis</i>	Diplodactylus capensis	fixed	2.00	0.77	0.65	Australia	no	22.15	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.7	24.6	283	81	3308.5
Diplodactylidae	<i>Diplodactylus conspicillatus</i>	Diplodactylus conspicillatus	fixed	1.99	0.74	0.60	Australia	no	25.19	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	23.7	353	65.9	5337.7
Diplodactylidae	<i>Diplodactylus custos</i>	NA	fixed	2.00	0.59	NA	Australia	no	16.16	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.2	26.8	931	114.5	2591.4
Diplodactylidae	<i>Diplodactylus galaxias</i>	Diplodactylus galaxias	fixed	2.00	0.28	0.21	Australia	no	21.77	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	26.3	349	95.4	4614.4
Diplodactylidae	<i>Diplodactylus galeatus</i>	Diplodactylus galeatus	fixed	2.00	0.63	NA	Australia	no	26.05	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	22.5	225	45.5	6308.0
Diplodactylidae	<i>Diplodactylus granariensis</i>	Diplodactylus granariensis	fixed	2.00	0.87	0.58	Australia	no	29.75	Nocturnal	Arboreal&Terrestri Scansorial	Oviparous	11.2	18.8	526	54.7	5123.6	
Diplodactylidae	<i>Diplodactylus hillii</i>	NA	fixed	2.00	0.45	NA	Australia	no	13.81	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	27	1224	106.9	2258.5
Diplodactylidae	<i>Diplodactylus klugei</i>	Diplodactylus klugei	fixed	2.00	0.59	NA	Australia	no	24.75	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	23.9	236	74.6	4419.0
Diplodactylidae	<i>Diplodactylus laevis</i>	NA	fixed	2.00	0.74	NA	Australia	no	23.47	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	25.4	328	76.5	5552.4
Diplodactylidae	<i>Diplodactylus lateroides</i>	Diplodactylus lateroides	fixed	2.00	0.42	0.30	Australia	no	33.12	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.7	16	825	75.2	3864.0
Diplodactylidae	<i>Diplodactylus mitchelli</i>	Diplodactylus mitchelli	fixed	2.00	0.96	0.75	Australia	no	21.92	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	25.8	328	90.2	4719.6
Diplodactylidae	<i>Diplodactylus ornatus</i>	Diplodactylus ornatus	fixed	2.00	0.59	0.48	Australia	no	27.06	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.1	22.1	334	78.3	4254.9
Diplodactylidae	<i>Diplodactylus platyrurus</i>	NA	fixed	2.00	0.64	NA	Australia	no	18.74	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	25	510	86.1	4735.9
Diplodactylidae	<i>Diplodactylus polyophthalmus</i>	Diplodactylus polyophthalmus	fixed	2.00	0.54	0.39	Australia	no	30.98	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	17.2	656	74.5	4117.2
Diplodactylidae	<i>Diplodactylus pulcher</i>	Diplodactylus pulcher	fixed	1.90	0.68	0.47	Australia	no	27.71	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	21.4	263	47.9	5608.1
Diplodactylidae	<i>Diplodactylus savagei</i>	Diplodactylus savagei	fixed	2.00	0.39	0.28	Australia	no	22.36	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	25.5	333	89	5266.7
Diplodactylidae	<i>Diplodactylus tessellatus</i>	Diplodactylus tessellatus	fixed	2.00	0.61	0.49	Australia	no	26.83	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	22.3	312	50	5842.4
Diplodactylidae	<i>Diplodactylus vittatus</i>	Diplodactylus vittatus	fixed	2.00	0.62	NA	Australia	no	30.13	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	18.2	655	35.4	4701.3
Diplodactylidae	<i>Eurydactyloides agricolae</i>	Eurydactyloides agricolae	fixed	1.92	0.63	0.54	Oceania	yes	20.52	Diurnal	Arboreal	Scansorial	Oviparous	11.3	22.8	1631	51.3	1959.6
Diplodactylidae	<i>Eurydactyloides occidentalis</i>	Eurydactyloides occidentalis	fixed	2.00	0.48	0.37	Oceania	yes	21.53	Diurnal	Arboreal	Scansorial	Oviparous	11.4	23	1284	48.4	2151.4
Diplodactylidae	<i>Eurydactyloides symmetricus</i>	Eurydactyloides symmetricus	fixed	2.00	0.64	NA	Oceania	yes	21.99	Cathemeral	Arboreal	Scansorial	Oviparous	11.3	20.9	1879	42.3	2072.5
Diplodactylidae	<i>Eurydactyloides vieillardii</i>	Eurydactyloides vieillardii	fixed	2.00	0.64	0.42	Oceania	yes	21.57	Diurnal	Arboreal	Scansorial	Oviparous	11.4	21.8	1705	46.4	2094.6
Diplodactylidae	<i>Hesperoedura reticulata</i>	Hesperoedura reticulata	fixed	2.00	0.86	0.72	Australia	no	31.39	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	16.9	398	46.4	4592.2
Diplodactylidae	<i>Hoplodactylus delcourtii</i>	Hoplodactylus delcourtii	fixed	2.00	3.05	NA	Oceania	yes	45.27	Nocturnal	NA	NA	NA	11.5	9.4	372	19	3828.0
Diplodactylidae	<i>Hoplodactylus duvaucelii</i>	Hoplodactylus duvaucelii	fixed	2.00	1.97	1.51	Oceania	yes	39.62	Nocturnal	Arboreal&Saxicolo Scansorial	Viviparous	11.5	11.5	1416	16	3224.4	
Diplodactylidae	<i>Lucasium alboguttatum</i>	Lucasium alboguttatum	fixed	2.00	0.56	0.28	Australia	no	28.50	Nocturnal								

Diplodactylidae	<i>Lucasium occultum</i>	Lucasium occultum	fixed	2.00	0.13	NA	Australia	no	12.67	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.6	27.7	1528	105.4	1743.0
Diplodactylidae	<i>Lucasium squarrosum</i>	Lucasium squarrosum	fixed	2.00	0.56	0.47	Australia	no	26.12	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	24.1	267	67.6	5741.7
Diplodactylidae	<i>Lucasium steindachneri</i>	Lucasium steindachneri	fixed	2.00	0.61	NA	Australia	no	24.70	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.1	22.2	506	56.1	5127.8
Diplodactylidae	<i>Lucasium stenodactylum</i>	Lucasium stenodactylum	fixed	2.00	0.69	0.47	Australia	no	23.48	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	24.5	400	72.9	5175.4
Diplodactylidae	<i>Lucasium wombeyi</i>	Lucasium wombeyi	fixed	2.00	0.49	NA	Australia	no	22.21	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	10.9	25.6	344	90.1	5180.0
Diplodactylidae	<i>Mniarogekko chahoua</i>	Mniarogekko chahoua	fixed	2.00	1.82	NA	Oceania	yes	21.42	Nocturnal	Arboreal	Scansorial	Oviparous	11.5	22.2	1597	47.1	2070.2
Diplodactylidae	<i>Mniarogekko jalu</i>	Mniarogekko jalu	fixed	2.00	1.75	1.57	Oceania	yes	20.32	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	23.8	1304	54.3	1926.2
Diplodactylidae	<i>Mokopirirakau cryptozoicus</i>	Mokopirirakau cryptozoicus	fixed	2.00	1.13	NA	Oceania	yes	45.43	Cathemeral	Saxicolous&Terres	Scansorial	Viviparous	11.5	6.7	1335	11.4	3148.5
Diplodactylidae	<i>Mokopirirakau granulatus</i>	Mokopirirakau granulatus	fixed	2.00	1.28	NA	Oceania	yes	39.14	Cathemeral	Arboreal	Scansorial	Viviparous	11.5	12.1	1637	16.6	3119.5
Diplodactylidae	<i>Mokopirirakau kahutarae</i>	Mokopirirakau kahutarae	fixed	2.00	1.18	NA	Oceania	yes	41.78	Nocturnal	Saxicolous	Scansorial	Viviparous	11.5	7.2	1288	14	3229.1
Diplodactylidae	<i>Mokopirirakau nebulosus</i>	Mokopirirakau nebulosus	fixed	2.00	1.17	NA	Oceania	yes	46.97	Nocturnal	Arboreal&Terrestri	Scansorial	Viviparous	10.9	9.5	1493	9.6	1745.6
Diplodactylidae	<i>Naultinus elegans</i>	Naultinus elegans	fixed	2.00	0.84	0.80	Oceania	yes	37.58	Diurnal	Arboreal	Scansorial	Viviparous	11.5	13.7	1514	17.4	3104.7
Diplodactylidae	<i>Naultinus gemmeus</i>	Naultinus gemmeus	fixed	1.94	1.01	0.83	Oceania	yes	44.82	Diurnal	Arboreal	Scansorial	Viviparous	11.4	7.9	1038	14.2	3437.6
Diplodactylidae	<i>Naultinus grayii</i>	Naultinus grayii	fixed	2.00	1.24	1.13	Oceania	yes	35.04	Diurnal	Arboreal	Scansorial	Viviparous	11.4	15.7	1471	21.4	2609.8
Diplodactylidae	<i>Naultinus manukanus</i>	Naultinus manukanus	fixed	1.90	1.03	0.90	Oceania	yes	41.24	Diurnal	Arboreal	Scansorial	Viviparous	11.0	11.8	1400	15.3	2757.9
Diplodactylidae	<i>Naultinus punctatus</i>	Naultinus punctatus	fixed	1.50	1.24	NA	Oceania	yes	39.48	Diurnal	Arboreal	Scansorial	Viviparous	11.5	12	1409	18.8	3155.2
Diplodactylidae	<i>Naultinus rufus</i>	Naultinus rufus	fixed	2.00	0.87	NA	Oceania	yes	42.17	Diurnal	Arboreal	Scansorial	Viviparous	11.3	6.7	1019	12.7	3415.5
Diplodactylidae	<i>Naultinusstellatus</i>	Naultinusstellatus	fixed	2.00	1.01	NA	Oceania	yes	41.32	Diurnal	Arboreal	Scansorial	Viviparous	11.6	9.4	1837	14.8	3072.2
Diplodactylidae	<i>Naultinus tuberculatus</i>	Naultinus tuberculatus	fixed	2.00	1.09	1.00	Oceania	yes	42.14	Diurnal	Arboreal	Scansorial	Viviparous	11.8	8.9	2164	13.8	3350.0
Diplodactylidae	<i>Nebulifera robusta</i>	Nebulifera robusta	fixed	2.00	1.09	NA	Australia	no	28.49	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	19.2	791	43.4	4390.4
Diplodactylidae	<i>Oedoderma marmorata</i>	Oedoderma marmorata	fixed	2.00	0.74	0.55	Oceania	yes	20.47	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	23.6	1173	52.4	1958.4
Diplodactylidae	<i>Oedura argentea</i>	Oedura argentea	fixed	2.00	1.02	NA	Australia	no	18.27	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	NA	NA	NA	NA
Diplodactylidae	<i>Oedura bella</i>	Oedura bella	fixed	2.00	1.20	NA	Australia	no	18.34	Nocturnal	Saxicolous	Scansorial	Oviparous	11.2	26.3	730	111.2	3384.3
Diplodactylidae	<i>Oedura castelnau</i>	Oedura castelnau	fixed	2.00	1.27	1.27	Australia	no	17.51	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	24.8	1135	107.7	2427.0
Diplodactylidae	<i>Oedura cincta</i>	Oedura cincta	fixed	2.00	1.41	1.14	Australia	no	25.63	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	21.9	342	42.7	6109.3
Diplodactylidae	<i>Oedura coggeri</i>	Oedura coggeri	fixed	2.00	1.03	NA	Australia	no	17.63	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	24.2	1205	105.9	2343.6
Diplodactylidae	<i>Oedura filicipoda</i>	Oedura filicipoda	fixed	2.00	1.39	NA	Australia	no	15.57	Nocturnal	Saxicolous	Scansorial	Oviparous	11.3	26.7	1275	118.6	1902.8
Diplodactylidae	<i>Oedura fimbria</i>	Oedura fimbria	fixed	2.00	1.36	NA	Australia	no	24.12	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	24.2	315	76.1	5673.3
Diplodactylidae	<i>Oedura gemmata</i>	Oedura gemmata	fixed	2.00	1.44	1.24	Australia	no	13.08	Nocturnal	Saxicolous	Scansorial	Oviparous	11.5	26.4	1300	107.7	2039.0
Diplodactylidae	<i>Oedura gracilis</i>	Oedura gracilis	fixed	2.00	1.09	NA	Australia	no	16.12	Nocturnal	Saxicolous	Scansorial	Oviparous	11.2	27.1	899	114.4	2613.5
Diplodactylidae	<i>Oedura jowalbinna</i>	Oedura jowalbinna	fixed	2.00	0.82	0.76	Australia	no	15.78	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	24.9	1106	115	2092.0
Diplodactylidae	<i>Oedura lutea</i>	Oedura lutea	fixed	2.00	1.30	NA	Australia	no	24.17	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	21.8	305	46.3	6252.7
Diplodactylidae	<i>Oedura marmorata</i>	Oedura marmorata	fixed	2.00	1.44	1.26	Australia	no	13.76	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.0	24.5	431	74.3	5183.8
Diplodactylidae	<i>Oedura monilis</i>	Oedura monilis	fixed	2.00	1.28	1.01	Australia	no	25.27	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	21.4	678	58.6	4395.7
Diplodactylidae	<i>Oedura murramanu</i>	Oedura murramanu	fixed	2.00	1.35	1.24	Australia	no	17.96	Nocturnal	Saxicolous	Scansorial	Oviparous	11.1	28.2	635	122	3382.3
Diplodactylidae	<i>Oedura tryoni</i>	Oedura tryoni	fixed	2.00	1.35	1.01	Australia	no	27.25	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	19.6	782	45.1	4272.0
Diplodactylidae	<i>Paniegecko madjo</i>	Paniegecko madjo	fixed	2.00	0.93	NA	Oceania	yes	20.54	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.2	20.4	2484	48.8	1913.7
Diplodactylidae	<i>Pseudothecadactylus australis</i>	Pseudothecadactylus australis	fixed	2.00	1.55	NA	Australia	no	12.54	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	26	1500	111.3	1391.3
Diplodactylidae	<i>Pseudothecadactylus cavaticus</i>	Pseudothecadactylus cavaticus	fixed	2.00	1.50	1.39	Australia	no	15.44	Nocturnal	Saxicolous	Scansorial	Oviparous	11.3	26.7	1258	115.8	1899.3
Diplodactylidae	<i>Pseudothecadactylus lindneri</i>	Pseudothecadactylus lindneri	fixed	2.00	1.40	1.34	Australia	no	12.83	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	26.9	1027	111.6	2430.4
Diplodactylidae	<i>Rhacodactylus auricularius</i>	Rhacodactylus auricularius	fixed	2.00	1.61	NA	Oceania	yes	21.57	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	21.9	1584	46.1	2084.3
Diplodactylidae	<i>Rhacodactylus leachianus</i>	Rhacodactylus leachianus	fixed	2.00	2.68	2.23	Oceania	yes	21.44	Nocturnal	Arboreal	Scansorial	Oviparous	11.5	21.8	1794	46.5	2068.1
Diplodactylidae	<i>Rhacodactylus trachycephali</i>	Rhacodactylus trachycephalus	fixed	2.00	1.76	NA	Oceania	yes	22.65	Nocturnal	Arboreal	Scansorial	Viviparous	10.8	NA	NA	NA	NA
Diplodactylidae	<i>Rhacodactylus trachyrhynchus</i>	Rhacodactylus trachyrhynchus	fixed	2.00	2.16	NA	Oceania	yes	21.59	Nocturnal	Arboreal	Scansorial	Viviparous	11.6	21.6	1782	46.7	2093.0
Diplodactylidae	<i>Rhynchoedura angusta</i>	Rhynchoedura angusta	fixed	2.00	0.47	NA	Australia	no	29.32	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	21.1	247	34.5	6071.0
Diplodactylidae	<i>Rhynchoedura ornansi</i>	Rhynchoedura ornansi	fixed	2.00	0.47	NA	Australia	no	28.54	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.2	19.7	430	26.7	5831.7
Diplodactylidae	<i>Rhynchoedura ornata</i>	Rhynchoedura ornata	fixed	1.99	0.56	0.38	Australia	no	24.63	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	23.3	298	61.1	5647.6
Diplodactylidae	<i>Rhynchoedura sexapora</i>	Rhynchoedura sexapora	fixed	2.00	0.35	NA	Australia	no	16.30	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.3	27.5	934	112.5	2485.7
Diplodactylidae	<i>Strophurus assimilis</i>	Strophurus assimilis	fixed	2.00	0.98	0.68	Australia	no	30.07	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.1	18.9	272	33.6	5139.2
Diplodactylidae	<i>Strophurus ciliaris</i>	Strophurus ciliaris	fixed	2.00	1.17	0.94	Australia	no	23.14	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	24.7	419	75.8	5130.6
Diplodactylidae	<i>Strophurus elderi</i>	Strophurus elderi	fixed	1.92	0.42	0.25	Australia	no	25.29	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.8	22.8	264	52.5	5731.6
Diplodactylidae	<i>Strophurus intermedius</i>	Strophurus intermedius	fixed	2.00	1.01	0.76	Australia	no	30.37	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.1	18.5	315	23.9	5331.9
Diplodactylidae	<i>Strophurus jeanae</i>	Strophurus jeanae	fixed	2.00	0.39	NA	Australia	no	21.54	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	25.7	351	83.8	5355.4
Diplodactylidae	<i>Strophurus krisalys</i>	Strophurus krisalys	fixed	2.00	0.95	NA	Australia	no	21.72	Nocturnal	Arboreal	Scansorial	Oviparous	11.0	25.4	455	93.6	4732.7
Diplodactylidae	<i>Strophurus micmillani</i>	Strophurus micmillani	fixed	2.00	0.47	NA	Australia	no	15.65	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	26.6	1075	113.3	2171.4
Diplodactylidae	<i>Strophurus michaelensi</i>	Strophurus michaelensi	fixed	2.00	0.76	0.54	Australia	no	28.32	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.2	20.5	390	75.3	4674.4
Diplodactylidae	<i>Strophurus rankini</i>	Strophurus rankini	fixed	2.00	0.70	0.55	Australia	no	23.44	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	24.4	252	79.7	3793.8
Diplodactylidae	<i>Strophurus spinigerus</i>	Strophurus spinigerus	fixed	2.00	1.00	0.65	Australia	no	31.32	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.3	17.9	460	56.2	4290.7
Diplodactylidae	<i>Strophurus strophurus</i>	Strophurus strophurus	fixed	2.00	0.95	0.82	Australia	no	25.98	Nocturnal	Arboreal	Scansorial	Oviparous	10.8	23.6	255	59.9	5849.6
Diplodactylidae	<i>Strophurus taeniatus</i>	Strophurus taeniatus	fixed	2.00	0.39	NA	Australia	no	17.85	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.1	26.7	597	109.9	3771.6
Diplodactylidae	<i>Strophurus taenicauda</i>	Strophurus taenicauda	fixed	2.00	0.90	0.74	Australia	no	25.15	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	21.2	654	49	4586.0
Diplodactylidae	<i>Strophurus trux</i>	Strophurus trux	fixed	2.00	0.36	0.33	Australia	no	22.81	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	23	723	64	3565.0
Diplodactylidae	<i>Strophurus williamsi</i>	Strophurus williamsi	fixed	2.00	0.84	0.74	Australia	no	27.16	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	21.6	591	57.7	4691.0
D																		

Diplodactylidae	<i>Woodworthia maculata</i>	Woodworthia maculatus	fixed	1.85	1.16	0.68	Oceania	yes	41.02	Cathemeral	Arboreal&Saxicolo	Scansorial	Viviparous	10.6	NA	NA	NA	NA	NA	
Eublepharidae	<i>Aeluroscalabotes felinus</i>	Aeluroscalabotes felinus	fixed	2.00	1.59	1.44	Oriental	no	2.54	Nocturnal	Arboreal	Scansorial	Oviparous	12.0	23.9	3187	18.3	336.5		
Eublepharidae	<i>Coleonyx brevis</i>	Coleonyx brevis	fixed	2.15	0.73	0.40	Nearctic	no	28.57	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	20	404	63.9	6023.1		
Eublepharidae	<i>Coleonyx elegans</i>	Coleonyx elegans	fixed	2.00	1.57	1.09	Neotropic	no	18.02	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.7	24.1	1572	76.7	1598.2		
Eublepharidae	<i>Coleonyx gypsicolus</i>	Coleonyx gypsicolus	fixed	2.00	1.14	NA	Nearctic	yes	27.22	Nocturnal	Saxicolo	Scansorial	NA	10.7	24	156	95.7	4918.7		
Eublepharidae	<i>Coleonyx mitratus</i>	Coleonyx mitratus	fixed	2.00	1.27	0.93	Neotropic	no	12.62	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.7	25.4	1912	77.2	753.6		
Eublepharidae	<i>Coleonyx reticulatus</i>	Coleonyx reticulatus	fixed	2.00	1.22	1.12	Nearctic	no	27.82	Nocturnal	Saxicolo	Scansorial	Oviparous	10.9	19.9	314	67.3	5733.7		
Eublepharidae	<i>Coleonyx switaki</i>	Coleonyx switaki	fixed	2.00	1.10	NA	Nearctic	no	29.71	Nocturnal	Saxicolo	Scansorial	Oviparous	10.8	21.2	118	72.3	5606.5		
Eublepharidae	<i>Coleonyx variegatus</i>	Coleonyx variegatus	fixed	1.97	0.94	0.60	Nearctic	no	32.09	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	20.2	230	70.9	6687.8		
Eublepharidae	<i>Eublepharis angramainyu</i>	Eublepharis angramainyu	fixed	2.00	2.10	1.96	Paleartic	no	32.78	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	20.9	455	98.2	9598.2		
Eublepharidae	<i>Eublepharis fuscus</i>	Eublepharis fuscus	fixed	2.00	2.62	NA	Oriental	no	21.40	Nocturnal	Terrestrial	Terrestrial	NA	11.2	26.2	1118	144.9	3107.1		
Eublepharidae	<i>Eublepharis hardwickii</i>	Eublepharis hardwickii	fixed	1.50	1.47	NA	Oriental	no	20.51	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.4	25.9	1454	112.5	3608.9		
Eublepharidae	<i>Eublepharis macularius</i>	Eublepharis macularius	fixed	2.38	2.06	1.55	Oriental	no	28.68	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	23.6	409	115.9	6844.4		
Eublepharidae	<i>Eublepharis turcmenicus</i>	Eublepharis turcmenicus	fixed	2.00	1.81	1.49	Paleartic	no	37.78	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.6	15.9	242	61.5	9610.9		
Eublepharidae	<i>Goniurosaurus araneus</i>	Goniurosaurus araneus	fixed	2.00	1.68	1.44	Oriental	no	22.55	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.7	21.7	1466	75.2	4966.5		
Eublepharidae	<i>Goniurosaurus catbaensis</i>	Goniurosaurus catbaensis	fixed	2.00	1.68	1.37	Oriental	yes	20.80	Nocturnal	Saxicolo	& Terres	Scansorial	NA	10.8	23.6	1890	84.1	4332.4	
Eublepharidae	<i>Goniurosaurus hainanensis</i>	Goniurosaurus hainanensis	fixed	2.00	1.29	NA	Oriental	yes	18.80	Nocturnal	NA	NA	Oviparous	11.6	23.5	2012	72.8	3087.9		
Eublepharidae	<i>Goniurosaurus kuroiwa</i>	Goniurosaurus kuroiwa	fixed	2.00	1.31	1.12	Oriental	yes	26.51	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.7	22.5	2306	32.9	4183.2		
Eublepharidae	<i>Goniurosaurus kwangsiensis</i>	NA	fixed	3.00	1.43	1.36	Oriental	no	23.60	Nocturnal	NA	NA	Oviparous	11.5	NA	NA	NA	NA		
Eublepharidae	<i>Goniurosaurus lichenfelderi</i>	Goniurosaurus lichenfelderi	fixed	2.00	1.38	1.22	Oriental	no	23.76	Nocturnal	Saxicolo	& Terres	Scansorial	Oviparous	11.5	20	1507	72.3	5556.1	
Eublepharidae	<i>Goniurosaurus luii</i>	Goniurosaurus luii	fixed	1.82	1.60	1.43	Oriental	no	22.73	Nocturnal	Saxicolo	Scansorial	Oviparous	11.6	21.6	1406	71.4	5280.9		
Eublepharidae	<i>Goniurosaurus orientalis</i>	Goniurosaurus orientalis	fixed	2.00	1.23	NA	Oriental	yes	26.36	Nocturnal	NA	NA	Oviparous	NA	23.2	2234	31.3	4090.0		
Eublepharidae	<i>Goniurosaurus splendens</i>	Goniurosaurus splendens	fixed	2.00	0.94	NA	Oriental	yes	27.77	Nocturnal	NA	NA	Oviparous	10.7	21.7	2566	29.6	4487.9		
Eublepharidae	<i>Goniurosaurus toyamai</i>	Goniurosaurus toyamai	fixed	2.00	1.07	NA	Oriental	yes	27.04	Nocturnal	NA	NA	NA	10.8	22.3	2420	34	4324.0		
Eublepharidae	<i>Goniurosaurus yamashinae</i>	Goniurosaurus yamashinae	fixed	2.00	1.13	0.61	Oriental	yes	26.35	Nocturnal	Saxicolo	Scansorial	Oviparous	10.8	22.8	2339	26.8	4157.2		
Eublepharidae	<i>Goniurosaurus yingdeensis</i>	Goniurosaurus yingdeensis	fixed	2.00	1.25	1.08	Oriental	no	24.41	Nocturnal	Saxicolo	Scansorial	Oviparous	11.6	19.4	1969	72	6321.0		
Eublepharidae	<i>Goniurosaurus zhoui</i>	NA	fixed	2.00	1.27	1.25	Oriental	yes	19.15	Nocturnal	Saxicolo	Scansorial	Oviparous	NA	NA	NA	NA	NA		
Eublepharidae	<i>Hemiteconyx caudicinctus</i>	Hemiteconyx caudicinctus	fixed	2.00	1.97	1.50	Afrotropic	no	10.73	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	27.1	1044	100.8	2058.4		
Eublepharidae	<i>Hemiteconyx taylori</i>	Hemiteconyx taylori	fixed	2.00	1.75	1.31	Afrotropic	no	9.10	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.7	25.2	211	104.5	1597.3		
Eublepharidae	<i>Holodactylus africanus</i>	Holodactylus africanus	fixed	2.00	1.08	0.87	Afrotropic	no	4.39	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.1	24.8	442	97.9	1377.8		
Gekkonidae	<i>Afroedura africana</i>	Afroedura africana	fixed	2.00	0.74	0.58	Afrotropic	no	24.09	Diurnal	Saxicolo	Scansorial	Oviparous	10.7	19.7	146	111.5	3239.5		
Gekkonidae	<i>Afroedura amatolica</i>	Afroedura amatolica	fixed	2.00	0.67	NA	Afrotropic	no	32.73	NA	Saxicolo	Scansorial	Oviparous	11.7	16.2	711	42.4	3039.1		
Gekkonidae	<i>Afroedura bogerti</i>	Afroedura bogerti	fixed	1.84	0.52	0.50	Afrotropic	no	14.75	Nocturnal	Saxicolo	Scansorial	Oviparous	11.3	22.9	545	111.8	1577.0		
Gekkonidae	<i>Afroedura broadleyi</i>	Afroedura broadleyi	fixed	2.00	0.58	0.35	Afrotropic	no	22.99	Nocturnal	Saxicolo	Scansorial	Oviparous	11.6	17.9	656	80.8	3496.0		
Gekkonidae	<i>Afroedura gorongosa</i>	NA	fixed	2.00	0.69	0.65	Afrotropic	no	18.53	NA	Saxicolo	Scansorial	Oviparous	11.9	21.6	1216	88.7	2525.9		
Gekkonidae	<i>Afroedura halli</i>	Afroedura halli	fixed	2.00	0.75	NA	Afrotropic	no	30.64	Nocturnal	Saxicolo	Scansorial	Oviparous	11.4	14.4	615	56.7	4737.9		
Gekkonidae	<i>Afroedura hawequensis</i>	Afroedura hawequensis	fixed	2.00	1.06	NA	Afrotropic	no	33.70	Diurnal	Saxicolo	Scansorial	Oviparous	11.5	14.9	560	54.9	3842.0		
Gekkonidae	<i>Afroedura karroica</i>	Afroedura karroica	fixed	2.00	0.74	0.48	Afrotropic	no	31.98	Nocturnal	Saxicolo	Scansorial	Oviparous	11.3	15	388	47	4238.1		
Gekkonidae	<i>Afroedura langi</i>	Afroedura langi	fixed	2.00	0.35	0.22	Afrotropic	no	24.21	NA	Saxicolo	Scansorial	Oviparous	11.5	21.3	629	79.5	3243.1		
Gekkonidae	<i>Afroedura leoloensis</i>	Afroedura leoloensis	fixed	2.00	0.20	0.14	Afrotropic	no	24.74	NA	Saxicolo	Scansorial	Oviparous	11.5	17.9	595	78	3494.5		
Gekkonidae	<i>Afroedura loveridgei</i>	Afroedura loveridgei	fixed	2.00	0.65	NA	Afrotropic	no	16.78	NA	Saxicolo	Scansorial	Oviparous	11.7	23.9	689	113.1	2532.3		
Gekkonidae	<i>Afroedura major</i>	Afroedura major	fixed	2.00	0.95	NA	Afrotropic	no	26.28	Nocturnal	Saxicolo	Scansorial	Oviparous	11.7	17.7	1009	70.4	3081.8		
Gekkonidae	<i>Afroedura maripi</i>	Afroedura maripi	fixed	2.00	0.73	0.60	Afrotropic	no	24.17	NA	Saxicolo	Scansorial	Oviparous	11.6	21.1	644	79.5	3280.3		
Gekkonidae	<i>Afroedura marleyi</i>	Afroedura marleyi	fixed	2.00	0.05	NA	Afrotropic	no	26.97	NA	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	21.5	756	59.1	2687.8		
Gekkonidae	<i>Afroedura nivaria</i>	Afroedura nivaria	fixed	2.00	0.78	NA	Afrotropic	no	28.94	NA	Saxicolo	Scansorial	Oviparous	11.6	12.2	826	67.1	4444.4		
Gekkonidae	<i>Afroedura pienaari</i>	Afroedura pienaari	fixed	2.00	0.52	0.21	Afrotropic	no	22.82	Nocturnal	Saxicolo	Scansorial	Oviparous	11.4	20.5	615	79.8	3519.9		
Gekkonidae	<i>Afroedura pondolia</i>	Afroedura pondolia	fixed	2.00	0.63	NA	Afrotropic	no	29.54	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	19.6	964	48.8	2758.4		
Gekkonidae	<i>Afroedura transvaalica</i>	Afroedura transvaalica	fixed	1.50	0.90	0.71	Afrotropic	no	19.66	NA	Saxicolo	Scansorial	Oviparous	11.6	21	690	98.2	3141.4		
Gekkonidae	<i>Afrogecko ansorgii</i>	Afrogecko ansorgii	fixed	2.00	0.34	0.25	Afrotropic	no	14.95	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	14.2	904	101	1621.0		
Gekkonidae	<i>Afrogecko porphyreus</i>	Afrogecko porphyreus	fixed	2.00	0.47	0.47	Afrotropic	no	33.30	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.4	16.7	487	44.3	3723.3		
Gekkonidae	<i>Agamura persica</i>	Agamura persica	fixed	2.00	0.97	0.66	Paleartic	no	30.99	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.4	20	168	97.3	8502.3		
Gekkonidae	<i>Ailuronyx seychellensis</i>	Ailuronyx seychellensis	fixed	1.50	1.46	1.21	Madagascar	yes	4.57	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	26.1	2539	42.6	681.8		
Gekkonidae	<i>Ailuronyx tachyscopaeus</i>	Ailuronyx tachyscopaeus	fixed	1.50	1.09	0.83	Madagascar	yes	4.57	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	26.1	2539	42.6	681.8		
Gekkonidae	<i>Alsophylax laevis</i>	Alsophylax laevis	fixed	1.50	0.11	-0.05	Paleartic	no	38.49	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.5	16.5	180	75	10018.2		
Gekkonidae	<i>Alsophylax loriciatus</i>	Alsophylax loriciatus	fixed	1.50	-0.06	-0.23	Paleartic	no	40.98	Nocturnal	Saxicolo	& Terres	Scansorial	Oviparous	9.9	421	54.3	8706.7		
Gekkonidae	<i>Alsophylax pipiens</i>	Alsophylax pipiens	fixed	1.50	0.23	-0.02	Paleartic	no	45.71	Nocturnal	Saxicolo	Scansorial	Oviparous	10.5	7.2	172	51.5	1259.81		
Gekkonidae	<i>Alsophylax przewalskii</i>	Alsophylax przewalskii	fixed	1.50	0.04	-0.13	Paleartic	no	40.08	Nocturnal	Saxicolo	Scansorial	Oviparous	10.0	8.9	59	108.2	11149.4		
Gekkonidae	<i>Alsophylax szcerbaki</i>	Alsophylax szcerbaki	fixed	1.50	-0.06	-0.25	Paleartic	no	41.22	Cathemeral	Saxicolo	Scansorial	Oviparous	10.5	14.4	111	66.8	11243.6		
Gekkonidae	<i>Alsophylax tadjikensis</i>	Alsophylax tadjikensis	fixed	1.50	-0.12	-0.24	Paleartic	no	37.73	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	11.2	493	82.1	8332.1		
Gekkonidae	<i>Altiphylax baturensis</i>	Altiphylax baturensis	fixed	2.00	0.64	0.46	Paleartic	no	35.31	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	0.3	633	55.1	7834.9		
Gekkonidae	<i>Altiphylax levitonii</i>	Altiphylax levitonii	fixed	1.50	0.32	0.12	Paleartic	no	34.57	Nocturnal	Saxicolo	Scansorial	Oviparous	10.8	6.1	363	91	8663.3		
Gekkonidae	<i>Altiphylax tokobajevi</i>	Altiphylax tokobajevi	fixed	1.60	0.44	0.21	Paleartic	no	41.18	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	2.3	425	59.5	8380.4		
Gekkonidae	<i>Blaesodactylus ambonihazo</i>	Blaesodactylus ambonihazo																		

Gekkonidae	<i>Calodactyloides illingworthi</i>	Calodactyloides illingworthorum	fixed	2.00	1.28	1.03	Oriental	yes	6.86	Cathemeral	Saxicolous	Scansorial	Oviparous	11.4	27.1	1406	62.6	1128.9
Gekkonidae	<i>Chondrodactylus angulifer</i>	Chondrodactylus angulifer	fixed	1.70	1.43	1.10	Afrotropic	no	26.74	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	19.4	176	84.3	4621.9
Gekkonidae	<i>Chondrodactylus bibronii</i>	Chondrodactylus bibronii	fixed	2.00	1.28	0.94	Afrotropic	no	26.02	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.0	18.6	292	70.4	4606.4
Gekkonidae	<i>Chondrodactylus fitzsimonsi</i>	Chondrodactylus fitzsimonsi	fixed	1.50	1.15	NA	Afrotropic	no	17.91	Nocturnal	Saxicolous	Scansorial	NA	10.9	22.3	249	124.3	2012.5
Gekkonidae	<i>Chondrodactylus laevigatus</i>	Pachydactylus laevigatus	fixed	2.00	1.17	0.87	Afrotropic	no	21.32	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	10.5	22.3	89	133.5	1842.6
Gekkonidae	<i>Chondrodactylus turneri</i>	Chondrodactylus turneri	fixed	2.00	1.22	1.09	Afrotropic	no	20.21	Nocturnal	Saxicolous	Scansorial	Oviparous	11.3	21.4	538	99.7	3460.4
Gekkonidae	<i>Christinus alexanderi</i>	Christinus alexanderi	fixed	1.82	0.85	NA	Australia	no	31.52	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	18.1	216	17.4	3956.1
Gekkonidae	<i>Christinus guentheri</i>	Christinus guentheri	fixed	1.30	1.30	0.82	Oceania	yes	29.78	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	19.6	1769	15	2197.5
Gekkonidae	<i>Christinus marmoratus</i>	Christinus marmoratus	fixed	1.77	0.85	0.49	Australia	no	33.48	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	16.5	445	30.4	4496.5
Gekkonidae	<i>Cnemaspis adangrawi</i>	NA	fixed	1.50	0.32	0.25	Oriental	yes	6.55	Diurnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis affinis</i>	Cnemaspis affinis	fixed	2.00	0.47	NA	Oriental	yes	5.39	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	26.4	3036	44	433.0
Gekkonidae	<i>Cnemaspis africana</i>	Cnemaspis africana	fixed	2.00	0.69	0.44	Afrotropic	no	4.98	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	22.3	820	70.2	1562.9
Gekkonidae	<i>Cnemaspis alantika</i>	Cnemaspis alantika	fixed	2.00	0.39	0.36	Afrotropic	no	9.82	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	26.9	1019	108.2	2311.0
Gekkonidae	<i>Cnemaspis anandani</i>	NA	fixed	2.00	0.22	0.14	Oriental	no	11.42	Nocturnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis argus</i>	Cnemaspis argus	fixed	2.00	0.78	0.71	Oriental	no	5.40	Diurnal	Saxicolous	Scansorial	Oviparous	11.8	23.4	3548	55.4	886.5
Gekkonidae	<i>Cnemaspis assamensis</i>	Cnemaspis assamensis	fixed	2.00	-0.04	-0.04	Oriental	no	25.55	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	22.9	3424	91	3938.2
Gekkonidae	<i>Cnemaspis aurantiacopes</i>	Cnemaspis aurantiacopes	fixed	2.00	0.64	0.55	Oriental	no	10.11	Nocturnal	Saxicolous	Scansorial	Oviparous	11.6	27.3	2116	70	850.0
Gekkonidae	<i>Cnemaspis baueri</i>	Cnemaspis baueri	fixed	2.00	0.81	0.72	Oriental	yes	2.45	Cathemeral	Saxicolous	Scansorial	Oviparous	10.9	25.4	3399	54	575.0
Gekkonidae	<i>Cnemaspis bayuensis</i>	Cnemaspis bayuensis	fixed	2.00	0.35	NA	Oriental	no	5.09	Diurnal	Saxicolous	Scansorial	Oviparous	12.0	26	2795	36	918.0
Gekkonidae	<i>Cnemaspis bidongensis</i>	Cnemaspis bidongensis	fixed	2.00	0.63	0.62	Oriental	yes	5.61	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis biocellata</i>	Cnemaspis biocellata	fixed	1.50	0.19	0.13	Oriental	no	6.53	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	27	2003	43.8	581.3
Gekkonidae	<i>Cnemaspis boulengeri</i>	NA	fixed	2.00	0.84	NA	Oriental	yes	8.69	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	26.9	1887	77.3	937.7
Gekkonidae	<i>Cnemaspis butewai</i>	NA	fixed	2.00	-0.09	-0.28	Oriental	yes	6.64	Diurnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis caudanivea</i>	Cnemaspis caudanivea	fixed	2.00	0.38	NA	Oriental	yes	9.96	Cathemeral	Saxicolous	Scansorial	Oviparous	11.6	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis chanardi</i>	Cnemaspis chanardi	fixed	2.00	0.18	0.09	Oriental	no	8.49	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	26.2	1987	47.9	711.9
Gekkonidae	<i>Cnemaspis chanthaburiensis</i>	Cnemaspis chanthaburiensis	fixed	2.00	0.25	0.03	Oriental	no	12.83	Cathemeral	Arboreal&Terrestri	Scansorial	Oviparous	11.7	26.6	2468	79.3	870.3
Gekkonidae	<i>Cnemaspis dringi</i>	Cnemaspis dringi	fixed	2.00	0.36	NA	Oriental	yes	3.34	Diurnal	Saxicolous	Scansorial	Oviparous	12.0	25.4	3471	19.7	383.9
Gekkonidae	<i>Cnemaspis elongensis</i>	Cnemaspis elongensis	fixed	2.00	0.58	0.58	Afrotropic	no	1.29	Diurnal	Arboreal	Scansorial	Oviparous	11.8	17.5	1257	42.7	1232.2
Gekkonidae	<i>Cnemaspis flavigaster</i>	Cnemaspis flavigaster	fixed	2.00	0.45	0.37	Oriental	no	3.32	Cathemeral	Saxicolous	Scansorial	NA	11.7	24.4	2657	25.7	421.9
Gekkonidae	<i>Cnemaspis flaviventralis</i>	NA	fixed	2.00	0.07	0.00	Oriental	no	15.96	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis flavolineata</i>	Cnemaspis flavolineata	fixed	2.00	0.37	NA	Oriental	no	3.88	Diurnal	Arboreal	Scansorial	Oviparous	11.9	23.5	2691	29.8	496.0
Gekkonidae	<i>Cnemaspis gemunu</i>	Cnemaspis gemunu	fixed	1.50	-0.01	-0.02	Oriental	yes	6.85	Diurnal	Arboreal	Scansorial	Oviparous	11.8	18.1	2431	36.4	671.8
Gekkonidae	<i>Cnemaspis gracilis</i>	Cnemaspis gracilis	fixed	2.00	0.18	-0.08	Oriental	no	10.59	Nocturnal	Saxicolous	Scansorial	Oviparous	11.6	24.6	1274	72.6	1503.7
Gekkonidae	<i>Cnemaspis grismeri</i>	Cnemaspis grismeri	fixed	2.00	0.46	0.38	Oriental	no	5.13	Diurnal	Saxicolous	Scansorial	Oviparous	11.9	26.9	2365	28	535.0
Gekkonidae	<i>Cnemaspis hangus</i>	Cnemaspis hangus	fixed	2.00	0.46	0.37	Oriental	no	4.27	Diurnal	Saxicolous	Scansorial	Oviparous	12.0	25.8	2494	26	699.0
Gekkonidae	<i>Cnemaspis harimau</i>	Cnemaspis harimau	fixed	2.00	0.20	0.12	Oriental	no	5.82	Nocturnal	Saxicolous&Terres	Scansorial	NA	11.8	27.5	2487	46	520.0
Gekkonidae	<i>Cnemaspis heteropholis</i>	Cnemaspis heteropholis	fixed	2.00	0.33	0.19	Oriental	no	14.02	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.7	25.2	3528	136.8	1359.7
Gekkonidae	<i>Cnemaspis hitthami</i>	NA	fixed	2.00	0.23	0.17	Oriental	yes	6.88	Diurnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis huaseesom</i>	Cnemaspis huaseesom	fixed	2.00	0.28	0.12	Oriental	no	14.72	Nocturnal	Saxicolous	Scansorial	Oviparous	11.8	27	1843	83	1232.0
Gekkonidae	<i>Cnemaspis ingerorum</i>	NA	fixed	2.00	-0.16	-0.36	Oriental	yes	6.34	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis jerdonii</i>	Cnemaspis jerdonii	fixed	2.00	0.27	NA	Oriental	no	10.04	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	22.1	1799	69.5	1218.3
Gekkonidae	<i>Cnemaspis kandiana</i>	Cnemaspis kandiana	fixed	2.00	0.05	-0.03	Oriental	yes	7.62	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	25.3	1732	55.8	1010.4
Gekkonidae	<i>Cnemaspis kendallii</i>	Cnemaspis kendallii	fixed	2.00	0.69	0.52	Oriental	no	2.67	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	26.3	2588	33.8	485.7
Gekkonidae	<i>Cnemaspis kivulegedarai</i>	NA	fixed	2.00	-0.12	-0.14	Oriental	yes	7.13	Diurnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis koehleri</i>	Cnemaspis koehleri	fixed	2.00	0.45	0.40	Afrotropic	no	3.97	NA	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	23.8	2644	65.3	946.9
Gekkonidae	<i>Cnemaspis kohukumburai</i>	NA	fixed	2.00	-0.02	-0.12	Oriental	yes	7.25	Diurnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis kumarasinghei</i>	Cnemaspis kumarasinghei	fixed	2.00	-0.10	-0.16	Oriental	yes	6.71	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	26.4	1531	57.2	1102.3
Gekkonidae	<i>Cnemaspis kumpoli</i>	Cnemaspis kumpoli	fixed	2.00	0.73	NA	Oriental	no	7.95	Nocturnal	Saxicolous	Scansorial	Oviparous	11.9	25.8	2528	55.4	670.2
Gekkonidae	<i>Cnemaspis leucura</i>	NA	fixed	2.00	0.72	0.63	Oriental	yes	1.11	Nocturnal	Saxicolous	Scansorial	Oviparous	11.9	23	4718	32	375.0
Gekkonidae	<i>Cnemaspis limi</i>	Cnemaspis limi	fixed	1.50	1.15	0.68	Oriental	yes	2.79	Cathemeral	Saxicolous	Scansorial	Oviparous	10.9	25.4	3524	71.4	580.9
Gekkonidae	<i>Cnemaspis littoralis</i>	Cnemaspis littoralis	fixed	2.00	0.00	-0.03	Oriental	no	10.56	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	25	2659	89.7	1157.0
Gekkonidae	<i>Cnemaspis mahsuriæ</i>	NA	fixed	2.00	0.07	-0.10	Oriental	yes	6.38	Nocturnal	Arboreal&Terrestri	Scansorial	NA	10.9	23.9	3262	56	503.0
Gekkonidae	<i>Cnemaspis megirei</i>	Cnemaspis megirei	fixed	2.00	0.77	0.56	Oriental	no	4.83	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	24.1	3179	30.6	458.7
Gekkonidae	<i>Cnemaspis monachorum</i>	Cnemaspis monachorum	fixed	1.00	0.02	-0.09	Oriental	yes	6.34	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	27.4	2394	53	534.0
Gekkonidae	<i>Cnemaspis mumpuniae</i>	Cnemaspis mumpuniae	fixed	2.00	0.69	0.56	Oriental	yes	3.85	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.2	27.4	2687	38.3	743.3
Gekkonidae	<i>Cnemaspis nairi</i>	Cnemaspis nairi	fixed	2.00	0.30	0.18	Oriental	no	9.37	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	24	1316	61.7	1185.8
Gekkonidae	<i>Cnemaspis nandimithrai</i>	NA	fixed	2.00	-0.10	-0.18	Oriental	yes	6.66	Diurnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis nigridia</i>	Cnemaspis nigridia	fixed	2.00	1.14	0.81	Oriental	yes	1.67	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	24.5	4063	48.7	478.7
Gekkonidae	<i>Cnemaspis nilgala</i>	NA	fixed	1.50	-0.05	-0.11	Oriental	yes	7.22	NA	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis niucamensis</i>	Cnemaspis niucamensis	fixed	2.00	0.40	NA	Oriental	no	10.52	Diurnal	Saxicolous	Scansorial	Oviparous	11.6	27	1574	68	883.0
Gekkonidae	<i>Cnemaspis omari</i>	Cnemaspis omari	fixed	2.00	0.22	0.18	Oriental	no	6.91	Diurnal	Arboreal	Scansorial	Oviparous	11.9	25.9	2135	42	586.0
Gekkonidae	<i>Cnemaspis ornata</i>	Cnemaspis ornata	fixed	2.00	0.58	0.50	Oriental	no	9.86	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	24.8	2123	80.3	1086.3
Gekkonidae	<i>Cnemaspis otai</i>	Cnemaspis otai	fixed	2.00	-0.08	-0.08	Oriental	no	12.87	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	27.4	1008	73.6	2521.1
Gekkonidae	<i>Cnemaspis pemanggilensis</i>	Cnemaspis pemanggilensis	fixed	2.00	0.95	NA	Oriental	yes	2.58	Cathemeral	Saxicolous	Scansorial	Oviparous	10.9	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis peninsularis</i>	Cnemaspis peninsularis	fixed	1.90	0													

Gekkonidae	<i>Cnemaspis psychedelica</i>	Cnemaspis psychedelica	fixed	2.00	0.94	0.86	Oriental	yes	8.43	Cathemeral	Saxicolous	Scansorial	Oviparous	11.7	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis punctatonuchalis</i>	Cnemaspis punctatonuchalis	fixed	2.00	0.44	0.29	Oriental	no	11.63	Nocturnal	Saxicolous	Scansorial	NA	10.8	26.8	1294	56	800.0
Gekkonidae	<i>Cnemaspis quattuorseriata</i>	Cnemaspis quattuorseriata	fixed	2.00	0.32	0.23	Afrotropic	no	1.67	Cathemeral	Arboreal	Scansorial	Oviparous	11.9	19.9	1684	36	465.4
Gekkonidae	<i>Cnemaspis rammalensis</i>	Cnemaspis rammalensis	fixed	2.00	0.54	0.54	Oriental	yes	6.14	Diurnal	Saxicolous	Scansorial	Oviparous	11.9	26.6	2499	37	500.0
Gekkonidae	<i>Cnemaspis roticanai</i>	Cnemaspis roticanai	fixed	2.00	0.37	0.36	Oriental	yes	6.37	Cathemeral	Arboreal	Scansorial	Oviparous	10.9	23.9	3262	56	503.0
Gekkonidae	<i>Cnemaspis scalpensis</i>	Cnemaspis scalpensis	fixed	2.00	0.09	-0.02	Oriental	yes	7.11	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	21.7	2260	40.5	764.6
Gekkonidae	<i>Cnemaspis selamatkanmerapoh</i>	Cnemaspis selamatkanmerapoh	fixed	2.00	0.28	0.28	Oriental	no	4.70	Cathemeral	Saxicolous	Scansorial	Oviparous	12.0	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis shahruli</i>	Cnemaspis shahruli	fixed	2.00	0.07	-0.01	Oriental	no	5.16	Cathemeral	Arboreal&Saxicolo	Scansorial	NA	11.6	27.2	2716	33.2	461.8
Gekkonidae	<i>Cnemaspis siamensis</i>	Cnemaspis siamensis	fixed	2.00	0.24	NA	Oriental	no	9.28	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	25.9	2487	60	708.9
Gekkonidae	<i>Cnemaspis silvula</i>	Cnemaspis silvula	fixed	2.00	0.02	-0.10	Oriental	yes	6.37	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	26.6	2759	39.4	528.0
Gekkonidae	<i>Cnemaspis spinicollis</i>	Cnemaspis spinicollis	fixed	2.00	0.56	0.52	Afrotropic	no	6.18	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	24.4	1872	66.9	1147.1
Gekkonidae	<i>Cnemaspis stongensis</i>	Cnemaspis stongensis	fixed	2.00	0.43	0.35	Oriental	no	5.34	Nocturnal	Saxicolous	Scansorial	NA	12.0	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis sundainsula</i>	Cnemaspis sundainsula	fixed	2.00	1.08	0.97	Oriental	yes	3.97	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	25.9	3316	37	727.0
Gekkonidae	<i>Cnemaspis tarutaoensis</i>	NA	fixed	2.00	0.07	-0.02	Oriental	yes	6.68	Cathemeral	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cnemaspis temiah</i>	Cnemaspis temiah	fixed	2.00	0.14	0.04	Oriental	no	4.47	Diurnal	Arboreal	Scansorial	Oviparous	11.9	18.7	2860	27	471.0
Gekkonidae	<i>Cnemaspis tropidogaster</i>	Cnemaspis tropidogaster	fixed	2.00	0.02	-0.12	Oriental	no	6.90	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	25.9	1182	74.7	1557.0
Gekkonidae	<i>Cnemaspis tucudensis</i>	Cnemaspis tucudensis	fixed	2.00	0.47	0.44	Oriental	no	10.38	Cathemeral	Saxicolous	Scansorial	NA	11.6	27.3	1647	71	873.0
Gekkonidae	<i>Cnemaspis yercaudensis</i>	Cnemaspis yercaudensis	fixed	2.00	-0.16	-0.25	Oriental	no	11.75	Nocturnal	Saxicolous	Scansorial	Oviparous	11.6	26.2	989	73.5	2235.8
Gekkonidae	<i>Crossobamon eversmanni</i>	Crossobamon eversmanni	fixed	1.50	0.85	0.35	Paleartic	no	40.90	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.5	13.8	183	62.7	10853.5
Gekkonidae	<i>Crossobamon orientalis</i>	Crossobamon orientalis	fixed	3.00	0.60	0.23	Oriental	no	27.19	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.6	26.7	229	129.5	6477.3
Gekkonidae	<i>Cryptactites peringueyi</i>	Cryptactites peringueyi	fixed	2.00	-0.23	NA	Afrotropic	no	33.95	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	18.1	635	15.8	2921.5
Gekkonidae	<i>Cyrtodactylus aequalis</i>	Cyrtodactylus aequalis	fixed	2.00	1.15	1.15	Oriental	no	17.44	Nocturnal	Saxicolous	Scansorial	Oviparous	11.8	25.2	4431	112.5	1827.5
Gekkonidae	<i>Cyrtodactylus agusanensis</i>	Cyrtodactylus agusanensis	fixed	2.00	1.35	1.27	Oriental	yes	8.35	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	25.4	2410	33.8	489.0
Gekkonidae	<i>Cyrtodactylus albofasciatus</i>	Cyrtodactylus albofasciatus	fixed	2.00	0.95	NA	Oriental	no	14.56	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	25.9	3683	138.4	1301.3
Gekkonidae	<i>Cyrtodactylus angularis</i>	Cyrtodactylus angularis	fixed	2.00	1.22	1.12	Oriental	no	18.21	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.7	25.8	2952	104.8	2453.9
Gekkonidae	<i>Cyrtodactylus annandalei</i>	Cyrtodactylus annandalei	fixed	2.00	0.57	0.52	Oriental	no	21.89	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	25.7	832	85.8	3302.1
Gekkonidae	<i>Cyrtodactylus astrum</i>	Cyrtodactylus astrum	fixed	2.00	1.38	1.26	Oriental	no	6.74	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	11.9	27	2082	50.4	593.3
Gekkonidae	<i>Cyrtodactylus atermus</i>	NA	fixed	2.00	1.48	1.40	Oceania	yes	4.62	Nocturnal	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus aunglini</i>	NA	fixed	2.00	1.04	NA	Oriental	no	20.93	Nocturnal	Saxicolous&Terres	Scansorial	NA	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus aurenensis</i>	Cyrtodactylus aurenensis	fixed	2.00	1.27	1.22	Oriental	yes	2.45	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	10.9	25.4	3399	54	575.0
Gekkonidae	<i>Cyrtodactylus australotitiwa</i>	Cyrtodactylus australotitiwangsae	fixed	2.00	1.50	1.27	Oriental	no	3.26	Nocturnal	Saxicolous	Scansorial	NA	11.9	24.1	2414	29.4	440.4
Gekkonidae	<i>Cyrtodactylus ayearywadyen</i>	Cyrtodactylus ayearywadyensis	fixed	2.00	0.98	0.73	Oriental	no	17.97	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	25.6	2622	109.4	1977.4
Gekkonidae	<i>Cyrtodactylus baliensis</i>	Cyrtodactylus baliensis	fixed	2.05	1.26	1.10	Oriental	yes	5.05	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	23.6	2679	17.9	431.7
Gekkonidae	<i>Cyrtodactylus battalensis</i>	Cyrtodactylus battalense	fixed	2.00	0.89	0.89	Oriental	no	34.67	Nocturnal	Saxicolous	Scansorial	Oviparous	11.5	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus batuolus</i>	Cyrtodactylus batuolus	fixed	2.00	0.94	0.76	Oriental	yes	2.11	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus bayinnyensis</i>	NA	fixed	2.00	1.07	NA	Oriental	no	16.94	Nocturnal	Saxicolous	Scansorial	NA	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus bintangrendah</i>	Cyrtodactylus bintangrendah	fixed	2.00	1.46	1.34	Oriental	no	5.22	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	25.5	2843	33.7	492.9
Gekkonidae	<i>Cyrtodactylus bintangtinggi</i>	Cyrtodactylus bintangtinggi	fixed	2.00	1.41	1.34	Oriental	no	4.79	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	19.9	3964	30	410.0
Gekkonidae	<i>Cyrtodactylus biordinis</i>	Cyrtodactylus biordinis	fixed	2.00	1.21	NA	Oceania	yes	9.62	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	24.5	2673	28.4	368.0
Gekkonidae	<i>Cyrtodactylus boreoelcivus</i>	Cyrtodactylus boreoelcivus	fixed	2.00	1.38	1.36	Oceania	yes	2.98	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	19.7	3475	17.4	224.9
Gekkonidae	<i>Cyrtodactylus brevidactylus</i>	Cyrtodactylus brevidactylus	fixed	2.00	1.13	1.10	Oriental	no	20.91	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	25.3	737	85.7	3083.8
Gekkonidae	<i>Cyrtodactylus brevipalmatus</i>	Cyrtodactylus brevipalmatus	fixed	2.00	0.90	0.89	Oriental	no	12.24	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	24.6	2207	80.5	1063.2
Gekkonidae	<i>Cyrtodactylus buchardi</i>	Cyrtodactylus buchardi	fixed	1.00	0.76	0.76	Oriental	no	14.77	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus capreoloides</i>	Cyrtodactylus capreoloides	fixed	2.00	1.07	1.00	Oceania	yes	5.85	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	21	4537	15.1	465.7
Gekkonidae	<i>Cyrtodactylus cattienensis</i>	Cyrtodactylus cattienensis	fixed	1.50	0.84	0.63	Oriental	no	11.00	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	26.4	2600	74.4	905.0
Gekkonidae	<i>Cyrtodactylus caverniculus</i>	Cyrtodactylus caverniculus	fixed	2.00	1.03	NA	Oriental	yes	3.91	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	12.0	24.6	3406	21	421.9
Gekkonidae	<i>Cyrtodactylus chanhomeae</i>	Cyrtodactylus chanhomeae	fixed	2.00	0.99	NA	Oriental	no	14.70	Nocturnal	Saxicolous	Scansorial	Oviparous	11.6	27.7	1502	80	1477.0
Gekkonidae	<i>Cyrtodactylus chaunghaan</i>	NA	fixed	2.00	0.96	0.88	Oriental	no	16.18	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus chrysopylos</i>	Cyrtodactylus chrysopylos	fixed	2.00	1.07	0.86	Oriental	no	21.06	Cathemeral	Saxicolous	Scansorial	Oviparous	11.6	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus collegalensis</i>	Cyrtodactylus collegalensis	fixed	2.00	0.56	0.48	Oriental	no	16.33	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.4	26.6	1224	105	2598.2
Gekkonidae	<i>Cyrtodactylus condorensis</i>	Cyrtodactylus condorensis	fixed	3.00	1.17	1.03	Oriental	no	9.81	Terrestrial	Terrestrial	Scansorial	Oviparous	11.2	26.8	2363	74.9	889.8
Gekkonidae	<i>Cyrtodactylus consobrinus</i>	Cyrtodactylus consobrinus	fixed	2.00	1.55	1.50	Oriental	no	3.58	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	24.9	2929	25.7	459.1
Gekkonidae	<i>Cyrtodactylus cryptus</i>	Cyrtodactylus cryptus	fixed	2.00	1.19	0.97	Oriental	no	17.54	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	23.2	2253	84.9	2982.7
Gekkonidae	<i>Cyrtodactylus dammathetens</i>	NA	fixed	2.00	0.84	0.59	Oriental	no	16.51	Nocturnal	Saxicolous	Scansorial	NA	11.6	27.6	4060	112	1433.0
Gekkonidae	<i>Cyrtodactylus dattanensis</i>	Cyrtodactylus dattanense	fixed	1.50	0.71	NA	Oriental	no	33.68	Nocturnal	Saxicolous	Scansorial	Oviparous	11.5	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus decanensis</i>	Cyrtodactylus decanensis	fixed	2.00	1.09	NA	Oriental	no	18.03	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.4	25.2	2335	127.5	1773.0
Gekkonidae	<i>Cyrtodactylus derongo</i>	Cyrtodactylus derongo	fixed	2.00	1.50	1.38	Oceania	yes	5.41	Nocturnal	Arboreal	Scansorial	Oviparous	11.5	24.3	7059	13	534.0
Gekkonidae	<i>Cyrtodactylus dumnuui</i>	Cyrtodactylus dumnuui	fixed	2.00	1.07	0.99	Oriental	no	8.51	Nocturnal	Saxicolous	Scansorial	Oviparous	11.8	25.4	2757	73.1	816.5
Gekkonidae	<i>Cyrtodactylus elok</i>	Cyrtodactylus elok	fixed	2.00	1.04	NA	Oriental	no	3.87	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	24.7	2534	30.8	525.4
Gekkonidae	<i>Cyrtodactylus epiroticus</i>	Cyrtodactylus epiroticus	fixed	2.00	1.63	1.43	Oceania	yes	8.45	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	24.7	2813	30.6	579.8
Gekkonidae	<i>Cyrtodactylus equestris</i>	NA	fixed	2.00	1.67	1.67	Oceania	yes	3.34	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	23.8	2511	32	218.0
Gekkonidae	<i>Cyrtodactylus erythrops</i>	Cyrtodactylus erythrops	fixed	2.00	1.01	NA	Oriental	no	19.54	Cathemeral	Saxicolous	Scansorial	Oviparous	11.8	24.1	1398	92	2853.0
Gekkonidae	<i>Cyrtodactylus fraenatus</i>	Cyrtodactylus fraenatus	fixed	2.00	1.28	1.14	Oriental	yes	7.24	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	22.2	2136	43.1	809.0
Gekkonidae																		

Gekkonidae	<i>Cyrtodactylus ingeri</i>	Cyrtodactylus ingeri	fixed	2.00	1.02	NA	Oriental	yes	5.52	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	24.6	2601	24.4	498.4
Gekkonidae	<i>Cyrtodactylus interdigitalis</i>	Cyrtodactylus interdigitalis	fixed	1.00	1.01	NA	Oriental	no	17.95	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	24.7	1273	82	2203.3
Gekkonidae	<i>Cyrtodactylus intermedius</i>	Cyrtodactylus intermedius	fixed	1.91	1.18	1.04	Oriental	no	12.11	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	25.9	2058	74.7	874.7
Gekkonidae	<i>Cyrtodactylus irianjayaensis</i>	Cyrtodactylus irianjayaensis	fixed	2.00	1.93	1.77	Oceania	yes	0.96	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	26.3	2460	18	321.0
Gekkonidae	<i>Cyrtodactylus jarakensis</i>	Cyrtodactylus jarakensis	fixed	2.00	0.80	0.80	Oriental	yes	3.99	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus jelawangensis</i>	Cyrtodactylus jelawangensis	fixed	2.00	1.50	1.35	Oriental	no	5.34	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	12.0	NA	NA	NA	
Gekkonidae	<i>Cyrtodactylus jellesmae</i>	Cyrtodactylus jellesmae	fixed	2.00	1.00	0.94	Oceania	yes	2.44	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	23.3	2491	35.5	362.2
Gekkonidae	<i>Cyrtodactylus khasiensis</i>	Cyrtodactylus khasiensis	fixed	2.00	1.15	0.96	Oriental	no	25.96	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	21.5	3065	89.9	4033.0
Gekkonidae	<i>Cyrtodactylus kimerleyensis</i>	Cyrtodactylus kimerleyensis	fixed	1.00	0.33	0.33	Australia	yes	14.28	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.7	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus laevigatus</i>	Cyrtodactylus laevigatus	fixed	2.00	0.37	0.29	Oceania	yes	9.30	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	26.2	1844	69	618.2
Gekkonidae	<i>Cyrtodactylus langkawiensis</i>	Cyrtodactylus langkawiensis	fixed	2.00	1.28	1.23	Oriental	yes	6.33	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus lateralis</i>	Cyrtodactylus lateralis	fixed	2.00	1.23	1.11	Oriental	yes	4.92	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	23.9	2230	37.3	440.0
Gekkonidae	<i>Cyrtodactylus leegrismeri</i>	Cyrtodactylus leegrismeri	fixed	2.00	1.18	1.15	Oriental	yes	4.80	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	27.2	3043	76	774.0
Gekkonidae	<i>Cyrtodactylus lekaguli</i>	Cyrtodactylus lekaguli	fixed	1.50	1.32	1.17	Oriental	no	8.09	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	26.8	2137	48.9	671.7
Gekkonidae	<i>Cyrtodactylus lenggongensis</i>	NA	fixed	2.00	1.32	1.13	Oriental	no	5.11	Nocturnal	Saxicolous	Scansorial	NA	11.9	26.9	2365	28	535.0
Gekkonidae	<i>Cyrtodactylus linoensis</i>	NA	fixed	2.00	0.98	0.96	Oriental	no	16.84	Nocturnal	Saxicolous	Scansorial	NA	11.5	27.7	4391	113	1582.0
Gekkonidae	<i>Cyrtodactylus linwayensis</i>	NA	fixed	2.00	1.30	1.27	Oriental	no	21.22	Nocturnal	Saxicolous	Scansorial	NA	11.6	20.2	1178	83	2926.0
Gekkonidae	<i>Cyrtodactylus loriae</i>	Cyrtodactylus loriae	fixed	2.00	1.81	1.59	Oceania	yes	9.21	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	21	2780	32.3	583.4
Gekkonidae	<i>Cyrtodactylus louisiadensis</i>	Cyrtodactylus louisiadensis	fixed	2.00	1.62	1.55	Oceania	yes	9.89	Nocturnal	Arboreal	Scansorial	Oviparous	11.2	24.8	2611	29.6	428.7
Gekkonidae	<i>Cyrtodactylus macrotuberculatus</i>	NA	fixed	1.75	1.50	1.43	Oriental	no	6.57	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	26.8	2205	48.7	585.1
Gekkonidae	<i>Cyrtodactylus majulah</i>	Cyrtodactylus majulah	fixed	2.00	0.83	0.72	Oriental	yes	1.37	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	26.7	2493	23	422.0
Gekkonidae	<i>Cyrtodactylus malayanus</i>	Cyrtodactylus malayanus	fixed	1.99	1.48	1.37	Oriental	yes	0.08	Nocturnal	Arboreal	Scansorial	Oviparous	12.0	25.5	3824	20.8	362.2
Gekkonidae	<i>Cyrtodactylus marmoratus</i>	Cyrtodactylus marmoratus	fixed	2.00	1.09	0.97	Oceania	yes	3.35	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	23.4	2908	30	403.8
Gekkonidae	<i>Cyrtodactylus martini</i>	Cyrtodactylus martini	fixed	2.00	1.23	1.02	Oriental	no	22.38	Nocturnal	Saxicolous	Scansorial	Oviparous	11.8	18.9	2546	84.5	3757.5
Gekkonidae	<i>Cyrtodactylus martinstolli</i>	Cyrtodactylus martinstolli	fixed	2.00	1.04	0.85	Oriental	no	26.95	Nocturnal	Saxicolous	Scansorial	Oviparous	11.5	17.1	2393	105.5	4546.5
Gekkonidae	<i>Cyrtodactylus medonaldi</i>	Cyrtodactylus medonaldi	fixed	2.00	1.34	1.15	Australia	no	16.53	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	23.2	1190	104.2	2329.5
Gekkonidae	<i>Cyrtodactylus mimikanus</i>	Cyrtodactylus mimikanus	fixed	2.00	1.32	NA	Oceania	yes	3.78	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	17.9	3568	17	366.7
Gekkonidae	<i>Cyrtodactylus mombergi</i>	NA	fixed	2.00	0.92	0.83	Oriental	no	25.01	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus montanus</i>	NA	fixed	2.00	0.99	0.83	Oriental	no	23.91	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus myintkyawthu</i>	NA	fixed	2.00	0.94	0.76	Oriental	no	19.61	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	NA	NA	NA	NA	
Gekkonidae	<i>Cyrtodactylus naungkayaing</i>	NA	fixed	2.00	0.80	NA	Oriental	no	17.02	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	NA	NA	NA	NA	
Gekkonidae	<i>Cyrtodactylus nyinyikyawi</i>	NA	fixed	2.00	0.75	0.75	Oceania	no	20.06	Nocturnal	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus oldhami</i>	Cyrtodactylus oldhami	fixed	2.00	0.97	0.73	Oriental	no	18.74	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.7	24.1	1840	85.9	2410.9
Gekkonidae	<i>Cyrtodactylus otai</i>	NA	fixed	2.00	1.19	1.13	Oriental	no	20.74	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	19.3	2053	79	4054.8
Gekkonidae	<i>Cyrtodactylus pageli</i>	Cyrtodactylus pageli	fixed	1.50	1.14	0.90	Oriental	no	18.92	Nocturnal	Saxicolous	Scansorial	Oviparous	11.8	24.7	2419	96	2433.5
Gekkonidae	<i>Cyrtodactylus pantensis</i>	Cyrtodactylus pantensis	fixed	2.00	0.97	0.85	Oriental	no	2.42	Nocturnal	Arboreal	Scansorial	NA	11.9	26.3	2322	27.9	442.2
Gekkonidae	<i>Cyrtodactylus papilionoides</i>	Cyrtodactylus papilionoides	fixed	1.50	1.19	NA	Oriental	no	16.45	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.7	24.8	1105	81.2	2116.9
Gekkonidae	<i>Cyrtodactylus papuensis</i>	Cyrtodactylus papuensis	fixed	2.00	0.85	NA	Oceania	yes	4.89	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	25.5	4221	23.4	576.7
Gekkonidae	<i>Cyrtodactylus paradoxus</i>	Cyrtodactylus paradoxus	fixed	2.00	1.07	0.86	Oriental	no	10.28	Nocturnal	Saxicolous	Scansorial	Oviparous	11.1	27.2	2852	73.4	714.5
Gekkonidae	<i>Cyrtodactylus paradoxus</i>	Cyrtodactylus paradoxus	fixed	2.00	0.81	0.79	Oriental	no	4.12	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	27.2	2675	30	428.0
Gekkonidae	<i>Cyrtodactylus peguensis</i>	Cyrtodactylus peguensis	fixed	1.50	1.09	NA	Oriental	no	17.32	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	25.5	1485	84.9	2070.5
Gekkonidae	<i>Cyrtodactylus pharbaungens</i>	NA	fixed	2.00	0.86	NA	Oriental	no	16.26	Nocturnal	Saxicolous	Scansorial	NA	11.6	27.6	3800	110	1323.0
Gekkonidae	<i>Cyrtodactylus philippinus</i>	Cyrtodactylus philippinus	fixed	2.00	1.25	1.02	Oriental	yes	14.33	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.4	25.7	2499	63	1016.5
Gekkonidae	<i>Cyrtodactylus phongnakebkc</i>	Cyrtodactylus phongnakebkc	fixed	2.00	1.33	1.18	Oriental	no	17.60	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	23	2302	87.8	3005.3
Gekkonidae	<i>Cyrtodactylus phuketensis</i>	Cyrtodactylus phuketensis	fixed	2.00	1.44	1.44	Oriental	yes	8.05	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	25.6	3200	59	586.0
Gekkonidae	<i>Cyrtodactylus pseudouadrivirgatus</i>	Cyrtodactylus pseudouadrivirgatus	fixed	1.00	1.12	0.94	Oriental	no	15.27	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	22.4	2389	77.7	1952.4
Gekkonidae	<i>Cyrtodactylus pubisulcus</i>	Cyrtodactylus pubisulcus	fixed	1.97	0.97	0.91	Oriental	yes	2.84	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	25.9	3753	22.9	395.6
Gekkonidae	<i>Cyrtodactylus pulchellus</i>	Cyrtodactylus pulchellus	fixed	2.00	1.55	1.42	Oriental	no	5.20	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	26.9	2805	40.3	439.9
Gekkonidae	<i>Cyrtodactylus pyinyaungensis</i>	NA	fixed	2.00	0.88	0.82	Oriental	no	20.87	Nocturnal	Saxicolous	Scansorial	NA	11.7	NA	NA	NA	
Gekkonidae	<i>Cyrtodactylus quadrivirgatu</i>	Cyrtodactylus quadrivirgatus	fixed	1.90	0.94	0.73	Oriental	no	4.13	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	25.4	2495	36	601.1
Gekkonidae	<i>Cyrtodactylus redimiculus</i>	Cyrtodactylus redimiculus	fixed	2.00	1.21	1.05	Oriental	yes	9.24	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.4	25.3	1701	54	460.2
Gekkonidae	<i>Cyrtodactylus rex</i>	NA	fixed	2.00	1.93	1.80	Oceania	yes	4.14	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	25.1	2715	27.5	230.1
Gekkonidae	<i>Cyrtodactylus rishivalleyensi</i>	NA	fixed	2.00	0.51	0.44	Oriental	no	13.66	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	23.7	1168	72	2546.0
Gekkonidae	<i>Cyrtodactylus rubidus</i>	Cyrtodactylus rubidus	fixed	2.00	1.01	NA	Oriental	yes	12.70	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.2	27	3013	75.6	637.6
Gekkonidae	<i>Cyrtodactylus russelli</i>	Cyrtodactylus russelli	fixed	2.00	1.46	1.46	Oriental	no	25.34	Nocturnal	Saxicolous	Scansorial	Oviparous	11.8	24.1	2901	109.2	3759.5
Gekkonidae	<i>Cyrtodactylus sadanensis</i>	NA	fixed	2.00	0.92	0.73	Oriental	no	16.79	Nocturnal	Saxicolous	Scansorial	NA	11.5	27.4	4419	113	1476.0
Gekkonidae	<i>Cyrtodactylus sadaninensis</i>	NA	fixed	2.00	0.85	0.81	Oriental	no	16.53	Nocturnal	Saxicolous	Scansorial	NA	11.5	27.6	4515	113	1402.0
Gekkonidae	<i>Cyrtodactylus sadleiri</i>	Cyrtodactylus sadleiri	fixed	2.00	1.13	NA	Oriental	yes	10.49	Nocturnal	Arboreal	Scansorial	Oviparous	10.8	25.3	2200	60	687.4
Gekkonidae	<i>Cyrtodactylus samroiyot</i>	Cyrtodactylus samroiyot	fixed	2.00	0.80	0.80	Oriental	no	12.17	Nocturnal	Saxicolous	Scansorial	Oviparous	10.8	27.6	1071	63	934.0
Gekkonidae	<i>Cyrtodactylus sanpelensis</i>	NA	fixed	2.00	0.92	0.83	Oriental	no	16.37	Nocturnal	Saxicolous	Scansorial	NA	11.6	NA	NA	NA	
Gekkonidae	<i>Cyrtodactylus semenanjunge</i>	Cyrtodactylus semenanjunge	fixed	2.00	0.87	0.74	Oriental	no	2.01	Nocturnal	Arboreal	Scansorial	Oviparous	11.2	26.5	2580	37.3	527.6
Gekkonidae	<i>Cyrtodactylus semiadie</i>	Cyrtodactylus semiadie	fixed	1.50	0.38	0.37	Oriental	yes	7.30	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	26.8	1961	60.6	475.6
Gekkonidae	<i>Cyrtodactylus seribuatensis</i>	Cyrtodactylus seribuatensis	fixed	2.00	0.94	0.79	Oriental	yes	2.39	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	10.9	27.1	3117	59	551.5
Gekkonidae	<i>Cyrtodactylus serowaiensis&lt;/i</i>																	

Gekkonidae	<i>Cyrtodactylus sumonthai</i>	Cyrtodactylus sumonthai	fixed	1.50	1.02	0.87	Oriental	no	12.88	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	27.4	2125	76	872.0
Gekkonidae	<i>Cyrtodactylus sworderi</i>	Cyrtodactylus sworderi	fixed	2.00	1.01	NA	Oriental	no	3.94	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	26.2	2505	36.6	588.7
Gekkonidae	<i>Cyrtodactylus takouensis</i>	Cyrtodactylus takouensis	fixed	2.00	1.03	0.98	Oriental	no	10.83	Nocturnal	Saxicolous	Scansorial	Oviparous	11.8	26.6	1533	82	891.0
Gekkonidae	<i>Cyrtodactylus tambora</i>	NA	fixed	2.00	0.38	0.28	Oriental	yes	8.12	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.4	26.7	1449	97	553.0
Gekkonidae	<i>Cyrtodactylus tanim</i>	NA	fixed	2.00	1.24	1.18	Oceania	yes	5.59	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	21.9	5484	14	505.3
Gekkonidae	<i>Cyrtodactylus tebuensis</i>	Cyrtodactylus tebuensis	fixed	2.00	1.09	0.98	Oriental	no	5.60	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	21.5	4287	61	832.0
Gekkonidae	<i>Cyrtodactylus thochuensis</i>	Cyrtodactylus thochuensis	fixed	2.00	1.10	1.09	Oriental	yes	9.30	Nocturnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus tigroides</i>	Cyrtodactylus tigroides	fixed	2.00	1.09	0.93	Oriental	no	14.12	Nocturnal	Saxicolous	Scansorial	Oviparous	11.8	27.2	1589	80	1226.0
Gekkonidae	<i>Cyrtodactylus timur</i>	Cyrtodactylus timur	fixed	2.00	1.50	1.42	Oriental	no	5.60	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	11.9	21.5	4287	61	832.0
Gekkonidae	<i>Cyrtodactylus tiomanensis</i>	Cyrtodactylus tiomanensis	fixed	2.00	1.11	1.09	Oriental	yes	2.75	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	25.7	3423	74	582.0
Gekkonidae	<i>Cyrtodactylus triedrus</i>	Cyrtodactylus triedrus	fixed	2.00	0.71	0.47	Oriental	yes	7.07	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	25.3	1864	49.3	847.4
Gekkonidae	<i>Cyrtodactylus trilatofasciatus</i>	Cyrtodactylus trilatofasciatus	fixed	2.00	1.52	1.40	Oriental	no	4.41	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	11.9	20.5	2707	21	472.0
Gekkonidae	<i>Cyrtodactylus tuberculatus</i>	Cyrtodactylus tuberculatus	fixed	2.00	1.68	1.34	Australia	no	15.31	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	24.7	1406	103.2	1888.6
Gekkonidae	<i>Cyrtodactylus varadgirii</i>	NA	fixed	2.00	0.58	0.46	Oriental	no	19.92	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.3	26.7	2561	153.3	2020.9
Gekkonidae	<i>Cyrtodactylus wakeorum</i>	Cyrtodactylus wakeorum	fixed	2.00	0.74	0.74	Oriental	no	18.12	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.7	24.3	3070	113.7	2003.5
Gekkonidae	<i>Cyrtodactylus wayakonei</i>	Cyrtodactylus wayakonei	fixed	2.00	1.19	1.08	Oriental	no	20.73	Nocturnal	Saxicolous	Scansorial	Oviparous	11.9	21.8	1402	85	2848.0
Gekkonidae	<i>Cyrtodactylus weypenensis</i>	NA	fixed	2.00	0.86	0.86	Oriental	no	17.20	Nocturnal	Saxicolous	Scansorial	NA	11.6	27.3	3999	108	1788.0
Gekkonidae	<i>Cyrtodactylus yakhuna</i>	Cyrtodactylus yakhuna	fixed	3.00	0.50	NA	Oriental	yes	8.19	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.7	27.4	1410	73.3	1113.1
Gekkonidae	<i>Cyrtodactylus yangbayensis</i>	Cyrtodactylus yangbayensis	fixed	2.00	1.18	1.09	Oriental	no	12.14	Nocturnal	Saxicolous	Scansorial	Oviparous	12.0	23.1	1687	89.8	1527.6
Gekkonidae	<i>Cyrtodactylus yathepyanensi</i>	NA	fixed	2.00	0.90	0.88	Oriental	no	16.84	Nocturnal	Saxicolous	Scansorial	NA	11.5	NA	NA	NA	NA
Gekkonidae	<i>Cyrtodactylus yoshii</i>	Cyrtodactylus yoshii	fixed	1.99	1.32	1.22	Oriental	yes	5.36	Nocturnal	Arboreal	Scansorial	Oviparous	12.0	25.7	2638	23.6	478.6
Gekkonidae	<i>Cyrtodactylus ywanganensis</i>	NA	fixed	2.00	1.23	1.19	Oriental	no	21.15	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	NA	NA	NA	NA	NA
Gekkonidae	<i>Cyrtopodion agamuroides</i>	Cyrtopodion agamuroides	fixed	2.00	0.45	NA	Paleartic	no	28.31	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.3	22.8	146	104.2	7633.0
Gekkonidae	<i>Cyrtopodion fortunroi</i>	Cyrtopodion fortunroi	fixed	2.00	0.46	0.32	Paleartic	no	29.93	Nocturnal	Saxicolous	Scansorial	Oviparous	10.7	17.1	459	76.5	7339.5
Gekkonidae	<i>Cyrtopodion golubevi</i>	Cyrtopodion golubevi	fixed	1.50	0.65	0.39	Paleartic	no	27.87	Nocturnal	Saxicolous	Scansorial	Oviparous	10.5	22.2	109	113	7734.0
Gekkonidae	<i>Cyrtopodion indusani</i>	Cyrtopodion indusani	fixed	2.00	0.54	NA	Paleartic	no	32.82	Cathemeral	Saxicolous	Scansorial	Oviparous	10.9	22.7	445	79.9	7654.4
Gekkonidae	<i>Cyrtopodion kachhense</i>	Cyrtopodion kachhense	fixed	1.50	0.56	0.15	Oriental	no	27.30	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	10.7	27	321	141.4	4659.6
Gekkonidae	<i>Cyrtopodion kohsulaimanai</i>	Cyrtopodion kohsulaimanai	fixed	2.50	0.65	0.40	Paleartic	no	31.78	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.6	14.7	288	83.5	8794.6
Gekkonidae	<i>Cyrtopodion montiumsalorum</i>	Cyrtopodion montiumsalorum	fixed	2.00	0.42	NA	Oriental	no	32.31	Nocturnal	Saxicolous	Scansorial	Oviparous	11.2	23.7	573	101.3	7451.9
Gekkonidae	<i>Cyrtopodion potoharense</i>	Cyrtopodion potoharense	fixed	1.50	0.50	NA	Paleartic	no	34.23	Nocturnal	Saxicolous	Scansorial	Oviparous	11.2	13.7	794	67.6	7435.4
Gekkonidae	<i>Cyrtopodion rohtasfortai</i>	Cyrtopodion rohtasfortai	fixed	2.00	0.61	NA	Oriental	no	33.35	Nocturnal	Saxicolous	Scansorial	Oviparous	11.4	20.4	1147	87.9	7105.5
Gekkonidae	<i>Cyrtopodion scabrum</i>	Cyrtopodion scabrum	fixed	1.96	0.76	0.33	Paleartic	no	30.39	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	10.5	21.1	239	99	8147.2
Gekkonidae	<i>Cyrtopodion watsoni</i>	Cyrtopodion watsoni	fixed	2.00	0.54	0.45	Paleartic	no	31.11	Cathemeral	Saxicolous	Scansorial	Oviparous	10.9	19.4	408	76.6	7597.1
Gekkonidae	<i>Dixonius hangsseom</i>	Dixonius hangsseom	fixed	2.00	0.24	0.11	Oriental	no	14.36	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	27.2	1589	80	1226.0
Gekkonidae	<i>Dixonius siamensis</i>	Dixonius siamensis	fixed	1.93	0.61	0.25	Oriental	no	14.55	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	26.2	1612	80.7	1613.6
Gekkonidae	<i>Dixonius vietnamensis</i>	Dixonius vietnamensis	fixed	2.00	0.45	0.30	Oriental	no	12.84	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.8	25.3	2049	82.2	1245.5
Gekkonidae	<i>Dravidogecko anamallensis</i>	Hemidactylus anamallensis	fixed	1.50	0.95	0.51	Oriental	no	9.68	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	22.9	1704.0	65.3	1197.5
Gekkonidae	<i>Ebenavia boettgeri</i>	NA	fixed	1.50	0.11	0.01	Madagascar	yes	18.17	Nocturnal	NA	NA	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Ebenavia inunguis</i>	Ebenavia inunguis	fixed	1.46	0.09	0.04	Madagascar	yes	14.14	Cathemeral	Arboreal	Scansorial	Oviparous	11.7	21.7	2183	60.5	1995.4
Gekkonidae	<i>Ebenavia maintaimintay</i>	Ebenavia maintaimintay	fixed	1.00	-0.43	-0.43	Madagascar	yes	24.38	Nocturnal	Saxicolous	Scansorial	Oviparous	11.5	24.3	557	89.4	2439.3
Gekkonidae	<i>Ebenavia safari</i>	NA	fixed	1.50	0.17	0.03	Madagascar	yes	13.14	Nocturnal	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Elasmodactylus tetensis</i>	Elasmodactylus tetensis	fixed	2.00	1.28	NA	Afrotropic	no	14.52	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	22.7	908	110.2	2405.5
Gekkonidae	<i>Elasmodactylus tuberculosus</i>	Elasmodactylus tuberculosus	fixed	2.00	1.00	0.74	Afrotropic	no	7.12	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	21.7	1034	90.4	1518.9
Gekkonidae	<i>Geckolepis maculata</i>	Geckolepis maculata	fixed	1.50	1.00	NA	Madagascar	yes	16.96	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	23.1	1791	95.1	1709.8
Gekkonidae	<i>Geckolepis polyplepis</i>	Geckolepis polyplepis	fixed	2.00	0.47	NA	Madagascar	yes	16.97	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	26.7	1473	122.1	1214.7
Gekkonidae	<i>Geckolepis typica</i>	Geckolepis typica	fixed	2.00	0.73	NA	Madagascar	yes	21.43	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	24.3	1002	108.8	2022.5
Gekkonidae	<i>Gehyra australis</i>	Gehyra australis	fixed	2.00	1.03	0.78	Australia	no	16.18	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	26.9	922	111.7	2738.4
Gekkonidae	<i>Gehyra baliola</i>	Gehyra baliola	fixed	2.00	1.34	0.89	Oceania	yes	7.14	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	25.6	3488	33.9	613.9
Gekkonidae	<i>Gehyra horroloola</i>	Gehyra horroloola	fixed	2.00	0.84	NA	Australia	no	16.67	Nocturnal	Saxicolous	Scansorial	Oviparous	11.2	26.2	799	114	3095.7
Gekkonidae	<i>Gehyra brevipalmata</i>	Gehyra brevipalmata	fixed	1.50	1.14	0.84	Oceania	yes	7.45	NA	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	27.4	3888	21.5	197.6
Gekkonidae	<i>Gehyra capensis</i>	NA	fixed	1.00	0.35	0.14	Australia	no	22.11	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Gehyra catenata</i>	Gehyra catenata	fixed	2.00	0.56	NA	Australia	no	23.27	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	21.6	578	51.5	4963.3
Gekkonidae	<i>Gehyra crypta</i>	NA	fixed	1.00	0.60	0.39	Australia	no	24.74	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Gehyra dubia</i>	Gehyra dubia	fixed	2.00	1.01	0.66	Australia	no	22.77	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	22.7	744	71.5	4147.3
Gekkonidae	<i>Gehyra einasleighensis</i>	NA	fixed	1.00	0.21	NA	Australia	no	18.62	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.4	25	808	117.1	3058.6
Gekkonidae	<i>Gehyra feneustrula</i>	NA	fixed	1.00	0.40	NA	Australia	no	23.28	Nocturnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Gehyra finipunctata</i>	NA	fixed	1.00	0.58	NA	Australia	no	23.86	Nocturnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Gehyra georgpotthasti</i>	Gehyra georgpotthasti	fixed	2.00	1.70	1.33	Oceania	yes	16.95	Nocturnal	Arboreal	Scansorial	Oviparous	11.1	24	2606	34.7	1212.2
Gekkonidae	<i>Gehyra gillarloo</i>	NA	fixed	1.00	0.38	NA	Australia	no	18.58	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.1	28.2	573	118.5	3950.3
Gekkonidae	<i>Gehyra granulum</i>	NA	fixed	1.00	0.35	NA	Australia	no	16.13	Nocturnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Gehyra incognita</i>	NA	fixed	1.00	0.50	0.30	Australia	no	20.93	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Gehyra insulensis</i>	NA	fixed	2.00	0.45	0.35	Oceania	yes	5.57	Nocturnal	Arboreal	Scansorial	Oviparous	11.5	23.7	2934	32.4	468.6
Gekkonidae	<i>Gehyra kimberleyi</i>	Gehyra kimberleyi	fixed	1.00	0.69	0.05	Australia	no	18.58	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.1	27.4	589	114.2	3518.9
Gekkonidae	<i>Gehyra koira</i>	Gehyra koira	fixed	2.00	1.23	0.94	Australia	no	16.28	Nocturnal	Saxicolous	Scansorial	Oviparous	11.2	27.4	787	112.2	2982.4
G																		

Gekkonidae	<i>Gehyra micra</i>	NA	fixed	1.00	0.36	NA	Australia	no	20.89	Nocturnal	Saxicolous&Terres Scansorial	Oviparous	NA	NA	NA	NA	NA	NA
Gekkonidae	<i>Gehyra minuta</i>	Gehyra minuta	fixed	1.00	0.32	-0.07	Australia	no	19.15	Nocturnal	Saxicolous Scansorial	Oviparous	11.1	26.1	459	103.1	4409.3	
Gekkonidae	<i>Gehyra montium</i>	Gehyra montium	fixed	1.50	0.47	0.24	Australia	no	21.70	Nocturnal	Saxicolous Scansorial	Oviparous	10.8	22.4	279	49.1	6174.9	
Gekkonidae	<i>Gehyra moritzi</i>	Gehyra moritzi	fixed	2.00	0.42	NA	Australia	no	22.31	Nocturnal	Saxicolous Scansorial	Oviparous	10.9	21.5	330	53.9	6109.4	
Gekkonidae	<i>Gehyra multiporosa</i>	Gehyra multiporosa	fixed	1.00	0.56	NA	Australia	no	15.39	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.3	26.6	1332	117.1	1853.1	
Gekkonidae	<i>Gehyra mutilata</i>	Gehyra mutilata	fixed	1.80	0.74	0.47	Oriental	no	12.01	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	24.3	2183	61.6	1604.2	
Gekkonidae	<i>Gehyra nana</i>	Gehyra nana	fixed	1.50	0.54	NA	Australia	no	15.51	Nocturnal	Saxicolous&Terres Scansorial	Oviparous	11.3	27	976	111.5	2578.5	
Gekkonidae	<i>Gehyra oceanica</i>	Gehyra oceanica	fixed	1.80	1.30	0.93	Oceania	yes	6.51	Nocturnal	Arboreal Scansorial	Oviparous	11.2	25.9	2346	71.2	1579.4	
Gekkonidae	<i>Gehyra ocellata</i>	NA	fixed	1.00	0.42	0.20	Australia	no	20.73	Nocturnal	NA NA	Oviparous	NA	NA	NA	NA	NA	
Gekkonidae	<i>Gehyra paranana</i>	NA	fixed	1.00	0.60	NA	Australia	no	14.48	Nocturnal	Saxicolous Scansorial	Oviparous	NA	NA	NA	NA	NA	
Gekkonidae	<i>Gehyra peninsularis</i>	NA	fixed	1.00	0.41	NA	Australia	no	20.64	Nocturnal	Saxicolous&Terres Scansorial	Oviparous	NA	NA	NA	NA	NA	
Gekkonidae	<i>Gehyra pilbara</i>	Gehyra pilbara	fixed	1.00	0.78	0.23	Australia	no	21.40	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	10.9	25.9	401	86.7	5068.3	
Gekkonidae	<i>Gehyra pluraporosa</i>	NA	fixed	1.00	0.36	NA	Australia	no	15.00	Nocturnal	Saxicolous Scansorial	Oviparous	NA	NA	NA	NA	NA	
Gekkonidae	<i>Gehyra polka</i>	NA	fixed	1.00	0.69	NA	Australia	no	27.07	Nocturnal	Saxicolous Scansorial	Oviparous	NA	NA	NA	NA	NA	
Gekkonidae	<i>Gehyra pseudopunctata</i>	NA	fixed	1.00	0.62	NA	Australia	no	17.29	Nocturnal	Saxicolous Scansorial	Oviparous	NA	NA	NA	NA	NA	
Gekkonidae	<i>Gehyra punctata</i>	Gehyra punctata	fixed	1.50	0.76	0.43	Australia	no	24.08	Nocturnal	Saxicolous Scansorial	Oviparous	10.9	23.7	265	66.7	5731.9	
Gekkonidae	<i>Gehyra purpurascens</i>	Gehyra purpurascens	fixed	1.15	0.80	0.53	Australia	no	24.81	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	10.8	23	285	54.4	5769.4	
Gekkonidae	<i>Gehyra robusta</i>	Gehyra robusta	fixed	2.00	0.94	NA	Australia	no	20.42	Nocturnal	Saxicolous Scansorial	Oviparous	11.1	26	521	105.4	4243.5	
Gekkonidae	<i>Gehyra spheniscus</i>	Gehyra spheniscus	fixed	1.00	0.35	NA	Australia	no	15.78	Nocturnal	Saxicolous Scansorial	Oviparous	11.3	26.3	1185	115.2	2128.5	
Gekkonidae	<i>Gehyra unguiculata</i>	NA	fixed	1.00	0.15	0.06	Australia	no	20.48	Nocturnal	Terrestrial	Oviparous	NA	NA	NA	NA	NA	
Gekkonidae	<i>Gehyra variegata</i>	Gehyra variegata	fixed	1.00	0.87	0.42	Australia	no	27.67	Cathemeral	Arboreal&Saxicolo Scansorial	Oviparous	11.0	20.6	325	40.4	5702.5	
Gekkonidae	<i>Gehyra versicolor</i>	Gehyra versicolor	fixed	1.00	0.63	0.42	Australia	no	27.53	Cathemeral	Arboreal&Saxicolo Scansorial	Oviparous	10.8	22.5	284	56.9	5631.1	
Gekkonidae	<i>Gehyra vorax</i>	Gehyra vorax	fixed	2.00	2.04	1.63	Oceania	yes	17.44	Cathemeral	Arboreal Scansorial	Oviparous	11.4	24.1	2504	48	1142.4	
Gekkonidae	<i>Gehyra xenopus</i>	Gehyra xenopus	fixed	2.00	1.00	NA	Australia	no	15.37	Nocturnal	Saxicolous Scansorial	Oviparous	11.3	26.7	1223	113.6	1940.0	
Gekkonidae	<i>Gekko aaronbaueri</i>	NA	fixed	2.00	1.01	0.89	Oriental	no	17.90	Nocturnal	Saxicolous Scansorial	Oviparous	11.8	23.7	2361	97.5	2822.7	
Gekkonidae	<i>Gekko badenii</i>	Gekko badenii	fixed	2.00	1.68	1.08	Oriental	no	12.48	Nocturnal	Saxicolous Scansorial	Oviparous	11.8	26.9	1917	82.3	993.4	
Gekkonidae	<i>Gekko canaensis</i>	Gekko canaensis	fixed	2.00	1.45	1.13	Oriental	no	11.34	Nocturnal	Saxicolous Scansorial	Oviparous	10.8	NA	NA	NA	NA	
Gekkonidae	<i>Gekko chinensis</i>	Gekko chinensis	fixed	2.00	1.01	0.72	Oriental	no	23.72	Nocturnal	Arboreal Scansorial	Oviparous	11.6	19.4	1500	71.9	4982.5	
Gekkonidae	<i>Gekko ernstkelleri</i>	Gekko ernstkelleri	fixed	2.00	1.18	1.00	Oriental	yes	11.75	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.5	26.5	3214	62.6	674.8	
Gekkonidae	<i>Gekko flavimarginatus</i>	NA	fixed	2.00	1.08	0.90	Oriental	no	16.56	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	NA	NA	NA	NA	NA	
Gekkonidae	<i>Gekko gecko</i>	Gekko gecko	fixed	2.00	2.23	1.59	Oriental	no	13.93	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	23.9	2133	67.9	2299.5	
Gekkonidae	<i>Gekko grossmanni</i>	Gekko grossmanni	fixed	1.50	1.15	0.97	Oriental	no	12.36	Nocturnal	NA NA	Oviparous	11.7	25.2	1558	85.4	1645.4	
Gekkonidae	<i>Gekko hokouensis</i>	Gekko hokouensis	fixed	2.00	1.09	0.88	Paleartic	no	27.22	Nocturnal	Arboreal Scansorial	Oviparous	11.4	18.3	1696	55.7	7122.9	
Gekkonidae	<i>Gekko horsfieldii</i>	Ptychozoon horsfieldii	fixed	2.00	1.23	NA	Oriental	no	2.87	Nocturnal	Arboreal Scansorial	Oviparous	11.9	25.1	3523	25.9	431.2	
Gekkonidae	<i>Gekko intermedium</i>	Ptychozoon intermedium	fixed	2.00	1.28	1.20	Oriental	yes	8.54	Nocturnal	Arboreal Scansorial	Oviparous	11.5	26.9	2272	36	507.9	
Gekkonidae	<i>Gekko iskandari</i>	Luperosaurus iskandari	fixed	2.00	0.84	0.84	Oceania	yes	0.74	Nocturnal	NA NA	Oviparous	12.0	26.6	1132	37	365.0	
Gekkonidae	<i>Gekko japonicus</i>	Gekko japonicus	fixed	1.95	1.08	0.75	Paleartic	no	30.84	Nocturnal	Saxicolous Scansorial	Oviparous	11.4	15.4	1301	63	7810.5	
Gekkonidae	<i>Gekko kikuchii</i>	Gekko kikuchii	fixed	2.00	1.01	NA	Oriental	no	17.97	Nocturnal	NA NA	Oviparous	11.6	25.4	2055	63.9	1755.9	
Gekkonidae	<i>Gekko kuhli</i>	Ptychozoon kuhli	fixed	2.00	1.37	1.20	Oriental	no	0.09	Nocturnal	Arboreal Scansorial	Oviparous	11.8	25.2	2877	28.7	350.9	
Gekkonidae	<i>Gekko liboensis</i>	NA	fixed	2.00	1.17	0.99	Oriental	no	24.99	Nocturnal	Saxicolous Scansorial	Oviparous	11.6	18.1	1524	74.6	6143.7	
Gekkonidae	<i>Gekko lionotum</i>	Ptychozoon lionotum	fixed	2.00	1.32	1.20	Oriental	no	15.78	Nocturnal	Arboreal Scansorial	Oviparous	11.7	25.5	1819	83.6	1867.6	
Gekkonidae	<i>Gekko mindorensis</i>	Gekko mindorensis	fixed	2.00	1.13	0.91	Oriental	yes	11.92	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.3	26.1	2281	55.8	664.9	
Gekkonidae	<i>Gekko monarchus</i>	Gekko monarchus	fixed	1.95	1.30	0.78	Oriental	no	0.32	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	25.1	2785	30.9	363.3	
Gekkonidae	<i>Gekko nadensis</i>	NA	fixed	2.00	0.97	0.97	Oriental	no	17.50	Nocturnal	Saxicolous Scansorial	Oviparous	11.8	24.3	2149	91	2794.0	
Gekkonidae	<i>Gekko nicobarensis</i>	Ptychozoon nicobarensis	fixed	2.00	1.28	1.19	Oriental	yes	8.32	Nocturnal	Arboreal Scansorial	Oviparous	10.8	27.5	2822	50.1	457.3	
Gekkonidae	<i>Gekko nutaphandi</i>	Gekko nutaphandi	fixed	2.00	1.47	1.33	Oriental	no	14.22	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.8	26.6	1954	85.5	1194.5	
Gekkonidae	<i>Gekko palmatus</i>	Gekko palmatus	fixed	1.50	1.01	0.92	Oriental	no	21.64	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.6	22.5	1748	75.8	4620.2	
Gekkonidae	<i>Gekko petricolus</i>	Gekko petricolus	fixed	2.00	1.32	0.86	Oriental	no	14.80	Cathemeral	Saxicolous Scansorial	Oviparous	11.8	26.3	1828	90.6	1372.9	
Gekkonidae	<i>Gekko popaense</i>	NA	fixed	2.00	1.10	1.04	Oriental	no	20.88	Nocturnal	Arboreal Scansorial	NA	NA	NA	NA	NA		
Gekkonidae	<i>Gekko rhacophorus</i>	Ptychozoon rhacophorus	fixed	2.00	0.94	NA	Oriental	yes	5.42	Nocturnal	Arboreal Scansorial	Oviparous	11.7	25.9	2906	29.3	485.8	
Gekkonidae	<i>Gekko russelltraini</i>	Gekko russelltraini	fixed	2.00	1.06	0.91	Oriental	no	10.94	Nocturnal	Arboreal Scansorial	Oviparous	11.7	24.6	2595	76	828.0	
Gekkonidae	<i>Gekko scientiadventura</i>	Gekko scientiadventura	fixed	2.00	0.90	0.78	Oriental	no	17.97	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.8	22.6	2525	91.3	2874.8	
Gekkonidae	<i>Gekko shibatai</i>	Gekko shibatai	fixed	2.00	0.93	0.79	Oriental	yes	29.15	Nocturnal	Arboreal&Terrestri Scansorial	Oviparous	10.6	21.5	3328	34	4990.0	
Gekkonidae	<i>Gekko siamensis</i>	Gekko siamensis	fixed	2.00	1.77	1.54	Oriental	no	15.02	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	27.4	1387	83.1	1551.2	
Gekkonidae	<i>Gekko smithii</i>	Gekko smithii	fixed	2.00	2.06	1.75	Oriental	no	0.39	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	25.3	2731	43.2	782.6	
Gekkonidae	<i>Gekko subpalmatus</i>	Gekko subpalmatus	fixed	2.00	1.04	1.02	Oriental	no	26.85	Nocturnal	Arboreal Scansorial	Oviparous	11.4	17.1	1377	69	6355.3	
Gekkonidae	<i>Gekko swinhonis</i>	Gekko swinhonis	fixed	2.00	0.92	0.70	Paleartic	no	35.12	Nocturnal	NA NA	Oviparous	11.3	12.8	815	84.9	9439.0	
Gekkonidae	<i>Gekko takouensis</i>	Gekko takouensis	fixed	2.00	1.36	NA	Oriental	no	10.81	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.8	26.6	1533	82	891.0	
Gekkonidae	<i>Gekko tokehos</i>	NA	fixed	2.00	1.25	1.09	Oriental	no	11.41	Nocturnal	Arboreal Scansorial	Oviparous	NA	NA	NA	NA	NA	
Gekkonidae	<i>Gekko truongi</i>	Gekko truongi	fixed	2.00	1.23	1.15	Oriental	no	12.49	Nocturnal	NA NA	Oviparous	11.9	27	1521	99	1756.0	
Gekkonidae	<i>Gekko vittatus</i>	Gekko vittatus	fixed	2.00	1.68	1.27	Oceania	yes	5.76	Nocturnal	Arboreal Scansorial	Oviparous	11.5	25	2952	34.9	485.7	
Gekkonidae	<i>Gekko yakuensis</i>	Gekko yakuensis	fixed	1.50	0.89	NA	Paleartic	yes	31.49	Nocturnal	NA NA	Oviparous	11.1	17.8	2635	53.8	6367.6	
Gekkonidae	<i>Goggia braacki</i>	Goggia braacki	fixed	2.00	0.01	NA	Afrotropic	no	32.22	Nocturnal	Saxicolous Scansorial	Oviparous	10.9	15.4	248	48.9	4870.7	
Gekkonidae	<i>Goggia gemmula</i>	Goggia gemmula	fixed	2.00	-0.16	NA	Afrotropic	no	28.24	Nocturnal	Saxicolous Scansorial	Oviparous	10.6	20.5	51	53.5	3837.5	
Gekkonidae	<i>Goggia hewitti</i>	Goggia hewitti	fixed	2.00	0.10	NA	Afrotropic	no	33.51	Nocturnal	Saxicolous Scansorial	Oviparous	11.3	15.4	372	20.1	3990.7	
Gekkonidae	<i>Goggia lineata</i>	Goggia lineata	fixed	2.00	-0.09	NA	Afrotropic	no	29.28	Nocturnal	Saxicolous&Terres Scansorial	Oviparous	10.8	18	115	55	3590.1	
Gekkonidae	<i>Hemidactylus albofasciatus</i>	Hemidactylus albofasciatus	fixed	2.00														

Gekkonidae	<i>Hemidactylus alkiyumi</i>	Hemidactylus alkiyumi	fixed	2.00	0.93	NA	Afrotropic	no	17.13	Cathemeral	Saxicolous	Scansorial	Oviparous	10.8	24.3	92.0	89.2	2611.7
Gekkonidae	<i>Hemidactylus angulatus</i>	Hemidactylus angulatus	fixed	2.00	0.87	0.63	Afrotropic	no	9.86	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.4	25.9	894.0	106.8	2192.9	
Gekkonidae	<i>Hemidactylus aquilonius</i>	Hemidactylus aquilonius	fixed	2.00	0.52	NA	Oriental	no	24.24	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	20	1910	89.8	3846.5	
Gekkonidae	<i>Hemidactylus beninensis</i>	Hemidactylus beninensis	fixed	2.00	1.01	NA	Afrotropic	no	7.73	Nocturnal	Saxicolous	Scansorial	Oviparous	11.6	NA	NA	NA	NA
Gekkonidae	<i>Hemidactylus bowringii</i>	Hemidactylus bowringii	fixed	1.90	1.03	0.37	Oriental	no	23.18	Nocturnal	Arboreal&Terrestri Scansorial	Oviparous	11.5	19.4	1502	73.6	4758.8	
Gekkonidae	<i>Hemidactylus brasilianus</i>	Hemidactylus brasilianus	fixed	1.89	0.74	0.40	Neotropic	no	10.37	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	25.4	844	80.6	1241.4	
Gekkonidae	<i>Hemidactylus brookii</i>	Hemidactylus brookii	fixed	2.00	1.09	0.44	Oriental	no	17.35	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.4	24.2	1621	87.2	3480.5	
Gekkonidae	<i>Hemidactylus chipkali</i>	NA	fixed	2.00	0.92	0.74	Oriental	no	22.49	Nocturnal	Saxicolous	Scansorial	Oviparous	11.5	21.9	1985	137	4420.0
Gekkonidae	<i>Hemidactylus coalescens</i>	Hemidactylus coalescens	fixed	2.00	0.98	NA	Afrotropic	no	0.70	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	23.7	1746	52.9	682.6
Gekkonidae	<i>Hemidactylus craspedotus</i>	Hemidactylus craspedotus	fixed	2.00	0.76	NA	Oriental	no	4.75	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	25.4	2408	33.6	562.1
Gekkonidae	<i>Hemidactylus depressus</i>	Hemidactylus depressus	fixed	2.00	1.09	0.90	Oriental	yes	7.36	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.6	26.8	1715	59.4	952.4	
Gekkonidae	<i>Hemidactylus dracaenacolus</i>	Hemidactylus dracaenacolus	fixed	2.00	0.94	0.84	Afrotropic	yes	12.50	Nocturnal	Arboreal&Terrestri Scansorial	Oviparous	11.0	22	330	138.6	1131.9	
Gekkonidae	<i>Hemidactylus echinus</i>	Hemidactylus echinus	fixed	2.00	0.85	0.70	Afrotropic	no	4.64	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	23.8	2483	66	1016.6
Gekkonidae	<i>Hemidactylus fasciatus</i>	Hemidactylus fasciatus	fixed	2.00	1.22	0.95	Afrotropic	no	6.82	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	24.3	1811	48.8	733.0
Gekkonidae	<i>Hemidactylus festivus</i>	Hemidactylus festivus	fixed	1.00	0.53	0.33	Paleartic	no	17.13	Nocturnal	Saxicolous	Scansorial	Oviparous	10.6	23	103	96.1	3061.3
Gekkonidae	<i>Hemidactylus flaviviridis</i>	Hemidactylus flaviviridis	fixed	2.00	1.22	0.72	Oriental	no	24.05	Cathemeral	Arboreal&Saxicolo Scansorial	Oviparous	11.0	25.7	826	113.7	5149.5	
Gekkonidae	<i>Hemidactylus frenatus</i>	Hemidactylus frenatus	fixed	1.95	0.80	0.51	Oriental	no	11.35	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	24.7	2145	69	2035.2
Gekkonidae	<i>Hemidactylus garnotii</i>	Hemidactylus garnotii	fixed	2.00	0.82	0.50	Oriental	no	12.52	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	23.9	2322	65.5	2002.5
Gekkonidae	<i>Hemidactylus gleadowi</i>	Hemidactylus gleadowi	fixed	2.00	0.59	0.45	Oriental	no	16.29	Cathemeral	Saxicolous	Scansorial	Oviparous	11.2	26.3	666	98.3	2570.9
Gekkonidae	<i>Hemidactylus hajarensis</i>	Hemidactylus hajarensis	fixed	2.00	0.80	0.56	Afrotropic	no	23.05	Nocturnal	Saxicolous&Terres Scansorial	Oviparous	10.3	25.3	119	92.2	4937.6	
Gekkonidae	<i>Hemidactylus homoeolepis</i>	Hemidactylus homoeolepis	fixed	1.50	0.43	0.10	Paleartic	no	18.68	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	10.4	27.1	64	99.6	3768.6	
Gekkonidae	<i>Hemidactylus hulae</i>	Hemidactylus hulae	fixed	2.00	1.58	1.42	Oriental	yes	6.93	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.6	27	1464	64.6	1173.8	
Gekkonidae	<i>Hemidactylus imbricatus</i>	Hemidactylus imbricatus	fixed	2.00	0.58	0.52	Paleartic	no	25.12	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.6	26.4	279	119	5364.1
Gekkonidae	<i>Hemidactylus inexpectatus</i>	Hemidactylus inexpectatus	fixed	2.00	0.30	0.03	Afrotropic	no	20.14	Nocturnal	Saxicolous	Scansorial	Oviparous	10.1	NA	NA	NA	NA
Gekkonidae	<i>Hemidactylus inintellectus</i>	Hemidactylus inintellectus	fixed	2.00	0.74	0.56	Afrotropic	yes	12.53	Nocturnal	Arboreal&Saxicolo Scansorial	NA	10.9	24.7	303	144.6	1193.5	
Gekkonidae	<i>Hemidactylus isolepis</i>	Hemidactylus isolepis	fixed	2.00	0.47	0.12	Afrotropic	no	5.81	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.3	24.9	671	76	1276.8
Gekkonidae	<i>Hemidactylus ituriensis</i>	Hemidactylus ituriensis	fixed	2.00	1.14	NA	Afrotropic	no	0.13	NA	Arboreal&Saxicolo Scansorial	Oviparous	12.0	21.8	1801	30.8	653.5	
Gekkonidae	<i>Hemidactylus kandemtohami</i>	Hemidactylus kandemtohami	fixed	2.00	0.87	0.87	Afrotropic	no	1.40	Cathemeral	Arboreal	Scansorial	Oviparous	11.9	23.6	1712	60.2	691.3
Gekkonidae	<i>Hemidactylus lankae</i>	Hemidactylus lankae	fixed	2.00	1.01	NA	Oriental	yes	8.02	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.8	26.9	1470	67.4	1052.3	
Gekkonidae	<i>Hemidactylus lavadeserticus</i>	Hemidactylus lavadeserticus	fixed	2.00	0.44	0.36	Paleartic	no	36.34	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.1	18	619	68.5	7662.5
Gekkonidae	<i>Hemidactylus leschenaultii</i>	Hemidactylus leschenaultii	fixed	2.00	1.18	0.59	Oriental	no	18.64	Cathemeral	Arboreal	Scansorial	Oviparous	11.3	26.5	1085	113.5	3319.2
Gekkonidae	<i>Hemidactylus longicephalus</i>	Hemidactylus longicephalus	fixed	2.00	0.98	0.32	Afrotropic	no	2.88	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	22.8	1257	79.9	985.8
Gekkonidae	<i>Hemidactylus mabouia</i>	Hemidactylus mabouia	fixed	1.86	1.15	0.63	Afrotropic	no	4.11	Cathemeral	Arboreal&Saxicolo Scansorial	Oviparous	11.8	23.2	1328	74.2	1356.9	
Gekkonidae	<i>Hemidactylus macropholis</i>	Hemidactylus macropholis	fixed	2.00	1.17	0.44	Afrotropic	no	6.10	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.0	26.2	325	106.9	1346.9	
Gekkonidae	<i>Hemidactylus maculatus</i>	Hemidactylus maculatus	fixed	2.00	1.52	1.34	Oriental	no	15.73	Nocturnal	Saxicolous	Scansorial	Oviparous	11.4	26.1	1692	107.7	2371.4
Gekkonidae	<i>Hemidactylus makolowodei</i>	Hemidactylus makolowodei	fixed	2.00	1.28	1.15	Afrotropic	no	6.88	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	24.5	1939	80.5	1734.5
Gekkonidae	<i>Hemidactylus mercatorius</i>	Hemidactylus mercatorius	fixed	2.00	0.65	0.41	Afrotropic	no	18.03	Nocturnal	Arboreal&Terrestri Scansorial	Oviparous	11.6	22.8	1434	92.7	1947.3	
Gekkonidae	<i>Hemidactylus minutus</i>	Hemidactylus minutus	fixed	1.00	0.01	-0.19	Afrotropic	no	17.57	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.6	24.6	82	94.6	2800.4
Gekkonidae	<i>Hemidactylus mrimaensis</i>	Hemidactylus mrimaensis	fixed	2.00	0.44	0.27	Afrotropic	no	4.23	Cathemeral	Arboreal	Scansorial	Oviparous	11.6	26.1	1090	63.6	1334.7
Gekkonidae	<i>Hemidactylus muriceus</i>	Hemidactylus muriceus	fixed	2.00	0.63	0.48	Afrotropic	no	0.47	Cathemeral	Arboreal&Terrestri Scansorial	Oviparous	11.8	24.9	1906	62.8	937.1	
Gekkonidae	<i>Hemidactylus palachithus</i>	Hemidactylus palachithus	fixed	2.00	0.87	0.74	Neotropic	no	3.62	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.9	25	2281	51	594.6	
Gekkonidae	<i>Hemidactylus parvimaculatus</i>	Hemidactylus parvimaculatus	fixed	2.00	0.50	0.50	Oriental	no	12.36	Nocturnal	Arboreal&Terrestri Scansorial	Oviparous	11.5	26	1274	74.9	1767.2	
Gekkonidae	<i>Hemidactylus persicus</i>	Hemidactylus persicus	fixed	2.00	0.96	0.57	Paleartic	no	29.88	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	10.6	23.5	250	95.8	8153.3	
Gekkonidae	<i>Hemidactylus platycephalus</i>	Hemidactylus platycephalus	fixed	2.00	1.21	0.52	Afrotropic	no	9.97	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	23.8	901	96.8	1768.3
Gekkonidae	<i>Hemidactylus platyrurus</i>	Hemidactylus platyrurus	fixed	2.00	0.84	0.55	Oriental	no	14.20	Cathemeral	Arboreal	Scansorial	Oviparous	11.6	23.9	2033	70.4	2472.1
Gekkonidae	<i>Hemidactylus richardsonii</i>	Hemidactylus richardsonii	fixed	2.00	1.01	1.01	Afrotropic	no	2.01	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	23.8	1854	55.3	769.2
Gekkonidae	<i>Hemidactylus robustus</i>	Hemidactylus robustus	fixed	1.50	0.67	0.28	Paleartic	no	17.14	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	10.6	26.1	228	99.4	4540.9	
Gekkonidae	<i>Hemidactylus ruspolii</i>	Hemidactylus ruspolii	fixed	2.00	0.54	NA	Afrotropic	no	3.82	Nocturnal	Arboreal&Terrestri Scansorial	Oviparous	11.1	26.5	367	105	1151.2	
Gekkonidae	<i>Hemidactylus sassanidians</i>	NA	fixed	2.00	0.73	0.59	Paleartic	no	28.72	Nocturnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Hemidactylus sataraensis</i>	Hemidactylus sataraensis	fixed	2.00	0.36	0.36	Oriental	no	17.62	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.4	22.3	2080	138	1961.4
Gekkonidae	<i>Hemidactylus scabripes</i>	Hemidactylus scabripes	fixed	2.00	0.38	NA	Oriental	no	11.01	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.3	28.5	974	81.6	2092.1
Gekkonidae	<i>Hemidactylus squamulatus</i>	Hemidactylus squamulatus	fixed	2.00	0.40	NA	Afrotropic	no	2.03	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	24	669	90.6	1237.9
Gekkonidae	<i>Hemidactylus stejnegeri</i>	Hemidactylus stejnegeri	fixed	1.50	0.66	0.54	Oriental	no	23.25	Cathemeral	Arboreal	Scansorial	Oviparous	11.3	20.4	2281	77.6	3816.4
Gekkonidae	<i>Hemidactylus tanganicus</i>	Hemidactylus tanganicus	fixed	1.50	1.01	0.95	Afrotropic	no	6.44	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	23.2	1084	69.3	1536.7
Gekkonidae	<i>Hemidactylus tasmani</i>	Hemidactylus tasmani	fixed	2.00	0.98	0.91	Afrotropic	no	18.96	NA	Saxicolous	Scansorial	Oviparous	11.6	20	712	102.4	3048.7
Gekkonidae	<i>Hemidactylus treutleri</i>	Hemidactylus treutleri	fixed	2.00	0.86	0.69	Oriental	no	17.48	Nocturnal	Saxicolous	Scansorial	Oviparous	11.4	27	1061	104.9	3068.4
Gekkonidae	<i>Hemidactylus triedrus</i>	Hemidactylus triedrus	fixed	2.00	1.21	0.91	Oriental	no	15.09	Nocturnal	Arboreal&Terrestri Scansorial	Oviparous	11.4	26.9	1159	94.8	2612.6	
Gekkonidae	<i>Hemidactylus tropidolepis</i>	Hemidactylus tropidolepis	fixed	2.00	0.51	0.12	Afrotropic	no	5.08	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	26.9	304	109.5	1261.6
Gekkonidae	<i>Hemidactylus turicus</i>	Hemidactylus turicus	fixed	2.00	0.76	0.40	Paleartic	no	30.66	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	10.9	20.1	389	87.6	5756.9	
Gekkonidae	<i>Hemidactylus whitakeri</i>	NA	fixed	2.00	0.82	0.58	Oriental	no	13.19	Nocturnal	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Hemiphylodactylus auranti</i>	Hemiphylodactylus aurantiacus	fixed	2.00	0.21	0.15	Oriental	no	12.95	Nocturnal	Saxicolous	Scansorial	Oviparous	11.6	24	1534	87.5	1758.3
Gekkonidae	<i>Hemiphylodactylus banae</i>	Hemiphylodactylus banaensis	fixed	2.00	0.47	0.43	Oriental	no	15.99	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.8	20.4	3677	81	2401.0	
Gekkonidae	<i>Hemiphylodactylus bintik</i>	NA	fixed	2.00	0.07	0.07	Oriental	no	5.60	Nocturnal	Arboreal	Scansorial	Oviparous	11				

Gekkonidae	<i>Hemiphyllodactylus insulari</i> : Hemiphyllodactylus insularis	fixed	2.00	0.10	-0.02	Oriental	yes	10.31	Nocturnal	NA	NA	Oviparous	11.3	26.3	2058	50.6	608.8
Gekkonidae	<i>Hemiphyllodactylus khlong</i> NA	fixed	2.00	0.27	0.19	Oriental	no	16.09	Nocturnal	Saxicolous	Scansorial	Oviparous	11.8	21.7	1444	78	1613.0
Gekkonidae	<i>Hemiphyllodactylus kiziriani</i> : Hemiphyllodactylus kiziriani	fixed	2.00	0.21	0.15	Oriental	no	19.81	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	23.5	1204	84.5	2621.5
Gekkonidae	<i>Hemiphyllodactylus limnway</i> NA	fixed	2.00	0.23	0.16	Oriental	no	21.22	Nocturnal	Arboreal&Saxicolo	Scansorial	NA	11.6	20.2	1178	83	2926.0
Gekkonidae	<i>Hemiphyllodactylus montaw</i> NA	fixed	2.00	0.18	0.18	Oriental	no	20.78	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	22	1577	90	2868.0
Gekkonidae	<i>Hemiphyllodactylus tehtarik</i> : Hemiphyllodactylus tehtarik	fixed	2.00	0.19	0.19	Oriental	no	5.60	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	NA	NA	NA	NA
Gekkonidae	<i>Hemiphyllodactylus titiwang</i> : Hemiphyllodactylus titiwangsensis	fixed	1.90	0.71	0.50	Oriental	no	4.39	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	12.0	24.6	2320	31.9	695.8
Gekkonidae	<i>Hemiphyllodactylus tonywhi</i> NA	fixed	2.00	0.14	0.12	Oriental	no	21.19	Nocturnal	Saxicolous	Scansorial	NA	11.6	20.3	1168	82	2921.0
Gekkonidae	<i>Hemiphyllodactylus typus</i> : Hemiphyllodactylus typus	fixed	2.00	0.67	0.16	Oriental	no	1.91	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	25.3	2688	40.6	604.7
Gekkonidae	<i>Hemiphyllodactylus uga</i> NA	fixed	2.00	0.15	0.09	Oriental	no	22.03	Nocturnal	Arboreal	Scansorial	NA	NA	NA	NA	NA	
Gekkonidae	<i>Hemiphyllodactylus yunnane</i> : Hemiphyllodactylus yunnanensis	fixed	1.00	0.54	0.20	Oriental	no	21.87	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	20.3	1496	81.8	3845.0
Gekkonidae	<i>Hemiphyllodactylus ywanga</i> NA	fixed	2.00	0.12	0.12	Oriental	no	21.15	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Heteronotia atra</i>	fixed	2.00	0.72	NA	Australia	no	21.14	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	27	331	98.6	4345.4
Gekkonidae	<i>Heteronotia binoei</i>	fixed	1.85	0.56	0.40	Australia	no	24.51	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.0	22.7	442	61.7	4999.6
Gekkonidae	<i>Heteronotia planiceps</i>	fixed	2.00	0.56	NA	Australia	no	16.35	Nocturnal	Saxicolous	Scansorial	Oviparous	11.2	27.3	784	114.9	3023.4
Gekkonidae	<i>Heteronotia spelea</i>	fixed	2.00	0.58	NA	Australia	no	22.30	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	25.3	371	80	5379.6
Gekkonidae	<i>Homopholis fasciata</i>	fixed	2.00	1.04	1.03	Afrotropic	no	0.53	Nocturnal	Arboreal	Scansorial	Oviparous	11.1	25.9	342	104	1370.3
Gekkonidae	<i>Homopholis mulleri</i>	fixed	1.50	1.03	NA	Afrotropic	no	22.87	Nocturnal	Arboreal	Scansorial	Oviparous	11.5	21	671	81.5	3519.0
Gekkonidae	<i>Homopholis walbergii</i>	fixed	2.00	1.53	1.21	Afrotropic	no	24.97	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	21.6	673	75.5	3149.7
Gekkonidae	<i>Kolekanos plumicaudus</i>	fixed	1.00	0.37	0.31	Afrotropic	no	16.60	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.6	24.9	150	121.3	1759.8
Gekkonidae	<i>Lepidodactylus buleli</i>	fixed	2.00	0.10	0.10	Oceania	yes	14.96	Nocturnal	Arboreal	Scansorial	Oviparous	12.0	NA	NA	NA	NA
Gekkonidae	<i>Lepidodactylus euadensis</i>	fixed	2.00	0.45	0.35	Oceania	yes	21.37	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	23.3	1881	28.1	1716.2
Gekkonidae	<i>Lepidodactylus gardineri</i>	fixed	2.00	0.53	0.45	Oceania	yes	12.50	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	27	3745	16.5	382.8
Gekkonidae	<i>Lepidodactylus guppyi</i>	fixed	2.00	0.55	0.34	Oceania	yes	7.65	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	25.2	3599	25.2	369.8
Gekkonidae	<i>Lepidodactylus intermedius</i>	fixed	1.70	0.24	NA	Oceania	yes	8.45	NA	Arboreal	Scansorial	NA	11.3	25.7	1835	59	603.0
Gekkonidae	<i>Lepidodactylus listeri</i>	fixed	2.00	0.48	NA	Oriental	yes	10.49	Nocturnal	Arboreal	Scansorial	Oviparous	10.8	25.3	2200	60	687.4
Gekkonidae	<i>Lepidodactylus lugubris</i>	fixed	1.50	0.47	0.20	Oriental	no	12.59	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	24.5	1956	75.7	2520.1
Gekkonidae	<i>Lepidodactylus magnus</i>	fixed	2.00	0.87	0.69	Oceania	yes	6.00	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	18.9	2961	31.6	267.4
Gekkonidae	<i>Lepidodactylus manni</i>	fixed	2.00	0.40	0.26	Oceania	yes	17.45	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.4	24.1	2498	48.2	1141.1
Gekkonidae	<i>Lepidodactylus moestus</i>	fixed	1.84	0.32	0.04	Oceania	yes	6.97	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	27.1	4628	17.5	143.4
Gekkonidae	<i>Lepidodactylus novaeguinea</i>	fixed	2.00	0.32	0.13	Oceania	yes	4.52	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	23.7	2796	27	304.3
Gekkonidae	<i>Lepidodactylus orientalis</i>	fixed	1.80	0.27	0.23	Oceania	yes	8.99	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	25.2	1897	47.1	590.7
Gekkonidae	<i>Lepidodactylus planicaudus</i>	fixed	2.00	0.23	0.07	Oriental	yes	11.67	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	26.4	2513	49.1	685.2
Gekkonidae	<i>Lepidodactylus pumilus</i>	fixed	2.00	0.40	NA	Oceania	yes	9.01	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	26.1	1809	59.3	839.7
Gekkonidae	<i>Lepidodactylus ranauensis</i>	fixed	2.00	0.39	NA	Oriental	yes	5.96	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	20.9	2570	28.1	504.4
Gekkonidae	<i>Lepidodactylus vanuatuensis</i>	fixed	2.00	0.38	0.30	Oceania	yes	15.86	Nocturnal	Arboreal	Scansorial	Oviparous	11.3	24	2914	32.8	1000.2
Gekkonidae	<i>Lepidodactylus yami</i>	fixed	2.00	0.24	0.00	Oriental	yes	22.05	Nocturnal	Arboreal	Scansorial	Oviparous	10.7	24.3	3294	29.8	2789.4
Gekkonidae	<i>Luperosaurus browni</i>	fixed	2.00	0.79	NA	Oriental	no	3.05	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	27	2392	23.5	446.5
Gekkonidae	<i>Luperosaurus corfieldi</i>	fixed	2.00	1.22	1.02	Oriental	yes	10.01	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	25.2	3178	58.2	639.4
Gekkonidae	<i>Luperosaurus cumingii</i>	fixed	2.00	1.11	1.09	Oriental	yes	15.92	Nocturnal	NA	NA	Oviparous	11.5	25.4	2519	69.3	1204.2
Gekkonidae	<i>Lygodactylus angolensis</i>	fixed	2.00	0.05	-0.03	Afrotropic	no	11.68	Diurnal	Arboreal	Scansorial	Oviparous	11.7	21.1	1075	101.4	2091.6
Gekkonidae	<i>Lygodactylus angularis</i>	fixed	2.00	0.35	0.15	Afrotropic	no	11.24	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	21.1	1193	98.5	1949.0
Gekkonidae	<i>Lygodactylus bernardi</i>	fixed	2.00	0.18	NA	Afrotropic	no	18.33	NA	Saxicolous	Scansorial	Oviparous	11.8	17.6	1237	95	2661.8
Gekkonidae	<i>Lygodactylus bivittis</i>	fixed	2.00	0.06	-0.15	Madagascar	yes	16.46	Diurnal	Arboreal	Scansorial	Oviparous	12.0	19.7	2589	51.7	2051.3
Gekkonidae	<i>Lygodactylus brafieldi</i>	fixed	2.00	-0.16	NA	Afrotropic	no	21.49	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.2	21.2	399	104.1	3853.1
Gekkonidae	<i>Lygodactylus capensis</i>	fixed	1.97	0.27	-0.15	Afrotropic	no	15.06	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	21.6	929	95.3	2408.7
Gekkonidae	<i>Lygodactylus chobiensis</i>	fixed	2.00	0.30	0.10	Afrotropic	no	16.12	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	22.1	822	112.4	2802.8
Gekkonidae	<i>Lygodactylus conraui</i>	fixed	2.00	0.18	-0.09	Afrotropic	no	5.85	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.3	1994	62.3	1002.5
Gekkonidae	<i>Lygodactylus depressus</i>	fixed	2.00	0.12	0.02	Afrotropic	no	2.59	Diurnal	Arboreal	Scansorial	NA	12.0	23.1	1663	48.9	776.3
Gekkonidae	<i>Lygodactylus gravis</i>	fixed	2.00	0.24	0.04	Afrotropic	no	4.60	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	23.1	1015	59.4	1643.5
Gekkonidae	<i>Lygodactylus grotei</i>	fixed	2.00	-0.08	-0.08	Afrotropic	no	11.65	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.9	1105	102.7	1725.7
Gekkonidae	<i>Lygodactylus gutturalis</i>	fixed	2.00	0.32	-0.01	Afrotropic	no	4.38	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.2	1239	80.6	1564.8
Gekkonidae	<i>Lygodactylus insularis</i>	fixed	2.00	-0.16	NA	Afrotropic	yes	17.06	Diurnal	Arboreal	Scansorial	Oviparous	10.9	NA	NA	NA	NA
Gekkonidae	<i>Lygodactylus keniensis</i>	fixed	2.00	0.24	0.02	Afrotropic	no	3.46	Diurnal	Arboreal	Scansorial	Oviparous	11.4	24.2	662	76.9	1002.7
Gekkonidae	<i>Lygodactylus kimhowelli</i>	fixed	2.00	0.04	NA	Afrotropic	no	4.66	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.3	1307	49.6	1449.4
Gekkonidae	<i>Lygodactylus klugei</i>	fixed	1.91	-0.01	-0.20	Neotropic	no	8.07	Diurnal	Arboreal	Scansorial	Oviparous	11.7	26.7	685	92.5	1167.7
Gekkonidae	<i>Lygodactylus laterimaculatu</i> NA	fixed	2.00	-0.08	NA	Afrotropic	no	3.55	Diurnal	Arboreal	Scansorial	Oviparous	11.6	22.8	709	75.9	1603.0
Gekkonidae	<i>Lygodactylus lawrencei</i>	fixed	2.00	-0.01	NA	Afrotropic	no	18.68	Diurnal	Arboreal	Scansorial	NA	11.0	21.7	238	121.9	2350.7
Gekkonidae	<i>Lygodactylus manni</i>	fixed	2.00	0.24	0.09	Afrotropic	no	1.03	Diurnal	Arboreal	Scansorial	Oviparous	11.8	20.2	1212	42.5	800.2
Gekkonidae	<i>Lygodactylus methueni</i>	fixed	2.00	0.24	NA	Afrotropic	no	23.82	NA	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	20.9	706	80.8	3346.5
Gekkonidae	<i>Lygodactylus mirabilis</i>	fixed	1.00	-0.19	-0.36	Madagascar	yes	19.34	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	13	1878	96	2195.5
Gekkonidae	<i>Lygodactylus mombasicus</i>	fixed	2.00	0.15	0.04	Afrotropic	no	4.52	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.1	1014	53.3	1477.2
Gekkonidae	<i>Lygodactylus nigropunctatus</i>	fixed	2.00	0.12	NA	Afrotropic	no	24.37	NA	Saxicolous	Scansorial	Oviparous	11.5	19.1	646	79.6	3685.5
Gekkonidae	<i>Lygodactylus ocellatus</i>	fixed	2.00	0.12	-0.29	Afrotropic	no	25.29	NA	Saxicolous	Scansorial	Oviparous	11.6	17.2	821	75.5	3446.6
Gekkonidae	<i>Lygodactylus pauliani</i>	fixed	2.00	0.05	-0.13	Madagascar	yes	20.62	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	16.9	948	109	2200.0
Gekkonidae	<i>Lygodactylus picturatus</i>	fixed	2.00	0.27	0.03	Afrotropic	no	2.45	Diurnal	Arboreal	Scansorial	Oviparous	11.5	26.2	766	91	1711.1
Gekkonidae	<i>Lygodactylus pictus</i>	fixed	2.00	0.21	-0.10	Madagascar	yes	21.49	Diurnal	Arboreal	Scansorial	Oviparous	11.8	18.4	1358	79.8	2454.4
Gekkonidae	<i>Lygodactylus scheffleri</i>	fixed	2.00</td														

Gekkonidae	<i>Lygodactylus scorecii</i>	Lygodactylus scorecii	fixed	2.00	0.02	NA	Afrotropic	no	2.73	Diurnal	Arboreal	Scansorial	Oviparous	11.3	26	488	98.1	1187.0
Gekkonidae	<i>Lygodactylus somalicus</i>	Lygodactylus somalicus	fixed	2.00	-0.06	-0.16	Afrotropic	no	4.45	Diurnal	Arboreal	Scansorial	Oviparous	11.2	24.8	492	100.2	1121.4
Gekkonidae	<i>Lygodactylus thomensis</i>	Lygodactylus thomensis	fixed	2.00	0.08	-0.23	Afrotropic	yes	0.81	Diurnal	Arboreal&Terrestrial	Scansorial	Oviparous	10.9	24.4	1535	65.3	1127.4
Gekkonidae	<i>Lygodactylus tuberosus</i>	Lygodactylus tuberosus	fixed	1.50	0.13	-0.19	Madagascar	yes	23.98	Diurnal	Arboreal	Scansorial	NA	11.5	23.8	668	94.5	2431.0
Gekkonidae	<i>Lygodactylus verticillatus</i>	Lygodactylus verticillatus	fixed	1.50	0.02	-0.41	Madagascar	yes	23.80	Diurnal	Arboreal&Saxicolous	Scansorial	Oviparous	11.5	23.6	690	97.1	2465.8
Gekkonidae	<i>Lygodactylus williamsi</i>	Lygodactylus williamsi	fixed	2.00	-0.01	NA	Afrotropic	no	7.00	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.1	1176	68.3	1388.3
Gekkonidae	<i>Matoatoa spannringi</i>	Matoatoa spannringi	fixed	2.00	0.63	0.58	Madagascar	yes	21.76	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	21.5	1765	59.1	2465.6
Gekkonidae	<i>Mediodactylus amictophilus</i>	Mediodactylus amictophilus	fixed	1.00	0.05	-0.01	Paleartic	no	33.31	Diurnal	Saxicolous	Scansorial	Oviparous	11.3	14.1	659	102.4	5702.0
Gekkonidae	<i>Mediodactylus brachykolon</i>	Mediodactylus brachykolon	fixed	2.00	0.48	0.47	Oriental	no	34.52	Nocturnal	NA	NA	Oviparous	11.5	13.9	1319	54.3	7115.3
Gekkonidae	<i>Mediodactylus danilewskii</i>	NA	fixed	1.50	0.46	0.30	Paleartic	no	39.64	Nocturnal	NA	NA	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Mediodactylus heterocercus</i>	Mediodactylus heterocercus	fixed	2.00	0.50	NA	Paleartic	no	35.92	Nocturnal	Saxicolous	Scansorial	Oviparous	11.0	14.6	497	78.5	9483.0
Gekkonidae	<i>Mediodactylus heteropholis</i>	Mediodactylus heteropholis	fixed	1.50	0.20	0.09	Paleartic	no	34.04	Nocturnal	Saxicolous	Scansorial	Oviparous	11.0	19	511	91.8	9687.0
Gekkonidae	<i>Mediodactylus kotschyi</i>	Mediodactylus kotschyi	fixed	1.63	0.58	0.20	Paleartic	no	39.44	Cathemeral	Arboreal&Saxicolous	Scansorial	Oviparous	11.2	13.3	629	54.6	7335.8
Gekkonidae	<i>Mediodactylus oertzeni</i>	NA	fixed	1.50	0.28	0.17	Paleartic	yes	36.09	Cathemeral	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Mediodactylus orientalis</i>	NA	fixed	1.50	0.40	0.19	Paleartic	no	36.81	Cathemeral	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Mediodactylus russowii</i>	Mediodactylus russowii	fixed	1.50	0.52	0.24	Paleartic	no	41.92	Cathemeral	Arboreal&Saxicolous	Scansorial	Oviparous	10.5	12.5	204	56.6	10966.7
Gekkonidae	<i>Mediodactylus spinicauda</i>	Mediodactylus spinicauda	fixed	1.50	0.40	0.16	Paleartic	no	37.28	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.7	16.3	267	67	9280.4
Gekkonidae	<i>Mediodactylus steven anderseni</i>	Mediodactylus steven andersoni	fixed	1.50	0.07	-0.03	Paleartic	no	33.80	Nocturnal	NA	NA	Oviparous	10.9	12.4	425	82.6	9616.2
Gekkonidae	<i>Microgecko helenae</i>	Microgecko helenae	fixed	1.00	0.10	NA	Paleartic	no	32.03	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	17.3	468	98.2	9326.9
Gekkonidae	<i>Microgecko persicus</i>	Microgecko persicus	fixed	1.00	0.05	-0.14	Oriental	no	27.34	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.5	24.8	219	110.6	6956.5
Gekkonidae	<i>Nactus eboraensis</i>	Nactus eboraensis	fixed	2.00	0.63	0.40	Australia	no	12.65	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.6	26	1557	111.7	1329.2
Gekkonidae	<i>Nactus multicarinatus</i>	Nactus multicarinatus	fixed	2.00	0.73	0.53	Oceania	yes	9.43	Nocturnal	Arboreal&Terrestrial	Scansorial	Oviparous	11.3	23.5	3005	29.1	542.1
Gekkonidae	<i>Nactus pelagicus</i>	Nactus pelagicus	fixed	1.90	1.01	0.60	Oceania	yes	8.10	Nocturnal	Arboreal&Saxicolous	Scansorial	Oviparous	11.5	22.5	2924	34	499.6
Gekkonidae	<i>Nactus serpensinsula</i>	Nactus serpensinsula	fixed	1.00	0.76	NA	Afrotropic	yes	19.84	Nocturnal	Saxicolous	Scansorial	Oviparous	NA	24.8	1497	53	1832.0
Gekkonidae	<i>Nactus sphaerodactyloides</i>	Nactus sphaerodactyloides	fixed	1.00	-0.34	-0.40	Oceania	yes	10.30	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	26.7	3241	22.1	702.9
Gekkonidae	<i>Narudasia festiva</i>	Narudasia festiva	fixed	2.00	-0.12	NA	Afrotropic	no	24.44	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	20.1	189	114.6	4263.8
Gekkonidae	<i>Pachydactylus acuminatus</i>	Pachydactylus acuminatus	fixed	1.00	0.45	NA	Afrotropic	no	26.23	Nocturnal	Saxicolous	Scansorial	Oviparous	10.7	18.9	137	105.1	4601.2
Gekkonidae	<i>Pachydactylus affinis</i>	Pachydactylus affinis	fixed	1.00	0.82	NA	Afrotropic	no	24.63	NA	Saxicolous&Terres	Scansorial	Oviparous	11.5	18.7	628	80.1	3926.5
Gekkonidae	<i>Pachydactylus amoenus</i>	Pachydactylus amoenus	fixed	2.00	0.05	NA	Afrotropic	no	29.30	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	19	87	59	3324.2
Gekkonidae	<i>Pachydactylus atorquatus</i>	Pachydactylus atorquatus	fixed	2.00	0.55	0.45	Afrotropic	no	28.86	Nocturnal	Saxicolous	Scansorial	Oviparous	10.7	20.8	103	76.9	5394.3
Gekkonidae	<i>Pachydactylus austeni</i>	Pachydactylus austeni	fixed	2.00	0.37	0.32	Afrotropic	no	31.30	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.1	18	251	63.5	3475.6
Gekkonidae	<i>Pachydactylus barnardi</i>	Pachydactylus barnardi	fixed	1.00	0.72	NA	Afrotropic	no	29.87	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	17.4	144	57.3	3683.9
Gekkonidae	<i>Pachydactylus bicolor</i>	Pachydactylus bicolor	fixed	2.00	0.27	0.27	Afrotropic	no	21.26	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	20.6	245	120.8	3212.3
Gekkonidae	<i>Pachydactylus boehmei</i>	Pachydactylus boehmei	fixed	2.00	0.31	0.23	Afrotropic	no	19.18	Nocturnal	Saxicolous	Scansorial	Oviparous	11.4	20.4	563	110	3575.0
Gekkonidae	<i>Pachydactylus capensis</i>	Pachydactylus capensis	fixed	1.97	0.82	0.71	Afrotropic	no	25.10	Nocturnal	Arboreal&Saxicolous	Scansorial	Oviparous	11.1	19.6	384	83.6	4668.4
Gekkonidae	<i>Pachydactylus carinatus</i>	Pachydactylus carinatus	fixed	2.00	0.34	0.33	Afrotropic	no	28.09	Nocturnal	Saxicolous	Scansorial	Oviparous	10.8	18.9	166	82.7	4983.8
Gekkonidae	<i>Pachydactylus fasciatus</i>	Pachydactylus fasciatus	fixed	1.50	0.58	0.51	Afrotropic	no	21.98	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	20.7	171	121.9	2949.3
Gekkonidae	<i>Pachydactylus formosus</i>	Pachydactylus formosus	fixed	1.00	0.67	NA	Afrotropic	no	32.53	NA	Saxicolous&Terres	Scansorial	Oviparous	11.1	16.2	305	49.9	4464.9
Gekkonidae	<i>Pachydactylus geitje</i>	Pachydactylus geitje	fixed	2.00	0.32	NA	Afrotropic	no	33.07	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.2	16.2	367	42.8	4094.6
Gekkonidae	<i>Pachydactylus griffini</i>	Pachydactylus griffini	fixed	2.00	0.16	-0.05	Afrotropic	no	27.49	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	20	160	98.6	5445.5
Gekkonidae	<i>Pachydactylus haackei</i>	Pachydactylus haackei	fixed	1.50	1.09	NA	Afrotropic	no	27.23	Cathemeral	Saxicolous	Scansorial	Oviparous	10.7	19.9	120	93.2	4824.5
Gekkonidae	<i>Pachydactylus katanganus</i>	Pachydactylus katanganus	fixed	1.00	0.61	NA	Afrotropic	no	9.11	NA	Terrestrial	Terrestrial	NA	11.8	22.1	1195	86.3	1363.8
Gekkonidae	<i>Pachydactylus kobosensis</i>	Pachydactylus kobosensis	fixed	2.00	0.53	0.45	Afrotropic	no	23.44	Nocturnal	Saxicolous	Scansorial	Oviparous	11.0	19.1	242	118.2	4348.0
Gekkonidae	<i>Pachydactylus kochii</i>	NA	fixed	2.00	0.67	NA	Afrotropic	no	21.08	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	21.2	134	131	2414.7
Gekkonidae	<i>Pachydactylus labialis</i>	Pachydactylus labialis	fixed	1.00	0.35	NA	Afrotropic	no	30.66	NA	Terrestrial	Terrestrial	NA	11.0	17.2	215	53.8	4246.8
Gekkonidae	<i>Pachydactylus latirostris</i>	NA	fixed	2.00	0.63	0.63	Afrotropic	no	27.96	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	19.4	160	82.4	5112.1
Gekkonidae	<i>Pachydactylus macrolepis</i>	NA	fixed	2.00	0.50	0.50	Afrotropic	no	29.66	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	17.5	120	57.2	3572.0
Gekkonidae	<i>Pachydactylus maculatus</i>	Pachydactylus maculatus	fixed	2.00	0.63	0.48	Afrotropic	no	30.93	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.4	16.8	619	48	3567.3
Gekkonidae	<i>Pachydactylus maraisi</i>	Pachydactylus maraisi	fixed	2.00	0.21	0.13	Afrotropic	no	22.39	Nocturnal	Saxicolous	Scansorial	Oviparous	10.1	20.9	15	157.7	1689.4
Gekkonidae	<i>Pachydactylus mariquensis</i>	Pachydactylus mariquensis	fixed	2.00	0.63	0.56	Afrotropic	no	31.52	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	17.2	276	57.5	4957.7
Gekkonidae	<i>Pachydactylus melanclani</i>	Pachydactylus melanclani	fixed	2.00	0.42	0.26	Afrotropic	no	27.67	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.7	19.3	130	94.4	5044.9
Gekkonidae	<i>Pachydactylus monicae</i>	Pachydactylus monicae	fixed	2.00	0.46	0.40	Afrotropic	no	27.86	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.6	19.9	69	68.2	4046.5
Gekkonidae	<i>Pachydactylus montanus</i>	Pachydactylus montanus	fixed	2.00	0.28	NA	Afrotropic	no	27.12	Nocturnal	Saxicolous	Scansorial	Oviparous	10.7	19.8	116	86.9	4768.2
Gekkonidae	<i>Pachydactylus namaquensis</i>	Pachydactylus namaquensis	fixed	2.00	1.09	1.06	Afrotropic	no	29.33	Cathemeral	Saxicolous	Scansorial	Oviparous	10.8	17.4	131	53.3	3901.8
Gekkonidae	<i>Pachydactylus oculatus</i>	Pachydactylus oculatus	fixed	2.00	0.52	NA	Afrotropic	no	31.74	Nocturnal	Saxicolous	Scansorial	Oviparous	11.1	15.7	353	48.1	4745.1
Gekkonidae	<i>Pachydactylus oshaughnessyi</i>	Pachydactylus oshaughnessyi	fixed	1.00	0.63	NA	Afrotropic	no	16.24	NA	Terrestrial	Terrestrial	NA	11.6	21.1	806	109.8	2907.5
Gekkonidae	<i>Pachydactylus otaviensis</i>	Pachydactylus otaviensis	fixed	2.00	0.27	NA	Afrotropic	no	19.34	Nocturnal	Saxicolous	Scansorial	Oviparous	11.4	19.6	674	107	3556.0
Gekkonidae	<i>Pachydactylus parascutatus</i>	Pachydactylus parascutatus	fixed	2.00	0.13	0.09	Afrotropic	no	18.30	Nocturnal	Saxicolous	Scansorial	Oviparous	10.7	23.2	108	136.6	2140.9
Gekkonidae	<i>Pachydactylus punctatus</i>	Pachydactylus punctatus	fixed	2.00	0.24	0.07	Afrotropic	no	17.90	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	21.6	710	104	2963.1
Gekkonidae	<i>Pachydactylus purcelli</i>	Pachydactylus purcelli	fixed	2.00	0.47	NA	Afrotropic	no	29.82	Nocturnal	Saxicolous	Scansorial	Oviparous	10.8	18.2	177	68	5212.5
Gekkonidae	<i>Pachydactylus rangei</i>	Pachydactylus rangei	fixed	2.00	1.01	0.86	Afrotropic	no	22.73	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.5	20.7	71	109.1	2579.2
Gekkonidae	<i>Pachydactylus reconditus</i>	Pachydactylus reconditus	fixed	2.00	0.31	0.21	Afrotropic	no	22.20	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	20.2	231	118.6	3721.6
Gekkonidae	<i>Pachydactylus robertsi</i>	Pachydactylus robertsi	fixed	2.00	0.24	NA	Afrotropic	no	27.12	Nocturnal	Saxicolous	Scansorial	Oviparous	10.8	19.6	156	98	5324.0
Gekkonidae	<i>Pachydactylus rugosus</i>	Pachydactylus rugosus	fixed	2.00	0.78	0.58	Afrotropic	no	24.53	Nocturnal								

Gekkonidae	<i>Pachydactylus tsodiloensis</i>	Pachydactylus tsodiloensis	fixed	1.95	0.67	0.59	Afrotropic	no	18.70	Nocturnal	Saxicolous	Scansorial	Oviparous	11.4	NA	NA	NA	NA
Gekkonidae	<i>Pachydactylus vansonii</i>	Pachydactylus vansonii	fixed	2.00	0.65	0.34	Afrotropic	no	25.65	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	19.7	726	73.3	3247.1
Gekkonidae	<i>Pachydactylus visseri</i>	Pachydactylus visseri	fixed	2.00	0.41	0.16	Afrotropic	no	27.81	Nocturnal	Saxicolous	Scansorial	Oviparous	10.6	18.9	67	49.7	3369.8
Gekkonidae	<i>Pachydactylus wahlbergii</i>	Colopus wahlbergii	fixed	2.00	0.69	0.65	Afrotropic	no	22.18	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.2	21.4	373	93	4589.6
Gekkonidae	<i>Pachydactylus waterbergensis</i>	Pachydactylus waterbergensis	fixed	2.00	0.43	0.43	Afrotropic	no	20.50	Nocturnal	Saxicolous	Scansorial	Oviparous	11.3	19.5	522	111.9	3907.9
Gekkonidae	<i>Pachydactylus weberi</i>	Pachydactylus weberi	fixed	2.00	0.45	NA	Afrotropic	no	25.80	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	19.3	205	93.2	3764.3
Gekkonidae	<i>Pachydactylus wernerii</i>	Pachydactylus wernerii	fixed	1.00	0.51	NA	Afrotropic	no	23.17	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.4	20.9	67	123.5	2668.3
Gekkonidae	<i>Paragehyra gabriellae</i>	Paragehyra gabriellae	fixed	2.00	0.94	NA	Madagascar	yes	24.82	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	20.6	1819	38.8	2166.4
Gekkonidae	<i>Paroedura androyensis</i>	Paroedura androyensis	fixed	2.00	0.37	0.20	Madagascar	yes	24.39	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.5	23.7	766	79.8	2374.3
Gekkonidae	<i>Paroedura bastardi</i>	Paroedura bastardi	fixed	2.00	1.07	NA	Madagascar	yes	21.82	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	23.9	907	109.2	2138.2
Gekkonidae	<i>Paroedura gracilis</i>	Paroedura gracilis	fixed	2.00	0.89	NA	Madagascar	yes	16.50	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	21.6	2820	44.6	2038.6
Gekkonidae	<i>Paroedura ibityensis</i>	Paroedura ibityensis	fixed	2.00	0.69	0.57	Madagascar	yes	20.41	Cathemeral	Saxicolous	Scansorial	Oviparous	11.7	18.1	1073	105.3	2253.2
Gekkonidae	<i>Paroedura karstophila</i>	Paroedura karstophila	fixed	2.00	0.56	0.39	Madagascar	yes	15.60	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	24.5	1348	117.2	1359.4
Gekkonidae	<i>Paroedura kloki</i>	NA	fixed	2.00	0.71	0.71	Madagascar	yes	15.90	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Paroedura lohtsara</i>	Paroedura lohtsara	fixed	2.00	1.02	0.96	Madagascar	yes	12.44	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.2	25.7	1185	105.4	1137.3
Gekkonidae	<i>Paroedura masobe</i>	Paroedura masobe	fixed	2.00	1.41	1.32	Madagascar	yes	17.75	Nocturnal	Arboreal	Scansorial	Oviparous	12.0	20.9	3604	42.6	2122.4
Gekkonidae	<i>Paroedura oviceps</i>	Paroedura oviceps	fixed	2.00	0.87	NA	Madagascar	yes	13.85	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	24.9	1653	102.7	1229.7
Gekkonidae	<i>Paroedura picta</i>	Paroedura picta	fixed	1.89	1.41	0.95	Madagascar	yes	22.21	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.6	24.2	832	108.1	2173.9
Gekkonidae	<i>Paroedura stellata</i>	Paroedura stellata	fixed	2.00	0.70	NA	Madagascar	yes	12.82	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	26	1480	83.4	1131.4
Gekkonidae	<i>Paroedura stumpffi</i>	Paroedura stumpffi	fixed	2.00	0.93	NA	Madagascar	yes	14.96	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	26.1	1634	113.3	1143.1
Gekkonidae	<i>Paroedura tanjaka</i>	Paroedura tanjaka	fixed	2.00	1.30	1.07	Madagascar	yes	18.54	Cathemeral	Saxicolous	Scansorial	Oviparous	11.9	25	1311	118.8	1430.9
Gekkonidae	<i>Paroedura valiny</i>	Paroedura valiny	fixed	1.00	0.24	0.24	Madagascar	yes	22.10	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	24.2	624	120.1	2310.8
Gekkonidae	<i>Paroedura vazimba</i>	Paroedura vazimba	fixed	2.00	0.45	0.34	Madagascar	yes	15.56	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	26.7	1606	118.5	1285.7
Gekkonidae	<i>Parsigecko ziaezi</i>	NA	fixed	1.00	0.15	0.15	Palearctic	no	27.86	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.8	21.7	246	102	7405.0
Gekkonidae	<i>Perochirus ateles</i>	Perochirus ateles	fixed	2.05	1.15	0.54	Oceania	yes	11.89	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.8	26.8	3351	38.5	433.5
Gekkonidae	<i>Perochirus scutellatus</i>	Perochirus scutellatus	fixed	2.00	1.64	1.26	Oceania	yes	1.63	Cathemeral	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA
Gekkonidae	<i>Phelsuma abbotti</i>	Phelsuma abbotti	fixed	1.50	0.76	0.44	Madagascar	yes	14.08	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.4	1676	96	1224.5
Gekkonidae	<i>Phelsuma andamanensis</i>	Phelsuma andamanense	fixed	2.00	0.74	0.45	Oriental	yes	12.53	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.2	27	3033	76.4	647.2
Gekkonidae	<i>Phelsuma antanoy</i>	Phelsuma antanoy	fixed	2.00	0.40	NA	Madagascar	yes	24.95	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.3	23.4	1827	30.2	2067.3
Gekkonidae	<i>Phelsuma astrata</i>	Phelsuma astrata	fixed	2.00	0.67	0.44	Madagascar	yes	4.70	Diurnal	Arboreal	Scansorial	Oviparous	10.9	26.1	2539	42.6	681.8
Gekkonidae	<i>Phelsuma barbouri</i>	Phelsuma barbouri	fixed	1.50	0.74	0.70	Madagascar	yes	21.44	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.8	15.4	1562	80.3	2374.7
Gekkonidae	<i>Phelsuma berghofi</i>	Phelsuma berghofi	fixed	1.50	0.63	NA	Madagascar	yes	23.41	Diurnal	Arboreal	Scansorial	Oviparous	11.8	23.6	2198	43.6	2173.2
Gekkonidae	<i>Phelsuma borbonica</i>	Phelsuma borbonica	fixed	2.00	0.90	0.64	Afrotropic	yes	13.59	Diurnal	Arboreal	Scansorial	Oviparous	11.3	22.5	3373	66	1839.0
Gekkonidae	<i>Phelsuma breviceps</i>	Phelsuma breviceps	fixed	2.00	0.54	0.39	Madagascar	yes	23.39	Diurnal	Arboreal	Scansorial	Oviparous	11.5	24.6	481	103.7	2396.1
Gekkonidae	<i>Phelsuma cepediana</i>	Phelsuma cepediana	fixed	2.00	0.67	0.34	Madagascar	yes	20.29	Diurnal	Arboreal	Scansorial	Oviparous	11.4	23.5	1773	50.6	1808.8
Gekkonidae	<i>Phelsuma comorensis</i>	Phelsuma comorensis	fixed	2.00	0.58	0.45	Madagascar	yes	11.66	Diurnal	Arboreal	Scansorial	Oviparous	10.8	23	2433	51.3	1100.2
Gekkonidae	<i>Phelsuma dorsivittata</i>	Phelsuma dorsivittata	fixed	2.00	0.61	NA	Madagascar	yes	12.91	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24.2	1397	90.6	1166.9
Gekkonidae	<i>Phelsuma dubia</i>	Phelsuma dubia	fixed	2.00	0.85	0.52	Afrotropic	no	13.60	Diurnal	Arboreal	Scansorial	Oviparous	11.5	26.1	1431	99.1	1227.4
Gekkonidae	<i>Phelsuma grandis</i>	Phelsuma grandis	fixed	2.00	1.48	1.24	Madagascar	yes	14.02	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.7	2176	69	1482.7
Gekkonidae	<i>Phelsuma guentheri</i>	Phelsuma guentheri	fixed	1.50	1.84	1.45	Madagascar	yes	20.29	Cathemeral	Arboreal	Scansorial	Oviparous	11.3	23.4	1806	50.7	1817.8
Gekkonidae	<i>Phelsuma guimbeau</i>	Phelsuma guimbeau	fixed	2.00	0.85	0.51	Madagascar	yes	20.29	Diurnal	Arboreal	Scansorial	Oviparous	11.3	23.4	1806	50.7	1817.8
Gekkonidae	<i>Phelsuma guttata</i>	Phelsuma guttata	fixed	1.50	0.82	0.55	Madagascar	yes	15.63	Diurnal	Arboreal	Scansorial	Oviparous	11.8	22.1	2750	45.9	1890.0
Gekkonidae	<i>Phelsuma hoehschi</i>	Phelsuma hoehschi	fixed	2.00	0.07	-0.02	Madagascar	yes	19.26	Diurnal	Arboreal	Scansorial	Oviparous	11.5	23.1	2209	49.7	2263.2
Gekkonidae	<i>Phelsuma inexpectata</i>	Phelsuma inexpectata	fixed	1.50	0.63	0.40	Madagascar	yes	21.16	Diurnal	Arboreal	Scansorial	Oviparous	11.2	23.2	1416	70.8	1863.2
Gekkonidae	<i>Phelsuma kely</i>	Phelsuma kely	fixed	2.00	-0.05	NA	Madagascar	yes	18.60	Diurnal	Arboreal	Scansorial	Oviparous	10.8	NA	NA	NA	NA
Gekkonidae	<i>Phelsuma klemmeri</i>	Phelsuma klemmeri	fixed	1.50	0.27	NA	Madagascar	yes	14.36	Diurnal	Arboreal	Scansorial	Oviparous	11.6	25.7	2171	95.7	1046.4
Gekkonidae	<i>Phelsuma kochi</i>	Phelsuma kochi	fixed	1.50	1.45	1.10	Madagascar	yes	17.03	Diurnal	Arboreal	Scansorial	Oviparous	11.7	26	1468	122.2	1238.2
Gekkonidae	<i>Phelsuma laticauda</i>	Phelsuma laticauda	fixed	2.00	0.76	0.33	Madagascar	yes	14.01	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.3	2004	81.3	1329.1
Gekkonidae	<i>Phelsuma lineata</i>	Phelsuma lineata	fixed	1.88	0.76	0.26	Madagascar	yes	18.44	Diurnal	Arboreal	Scansorial	Oviparous	11.8	21	1985	74.7	2086.6
Gekkonidae	<i>Phelsuma madagascariensis</i>	Phelsuma madagascariensis	fixed	1.88	1.50	1.10	Madagascar	yes	18.67	Diurnal	Arboreal	Scansorial	Oviparous	11.7	21.9	2547	48.5	2184.1
Gekkonidae	<i>Phelsuma malamakibo</i>	Phelsuma malamakibo	fixed	2.00	0.69	0.43	Madagascar	yes	24.77	Diurnal	Saxicolous	Scansorial	Oviparous	11.9	19.4	1806	43.6	2213.1
Gekkonidae	<i>Phelsuma masoحاala</i>	Phelsuma masoحاala	fixed	2.50	0.37	0.37	Madagascar	yes	14.85	Diurnal	Arboreal	Scansorial	Oviparous	11.5	24.2	2419	36.7	1870.0
Gekkonidae	<i>Phelsuma modesta</i>	Phelsuma modesta	fixed	1.50	0.35	0.15	Madagascar	yes	24.56	Diurnal	Arboreal	Scansorial	Oviparous	11.5	23.8	797	76.1	2295.0
Gekkonidae	<i>Phelsuma mutabilis</i>	Phelsuma mutabilis	fixed	1.50	0.45	0.17	Madagascar	yes	22.88	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24	804	102.4	2328.0
Gekkonidae	<i>Phelsuma nigristriata</i>	Phelsuma nigristriata	fixed	1.50	0.32	NA	Madagascar	yes	12.82	Diurnal	Arboreal	Scansorial	Oviparous	10.9	26	1482	83.4	1131.7
Gekkonidae	<i>Phelsuma ornata</i>	Phelsuma ornata	fixed	2.00	0.65	0.33	Madagascar	yes	20.24	Diurnal	Arboreal	Scansorial	Oviparous	11.3	24.1	1656	52.1	1838.5
Gekkonidae	<i>Phelsuma parkeri</i>	Phelsuma parkeri	fixed	2.00	0.84	0.76	Afrotropic	yes	5.17	Diurnal	Arboreal	Scansorial	Oviparous	10.9	26.3	1685	81	1149.0
Gekkonidae	<i>Phelsuma parva</i>	Phelsuma parva	fixed	2.00	0.05	NA	Madagascar	yes	21.55	Diurnal	Arboreal	Scansorial	Oviparous	11.7	22.8	2150	48.5	2290.8
Gekkonidae	<i>Phelsuma pronki</i>	Phelsuma pronki	fixed	2.00	0.45	0.44	Madagascar	yes	18.83	Diurnal	Arboreal	Scansorial	Oviparous	11.9	17.9	1679	89.3	2451.7
Gekkonidae	<i>Phelsuma pusilla</i>	Phelsuma pusilla	fixed	2.00	0.09	0.02	Madagascar	yes	17.72	Diurnal	Arboreal	Scansorial	Oviparous	11.8	21.5	2592	48.7	2150.7
Gekkonidae	<i>Phelsuma quadriocellata</i>	Phelsuma quadriocellata	fixed	2.00	0.69	0.20	Madagascar	yes	18.96	Diurnal	Arboreal	Scansorial	Oviparous	11.8	20	2166	60.7	2205.4
Gekkonidae	<i>Phelsuma robertmertensi</i>	Phelsuma robertmertensi	fixed	1.50	0.45	0.18	Madagascar	yes	12.82	Diurnal	Arboreal	Scansorial	Oviparous	10.9	26	1482	83.4	1131.7
Gekkonidae	<i>Phelsuma rosangularis</i>	Phelsuma rosangularis	fixed	2.00	0.84	NA	Madagascar	yes	20.29	Diurnal	Arboreal	Scansorial	Oviparous	11.3	23.4	1806	50.7	1817.8
Gekkonidae	<i>Phelsuma seippi</i>	Phelsuma seippi	fixed	1.50	0.56	NA	Madagascar	yes	13.87	Diurnal	Arboreal	Scansorial	Oviparous	1				

Gekkonidae	<i>Pseudoceramodactylus khob</i>	Pseudoceramodactylus khobarensis	fixed	1.50	0.84	0.54	Paleartic	no	23.80	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.2	28.6	69	124.9	6210.4
Gekkonidae	<i>Pseudogekko brevipes</i>	Pseudogekko brevipes	fixed	2.00	0.54	0.15	Oriental	yes	10.92	Nocturnal	Arboreal	Scansorial	Oviparous	11.4	26.4	2593	40.8	6462
Gekkonidae	<i>Pseudogekko chavacano</i>	NA	fixed	2.00	0.58	0.56	Oriental	yes	7.65	Nocturnal	NA	NA	Oviparous	11.6	24.3	2255	51	348.5
Gekkonidae	<i>Pseudogekko compresicorpu</i>	Pseudogekko compresicorpus	fixed	2.00	0.71	0.61	Oriental	yes	10.13	Nocturnal	Arboreal	Scansorial	Oviparous	11.5	25.4	2441	50.7	832.2
Gekkonidae	<i>Pseudogekko smaragdinus</i>	Pseudogekko smaragdinus	fixed	2.00	0.75	0.61	Oriental	yes	14.58	Nocturnal	Arboreal	Scansorial	Oviparous	11.1	26.9	3688	47.3	996.8
Gekkonidae	<i>Ptenopus carpi</i>	Ptenopus carpi	fixed	2.00	0.68	NA	Afrotropic	no	20.62	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.3	21.3	44	142.3	1864.8
Gekkonidae	<i>Ptenopus garrulus</i>	Ptenopus garrulus	fixed	1.50	0.73	0.40	Afrotropic	no	24.77	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	20.2	256	91.4	4552.7
Gekkonidae	<i>Ramigekko swarbergensis</i>	Ramigekko swarbergensis	fixed	2.00	0.97	NA	Afrotropic	no	33.44	Saxicolous	Scansorial	Oviparous	11.1	15.9	293	20.5	4192.4	
Gekkonidae	<i>Rhoptropella ocellata</i>	Rhoptropella ocellata	fixed	2.00	0.35	0.04	Afrotropic	no	29.19	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	17.7	123	59.5	3714.4
Gekkonidae	<i>Rhoptropus afer</i>	Rhoptropus afer	fixed	2.00	0.56	NA	Afrotropic	no	20.70	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	21.9	64	132.8	2072.7
Gekkonidae	<i>Rhoptropus barnardi</i>	Rhoptropus barnardi	fixed	2.00	0.42	0.30	Afrotropic	no	19.25	Diurnal	Saxicolous	Scansorial	Oviparous	11.0	22.5	257	121.2	2100.3
Gekkonidae	<i>Rhoptropus boultoni</i>	Rhoptropus boultoni	fixed	2.00	0.92	0.39	Afrotropic	no	19.09	Diurnal	Arboreal&Saxicolous	Scansorial	Oviparous	11.1	21.4	354	118.9	2455.6
Gekkonidae	<i>Rhoptropus bradfieldi</i>	Rhoptropus bradfieldi	fixed	2.00	0.85	0.42	Afrotropic	no	21.86	Diurnal	Saxicolous	Scansorial	Oviparous	10.4	21.1	52	130.6	2286.3
Gekkonidae	<i>Stenodactylus doriae</i>	Stenodactylus doriae	fixed	1.81	1.06	0.73	Paleartic	no	23.69	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.4	26.1	86	106.7	6780.5
Gekkonidae	<i>Stenodactylus grandiceps</i>	Stenodactylus grandiceps	fixed	2.00	0.69	0.55	Paleartic	no	33.00	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.6	20	138	83.9	8437.3
Gekkonidae	<i>Stenodactylus leptocosymbot</i>	Stenodactylus leptocosymbotes	fixed	2.00	1.01	0.86	Paleartic	no	20.46	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.3	27.7	70	103.1	4592.0
Gekkonidae	<i>Stenodactylus mauritanicus</i>	Stenodactylus mauritanicus	fixed	1.00	-0.20	NA	Paleartic	no	31.64	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.5	20.2	139	96.8	5655.4
Gekkonidae	<i>Stenodactylus petrii</i>	Stenodactylus petrii	fixed	2.00	0.87	0.63	Paleartic	no	22.85	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.4	25.2	65	140.4	6216.9
Gekkonidae	<i>Stenodactylus slevini</i>	Stenodactylus slevini	fixed	2.00	1.13	NA	Paleartic	no	26.24	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.3	25.3	103	95.7	7613.1
Gekkonidae	<i>Stenodactylus sthenodactylus</i>	Stenodactylus sthenodactylus	fixed	2.00	0.67	0.43	Paleartic	no	21.67	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.4	25.7	72	154.1	5793.7
Gekkonidae	<i>Tenuidactylus bogdanovi</i>	Tenuidactylus bogdanovi	fixed	1.50	0.89	0.67	Paleartic	no	37.10	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	10.8	17.6	235	95.7	9151.7
Gekkonidae	<i>Tenuidactylus caspius</i>	Tenuidactylus caspius	fixed	2.00	1.01	0.60	Paleartic	no	38.88	Cathemeral	Arboreal&Saxicolous	Scansorial	Oviparous	10.5	13.6	220	68.4	10008.7
Gekkonidae	<i>Tenuidactylus dadunensis</i>	Tenuidactylus dadunensis	fixed	2.00	0.54	0.48	Paleartic	no	42.87	Nocturnal	Arboreal&Saxicolous	Scansorial	Oviparous	10.4	14.5	25	84.7	13057.4
Gekkonidae	<i>Tenuidactylus elongatus</i>	Tenuidactylus elongatus	fixed	2.00	0.60	0.45	Paleartic	no	40.58	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.0	10.4	51	102.2	11844.2
Gekkonidae	<i>Tenuidactylus fedtschenkoi</i>	Tenuidactylus fedtschenkoi	fixed	1.78	0.97	0.70	Paleartic	no	39.38	Cathemeral	Saxicolous	Scansorial	Oviparous	10.8	13.4	315	78.7	9288.5
Gekkonidae	<i>Tenuidactylus longipes</i>	Tenuidactylus longipes	fixed	1.50	0.83	0.62	Paleartic	no	33.38	Cathemeral	Saxicolous	Scansorial	Oviparous	10.6	19.1	178	108.8	8995.2
Gekkonidae	<i>Tenuidactylus turmenicus</i>	Tenuidactylus turmenicus	fixed	2.00	1.01	0.68	Paleartic	no	36.16	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	14.4	309	96	8516.5
Gekkonidae	<i>Trachydactylus hajarensis</i>	NA	fixed	1.42	0.45	0.32	Afrotropic	no	23.08	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.3	27.9	92	105.1	5155.4
Gekkonidae	<i>Trachydactylus spatalurus</i>	Bunopus spatalurus	fixed	1.50	0.85	0.57	Afrotropic	no	16.00	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.6	25.7	116	97.4	4166.3
Gekkonidae	<i>Trigonodactylus arabicus</i>	NA	fixed	1.00	0.24	NA	Paleartic	no	22.97	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.4	27.3	67	118.8	6656.2
Gekkonidae	<i>Tropiocolotes algericus</i>	Tropiocolotes algericus	fixed	1.00	0.09	NA	Paleartic	no	28.49	Nocturnal	Saxicolous	Scansorial	Oviparous	10.5	21.9	93	76.6	6200.1
Gekkonidae	<i>Tropiocolotes nattereri</i>	Tropiocolotes nattereri	fixed	1.00	-0.16	-0.38	Paleartic	no	29.61	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.5	20.2	60	103	6003.7
Gekkonidae	<i>Tropiocolotes nubicus</i>	Tropiocolotes nubicus	fixed	1.00	-0.14	-0.25	Paleartic	no	18.98	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.5	28.5	63	214.1	5305.5
Gekkonidae	<i>Tropiocolotes somalicus</i>	Tropiocolotes somalicus	fixed	1.00	-0.25	-0.34	Afrotropic	no	10.59	Nocturnal	Terrestrial	Terrestrial	NA	10.6	26.9	354	67.5	3257.0
Gekkonidae	<i>Tropiocolotes steudneri</i>	Tropiocolotes steudneri	fixed	1.00	0.01	-0.40	Paleartic	no	21.18	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.4	25.4	40	199.2	5955.7
Gekkonidae	<i>Tropiocolotes tripolitanus</i>	Tropiocolotes tripolitanus	fixed	1.00	0.09	-0.34	Paleartic	no	23.56	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.4	25.4	111	116.7	6081.1
Gekkonidae	<i>Urocotyledon inexpectata</i>	Urocotyledon inexpectata	fixed	2.00	0.18	0.15	Madagascar	yes	4.48	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	26.2	2525	42.1	679.9
Gekkonidae	<i>Urocotyledon rasmussenii</i>	Urocotyledon rasmussenii	fixed	2.00	0.24	0.24	Afrotropic	no	7.60	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	20.3	1022	90	1570.0
Gekkonidae	<i>Urocotyledon wolterstorffi</i>	Urocotyledon wolterstorffi	fixed	2.00	0.44	NA	Afrotropic	no	4.64	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	23	1199	59.8	1525.7
Gekkonidae	<i>Uroplatus altuaudi</i>	Uroplatus altuaudi	fixed	2.00	1.00	NA	Madagascar	yes	13.59	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	22	1916	80	1341.3
Gekkonidae	<i>Uroplatus ebenaui</i>	Uroplatus ebenaui	fixed	1.50	0.86	0.66	Madagascar	yes	13.68	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	22.4	1882	89.1	1263.2
Gekkonidae	<i>Uroplatus fimbriatus</i>	Uroplatus fimbriatus	fixed	1.50	2.08	1.95	Madagascar	yes	19.32	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	21.3	2336	53.8	2279.5
Gekkonidae	<i>Uroplatus guentheri</i>	Uroplatus guentheri	fixed	1.50	1.00	0.88	Madagascar	yes	17.89	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	26.2	1369	120.2	1483.0
Gekkonidae	<i>Uroplatus henkeli</i>	Uroplatus henkeli	fixed	2.50	1.84	NA	Madagascar	yes	15.10	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	26.2	1798	108	1306.7
Gekkonidae	<i>Uroplatus lineatus</i>	Uroplatus lineatus	fixed	2.00	1.92	NA	Madagascar	yes	16.46	Nocturnal	Arboreal	Scansorial	Oviparous	11.8	20.8	2784	47.1	2041.0
Gekkonidae	<i>Uroplatus malahelo</i>	Uroplatus malahelo	fixed	2.00	1.00	NA	Madagascar	yes	24.06	Nocturnal	Arboreal	Scansorial	Oviparous	11.7	18	1503	72.2	2389.8
Gekkonidae	<i>Uroplatus phantasticus</i>	Uroplatus phantasticus	fixed	2.00	1.10	0.72	Madagascar	yes	19.75	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	19	1949	67.2	2391.4
Gekkonidae	<i>Uroplatus pietschmanni</i>	Uroplatus pietschmanni	fixed	2.00	1.03	NA	Madagascar	yes	18.68	Nocturnal	Arboreal	Scansorial	Oviparous	12.0	18.4	1925	69.3	2379.7
Gekkonidae	<i>Uroplatus sameiti</i>	Uroplatus sameiti	fixed	2.00	1.45	NA	Madagascar	yes	19.78	Nocturnal	Arboreal	Scansorial	NA	11.7	22.9	2525	44.3	2166.5
Gekkonidae	<i>Uroplatus sikorae</i>	Uroplatus sikorae	fixed	1.50	1.53	NA	Madagascar	yes	18.24	Nocturnal	Arboreal	Scansorial	Oviparous	11.9	20.1	2097	65.3	2079.8
Gerrhosauridae	<i>Broadleysaurus major</i>	Broadleysaurus major	variable	5.00	2.59	2.31	Afrotropic	no	4.98	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	23.5	933	85.8	1887.0
Gerrhosauridae	<i>Cordylosaurus subtessellatus</i>	Cordylosaurus subtessellatus	variable	2.00	0.59	0.26	Afrotropic	no	23.77	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	20.2	232	99.3	3489.3
Gerrhosauridae	<i>Gerrhosaurus auritus</i>	Gerrhosaurus auritus	variable	12.00	2.41	NA	Afrotropic	no	20.50	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	21.8	468	98.7	4010.4
Gerrhosauridae	<i>Gerrhosaurus bursili</i>	Gerrhosaurus bursili	variable	6.50	2.32	NA	Afrotropic	no	10.95	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	20.9	1284	86.9	1420.8
Gerrhosauridae	<i>Gerrhosaurus flavivularis</i>	Gerrhosaurus flavivularis	variable	4.50	1.90	1.75	Afrotropic	no	17.63	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	20.8	776	84.5	2939.5
Gerrhosauridae	<i>Gerrhosaurus multilineatus</i>	Gerrhosaurus multilineatus	variable	8.00	2.41	NA	Afrotropic	no	10.79	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	20.9	1311	84.7	1368.0
Gerrhosauridae	<i>Gerrhosaurus nigrolineatus</i>	Gerrhosaurus nigrolineatus	variable	6.50	2.20	1.21	Afrotropic	no	12.89	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	22	943	96.3	2216.2
Gerrhosauridae	<i>Gerrhosaurus skoogi</i>	Gerrhosaurus skoogi	variable	2.00	2.02	1.88	Afrotropic	no	18.30	Diurnal	Fosorial&Terrestr	Fosorial	Oviparous	10.4	22.8	46	138.5	1813.6
Gerrhosauridae	<i>Gerrhosaurus typicus</i>	Gerrhosaurus typicus	variable	4.00	1.84	NA	Afrotropic	no	31.89	Diurnal	Saxicolous	Scansorial	Oviparous	11.0	16.9	232	48.5	4211.8
Gerrhosauridae	<i>Matobosaurus maltzahni</i>	Matobosaurus maltzahni	variable	5.00	2.61	2.47	Afrotropic	no	18.06	Diurnal	Saxicolous	Scansorial	Oviparous	11.2	21.5	476	113.4	2571.6
Gerrhosauridae	<i>Matobosaurus validus</i>	Matobosaurus validus	variable	4.00	2.79	2.48	Afrotropic	no	19.09	Diurnal	Saxicolous	Scansorial	Oviparous	11.6	21.3	775	98.6	3031.4
Gerrhosauridae	<i>Tetradactylus africanus</i>	Tetradactylus africanus	variable	3.50	0.59	0.59	Afrotropic	no	28.46	Diurnal	Fosorial&Terrestr	Fosorial	Oviparous	11.6	19.1	885	55.9	2990.2
Gerrhosauridae	<i>Tetradactylus breyeri</i>	Tetradactylus breyeri	variable	1.50	0.38	0.23	Afrotropic	no	28.69	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	15.8	976	76.1	3301.3
Gerrhosauridae	<i>Tetradactylus ellenbergeri</i>																	

Gerrhosauridae	<i>Zonosaurus anelanelany</i>	Zonosaurus anelanelany	variable 7.00	1.29	1.19	Madagascar yes	24.42	NA	NA	NA	Oviparous	11.7	21.3	2000	41.2	2196.1
Gerrhosauridae	<i>Zonosaurus bemaraha</i>	Zonosaurus bemaraha	variable 7.00	1.00	0.85	Madagascar yes	18.65	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.8	24.2	1262	116.4	1448.4	
Gerrhosauridae	<i>Zonosaurus haraldmeieri</i>	Zonosaurus haraldmeieri	variable 5.00	1.84	NA	Madagascar yes	12.62	Diurnal	Terrestrial	Oviparous	11.7	25.2	1381	121.3	1041.6	
Gerrhosauridae	<i>Zonosaurus karsteni</i>	Zonosaurus karsteni	variable 4.00	1.77	NA	Madagascar yes	21.67	Diurnal	Terrestrial	Oviparous	11.7	25.5	1054	108.3	1778.9	
Gerrhosauridae	<i>Zonosaurus madagascariensis</i>	Zonosaurus madagascariensis	variable 6.00	1.84	NA	Madagascar yes	19.38	Diurnal	Terrestrial	Oviparous	11.7	22.5	1484	94.5	2011.3	
Gerrhosauridae	<i>Zonosaurus rufipes</i>	Zonosaurus rufipes	variable 2.50	1.22	NA	Madagascar yes	13.50	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	24.6	1771	76.8	1361.7	
Gymnophthalmidae	<i>Acrotarsura mentalis</i>	Acrotarsura mentalis	fixed 1.60	0.67	0.50	Neotropic no	12.28	Diurnal	Terrestrial	Oviparous	11.8	24	827	69.3	1389.4	
Gymnophthalmidae	<i>Alopoglossus angulatus</i>	Alopoglossus angulatus	fixed 2.00	0.79	0.60	Neotropic no	4.06	Diurnal	Terrestrial	Oviparous	12.0	25.2	2399	46.1	552.7	
Gymnophthalmidae	<i>Alopoglossus atriventris</i>	Alopoglossus atriventris	fixed 2.00	0.57	0.37	Neotropic no	5.33	Diurnal	Terrestrial	Oviparous	12.0	24.9	2558	35.1	430.6	
Gymnophthalmidae	<i>Alopoglossus buckleyi</i>	Alopoglossus buckleyi	fixed 2.00	0.75	0.59	Neotropic no	4.44	Diurnal	Terrestrial	Oviparous	12.0	24.1	2632	28.3	501.0	
Gymnophthalmidae	<i>Alopoglossus copii</i>	Alopoglossus copii	fixed 2.00	1.11	0.71	Neotropic no	1.53	Diurnal	Terrestrial	Oviparous	12.0	24.2	3469	21.2	485.3	
Gymnophthalmidae	<i>Amapasaurus tetradactylus</i>	Amapasaurus tetradactylus	fixed 2.00	-0.04	-0.37	Neotropic no	1.25	Diurnal	Terrestrial	Oviparous	12.0	25.4	2406	51.5	983.2	
Gymnophthalmidae	<i>Anadia bogotensis</i>	Anadia bogotensis	fixed 2.00	0.86	0.47	Neotropic no	5.31	Diurnal	Fossil&Terrestr Fossil	Oviparous	11.7	13.1	1544	37.7	249.5	
Gymnophthalmidae	<i>Anadia brevifrontalis</i>	Anadia brevifrontalis	fixed 2.00	1.41	0.88	Neotropic no	8.59	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.4	17.5	1766	51.5	385.0	
Gymnophthalmidae	<i>Anadia hobarti</i>	Anadia hobarti	fixed 2.00	1.22	1.02	Neotropic no	9.23	Diurnal	Cryptic	Oviparous	11.6	NA	NA	NA	NA	
Gymnophthalmidae	<i>Anadia petersi</i>	Anadia petersi	fixed 2.00	1.00	0.80	Neotropic no	3.55	Diurnal	NA	Oviparous	11.8	19.2	2522	16.8	594.9	
Gymnophthalmidae	<i>Anadia rhombifera</i>	Anadia rhombifera	fixed 1.50	0.91	0.76	Neotropic no	2.90	Diurnal	Arboreal	Scansorial	Oviparous	11.6	20.4	2012	58.6	413.2
Gymnophthalmidae	<i>Andinosaura oculata</i>	Riamia oculata	fixed 2.50	1.24	NA	Neotropic no	0.09	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.3	16.6	1788	50.5	247.0	
Gymnophthalmidae	<i>Andinosaura vestigina</i>	Riamia vestigina	fixed 2.00	0.87	0.80	Neotropic no	3.79	Diurnal	Terrestrial	Oviparous	11.5	15.8	954	60.7	326.0	
Gymnophthalmidae	<i>Anotosaura vanzolinia</i>	Anotosaura vanzolinia	fixed 1.94	0.43	0.29	Neotropic no	8.23	Diurnal	Fossil&Terrest Fossil	Oviparous	11.6	24.5	607	71.4	1322.0	
Gymnophthalmidae	<i>Arthrosaura kockii</i>	Arthrosaura kockii	fixed 2.00	0.93	0.42	Neotropic no	0.03	Diurnal	Terrestrial	Oviparous	12.0	25.7	2361	56.1	804.9	
Gymnophthalmidae	<i>Arthrosaura reticulata</i>	Arthrosaura reticulata	fixed 2.00	0.93	0.61	Neotropic no	3.87	Diurnal	Terrestrial	Oviparous	12.0	25.3	2380	47.4	571.8	
Gymnophthalmidae	<i>Bachia bicolor</i>	Bachia bicolor	fixed 2.00	0.47	0.18	Neotropic no	8.43	Diurnal	Fossil& Fossil	Oviparous	11.8	24.8	1900	52.5	391.5	
Gymnophthalmidae	<i>Bachia blairei</i>	NA	fixed 2.00	0.35	0.20	Neotropic no	8.61	NA	Fossil&Terrestr Fossil	Oviparous	11.5	26.2	4163	53.5	674.2	
Gymnophthalmidae	<i>Bachia bresslaui</i>	Bachia bresslaui	fixed 2.00	0.78	NA	Neotropic no	17.47	Diurnal	Fossil& Fossil	Oviparous	11.8	24.5	1518	73.2	1366.4	
Gymnophthalmidae	<i>Bachia cacerensis</i>	Bachia cacerensis	fixed 2.00	0.53	0.29	Neotropic no	17.16	NA	Cryptic&Fossil	Fossil	Oviparous	11.8	23	1601	69	1359.0
Gymnophthalmidae	<i>Bachia dorbignyi</i>	Bachia dorbignyi	fixed 2.00	0.50	0.37	Neotropic no	14.02	NA	Cryptic&Fossil	Fossil	Oviparous	11.9	24.8	1777	62.4	1203.3
Gymnophthalmidae	<i>Bachia flavescens</i>	Bachia flavescens	fixed 1.00	0.50	0.31	Neotropic no	0.37	Diurnal	Fossil&Terrest Fossil	Oviparous	12.0	25.2	2415	49.7	615.6	
Gymnophthalmidae	<i>Bachia heteropa</i>	Bachia heteropa	fixed 2.00	0.26	0.05	Neotropic no	9.74	Diurnal	Cryptic	Terrestrial	Oviparous	11.7	23.2	1389	49.1	531.1
Gymnophthalmidae	<i>Bachia pallidiceps</i>	Bachia pallidiceps	fixed 2.00	0.40	0.20	Neotropic no	7.03	NA	Terrestrial	Terrestrial	Oviparous	11.7	24.7	3776	31.7	249.7
Gymnophthalmidae	<i>Bachia scea</i>	Bachia scea	fixed 2.00	0.34	NA	Neotropic no	9.36	Diurnal	Fossil&Terrestr Fossil	Oviparous	12.0	25.4	1901	56.5	456.3	
Gymnophthalmidae	<i>Bachia trinitatis</i>	NA	fixed 2.00	0.26	NA	Neotropic yes	10.54	Diurnal	Fossil& Fossil	Oviparous	NA	NA	NA	NA	NA	
Gymnophthalmidae	<i>Bachia trisanale</i>	Bachia trisanale	fixed 2.00	0.16	0.00	Neotropic no	5.70	Diurnal	Fossil&Terrest Fossil	Oviparous	12.0	24.2	2543	34	518.2	
Gymnophthalmidae	<i>Calyptommatus leiolepis</i>	Calyptommatus leiolepis	fixed 2.00	0.48	0.27	Neotropic no	10.42	Nocturnal	Fossil& Fossil	Oviparous	11.6	25	564	76.6	1242.1	
Gymnophthalmidae	<i>Calyptommatus sinebrachiat</i>	Calyptommatus sinebrachiat	fixed 2.00	0.37	NA	Neotropic no	11.20	Nocturnal	Fossil& Fossil	Oviparous	11.8	25.5	565	88	1045.0	
Gymnophthalmidae	<i>Caparaonia itaiquara</i>	Caparaonia itaiquara	fixed 2.00	0.69	NA	Neotropic no	20.46	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	15.8	1649	70.8	1866.5
Gymnophthalmidae	<i>Cercosaura anordosquama</i>	NA	fixed 2.00	0.74	NA	Neotropic no	3.80	Diurnal	Terrestrial	Terrestrial	NA	NA	NA	NA	NA	
Gymnophthalmidae	<i>Cercosaura argulus</i>	Cercosaura argulus	fixed 1.50	0.43	0.06	Neotropic no	4.89	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	12.0	24.8	2368	46.1	597.6	
Gymnophthalmidae	<i>Cercosaura bassleri</i>	NA	fixed 2.00	0.81	0.67	Neotropic no	6.90	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	25	2355	41.9	476.9
Gymnophthalmidae	<i>Cercosaura doanae</i>	NA	fixed 2.00	0.58	NA	Neotropic no	6.82	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	17.2	1131	39.8	580.3
Gymnophthalmidae	<i>Cercosaura eigenmanni</i>	Cercosaura eigenmanni	fixed 2.00	0.49	0.34	Neotropic no	12.21	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	24.8	1886	65.9	907.0
Gymnophthalmidae	<i>Cercosaura manicata</i>	Cercosaura manicata	fixed 2.00	0.97	0.76	Neotropic no	0.32	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	20.1	3151	26.6	463.3
Gymnophthalmidae	<i>Cercosaura ocellata</i>	Cercosaura ocellata	fixed 2.14	0.81	0.49	Neotropic no	8.77	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.9	25	1840	61.8	983.4	
Gymnophthalmidae	<i>Cercosaura olivacea</i>	NA	fixed 2.00	0.60	NA	Neotropic no	15.39	Diurnal	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	
Gymnophthalmidae	<i>Cercosaura oshaughnessyi</i>	NA	fixed 2.00	0.46	-0.06	Neotropic no	3.25	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	12.0	24.2	2766	30.9	488.1	
Gymnophthalmidae	<i>Cercosaura parkeri</i>	Cercosaura parkeri	fixed 2.00	0.37	0.02	Neotropic no	15.43	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	23.9	1548	63.2	1450.7
Gymnophthalmidae	<i>Cercosaura phelporum</i>	Cercosaura phelporum	fixed 2.00	0.57	0.49	Neotropic no	4.92	NA	NA	Oviparous	12.0	23.9	2699	71.9	339.6	
Gymnophthalmidae	<i>Cercosaura schreibersii</i>	Cercosaura schreibersii	fixed 2.00	0.57	0.08	Neotropic no	22.14	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	21.7	1337	57.3	2763.8
Gymnophthalmidae	<i>Cercosaura steyeri</i>	Cercosaura steyeri	fixed 3.00	0.28	0.28	Neotropic no	28.13	NA	NA	Oviparous	11.7	NA	NA	NA	NA	
Gymnophthalmidae	<i>Colobodactylus dalcyanus</i>	Colobodactylus dalcyanus	fixed 2.00	0.43	0.31	Neotropic no	22.55	Diurnal	Cryptic	Terrestrial	Oviparous	11.9	18.2	1604	64	2107.8
Gymnophthalmidae	<i>Colobosaura modesta</i>	Colobosaura modesta	fixed 2.00	0.57	0.41	Neotropic no	12.29	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	25.1	1511	75.7	1197.1
Gymnophthalmidae	<i>Dryadosaura nordentina</i>	Dryadosaura nordentina	fixed 2.50	0.62	0.24	Neotropic no	8.84	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	25	1076	60.3	1162.4
Gymnophthalmidae	<i>Echinosaura horrida</i>	Echinosaura horrida	fixed 2.00	1.21	0.74	Neotropic no	4.62	Cathemeral	Semi_Aquatic	Terrestrial	Oviparous	11.7	22.9	3259	40.9	300.6
Gymnophthalmidae	<i>Echinosaura sulcarostrum</i>	Echinosaura sulcarostrum	fixed 2.00	0.18	0.18	Neotropic no	7.37	NA	Semi_Aquatic	Terrestrial	Oviparous	12.0	24.7	1975	35	628.0
Gymnophthalmidae	<i>Euspondylus acutirostris</i>	Heterodactylus acutirostris	fixed 1.50	0.59	0.38	Neotropic no	10.55	Diurnal	Arboreal	Scansorial	Oviparous	11.7	22.2	951	49.7	493.4
Gymnophthalmidae	<i>Euspondylus excelsum</i>	NA	fixed 2.00	1.28	0.92	Neotropic no	10.21	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.9	20	1365	42.8	752.0
Gymnophthalmidae	<i>Gelanesaurus cochranae</i>	Potamites cochranae	fixed 2.00	1.29	0.65	Neotropic no	1.81	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	16.7	2254	23.2	512.0	
Gymnophthalmidae	<i>Gymnophthalmus speciosus</i>	Gymnophthalmus speciosus	fixed 1.92	0.37	0.14	Neotropic no	9.37	Diurnal	Fossil&Terrestr Fossil	Oviparous	11.7	25.5	1962	64.1	701.2	
Gymnophthalmidae	<i>Gymnophthalmus underwoodi</i>	Gymnophthalmus underwoodi	fixed 1.97	0.37	0.04	Neotropic no	3.06	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	25	2275	51.1	733.2
Gymnophthalmidae	<i>Gymnophthalmus vanzoi</i>	Gymnophthalmus vanzoi	fixed 2.00	0.22	NA	Neotropic no	3.33	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	26.9	1488	84.2	1060.4
Gymnophthalmidae	<i>Heterodactylus imbricatus</i>	Heterodactylus imbricatus	fixed 1.50	1.56	0.73	Neotropic no	21.60	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	21	1438	68.7	2010.2
Gymnophthalmidae	<i>Iphisa elegans</i>	Iphisa elegans	fixed 2.00	0.76	0.52	Neotropic no	4.48	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	24.7	2362	48.2	626.7
Gymnophthalmidae	<i>Leposoma baturitensis</i>	Leposoma baturitensis	fixed 2.00	-0.04	NA	Neotropic no	4.06	NA	Terrestrial	Terrestrial	Oviparous	11.7	27	889	104.5	721.4
Gymnophthalmidae	<i>Leposoma scincoides</i>	Leposoma scincoides	fixed 1.50	0.31	NA	Neotropic no	18.72	NA	Terrestrial	Terrestrial	Oviparous	11.8	23.4	1220	54.5	1726.4
Gymnophthalmidae	<i>Loxopholis guianense</i>	Leposoma guianense	fixed 2.00	0.08	-0.11	Neotropic no	0.41	Cathemeral	Terrestrial	Terrestrial	Oviparous	12.0	25.2	2308	53.1	666.3
Gymnophthalmidae	<i>Loxopholis hexalepis</i>	Leposoma hexalepis	fixed 2.00	0.15	-0.05	Neotropic no	5.11	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25.1	2734	61.7	668.5
Gymnophthalmidae	<i>Loxopholis osvaldoi</i>	Leposoma osvaldoi	fixed 1.75	0.00	-0.24	Neotropic no	8.29	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	25.1	2168	60.4	532.9
Gymnophthalmidae	<i>Loxopholis parietalis</i>	Leposoma parietale	fixed 2.00	0.28	-0.04	Neotropic no	1.53	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	24.3	3132	23.4	479.0

Gymnophthalmidae	<i>Loxopholis percarinatum</i>	Leposoma percarinatum	fixed	1.89	0.00	-0.19	Neotropic	no	2.67	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	12.0	25.2	2362	52.1	595.5
Gymnophthalmidae	<i>Loxopholis rugiceps</i>	Leposoma rugiceps	fixed	2.09	0.25	0.11	Neotropic	no	7.51	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	24.2	2288	47.4	321.0
Gymnophthalmidae	<i>Loxopholis snethlageae</i>	Leposoma snethlageae	fixed	2.00	-0.16	NA	Neotropic	no	3.28	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	25.3	2753	27.2	361.2
Gymnophthalmidae	<i>Loxopholis southi</i>	Leposoma southi	fixed	2.00	0.57	-0.05	Neotropic	no	6.75	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	25.1	3579	41.5	347.4
Gymnophthalmidae	<i>Macropholidus amoenctens</i>	Macropholidus amoenctens	fixed	2.00	0.69	NA	Neotropic	no	4.10	Diurnal	NA	NA	Oviparous	11.6	17.1	962	70.1	358.5
Gymnophthalmidae	<i>Macropholidus ataktelepis</i>	Macropholidus ataktelepis	fixed	1.00	0.22	0.12	Neotropic	no	7.38	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	10.6	469	92	242.0
Gymnophthalmidae	<i>Macropholidus ruthveni</i>	Macropholidus ruthveni	fixed	1.83	0.31	0.15	Neotropic	no	7.03	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	15	691	71.2	380.4
Gymnophthalmidae	<i>Micrablepharus atticolus</i>	Micrablepharus atticolus	fixed	1.88	0.37	0.00	Neotropic	no	15.62	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	24.5	1604	73.5	1271.6
Gymnophthalmidae	<i>Micrablepharus maximiliani</i>	Micrablepharus maximiliani	fixed	2.25	0.27	0.14	Neotropic	no	12.00	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25.1	1400	75.6	1212.0
Gymnophthalmidae	<i>Neusticurus bicarinatus</i>	Neusticurus bicarinatus	fixed	2.00	1.65	1.03	Neotropic	no	2.97	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	12.0	25.3	2289	53.8	604.9
Gymnophthalmidae	<i>Neusticurus rufus</i>	Neusticurus rufus	fixed	2.00	1.34	0.64	Neotropic	no	2.41	Diurnal	Semi_Aquatic	Scansorial	Oviparous	12.0	25.1	2273	52.7	769.9
Gymnophthalmidae	<i>Neusticurus surinamensis</i>	NA	fixed	2.00	1.39	0.62	Neotropic	no	1.97	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Gymnophthalmidae	<i>Neusticurus tatei</i>	Neusticurus tatei	fixed	2.00	1.48	1.09	Neotropic	no	4.20	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	12.0	23.7	2777	51.9	468.2
Gymnophthalmidae	<i>Nothobachia ablephara</i>	Nothobachia ablephara	fixed	2.00	0.23	0.13	Neotropic	no	10.33	Cathemeral	Fossorial	Fossorial	Oviparous	11.6	25.2	572	77.1	1247.2
Gymnophthalmidae	<i>Oreosaurus achlyens</i>	Riama achlyens	fixed	2.00	1.24	NA	Neotropic	no	10.34	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	22.3	980	57	456.0
Gymnophthalmidae	<i>Oreosaurus rhodogaster</i>	Riama rhodogaster	fixed	2.00	0.35	0.30	Neotropic	no	10.71	NA	NA	NA	Oviparous	10.8	26.2	835	48	594.0
Gymnophthalmidae	<i>Oreosaurus shrevei</i>	Riama shrevei	fixed	2.00	0.43	NA	Neotropic	yes	10.72	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.2	24.9	1939	48	548.7
Gymnophthalmidae	<i>Petracula ventrimaculatus</i>	Petracula ventrimaculatus	fixed	2.00	0.81	NA	Neotropic	no	5.04	NA	Terrestrial	Terrestrial	Oviparous	11.5	17.7	803	72.3	557.9
Gymnophthalmidae	<i>Pholidobolus affinis</i>	Pholidobolus affinis	fixed	2.00	0.81	NA	Neotropic	no	1.52	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	15.5	1351	42.6	467.7
Gymnophthalmidae	<i>Pholidobolus macbridei</i>	Pholidobolus macbridei	fixed	2.00	0.69	NA	Neotropic	no	3.18	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	13.1	953	49.1	397.9
Gymnophthalmidae	<i>Pholidobolus montium</i>	Pholidobolus montium	fixed	2.00	0.83	0.73	Neotropic	no	0.25	Diurnal	NA	NA	Oviparous	11.4	11.5	1239	43.3	252.8
Gymnophthalmidae	<i>Pholidobolus prefrontalis</i>	Pholidobolus prefrontalis	fixed	2.00	0.76	NA	Neotropic	no	2.60	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	11.3	886	49.7	414.1
Gymnophthalmidae	<i>Pholidobolus vertebralis</i>	Pholidobolus vertebralis	fixed	2.00	0.87	NA	Neotropic	no	5.29	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	18.2	1737	50.4	394.7
Gymnophthalmidae	<i>Placosoma glabellum</i>	Placosoma glabellum	fixed	1.50	0.52	NA	Neotropic	no	24.47	NA	Arboreal&Terrestri	Scansorial	Oviparous	11.7	20.2	1862	41.4	2511.8
Gymnophthalmidae	<i>Potamites ecpleopus</i>	Potamites ecpleopus	fixed	2.00	1.18	0.65	Neotropic	no	5.68	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	12.0	24.4	2466	42.1	551.2
Gymnophthalmidae	<i>Potamites juruazensis</i>	Potamites juruazensis	fixed	2.00	0.64	0.53	Neotropic	no	8.81	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	23	1831	46.4	609.2
Gymnophthalmidae	<i>Procellosaurinus tetradactylus</i>	Procellosaurinus tetradactylus	fixed	2.00	-0.08	-0.17	Neotropic	no	9.48	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.4	26.5	610	88.9	1056.5
Gymnophthalmidae	<i>Proctoporus boliviensis</i>	Proctoporus boliviensis	fixed	2.00	0.79	0.52	Neotropic	no	14.97	Diurnal	Cryptic	Terrestrial	Oviparous	11.4	6.2	1063	69.4	1428.0
Gymnophthalmidae	<i>Proctoporus chasqui</i>	Proctoporus chasqui	fixed	2.00	0.99	0.71	Neotropic	no	11.87	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	17.9	1447	54.4	913.3
Gymnophthalmidae	<i>Proctoporus guentheri</i>	Proctoporus guentheri	fixed	1.50	0.34	0.13	Neotropic	no	15.93	Diurnal	Cryptic	Terrestrial	Oviparous	11.7	15.9	1661	62.4	1417.3
Gymnophthalmidae	<i>Proctoporus laudahnae</i>	Riama laudahnae	fixed	2.00	0.81	0.76	Neotropic	no	9.81	Diurnal	Cryptic	Terrestrial	Oviparous	11.6	11.9	1977	44	772.5
Gymnophthalmidae	<i>Proctoporus oreades</i>	Euspondylus oreades	fixed	1.80	0.72	0.58	Neotropic	no	10.34	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	9.4	2372	50	841.0
Gymnophthalmidae	<i>Proctoporus pachyurus</i>	Proctoporus pachyurus	fixed	2.00	0.64	NA	Neotropic	no	11.51	Diurnal	Cryptic	Terrestrial	Oviparous	11.3	6.1	780	62.4	781.0
Gymnophthalmidae	<i>Proctoporus succulucu</i>	Proctoporus succulucu	fixed	2.00	0.59	0.32	Neotropic	no	13.62	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	8.2	1388	75.3	1204.0
Gymnophthalmidae	<i>Proctoporus unsaaceae</i>	Proctoporus unsaaceae	fixed	2.00	0.47	0.21	Neotropic	no	13.29	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	9.3	1050	76.4	1107.9
Gymnophthalmidae	<i>Proctoporus xestus</i>	Proctoporus xestus	fixed	1.50	0.64	NA	Neotropic	no	15.58	NA	NA	NA	Oviparous	11.8	19.5	1512	66	1844.4
Gymnophthalmidae	<i>Psilos paeminosus</i>	Psilophthalmus paeminosus	fixed	1.86	0.11	-0.14	Neotropic	no	10.81	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	26.1	642	84.5	1123.9
Gymnophthalmidae	<i>Ptychoglossus bicolor</i>	Ptychoglossus bicolor	fixed	2.00	0.76	0.59	Neotropic	no	4.96	Diurnal	Cryptic&Terrestria	Terrestrial	Oviparous	11.8	23.7	1704	40.3	345.4
Gymnophthalmidae	<i>Ptychoglossus brevifrontalis</i>	Ptychoglossus brevifrontalis	fixed	2.00	0.87	0.66	Neotropic	no	2.72	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	25	2539	41.9	529.4
Gymnophthalmidae	<i>Ptychoglossus festae</i>	Ptychoglossus festae	fixed	2.00	0.62	NA	Neotropic	no	7.67	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	24.7	2756	46.6	295.3
Gymnophthalmidae	<i>Ptychoglossus plicatus</i>	Ptychoglossus plicatus	fixed	2.00	0.83	0.46	Neotropic	no	8.57	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23	3586	41	384.5
Gymnophthalmidae	<i>Ptychoglossus stenolepis</i>	Ptychoglossus stenolepis	fixed	2.00	0.69	NA	Neotropic	no	3.41	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	17.4	3438	28.7	200.3
Gymnophthalmidae	<i>Ptychoglossus vallensis</i>	Ptychoglossus vallensis	fixed	2.00	0.54	0.49	Neotropic	no	3.83	NA	Terrestrial	Terrestrial	Oviparous	11.7	21	1680	33.2	228.2
Gymnophthalmidae	<i>Riama caschaensis</i>	Riama caschaensis	fixed	2.00	0.97	NA	Neotropic	no	1.58	Diurnal	Fossorial&Terrest	Fossorial	Oviparous	11.3	9.8	1058	69.1	408.8
Gymnophthalmidae	<i>Riama columbiana</i>	Riama columbiana	fixed	2.00	1.14	0.95	Neotropic	no	5.00	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	15.3	2237	32.6	235.4
Gymnophthalmidae	<i>Riama orcesi</i>	Riama orcesi	fixed	2.00	0.76	NA	Neotropic	no	0.50	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	14.7	2439	23.1	466.5
Gymnophthalmidae	<i>Riama striata</i>	Riama striata	fixed	1.50	0.85	NA	Neotropic	no	4.98	Diurnal	Cryptic&Terrestria	Terrestrial	Oviparous	11.6	14.1	2017	35.2	257.3
Gymnophthalmidae	<i>Rondonops biscutatus</i>	NA	fixed	1.00	0.83	0.45	Neotropic	no	10.31	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	24.7	2023	65.6	664.8
Gymnophthalmidae	<i>Rondonops xanthomystax</i>	NA	fixed	1.00	0.85	0.56	Neotropic	no	5.61	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	25.8	2163	53.4	534.2
Gymnophthalmidae	<i>Vanzosaura multicostata</i>	Vanzosaura multicostata	fixed	2.00	0.04	-0.10	Neotropic	no	8.20	Diurnal	Cryptic&Terrestria	Terrestrial	Oviparous	11.7	26.2	808	81.9	1168.9
Gymnophthalmidae	<i>Vanzosaura rubricauda</i>	Vanzosaura rubricauda	fixed	1.98	0.28	-0.09	Neotropic	no	15.79	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.8	24	1325	70.1	1831.3
Gymnophthalmidae	<i>Vanzosaura savanicola</i>	Vanzosaura savanicola	fixed	2.00	-0.06	-0.21	Neotropic	no	13.26	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	24.3	1252	87.5	1092.1
Helodermatidae	<i>Heloderma horridum</i>	Heloderma horridum	variable	8.00	3.48	3.00	Neotropic	no	20.31	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.6	22.6	1031	106.9	2405.5
Helodermatidae	<i>Heloderma suspectum</i>	Heloderma suspectum	variable	5.35	2.99	2.73	Nearctic	no	32.20	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.0	20.1	329	71.8	7106.1
Hoplocercidae	<i>Enyalioides cofanorum</i>	Enyalioides cofanorum	variable	3.00	1.93	1.51	Neotropic	no	2.42	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	24.5	3096	18.7	462.9
Hoplocercidae	<i>Enyalioides heterolepis</i>	Enyalioides heterolepis	variable	4.00	1.91	NA	Neotropic	no	4.97	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	23.8	3850	37.8	277.5
Hoplocercidae	<i>Enyalioides laticeps</i>	Enyalioides laticeps	variable	6.25	2.09	1.64	Neotropic	no	3.77	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	24.3	2779	29.5	506.8
Hoplocercidae	<i>Enyalioides palpebralis</i>	Enyalioides palpebralis	variable	3.00	1.73	1.43	Neotropic	no	10.40	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	24.1	1996	48.6	678.6
Hoplocercidae	<i>Enyalioides praestabilis</i>	Enyalioides praestabilis	variable	5.00	1.80	NA	Neotropic	no	2.17	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	23.5	3245	19.5	568.2
Hoplocercidae	<i>Enyalioides rubrigularis</i>	Enyalioides rubrigularis	variable	3.00	1.82	NA	Neotropic	no	3.96	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	20	1660	15.8	708.5
Hoplocercidae	<i>Hoplocercus spinosus</i>	Hoplocercus spinosus	variable	4.00	1.52	NA	Neotropic	no	12.62	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	25.1	1684	73.9	1052.8
Hoplocercidae	<i>Morunasaurus annularis</i>	Morunasaurus annularis	variable	4.50	1.90	1.53	Neotropic	no	0.44	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	21.7	3234	20.3	526.2
Hoplocercidae	<i>Morunasaurus groi</i>	Morunasaurus groi	variable	1.00	1.59	1.31	Neotropic	no	7.29	Diurnal	Terrestrial	Terrestrial	NA	11.7	24.7	3347	38.7	267.7
Iguanidae	<i>Amblyrhynchus cristatus</i>	Ambly																

Iguanidae	<i>Conolophus marthae</i>	Conolophus marthae	variable 4.40	3.64	NA	Neotropic	yes	0.04	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	NA	NA	NA	NA
Iguanidae	<i>Conolophus pallidus</i>	Conolophus pallidus	variable 10.00	3.72	3.20	Neotropic	yes	0.82	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	22.5	979	52.5	1648.0
Iguanidae	<i>Conolophus subcristatus</i>	Conolophus subcristatus	variable 10.95	3.80	3.38	Neotropic	yes	0.55	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	21.8	799	59.3	1650.0
Iguanidae	<i>Ctenosaura acanthura</i>	Ctenosaura acanthura	variable 20.67	3.59	NA	Neotropic	no	19.49	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	24.5	1467	80.7	2376.9
Iguanidae	<i>Ctenosaura bakeri</i>	Ctenosaura bakeri	variable 9.80	3.13	2.49	Neotropic	yes	16.10	Diurnal	Arboreal	Scansorial	Oviparous	10.8	26.6	2694	57.3	1280.0
Iguanidae	<i>Ctenosaura clarki</i>	Ctenosaura clarki	variable 7.00	2.83	2.03	Neotropic	no	18.65	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.9	805	108.2	1279.1
Iguanidae	<i>Ctenosaura flavidorsalis</i>	Ctenosaura flavidorsalis	variable 9.50	2.44	1.95	Neotropic	no	13.94	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	24.3	1306	93.8	833.7
Iguanidae	<i>Ctenosaura hemilopha</i>	Ctenosaura hemilopha	variable 24.00	3.44	2.35	Nearctic	no	27.64	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.1	22.9	376	102.1	5095.9
Iguanidae	<i>Ctenosaura macrolopha</i>	Ctenosaura macrolopha	variable 10.50	2.62	2.19	Nearctic	no	27.49	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	20.5	709	104.2	4921.8
Iguanidae	<i>Ctenosaura melanosterna</i>	Ctenosaura melanosterna	variable 17.00	3.16	2.55	Neotropic	no	15.42	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	25	1248	38.9	1412.2
Iguanidae	<i>Ctenosaura oedirhina</i>	Ctenosaura oedirhina	variable 8.00	3.13	2.55	Neotropic	yes	16.37	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	26.7	2554	65.9	1134.0
Iguanidae	<i>Ctenosaura palearis</i>	Ctenosaura palearis	variable 9.00	3.11	2.37	Neotropic	no	14.95	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.2	1055	80.4	1360.6
Iguanidae	<i>Ctenosaura pectinata</i>	Ctenosaura pectinata	variable 28.05	3.43	3.00	Neotropic	no	19.73	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	20.7	1030	104	1947.8
Iguanidae	<i>Ctenosaura quinquecarinata</i>	Ctenosaura quinquecarinata	variable 11.00	2.54	1.98	Neotropic	no	12.89	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	23.7	1493	77.7	774.2
Iguanidae	<i>Ctenosaura similis</i>	Ctenosaura similis	variable 32.70	3.70	3.09	Neotropic	no	14.76	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	24.2	2110	63.9	1168.4
Iguanidae	<i>Cyclura carinata</i>	Cyclura carinata	variable 4.30	3.75	2.71	Neotropic	yes	21.65	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	26.5	684	38.1	1494.8
Iguanidae	<i>Cyclura collei</i>	Cyclura collei	variable 17.15	3.52	3.40	Neotropic	yes	17.86	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.3	26.9	1230	55.5	988.3
Iguanidae	<i>Cyclura cornuta</i>	Cyclura cornuta	variable 14.70	4.04	3.65	Neotropic	yes	18.83	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	24.1	1242	46.3	1324.5
Iguanidae	<i>Cyclura cychlura</i>	Cyclura cychlura	variable 6.40	4.07	3.21	Neotropic	yes	24.18	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	25.6	1083	57.5	2187.0
Iguanidae	<i>Cyclura lewisi</i>	Cyclura lewisi	variable 11.50	3.85	NA	Neotropic	yes	19.32	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	27	1449	56	1218.0
Iguanidae	<i>Cyclura nubila</i>	Cyclura nubila	variable 10.30	4.25	3.27	Neotropic	yes	21.67	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	25	1352	59.4	1736.5
Iguanidae	<i>Cyclura pinguis</i>	Cyclura pinguis	variable 12.30	3.87	3.61	Neotropic	yes	18.73	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	26.8	1163	36	1171.5
Iguanidae	<i>Cyclura ricordi</i>	Cyclura ricordi	variable 9.85	3.68	3.23	Neotropic	yes	18.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	22	700	56.4	1159.6
Iguanidae	<i>Cyclura rileyi</i>	Cyclura rileyi	variable 3.75	3.42	2.72	Neotropic	yes	23.88	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	25.7	1023	53	1946.4
Iguanidae	<i>Cyclura stejnegeri</i>	NA	variable 12.00	3.81	NA	Neotropic	yes	18.09	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	26.8	1169	35	1068.3
Iguanidae	<i>Dipsosaurus dorsalis</i>	Dipsosaurus dorsalis	variable 4.50	2.20	1.82	Nearctic	no	31.79	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	21.3	199	70.5	6709.9
Iguanidae	<i>Iguana delicatissima</i>	Iguana delicatissima	variable 17.00	3.54	3.27	Neotropic	yes	15.94	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.0	25.8	1851	36.6	971.9
Iguanidae	<i>Iguana iguana</i>	Iguana iguana	variable 28.80	3.91	3.11	Neotropic	no	2.56	Diurnal	Arboreal	Scansorial	Oviparous	11.8	24.5	1956	60.9	893.7
Iguanidae	<i>Sauromalus ater</i>	Sauromalus ater	variable 7.75	2.72	2.29	Nearctic	no	33.18	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	19.4	207	58	7437.5
Iguanidae	<i>Sauromalus hispidus</i>	Sauromalus hispidus	variable 21.75	3.14	2.92	Nearctic	yes	29.27	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.7	22.2	88	74.4	5239.4
Iguanidae	<i>Sauromalus varius</i>	Sauromalus varius	variable 20.85	3.22	3.05	Nearctic	yes	28.70	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.8	23.6	156	86.7	5165.2
Lacertidae	<i>Acanthodactylus aegyptius</i>	Acanthodactylus aegyptius	variable 2.50	0.52	0.22	Paleartic	no	28.83	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	21.8	26	154.3	5954.7
Lacertidae	<i>Acanthodactylus bedriagai</i>	Acanthodactylus bedriagai	variable 5.00	1.02	NA	Paleartic	no	34.86	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	17.9	279	41	7531.5
Lacertidae	<i>Acanthodactylus beershebeni</i>	Acanthodactylus beershebensis	variable 4.90	1.22	0.80	Paleartic	no	31.17	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	19.4	243	107.7	5652.2
Lacertidae	<i>Acanthodactylus blancki</i>	Acanthodactylus blancki	variable 5.00	1.29	1.06	Paleartic	no	35.45	Diurnal	Terrestrial	Terrestrial	NA	10.9	17.8	357	41.3	6735.4
Lacertidae	<i>Acanthodactylus blanfordii</i>	Acanthodactylus blanfordii	variable 4.00	0.99	0.54	Paleartic	no	28.67	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	23.4	139	105.7	7777.5
Lacertidae	<i>Acanthodactylus boskianus</i>	Acanthodactylus boskianus	variable 4.30	1.29	0.71	Paleartic	no	23.35	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	24.9	108	127.8	6174.4
Lacertidae	<i>Acanthodactylus cantoris</i>	Acanthodactylus cantoris	variable 5.50	1.28	0.42	Oriental	no	28.15	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	24.5	423	114.9	6576.3
Lacertidae	<i>Acanthodactylus dumerili</i>	Acanthodactylus dumerili	variable 1.50	0.86	0.45	Paleartic	no	26.75	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	23.5	126	91	5948.3
Lacertidae	<i>Acanthodactylus erythrurus</i>	Acanthodactylus erythrurus	variable 3.70	1.14	0.88	Paleartic	no	37.24	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	15.2	535	47.9	6008.4
Lacertidae	<i>Acanthodactylus hardyi</i>	Acanthodactylus hardyi	variable 2.70	0.52	0.40	Paleartic	no	30.04	Diurnal	Terrestrial	Terrestrial	NA	10.4	23.9	115	88.6	8546.0
Lacertidae	<i>Acanthodactylus longipes</i>	Acanthodactylus longipes	variable 2.70	0.81	0.38	Paleartic	no	23.66	Diurnal	Terrestrial	Terrestrial	Oviparous	10.3	25.2	41	135.7	6642.6
Lacertidae	<i>Acanthodactylus maculatus</i>	Acanthodactylus maculatus	variable 3.33	0.75	0.64	Paleartic	no	32.67	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	19.7	180	57.1	7467.9
Lacertidae	<i>Acanthodactylus micropholis</i>	Acanthodactylus micropholis	variable 3.00	0.81	0.74	Paleartic	no	27.99	Diurnal	Terrestrial	Terrestrial	Oviparous	10.3	24.3	121	102.5	7497.9
Lacertidae	<i>Acanthodactylus opeodurus</i>	Acanthodactylus opeodurus	variable 4.00	0.75	0.66	Paleartic	no	23.81	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	25.1	94	98	6621.5
Lacertidae	<i>Acanthodactylus pardalis</i>	Acanthodactylus pardalis	variable 3.65	1.02	0.73	Paleartic	no	31.04	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	20.6	110	108.4	5355.1
Lacertidae	<i>Acanthodactylus savignyi</i>	Acanthodactylus savignyi	variable 5.00	0.99	0.52	Paleartic	no	33.80	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	16.6	485	52	6296.6
Lacertidae	<i>Acanthodactylus schmidti</i>	Acanthodactylus schmidti	variable 3.00	1.42	NA	Paleartic	no	24.24	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	26.2	91	112.7	7152.4
Lacertidae	<i>Acanthodactylus schreiberi</i>	Acanthodactylus schreiberi	variable 3.00	1.27	0.89	Paleartic	yes	35.05	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	18.9	520	85.7	5540.1
Lacertidae	<i>Acanthodactylus scutellatus</i>	Acanthodactylus scutellatus	variable 2.90	1.15	0.53	Paleartic	no	23.81	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	25.1	44	137.8	6556.7
Lacertidae	<i>Acanthodactylus spinicauda</i>	Acanthodactylus spinicauda	variable 4.00	0.62	0.52	Paleartic	no	32.80	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	18.7	135	46.4	8273.4
Lacertidae	<i>Acanthodactylus tristrami</i>	Acanthodactylus tristrami	variable 4.00	1.29	1.00	Paleartic	no	32.97	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	16.9	237	94.4	6999.3
Lacertidae	<i>Adolfus allenii</i>	Adolfus allenii	variable 2.00	0.90	NA	Afrotropic	no	0.43	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	16.5	1153	45.5	1046.4
Lacertidae	<i>Adolfus jacksoni</i>	Adolfus jacksoni	variable 3.50	1.22	0.88	Afrotropic	no	0.16	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	20.5	1454	41.1	673.8
Lacertidae	<i>Algypoides fitzingeri</i>	Algypoides fitzingeri	variable 2.50	0.34	-0.06	Paleartic	yes	40.65	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.2	15	704	51.3	5148.7
Lacertidae	<i>Algypoides marchii</i>	Algypoides marchii	variable 2.50	0.55	0.41	Paleartic	no	38.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	11.9	652	43.6	6556.2
Lacertidae	<i>Algypoides moreoticus</i>	Algypoides moreoticus	variable 3.30	0.48	0.32	Paleartic	no	37.53	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.2	14.7	736	72.9	6341.6
Lacertidae	<i>Algypoides nigropunctatus</i>	Algypoides nigropunctatus	variable 3.50	0.90	0.67	Paleartic	no	41.86	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	12.3	1149	41.7	6733.8
Lacertidae	<i>Anatololacerta anatolica</i>	Anatololacerta anatolica	variable 5.50	0.99	0.78	Paleartic	no	38.92	Diurnal	Saxicolous	Scansorial	Oviparous	11.3	13.7	634	60.9	7091.6
Lacertidae	<i>Anatololacerta danfordi</i>	Anatololacerta danfordi	variable 5.50	0.99	0.69	Paleartic	no	37.19	Diurnal	Saxicolous	Scansorial	NA	11.2	11.8	647	66.5	7827.8
Lacertidae	<i>Anatololacerta pelasgiana</i>	Anatololacerta pelasgiana	variable 5.50	0.85	0.79	Paleartic	no	37.17	Diurnal	Saxicolous	Scansorial	Oviparous	11.2	14.8	788	79.9	7291.6
Lacertidae	<i>Apathya cappadocica</i>	Apathya cappadocica	variable 5.00	1.16	0.86	Paleartic	no	37.53	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.1	13.4	580	69.4	9075.4
Lacertidae	<i>Archaeolacerta bedriagae</i>	Archaeolacerta bedriagae	variable 4.50	1.15	0.93	Paleartic	yes	41.04	Diurnal	Saxicolous	Scansorial	Oviparous	11.3	13.6	783	49.7	5186.6
Lacertidae	<i>Atlantolacerta andreanskyi</i>	Atlantolacerta andreanskyi	variable 1.85	0.59	0.36	Paleartic	no	31.67	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.0	11.5	355	52.6	6264.0
Lacertidae	<i>Australolacerta australis</i>	Australolacerta australis	variable 2.00	0.90	NA	A											

Lacertidae	<i>Darevskia armeniaca</i>	Darevskia armeniaca	variable 4.00	0.96	0.79	Palearctic	no	40.94	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	7.4	997	32.7	7834.8
Lacertidae	<i>Darevskia bimaculata</i>	Darevskia bimaculata	variable 2.00	0.79	0.61	Palearctic	no	39.41	Diurnal	NA	NA	Oviparous	11.2	4.7	416	43.1	8772.5
Lacertidae	<i>Darevskia bitinica</i>	Darevskia bitinica	variable 4.00	0.89	0.71	Palearctic	no	40.58	Diurnal	Saxicolous	Scansorial	NA	11.5	12.2	743	31.5	6999.7
Lacertidae	<i>Darevskia brauneri</i>	Darevskia brauneri	variable 4.00	0.92	0.69	Palearctic	no	43.70	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	7.7	1304	20.6	7501.7
Lacertidae	<i>Darevskia caucasica</i>	Darevskia caucasica	variable 4.00	0.85	0.61	Palearctic	no	42.37	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.4	7.4	884	31.3	8003.3
Lacertidae	<i>Darevskia chlorogaster</i>	Darevskia chlorogaster	variable 6.50	0.94	0.68	Palearctic	no	36.55	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.1	13.5	659	48.2	7957.2
Lacertidae	<i>Darevskia daghestanica</i>	Darevskia daghestanica	variable 3.00	0.66	0.46	Palearctic	no	42.26	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	3.3	660	43.8	8122.8
Lacertidae	<i>Darevskia dahlii</i>	Darevskia dahlii	variable 3.50	0.79	0.66	Palearctic	no	41.10	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	7	626	39.7	8187.8
Lacertidae	<i>Darevskia defilippii</i>	Darevskia defilippii	variable 5.20	0.66	0.48	Palearctic	no	36.75	Diurnal	Arboreal&Saxicolo	Scansorial	NA	11.0	13.4	529	49.5	8286.6
Lacertidae	<i>Darevskia derjugini</i>	Darevskia derjugini	variable 6.20	0.81	0.59	Palearctic	no	42.13	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	7.6	1208	24.2	7614.8
Lacertidae	<i>Darevskia lindholmi</i>	Darevskia lindholmi	variable 4.00	0.99	0.71	Palearctic	no	45.28	Diurnal	Saxicolous	Scansorial	Oviparous	11.1	11.4	472	17.7	7966.6
Lacertidae	<i>Darevskia mixta</i>	Darevskia mixta	variable 3.00	0.77	0.61	Palearctic	no	42.01	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	7.4	1348	18.8	7814.5
Lacertidae	<i>Darevskia parvula</i>	Darevskia parvula	variable 3.00	0.70	0.52	Palearctic	no	40.89	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	8.6	947	31.4	7925.0
Lacertidae	<i>Darevskia pontica</i>	Darevskia pontica	variable 5.05	0.74	0.57	Palearctic	no	43.90	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	10.9	713	24.9	8023.3
Lacertidae	<i>Darevskia portschinskii</i>	Darevskia portschinskii	variable 3.50	0.85	0.52	Palearctic	no	41.16	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	10.7	557	43	8312.4
Lacertidae	<i>Darevskia praticola</i>	Darevskia praticola	variable 4.30	0.83	0.50	Palearctic	no	42.85	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	9.4	625	39.2	8343.1
Lacertidae	<i>Darevskia raddei</i>	Darevskia raddei	variable 4.00	1.01	0.71	Palearctic	no	38.90	Diurnal	Saxicolous	Scansorial	Oviparous	11.1	8.4	459	51.1	8600.2
Lacertidae	<i>Darevskia rostombekowi</i>	Darevskia rostombekowi	variable 2.50	0.70	0.51	Palearctic	no	40.75	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	8.3	529	46.4	8244.4
Lacertidae	<i>Darevskia rufida</i>	Darevskia rufida	variable 5.00	1.20	0.87	Palearctic	no	42.18	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	8.2	850	33.6	7767.3
Lacertidae	<i>Darevskia sapphirina</i>	Darevskia sapphirina	variable 3.50	0.68	0.62	Palearctic	no	39.16	Diurnal	NA	NA	Oviparous	11.2	7.9	446	48.4	9175.0
Lacertidae	<i>Darevskia saxicola</i>	Darevskia saxicola	variable 4.00	1.20	0.66	Palearctic	no	43.88	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	6	825	41.5	7866.0
Lacertidae	<i>Darevskia unisexualis</i>	Darevskia unisexualis	variable 5.00	0.96	0.69	Palearctic	no	41.20	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	6.8	866	34.7	8070.1
Lacertidae	<i>Darevskia valentini</i>	Darevskia valentini	variable 5.60	1.07	0.81	Palearctic	no	39.65	Diurnal	Saxicolous	Scansorial	Oviparous	11.3	7.4	616	43.4	8261.6
Lacertidae	<i>Dinarolacerta mosorensis</i>	Dinarolacerta mosorensis	variable 4.75	1.07	0.79	Palearctic	no	43.05	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	9.9	1644	37.7	6809.3
Lacertidae	<i>Eremias acutirostris</i>	Eremias acutirostris	variable 4.50	1.07	NA	Palearctic	no	31.55	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	21.4	127	114.2	9116.5
Lacertidae	<i>Eremias argus</i>	Eremias argus	variable 3.25	0.86	0.64	Palearctic	no	42.40	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	5.8	472	103.3	12364.2
Lacertidae	<i>Eremias arguta</i>	Eremias arguta	variable 3.98	1.36	0.86	Palearctic	no	47.51	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	7.5	309	34.6	11592.2
Lacertidae	<i>Eremias brenchleyi</i>	Eremias brenchleyi	variable 4.00	0.88	0.45	Palearctic	no	37.07	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.0	7.7	480	103.7	11698.9
Lacertidae	<i>Eremias buechneri</i>	Eremias buechneri	variable 2.50	0.83	NA	Palearctic	no	41.05	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	10.7	-4.4	328	61.4	8046.7
Lacertidae	<i>Eremias dzungarica</i>	NA	variable 2.50	0.92	0.77	Palearctic	no	47.05	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	10.7	0.1	151	60.5	12538.2
Lacertidae	<i>Eremias grammica</i>	Eremias grammica	variable 3.50	1.36	0.67	Palearctic	no	43.01	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	11.7	184	51.9	11500.8
Lacertidae	<i>Eremias intermedia</i>	Eremias intermedia	variable 2.00	0.88	0.52	Palearctic	no	42.04	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	12.8	171	56.1	11309.2
Lacertidae	<i>Eremias kopetdagica</i>	NA	variable 4.00	1.01	NA	Palearctic	no	37.03	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	13.5	310	69.5	8797.6
Lacertidae	<i>Eremias lineolata</i>	Eremias lineolata	variable 2.00	0.60	0.25	Palearctic	no	39.99	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	14.6	189	69.4	10469.5
Lacertidae	<i>Eremias multiocellata</i>	Eremias multiocellata	variable 2.85	1.04	0.67	Palearctic	no	41.70	Diurnal	Terrestrial	Terrestrial	Viviparous	10.5	3.8	201	99.3	11495.9
Lacertidae	<i>Eremias nigrocellata</i>	Eremias nigrocellata	variable 5.50	1.12	NA	Palearctic	no	35.27	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	17.3	241	99.9	8974.1
Lacertidae	<i>Eremias nikolskii</i>	Eremias nikolskii	variable 3.50	0.99	0.81	Palearctic	no	40.91	Diurnal	NA	NA	Oviparous	11.0	7	436	51.3	8304.7
Lacertidae	<i>Eremias persica</i>	Eremias persica	variable 5.00	1.33	1.17	Palearctic	no	32.64	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	17.5	230	96.9	8904.8
Lacertidae	<i>Eremias pleskei</i>	Eremias pleskei	variable 4.00	0.70	NA	Palearctic	no	39.53	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	8.3	430	46.9	8583.2
Lacertidae	<i>Eremias przewalskii</i>	Eremias przewalskii	variable 3.55	1.33	1.08	Palearctic	no	41.41	Diurnal	Terrestrial	Terrestrial	Viviparous	10.2	5.5	102	105	11715.7
Lacertidae	<i>Eremias regeli</i>	Eremias regeli	variable 2.50	0.90	NA	Palearctic	no	37.13	Diurnal	NA	NA	Oviparous	10.8	9.9	378	78.8	8425.9
Lacertidae	<i>Eremias scripta</i>	Eremias scripta	variable 1.50	0.83	0.20	Palearctic	no	41.11	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	13.4	205	59.6	10688.8
Lacertidae	<i>Eremias strauchi</i>	Eremias strauchi	variable 8.00	1.07	0.76	Palearctic	no	37.70	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	11.9	350	62.4	8797.1
Lacertidae	<i>Eremias stummeri</i>	Eremias stummeri	variable 3.50	0.85	0.55	Palearctic	no	42.28	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	0.4	383	62.2	8338.6
Lacertidae	<i>Eremias suphani</i>	Eremias suphani	variable 3.50	0.92	0.68	Palearctic	no	38.64	Diurnal	Terrestrial	Terrestrial	NA	11.1	5.9	478	49.4	9009.4
Lacertidae	<i>Eremias velox</i>	Eremias velox	variable 4.00	1.28	0.90	Palearctic	no	42.28	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	11	218	58.2	10823.2
Lacertidae	<i>Eremias vermiculata</i>	Eremias vermiculata	variable 1.50	0.93	0.39	Palearctic	no	40.02	Diurnal	NA	NA	Oviparous	10.1	6.2	109	104.9	11107.3
Lacertidae	<i>Eremias yarkandensis</i>	Eremias yarkandensis	variable 4.00	0.72	0.55	Palearctic	no	39.56	Diurnal	Saxicolous	Scansorial	Viviparous	10.3	9.3	79	83.8	10664.9
Lacertidae	<i>Gallotia atlantica</i>	Gallotia atlantica	variable 2.20	1.46	0.73	Palearctic	yes	28.60	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.6	19.4	127	94.2	1972.0
Lacertidae	<i>Gallotia australis</i>	Gallotia australis	variable 10.00	3.27	NA	Palearctic	yes	28.67	Diurnal	Terrestrial	Terrestrial	NA	10.6	15.5	400	81.3	2107.7
Lacertidae	<i>Gallotia bravoana</i>	Gallotia bravoana	variable 5.00	2.32	1.57	Palearctic	yes	28.11	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	16	319	81.7	2064.4
Lacertidae	<i>Gallotia caesaris</i>	Gallotia caesaris	variable 3.15	1.49	0.96	Palearctic	yes	27.95	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.9	17.9	254	84.9	2016.9
Lacertidae	<i>Gallotia galloti</i>	Gallotia galloti	variable 4.10	1.84	1.19	Palearctic	yes	28.39	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	15.5	389	80.4	2107.9
Lacertidae	<i>Gallotia intermedia</i>	Gallotia intermedia	variable 7.40	2.07	1.76	Palearctic	yes	28.25	Diurnal	Saxicolous	Scansorial	Oviparous	11.2	16.5	340	79.6	2090.0
Lacertidae	<i>Gallotia simonyi</i>	Gallotia simonyi	variable 10.15	3.43	1.96	Palearctic	yes	27.72	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	17.7	189	89.4	1979.8
Lacertidae	<i>Gallotia stehlini</i>	Gallotia stehlini	variable 10.05	3.04	2.15	Palearctic	yes	27.95	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	17.7	191	87.6	2013.0
Lacertidae	<i>Gastropholis prasina</i>	Gastropholis prasina	variable 5.00	1.48	NA	Afrotropic	no	5.27	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.5	1173	55	1420.4
Lacertidae	<i>Helobolus lugubris</i>	Helobolus lugubris	variable 3.63	0.81	0.68	Afrotropic	no	20.95	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	21.3	473	99.4	3772.5
Lacertidae	<i>Helobolus neumanni</i>	Helobolus neumanni	variable 2.50	0.55	0.47	Afrotropic	no	1.84	NA	NA	NA	Oviparous	11.5	22.9	743	80	1128.6
Lacertidae	<i>Helobolus spekii</i>	Helobolus spekii	variable 5.00	0.70	0.32	Afrotropic	no	3.48	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	25	594	88.2	1263.3
Lacertidae	<i>Hellenolacerta graeca</i>	Hellenolacerta graeca	variable 3.50	1.15	1.03	Palearctic	no	37.50	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	14.6	721	72.7	6389.2
Lacertidae	<i>Holaspis guentheri</i>	Holaspis guentheri	variable 2.00	0.55	NA	Afrotropic	no	3.19	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.2	1793	54.6	908.9
Lacertidae	<i>Holaspis laevis</i>	Holaspis laevis	variable 2.00	0.44	0.39	Afrotropic	no	14.02	Diurnal	Arboreal	Scansorial	Oviparous	11.7	23.9	1096	92.6	1880.8
Lacertidae	<i>Iberolacerta aranica</i>	Iberolacerta aranica	variable 2.99	0.84	0.64	Palearctic	no	42.78	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	4.9	1134	14	5788.3
Lacertidae	<i>Iberolacerta aurelioi</i>	Iberolacerta aurelioi	variable 2.52	0.81	0.59	Palearctic	no	42.63	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.5	1.8	1007	15.5	5786.2
Lacertidae	<i>Iberolacerta bonnali</i>	Iberolacerta bonnali	variable 3.03	0.81													

Lacertidae	<i>Iberolacerta horvathi</i>	Iberolacerta horvathi	variable 3.51	0.81	0.63	Paleartic	no	45.98	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	8.7	1377	24.6	6915.6
Lacertidae	<i>Iberolacerta martinezricai</i>	Iberolacerta martinezricai	variable 4.00	0.89	0.71	Paleartic	no	40.50	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	11.4	1040	48.6	6126.9
Lacertidae	<i>Iberolacerta monticola</i>	Iberolacerta monticola	variable 6.30	1.14	0.83	Paleartic	no	42.87	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.5	10	1136	34.7	4736.9
Lacertidae	<i>Ichnotropis capensis</i>	Ichnotropis capensis	variable 6.14	0.86	0.57	Afrotropic	no	16.16	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	21.4	892	94.6	2606.3
Lacertidae	<i>Ichnotropis grandiceps</i>	Ichnotropis grandiceps	variable 7.50	0.90	NA	Afrotropic	no	18.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	22.1	549	109.4	3403.2
Lacertidae	<i>Iranolacerta brandtii</i>	Iranolacerta brandtii	variable 3.50	1.01	0.76	Paleartic	no	37.89	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	9.9	384	54	8528.6
Lacertidae	<i>Lacerta agilis</i>	Lacerta agilis	variable 8.40	1.53	1.03	Paleartic	no	52.18	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	4.6	516	38.4	10560.9
Lacertidae	<i>Lacerta bilineata</i>	Lacerta bilineata	variable 11.05	1.70	1.53	Paleartic	no	44.81	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	11.5	881	23	5854.6
Lacertidae	<i>Lacerta media</i>	Lacerta media	variable 11.20	1.96	1.52	Paleartic	no	37.60	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.1	10.9	560	59.1	8637.0
Lacertidae	<i>Lacerta pamphylica</i>	Lacerta pamphylica	variable 12.50	1.59	1.28	Paleartic	no	36.59	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	15.3	956	87.2	7354.4
Lacertidae	<i>Lacerta schreiberi</i>	Lacerta schreiberi	variable 12.35	1.88	1.49	Paleartic	no	41.63	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	13	934	43.5	5225.3
Lacertidae	<i>Lacerta striigata</i>	Lacerta striigata	variable 10.17	1.96	1.34	Paleartic	no	41.04	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	11.2	500	40.2	8590.2
Lacertidae	<i>Lacerta trilineata</i>	Lacerta trilineata	variable 10.39	2.07	1.49	Paleartic	no	40.49	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	12.5	702	43.5	7259.1
Lacertidae	<i>Lacerta viridis</i>	Lacerta viridis	variable 9.01	1.96	1.39	Paleartic	no	45.45	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.4	10.3	698	30.4	7830.3
Lacertidae	<i>Latastia johnstonii</i>	Latastia johnstonii	variable 7.00	0.79	0.62	Afrotropic	no	9.60	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	22.1	1076	101.4	1726.1
Lacertidae	<i>Latastia longicaudata</i>	Latastia longicaudata	variable 6.80	1.48	1.16	Afrotropic	no	12.50	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	26.6	448	134.2	3046.9
Lacertidae	<i>Meroles anchietae</i>	Meroles anchietae	variable 1.30	0.68	0.31	Afrotropic	no	21.33	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	21.3	106	121.8	2505.7
Lacertidae	<i>Meroles ctenodactylus</i>	Meroles ctenodactylus	variable 6.00	1.32	1.03	Afrotropic	no	28.10	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	19	75	56.8	3315.8
Lacertidae	<i>Meroles cuneirostris</i>	Meroles cuneirostris	variable 2.90	0.66	0.44	Afrotropic	no	25.15	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	19.7	76	91.7	3226.0
Lacertidae	<i>Meroles knoxii</i>	Meroles knoxii	variable 4.00	0.86	0.40	Afrotropic	no	30.49	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	17.4	209	51.9	3997.6
Lacertidae	<i>Meroles reticulatus</i>	Meroles reticulatus	variable 4.00	0.59	NA	Afrotropic	no	20.21	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	22.3	95	129.3	2054.9
Lacertidae	<i>Meroles squamulosus</i>	Meroles squamulosus	variable 4.00	1.06	0.62	Afrotropic	no	17.87	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	21.6	738	99.6	3123.3
Lacertidae	<i>Meroles suborbitalis</i>	Meroles suborbitalis	variable 4.60	0.92	0.69	Afrotropic	no	26.95	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	19.2	184	83.6	4902.1
Lacertidae	<i>Mesalina adramitana</i>	Mesalina adramitana	variable 3.00	0.36	0.15	Paleartic	no	21.70	Diurnal	Terrestrial	Terrestrial	Oviparous	10.3	27.1	81	114.6	6536.8
Lacertidae	<i>Mesalina bahaeldini</i>	Mesalina bahaeldini	variable 4.25	0.62	0.26	Paleartic	no	28.64	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	18.8	23	104.4	5929.8
Lacertidae	<i>Mesalina balfouri</i>	Mesalina balfouri	variable 3.00	0.66	0.47	Afrotropic	yes	12.50	Diurnal	Saxicolous&Terres	Scansorial	NA	10.9	24.8	305	143.8	1195.0
Lacertidae	<i>Mesalina brevirostris</i>	Mesalina brevirostris	variable 3.90	0.70	0.34	Paleartic	no	28.86	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	23.6	141	92.2	7950.4
Lacertidae	<i>Mesalina guttulata</i>	Mesalina guttulata	variable 4.60	0.70	0.35	Paleartic	no	23.44	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	25	66	129.9	6481.4
Lacertidae	<i>Mesalina martini</i>	Mesalina martini	variable 3.00	0.47	0.25	Afrotropic	no	13.68	Diurnal	Terrestrial	Terrestrial	NA	10.5	28.7	179	81.1	3417.0
Lacertidae	<i>Mesalina olivieri</i>	Mesalina olivieri	variable 3.70	0.52	0.21	Paleartic	no	29.30	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	21.7	139	86.3	6447.7
Lacertidae	<i>Mesalina pasteurii</i>	Mesalina pasteurii	variable 3.00	0.47	NA	Paleartic	no	24.12	Diurnal	Terrestrial	Terrestrial	Oviparous	10.3	25.4	36	121.6	6934.7
Lacertidae	<i>Mesalina rubropunctata</i>	Mesalina rubropunctata	variable 4.50	0.85	0.43	Paleartic	no	23.95	Diurnal	Terrestrial	Terrestrial	Oviparous	10.3	24.6	29	155.5	6424.8
Lacertidae	<i>Mesalina simoni</i>	Mesalina simoni	variable 3.00	0.47	NA	Paleartic	no	32.16	Diurnal	Terrestrial	Terrestrial	NA	11.1	18	333	71.3	4788.4
Lacertidae	<i>Mesalina watsonana</i>	Mesalina watsonana	variable 2.50	0.70	0.40	Paleartic	no	32.02	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	19.1	222	96.2	8590.8
Lacertidae	<i>Nucras boulengeri</i>	Nucras boulengeri	variable 4.00	0.81	NA	Afrotropic	no	5.36	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	22.3	917	79	1246.6
Lacertidae	<i>Nucras holubi</i>	Nucras holubi	variable 4.70	0.50	NA	Afrotropic	no	22.62	Diurnal	Terrestrial	Terrestrial	NA	11.4	19.6	561	88.3	3963.6
Lacertidae	<i>Nucras intertexta</i>	Nucras intertexta	variable 5.00	1.28	0.95	Afrotropic	no	23.26	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	20.3	445	88.9	4174.0
Lacertidae	<i>Nucras lalandii</i>	Nucras lalandii	variable 7.00	1.59	1.21	Afrotropic	no	29.34	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	15.9	768	59.6	3586.6
Lacertidae	<i>Nucras livida</i>	Nucras livida	variable 4.00	1.15	NA	Afrotropic	no	31.94	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	16.7	236	48.4	4930.5
Lacertidae	<i>Nucras ornata</i>	Nucras ornata	variable 5.50	1.49	0.98	Afrotropic	no	18.21	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	21.8	871	96.7	2786.5
Lacertidae	<i>Nucras taeniolata</i>	Nucras taeniolata	variable 4.79	1.49	0.89	Afrotropic	no	33.17	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	16.8	436	30.7	3608.5
Lacertidae	<i>Nucras tessellata</i>	Nucras tessellata	variable 3.96	1.28	0.95	Afrotropic	no	25.60	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	19.7	293	82.9	4196.2
Lacertidae	<i>Omanosaura cyanura</i>	Omanosaura cyanura	variable 2.83	0.70	0.46	Afrotropic	no	24.02	Diurnal	Saxicolous	Scansorial	Oviparous	10.4	25.7	124	106	5315.7
Lacertidae	<i>Omanosaura jayakari</i>	Omanosaura jayakari	variable 6.00	2.25	1.87	Afrotropic	no	23.95	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.4	26.2	112	108.8	5501.2
Lacertidae	<i>Ophisops elegans</i>	Ophisops elegans	variable 3.57	0.90	0.36	Paleartic	no	35.93	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	15	406	71.9	8440.9
Lacertidae	<i>Ophisops jerdonii</i>	Ophisops jerdonii	variable 4.50	0.44	0.18	Oriental	no	23.29	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	25.3	808	115.3	4906.9
Lacertidae	<i>Ophisops leschenaultii</i>	Ophisops leschenaultii	variable 6.00	0.64	0.62	Oriental	no	17.47	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.4	26.5	1222	107	2929.4
Lacertidae	<i>Ophisops microlepis</i>	Ophisops microlepis	variable 7.00	0.81	0.53	Oriental	no	23.40	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	26.2	860	139.5	4886.6
Lacertidae	<i>Ophisops occidentalis</i>	Ophisops occidentalis	variable 3.50	0.42	0.34	Paleartic	no	34.34	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	17.5	305	52.4	6648.3
Lacertidae	<i>Ophisops pushkarensis</i>	NA	variable 10.00	0.76	0.57	Oriental	no	26.46	Diurnal	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Lacertidae	<i>Parvilacerta fraasii</i>	Parvilacerta fraasii	variable 5.80	0.70	0.70	Paleartic	no	34.14	Diurnal	Terrestrial	Terrestrial	NA	10.9	8.6	643	87.5	6432.2
Lacertidae	<i>Parvilacerta parva</i>	Parvilacerta parva	variable 3.00	0.75	0.55	Paleartic	no	39.32	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	9.5	462	44.4	8083.2
Lacertidae	<i>Pedioplanis breviceps</i>	Pedioplanis breviceps	variable 3.00	0.36	NA	Afrotropic	no	20.20	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	21.5	145	129.4	2183.8
Lacertidae	<i>Pedioplanis burchelli</i>	Pedioplanis burchelli	variable 4.50	0.76	0.61	Afrotropic	no	31.29	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	15.2	486	51.9	4431.0
Lacertidae	<i>Pedioplanis husabensis</i>	Pedioplanis husabensis	variable 1.50	0.73	0.50	Afrotropic	no	22.55	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.3	21.4	67	126.1	2450.0
Lacertidae	<i>Pedioplanis inornata</i>	Pedioplanis inornata	variable 5.50	0.59	0.44	Afrotropic	no	26.52	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.7	19.7	122	91	4553.6
Lacertidae	<i>Pedioplanis lineocellata</i>	Pedioplanis lineocellata	variable 6.88	0.85	0.70	Afrotropic	no	26.32	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	18.9	366	76.1	4644.6
Lacertidae	<i>Pedioplanis namaquensis</i>	Pedioplanis namaquensis	variable 3.90	0.62	0.54	Afrotropic	no	24.59	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	20	270	88.9	4524.5
Lacertidae	<i>Pedioplanis rubens</i>	Pedioplanis rubens	variable 4.00	0.47	NA	Afrotropic	no	20.45	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	20.4	534	107.7	3644.0
Lacertidae	<i>Pedioplanis undata</i>	Pedioplanis undata	variable 2.50	0.75	0.50	Afrotropic	no	20.89	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	21.6	326	118.1	2900.2
Lacertidae	<i>Phoenicolacerta kulzeri</i>	Phoenicolacerta kulzeri	variable 5.50	1.18	0.58	Paleartic	no	33.25	Diurnal	Saxicolous	Scansorial	Oviparous	11.0	14.6	382	96.7	6482.5
Lacertidae	<i>Phoenicolacerta laevis</i>	Phoenicolacerta laevis	variable 5.30	1.18	0.76	Paleartic	no	35.38	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.2	15.8	654	80.2	6927.8
Lacertidae	<i>Phoenicolacerta troodica</i>	Phoenicolacerta troodica	variable 5.00	0.90	0.71	Paleartic	yes	35.05	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	18.9	520	85.7	5540.1
Lacertidae	<i>Podarcis bogacei</i>	Podarcis bogacei	variable 3.40	0.90	0.54	Paleartic	no	42.58	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	11.5	1133	40	4538.1
Lacertidae	<i>Podarcis carbonelli</i>	Podarcis carbonelli	variable 2.15	0.81	0.52	Paleartic	no	40.21	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.4	13.9	1068	51.6	4826.5
Lacertidae	<i>Podarcis cretensis</i>	Podarcis cretensis	variable 3.50	0.93	0.64	Paleartic	yes	35.28	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	15.9	764	83.8	4804.1
Lac																	

Lacertidae	<i>Podarcis gaigeae</i>	Podarcis gaigeae	variable 2.47	1.36	0.74	Paleartic	yes	38.87	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	16.2	529	70.5	5694.8
Lacertidae	<i>Podarcis guadarramae</i>	Podarcis guadarramae	variable 3.50	0.79	0.43	Paleartic	no	41.38	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.5	12.5	906	43.4	5549.1	
Lacertidae	<i>Podarcis hispanicus</i>	Podarcis hispanicus	variable 2.85	0.97	0.54	Paleartic	no	38.63	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.4	13.4	714	39	5783.4	
Lacertidae	<i>Podarcis lilfordi</i>	Podarcis lilfordi	variable 2.50	1.09	0.69	Paleartic	yes	39.67	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	17	631	51.8	4749.7
Lacertidae	<i>Podarcis liolepis</i>	Podarcis liolepis	variable 2.80	1.07	0.65	Paleartic	no	41.98	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	12.2	687	28	5831.8
Lacertidae	<i>Podarcis melisellensis</i>	Podarcis melisellensis	variable 4.25	0.97	0.69	Paleartic	no	43.69	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	12.9	1374	33.5	6667.2
Lacertidae	<i>Podarcis milensis</i>	Podarcis milensis	variable 1.73	0.99	0.60	Paleartic	yes	36.74	Diurnal	Saxicolous&Terres Scansorial	Oviparous	10.7	17.9	452	84.8	5120.6	
Lacertidae	<i>Podarcis muralis</i>	Podarcis muralis	variable 4.93	1.04	0.78	Paleartic	no	44.65	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.5	10.8	849	26.2	6610.5	
Lacertidae	<i>Podarcis peloponnesiacus</i>	Podarcis peloponnesiacus	variable 3.48	1.15	0.94	Paleartic	no	37.50	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.3	14.6	719	72.6	6387.4	
Lacertidae	<i>Podarcis pityusensis</i>	Podarcis pityusensis	variable 2.65	1.10	0.65	Paleartic	yes	38.95	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.0	17.5	472	51.3	4641.7	
Lacertidae	<i>Podarcis raffonei</i>	Podarcis raffonea	variable 6.00	1.15	0.89	Paleartic	yes	38.55	Diurnal	Saxicolous	Scansorial	Oviparous	10.6	16.6	768	55	5249.8
Lacertidae	<i>Podarcis sictulus</i>	Podarcis sictulus	variable 5.70	1.22	0.74	Paleartic	no	42.27	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.4	14	805	34.5	6275.2	
Lacertidae	<i>Podarcis tauricus</i>	Podarcis tauricus	variable 4.79	1.24	0.75	Paleartic	no	43.08	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	11.6	639	30.5	7763.5
Lacertidae	<i>Podarcis tiliguerta</i>	Podarcis tiliguerta	variable 9.00	1.18	0.72	Paleartic	yes	40.65	Diurnal	Saxicolous	Scansorial	Oviparous	11.2	15	704	51.3	5148.7
Lacertidae	<i>Podarcis vaucheri</i>	Podarcis vaucheri	variable 3.00	0.70	0.50	Paleartic	no	35.24	Diurnal	Saxicolous	Scansorial	Oviparous	11.1	16.1	483	53.3	6102.4
Lacertidae	<i>Podarcis waglerianus</i>	Podarcis waglerianus	variable 4.00	1.01	0.58	Paleartic	yes	37.56	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	15.9	522	57.1	5377.5
Lacertidae	<i>Psammmodromus algirus</i>	Psammmodromus algirus	variable 5.35	1.29	0.87	Paleartic	no	37.10	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.2	15.4	511	46.8	6149.6	
Lacertidae	<i>Psammmodromus blancki</i>	Psammmodromus blancki	variable 3.00	0.39	0.26	Paleartic	no	35.75	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.1	16.1	465	49	6306.8	
Lacertidae	<i>Psammmodromus hispanicus</i>	Psammmodromus hispanicus	variable 3.25	0.62	0.43	Paleartic	no	39.58	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	14.3	527	39.9	6469.2
Lacertidae	<i>Scelarcis perspicillata</i>	Teara perspicillata	variable 3.00	0.88	0.55	Paleartic	no	33.00	Diurnal	Saxicolous	Scansorial	Oviparous	11.0	16	395	56.7	6189.4
Lacertidae	<i>Takydromus amurensis</i>	Takydromus amurensis	variable 5.00	1.07	0.51	Paleartic	no	44.39	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	4.7	692	96.7	13074.6
Lacertidae	<i>Takydromus dorsalis</i>	Takydromus dorsalis	variable 1.40	0.90	0.81	Oriental	yes	24.37	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	10.7	23.5	2390	21.9	3532.7	
Lacertidae	<i>Takydromus formosanus</i>	Takydromus formosanus	variable 2.00	0.79	0.43	Oriental	yes	23.57	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	21.9	1968	85.3	4101.0
Lacertidae	<i>Takydromus hsuehschanensis</i>	Takydromus hsuehschanensis	variable 2.78	0.94	0.72	Oriental	yes	24.21	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	12.3	2476	40.7	4284.9
Lacertidae	<i>Takydromus khasiensis</i>	Takydromus khasiensis	variable 2.00	0.99	0.52	Oriental	no	25.91	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	23	2823	88.7	4044.1	
Lacertidae	<i>Takydromus kuehnei</i>	Takydromus kuehnei	variable 1.80	0.82	0.60	Oriental	no	24.12	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.5	19.6	1605	67.5	5637.3	
Lacertidae	<i>Takydromus luyeanus</i>	Takydromus luyeanus	variable 2.50	0.57	0.43	Oriental	yes	23.01	Diurnal	NA	NA	Oviparous	11.2	21.9	2321	64.6	3627.4
Lacertidae	<i>Takydromus sauteri</i>	Takydromus sauteri	variable 2.00	1.02	0.82	Oriental	yes	22.90	Diurnal	Arboreal	Scansorial	Oviparous	11.2	22.7	2116	77.4	3578.8
Lacertidae	<i>Takydromus septentrionalis</i>	Takydromus septentrionalis	variable 3.30	1.07	0.72	Paleartic	no	31.20	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.4	14.5	1156	70.3	8150.4	
Lacertidae	<i>Takydromus sexlineatus</i>	Takydromus sexlineatus	variable 2.20	0.90	0.61	Oriental	no	13.93	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	23.4	2114	64.1	2460.9	
Lacertidae	<i>Takydromus smaragdinus</i>	Takydromus smaragdinus	variable 2.00	0.81	0.48	Oriental	yes	27.29	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	10.8	22.1	2588	32.7	4346.5	
Lacertidae	<i>Takydromus stejnegeri</i>	Takydromus stejnegeri	variable 2.20	0.75	0.58	Oriental	yes	24.03	Diurnal	NA	NA	Oviparous	11.3	21	2173	66.4	4438.0
Lacertidae	<i>Takydromus sylvaticus</i>	Takydromus sylvaticus	variable 3.00	0.66	0.33	Oriental	no	28.55	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.5	16.9	1849	60.9	7675.0	
Lacertidae	<i>Takydromus tachydromoides</i>	Takydromus tachydromoides	variable 4.00	0.90	0.49	Paleartic	yes	37.64	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	11.6	1647	39.7	7977.8
Lacertidae	<i>Takydromus toyamai</i>	Takydromus toyamai	variable 2.00	0.59	0.59	Oriental	yes	24.78	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	10.8	23.9	2208	21.9	3630.8	
Lacertidae	<i>Takydromus viridipunctatus</i>	Takydromus viridipunctatus	variable 2.50	0.69	0.50	Oriental	yes	24.83	Diurnal	NA	NA	Oviparous	11.2	20.8	2879	32	4884.2
Lacertidae	<i>Takydromus wolteri</i>	Takydromus wolteri	variable 3.75	0.83	0.49	Paleartic	no	38.53	Diurnal	Arboreal	Scansorial	Oviparous	11.4	9	932	83.9	10889.7
Lacertidae	<i>Teira dugesi</i>	Teira dugesi	variable 2.50	1.09	0.72	Paleartic	yes	32.76	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	15.1	2076	62	2349.7
Lacertidae	<i>Timon lepidus</i>	Timon lepidus	variable 13.70	2.58	1.87	Paleartic	no	41.25	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.4	13.4	761	36.9	5748.0	
Lacertidae	<i>Timon nevadensis</i>	NA	variable 14.50	2.35	2.11	Paleartic	no	37.76	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	15.5	373	44.9	5666.2
Lacertidae	<i>Timon pater</i>	Timon pater	variable 11.00	2.04	1.63	Paleartic	no	35.68	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	16.3	461	47.8	6344.8
Lacertidae	<i>Timon princeps</i>	Timon princeps	variable 7.00	1.86	1.66	Paleartic	no	31.97	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	14.7	622	90.9	9361.1
Lacertidae	<i>Timon tangitanus</i>	Timon tangitanus	variable 10.00	1.76	NA	Paleartic	no	34.53	Diurnal	Saxicolous&Terres Scansorial	NA	NA	11.1	16.2	441	53.1	6212.2
Lacertidae	<i>Tropidosaura cotrelli</i>	Tropidosaura cotrelli	variable 4.00	0.94	NA	Afrotropic	no	29.42	NA	Saxicolous&Terres Scansorial	Oviparous	11.6	9.3	886	70.3	4139.3	
Lacertidae	<i>Tropidosaura essexi</i>	Tropidosaura essexi	variable 2.00	0.52	NA	Afrotropic	no	29.21	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	12.9	844	68.1	4095.3
Lacertidae	<i>Tropidosaura gularis</i>	Tropidosaura gularis	variable 6.00	0.75	NA	Afrotropic	no	33.78	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.3	16.2	495	29.7	3602.0	
Lacertidae	<i>Tropidosaura montana</i>	Tropidosaura montana	variable 4.50	0.83	0.56	Afrotropic	no	32.44	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.3	16.2	486	56.7	4608.2	
Lacertidae	<i>Vhembelacerta rupicola</i>	Vhembelacerta rupicola	variable 3.00	0.51	0.39	Afrotropic	no	22.96	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	20.8	645	81.6	3545.8
Lacertidae	<i>Zootoca vivipara</i>	Zootoca vivipara	variable 6.70	1.03	0.75	Paleartic	no	56.43	Diurnal	Terrestrial	Terrestrial	Viviparous	11.1	0.8	545	48.6	11919.7
Lanthanotidae	<i>Lanthanotus borneensis</i>	Lanthanotus borneensis	variable 5.30	2.31	2.02	Oriental	yes	2.92	Nocturnal	Semi_Aquatic	Terrestrial	Oviparous	11.9	26	3550	23.7	408.7
Leiocephalidae	<i>Leiocephalus barahonensis</i>	Leiocephalus barahonensis	variable 2.06	1.21	0.65	Neotropic	yes	18.08	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.5	23.1	957	54.3	1092.5	
Leiocephalidae	<i>Leiocephalus carinatus</i>	Leiocephalus carinatus	variable 4.05	1.86	1.32	Neotropic	yes	21.91	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	25.2	1295	57.2	1760.6
Leiocephalidae	<i>Leiocephalus cubensis</i>	Leiocephalus cubensis	variable 2.33	1.72	0.81	Neotropic	yes	21.72	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	25.1	1386	61.7	1765.0
Leiocephalidae	<i>Leiocephalus eremitus</i>	Leiocephalus eremitus	variable 3.00	0.80	0.80	Neotropic	yes	18.41	NA	NA	NA	Oviparous	NA	27.6	1534	45	1027.0
Leiocephalidae	<i>Leiocephalus inaguae</i>	Leiocephalus inaguae	variable 4.00	1.30	0.92	Neotropic	yes	21.08	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	26.8	686	51.1	1449.5
Leiocephalidae	<i>Leiocephalus lunatus</i>	Leiocephalus lunatus	variable 1.60	0.89	0.51	Neotropic	yes	18.40	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.3	26.4	1269	44.4	1080.6	
Leiocephalidae	<i>Leiocephalus macropus</i>	Leiocephalus macropus	variable 2.38	1.38	0.64	Neotropic	yes	21.29	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.6	25.1	1289	57.4	1622.0	
Leiocephalidae	<i>Leiocephalus melanochlorus</i>	Leiocephalus melanochlorus	variable 4.00	1.82	NA	Neotropic	yes	18.40	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	24.9	1477	45	1055.0
Leiocephalidae	<i>Leiocephalus onaneyi</i>	Leiocephalus onaneyi	variable 2.00	1.01	0.98	Neotropic	yes	20.07	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	25.9	775	54.5	1296.0
Leiocephalidae	<i>Leiocephalus personatus</i>	Leiocephalus personatus	variable 2.00	1.56	0.50	Neotropic	yes	19.02	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.7	24	1462	39.8	1306.7	
Leiocephalidae	<i>Leiocephalus psammodymu</i>	Leiocephalus psammodymu	variable 1.72	1.59	1.05	Neotropic	yes	21.70	Diurnal	Saxicolous&Terres Scansorial	Oviparous	10.9	26.5	696	38.3	1496.8	
Leiocephalidae	<i>Leiocephalus punctatus</i>	Leiocephalus punctatus	variable 8.00	1.14	0.85	Neotropic	yes	22.66	NA	Arboreal&Terrestri Scansorial	NA	NA	26.3	938	48.6	1698.6	
Leiocephalidae	<i>Leiocephalus raviceps</i>	Leiocephalus raviceps	variable 1.67	1.03	0.48	Neotropic	yes	20.38	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	24.7	1200	50.1	1354.9
Leiocephalidae	<i>Leiocephalus schreibersii</i>	Leiocephalus schreibersii	variable 2.47	1.55	0.73	Neotropic	yes	19.05	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.6	24.2	1220	45.2	1387.8	
Leiocephalidae	<i>Leiocephalus semilineatus</i>	Leiocephalus semilineatus	variable 1.78	0.56	0.24	Neotropic	yes	18.51	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	24.3	929	56.4	1290.6	
Leiocephalidae	<i>Leiocephalus stictigaster&lt;/i</i>																

Leiosauridae	<i>Diplolaemus bibronii</i>	Diplolaemus bibronii	variable 5.00	1.75	0.89	Neotropic	no	46.88	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	8.6	335	31.6	4713.4
Leiosauridae	<i>Enyalius bibronii</i>	Enyalius bibronii	variable 7.24	1.75	1.56	Neotropic	no	11.24	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	24.9	881	73.2	1320.6	
Leiosauridae	<i>Enyalius bilineatus</i>	Enyalius bilineatus	variable 4.40	1.55	1.09	Neotropic	no	18.88	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.8	22.2	1316	81.4	1692.7	
Leiosauridae	<i>Enyalius brasiliensis</i>	Enyalius brasiliensis	variable 9.50	1.71	1.27	Neotropic	no	21.50	Cathemeral	Arboreal&Terrestri Scansorial	Oviparous	11.9	21.8	1371	65.5	1981.0	
Leiosauridae	<i>Enyalius catenatus</i>	Enyalius catenatus	variable 10.00	1.79	1.37	Neotropic	no	12.51	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.8	24.2	1180	38	1263.4	
Leiosauridae	<i>Enyalius iheringii</i>	Enyalius iheringii	variable 13.65	1.80	1.57	Neotropic	no	24.99	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.8	19.2	1618	37.5	2643.8	
Leiosauridae	<i>Enyalius leechii</i>	Enyalius leechii	variable 12.65	1.69	1.51	Neotropic	no	7.01	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	12.0	25.3	2067	68.7	629.5	
Leiosauridae	<i>Enyalius perditus</i>	Enyalius perditus	variable 8.65	1.48	1.14	Neotropic	no	21.49	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.9	21.3	1434	66.4	2023.3	
Leiosauridae	<i>Leiosaurus bellii</i>	Leiosaurus bellii	variable 15.00	1.62	0.85	Neotropic	no	43.20	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	10.9	232	30.9	5383.3
Leiosauridae	<i>Leiosaurus catamarcensis</i>	Leiosaurus catamarcensis	variable 8.50	1.75	1.38	Neotropic	no	31.23	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	16.3	320	79.5	5312.5
Leiosauridae	<i>Pristidactylus achalensis</i>	Pristidactylus achalensis	variable 3.00	1.75	1.41	Neotropic	no	31.72	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	11.8	680	76.5	4997.0
Leiosauridae	<i>Pristidactylus fasciatus</i>	Pristidactylus fasciatus	variable 6.50	1.48	NA	Neotropic	no	37.21	NA	Terrestrial	Terrestrial	Oviparous	11.1	15.6	417	42.7	5838.5
Leiosauridae	<i>Pristidactylus scalipatus</i>	Pristidactylus scalipatus	variable 6.00	1.62	1.34	Neotropic	no	32.75	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	8	235	54.6	5602.6
Leiosauridae	<i>Pristidactylus torquatus</i>	Pristidactylus torquatus	variable 5.50	1.62	1.41	Neotropic	no	38.34	Diurnal	Arboreal	Scansorial	Oviparous	11.7	11.6	1454	69	4015.4
Leiosauridae	<i>Pristidactylus volcanensis</i>	Pristidactylus volcanensis	variable 6.50	1.44	NA	Neotropic	no	33.80	Diurnal	Saxicolous	Scansorial	Oviparous	11.1	9.3	514	99.6	6006.2
Leiosauridae	<i>Urostrophus gallardoi</i>	Urostrophus gallardoi	variable 7.00	1.12	NA	Neotropic	no	26.80	Diurnal	Arboreal	Scansorial	Oviparous	11.6	19.8	823	81.6	4171.5
Leiosauridae	<i>Urostrophus vautieri</i>	Urostrophus vautieri	variable 9.60	1.60	1.09	Neotropic	no	23.84	Diurnal	Arboreal	Scansorial	Oviparous	11.8	19.9	1535	47.8	2493.7
Liolemidae	<i>Liolaemus abdalai</i>	Liolaemus abdalai	variable 1.85	0.59	0.46	Neotropic	no	38.57	Diurnal	Terrestrial	Terrestrial	NA	11.0	11.6	234	53.3	5709.1
Liolemidae	<i>Liolaemus absconditus</i>	NA	variable 3.00	0.79	NA	Neotropic	no	37.90	Diurnal	Saxicolous	Scansorial	NA	NA	13.3	844	NA	NA
Liolemidae	<i>Liolaemus alticolor</i>	Liolaemus alticolor	variable 3.05	0.72	0.52	Neotropic	no	18.17	Diurnal	Terrestrial	Terrestrial	Viviparous	11.1	6.3	288	121.7	2384.2
Liolemidae	<i>Liolaemus andinus</i>	Liolaemus andinus	variable 5.80	1.39	1.31	Neotropic	no	24.86	Diurnal	Terrestrial	Terrestrial	Viviparous	10.7	2.4	51	111	3441.8
Liolemidae	<i>Liolaemus anomalus</i>	Liolaemus anomalus	variable 7.50	1.45	0.89	Neotropic	no	31.57	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	17	203	87.4	5423.5
Liolemidae	<i>Liolaemus arambarensis</i>	Liolaemus arambarensis	variable 2.00	0.83	0.57	Neotropic	no	30.68	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	19.7	1372	13.2	3628.4
Liolemidae	<i>Liolaemus archeforus</i>	NA	variable 5.00	1.40	1.22	Neotropic	no	46.94	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	4.9	522	41.5	3926.4
Liolemidae	<i>Liolaemus atacamensis</i>	Liolaemus atacamensis	variable 5.00	1.16	0.87	Neotropic	no	26.78	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	15.1	41	151.5	3239.4
Liolemidae	<i>Liolaemus auditivelatus</i>	Liolaemus auditivelatus	variable 2.50	0.84	0.58	Neotropic	no	25.03	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	10.7	9.6	28	179.8	2982.0
Liolemidae	<i>Liolaemus austromendocinus</i>	Liolaemus austromendocinus	variable 4.33	1.57	1.29	Neotropic	no	35.94	Diurnal	Terrestrial	Terrestrial	Viviparous	10.9	11.3	346	44.4	5888.5
Liolemidae	<i>Liolaemus baguali</i>	Liolaemus baguali	variable 3.50	1.53	1.19	Neotropic	no	49.00	Diurnal	Terrestrial	Terrestrial	Viviparous	10.8	5.2	112	34	4358.6
Liolemidae	<i>Liolaemus bellii</i>	Liolaemus bellii	variable 4.22	1.43	0.91	Neotropic	no	33.41	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.0	5.4	462	100.5	5826.7
Liolemidae	<i>Liolaemus bibronii</i>	Liolaemus bibronii	variable 2.75	1.04	0.67	Neotropic	no	42.52	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	10.3	283	34.4	5309.3
Liolemidae	<i>Liolaemus bitaeniatus</i>	Liolaemus bitaeniatus	variable 5.91	0.87	0.86	Neotropic	no	26.49	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	12.9	733	95	4069.1
Liolemidae	<i>Liolaemus boulengeri</i>	Liolaemus boulengeri	variable 4.08	1.18	0.84	Neotropic	no	42.88	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	11	242	32.2	5378.1
Liolemidae	<i>Liolaemus burmeisteri</i>	Liolaemus burmeisteri	variable 3.00	1.30	1.05	Neotropic	no	37.23	Diurnal	Saxicolous&Terres	Scansorial	NA	11.0	NA	NA	NA	NA
Liolemidae	<i>Liolaemus cazianiae</i>	Liolaemus cazianiae	variable 3.00	1.15	NA	Neotropic	no	24.73	Diurnal	Terrestrial	Terrestrial	NA	10.7	4	33	91.4	3397.8
Liolemidae	<i>Liolaemus chacoensis</i>	Liolaemus chacoensis	variable 6.07	0.71	0.42	Neotropic	no	27.66	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	20.3	688	78.4	4589.3
Liolemidae	<i>Liolaemus chaltin</i>	Liolaemus chaltin	variable 4.50	0.80	0.71	Neotropic	no	22.33	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	5.9	417	113.3	3387.4
Liolemidae	<i>Liolaemus chavin</i>	Liolaemus chavin	variable 4.00	0.97	NA	Neotropic	no	9.93	Diurnal	Terrestrial	Terrestrial	Viviparous	11.3	5.8	767	76.3	470.2
Liolemidae	<i>Liolaemus chilensis</i>	Liolaemus chilensis	variable 14.40	1.59	1.33	Neotropic	no	36.72	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	10.4	1021	82	4554.2
Liolemidae	<i>Liolaemus chilanensis</i>	Liolaemus chilanensis	variable 3.00	1.36	1.13	Neotropic	no	37.77	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	6.1	947	73.7	4811.1
Liolemidae	<i>Liolaemus coeruleus</i>	Liolaemus coeruleus	variable 4.50	1.04	0.85	Neotropic	no	38.26	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.4	6.4	761	70.9	4885.5
Liolemidae	<i>Liolaemus confusus</i>	Liolaemus confusus	variable 3.00	0.94	0.52	Neotropic	no	34.78	Diurnal	Saxicolous	Scansorial	Oviparous	11.6	13.1	895	102.7	4642.3
Liolemidae	<i>Liolaemus constanzae</i>	Liolaemus constanzae	variable 3.64	1.16	0.76	Neotropic	no	23.56	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.7	4.8	39	130.2	3080.1
Liolemidae	<i>Liolaemus crepuscularis</i>	Liolaemus crepuscularis	variable 4.50	0.92	0.74	Neotropic	no	27.25	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.1	8.5	363	93.2	4143.4
Liolemidae	<i>Liolaemus curis</i>	Liolaemus curis	variable 5.50	1.56	1.32	Neotropic	no	34.91	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	3.1	863	87.7	5658.0
Liolemidae	<i>Liolaemus cyanogaster</i>	Liolaemus cyanogaster	variable 7.50	1.06	0.82	Neotropic	no	39.81	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.5	9.3	1386	61.5	4067.3
Liolemidae	<i>Liolaemus darwini</i>	Liolaemus darwini	variable 5.05	1.02	0.72	Neotropic	no	35.74	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	14.5	341	52.7	5559.4
Liolemidae	<i>Liolaemus ditadai</i>	Liolaemus ditadai	variable 7.50	1.45	0.82	Neotropic	no	29.88	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	20.6	536	75.9	5120.2
Liolemidae	<i>Liolaemus dorbignyi</i>	Liolaemus dorbignyi	variable 4.50	1.54	1.09	Neotropic	no	25.85	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	10.9	6.5	259	117.6	3794.4
Liolemidae	<i>Liolaemus duellmani</i>	Liolaemus duellmani	variable 2.00	1.27	1.25	Neotropic	no	36.45	Diurnal	Terrestrial	Terrestrial	Viviparous	10.9	9.4	276	41.4	5928.4
Liolemidae	<i>Liolaemus elongatus</i>	Liolaemus elongatus	variable 3.90	1.44	1.14	Neotropic	no	39.46	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	9.2	350	46.8	5455.1
Liolemidae	<i>Liolaemus escardosi</i>	Liolaemus escardosi	variable 3.00	1.39	1.21	Neotropic	no	50.39	Diurnal	Terrestrial	Terrestrial	Viviparous	10.8	6.8	153	27.7	4426.7
Liolemidae	<i>Liolaemus espinozai</i>	Liolaemus espinozai	variable 2.50	0.89	0.75	Neotropic	no	27.05	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	7.3	416	99.4	3906.0
Liolemidae	<i>Liolaemus fabiani</i>	Liolaemus fabiani	variable 2.50	1.38	1.01	Neotropic	no	23.23	Diurnal	Terrestrial	Terrestrial	Viviparous	10.7	12.4	23	150.7	3056.7
Liolemidae	<i>Liolaemus fitzgeraldi</i>	Liolaemus fitzgeraldi	variable 2.25	0.94	0.72	Neotropic	no	32.37	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	0.9	292	87.4	5659.5
Liolemidae	<i>Liolaemus foxi</i>	Liolaemus foxi	variable 4.00	1.26	1.15	Neotropic	no	22.70	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	7.6	32	208.2	2924.9
Liolemidae	<i>Liolaemus fuscus</i>	Liolaemus fuscus	variable 2.00	0.67	0.38	Neotropic	no	33.25	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	13.9	355	109.3	5619.8
Liolemidae	<i>Liolaemus gallardoi</i>	Liolaemus gallardoi	variable 3.00	1.40	1.22	Neotropic	no	48.01	Diurnal	Terrestrial	Terrestrial	Viviparous	10.8	5.6	162	27.8	4676.7
Liolemidae	<i>Liolaemus goetschi</i>	Liolaemus goetschi	variable 5.00	1.12	1.01	Neotropic	no	40.72	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	13.9	235	22.8	5885.0
Liolemidae	<i>Liolaemus gracilis</i>	Liolaemus gracilis	variable 4.23	0.79	0.59	Neotropic	no	38.16	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	13.5	358	39.8	5764.5
Liolemidae	<i>Liolaemus gravenhorstii</i>	Liolaemus gravenhorstii	variable 6.00	1.02	0.76	Neotropic	no	34.12	Diurnal	Arboreal&Terrestri Scansorial	Viviparous	11.5	14.3	563	103.1	5623.7	
Liolemidae	<i>Liolaemus halonastes</i>	Liolaemus halonastes	variable 3.50	1.07	NA	Neotropic	no	25.07	Diurnal	Terrestrial	Terrestrial	Viviparous	10.6	4.7	32	97.8	3520.8
Liolemidae	<i>Liolaemus hatcheri</i>	Liolaemus hatcheri	variable 3.00	1.09	0.76	Neotropic	no	48.46	Diurnal	Terrestrial	Terrestrial	Viviparous	10.9	3.5	174	32.6	4203.2
Liolemidae	<i>Liolaemus huacahuasicus</i>	Liolaemus huacahuasicus	variable 4.77	1.15	0.86	Neotropic	no	26.64	Diurnal	Terrestrial	Terrestrial	Viviparous	11.3	3.7	1157	91.6	3886.8
Liolemidae	<i>Liolaemus incaicus</i>	Liolaemus incaicus	variable 5.00	0.78	0.66	Neotropic	no	13.44	Diurnal	NA	NA	NA	11.5	7.6	668	84.4	1184.7
Liolemidae	<i>Liolaemus irregularis</i>	Liolaemus irregularis	variable 5.38	1.37	1.08	Neotropic	no	24.01	Diurnal	Terrestrial	Terrestrial	Viviparous	10.9	4.5	347	118.1	3493.1
Liolemidae	<i>Liolaemus jamesi</i> </																

Liolemidae	<i>Liolemus kolengh</i>	Liolemus kolengh	variable 3.20	0.88	0.88	Neotropic	no	46.91	Diurnal	Saxicolous&Terres Scansorial	Viviparous	11.0	1.1	350	51.1	3936.0	
Liolemidae	<i>Liolemus koslowskyi</i>	Liolemus koslowskyi	variable 4.89	1.25	0.82	Neotropic	no	28.19	Diurnal	Terrestrial	Oviparous	11.0	14.1	223	101.1	4473.7	
Liolemidae	<i>Liolemus kriegi</i>	Liolemus kriegi	variable 4.00	1.70	1.51	Neotropic	no	40.38	Diurnal	Saxicolous	Scansorial	Viviparous	11.1	8.8	444	53	5199.6
Liolemidae	<i>Liolemus lefrarui</i>	NA	variable 1.00	1.25	0.92	Neotropic	no	38.20	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.8	NA	NA	NA	NA	
Liolemidae	<i>Liolemus lemnisatus</i>	Liolemus lemnisatus	variable 4.50	0.74	0.48	Neotropic	no	35.78	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	10.7	877	88.1	4695.5
Liolemidae	<i>Liolemus leopardinus</i>	Liolemus leopardinus	variable 3.00	1.54	1.33	Neotropic	no	33.36	Diurnal	Saxicolous&Terres Scansorial	Viviparous	11.0	7.2	410	100.9	5882.3	
Liolemidae	<i>Liolemus lineomaculatus</i>	Liolemus lineomaculatus	variable 3.56	1.00	0.72	Neotropic	no	46.40	Diurnal	Terrestrial	Terrestrial	Viviparous	10.9	7.9	288	36	4631.6
Liolemidae	<i>Liolemus longquimayensis</i>	NA	variable 2.00	1.03	1.01	Neotropic	no	38.39	Diurnal	Saxicolous	Scansorial	Viviparous	11.7	2.4	1877	66	4400.0
Liolemidae	<i>Liolemus lutzae</i>	Liolemus lutzae	variable 2.64	1.36	0.85	Neotropic	no	22.91	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	23.9	1216	36.1	1838.0
Liolemidae	<i>Liolemus magellanicus</i>	Liolemus magellanicus	variable 4.00	1.06	0.81	Neotropic	no	51.84	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	4.8	382	26.3	3578.9
Liolemidae	<i>Liolemus melanops</i>	Liolemus melanops	variable 8.50	1.50	1.04	Neotropic	no	41.60	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	13.3	214	21.5	5899.2
Liolemidae	<i>Liolemus millcayac</i>	Liolemus millcayac	variable 7.50	1.19	0.67	Neotropic	no	32.18	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	18.1	195	82	5574.6
Liolemidae	<i>Liolemus monticola</i>	Liolemus monticola	variable 3.75	1.36	0.96	Neotropic	no	33.57	Diurnal	Saxicolous	Scansorial	Oviparous	11.2	9.8	506	103.2	5645.2
Liolemidae	<i>Liolemus morenoi</i>	Liolemus morenoi	variable 5.00	1.35	1.18	Neotropic	no	39.80	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	11	253	52	5596.6
Liolemidae	<i>Liolemus multicolor</i>	Liolemus multicolor	variable 7.00	1.28	1.13	Neotropic	no	23.23	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	5.2	412	117.2	3438.0
Liolemidae	<i>Liolemus multimaculatus</i>	Liolemus multimaculatus	variable 4.20	1.08	0.82	Neotropic	no	39.21	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	14.8	582	22.4	4542.0
Liolemidae	<i>Liolemus nazca</i>	NA	variable 4.00	0.93	0.80	Neotropic	no	15.12	Diurnal	Terrestrial	Terrestrial	Viviparous	NA	NA	NA	NA	NA
Liolemidae	<i>Liolemus neuguensis</i>	Liolemus neuguensis	variable 4.50	0.85	0.82	Neotropic	no	37.84	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	6.2	841	72.9	4875.7
Liolemidae	<i>Liolemus nigromaculatus</i>	Liolemus nigromaculatus	variable 3.09	1.42	0.88	Neotropic	no	27.27	Diurnal	Saxicolous&Terres Scansorial	Oviparous	10.7	17.5	65	155	3149.5	
Liolemidae	<i>Liolemus nigroviridis</i>	Liolemus nigroviridis	variable 4.66	1.35	0.86	Neotropic	no	33.43	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.2	9.6	442	105.3	5666.2	
Liolemidae	<i>Liolemus nitidus</i>	Liolemus nitidus	variable 8.00	1.59	1.26	Neotropic	no	32.73	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.2	11.7	409	108.7	4893.9	
Liolemidae	<i>Liolemus olongasta</i>	Liolemus olongasta	variable 3.50	0.98	0.78	Neotropic	no	30.81	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	12	116	79.2	5321.6
Liolemidae	<i>Liolemus ornatus</i>	Liolemus ornatus	variable 7.00	1.06	0.89	Neotropic	no	21.76	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	5.4	293	130.1	3102.3
Liolemidae	<i>Liolemus pachacute</i>	Liolemus pachacute	variable 3.00	0.64	NA	Neotropic	no	13.59	Diurnal	NA	NA	Viviparous	11.6	7.9	835	84.2	1180.8
Liolemidae	<i>Liolemus pagabueroi</i>	Liolemus pagabueroi	variable 5.00	0.76	0.62	Neotropic	no	26.83	Diurnal	Terrestrial	Terrestrial	Viviparous	11.3	6.8	862	90.6	3952.3
Liolemidae	<i>Liolemus parvus</i>	Liolemus parvus	variable 2.44	1.06	NA	Neotropic	no	30.58	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	5.6	87	57.5	5464.5
Liolemidae	<i>Liolemus patriciaiturrae</i>	Liolemus patriciaiturrae	variable 3.50	1.47	1.28	Neotropic	no	26.76	Diurnal	Terrestrial	Terrestrial	Viviparous	10.6	2.5	34	100.4	3675.8
Liolemidae	<i>Liolemus paulinae</i>	Liolemus paulinae	variable 2.00	0.85	0.70	Neotropic	no	22.46	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	10.5	13.8	235.2	2801.8		
Liolemidae	<i>Liolemus petrophilus</i>	Liolemus petrophilus	variable 3.60	1.52	1.23	Neotropic	no	42.45	Diurnal	Saxicolous	Scansorial	Viviparous	10.7	11	210	28.6	5685.0
Liolemidae	<i>Liolemus pictus</i>	Liolemus pictus	variable 3.95	1.57	0.83	Neotropic	no	39.78	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.6	9.5	1605	61.2	3832.0	
Liolemidae	<i>Liolemus platei</i>	Liolemus platei	variable 3.00	1.06	0.52	Neotropic	no	28.78	Diurnal	Saxicolous&Terres Scansorial	Oviparous	10.7	11.4	77	121	3900.5	
Liolemidae	<i>Liolemus pleopholis</i>	Liolemus pleopholis	variable 4.40	1.23	1.00	Neotropic	no	18.32	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	3.3	177	139.4	2048.8
Liolemidae	<i>Liolemus poecilochromus</i>	Liolemus poecilochromus	variable 5.80	1.15	0.90	Neotropic	no	25.87	Diurnal	Terrestrial	Terrestrial	Viviparous	10.7	3.1	138	125.8	3812.7
Liolemidae	<i>Liolemus pseudoanomalus</i>	Liolemus pseudoanomalus	variable 6.80	1.00	0.74	Neotropic	no	29.33	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	15.2	197	100.3	4854.9
Liolemidae	<i>Liolemus pseudolemniscatus</i>	Liolemus pseudolemniscatus	variable 2.50	0.69	0.44	Neotropic	no	31.54	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.1	15.1	205	116.4	4755.7	
Liolemidae	<i>Liolemus puna</i>	Liolemus puna	variable 3.00	0.74	0.45	Neotropic	no	20.72	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	6	286	127.8	2846.1
Liolemidae	<i>Liolemus puritamensis</i>	Liolemus puritamensis	variable 4.00	1.53	1.16	Neotropic	no	22.38	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	1.1	67	168.8	2736.0
Liolemidae	<i>Liolemus ramirezae</i>	Liolemus ramirezae	variable 5.00	0.77	0.63	Neotropic	no	25.59	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.2	8.5	644	105.9	3681.2	
Liolemidae	<i>Liolemus riojanus</i>	Liolemus riojanus	variable 4.20	0.89	0.61	Neotropic	no	31.17	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	16.9	126	89.5	5406.9
Liolemidae	<i>Liolemus robertoi</i>	Liolemus robertoi	variable 4.50	1.07	0.82	Neotropic	no	29.64	Diurnal	Saxicolous&Terres Scansorial	Viviparous	10.6	0.6	77	123.5	5209.4	
Liolemidae	<i>Liolemus rosenmanni</i>	Liolemus rosenmanni	variable 3.00	1.18	0.96	Neotropic	no	27.29	Diurnal	Saxicolous&Terres Scansorial	Viviparous	10.6	-1.1	42	82.4	3877.6	
Liolemidae	<i>Liolemus rothi</i>	Liolemus rothi	variable 6.50	1.57	1.31	Neotropic	no	41.50	Diurnal	Saxicolous&Terres Scansorial	Oviparous	10.9	9.9	274	37.7	5620.5	
Liolemidae	<i>Liolemus ruibaldi</i>	Liolemus ruibaldi	variable 2.97	0.97	0.76	Neotropic	no	31.71	Diurnal	Terrestrial	Terrestrial	Viviparous	10.8	5.6	118	60.1	5725.5
Liolemidae	<i>Liolemus sagei</i>	Liolemus sagei	variable 4.50	1.52	1.30	Neotropic	no	39.19	Diurnal	Saxicolous&Terres Scansorial	Oviparous	10.9	10.6	252	53.7	5586.8	
Liolemidae	<i>Liolemus sanjuanensis</i>	Liolemus sanjuanensis	variable 4.50	0.94	0.87	Neotropic	no	31.56	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	16.1	134	85.2	5525.6
Liolemidae	<i>Liolemus sarmientoi</i>	Liolemus sarmientoi	variable 3.81	1.49	1.22	Neotropic	no	50.26	Diurnal	Saxicolous&Terres Scansorial	Viviparous	10.8	7.3	170	25.9	4483.2	
Liolemidae	<i>Liolemus saxatilis</i>	Liolemus saxatilis	variable 5.60	0.83	0.71	Neotropic	no	32.15	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.5	14.5	798	74.9	5103.9	
Liolemidae	<i>Liolemus scapularis</i>	Liolemus scapularis	variable 4.33	1.16	0.70	Neotropic	no	27.11	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	10.6	511	97.2	4060.8
Liolemidae	<i>Liolemus schroederi</i>	Liolemus schroederi	variable 8.00	0.99	0.83	Neotropic	no	35.75	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.6	12.2	933	90.3	4822.5	
Liolemidae	<i>Liolemus scolaroi</i>	Liolemus scolaroi	variable 3.00	1.23	0.87	Neotropic	no	46.77	Diurnal	Saxicolous&Terres Scansorial	Viviparous	11.0	4.9	282	53.8	3903.4	
Liolemidae	<i>Liolemus scorialis</i>	NA	variable 3.00	1.03	0.86	Neotropic	no	37.59	Diurnal	Saxicolous	Scansorial	Viviparous	11.6	5.6	1150	71.8	4706.9
Liolemidae	<i>Liolemus septentrionalis</i>	Liolemus septentrionalis	variable 4.20	0.82	0.78	Neotropic	no	35.76	Diurnal	Arboreal	Scansorial	Viviparous	11.7	13.4	937	89.8	5136.1
Liolemidae	<i>Liolemus signifer</i>	Liolemus signifer	variable 6.10	1.62	1.36	Neotropic	no	19.69	Diurnal	Terrestrial	Terrestrial	Viviparous	11.1	6.7	375	120.4	2524.0
Liolemidae	<i>Liolemus silvanae</i>	Liolemus silvanae	variable 3.00	1.18	1.09	Neotropic	no	46.87	Diurnal	Saxicolous&Terres Scansorial	Viviparous	10.9	2.7	233	52.3	4178.8	
Liolemidae	<i>Liolemus stolzmanni</i>	Liolemus stolzmanni	variable 2.00	0.86	0.58	Neotropic	no	20.82	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	9.3	820	92.4	1269.0
Liolemidae	<i>Liolemus tandilensis</i>	Liolemus tandilensis	variable 3.19	0.79	0.69	Neotropic	no	37.43	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	13.7	882	30.1	4843.2
Liolemidae	<i>Liolemus tari</i>	Liolemus tari	variable 3.50	1.54	1.29	Neotropic	no	49.34	Diurnal	Saxicolous&Terres Scansorial	Viviparous	10.9	3.1	252	35.8	3903.3	
Liolemidae	<i>Liolemus tenuis</i>	Liolemus tenuis	variable 5.05	0.93	0.67	Neotropic	no	36.98	Diurnal	Arboreal	Scansorial	Oviparous	11.5	10.3	1087	79.4	4478.5
Liolemidae	<i>Liolemus torresi</i>	Liolemus torresi	variable 2.00	0.94	0.80	Neotropic	no	22.23	Diurnal	Terrestrial	Terrestrial	Viviparous	10.4	16.1	10	241.2	2546.6
Liolemidae	<i>Liolemus tristis</i>	Liolemus tristis	variable 3.50	1.31	1.09	Neotropic	no	47.11	Diurnal	Terrestrial	Terrestrial	Viviparous	10.7	6.7	139	34.6	4845.8
Liolemidae	<i>Liolemus uspallatensis</i>	Liolemus uspallatensis	variable 3.00	0.94	0.85	Neotropic	no	31.99	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	6.6	132	63.4	5690.2
Liolemidae	<i>Liolemus valdesianus</i>	Liolemus valdesianus	variable 2.50	1.45	1.36	Neotropic	no	33.85	Diurnal	Saxicolous&Terres Scansorial	Viviparous	10.8	1	635	89.9	5879.2	
Liolemidae	<i>Liolemus vallecurensis</i>	Liolemus vallecurensis	variable 4.00	1.17	0.77	Neotropic	no	31.04	Diurnal	Terrestrial	Terrestrial	Viviparous	10.9	9.2	131	93.8	5317.9
Liolemidae	<i>Liolemus velosoi</i>	Liolemus velosoi	variable 1.00	0.81	0.46	Neotropic	no	26.58	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	19.8	14	124.8	2802.0
Liolemidae	<i>Liolemus victorrolesii</i>	NA	variable 6.00	1.36	1.17	Neotropic	no	13.33	Diurnal	Terrestrial	Terrestrial	Viviparous	NA	NA	NA	NA	NA
Liolemidae	<i>Liolemus villaricensis</i>	NA	variable 3.00	1.22	0.87	Neotropic	no	39.37	Diurnal	Saxicolous	Scansorial	Oviparous	11.8	8.3	2094	62.3	4250.6
Liolemidae	<i>Liolemus wari</i>	Liolemus wari	variable 3.00														

Liolemidae	<i>Liolemus xanthoviridis</i>	Liolemus xanthoviridis	variable 7.00	1.53	1.18	Neotropic	no	44.18	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	13	230	22	5219.1
Liolemidae	<i>Liolemus yalguaraz</i>	NA	variable 4.44	0.82	0.68	Neotropic	no	32.41	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	3	254	69	5511.0
Liolemidae	<i>Liolemus yanacu</i>	Liolemus yanacu	variable 3.50	0.86	0.53	Neotropic	no	24.32	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	2.4	364	117.5	3507.1
Liolemidae	<i>Liolemus zapallarensis</i>	Liolemus zapallarensis	variable 6.91	1.64	1.32	Neotropic	no	30.97	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	18	164	120.2	3626.3
Liolemidae	<i>Liolemus zulylae</i>	Liolemus zulylae	variable 2.50	1.36	0.94	Neotropic	no	46.86	Diurnal	Saxicolous&Terres Scansorial	Saxicolous&Terres Scansorial	Viviparous	11.0	4	286	48	3990.2
Liolemidae	<i>Phymaturus aguanegra</i>	Phymaturus aguanegra	variable 1.50	1.67	1.54	Neotropic	no	30.38	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	10.8	3.8	69	52.5	5626.5	
Liolemidae	<i>Phymaturus aguedae</i>	Phymaturus aguedae	variable 4.00	1.52	1.49	Neotropic	no	34.34	Diurnal	Saxicolous	Scansorial	Viviparous	11.1	7.9	550	107	5870.0
Liolemidae	<i>Phymaturus antofagastensis</i>	Phymaturus antofagastensis	variable 2.00	1.61	1.44	Neotropic	no	26.55	Diurnal	Saxicolous&Terres Scansorial	Saxicolous&Terres Scansorial	Viviparous	10.7	2.2	64	120.1	3983.1
Liolemidae	<i>Phymaturus camilae</i>	Phymaturus camilae	variable 2.00	1.63	1.54	Neotropic	no	42.50	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	9.1	210	24.7	5530.7
Liolemidae	<i>Phymaturus castillensis</i>	Phymaturus castillensis	variable 1.50	1.52	1.44	Neotropic	no	45.10	Diurnal	Saxicolous&Terres Scansorial	Saxicolous&Terres Scansorial	Viviparous	10.8	9.9	148	38.3	5087.0
Liolemidae	<i>Phymaturus curivilcun</i>	NA	variable 2.33	1.57	1.48	Neotropic	no	42.45	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	7.7	247	39	5131.0
Liolemidae	<i>Phymaturus darwini</i>	Phymaturus darwini	variable 2.00	1.69	1.48	Neotropic	no	33.02	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	2.3	354	104.3	5763.8
Liolemidae	<i>Phymaturus delheyi</i>	Phymaturus delheyi	variable 2.00	1.53	1.45	Neotropic	no	36.98	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	7.7	234	54	5723.0
Liolemidae	<i>Phymaturus indistinctus</i>	Phymaturus indistinctus	variable 2.00	1.61	1.35	Neotropic	no	45.34	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	8.9	184	40	4867.4
Liolemidae	<i>Phymaturus loboi</i>	NA	variable 1.00	1.65	1.56	Neotropic	no	36.27	Diurnal	Saxicolous	Scansorial	Viviparous	NA	NA	NA	NA	NA
Liolemidae	<i>Phymaturus nevadoi</i>	Phymaturus nevadoi	variable 2.00	1.51	1.44	Neotropic	no	35.66	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	10.1	428	51.9	5755.1
Liolemidae	<i>Phymaturus palluma</i>	Phymaturus palluma	variable 2.75	1.75	1.52	Neotropic	no	34.57	Diurnal	Saxicolous	Scansorial	Viviparous	11.0	5.9	443	75.2	5528.5
Liolemidae	<i>Phymaturus patagonicus</i>	Phymaturus patagonicus	variable 2.00	1.73	1.50	Neotropic	no	43.58	Diurnal	Saxicolous	Scansorial	Viviparous	10.6	12.5	203	27.1	5582.4
Liolemidae	<i>Phymaturus payuniae</i>	Phymaturus payuniae	variable 2.00	1.45	1.36	Neotropic	no	36.48	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	8.5	314	24.3	5874.5
Liolemidae	<i>Phymaturus punae</i>	Phymaturus punae	variable 1.50	1.80	1.50	Neotropic	no	29.40	Diurnal	Saxicolous	Scansorial	Viviparous	10.6	5	66	52.2	5163.8
Liolemidae	<i>Phymaturus roigorum</i>	Phymaturus roigorum	variable 2.00	1.71	1.55	Neotropic	no	36.26	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	8.5	356	27.6	5855.8
Liolemidae	<i>Phymaturus sinervoii</i>	Phymaturus sinervoii	variable 1.50	1.66	1.46	Neotropic	no	40.90	Diurnal	Saxicolous	Scansorial	Viviparous	10.8	9.7	191	34.1	5731.5
Liolemidae	<i>Phymaturus somuncurensis</i>	Phymaturus somuncurensis	variable 3.00	1.61	1.35	Neotropic	no	41.87	Diurnal	Saxicolous	Scansorial	Viviparous	10.7	11	218	19.9	5960.5
Liolemidae	<i>Phymaturus spurcus</i>	NA	variable 1.75	1.52	1.47	Neotropic	no	41.23	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	8.4	316	50.8	5328.6
Liolemidae	<i>Phymaturus tenebrosus</i>	Phymaturus tenebrosus	variable 2.00	1.75	1.58	Neotropic	no	40.96	Diurnal	Saxicolous	Scansorial	Viviparous	11.1	7.7	626	68.1	4725.3
Liolemidae	<i>Phymaturus videlai</i>	Phymaturus videlai	variable 2.00	1.53	1.32	Neotropic	no	44.91	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	9	165	40	4971.6
Liolemidae	<i>Phymaturus vociferator</i>	Phymaturus vociferator	variable 1.50	1.65	1.24	Neotropic	no	36.91	Diurnal	Saxicolous	Scansorial	Viviparous	11.1	5.4	696	76.9	5218.8
Liolemidae	<i>Phymaturus williamsi</i>	Phymaturus williamsi	variable 1.90	1.69	1.57	Neotropic	no	31.84	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	4.2	81	65	5813.0
Liolemidae	<i>Phymaturus zapalensis</i>	Phymaturus zapalensis	variable 1.50	1.69	1.41	Neotropic	no	39.57	Diurnal	Saxicolous	Scansorial	Viviparous	11.1	8.2	415	67.7	5123.8
Opluridae	<i>Chalarodon madagascariensis</i>	Chalarodon madagascariensis	variable 2.00	1.26	0.60	Madagascar yes	yes	22.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	23.5	826	107.6	2265.9
Opluridae	<i>Ophurus cuvieri</i>	Ophurus cuvieri	variable 3.50	2.25	1.88	Madagascar yes	yes	18.42	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	24.8	1294	118.8	1614.9	
Opluridae	<i>Ophurus cyclurus</i>	Ophurus cyclurus	variable 4.00	2.25	1.30	Madagascar yes	yes	20.55	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24.4	1083	111.7	1928.3
Opluridae	<i>Ophurus fieriensis</i>	Ophurus fieriensis	variable 2.50	1.44	1.14	Madagascar yes	yes	22.55	Diurnal	Saxicolous	Scansorial	Oviparous	11.6	24.3	478	121.3	2295.0
Opluridae	<i>Ophurus grandidieri</i>	Ophurus grandidieri	variable 2.00	1.72	1.32	Madagascar yes	yes	21.90	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.6	20.6	886	101.5	2483.8	
Opluridae	<i>Ophurus quadrimaculatus</i>	Ophurus quadrimaculatus	variable 7.00	2.08	1.64	Madagascar yes	yes	23.10	Diurnal	Saxicolous	Scansorial	Oviparous	11.6	21.2	985	89.6	2504.7
Opluridae	<i>Ophurus saxicola</i>	Ophurus saxicola	variable 2.00	1.59	1.28	Madagascar yes	yes	24.15	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	22.4	819	90.1	2550.9
Phrynosomatidae	<i>Callisaurus draconoides</i>	Callisaurus draconoides	variable 4.34	1.60	1.05	Nearctic	no	32.88	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	18.9	255	65.4	6940.7
Phrynosomatidae	<i>Cophosaurus texanus</i>	Cophosaurus texanus	variable 4.55	1.36	0.82	Nearctic	no	29.74	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.1	18.3	457	64.4	6361.0	
Phrynosomatidae	<i>Holbrookia approximans</i>	Holbrookia approximans	variable 9.00	1.12	0.93	Nearctic	no	29.91	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	17.5	393	78.3	6181.3
Phrynosomatidae	<i>Holbrookia elegans</i>	Holbrookia elegans	variable 5.00	1.16	0.78	Nearctic	no	28.13	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	21.6	543	101.9	5263.7
Phrynosomatidae	<i>Holbrookia lacerata</i>	Holbrookia lacerata	variable 8.00	1.10	NA	Nearctic	no	29.16	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	20.9	596	43.6	6369.4
Phrynosomatidae	<i>Holbrookia maculata</i>	Holbrookia maculata	variable 7.15	1.16	0.79	Nearctic	no	33.38	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	15	476	67.4	7438.7
Phrynosomatidae	<i>Holbrookia propinqua</i>	Holbrookia propinqua	variable 3.70	0.94	0.73	Nearctic	no	27.40	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	22.3	696	40.2	5631.2
Phrynosomatidae	<i>Holbrookia subcaudalis</i>	NA	variable 8.50	1.10	NA	Nearctic	no	27.93	Diurnal	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Phrynosomatidae	<i>Petrosaurus mearnsi</i>	Petrosaurus mearnsi	variable 4.00	1.57	1.18	Nearctic	no	31.12	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.0	18.3	210	69.3	5632.8	
Phrynosomatidae	<i>Petrosaurus thalassinus</i>	Petrosaurus thalassinus	variable 13.80	2.15	1.43	Nearctic	no	23.51	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	22	194	99.9	4402.1
Phrynosomatidae	<i>Phrynosoma asio</i>	Phrynosoma asio	variable 16.90	1.75	1.52	Neotropic	no	17.56	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23.8	1100	105.8	1163.2
Phrynosomatidae	<i>Phrynosoma blainvillii</i>	Phrynosoma blainvillii	variable 15.50	1.65	1.21	Nearctic	no	35.12	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	16.2	376	83.9	5547.8
Phrynosomatidae	<i>Phrynosoma bracconieri</i>	Phrynosoma bracconieri	variable 7.70	1.22	1.02	Neotropic	no	17.99	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	18.2	758	90.4	1555.3
Phrynosomatidae	<i>Phrynosoma cornutum</i>	Phrynosoma cornutum	variable 27.90	1.80	1.23	Nearctic	no	31.54	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	17.7	602	54.9	7042.5
Phrynosomatidae	<i>Phrynosoma coronatum</i>	Phrynosoma coronatum	variable 11.80	1.65	1.26	Nearctic	no	32.60	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	18.1	326	86.2	5138.7
Phrynosomatidae	<i>Phrynosoma ditmarsi</i>	Phrynosoma ditmarsi	variable 7.50	1.38	1.10	Nearctic	no	30.00	Diurnal	Saxicolous	Scansorial	Viviparous	11.2	19.3	509	100.2	6039.4
Phrynosomatidae	<i>Phrynosoma douglasii</i>	Phrynosoma douglasii	variable 15.00	1.24	1.11	Nearctic	no	44.10	Diurnal	Terrestrial	Terrestrial	Viviparous	11.2	10.1	359	44	7738.4
Phrynosomatidae	<i>Phrynosoma goodei</i>	Phrynosoma goodei	variable 9.00	1.38	NA	Nearctic	no	31.98	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	23.2	212	67.8	7038.2
Phrynosomatidae	<i>Phrynosoma hernandesi</i>	Phrynosoma hernandesi	variable 18.00	1.76	1.19	Nearctic	no	36.91	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	11.3	326	41.6	8453.2
Phrynosomatidae	<i>Phrynosoma mcallii</i>	Phrynosoma mcallii	variable 4.95	1.60	1.07	Nearctic	no	32.25	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	24	94	64.1	6750.3
Phrynosomatidae	<i>Phrynosoma modestum</i>	Phrynosoma modestum	variable 11.00	1.10	0.87	Nearctic	no	29.78	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.0	17.9	372	69.1	6386.2
Phrynosomatidae	<i>Phrynosoma orbicularare</i>	Phrynosoma orbicularare	variable 12.65	1.46	1.11	Nearctic	no	23.63	Diurnal	Terrestrial	Terrestrial	Viviparous	11.4	16.6	617	88.4	3446.7
Phrynosomatidae	<i>Phrynosoma platyrhinos</i>	Phrynosoma platyrhinos	variable 5.52	1.44	1.24	Nearctic	no	37.79	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	14	237	42.1	8344.7
Phrynosomatidae	<i>Phrynosoma solare</i>	Phrynosoma solare	variable 18.90	1.68	1.44	Nearctic	no	29.10	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	20.9	532	89.7	5748.4
Phrynosomatidae	<i>Phrynosoma taurus</i>	Phrynosoma taurus	variable 13.00	1.38	1.08	Neotropic	no	18.25	Diurnal	Terrestrial	Terrestrial	Viviparous	11.7	21.6	772	97.4	1545.2
Phrynosomatidae	<i>Sceloporus acanthinus</i>	Sceloporus acanthinus	variable 6.00	1.49	NA	Neotropic	no	15.19	Diurnal	Arboreal	Scansorial	Viviparous	11.7	23.6	2104	86.4	868.9
Phrynosomatidae	<i>Sceloporus adleri</i>	Sceloporus adleri	variable 5.19	1.22	0.94	Neotropic	no	17.61	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.8	17.4	1291	105.6	1101.2	
Phrynosomatidae	<i>Sceloporus aeneus</i>	Sceloporus aeneus	variable 6.66	0.96	0.66	Neotropic	no	19.59	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	14.9	868	91.3	1904.4
Phrynosomatidae	<i>Sceloporus albiventris</i>	Sceloporus albiventris	variable 11.50	1.52	NA	Neotropic	no	25.08	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.6	19.8	1006	103.3	3672.4	
Phrynosomatidae</																	

Phrynosomatidae	<i>Sceloporus becki</i>	Sceloporus becki	variable 7.55	1.08	NA	Nearctic	yes	34.00	Diurnal	NA	NA	NA	10.7	15.4	547	99.2	2293.4
Phrynosomatidae	<i>Sceloporus bicanthalis</i>	Sceloporus bicanthalis	variable 6.69	0.94	0.68	Neotropic	no	19.39	Diurnal	Terrestrial	Terrestrial	Mixed	11.6	13.6	830	79.9	1899.2
Phrynosomatidae	<i>Sceloporus bimaculosus</i>	Sceloporus bimaculosus	variable 6.50	1.89	1.40	Nearctic	no	30.24	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	18.3	322	70.1	6681.7
Phrynosomatidae	<i>Sceloporus brownorum</i>	NA	variable 5.00	1.02	0.69	Nearctic	no	23.45	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	16.5	552	101	3356.8
Phrynosomatidae	<i>Sceloporus bulleri</i>	Sceloporus bulleri	variable 7.00	1.67	1.33	Neotropic	no	21.94	Diurnal	Saxicolous&Terres Scansorial	Viviparous	11.7	21.1	1078	107.8	2519.9	
Phrynosomatidae	<i>Sceloporus caeruleus</i>	Sceloporus caeruleus	variable 7.07	1.16	NA	Nearctic	no	25.76	Diurnal	Saxicolous	Scansorial	NA	11.0	20.5	322	67.1	4570.6
Phrynosomatidae	<i>Sceloporus carinatus</i>	Sceloporus carinatus	variable 10.00	1.24	NA	Neotropic	no	16.18	NA	Terrestrial	Terrestrial	Oviparous	11.8	22.6	1439	91.7	1266.8
Phrynosomatidae	<i>Sceloporus chaneyi</i>	Sceloporus chaneyi	variable 5.00	0.85	NA	Nearctic	no	23.73	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.6	14.5	654	62.1	3471.8	
Phrynosomatidae	<i>Sceloporus chrysostictus</i>	Sceloporus chrysostictus	variable 2.45	0.94	0.72	Neotropic	no	19.39	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25.7	1254	61.4	1751.1
Phrynosomatidae	<i>Sceloporus clarkii</i>	Sceloporus clarkii	variable 13.80	1.92	1.41	Nearctic	no	29.30	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.2	19.2	536	87.9	5774.4	
Phrynosomatidae	<i>Sceloporus consobrinus</i>	Sceloporus consobrinus	variable 7.45	1.22	0.92	Nearctic	no	30.47	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	18.5	473	59.4	6712.9
Phrynosomatidae	<i>Sceloporus couchii</i>	Sceloporus couchii	variable 4.00	0.98	0.69	Nearctic	no	26.67	Diurnal	Saxicolous	Scansorial	Oviparous	11.2	20.9	396	62.1	5286.9
Phrynosomatidae	<i>Sceloporus cowlesi</i>	Sceloporus cowlesi	variable 9.10	1.24	0.95	Nearctic	no	32.37	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.0	15.8	336	69.9	7330.2	
Phrynosomatidae	<i>Sceloporus cozumelae</i>	Sceloporus cozumelae	variable 1.80	0.91	0.58	Neotropic	no	21.03	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.8	1105	55.2	1693.1
Phrynosomatidae	<i>Sceloporus cryptus</i>	Sceloporus cryptus	variable 9.00	1.19	1.03	Neotropic	no	17.34	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.9	14.7	1404	79.9	1679.1	
Phrynosomatidae	<i>Sceloporus cyanogenys</i>	Sceloporus cyanogenys	variable 13.15	1.95	1.57	Nearctic	no	26.30	Diurnal	Saxicolous&Terres Scansorial	Viviparous	11.4	22.3	640	60.5	4782.9	
Phrynosomatidae	<i>Sceloporus cyanostictus</i>	Sceloporus cyanostictus	variable 7.07	1.25	1.08	Nearctic	no	26.07	Diurnal	Saxicolous	Scansorial	Viviparous	11.1	20.7	280	60.6	4879.9
Phrynosomatidae	<i>Sceloporus druckercolini</i>	Sceloporus druckercolini	variable 3.00	1.47	1.21	Neotropic	no	17.51	Diurnal	Arboreal	Scansorial	Viviparous	11.8	17.5	1396	106.1	1058.6
Phrynosomatidae	<i>Sceloporus dugesii</i>	Sceloporus dugesii	variable 4.40	1.35	0.93	Neotropic	no	21.05	Diurnal	Saxicolous	Scansorial	Viviparous	11.6	18.4	713	101.6	2416.8
Phrynosomatidae	<i>Sceloporus edwardtaylori</i>	Sceloporus edwardtaylori	variable 8.50	1.58	NA	Neotropic	no	16.47	Diurnal	Arboreal	Scansorial	Oviparous	11.6	23.2	1123	97	1480.7
Phrynosomatidae	<i>Sceloporus exsul</i>	Sceloporus exsul	variable 10.00	1.00	NA	Nearctic	no	21.09	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	17.6	502	77.5	2655.7
Phrynosomatidae	<i>Sceloporus formosus</i>	Sceloporus formosus	variable 7.12	1.35	1.08	Neotropic	no	17.84	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.7	19.1	990	92.2	1548.4	
Phrynosomatidae	<i>Sceloporus gadoviae</i>	Sceloporus gadoviae	variable 3.75	1.18	0.74	Neotropic	no	18.27	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	22	877	102.3	1519.8
Phrynosomatidae	<i>Sceloporus gadsdeni</i>	NA	variable 7.00	1.25	1.06	Neotropic	no	25.62	Diurnal	Saxicolous	Scansorial	Viviparous	11.2	23.1	230	65	4704.5
Phrynosomatidae	<i>Sceloporus goldmani</i>	Sceloporus goldmani	variable 7.50	0.91	0.46	Nearctic	no	25.43	Diurnal	Terrestrial	Terrestrial	Viviparous	11.1	18.5	389	65	4289.1
Phrynosomatidae	<i>Sceloporus graciosus</i>	Sceloporus graciosus	variable 5.40	1.36	0.80	Nearctic	no	40.74	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.1	9.5	358	40.9	8476.2	
Phrynosomatidae	<i>Sceloporus grammicus</i>	Sceloporus grammicus	variable 4.76	1.25	0.77	Nearctic	no	23.60	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.4	18.8	677	84.7	3624.0	
Phrynosomatidae	<i>Sceloporus grandaeus</i>	Sceloporus grandaeus	variable 6.50	1.25	0.88	Nearctic	yes	24.24	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	10.6	24	228	126.2	3784.2	
Phrynosomatidae	<i>Sceloporus horridus</i>	Sceloporus horridus	variable 11.90	1.69	1.30	Neotropic	no	21.35	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.6	21.5	934	107.1	2448.3	
Phrynosomatidae	<i>Sceloporus hunsakeri</i>	Sceloporus hunsakeri	variable 7.50	1.34	0.98	Neotropic	no	23.64	Diurnal	Saxicolous	Scansorial	Oviparous	11.0	22.9	289	125.3	3370.3
Phrynosomatidae	<i>Sceloporus insignis</i>	Sceloporus insignis	variable 9.00	1.49	1.19	Neotropic	no	19.17	NA	Saxicolous	Scansorial	Viviparous	11.7	21.7	954	104.4	1596.7
Phrynosomatidae	<i>Sceloporus internasalis</i>	Sceloporus internasalis	variable 6.00	1.50	1.24	Neotropic	no	16.47	Diurnal	Arboreal&Terrestri Scansorial	Viviparous	11.8	23.5	2131	76.2	1474.4	
Phrynosomatidae	<i>Sceloporus jalapae</i>	Sceloporus jalapae	variable 5.62	0.94	0.62	Neotropic	no	18.27	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	17.8	1040	85	1791.2
Phrynosomatidae	<i>Sceloporus jarrovii</i>	Sceloporus jarrovii	variable 6.70	1.57	1.11	Nearctic	no	26.15	Diurnal	Saxicolous	Scansorial	Viviparous	11.3	17	543	86.4	4493.0
Phrynosomatidae	<i>Sceloporuslicki</i>	Sceloporuslicki	variable 6.00	1.43	0.98	Nearctic	no	23.69	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.1	22	311	127.1	3375.8	
Phrynosomatidae	<i>Sceloporuslineatus</i>	Sceloporuslineatus	variable 9.40	1.66	NA	Nearctic	yes	25.64	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	24.6	205	109.7	4310.7
Phrynosomatidae	<i>Sceloporusmacdougalli</i>	Sceloporus macdougalli	variable 3.09	1.44	1.20	Neotropic	no	16.00	Diurnal	Saxicolous	Scansorial	Viviparous	11.5	26	974	104.9	992.0
Phrynosomatidae	<i>Sceloporusmagister</i>	Sceloporus magister	variable 9.30	1.91	1.42	Nearctic	no	32.57	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.0	17.6	332	69.1	6657.2	
Phrynosomatidae	<i>Sceloporusmalachiticus</i>	Sceloporus malachiticus	variable 5.25	1.48	1.09	Neotropic	no	13.48	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.8	22.2	1538	80.7	843.3	
Phrynosomatidae	<i>Sceloporusmarmoratus</i>	NA	variable 4.72	0.85	NA	Nearctic	no	26.02	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	NA	NA	NA	NA	NA	
Phrynosomatidae	<i>Sceloporusmegalepidurus</i>	Sceloporus megalepidurus	variable 2.82	0.80	0.61	Neotropic	no	19.18	Diurnal	Arboreal&Terrestri Scansorial	Viviparous	11.6	13.6	881	74.3	1930.7	
Phrynosomatidae	<i>Sceloporusmelanorhinus</i>	Sceloporus melanorhinus	variable 7.70	1.56	1.34	Neotropic	no	18.48	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	23.2	1155	106.5	1478.7	
Phrynosomatidae	<i>Sceloporusmerriami</i>	Sceloporus merriami	variable 4.11	1.02	0.64	Nearctic	no	28.75	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	19.6	344	63	6116.5
Phrynosomatidae	<i>Sceloporusminor</i>	Sceloporus minor	variable 6.58	1.34	1.12	Nearctic	no	22.73	Diurnal	Saxicolous	Scansorial	Oviparous	11.3	18.3	469	71.9	3436.4
Phrynosomatidae	<i>Sceloporusmucronatus</i>	Sceloporusmucronatus	variable 4.69	1.65	1.27	Neotropic	no	18.52	Diurnal	Saxicolous	Scansorial	Viviparous	11.7	17.4	879	90.3	1648.9
Phrynosomatidae	<i>Sceloporusnelsoni</i>	Sceloporusnelsoni	variable 6.25	1.05	0.79	Neotropic	no	24.18	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.5	19.8	950	105.5	3473.0	
Phrynosomatidae	<i>Sceloporusoccidentalis</i>	Sceloporus occidentalis	variable 10.10	1.49	1.13	Nearctic	no	40.35	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.2	11	484	50.4	7444.8	
Phrynosomatidae	<i>Sceloporusochoterenae</i>	Sceloporus ochoterenae	variable 6.25	0.94	0.58	Neotropic	no	18.35	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	22.3	961	103.9	1448.7
Phrynosomatidae	<i>Sceloporusolivaceus</i>	Sceloporus olivaceus	variable 17.90	1.75	1.39	Nearctic	no	28.72	Diurnal	Arboreal	Scansorial	Oviparous	11.4	20.3	669	45.6	6060.1
Phrynosomatidae	<i>Sceloporusolloporus</i>	NA	variable 3.00	1.20	0.96	Neotropic	no	12.78	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	NA	NA	NA	NA	NA	
Phrynosomatidae	<i>Sceloporusomiltemanus</i>	Sceloporus omiltemanus	variable 6.25	1.52	1.27	Neotropic	no	17.48	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.7	17.9	973	96.9	1343.3	
Phrynosomatidae	<i>Sceloporusorcitti</i>	Sceloporusorcitti	variable 10.10	1.68	1.39	Nearctic	no	29.63	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	10.9	19.8	200	81.4	5065.3	
Phrynosomatidae	<i>Sceloporusornatus</i>	Sceloporus ornatus	variable 3.30	1.48	0.95	Nearctic	no	25.74	Diurnal	Saxicolous	Scansorial	Viviparous	11.1	19.4	372	61.2	4570.8
Phrynosomatidae	<i>Sceloporuspalaciosi</i>	Sceloporus palaciosi	variable 4.00	1.16	0.66	Neotropic	no	19.15	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	11.7	1165	97.1	1651.4
Phrynosomatidae	<i>Sceloporusparvus</i>	Sceloporus parvus	variable 3.40	0.72	0.55	Nearctic	no	24.48	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	18.8	492	66.6	4053.3
Phrynosomatidae	<i>Sceloporuspoinsettii</i>	Sceloporus poinsettii	variable 10.95	1.87	1.47	Nearctic	no	28.16	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.1	18.1	460	75.1	5574.3	
Phrynosomatidae	<i>Sceloporuspyrocephalus</i>	Sceloporus pyrocephalus	variable 5.23	1.16	0.77	Neotropic	no	18.53	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	22.9	1021	107.7	1280.7	
Phrynosomatidae	<i>Sceloporus salvini</i>	Sceloporus salvini	variable 6.00	1.50	NA	Neotropic	no	17.86	Diurnal	Arboreal	Scansorial	Viviparous	11.9	24.4	2251	78.7	1942.3
Phrynosomatidae	<i>Sceloporus samcolemani</i>	Sceloporus samcolemani	variable 8.80	0.92	0.72	Nearctic	no	25.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	17.9	467	62.4	4299.3
Phrynosomatidae	<i>Sceloporus scalaris</i>	Sceloporus scalaris	variable 8.19	1.21	0.81	Neotropic	no	20.84	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	17.5	650	91.2	2997.8
Phrynosomatidae	<i>Sceloporusserrifer</i>	Sceloporus serrifer	variable 12.90	1.64	1.39	Nearctic	no	22.46	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.6	23	1009	63.9	3315.9	
Phrynosomatidae	<i>Sceloporussiniferus</i>	Sceloporus siniferus	variable 5.45	1.10	0.67	Neotropic	no	17.07	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	22.8	1240	101	1165.0
Phrynosomatidae	<i>Sceloporusslevini</i>	Sceloporus slevini	variable 8.50	1.08	0.81	Nearctic	no	27.97	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	15.5	613	93.3	5337.6
Phrynosomatidae	<i>Sceloporussmagadinus</i>	Sceloporus smagadinus	variable 4.20	1.32	0.95	Neotropic	no	14.92	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.8	19.6	2225	84.8	832.8	
Phrynosomatidae	<i>Sceloporussmithi</i>	Sceloporus smithi															

Phrynosomatidae	<i>Sceloporus slevini</i>	Sceloporus slevini	variable 7.07	1.34	NA	Neotropic	no	19.08	Diurnal	Saxicolous	Scansorial	NA	11.6	13.7	1177	99.1	1631.6
Phrynosomatidae	<i>Sceloporus taeniocnemis</i>	Sceloporus taeniocnemis	variable 6.00	1.27	1.06	Neotropic	no	15.92	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.9	17.9	2306	64.4	1378.5	
Phrynosomatidae	<i>Sceloporus teapensis</i>	Sceloporus teapensis	variable 2.33	1.08	0.74	Neotropic	no	17.21	Diurnal	Saxicolous&Terres Scansorial	Viviparous	11.8	24.3	2132	65.8	1705.0	
Phrynosomatidae	<i>Sceloporus torquatus</i>	Sceloporus torquatus	variable 8.05	1.90	1.39	Nearctic	no	21.66	Diurnal	Saxicolous	Scansorial	Viviparous	11.5	17.5	634	88.8	2699.5
Phrynosomatidae	<i>Sceloporus tristichus</i>	Sceloporus tristichus	variable 7.20	1.44	0.98	Nearctic	no	34.96	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.1	12.4	380	52.3	7963.1	
Phrynosomatidae	<i>Sceloporus undulatus</i>	Sceloporus undulatus	variable 9.13	1.39	0.95	Nearctic	no	34.51	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.4	15.2	802	39.4	7675.7	
Phrynosomatidae	<i>Sceloporus uniformis</i>	Sceloporus uniformis	variable 6.60	1.89	1.37	Nearctic	no	37.29	Diurnal	Arboreal&Terrestri Scansorial	Viviparous	10.9	14	227	46.4	8209.8	
Phrynosomatidae	<i>Sceloporus uniformis</i>	Sceloporus uniformis	variable 7.02	1.30	0.94	Neotropic	no	19.79	Diurnal	Arboreal&Terrestri Scansorial	Viviparous	11.7	22.1	1033	109.9	1776.3	
Phrynosomatidae	<i>Sceloporus variabilis</i>	Sceloporus variabilis	variable 3.90	1.20	0.79	Neotropic	no	20.86	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.6	22.2	1260	64.2	3042.5	
Phrynosomatidae	<i>Sceloporus virgatus</i>	Sceloporus virgatus	variable 9.83	1.10	0.80	Nearctic	no	28.94	Diurnal	Saxicolous&Terres Scansorial	Viviparous	11.3	15.1	641	91	5503.5	
Phrynosomatidae	<i>Sceloporus woodi</i>	Sceloporus woodi	variable 4.81	1.00	0.80	Nearctic	no	27.86	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	22.4	1335	48.8	3914.1
Phrynosomatidae	<i>Sceloporus zosteromus</i>	Sceloporus zosteromus	variable 6.00	1.81	1.05	Nearctic	no	27.93	Cathemeral	Arboreal&Saxicolo Scansorial	Viviparous	10.9	21.1	169	86.2	4573.5	
Phrynosomatidae	<i>Uma coerulea</i>	Uma coerulea	variable 2.43	1.71	1.13	Nearctic	no	31.43	Diurnal	Terrestrial	Terrestrial	Viviparous	10.7	24.5	144	68.2	6474.7
Phrynosomatidae	<i>Uma exsul</i>	Uma exsul	variable 2.75	1.50	1.00	Nearctic	no	25.72	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	22.7	228	71.2	4730.7
Phrynosomatidae	<i>Uma inornata</i>	Uma inornata	variable 2.45	1.75	1.04	Nearctic	no	33.75	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	22.8	134	64.4	6875.3
Phrynosomatidae	<i>Uma notata</i>	Uma notata	variable 2.50	1.73	1.23	Nearctic	no	32.30	Diurnal	Terrestrial	Terrestrial	Viviparous	10.8	22.4	143	74.7	5895.4
Phrynosomatidae	<i>Uma parvifigura</i>	Uma parvifigura	variable 8.00	1.36	0.96	Nearctic	no	26.88	Diurnal	Terrestrial	Terrestrial	Viviparous	10.8	22.3	278	79.2	5296.6
Phrynosomatidae	<i>Uma scoparia</i>	Uma scoparia	variable 2.86	1.67	1.33	Nearctic	no	34.69	Diurnal	Terrestrial	Terrestrial	Viviparous	10.6	20.7	133	55.1	7857.2
Phrynosomatidae	<i>Urosaurus bicarinatus</i>	Urosaurus bicarinatus	variable 6.60	1.00	0.58	Neotropic	no	20.22	Diurnal	Arboreal	Scansorial	Viviparous	11.6	21.6	1036	105.7	2123.1
Phrynosomatidae	<i>Urosaurus graciosus</i>	Urosaurus graciosus	variable 4.45	1.05	0.71	Nearctic	no	33.64	Diurnal	Arboreal	Scansorial	Viviparous	10.8	22	169	59.4	7465.6
Phrynosomatidae	<i>Urosaurus nigricaudus</i>	Urosaurus nigricaudus	variable 4.50	1.01	0.56	Nearctic	no	28.34	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	10.9	20.7	187	85.9	4764.6	
Phrynosomatidae	<i>Urosaurus ornatus</i>	Urosaurus ornatus	variable 7.40	1.07	0.60	Nearctic	no	31.70	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.1	17	399	63.6	6898.6	
Phrynosomatidae	<i>Uta encantadae</i>	Uta encantadae	variable 3.55	1.07	NA	Nearctic	yes	30.02	Diurnal	Saxicolous&Terres Scansorial	NA	NA	NA	NA	NA	NA	
Phrynosomatidae	<i>Uta nelsonensis</i>	Uta nelsonensis	variable 4.00	0.80	0.61	Nearctic	yes	27.97	Diurnal	Saxicolous	Scansorial	Viviparous	NA	24.1	196	98	4910.0
Phrynosomatidae	<i>Uta palmeri</i>	Uta palmeri	variable 2.80	1.28	0.97	Nearctic	yes	28.37	Diurnal	Arboreal&Saxicolo Scansorial	Viviparous	11.1	NA	NA	NA	NA	
Phrynosomatidae	<i>Uta squamata</i>	Uta squamata	variable 3.50	0.85	0.62	Nearctic	yes	25.64	Diurnal	Saxicolous	Scansorial	Viviparous	10.6	24.6	205	109.7	4310.7
Phrynosomatidae	<i>Uta stansburiana</i>	Uta stansburiana	variable 3.80	1.20	0.59	Nearctic	no	34.09	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	15.7	332	59.8	7147.8
Phyllodactylidae	<i>Asaccus andersoni</i>	Asaccus andersoni	fixed 1.00	0.91	0.69	Paleartic	no	33.92	Cathemeral	Saxicolous	Scansorial	Viviparous	11.0	16.8	448	91	9503.0
Phyllodactylidae	<i>Asaccus caudivolvulus</i>	Asaccus caudivolvulus	fixed 1.00	0.82	0.72	Afrotropic	no	25.40	Nocturnal	Saxicolous	Scansorial	Viviparous	10.3	27.4	116	110	5327.0
Phyllodactylidae	<i>Asaccus elisae</i>	Asaccus elisae	fixed 1.50	0.86	0.47	Paleartic	no	33.23	Nocturnal	Saxicolous	Scansorial	Viviparous	10.8	21	383	93.2	9619.9
Phyllodactylidae	<i>Asaccus gallagheri</i>	Asaccus gallagheri	fixed 1.00	0.24	-0.02	Afrotropic	no	24.01	Nocturnal	Saxicolous	Scansorial	Viviparous	10.4	25.8	129	98.8	5201.3
Phyllodactylidae	<i>Asaccus nasrullahi</i>	Asaccus nasrullahi	fixed 1.33	0.95	0.67	Paleartic	no	33.37	Cathemeral	Saxicolous	Scansorial	Viviparous	11.0	16.5	538	91.7	9621.3
Phyllodactylidae	<i>Asaccus platyrhynchus</i>	Asaccus platyrhynchus	fixed 1.00	0.82	0.74	Afrotropic	no	23.25	Nocturnal	Saxicolous	Scansorial	Viviparous	10.4	24.4	126	86.2	5414.4
Phyllodactylidae	<i>Asaccus tangestanensis</i>	Asaccus tangestanensis	fixed 1.00	0.71	NA	Paleartic	no	28.34	Cathemeral	Saxicolous	Scansorial	Viviparous	10.7	24.7	255	130.2	7591.0
Phyllodactylidae	<i>Asaccus zagrosicus</i>	Asaccus zagrosicus	fixed 1.00	0.62	0.53	Paleartic	no	33.03	Cathemeral	Saxicolous	Scansorial	Viviparous	11.0	NA	NA	NA	NA
Phyllodactylidae	<i>Garthia gaudichaudii</i>	Garthia gaudichaudii	fixed 1.50	0.44	0.14	Neotropic	no	28.59	Nocturnal	Saxicolous	Scansorial	Viviparous	10.8	16.4	83	125.6	3463.3
Phyllodactylidae	<i>Gymnodactylus amarali</i>	Gymnodactylus amarali	fixed 1.70	0.64	0.37	Neotropic	no	12.48	Nocturnal	Saxicolous&Terres Scansorial	Viviparous	11.8	25.2	1393	81.7	1123.6	
Phyllodactylidae	<i>Gymnodactylus darwini</i>	Gymnodactylus darwini	fixed 2.00	0.74	0.13	Neotropic	no	16.26	Nocturnal	Arboreal&Terrestri Scansorial	Viviparous	11.8	23.4	1110	56.9	1593.1	
Phyllodactylidae	<i>Gymnodactylus geckoides</i>	Gymnodactylus geckoides	fixed 1.13	0.64	0.24	Neotropic	no	9.12	Cathemeral	Saxicolous&Terres Scansorial	Viviparous	11.7	25.6	712	76.2	1241.1	
Phyllodactylidae	<i>Haemodracon riebeckii</i>	Haemodracon riebeckii	fixed 1.82	1.84	1.49	Afrotropic	yes	12.50	Cathemeral	Arboreal&Saxicolo Scansorial	Viviparous	10.9	24.8	303	143.9	1194.5	
Phyllodactylidae	<i>Haemodracon trachyphalus</i>	Haemodracon trachyphalus	fixed 1.00	0.64	NA	Afrotropic	yes	12.51	Nocturnal	Arboreal&Saxicolo Scansorial	Viviparous	10.9	24.8	302	144.4	1194.1	
Phyllodactylidae	<i>Homonota borellii</i>	Homonota borellii	fixed 1.00	0.30	NA	Neotropic	no	29.00	Nocturnal	Saxicolous	Scansorial	Viviparous	11.4	17.1	626	82.9	4736.1
Phyllodactylidae	<i>Homonota darwini</i>	Homonota darwini	fixed 1.00	0.64	0.26	Neotropic	no	43.42	Nocturnal	Saxicolous	Scansorial	Viviparous	10.8	10.4	265	32.8	5253.0
Phyllodactylidae	<i>Homonota fasciata</i>	Homonota fasciata	fixed 1.25	0.75	0.49	Neotropic	no	32.50	Nocturnal	Saxicolous	Scansorial	Viviparous	11.3	15.2	558	58	4479.2
Phyllodactylidae	<i>Homonota horrida</i>	Homonota horrida	fixed 1.25	0.84	NA	Neotropic	no	29.05	Nocturnal	NA	Scansorial	Viviparous	11.3	18	597	60.6	5075.6
Phyllodactylidae	<i>Homonota taraguai</i>	Homonota taraguai	fixed 1.00	0.29	0.22	Neotropic	no	29.02	Nocturnal	NA	NA	Viviparous	11.7	20.5	1561	23.9	4356.1
Phyllodactylidae	<i>Homonota underwoodi</i>	Homonota underwoodi	fixed 1.00	0.63	NA	Neotropic	no	33.74	Nocturnal	Terrestrial	Terrestrial	Viviparous	11.0	15.9	325	63.5	5559.7
Phyllodactylidae	<i>Homonota uruguayensis</i>	Homonota uruguayensis	fixed 1.50	0.52	NA	Neotropic	no	30.83	Cathemeral	Saxicolous	Scansorial	Viviparous	11.8	18.6	1432	14.9	4314.5
Phyllodactylidae	<i>Homonota whitii</i>	Homonota whitii	fixed 1.00	0.33	NA	Neotropic	no	30.32	Nocturnal	Saxicolous	Scansorial	Viviparous	11.4	18.1	657	77.8	5037.8
Phyllodactylidae	<i>Phyllodactylus angustidigitus</i>	Phyllodactylus angustidigitus	fixed 1.00	0.69	0.46	Neotropic	no	14.08	Nocturnal	Terrestrial	Terrestrial	Viviparous	10.7	21	5	172.9	1736.2
Phyllodactylidae	<i>Phyllodactylus baurii</i>	Phyllodactylus baurii	fixed 1.50	0.57	0.24	Neotropic	yes	1.29	Nocturnal	Terrestrial	Terrestrial	Viviparous	10.9	22.6	872	51.9	1750.0
Phyllodactylidae	<i>Phyllodactylus benedetti</i>	Phyllodactylus benedetti	fixed 2.00	1.04	0.89	Neotropic	no	19.50	Nocturnal	Arboreal&Saxicolo Scansorial	Viviparous	NA	NA	NA	NA	NA	
Phyllodactylidae	<i>Phyllodactylus bordai</i>	Phyllodactylus bordai	fixed 1.50	0.75	0.66	Neotropic	no	18.22	NA	Arboreal&Saxicolo Scansorial	Viviparous	11.7	22.7	809	99.3	1542.7	
Phyllodactylidae	<i>Phyllodactylus bugastrolepis</i>	Phyllodactylus bugastrolepis	fixed 1.50	0.82	0.50	Nearctic	yes	25.64	Nocturnal	Arboreal&Saxicolo Scansorial	Viviparous	10.6	24.6	205	109.7	4310.7	
Phyllodactylidae	<i>Phyllodactylus davisi</i>	Phyllodactylus davisi	fixed 1.50	0.93	NA	Neotropic	no	18.98	NA	Arboreal&Saxicolo Scansorial	Viviparous	11.5	25.2	909	107.7	1360.1	
Phyllodactylidae	<i>Phyllodactylus delcampoi</i>	Phyllodactylus delcampoi	fixed 1.50	1.36	1.17	Neotropic	no	17.43	Cathemeral	Saxicolous	Scansorial	Viviparous	11.8	24.5	1441	109	885.8
Phyllodactylidae	<i>Phyllodactylus delsolari</i>	Phyllodactylus delsolari	fixed 2.00	1.26	1.05	Neotropic	no	7.44	Nocturnal	Saxicolous&Terres Scansorial	Viviparous	11.5	19.5	614	53.5	471.8	
Phyllodactylidae	<i>Phyllodactylus duellmani</i>	Phyllodactylus duellmani	fixed 1.50	0.33	NA	Neotropic	no	18.58	Nocturnal	Arbore	Scansorial	Viviparous	11.7	24.6	779	105.9	1190.5
Phyllodactylidae	<i>Phyllodactylus galapagensis</i>	Phyllodactylus galapagensis	fixed 1.00	0.41	0.32	Neotropic	yes	0.52	Nocturnal	Arboreal&Terrestri Scansorial	Viviparous	10.9	22.7	771	59.7	1667.7	
Phyllodactylidae	<i>Phyllodactylus gerrhopodus</i>	Phyllodactylus gerrhopodus	fixed 1.50	0.67	0.32	Neotropic	no	18.76	Cathemeral	Terrestrial	Terrestrial	Viviparous	10.5	17.8	27	162.6	1645.2
Phyllodactylidae	<i>Phyllodactylus homolepidurus</i>	Phyllodactylus homolepidurus	fixed 1.50	0.95	NA	Nearctic	no	27.91	Nocturnal	Arboreal&Saxicolo Scansorial	Viviparous	11.1	23.4	369	105.9	5276.7	
Phyllodactylidae	<i>Phyllodactylus inaequalis</i>	Phyllodactylus inaequalis	fixed 1.00	0.30	0.13	Neotropic	no	10.32	NA	Terrestrial	Terrestrial	Viviparous	10.7	22.1	99	145.7	1349.5
Phyllodactylidae	<i>Phyllodactylus insularis</i>	Phyllodactylus insularis	fixed 2.00	0.93	NA	Neotropic	yes	16.88	Nocturnal	Arboreal&Terrestri Scansorial	Viviparous	10.9	26.9	1877	53	1078.0	
Phyllodactylidae	<i>Phyllodactylus interandinus</i>	Phyllodactylus interandinus	fixed 1.00	0.50	0.30	Neotropic	no	6.48	Nocturnal	Arboreal&Terrestri Scansorial	Viviparous	11.7	15.4	951	45.7	486.8	
Phyllodactylida																	

Phyllodactylidae	<i>Phyllodactylus leoni</i>	Phyllodactylus leoni	fixed	1.50	0.64	0.49	Neotropic	no	3.44	Nocturnal	NA	NA	Oviparous	11.5	17.6	577	47	295.8
Phyllodactylidae	<i>Phyllodactylus lepidopygus</i>	Phyllodactylus lepidopygus	fixed	1.00	0.64	0.44	Neotropic	no	11.71	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	14.8	296	112.9	781.2
Phyllodactylidae	<i>Phyllodactylus magister</i>	NA	fixed	1.50	0.93	0.63	Neotropic	no	5.69	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.8	23.4	888	28.5	724.0
Phyllodactylidae	<i>Phyllodactylus microphyllus</i>	Phyllodactylus microphyllus	fixed	1.00	0.71	0.43	Neotropic	no	7.94	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.8	22.6	113	127.8	1076.5
Phyllodactylidae	<i>Phyllodactylus muralis</i>	Phyllodactylus muralis	fixed	1.80	0.84	0.59	Neotropic	no	16.64	NA	Saxicolous	Scansorial	Oviparous	11.7	21.6	1279	94.9	1592.2
Phyllodactylidae	<i>Phyllodactylus nocticulus</i>	Phyllodactylus nocticulus	fixed	2.00	0.82	NA	Nearctic	no	28.59	Nocturnal	Saxicolous	Scansorial	Oviparous	10.8	21.2	150	81	5067.6
Phyllodactylidae	<i>Phyllodactylus pachamama</i>	NA	fixed	1.50	1.07	0.83	Neotropic	no	6.74	Nocturnal	Saxicolous	Scansorial	Oviparous	11.6	20.7	692	46.9	524.4
Phyllodactylidae	<i>Phyllodactylus palmeus</i>	Phyllodactylus palmeus	fixed	2.00	1.11	NA	Neotropic	yes	16.34	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.8	26.6	2601	64.5	1142.3
Phyllodactylidae	<i>Phyllodactylus papenfussi</i>	Phyllodactylus papenfussi	fixed	1.00	0.12	-0.05	Neotropic	no	17.80	NA	NA	NA	Oviparous	11.7	24	696	101	1263.0
Phyllodactylidae	<i>Phyllodactylus paucituberculatus</i>	Phyllodactylus paucituberculatus	fixed	1.00	0.95	0.39	Neotropic	no	19.02	Nocturnal	Saxicolous	Scansorial	Oviparous	11.7	25.6	863	108.3	1537.0
Phyllodactylidae	<i>Phyllodactylus pulcher</i>	Phyllodactylus pulcher	fixed	1.00	0.90	0.60	Neotropic	yes	12.50	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	27.3	566	72.4	803.0
Phyllodactylidae	<i>Phyllodactylus reissii</i>	Phyllodactylus reissii	fixed	1.85	1.12	0.84	Neotropic	no	5.49	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.2	18.5	690	100.5	655.2
Phyllodactylidae	<i>Phyllodactylus sommeri</i>	NA	fixed	2.00	0.71	NA	Neotropic	yes	19.47	Nocturnal	Saxicolous	Scansorial	Oviparous	NA	NA	NA	NA	NA
Phyllodactylidae	<i>Phyllodactylus thompsoni</i>	Phyllodactylus thompsoni	fixed	1.25	0.41	0.21	Neotropic	no	7.36	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	18	874	57.8	562.4
Phyllodactylidae	<i>Phyllodactylus tuberculatus</i>	Phyllodactylus tuberculatus	fixed	1.86	1.41	1.07	Neotropic	no	16.76	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	23.3	1426	94.8	1434.7
Phyllodactylidae	<i>Phyllodactylus unctus</i>	Phyllodactylus unctus	fixed	2.00	0.75	0.40	Neotropic	no	23.57	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.0	22.5	318	129.3	3268.6
Phyllodactylidae	<i>Phyllodactylus wirshingi</i>	Phyllodactylus wirshingi	fixed	2.00	0.88	NA	Neotropic	yes	17.97	Nocturnal	Saxicolous	Scansorial	Oviparous	11.6	24.5	950	55.5	1296.7
Phyllodactylidae	<i>Phyllodactylus xanti</i>	Phyllodactylus xanti	fixed	2.00	1.06	0.51	Nearctic	no	27.88	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	21.7	212	87.2	4750.6
Phyllodactylidae	<i>Phyllopezus marjanjensis</i>	Phyllopezus marjanjensis	fixed	2.00	1.72	1.52	Neotropic	no	6.71	Nocturnal	Saxicolous	Scansorial	Oviparous	11.6	18	876	57.7	563.9
Phyllodactylidae	<i>Phyllopezus periosus</i>	Phyllopezus periosus	fixed	2.00	1.71	1.52	Neotropic	no	8.45	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	26.4	730	96.1	1095.1
Phyllodactylidae	<i>Phyllopezus pollicaris</i>	Phyllopezus pollicaris	fixed	1.95	1.34	0.97	Neotropic	no	10.96	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	25.1	1023	71.5	1800.4
Phyllodactylidae	<i>Phyllopezus przewalskii</i>	NA	fixed	2.00	1.24	NA	Neotropic	no	20.83	Nocturnal	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA
Phyllodactylidae	<i>Ptyodactylus guttatus</i>	Ptyodactylus guttatus	fixed	2.00	1.33	0.90	Paleartic	no	27.62	Cathemeral	Saxicolous	Scansorial	Oviparous	10.6	20.3	107	117.2	6144.5
Phyllodactylidae	<i>Ptyodactylus hasselquistii</i>	Ptyodactylus hasselquistii	fixed	2.00	1.47	0.94	Paleartic	no	21.93	Cathemeral	Saxicolous	Scansorial	Oviparous	10.4	25.9	104	134.4	5470.3
Phyllodactylidae	<i>Ptyodactylus oudrii</i>	Ptyodactylus oudrii	fixed	1.50	0.80	0.51	Paleartic	no	32.08	Cathemeral	Saxicolous	Scansorial	Oviparous	10.6	19.8	145	52.5	7723.3
Phyllodactylidae	<i>Ptyodactylus puiseuxi</i>	Ptyodactylus puiseuxi	fixed	1.90	1.27	0.86	Paleartic	no	33.34	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	17.8	259	96.4	6904.4
Phyllodactylidae	<i>Ptyodactylus ragazzii</i>	Ptyodactylus ragazzii	fixed	2.00	1.41	1.15	Afrotropic	no	17.19	Cathemeral	Saxicolous	Scansorial	Oviparous	10.7	26.9	301	134.9	4675.4
Phyllodactylidae	<i>Tarentola americana</i>	Tarentola americana	fixed	2.00	1.64	1.30	Neotropic	yes	21.78	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.5	25.1	1311	57.7	1741.8
Phyllodactylidae	<i>Tarentola angustimentalis</i>	Tarentola angustimentalis	fixed	1.92	1.12	0.77	Paleartic	yes	28.62	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.6	19.4	127	94.2	1972.0
Phyllodactylidae	<i>Tarentola annularis</i>	Tarentola annularis	fixed	1.50	1.84	1.26	Afrotropic	no	17.10	Nocturnal	Saxicolous	Scansorial	Oviparous	10.7	26.5	276	152.2	4263.5
Phyllodactylidae	<i>Tarentola boavistensis</i>	Tarentola boavistensis	fixed	1.50	1.11	0.75	Afrotropic	yes	16.09	NA	NA	NA	Oviparous	10.5	23.6	83	177.4	1748.9
Phyllodactylidae	<i>Tarentola boehmei</i>	Tarentola boehmei	fixed	1.50	1.15	0.82	Paleartic	no	29.39	Nocturnal	Saxicolous	Scansorial	Oviparous	10.6	20.2	124	76	5721.5
Phyllodactylidae	<i>Tarentola boettgeri</i>	Tarentola boettgeri	fixed	1.50	1.03	0.73	Paleartic	yes	27.93	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	17.7	197	86.9	2013.4
Phyllodactylidae	<i>Tarentola chazaliae</i>	Tarentola chazaliae	fixed	1.50	1.02	NA	Paleartic	no	26.97	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.4	21.2	82	93.4	2750.0
Phyllodactylidae	<i>Tarentola crombiei</i>	Tarentola crombiei	fixed	1.00	0.71	0.48	Neotropic	yes	20.03	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	25.6	932	53.1	1275.8
Phyllodactylidae	<i>Tarentola darwini</i>	Tarentola darwini	fixed	1.00	1.12	0.68	Afrotropic	yes	15.08	NA	NA	NA	Oviparous	10.9	21.6	295	154.6	1662.1
Phyllodactylidae	<i>Tarentola delalandii</i>	Tarentola delalandii	fixed	1.50	1.19	0.56	Paleartic	yes	28.39	Cathemeral	Saxicolous&Terres	Scansorial	Oviparous	10.9	15.5	389	80.4	2107.9
Phyllodactylidae	<i>Tarentola deserti</i>	Tarentola deserti	fixed	2.00	1.45	0.92	Paleartic	no	32.82	Nocturnal	Arboreal	Scansorial	Oviparous	10.5	20.2	123	49.8	8092.0
Phyllodactylidae	<i>Tarentola ephippata</i>	Tarentola ephippata	fixed	1.90	1.74	1.21	Afrotropic	no	14.76	Nocturnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	27.4	447	145.1	3712.1
Phyllodactylidae	<i>Tarentola fascicularis</i>	Tarentola fascicularis	fixed	2.00	1.22	0.60	Paleartic	no	30.18	Nocturnal	Saxicolous	Scansorial	NA	10.5	21.4	87	84.2	6384.0
Phyllodactylidae	<i>Tarentola gigas</i>	Tarentola gigas	fixed	2.00	1.97	NA	Afrotropic	yes	16.63	Nocturnal	Saxicolous	Scansorial	Oviparous	10.9	22.2	209	155.4	1635.3
Phyllodactylidae	<i>Tarentola gomerensis</i>	Tarentola gomerensis	fixed	1.50	1.06	NA	Paleartic	yes	28.11	Nocturnal	Saxicolous	Scansorial	Oviparous	11.2	17.7	303	81.8	2047.5
Phyllodactylidae	<i>Tarentola maioensis</i>	Tarentola maioensis	fixed	1.50	0.97	NA	Afrotropic	yes	15.21	NA	NA	NA	Oviparous	10.7	24	166	151.6	1730.2
Phyllodactylidae	<i>Tarentola mauritanica</i>	Tarentola mauritanica	fixed	2.00	1.22	0.59	Paleartic	no	36.87	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.1	16.3	496	54	5995.6
Phyllodactylidae	<i>Tarentola mindiae</i>	Tarentola mindiae	fixed	2.00	1.14	NA	Paleartic	no	29.78	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.2	22.4	20	118.9	6162.6
Phyllodactylidae	<i>Tarentola neglecta</i>	Tarentola neglecta	fixed	1.00	1.01	0.78	Paleartic	no	27.82	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.4	22.8	49	113.6	7567.4
Phyllodactylidae	<i>Tarentola protogigas</i>	Tarentola protogigas	fixed	1.50	1.39	0.79	Afrotropic	yes	14.87	NA	NA	NA	Oviparous	10.9	21.5	306	153.5	1619.2
Phyllodactylidae	<i>Tarentola rufida</i>	Tarentola rufida	fixed	1.50	1.17	0.89	Afrotropic	yes	15.36	NA	NA	NA	Oviparous	10.8	22.3	239	159.1	1687.7
Phyllodactylidae	<i>Thecadactylus oskrobaprein</i>	Thecadactylus oskrobapreinorum	fixed	1.00	1.40	1.33	Neotropic	yes	18.07	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	26.5	1126	34.8	1137.3
Phyllodactylidae	<i>Thecadactylus rapicauda</i>	Thecadactylus rapicauda	fixed	1.00	1.70	1.53	Neotropic	no	0.04	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	24.8	2312	51	618.2
Phyllodactylidae	<i>Thecadactylus solmoensis</i>	Thecadactylus solmoensis	fixed	1.00	1.70	1.46	Neotropic	no	5.65	Nocturnal	Arboreal	Scansorial	Oviparous	12.0	24.7	2457	38.7	512.4
Polychrotidae	<i>Polychrus acutirostris</i>	Polychrus acutirostris	variable	13.25	2.02	1.67	Neotropic	no	13.83	Diurnal	Arboreal	Scansorial	Oviparous	11.9	24.5	1481	68.5	1463.4
Polychrotidae	<i>Polychrus auduboni</i>	NA	variable	9.00	1.90	1.67	Neotropic	no	10.11	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25	1379	52.1	586.8
Polychrotidae	<i>Polychrus femoralis</i>	Polychrus femoralis	variable	12.00	1.56	NA	Neotropic	no	3.17	Diurnal	Arboreal	Scansorial	Oviparous	11.4	22.1	756	103.3	620.0
Polychrotidae	<i>Polychrus gutturosus</i>	Polychrus gutturosus	variable	7.00	2.22	2.03	Neotropic	no	7.93	Diurnal	Arboreal	Scansorial	Oviparous	11.6	23.2	2781	51.8	454.9
Polychrotidae	<i>Polychrus jacquelineae</i>	Polychrus jacquelineae	variable	6.00	1.97	NA	Neotropic	no	6.94	Diurnal	Arboreal	Scansorial	Oviparous	11.6	18.5	855	50.9	476.4
Polychrotidae	<i>Polychrus liogaster</i>	Polychrus liogaster	variable	10.00	2.04	1.87	Neotropic	no	12.03	Diurnal	Arboreal	Scansorial	Oviparous	12.0	24.4	1920	56.6	911.7
Polychrotidae	<i>Polychrus marmoratus</i>	Polychrus marmoratus	variable	8.10	2.01	1.73	Neotropic	no	3.60	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	24.9	2204	53.3	697.6
Polychrotidae	<i>Polychrus peruvianus</i>	Polychrus peruvianus	variable	6.60	2.04	1.75	Neotropic	no	4.98	Diurnal	Arboreal	Scansorial	Oviparous	11.5	21.6	1031	69.7	818.4
Pygopodidae	<i>Aprasia aurita</i>	Aprasia aurita	fixed	2.00	0.83	NA	Australia	no	36.43	Cathemeral	Fossorial	Fossorial	Oviparous	11.5	15	481	31.4	4289.1
Pygopodidae	<i>Aprasia haroldi</i>	Aprasia haroldi	fixed	2.00	0.76	0.68	Australia	no	26.23	Nocturnal	Fossorial&Terrest	Fossorial	Oviparous	11.0	22	285	89	3340.1
Pygopodidae	<i>Aprasia inaurita</i>	Aprasia inaurita	fixed	2.00	0.89	0.79	Australia	no	32.17	Cathemeral	Fossorial	Fossorial	Oviparous	11.1	17.4	291	24.4	4498.0
Pygopodidae	<i>Aprasia parapulchella</i>	Aprasia parapulchella	fixed	2.00	0.9													

Pygopodidae	<i>Delma australis</i>	Delma australis	fixed	2.00	0.66	0.50	Australia	no	30.35	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	19.3	280	32.5	5334.9
Pygopodidae	<i>Delma borea</i>	Delma borea	fixed	1.50	0.69	0.53	Australia	no	20.02	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	25.6	514	87.1	4704.9
Pygopodidae	<i>Delma butleri</i>	Delma butleri	fixed	2.00	0.76	0.59	Australia	no	25.99	Cathemeral	Arboreal&Terrestris	Scansorial	Oviparous	10.9	21.9	279	46.8	5610.9
Pygopodidae	<i>Delma concinna</i>	Delma concinna	fixed	2.00	0.77	NA	Australia	no	29.46	Cathemeral	Arboreal&Terrestris	Scansorial	Oviparous	11.3	19.8	543	83.1	4049.3
Pygopodidae	<i>Delma fraseri</i>	Delma fraseri	fixed	2.00	0.90	0.76	Australia	no	30.44	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.2	18	374	42.8	4479.2
Pygopodidae	<i>Delma grayii</i>	Delma grayii	fixed	2.00	0.84	0.71	Australia	no	30.67	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	22.8	278	72.6	4952.7
Pygopodidae	<i>Delma hebesa</i>	NA	fixed	2.00	0.61	0.49	Australia	no	34.01	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.3	16.3	532	41.4	3009.9
Pygopodidae	<i>Delma impar</i>	Delma impar	fixed	2.00	0.79	0.62	Australia	no	36.20	Diurnal	Fossorial&Terrestris	Fossorial	Oviparous	11.6	13.9	685	23.1	4474.4
Pygopodidae	<i>Delma inornata</i>	Delma inornata	fixed	2.00	0.87	0.78	Australia	no	32.99	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.5	16.4	547	22.1	5074.5
Pygopodidae	<i>Delma labialis</i>	Delma labialis	fixed	1.00	0.84	0.83	Australia	no	18.80	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	23.6	1213	90.8	2947.8
Pygopodidae	<i>Delma molleri</i>	Delma molleri	fixed	2.00	0.77	NA	Australia	no	33.57	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.2	16.4	358	28.7	4552.0
Pygopodidae	<i>Delma nasuta</i>	Delma nasuta	fixed	2.00	0.77	0.58	Australia	no	22.83	Cathemeral	Arboreal&Terrestris	Scansorial	Oviparous	10.9	25.2	379	80.9	5226.4
Pygopodidae	<i>Delma petersoni</i>	Delma petersoni	fixed	2.00	0.85	NA	Australia	no	29.89	NA	Terrestrial	Terrestrial	NA	10.9	18.6	212	18.7	4889.3
Pygopodidae	<i>Delma plebeia</i>	Delma plebeia	fixed	2.00	0.82	NA	Australia	no	29.05	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	18.2	817	38.5	4390.7
Pygopodidae	<i>Delma tincta</i>	Delma tincta	fixed	2.00	0.65	0.49	Australia	no	22.78	Cathemeral	Fossorial&Terrestris	Fossorial	Oviparous	11.0	23.9	481	71.4	4992.8
Pygopodidae	<i>Delma torquata</i>	Delma torquata	fixed	2.00	0.43	NA	Australia	no	25.87	NA	Fossorial&Terrestris	Fossorial	Oviparous	11.6	20.5	815	46.1	4076.5
Pygopodidae	<i>Lialis burtonis</i>	Lialis burtonis	fixed	1.85	1.36	1.11	Australia	no	24.85	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.1	22.5	466	60.7	4957.3
Pygopodidae	<i>Lialis jicari</i>	Lialis jicari	fixed	2.00	1.38	1.29	Oceania	yes	6.50	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25	2649	35.9	475.5
Pygopodidae	<i>Paradelma orientalis</i>	Paradelma orientalis	fixed	2.00	1.11	NA	Australia	no	24.68	Cathemeral	Arboreal&Terrestris	Scansorial	Oviparous	11.6	21.4	752	51.2	4083.1
Pygopodidae	<i>Pletholax gracilis</i>	Pletholax gracilis	fixed	2.00	0.64	0.53	Australia	no	29.78	Diurnal	Fossorial	Fossorial	Oviparous	11.4	19.5	532	81.1	4311.6
Pygopodidae	<i>Pygopus lepidopodus</i>	Pygopus lepidopodus	fixed	2.00	1.30	1.05	Australia	no	29.96	Cathemeral	Fossorial&Terrestris	Fossorial	Oviparous	11.4	17.1	568	33.8	4565.4
Pygopodidae	<i>Pygopus nigriceps</i>	Pygopus nigriceps	fixed	1.75	1.19	1.03	Australia	no	24.48	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	23	447	63.5	5059.0
Pygopodidae	<i>Pygopus schraderi</i>	Pygopus schraderi	fixed	2.00	1.11	NA	Australia	no	26.55	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	22.1	383	52.7	5386.5
Pygopodidae	<i>Pygopus steelescotti</i>	Pygopus steelescotti	fixed	2.00	1.07	NA	Australia	no	16.00	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.3	26.7	964	109.7	2685.6
Rhineuridae	<i>Rhineura floridana</i>	Rhineura floridana	variable	2.00	1.73	NA	Nearctic	no	28.87	NA	Fossorial	Fossorial	Oviparous	11.7	21.2	1318	45.9	4683.9
Scincidae	<i>Ablepharus bivittatus</i>	Ablepharus bivittatus	variable	4.00	0.64	0.31	Paleartic	no	34.15	Diurnal	Saxicolous	Scansorial	Oviparous	10.7	14.8	305	84.4	8900.4
Scincidae	<i>Ablepharus budaki</i>	Ablepharus budaki	variable	3.50	0.30	-0.07	Paleartic	no	36.44	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	14.8	728	76.2	7324.0
Scincidae	<i>Ablepharus chernovi</i>	Ablepharus chernovi	variable	3.50	0.47	0.19	Paleartic	no	38.44	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.2	10.4	568	56.9	8414.6
Scincidae	<i>Ablepharus deserti</i>	Ablepharus deserti	variable	4.50	0.59	0.24	Paleartic	no	41.48	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	10.4	299	61.7	9932.6
Scincidae	<i>Ablepharus grayanus</i>	Ablepharus grayanus	variable	1.50	-0.14	NA	Oriental	no	27.32	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	25.1	484	125.8	5588.8
Scincidae	<i>Ablepharus kitaibelii</i>	Ablepharus kitaibelii	variable	2.80	0.68	0.21	Paleartic	no	41.11	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	12.1	657	39.5	7460.9
Scincidae	<i>Ablepharus lindbergi</i>	Ablepharus lindbergi	variable	4.50	0.36	NA	Paleartic	no	34.28	Diurnal	NA	Terrestrial	NA	10.8	7	293	94.3	8424.0
Scincidae	<i>Ablepharus pannonicus</i>	Ablepharus pannonicus	variable	4.00	0.49	NA	Paleartic	no	32.95	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	16.7	277	89.9	8606.0
Scincidae	<i>Ablepharus rueppellii</i>	Ablepharus rueppellii	variable	1.80	0.42	-0.13	Paleartic	no	31.38	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	18.9	300	106.6	5935.1
Scincidae	<i>Acontias breviceps</i>	Acontias breviceps	variable	2.00	1.08	0.99	Afrotropic	no	28.94	NA	Fossorial	Fossorial	Viviparous	11.6	14.9	725	63.2	3584.7
Scincidae	<i>Acontias gariepensis</i>	Acontias gariepensis	variable	1.00	0.73	0.59	Afrotropic	no	26.61	Nocturnal	Fossorial	Fossorial	Viviparous	10.9	21.1	194	90.5	5722.5
Scincidae	<i>Acontias gracilicauda</i>	Acontias gracilicauda	variable	2.00	1.35	0.97	Afrotropic	no	29.03	NA	Fossorial	Fossorial	Viviparous	11.3	16.7	519	62.4	4625.5
Scincidae	<i>Acontias jappi</i>	Acontias jappi	variable	4.00	1.02	NA	Afrotropic	no	14.90	Cathemeral	Fossorial	Fossorial	Viviparous	11.6	21.9	906	107.5	2479.8
Scincidae	<i>Acontias kgalagadi</i>	Acontias kgalagadi	variable	1.48	1.01	0.68	Afrotropic	no	22.98	Nocturnal	Fossorial	Fossorial	Viviparous	11.1	21.3	338	94	4792.6
Scincidae	<i>Acontias lineatus</i>	Acontias lineatus	variable	1.57	0.80	0.74	Afrotropic	no	29.47	NA	Fossorial	Fossorial	Viviparous	10.8	18.5	166	68	4658.8
Scincidae	<i>Acontias littoralis</i>	Acontias littoralis	variable	2.00	0.62	0.46	Afrotropic	no	30.45	NA	Fossorial	Fossorial	Viviparous	11.0	18	150	63	3320.5
Scincidae	<i>Acontias meleagris</i>	Acontias meleagris	variable	3.00	1.47	0.88	Afrotropic	no	33.24	Cathemeral	Fossorial	Fossorial	Viviparous	11.2	16.2	404	37	3950.5
Scincidae	<i>Acontias namaquensis</i>	Acontias namaquensis	variable	2.50	1.22	NA	Afrotropic	no	29.50	NA	Cryptic	Terrestrial	Viviparous	10.9	17.8	127	58.8	3631.9
Scincidae	<i>Acontias occidentalis</i>	Acontias occidentalis	variable	1.80	1.32	1.09	Afrotropic	no	21.76	NA	Fossorial&Terrestris	Fossorial	Viviparous	11.2	20.6	437	96.9	4127.3
Scincidae	<i>Acontias orientalis</i>	Acontias orientalis	variable	4.00	1.11	0.99	Afrotropic	no	33.08	NA	Fossorial	Fossorial	Viviparous	11.4	17.6	484	27.1	3303.6
Scincidae	<i>Acontias percivali</i>	Acontias percivali	variable	2.00	1.34	1.04	Afrotropic	no	3.72	NA	Fossorial	Fossorial	Viviparous	11.6	24	675	67.2	1488.7
Scincidae	<i>Acontias plumbeus</i>	Acontias plumbeus	variable	8.00	2.00	1.64	Afrotropic	no	24.95	Cathemeral	Fossorial&Terrestris	Fossorial	Viviparous	11.6	20.7	823	71.6	2973.0
Scincidae	<i>Acontias richardi</i>	Acontias richardi	variable	2.00	0.68	NA	Afrotropic	no	23.01	NA	Fossorial	Fossorial	Viviparous	11.6	21.4	848	81.2	3404.3
Scincidae	<i>Acontias rieppeli</i>	Acontias rieppeli	variable	2.00	1.01	0.92	Afrotropic	no	23.94	NA	Fossorial	Fossorial	Viviparous	11.3	21	491	86.3	4322.2
Scincidae	<i>Acontias tristis</i>	Acontias tristis	variable	1.00	0.73	0.62	Afrotropic	no	29.55	NA	Fossorial	Fossorial	Oviparous	10.9	18.1	122	60.3	3590.7
Scincidae	<i>Acontias walkerstroombensis</i>	NA	variable	2.00	0.98	NA	Afrotropic	no	27.30	NA	Cryptic&Fossorial	Fossorial	Viviparous	NA	NA	NA	NA	NA
Scincidae	<i>Acritoscincus duperreyi</i>	Bassiana duperreyi	variable	5.30	1.02	0.74	Australia	no	37.13	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	13.3	748	25.5	3958.5
Scincidae	<i>Acritoscincus platynotus</i>	Bassiana platynota	variable	5.25	1.02	0.84	Australia	no	33.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	14.7	810	22.8	4669.4
Scincidae	<i>Acritoscincus trilineatus</i>	Bassiana trilineata	variable	5.90	1.02	0.73	Australia	no	32.95	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	16.9	453	44.3	4059.1
Scincidae	<i>Alineaa lanceolata</i>	Alineaa lanceolata	variable	7.00	1.24	NA	Neotropic	yes	13.07	NA	NA	NA	Viviparous	10.9	26.8	1480	46.5	724.5
Scincidae	<i>Amphiglossus astrolabi</i>	Amphiglossus astrolabi	variable	10.00	2.48	2.24	Madagascar	yes	20.08	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	11.8	21.1	2174	54.6	2267.4
Scincidae	<i>Amphiglossus reticulatus</i>	Amphiglossus reticulatus	variable	3.00	2.44	NA	Madagascar	yes	15.51	Nocturnal	Semi_Aquatic	Terrestrial	Oviparous	11.7	25.9	1624	114.8	1206.7
Scincidae	<i>Anepischetosia maccoyi</i>	Anepischetosia maccoyi	variable	2.90	0.62	0.39	Australia	no	37.06	Cathemeral	Fossorial&Terrestris	Fossorial	Oviparous	11.6	12.7	833	20.3	3806.9
Scincidae	<i>Anomalopus brevicolis</i>	Anomalopus brevicolis	variable	1.80	0.21	0.14	Australia	no	23.42	Diurnal	Fossorial&Terrestris	Fossorial	Viviparous	11.5	22.4	801	60.9	3785.9
Scincidae	<i>Anomalopus gowi</i>	Anomalopus gowi	variable	2.10	0.47	0.41	Australia	no	18.88	NA	Fossorial	Fossorial	Oviparous	11.6	23.4	1152	100.6	2599.9
Scincidae	<i>Anomalopus leuckartii</i>	Anomalopus leuckartii	variable	3.65	1.07	0.94	Australia	no	27.77	Nocturnal	Fossorial&Terrestris	Fossorial	Oviparous	11.6	18.7	675	36.1	4863.6
Scincidae	<i>Anomalopus swansonii</i>	Anomalopus swansonii	variable	2.50	0.46	0.41	Australia	no	32.71	Diurnal	Fossorial&Terrestris	Fossorial	Viviparous	11.6	17.1	941	28	4078.5
Scincidae	<i>Anomalopus verreauxii</i>	Anomalopus verreauxii	variable	8.00	1.40	1.22	Australia	no	25.98	Nocturnal	Fossorial	Fossorial	Oviparous	11.6	19.8	928	48.2	3885.9
Scincidae	<i>Aspronema cohabambae</i>	Aspronema cohabambae	variable	4.50	1.06	1.05	Neotropic	no	17.69	Diurnal	NA	NA	Viviparous	11.7	13.7	1239	72.2	1826.1
Scincidae	<i>Aspronema dorsivittatum</i>	Aspronema dorsivittatum	variable	4.25	1.19	0.64	Neotropic	no	23.76	Diurnal	Semi_Aquatic	Ter						

Scincidae	<i>Asymblepharus sikimensis</i>	Asymblepharus sikimensis	variable 5.00	0.51	0.40	Oriental	no	26.89	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	18	2143	94.2	4812.8
Scincidae	<i>Ateuchosaurus chinensis</i>	Ateuchosaurus chinensis	variable 2.30	1.33	1.02	Oriental	no	24.60	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.5	19.3	1529	64.9	6041.0
Scincidae	<i>Ateuchosaurus pellopleurus</i>	Ateuchosaurus pellopleurus	variable 4.50	0.81	NA	Oriental	yes	27.33	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.7	22.1	2618	32.8	4364.1
Scincidae	<i>Astroblepharus naranjicae</i>	Prooblepharus naranjicaudus	variable 2.00	0.32	0.21	Australia	no	16.58	Diurnal	Terrestrial	Terrestrial	NA	11.2	27.3	707	110.8	3268.1
Scincidae	<i>Bellatorias frerei</i>	Bellatorias frerei	variable 3.00	2.37	NA	Australia	no	20.62	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	22.5	1074	71.8	3115.5
Scincidae	<i>Bellatorias major</i>	Bellatorias major	variable 5.35	3.25	2.77	Australia	no	29.76	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	17.7	1159	38.6	3786.3
Scincidae	<i>Brachymeles apus</i>	Brachymeles apus	variable 4.00	0.66	0.51	Oriental	yes	5.22	Cathemeral	Fossorial	Fossorial	Oviparous	12.0	24.4	2196	18.6	448.8
Scincidae	<i>Brachymeles bonitae</i>	Brachymeles bonitae	variable 1.50	0.67	0.12	Oriental	yes	13.08	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.3	25.7	2407	63.5	764.6
Scincidae	<i>Brachymeles boulengeri</i>	Brachymeles boulengeri	variable 3.10	1.43	1.07	Oriental	yes	14.37	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	25.6	2429	63.8	1027.8
Scincidae	<i>Brachymeles cebuensis</i>	Brachymeles cebuensis	variable 2.00	0.42	0.22	Oriental	yes	9.97	NA	Fossorial&Terrestr	Fossorial	Oviparous	11.3	25.3	1704	34.9	584.1
Scincidae	<i>Brachymeles gracilis</i>	Brachymeles gracilis	variable 2.50	1.50	0.83	Oriental	yes	8.45	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	25.5	2355	34	494.7
Scincidae	<i>Brachymeles hilong</i>	Brachymeles hilong	variable 2.50	1.05	0.87	Oriental	yes	9.20	NA	Terrestrial	Terrestrial	Oviparous	11.4	26.2	3331	40.1	634.4
Scincidae	<i>Brachymeles lukbani</i>	Brachymeles lukbani	variable 2.00	0.27	0.12	Oriental	yes	14.04	NA	Fossorial&Terrestr	Fossorial	Oviparous	10.8	25	4406	61	900.0
Scincidae	<i>Brachymeles muntingkamay</i>	Brachymeles muntingkamay	variable 2.00	0.51	0.41	Oriental	yes	17.19	NA	Fossorial&Terrestr	Fossorial	Oviparous	11.7	25.4	2074	60	1593.3
Scincidae	<i>Brachymeles orientalis</i>	Brachymeles orientalis	variable 3.00	1.53	1.40	Oriental	yes	8.89	NA	Fossorial&Terrestr	Fossorial	Oviparous	11.5	25.7	2815	33.7	623.2
Scincidae	<i>Brachymeles pathinderi</i>	Brachymeles pathinderi	variable 2.00	0.33	0.22	Oriental	yes	6.38	NA	Fossorial&Terrestr	Fossorial	Oviparous	11.5	24.9	1494	28.7	322.2
Scincidae	<i>Brachymeles samarensis</i>	Brachymeles samarensis	variable 1.50	0.29	0.25	Oriental	yes	11.96	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.4	26.7	2947	38	723.9
Scincidae	<i>Brachymeles schadenbergi</i>	Brachymeles schadenbergi	variable 2.50	1.58	1.33	Oriental	yes	8.37	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.5	2376	33.6	488.7
Scincidae	<i>Brachymeles talinis</i>	Brachymeles talinis	variable 4.50	1.90	1.53	Oriental	yes	11.46	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.3	25.9	2247	53.2	730.6
Scincidae	<i>Brachymeles taylori</i>	Brachymeles taylori	variable 2.50	1.40	1.09	Oriental	yes	10.11	Nocturnal	Fossorial&Terrestr	Fossorial	NA	11.3	26	1984	51.8	587.1
Scincidae	<i>Brachymeles tridactylus</i>	Brachymeles tridactylus	variable 2.00	0.55	0.37	Oriental	yes	10.58	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.3	26.1	2334	58	667.0
Scincidae	<i>Brachyseps frontoparietalis</i>	Amphiglossus frontoparietalis	variable 3.00	0.95	0.80	Madagascar	yes	19.56	NA	NA	NA	Oviparous	11.8	21.6	2326	52.2	2272.7
Scincidae	<i>Brachyseps gastrostictus</i>	Amphiglossus gastrostictus	variable 4.00	1.41	1.36	Madagascar	yes	16.93	NA	NA	NA	Oviparous	12.0	NA	NA	NA	NA
Scincidae	<i>Brachyseps macrocercus</i>	Amphiglossus macrocercus	variable 5.00	1.47	1.04	Madagascar	yes	21.38	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	17.9	1256	89	2403.2
Scincidae	<i>Brachyseps punctatus</i>	Amphiglossus punctatus	variable 2.00	0.89	0.43	Madagascar	yes	20.07	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	22.1	2415	47.6	2230.4
Scincidae	<i>Brasiliscincus agilis</i>	Brasiliscincus agilis	variable 4.50	1.28	0.84	Neotropic	no	16.76	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	23	1149	59.4	1679.7
Scincidae	<i>Brasiliscincus caissara</i>	Brasiliscincus caissara	variable 4.68	1.19	0.80	Neotropic	no	23.71	NA	Arboreal	Scansorial	Oviparous	11.2	22	1980	37.7	2060.2
Scincidae	<i>Brasiliscincus heathi</i>	Brasiliscincus heathi	variable 4.00	1.22	0.77	Neotropic	no	10.36	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25.4	1026	80.6	1220.2
Scincidae	<i>Caesoris novacaledoniae</i>	Lioscincus novacaledoniae	variable 4.00	0.79	0.74	Oceania	yes	21.05	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	22.4	1662	49.9	2056.9
Scincidae	<i>Caledoniscincus aquilonius</i>	Caledoniscincus aquilonius	variable 3.00	0.33	0.29	Oceania	yes	20.66	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	22.4	1867	50.6	1992.7
Scincidae	<i>Caledoniscincus atropunctatus</i>	Caledoniscincus atropunctatus	variable 2.00	0.49	0.21	Oceania	yes	21.15	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	22.3	1728	46.3	2027.6
Scincidae	<i>Caledoniscincus auratus</i>	Caledoniscincus auratus	variable 3.00	0.39	0.15	Oceania	yes	20.71	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23.5	1203	52.4	2014.6
Scincidae	<i>Caledoniscincus austrocaledonicus</i>	Caledoniscincus austrocaledonicus	variable 3.00	0.54	0.25	Oceania	yes	21.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	22.2	1685	46.6	2056.3
Scincidae	<i>Caledoniscincus chazeaui</i>	Caledoniscincus chazeaui	variable 3.00	0.15	0.12	Oceania	yes	20.81	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	22	2166	49.9	2032.8
Scincidae	<i>Caledoniscincus festivus</i>	Caledoniscincus festivus	variable 5.00	0.87	0.56	Oceania	yes	21.33	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	22.1	1699	47.6	2067.9
Scincidae	<i>Caledoniscincus haphlorhinus</i>	Caledoniscincus haphlorhinus	variable 3.50	0.49	NA	Oceania	yes	21.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	22.2	1685	46.6	2056.3
Scincidae	<i>Caledoniscincus orestes</i>	Caledoniscincus orestes	variable 6.50	0.73	0.69	Oceania	yes	21.18	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	21.3	1801	48.2	2044.2
Scincidae	<i>Caledoniscincus pelletieri</i>	Caledoniscincus pelletieri	variable 2.33	0.58	0.43	Oceania	yes	20.48	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	23.3	1306	53	1951.5
Scincidae	<i>Caledoniscincus reneveri</i>	Caledoniscincus reneveri	variable 3.00	0.39	0.24	Oceania	yes	21.23	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	21.8	1970	50.1	2092.5
Scincidae	<i>Caledoniscincus terma</i>	Caledoniscincus terma	variable 2.50	0.36	0.17	Oceania	yes	20.39	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	22	2041	54	1912.7
Scincidae	<i>Calyptotis lepidorostrum</i>	Calyptotis lepidorostrum	variable 3.20	0.49	0.33	Australia	no	24.35	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	21.6	1010	55.9	3514.3
Scincidae	<i>Calyptotis ruficauda</i>	Calyptotis ruficauda	variable 3.30	0.49	0.32	Australia	no	30.76	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	17.3	1247	40.5	3719.2
Scincidae	<i>Calyptotis scutirostrum</i>	Calyptotis scutirostrum	variable 3.45	0.59	0.30	Australia	no	26.71	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	20.6	920	52.2	3753.0
Scincidae	<i>Calyptotis temporalis</i>	Calyptotis temporalis	variable 2.00	0.18	-0.10	Australia	no	22.57	NA	Fossorial&Terrestr	Fossorial	Oviparous	11.5	22.6	927	62.7	3456.3
Scincidae	<i>Capitellum mariagallantae</i>	Capitellum mariagallantae	variable 6.00	0.99	0.99	Neotropic	yes	15.93	NA	NA	NA	Oviparous	10.8	NA	NA	NA	NA
Scincidae	<i>Carinascincus coventryi</i>	Niveoscincus coventryi	variable 2.55	0.47	0.15	Australia	no	36.71	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	12.9	795	20	4582.8
Scincidae	<i>Carinascincus greeni</i>	Niveoscincus greeni	variable 2.65	0.93	0.71	Australia	yes	41.96	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	9.1	1227	22.6	3114.7
Scincidae	<i>Carinascincus metallicus</i>	Niveoscincus metallicus	variable 3.80	0.85	0.47	Australia	no	40.71	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.5	11.4	1200	22	2934.1
Scincidae	<i>Carinascincus microlepidotus</i>	Niveoscincus microlepidotus	variable 2.50	0.83	0.60	Australia	yes	42.51	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	9.4	1585	21.8	2812.3
Scincidae	<i>Carinascincus ocellatus</i>	Niveoscincus ocellatus	variable 3.20	1.11	0.81	Australia	yes	41.97	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.5	10.6	1225	23	2861.5
Scincidae	<i>Carinascincus orocryptus</i>	Niveoscincus orocryptus	variable 2.85	0.76	0.58	Australia	yes	42.41	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	10.2	2113	22.9	2682.7
Scincidae	<i>Carinascincus palfreymani</i>	Niveoscincus palfreymani	variable 5.50	1.26	NA	Australia	yes	43.86	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	NA	NA	NA	NA	NA
Scincidae	<i>Carinascincus pretiosus</i>	Niveoscincus pretiosus	variable 2.35	0.83	0.42	Australia	yes	41.94	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	10.6	1198	23	2866.4
Scincidae	<i>Carlia ailanpalai</i>	Carlia ailanpalai	variable 2.00	0.77	0.43	Oceania	yes	2.06	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	27	3930	11.8	206.9
Scincidae	<i>Carlia amax</i>	Carlia amax	variable 2.00	0.08	-0.06	Australia	no	15.82	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	26.9	1058	111.2	2383.9
Scincidae	<i>Carlia bicarinata</i>	Carlia bicarinata	variable 2.00	0.31	0.09	Oceania	yes	8.93	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	25.4	1778	51.8	566.8
Scincidae	<i>Carlia bomberai</i>	Carlia bomberai	variable 2.00	0.47	0.25	Oceania	yes	2.46	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	25.8	3090	13	351.3
Scincidae	<i>Carlia caesiuss</i>	Carlia caesiuss	variable 2.10	0.72	0.36	Oceania	yes	5.59	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	26	4168	21.7	516.6
Scincidae	<i>Carlia eotheren</i>	Carlia eotheren	variable 2.00	0.80	0.48	Oceania	yes	10.14	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	26.2	3014	22.3	769.3
Scincidae	<i>Carlia gracilis</i>	Carlia gracilis	variable 1.90	0.08	-0.09	Australia	no	13.81	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	27	1106	110.1	2268.4
Scincidae	<i>Carlia jarnoldae</i>	Carlia jarnoldae	variable 2.00	0.33	0.14	Australia	no	17.16	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	24	1190	100.2	2460.4
Scincidae	<i>Carlia longipes</i>	Carlia longipes	variable 2.00	0.89	0.58	Australia	no	9.65	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	25.8	1905	62.5	944.1
Scincidae	<i>Carlia munda</i>	Carlia munda	variable 2.00	0.18	0.01	Australia	no	19.52	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	25.7	707	98.6	3742.3
Scincidae	<i>Carlia mysi</i>	Carlia mysi	variable 1.86	0.69	0.46	Oceania	yes	6.03	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	25.2	3517	30.9	379.1
Scincidae	<i>Carlia pectoralis</i>	Carlia pectoralis	variable 2.00	0.71	0.17	Australia	no	25.04	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	21.4	858	57.2	3892.4

Scincidae	<i>Carlia rubrigularis</i>	Carlia rubrigularis	variable 2.00	0.64	0.44	Australia	no	17.38	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	22.4	1299	92.8	2819.3
Scincidae	<i>Carlia ruflatus</i>	Carlia ruflatus	variable 2.00	0.12	NA	Australia	no	15.01	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	27.3	1048	114.5	2292.9
Scincidae	<i>Carlia schmeltzii</i>	Carlia schmeltzii	variable 2.00	0.81	NA	Australia	no	21.24	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	23.1	898	80.7	3370.4
Scincidae	<i>Carlia storreri</i>	Carlia storreri	variable 2.00	0.24	0.15	Australia	no	13.14	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	24.6	1524	94.4	1859.5
Scincidae	<i>Carlia tetradactyla</i>	Carlia tetradactyla	variable 2.00	0.71	0.42	Australia	no	32.03	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	16.2	761	25.5	4916.4
Scincidae	<i>Carlia triacantha</i>	Carlia triacantha	variable 1.85	0.44	0.13	Australia	no	19.27	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	24.9	382	77	5339.4
Scincidae	<i>Carlia tutela</i>	Carlia tutela	variable 2.00	0.46	0.27	Oceania	yes	1.41	NA	Terrestrial	Terrestrial	Oviparous	11.4	25.4	2452	19.4	209.8
Scincidae	<i>Carlia vivax</i>	Carlia vivax	variable 2.00	0.36	0.25	Australia	no	22.38	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	21.9	958	70.9	3448.6
Scincidae	<i>Celatiscincus euryotis</i>	Celatiscincus euryotis	variable 2.50	0.12	-0.05	Oceania	yes	22.61	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	22.8	1605	35.7	2066.9
Scincidae	<i>Celatiscincus similis</i>	Celatiscincus similis	variable 2.00	0.23	NA	Oceania	yes	20.71	NA	NA	NA	Oviparous	11.5	21.9	1858	49.1	1987.1
Scincidae	<i>Chalcides bedriagai</i>	Chalcides bedriagai	variable 2.44	1.30	0.94	Paleartic	no	39.53	Diurnal	Fossilial	Fossilial	Viviparous	11.3	14.5	617	44.4	5968.2
Scincidae	<i>Chalcides bottegi</i>	Chalcides bottegi	variable 6.30	1.60	NA	Afrotropic	no	9.17	NA	Cryptic	Terrestrial	Viviparous	11.5	26.8	801	89.1	1542.9
Scincidae	<i>Chalcides chalcides</i>	Chalcides chalcides	variable 7.40	1.53	1.11	Paleartic	no	40.60	Cathemeral	Fossilial&Terrestr	Fossilial	Viviparous	11.3	14.9	694	40.4	5991.7
Scincidae	<i>Chalcides coeruleopunctatus</i>	Chalcides coeruleopunctatus	variable 3.00	1.21	NA	Paleartic	yes	27.95	Diurnal	NA	NA	Viviparous	11.0	17.9	254	84.9	2016.9
Scincidae	<i>Chalcides colosii</i>	Chalcides colosii	variable 6.30	1.52	NA	Paleartic	no	35.18	Diurnal	Terrestrial	Terrestrial	NA	11.3	16.2	664	69.2	4525.1
Scincidae	<i>Chalcides guentheri</i>	Chalcides guentheri	variable 4.40	1.03	0.66	Paleartic	no	32.46	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	11.2	18.4	522	106.9	5573.5
Scincidae	<i>Chalcides lanzai</i>	Chalcides lanzai	variable 6.33	1.59	1.59	Paleartic	no	33.28	Diurnal	Terrestrial	Terrestrial	Viviparous	11.3	13.9	611	54.7	6143.8
Scincidae	<i>Chalcides manueli</i>	Chalcides manueli	variable 6.30	0.95	NA	Paleartic	no	30.86	Diurnal	NA	NA	NA	11.0	20.1	264	77.3	5034.3
Scincidae	<i>Chalcides mertensi</i>	Chalcides mertensi	variable 6.65	1.45	1.16	Paleartic	no	35.48	Diurnal	Terrestrial	Terrestrial	NA	11.0	16.6	406	44.6	6742.9
Scincidae	<i>Chalcides minutus</i>	Chalcides minutus	variable 4.00	0.88	0.57	Paleartic	no	34.23	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	16.1	385	53.9	6066.3
Scincidae	<i>Chalcides mionecton</i>	Chalcides mionecton	variable 3.00	0.81	NA	Paleartic	no	32.03	Diurnal	Fossilial	Fossilial	Viviparous	11.1	18	376	72.2	4985.1
Scincidae	<i>Chalcides montanus</i>	Chalcides montanus	variable 6.30	1.32	NA	Paleartic	no	31.82	Diurnal	Terrestrial	Terrestrial	NA	10.8	14.6	298	52.5	6683.4
Scincidae	<i>Chalcides ocellatus</i>	Chalcides ocellatus	variable 6.50	1.99	1.46	Paleartic	no	25.22	Cathemeral	Cryptic	Terrestrial	Viviparous	10.6	22.7	197	105.8	5979.9
Scincidae	<i>Chalcides parallelus</i>	Chalcides parallelus	variable 3.50	1.21	1.16	Paleartic	no	35.40	Diurnal	Cryptic&Fossilial	Fossilial	Viviparous	11.1	19	383	61.7	4837.0
Scincidae	<i>Chalcides polylepis</i>	Chalcides polylepis	variable 5.50	1.99	NA	Paleartic	no	31.81	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.0	18	384	72.3	4915.8
Scincidae	<i>Chalcides pseudostriatus</i>	Chalcides pseudostriatus	variable 12.67	1.49	1.25	Paleartic	no	33.22	Diurnal	Terrestrial	Terrestrial	Viviparous	11.3	17.2	564	68.9	5043.1
Scincidae	<i>Chalcides pulchellus</i>	Chalcides pulchellus	variable 6.30	1.70	NA	Afrotropic	no	12.06	NA	Terrestrial	Terrestrial	NA	11.6	27.5	1292	117.1	2183.0
Scincidae	<i>Chalcides ragazzii</i>	Chalcides ragazzii	variable 6.30	1.67	NA	Paleartic	no	15.69	Diurnal	Terrestrial	Terrestrial	NA	10.7	25.3	303	149.5	4458.0
Scincidae	<i>Chalcides sepoisoides</i>	Chalcides sepoisoides	variable 4.35	0.89	0.72	Paleartic	no	28.89	Nocturnal	Fossilial	Fossilial	Viviparous	10.4	21.9	38	130.1	6186.9
Scincidae	<i>Chalcides sexlineatus</i>	Chalcides sexlineatus	variable 4.50	1.32	0.85	Paleartic	yes	27.95	Diurnal	Terrestrial	Terrestrial	Viviparous	10.9	17.5	199	86.6	2020.2
Scincidae	<i>Chalcides simonyi</i>	NA	variable 4.50	1.64	1.42	Afrotropic	yes	28.64	NA	NA	NA	Viviparous	NA	NA	NA	NA	NA
Scincidae	<i>Chalcides striatus</i>	Chalcides striatus	variable 7.00	1.53	0.94	Paleartic	no	40.76	Diurnal	Terrestrial	Terrestrial	Viviparous	11.4	13.5	762	40.3	5712.7
Scincidae	<i>Chalcides thierryi</i>	Chalcides thierryi	variable 6.30	1.99	NA	Afrotropic	no	10.14	NA	Fossilial&Saxicol Fossilial	Scansorial	NA	11.5	26.8	1095	99.7	1999.9
Scincidae	<i>Chalcides viridanus</i>	Chalcides viridanus	variable 4.00	1.69	1.25	Paleartic	yes	28.28	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.0	16.1	354	81.3	2085.9
Scincidae	<i>Chalcidoseps thwaitesi</i>	Chalcidoseps thwaitesi	variable 2.00	1.23	0.87	Oriental	yes	7.41	Diurnal	Fossilial&Terrestre	Fossilial	Oviparous	11.9	22	2104	48.1	924.1
Scincidae	<i>Chioninia coetiei</i>	Chioninia coetiei	variable 2.00	3.09	2.64	Afrotropic	yes	16.73	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.9	23.7	173	138.7	1635.0
Scincidae	<i>Chioninia delalandii</i>	Chioninia delalandii	variable 3.00	1.22	NA	Afrotropic	yes	15.02	NA	NA	NA	Oviparous	10.9	21.5	306	154.2	1659.0
Scincidae	<i>Chioninia vaillantii</i>	Chioninia vaillantii	variable 7.00	2.56	NA	Afrotropic	yes	15.06	Diurnal	Fossilial&Terrestre	Fossilial	NA	10.9	20.8	372	152.6	1656.4
Scincidae	<i>Coeranoscincus reticulatus</i>	Coeranoscincus reticulatus	variable 3.85	1.45	1.20	Australia	no	27.86	Nocturnal	Fossilial&Terrestre	Fossilial	Oviparous	11.6	19.3	1230	43.2	3618.4
Scincidae	<i>Concinnia amplius</i>	Concinnia amplius	variable 5.00	1.53	NA	Australia	no	20.84	Diurnal	Saxicolous	Scansorial	Viviparous	11.6	22.7	1397	84.5	3132.1
Scincidae	<i>Concinnia brachysoma</i>	Concinnia brachysoma	variable 3.90	0.95	0.84	Australia	no	21.48	Diurnal	Arboreal&Saxicol Scansorial	Scansorial	Viviparous	11.5	22.5	1093	74.8	3135.6
Scincidae	<i>Concinnia martini</i>	Concinnia martini	variable 3.50	0.85	0.67	Australia	no	26.25	Diurnal	Arboreal&Saxicol Scansorial	Scansorial	Viviparous	11.6	19.4	950	45.3	3840.9
Scincidae	<i>Concinnia queenslandiae</i>	Concinnia queenslandiae	variable 3.16	1.11	0.83	Australia	no	17.14	Cathemeral	Fossilial&Terrestre	Fossilial	Viviparous	11.6	22.6	1792	90.2	2407.9
Scincidae	<i>Concinnia sokosoma</i>	Concinnia sokosoma	variable 4.00	1.00	0.92	Australia	no	22.34	Diurnal	Arboreal&Saxicol Scansorial	Scansorial	Viviparous	11.5	22.5	742	65.8	3991.5
Scincidae	<i>Concinnia tenuis</i>	Concinnia tenuis	variable 4.70	1.11	0.96	Australia	no	27.50	Cathemeral	Arboreal&Saxicol Scansorial	Scansorial	Viviparous	11.6	20	1002	56.1	3604.8
Scincidae	<i>Copeoglossum arajara</i>	Copeoglossum arajara	variable 4.80	1.52	1.21	Neotropic	no	6.72	Diurnal	NA	NA	Viviparous	11.8	27	793	98.4	1313.6
Scincidae	<i>Copeoglossum aureae</i>	Copeoglossum aureae	variable 2.00	1.45	1.35	Neotropic	no	10.69	Diurnal	Arboreal&Saxicol Scansorial	Scansorial	Viviparous	11.2	26	1852	48.4	573.5
Scincidae	<i>Copeoglossum nigropunctatum</i>	Copeoglossum nigropunctatum	variable 4.83	1.50	1.24	Neotropic	no	6.75	Diurnal	Terrestrial	Terrestrial	Viviparous	11.9	24.8	1966	59.3	890.3
Scincidae	<i>Cophoscincopus durus</i>	Cophoscincopus durus	variable 2.00	0.49	0.32	Afrotropic	no	6.84	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	11.8	25.1	2530	65.2	923.5
Scincidae	<i>Cophoscincopus greeri</i>	Cophoscincopus greeri	variable 2.67	0.75	0.51	Afrotropic	no	9.14	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	11.8	25.2	1807	76.9	1519.2
Scincidae	<i>Cophoscincopus simulans</i>	Cophoscincopus simulans	variable 2.16	0.64	0.43	Afrotropic	no	6.91	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	11.8	25.4	1897	62.5	1059.2
Scincidae	<i>Corucia zebra</i>	Corucia zebra	variable 1.20	3.09	2.87	Oceania	yes	8.08	Nocturnal	Arboreal	Scansorial	Viviparous	11.3	25.4	3357	21.3	374.7
Scincidae	<i>Cryptoblepharus africanus</i>	Cryptoblepharus africanus	variable 2.00	0.37	NA	Afrotropic	no	13.55	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	25	1015	71.1	1608.3
Scincidae	<i>Cryptoblepharus australis</i>	Cryptoblepharus australis	variable 1.90	0.25	0.02	Australia	no	27.42	Diurnal	Arboreal	Scansorial	Oviparous	11.0	21.2	326	42.6	5650.3
Scincidae	<i>Cryptoblepharus bitaeniatus</i>	Cryptoblepharus bitaeniatus	variable 2.00	0.21	NA	Afrotropic	yes	22.34	Diurnal	Arboreal&Terrestre	Scansorial	Oviparous	NA	25.1	545	94.7	1979.7
Scincidae	<i>Cryptoblepharus boutonii</i>	Cryptoblepharus boutonii	variable 1.97	0.12	NA	Australia	yes	19.41	Diurnal	Arboreal&Saxicol Scansorial	Scansorial	Oviparous	11.3	23.4	1803	50.7	1817.9
Scincidae	<i>Cryptoblepharus buchananii</i>	Cryptoblepharus buchananii	variable 2.00	0.34	0.12	Australia	no	27.90	Diurnal	Arboreal&Saxicol Scansorial	Scansorial	Oviparous	11.0	21.5	294	54.8	5479.2
Scincidae	<i>Cryptoblepharus burdeni</i>	Cryptoblepharus burdeni	variable 1.00	0.36	0.13	Oceania	yes	8.58	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.1	26.2	1869	67.1	608.6
Scincidae	<i>Cryptoblepharus caudatus</i>	NA	variable 4.00	0.36	NA	Afrotropic	yes	17.06	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	NA	NA	NA	NA
Scincidae	<i>Cryptoblepharus cygnatus</i>	Cryptoblepharus cygnatus	variable 1.90	0.20	NA	Australia	no	12.63	Diurnal	Arboreal	Scansorial	Oviparous	11.4	27.1	1412	106	1736.9
Scincidae	<i>Cryptoblepharus egeriae</i>	Cryptoblepharus egeriae	variable 2.00	0.42	NA	Oriental	yes	10.49	Diurnal	Arboreal&Saxicol Scansorial	Scansorial	Oviparous	10.8	25.1	2257	60.2	680.4
Scincidae	<i>Cryptoblepharus eximius</i>	Cryptoblepharus eximius	variable 1.00	0.06	-0.10	Oceania	yes	17.61	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.3	25	2457	48.3	1155.2
Scincidae	<i>Cryptoblepharus furvus</i>	NA	variable 1.00	0.27	0.10	Oceania	yes	9.99	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.8	25.5	4091	25.2	781.1
Scincidae	<i>Cryptoblepharus glorioust</i>	NA	variable 2.00	0.17	NA	Madagascar	yes	12.60	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	25.6	1836	74.1	1140.3
Scincidae	<i>Cryptoblepharus litoralis</i>	Cryptoblepharus litoralis	variable 1.64	0.49	0.18	Australia	no	15.57	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.5	23.5	1273	83.7	2734.8
Scincidae	<i>Cryptoblepharus megastictus</i>	Cryptoblepharus megastictus	variable 2.00	0.07	NA	Australia	no	14.73	Diurnal	Saxicolous							

Scincidae	<i>Cryptoblepharus novocaledonicus</i>	Cryptoblepharus novocaledonicus	variable 2.00	0.15	NA	Oceania	yes	21.37	Diurnal	Saxicolous	Scansorial	Oviparous	11.3	22.1	1725	46.5	2062.4
Scincidae	<i>Cryptoblepharus novohibernicus</i>	Cryptoblepharus novohibernicus	variable 1.50	-0.06	-0.14	Oceania	yes	16.42	NA	Arboreal&Saxicolo Scansorial	Oviparous	11.1	24	2669	34.8	1106.9	
Scincidae	<i>Cryptoblepharus pannosus</i>	Cryptoblepharus pannosus	variable 1.50	0.18	NA	Australia	no	26.23	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.1	21.7	460	52	5222.8	
Scincidae	<i>Cryptoblepharus plagioccephalus</i>	Cryptoblepharus plagioccephalus	variable 1.95	0.27	0.01	Australia	no	27.26	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	10.9	22.1	250	52.9	5518.3	
Scincidae	<i>Cryptoblepharus poecilopleurus</i>	Cryptoblepharus poecilopleurus	variable 1.55	0.42	0.09	Oceania	yes	8.39	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.1	25.5	3309	24.6	429.8	
Scincidae	<i>Cryptoblepharus pulcher</i>	Cryptoblepharus pulcher	variable 1.90	0.11	NA	Australia	no	28.78	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.4	19.1	682	42.1	4089.7	
Scincidae	<i>Cryptoblepharus renisci</i>	Cryptoblepharus renisci	variable 1.50	0.36	NA	Oceania	yes	9.21	Diurnal	Arboreal	Scansorial	Oviparous	11.3	25.3	1747	73.4	658.9
Scincidae	<i>Cryptoblepharus ruber</i>	Cryptoblepharus ruber	variable 2.00	0.28	0.14	Australia	no	16.67	Diurnal	Arboreal	Scansorial	Oviparous	11.2	27.2	761	114.5	3098.5
Scincidae	<i>Cryptoblepharus virgatus</i>	Cryptoblepharus virgatus	variable 1.90	0.08	-0.01	Australia	no	15.19	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.6	25	1425	106.7	1890.8	
Scincidae	<i>Cryptoblepharus voeltzkowi</i>	Cryptoblepharus voeltzkowi	variable 4.00	0.17	0.04	Madagascar	yes	24.21	NA	Saxicolous	Scansorial	Oviparous	11.3	25.5	383	103	2337.0
Scincidae	<i>Cryptoblepharus yulensis</i>	Cryptoblepharus yulensis	variable 1.60	0.11	-0.12	Oceania	yes	9.41	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.8	24.5	1982	44.6	647.4	
Scincidae	<i>Ctenotus alacer</i>	Ctenotus alacer	variable 2.00	0.78	0.62	Australia	no	22.97	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	24.6	356	77.5	5507.4
Scincidae	<i>Ctenotus alleni</i>	Ctenotus alleni	variable 3.00	1.23	1.15	Australia	no	27.39	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	22	263	67.1	5118.8
Scincidae	<i>Ctenotus ariadnae</i>	Ctenotus ariadnae	variable 3.42	0.71	0.71	Australia	no	25.17	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	23.7	264	55.3	6237.1
Scincidae	<i>Ctenotus armhemensis</i>	Ctenotus armhemensis	variable 3.50	0.50	0.42	Australia	no	12.65	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	26.5	1411	108.5	1916.1
Scincidae	<i>Ctenotus atlas</i>	Ctenotus atlas	variable 1.50	0.93	0.83	Australia	no	30.74	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	19.8	243	28.7	5418.5
Scincidae	<i>Ctenotus australis</i>	Ctenotus australis	variable 3.30	1.47	NA	Australia	no	31.35	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	20	508	80.7	4193.2
Scincidae	<i>Ctenotus brevipes</i>	Ctenotus brevipes	variable 2.95	0.62	NA	Australia	no	16.46	Diurnal	Terrestrial	Terrestrial	NA	11.5	26	1006	118.6	2385.3
Scincidae	<i>Ctenotus brooksi</i>	Ctenotus brooksi	variable 2.17	0.54	0.25	Australia	no	25.10	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	22	249	42.1	5956.9
Scincidae	<i>Ctenotus calurus</i>	Ctenotus calurus	variable 2.27	0.36	0.27	Australia	no	24.78	Diurnal	Fossorial&Terrestrial	Fossorial	Oviparous	10.8	23.9	297	61.8	5807.7
Scincidae	<i>Ctenotus coggeri</i>	Ctenotus coggeri	variable 3.00	1.14	1.14	Australia	no	13.15	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.6	27.5	1545	107.2	1726.4
Scincidae	<i>Ctenotus collecti</i>	Ctenotus collecti	variable 3.00	0.21	0.11	Australia	no	17.68	Saxicolous&Terres	Scansorial	Oviparous	11.1	27.3	568	116.1	3209.5	
Scincidae	<i>Ctenotus dux</i>	Ctenotus dux	variable 2.68	0.76	0.76	Australia	no	25.19	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	23	263	48.8	6154.3
Scincidae	<i>Ctenotus essingtonii</i>	Ctenotus essingtonii	variable 2.95	0.89	0.62	Australia	no	13.54	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	26.9	1182	107.7	2155.1
Scincidae	<i>Ctenotus gagudju</i>	Ctenotus gagudju	variable 2.00	0.47	0.39	Australia	no	12.38	NA	NA	NA	Oviparous	11.6	27	1476	107.6	1855.3
Scincidae	<i>Ctenotus gemmula</i>	Ctenotus gemmula	variable 2.00	0.62	0.52	Australia	no	33.10	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	16.7	493	45.1	3825.8
Scincidae	<i>Ctenotus grandis</i>	Ctenotus grandis	variable 4.00	1.61	1.33	Australia	no	23.28	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	24.6	316	71.6	5606.9
Scincidae	<i>Ctenotus hanloni</i>	Ctenotus hanloni	variable 3.60	0.90	0.86	Australia	no	23.89	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	24	286	60.5	5980.0
Scincidae	<i>Ctenotus hebetior</i>	Ctenotus hebetior	variable 4.00	0.62	NA	Australia	no	22.07	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	24.9	466	90.7	4676.0
Scincidae	<i>Ctenotus impar</i>	Ctenotus impar	variable 2.00	0.75	0.42	Australia	no	32.37	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	17.9	366	41.4	4618.5
Scincidae	<i>Ctenotus inornatus</i>	Ctenotus inornatus	variable 6.00	1.26	0.91	Australia	no	23.43	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	24.1	411	70.5	5195.1
Scincidae	<i>Ctenotus kurnbudj</i>	Ctenotus kurnbudj	variable 3.00	0.52	0.52	Australia	no	12.54	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	27.5	1536	106.1	1859.9
Scincidae	<i>Ctenotus labillardieri</i>	Ctenotus labillardieri	variable 3.55	0.95	0.79	Australia	no	33.53	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	16.3	644	55.6	3457.2
Scincidae	<i>Ctenotus lancelini</i>	Ctenotus lancelini	variable 3.33	1.14	1.00	Australia	no	31.01	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	19.4	655	85	3721.0
Scincidae	<i>Ctenotus leae</i>	Ctenotus leae	variable 3.25	0.66	0.64	Australia	no	26.83	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	21.1	203	32.2	5973.5
Scincidae	<i>Ctenotus leonhardii</i>	Ctenotus leonhardii	variable 3.80	1.00	0.86	Australia	no	24.68	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	23.2	301	56.3	5837.9
Scincidae	<i>Ctenotus mimetes</i>	Ctenotus mimetes	variable 6.00	1.05	1.02	Australia	no	28.66	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	21.4	278	55.1	5810.7
Scincidae	<i>Ctenotus nasutus</i>	Ctenotus nasutus	variable 2.91	0.24	0.19	Australia	no	23.81	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	23.3	248	50.1	6254.8
Scincidae	<i>Ctenotus olympicus</i>	Ctenotus olympicus	variable 3.50	0.93	NA	Australia	no	30.07	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	20.2	203	27	5978.0
Scincidae	<i>Ctenotus orientalis</i>	Ctenotus orientalis	variable 4.00	1.05	NA	Australia	no	32.23	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	16.9	358	21.8	4800.6
Scincidae	<i>Ctenotus pallidescens</i>	Ctenotus pallidescens	variable 3.00	0.21	NA	Australia	no	17.98	NA	Terrestrial	Terrestrial	Oviparous	11.1	26.6	505	105.7	4178.5
Scincidae	<i>Ctenotus pantherinus</i>	Ctenotus pantherinus	variable 5.10	1.66	1.03	Australia	no	24.04	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.9	23.7	366	66.9	5323.2
Scincidae	<i>Ctenotus piankai</i>	Ctenotus piankai	variable 2.75	0.62	0.43	Australia	no	22.32	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	24	271	62.3	5858.3
Scincidae	<i>Ctenotus quatuordecimlineatus</i>	Ctenotus quatuordecimlineatus	variable 3.30	0.85	0.64	Australia	no	24.72	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	24.6	287	66.5	5956.6
Scincidae	<i>Ctenotus regius</i>	Ctenotus regius	variable 2.75	1.07	0.70	Australia	no	28.98	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	21.4	232	35.9	6088.1
Scincidae	<i>Ctenotus robustus</i>	Ctenotus robustus	variable 5.00	1.65	1.31	Australia	no	25.36	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	21.4	665	60.7	4263.1
Scincidae	<i>Ctenotus rufescens</i>	Ctenotus rufescens	variable 2.00	0.21	NA	Australia	no	21.80	NA	Terrestrial	Terrestrial	Oviparous	10.9	26.2	296	89.1	4134.0
Scincidae	<i>Ctenotus rutilans</i>	Ctenotus rutilans	variable 2.00	0.60	0.60	Australia	no	22.79	NA	Terrestrial	Terrestrial	Oviparous	10.9	24.9	342	85	5537.1
Scincidae	<i>Ctenotus schomburgkii</i>	Ctenotus schomburgkii	variable 2.48	0.54	0.17	Australia	no	26.69	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	21.9	258	47	5759.1
Scincidae	<i>Ctenotus septenarius</i>	Ctenotus septenarius	variable 4.00	0.87	NA	Australia	no	24.65	Diurnal	Fossorial	Fossorial	Oviparous	10.8	22.3	215	40.8	6447.7
Scincidae	<i>Ctenotus spaldingi</i>	Ctenotus spaldingi	variable 6.00	1.47	NA	Australia	no	25.44	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.4	23.1	797	80.2	3649.8	
Scincidae	<i>Ctenotus storreri</i>	Ctenotus storreri	variable 2.00	0.05	0.02	Australia	no	13.97	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	27.1	1191	108.6	2347.8
Scincidae	<i>Ctenotus strachanii</i>	Ctenotus strachanii	variable 2.19	0.69	NA	Australia	no	26.32	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	22.2	373	48.6	5681.7
Scincidae	<i>Ctenotus taeniatus</i>	NA	variable 2.00	0.36	NA	Australia	no	28.50	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	22	197	38.2	6259.5
Scincidae	<i>Ctenotus taeniolatus</i>	Ctenotus taeniolatus	variable 3.80	1.17	0.82	Australia	no	27.32	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	19.9	772	49.1	4389.7
Scincidae	<i>Ctenotus uber</i>	Ctenotus uber	variable 2.00	1.05	NA	Australia	no	25.96	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	21	251	39.7	5729.6
Scincidae	<i>Ctenotus vertebralis</i>	Ctenotus vertebralis	variable 3.00	0.49	0.32	Australia	no	13.67	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	27	1249	108.2	2210.2
Scincidae	<i>Cyclodomorphus branchialis</i>	Cyclodomorphus branchialis	variable 3.00	1.59	1.21	Australia	no	28.52	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.2	20.8	329	67.3	5262.1
Scincidae	<i>Cyclodomorphus casuarinae</i>	Cyclodomorphus casuarinae	variable 5.80	2.11	1.63	Australia	yes	41.95	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.5	10.7	1282	23	2773.3
Scincidae	<i>Cyclodomorphus celatus</i>	Cyclodomorphus celatus	variable 3.80	1.60	1.34	Australia	no	28.12	Nocturnal	Terrestrial	Terrestrial	Viviparous	11.1	21.7	336	74.8	4572.3
Scincidae	<i>Cyclodomorphus gerrardii</i>	Hemisphaeriodon gerrardii	variable 21.65	2.65	2.27	Australia	no	25.31	Cathemeral	Arboreal&Terrestri	Scansorial	Viviparous	11.6	19.9	898	52	3867.2
Scincidae	<i>Cyclodomorphus maximus</i>	Cyclodomorphus maximus	variable 4.50	2.51	2.19	Australia	no	15.40	Nocturnal	Terrestrial	Terrestrial	Viviparous	11.2	26.8	1259	115	1860.1
Scincidae	<i>Cyclodomorphus melanops</i>	Cyclodomorphus melanops	variable 2.70	1.72	1.26	Australia	no	25.76	Cathemeral	Saxicolous&Terres	Scansorial	Viviparous	10.9	23	315	59.5	5388.0
Scincidae	<i>Cyclodomorphus michaeli</i>	Cyclodomorphus michaeli	variable 7.65	2.11	1.65	Australia	no	33.91	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.6	16.2	985	26.2	3940.7
Scincidae	<i>Cyclodomorphus praecultus</i>	Cyclodomorphus praecultus	variable 4.90	1.66	1.37	Australia	no	36.44	Diurnal	Cryptic&Terrestrial	Terrestrial	Viviparous	11.8	10.2	774	16.7	4474.3
Scincidae	<i>Cyclodomorphus venustus</i>	Cyclodomorphus venustus	variable 3.00	1.35	1.12	Australia	no	27.75	Nocturnal	Cryptic&Terrestrial	Terrestrial	Viviparous	10.6	21.4	187	33.1	6284.0
Scincidae	<i>Dasia grisea</i>	Dasia grisea	variable 3.30	1.70	NA	Oriental											

Scincidae	<i>Dasia olivacea</i>	Dasia olivacea	variable 6.17	1.90	1.14	Oriental	no	2.92	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.6	2671	40.3	507.7	
Scincidae	<i>Dasia vittata</i>	Dasia vittata	variable 3.05	1.28	0.88	Oriental	yes	2.06	Diurnal	Arboreal	Scansorial	Oviparous	12.0	24.6	3307	18.4	311.2	
Scincidae	<i>Egernia cunninghami</i>	Egernia cunninghami	variable 4.40	2.65	2.34	Australia	no	33.41	Diurnal	Saxicolous	Scansorial	Viviparous	11.6	14.9	771	25.4	4635.3	
Scincidae	<i>Egernia depressa</i>	Egernia depressa	variable 2.00	1.55	1.40	Australia	no	27.09	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	10.8	24	278	63.6	5756.1	
Scincidae	<i>Egernia douglasi</i>	Egernia douglasi	variable 4.05	2.08	NA	Australia	no	16.61	NA	Saxicolous	Scansorial	Viviparous	11.2	26.9	835	116.1	2694.6	
Scincidae	<i>Egernia formosa</i>	Egernia formosa	variable 3.00	1.43	NA	Australia	no	26.41	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	10.8	23.1	247	57.2	5980.8	
Scincidae	<i>Egernia hosmeri</i>	Egernia hosmeri	variable 2.00	2.16	NA	Australia	no	18.95	Diurnal	Saxicolous	Scansorial	Viviparous	11.2	25.4	624	105.3	3873.3	
Scincidae	<i>Egernia kingii</i>	Egernia kingii	variable 5.00	2.62	2.37	Australia	no	33.58	Diurnal	Fosorial&Terrestr	Fosorial	Viviparous	11.4	17.3	487	54.8	4299.0	
Scincidae	<i>Egernia mcpheeii</i>	Egernia mcpheeii	variable 2.00	1.83	NA	Australia	no	29.90	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.6	17.8	1270	40.3	3631.5	
Scincidae	<i>Egernia napoleonis</i>	Egernia napoleonis	variable 2.50	1.73	1.20	Australia	no	33.02	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.4	16.5	585	51.1	3505.1	
Scincidae	<i>Egernia rugosa</i>	Egernia rugosa	variable 2.25	2.51	2.44	Australia	no	22.08	Diurnal	Terrestrial	Terrestrial	Viviparous	11.3	22.5	702	67.6	4293.8	
Scincidae	<i>Egernia saxatilis</i>	Egernia saxatilis	variable 2.00	1.75	1.41	Australia	no	35.92	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.7	13.9	771	22.2	4772.6	
Scincidae	<i>Egernia stokesii</i>	Egernia stokesii	variable 4.40	2.35	2.17	Australia	no	28.55	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	10.8	22	252	46	6032.4	
Scincidae	<i>Egernia striolata</i>	Egernia striolata	variable 3.80	1.58	1.43	Australia	no	28.94	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.3	19.8	536	38.9	5113.5	
Scincidae	<i>Emoia adspersa</i>	Emoia adspersa	variable 1.90	1.23	0.94	Oceania	yes	13.78	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	NA	24.7	3485	43.7	387.0	
Scincidae	<i>Emoia aenea</i>	Emoia aenea	variable 2.00	0.87	0.69	Oceania	yes	5.27	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	26.1	4430	17	561.6	
Scincidae	<i>Emoia aneityumensis</i>	Emoia aneityumensis	variable 4.50	1.27	1.02	Oceania	yes	19.65	NA	Arboreal	Scansorial	Oviparous	10.8	22.8	2163	41	1701.5	
Scincidae	<i>Emoia arnoensis</i>	Emoia arnoensis	variable 2.00	1.35	0.99	Oceania	yes	6.46	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.0	27.1	4130	21.6	224.4	
Scincidae	<i>Emoia atrocostata</i>	Emoia atrocostata	variable 1.95	1.33	1.06	Oriental	no	0.54	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	25.3	2815	34.6	542.6	
Scincidae	<i>Emoia aurulenta</i>	Emoia aurulenta	variable 2.00	0.35	0.13	Oceania	yes	6.06	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	25.4	4420	18.2	577.5	
Scincidae	<i>Emoia baudini</i>	Emoia baudini	variable 2.00	0.79	0.08	Oceania	yes	0.93	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.5	22.8	2873	35	223.5	
Scincidae	<i>Emoia beryllensis</i>	Emoia beryllensis	NA	variable 2.00	0.57	0.48	Oceania	yes	11.33	Diurnal	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA
Scincidae	<i>Emoia bismarckensis</i>	Emoia bismarckensis	variable 2.00	0.87	0.57	Oceania	yes	4.77	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	23.4	4238	33.2	338.5	
Scincidae	<i>Emoia boettgeri</i>	Emoia boettgeri	variable 2.00	0.97	0.63	Oceania	yes	6.84	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	27	4899	14.9	101.3	
Scincidae	<i>Emoia bogerti</i>	Emoia bogerti	variable 2.00	0.59	0.37	Oceania	yes	3.83	NA	NA	NA	Oviparous	11.6	23.3	4542	16	453.9	
Scincidae	<i>Emoia brongersmai</i>	Emoia brongersmai	variable 2.00	0.83	0.68	Oceania	yes	5.20	NA	NA	NA	Oviparous	11.5	22.3	6453	13.7	478.6	
Scincidae	<i>Emoia caeruleoocauda</i>	Emoia caeruleoocauda	variable 1.83	0.75	0.36	Oceania	yes	4.63	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	24.5	3030	29.3	427.2	
Scincidae	<i>Emoia callisticta</i>	Emoia callisticta	variable 2.00	0.52	0.27	Oceania	yes	1.42	NA	Terrestrial	Terrestrial	Oviparous	11.6	25.9	3172	20.9	323.1	
Scincidae	<i>Emoia campbelli</i>	Emoia campbelli	variable 2.00	1.30	0.98	Oceania	yes	17.78	Diurnal	Arboreal	Scansorial	Oviparous	11.9	22.3	3145	38	1184.0	
Scincidae	<i>Emoia coggeri</i>	Emoia coggeri	variable 1.93	0.39	0.32	Oceania	yes	5.87	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	NA	NA	NA	NA	
Scincidae	<i>Emoia concolor</i>	Emoia concolor	variable 2.00	1.26	0.77	Oceania	yes	17.81	Diurnal	Arboreal	Scansorial	Oviparous	11.3	24.2	2492	47.9	1146.6	
Scincidae	<i>Emoia cyanogaster</i>	Emoia cyanogaster	variable 2.00	1.32	1.06	Oceania	yes	7.35	Diurnal	Arboreal	Scansorial	Oviparous	11.3	25.1	3478	25.4	367.5	
Scincidae	<i>Emoia cyanura</i>	Emoia cyanura	variable 1.98	0.73	0.26	Oceania	yes	13.79	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	24.4	2783	34.1	970.5	
Scincidae	<i>Emoia digul</i>	Emoia digul	variable 2.00	0.54	0.45	Oceania	yes	4.84	NA	NA	NA	Oviparous	11.5	15.5	5894	17.7	373.1	
Scincidae	<i>Emoia guttata</i>	Emoia guttata	variable 2.00	0.89	0.62	Oceania	yes	7.28	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	19.5	1757	27.6	445.0	
Scincidae	<i>Emoia impar</i>	Emoia impar	variable 1.50	0.36	0.20	Oceania	yes	12.22	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	24.3	3073	34.7	756.7	
Scincidae	<i>Emoia irianensis</i>	Emoia irianensis	variable 2.00	0.70	0.54	Oceania	yes	3.80	NA	NA	NA	Oviparous	11.5	14.6	3408	16.1	354.8	
Scincidae	<i>Emoia isolata</i>	Emoia isolata	variable 2.00	0.62	0.36	Oceania	yes	11.30	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	26.9	3246	20	534.0	
Scincidae	<i>Emoia jakati</i>	Emoia jakati	variable 1.90	0.45	0.36	Oceania	yes	4.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	24.5	3134	25	316.6	
Scincidae	<i>Emoia jamur</i>	Emoia jamur	variable 2.00	0.40	0.29	Oceania	yes	3.88	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	19	3659	18.3	397.5	
Scincidae	<i>Emoia kordiana</i>	Emoia kordiana	variable 2.00	0.64	0.31	Oceania	yes	6.33	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	25.7	3226	30.5	514.9	
Scincidae	<i>Emoia lawesi</i>	Emoia lawesi	variable 1.80	1.41	1.22	Oceania	yes	18.47	Diurnal	Terrestrial	Terrestrial	Oviparous	NA	24.7	2589	30.1	1255.5	
Scincidae	<i>Emoia longicauda</i>	Emoia longicauda	variable 2.00	1.33	1.06	Oceania	no	6.52	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.9	3187	35.8	572.0	
Scincidae	<i>Emoia loveridgei</i>	Emoia loveridgei	variable 2.00	0.24	0.05	Oceania	yes	6.08	NA	Terrestrial	Terrestrial	Oviparous	11.6	21.5	3104	28.2	371.2	
Scincidae	<i>Emoia layardiensis</i>	Emoia layardiensis	variable 3.50	1.08	0.76	Oceania	yes	21.15	Diurnal	Arboreal	Scansorial	Oviparous	11.0	23.4	1633	38.4	1973.9	
Scincidae	<i>Emoia maculata</i>	Emoia maculata	variable 2.00	0.83	0.28	Oceania	yes	10.55	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.2	25.6	3846	15.8	450.4	
Scincidae	<i>Emoia maxima</i>	Emoia maxima	variable 2.00	0.27	NA	Oceania	yes	2.88	NA	Terrestrial	Terrestrial	Oviparous	11.7	25.3	2790	22.4	294.2	
Scincidae	<i>Emoia mivartii</i>	Emoia mivartii	variable 2.00	0.53	0.36	Oceania	yes	2.09	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	27	3920	11.7	206.5	
Scincidae	<i>Emoia montana</i>	Emoia montana	variable 2.00	0.84	0.66	Oceania	yes	5.45	NA	NA	NA	Oviparous	11.9	21	2499	33.3	226.4	
Scincidae	<i>Emoia nativitatis</i>	Emoia nativitatis	variable 2.00	0.98	0.80	Oriental	yes	10.49	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	25.3	2200	60	687.4	
Scincidae	<i>Emoia nigra</i>	Emoia nigra	variable 2.61	1.68	1.37	Oceania	yes	11.91	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.2	25	3127	30.4	647.8	
Scincidae	<i>Emoia nigromarginata</i>	Emoia nigromarginata	variable 2.50	1.02	0.73	Oceania	yes	15.88	NA	Arboreal	Scansorial	Oviparous	11.2	24.3	2661	34.1	1018.7	
Scincidae	<i>Emoia obscura</i>	Emoia obscura	variable 2.00	0.70	0.39	Oceania	yes	5.12	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	24.2	2780	27.7	317.9	
Scincidae	<i>Emoia oribata</i>	Emoia oribata	variable 2.00	0.97	0.84	Oceania	yes	4.04	NA	NA	NA	Oviparous	12.0	24.8	2949	28	247.4	
Scincidae	<i>Emoia oriva</i>	Emoia oriva	variable 2.00	1.18	1.05	Oceania	yes	12.50	Diurnal	Arboreal	Scansorial	Oviparous	10.9	27.2	3745	16.5	382.8	
Scincidae	<i>Emoia pallidiceps</i>	Emoia pallidiceps	variable 1.95	0.65	0.38	Oceania	yes	6.09	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	22.6	2965	27.2	383.0	
Scincidae	<i>Emoia panai</i>	Emoia panai	variable 2.00	0.37	0.34	Oceania	yes	3.89	NA	NA	NA	Oviparous	11.8	17	2819	16	378.0	
Scincidae	<i>Emoia parkeri</i>	Emoia parkeri	variable 2.00	0.46	0.29	Oceania	yes	17.84	Diurnal	Arboreal	Scansorial	Oviparous	11.4	23.9	2505	44.8	1226.8	
Scincidae	<i>Emoia physicae</i>	Emoia physicae	variable 2.00	0.98	0.75	Oceania	yes	5.35	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	22.9	3060	26.7	635.1	
Scincidae	<i>Emoia physicina</i>	Emoia physicina	variable 2.00	0.38	0.26	Oceania	yes	6.90	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	24.5	3910	21.7	579.7	
Scincidae	<i>Emoia ponapea</i>	Emoia ponapea	variable 2.00	0.38	0.27	Oceania	yes	6.88	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	26.7	5162	14.7	108.8	
Scincidae	<i>Emoia popei</i>	Emoia popei	variable 2.00	0.73	0.52	Oceania	yes	6.00	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	24.7	2941	28.5	317.0	
Scincidae	<i>Emoia pseudocyanura</i>	Emoia pseudocyanura	variable 2.00	0.83	0.41	Oceania	yes	7.75	NA	Arboreal	Scansorial	Oviparous	11.3	25.2	3229	20.4	371.4	
Scincidae	<i>Emoia pseudopalidiceps</i>	Emoia pseudopalidiceps	variable 2.00	0.71	0.41	Oceania	yes	5.39	NA	NA	NA	Oviparous	11.7	16.8	3930	16.5	362.0	
Scincidae	<i>Emoia reimschisseli</i>	Emoia reimschisseli	variable 2.00	0.98	0.58	Oceania	yes	1.68	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	23.8	2399	32.5	330.2	
Scincidae	<i>Emoia rennellensis</i>	Emoia rennellensis	variable 2.00	0.21	0.19	Oceania	yes	11.65	NA	Arboreal&Terrestri	Scansorial	Oviparous	10.8	26.9	3223	18.5	555.5	
Scincidae	<i>Emoia ruficauda</i>	Emoia ruficauda																

Scincidae	<i>Emoia sanfordi</i>	Emoia sanfordi	variable 5.00	1.54	1.33	Oceania	yes	15.75	Diurnal	Arboreal	Scansorial	Oviparous	11.1	24.3	2815	32.7	995.7
Scincidae	<i>Emoia schmidti</i>	Emoia schmidti	variable 2.00	0.69	0.49	Oceania	yes	8.26	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.2	26.4	4020	24.4	388.6
Scincidae	<i>Emoia similis</i>	Emoia similis	variable 2.00	0.21	0.01	Oceania	yes	8.74	NA	Arboreal&Terrestri	Scansorial	Oviparous	11.1	25.7	1830	71.5	672.8
Scincidae	<i>Emoia slevini</i>	Emoia slevini	variable 2.00	1.11	0.67	Oceania	yes	14.41	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	26.8	2459	51.5	566.5
Scincidae	<i>Emoia sorex</i>	Emoia sorex	variable 2.00	0.60	NA	Oceania	yes	1.68	NA	Arboreal	Scansorial	Oviparous	11.6	23.8	2398	32.5	330.2
Scincidae	<i>Emoia submetallica</i>	Emoia submetallica	variable 2.00	0.72	0.47	Oceania	yes	8.76	Diurnal	NA	NA	Oviparous	11.7	22.6	2247	41	543.5
Scincidae	<i>Emoia tetraetaenia</i>	NA	variable 2.00	0.70	0.60	Oceania	yes	9.91	Diurnal	Arboreal	Scansorial	Oviparous	10.8	25.3	3434	22.3	748.8
Scincidae	<i>Emoia tongana</i>	Emoia tongana	variable 2.00	0.93	0.64	Oceania	yes	14.36	Diurnal	Arboreal	Scansorial	Oviparous	NA	24.4	3175	42.7	504.1
Scincidae	<i>Emoia tropidolepis</i>	Emoia tropidolepis	variable 2.00	0.90	0.67	Oceania	yes	6.31	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	25.8	3889	24.8	609.8
Scincidae	<i>Emoia trossula</i>	Emoia trossula	variable 3.50	1.45	1.18	Oceania	yes	17.37	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.3	24	2602	44.3	1125.0
Scincidae	<i>Emoia veracunda</i>	Emoia veracunda	variable 2.00	0.43	0.27	Oceania	yes	4.57	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	24.1	2881	28.9	269.8
Scincidae	<i>Epibator greeri</i>	Lioscincus greeri	variable 2.00	0.64	0.64	Oceania	yes	20.55	Diurnal	Arboreal	Scansorial	Oviparous	11.5	23.2	1668	52.2	2003.5
Scincidae	<i>Epibator nigrofasciolatus</i>	Lioscincus nigrofasciolatum	variable 7.50	1.49	1.23	Oceania	yes	21.31	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	22.2	1685	46.6	2056.3
Scincidae	<i>Eremiascincus douglasi</i>	Eremiascincus douglasi	variable 4.30	1.05	0.88	Australia	no	13.32	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	27.1	1348	106.9	1890.7
Scincidae	<i>Eremiascincus emigrans</i>	Eremiascincus emigrans	variable 1.00	0.80	0.45	Oceania	yes	9.67	NA	Terrestrial	Terrestrial	Oviparous	11.1	25.1	1132	85.4	722.1
Scincidae	<i>Eremiascincus fasciolatus</i>	Eremiascincus fasciolatus	variable 3.90	1.63	0.81	Australia	no	23.43	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	20.8	714	47.7	4081.1
Scincidae	<i>Eremiascincus intermedius</i>	Eremiascincus intermedius	variable 4.50	1.16	0.99	Australia	no	19.55	Nocturnal	Fossorial	Fossorial	Oviparous	11.0	24.8	398	84.6	5239.7
Scincidae	<i>Eremiascincus isolepis</i>	Eremiascincus isolepis	variable 4.99	0.93	0.58	Australia	no	17.40	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.2	26.5	712	106.8	3475.1
Scincidae	<i>Eremiascincus musivus</i>	Eremiascincus musivus	variable 3.00	0.60	0.41	Australia	no	19.90	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.0	27.1	404	106.3	3900.9
Scincidae	<i>Eremiascincus pallidus</i>	Eremiascincus pallidus	variable 1.00	0.97	0.77	Australia	no	24.84	Nocturnal	Fossorial	Fossorial	Oviparous	10.8	25.1	298	71.6	5671.7
Scincidae	<i>Eremiascincus pardalis</i>	Eremiascincus pardalis	variable 4.40	0.93	0.78	Australia	no	15.38	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	25.7	1343	112.6	1752.6
Scincidae	<i>Eremiascincus phantasmus</i>	Eremiascincus phantasmus	variable 3.30	1.26	1.14	Australia	no	27.31	Nocturnal	Fossorial	Fossorial	Oviparous	10.5	23.4	162	45.8	6602.9
Scincidae	<i>Eremiascincus richardsonii</i>	Eremiascincus richardsonii	variable 5.00	1.67	1.13	Australia	no	26.13	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	10.9	22.7	338	58.1	5472.8
Scincidae	<i>Eroticoscincus graciloides</i>	Eroticoscincus graciloides	variable 4.00	-0.14	NA	Australia	no	26.10	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.6	20.6	1131	46	3586.6
Scincidae	<i>Eugongylus albofasciolatus</i>	Eugongylus albofasciolatus	variable 3.50	2.39	1.57	Oceania	yes	6.55	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.2	24.9	3858	28	373.1
Scincidae	<i>Eugongylus rufescens</i>	Eugongylus rufescens	variable 3.30	2.07	1.62	Oceania	no	5.37	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.6	25	3092	31.1	459.3
Scincidae	<i>Eulamprus heatwolei</i>	Eulamprus heatwolei	variable 3.55	1.35	1.17	Australia	no	34.82	Diurnal	Semi_Aquatic	Terrestrial	Viviparous	11.7	14.8	776	21.5	4804.8
Scincidae	<i>Eulamprus koscuskoi</i>	Eulamprus koscuskoi	variable 3.10	1.11	0.91	Australia	no	32.18	Diurnal	Semi_Aquatic	Scansorial	Viviparous	11.8	13	863	24.2	4604.8
Scincidae	<i>Eulamprus leuraensis</i>	Eulamprus leuraensis	variable 2.67	1.11	0.89	Australia	no	33.54	Diurnal	Semi_Aquatic	Terrestrial	Viviparous	11.9	12.2	1027	26	4416.2
Scincidae	<i>Eulamprus quoyii</i>	Eulamprus quoyii	variable 5.35	1.67	1.37	Australia	no	29.59	Diurnal	Semi_Aquatic	Terrestrial	Viviparous	11.5	18.7	744	37.4	4541.5
Scincidae	<i>Eulamprus tympanum</i>	Eulamprus tympanum	variable 3.28	1.33	1.16	Australia	no	36.72	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	11.6	13.3	781	23.4	4121.6
Scincidae	<i>Eumeces algiriensis</i>	Eumeces algiriensis	variable 11.00	2.37	NA	Paleartic	no	32.60	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	17	338	61.3	5887.6
Scincidae	<i>Eumeces blythianus</i>	Eumeces blythianus	variable 6.30	1.48	NA	Paleartic	no	31.04	Diurnal	Fossorial&Terrestr	Fossorial	NA	10.6	18.2	266	97.7	8011.8
Scincidae	<i>Eumeces schneideri</i>	Eumeces schneideri	variable 11.00	2.20	1.78	Paleartic	no	34.22	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	17.2	267	89.7	8527.3
Scincidae	<i>Eumecea anchietae</i>	Eumecea anchietae	variable 6.50	1.91	1.35	Afrotrop	no	11.80	Diurnal	Terrestrial	Terrestrial	Viviparous	11.8	20.9	1184	95.6	1828.8
Scincidae	<i>Eurylepis taeniolata</i>	Eurylepis taeniolata	variable 5.50	2.14	NA	Oriental	no	28.83	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	10.8	21.8	375	106.4	6926.3
Scincidae	<i>Europis beddomei</i>	Europis beddomei	variable 2.50	0.62	-0.08	Oriental	no	11.84	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.9	1415	88.2	1686.1
Scincidae	<i>Europis carinata</i>	Europis carinata	variable 5.25	1.99	1.16	Oriental	no	22.91	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	23.5	1271	112.2	4414.4
Scincidae	<i>Europis clivicola</i>	Europis clivicola	variable 3.00	0.69	0.48	Oriental	no	9.89	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	25.9	2969	80.9	1110.0
Scincidae	<i>Europis cumingi</i>	Europis cumingi	variable 2.00	0.47	0.45	Oriental	yes	16.38	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	25.4	2472	68.6	1160.6
Scincidae	<i>Europis dissimilis</i>	Europis dissimilis	variable 9.00	1.22	1.05	Oriental	no	27.24	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.2	21.7	1001	121.9	5838.1
Scincidae	<i>Europis floweri</i>	Europis floweri	variable 2.00	0.52	NA	Oriental	yes	7.37	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23.7	2033	47.3	866.1
Scincidae	<i>Europis gansi</i>	Europis gansi	variable 2.00	0.68	NA	Oriental	no	8.52	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	NA	NA	NA	NA
Scincidae	<i>Europis indepresa</i>	Europis indepresa	variable 2.50	0.77	0.52	Oriental	yes	9.55	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.5	2409	46.9	732.8
Scincidae	<i>Europis longicaudata</i>	Europis longicaudata	variable 6.68	1.80	1.43	Oriental	no	17.39	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.7	23.3	1770	78.8	2558.7
Scincidae	<i>Europis macularia</i>	Europis macularia	variable 2.15	0.97	0.62	Oriental	no	20.06	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.4	25.4	1461	105.1	3419.0
Scincidae	<i>Europis multicarinata</i>	Europis multicarinata	variable 2.42	1.29	0.81	Oriental	yes	11.91	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	25.6	2426	50.9	805.2
Scincidae	<i>Europis multifasciata</i>	Europis multifasciata	variable 4.90	1.80	1.39	Oriental	no	14.85	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	22.5	2079	63.8	2829.6
Scincidae	<i>Europis quadricarinata</i>	Europis quadricarinata	variable 3.00	0.38	0.38	Oriental	no	24.63	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	23.9	2140	97.7	3603.3
Scincidae	<i>Europis rufid</i>	Europis rufid	variable 2.49	1.78	1.06	Oriental	yes	1.37	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	24.5	3034	20.6	303.0
Scincidae	<i>Europis tammanni</i>	Europis tammanni	variable 2.00	0.54	NA	Oriental	yes	7.83	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.8	26.9	1472	64	1032.2
Scincidae	<i>Feylinia boulengeri</i>	Feylinia boulengeri	variable 2.00	0.39	NA	Afrotropic	no	0.05	Cathemeral	Fossorial	Fossorial	Viviparous	11.7	24.6	2195	66.2	661.6
Scincidae	<i>Feylinia elegans</i>	Feylinia elegans	variable 2.00	0.74	NA	Afrotropic	no	1.37	NA	Fossorial	Fossorial	Viviparous	12.0	23.4	1742	40.4	675.2
Scincidae	<i>Feylinia grandisquamis</i>	Feylinia grandisquamis	variable 2.75	0.73	0.39	Afrotropic	no	1.58	NA	Fossorial	Fossorial	Viviparous	11.8	23.6	1542	61.2	828.2
Scincidae	<i>Flexiseps melanurus</i>	Amphiglossus melanurus	variable 6.00	1.49	0.69	Madagascar	yes	14.11	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23.4	2094	62.8	1559.4
Scincidae	<i>Foja bumui</i>	Foja bumui	variable 2.00	0.59	0.46	Oceania	yes	6.77	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	24.8	2920	25.5	524.0
Scincidae	<i>Geomysers coggeri</i>	Geomysers coggeri	variable 1.00	-0.18	NA	Oceania	yes	2.09	NA	Terrestrial	Terrestrial	Oviparous	11.1	27	3948	11.7	205.9
Scincidae	<i>Geomysers glabra</i>	Geomysers glabra	variable 1.00	-0.10	-0.17	Oceania	yes	6.29	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.2	25	3251	17	380.2
Scincidae	<i>Glyphromorphus crassicaud</i>	Glyphromorphus crassicaud	variable 3.00	0.49	0.38	Australia	no	14.17	NA	NA	NA	Oviparous	11.6	25.3	1464	103.9	1714.7
Scincidae	<i>Glyphromorphus darwini</i>	Glyphromorphus darwini	variable 4.50	0.59	0.42	Australia	no	13.03	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.3	27.1	1103	109.4	2266.5
Scincidae	<i>Glyphromorphus fuscicaud</i>	Glyphromorphus fuscicaud	variable 3.00	1.20	0.97	Australia	no	17.55	NA	Terrestrial	Terrestrial	Oviparous	11.6	23.2	1831	92.6	2312.0
Scincidae	<i>Glyphromorphus nyanchupina</i>	Glyphromorphus nyanchupina	variable 2.00	0.46	0.40	Australia	no	13.81	NA	Terrestrial	Terrestrial	Oviparous	12.0	23.1	1509	119	1491.0
Scincidae	<i>Glyphromorphus pumilus</i>	Glyphromorphus pumilus	variable 3.00	0.49	0.48	Australia	no	14.62	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	25.2	1339	109.1	1707.5
Scincidae	<i>Glyphromorphus punctulat</i>	Glyphromorphus punctulat	variable 3.00	0.83	NA	Australia	no	21.90	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	22.6	800	66.2	3709.5
Scincidae	<i>Gongylomorphus bojerii</i>	Gongylomorphus bojerii	variable 2.00	0.87	NA	Madagascar	yes	20.29	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	23.4	1806	50.7	1817.8
Scincidae	<i>Harrisoniascincus zia</i>	Harrisoniascincus zia	variable 5.45	0.59	0												

Scincidae	<i>Hemiergis initialis</i>	Hemiergis initialis	variable 1.90	-0.01	-0.21	Australia	no	32.22	Nocturnal	Fossorial	Fossorial	Viviparous	11.2	17	421	39.4	3836.9
Scincidae	<i>Hemiergis millewae</i>	Hemiergis millewae	variable 2.00	0.57	0.45	Australia	no	32.21	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.1	17.6	282	25.4	4868.5
Scincidae	<i>Hemiergis peronii</i>	Hemiergis peronii	variable 2.68	0.48	0.23	Australia	no	33.44	Cathemeral	Fossorial	Fossorial	Viviparous	11.1	17.3	348	30.6	4127.8
Scincidae	<i>Hemiergis quadrilineata</i>	Hemiergis quadrilineata	variable 4.00	0.43	0.16	Australia	no	32.45	Nocturnal	Fossorial	Fossorial	Viviparous	11.5	17.8	905	83	3545.3
Scincidae	<i>Hemiergis talbingoensis</i>	Hemiergis talbingoensis	variable 3.00	0.27	NA	Australia	no	33.46	Diurnal	Fossorial&Terrestr Fossorial	Fossorial	Viviparous	11.7	14.4	714	22.5	4839.0
Scincidae	<i>Heremites auratus</i>	Trachylepis aurata	variable 5.00	1.53	1.13	Paleartic	no	35.83	Diurnal	Saxicolous	Scansorial	Viviparous	11.0	15.4	466	68.4	7537.4
Scincidae	<i>Heremites septemtaeniatus</i>	Trachylepis septemtaeniata	variable 4.00	1.40	0.79	Paleartic	no	33.04	Diurnal	Arboreal&Saxicolo Scansorial	NA	Viviparous	10.7	18.4	280	90.2	9042.4
Scincidae	<i>Heremites vittatus</i>	Trachylepis vittata	variable 4.85	1.32	0.86	Paleartic	no	35.95	Diurnal	Arboreal&Terrestri Scansorial	NA	Viviparous	10.9	15.6	412	66	7606.6
Scincidae	<i>Insulاسaurus arborens</i>	Insulاسaurus arborens	variable 1.50	0.76	0.49	Oriental	yes	10.70	Diurnal	Arboreal&Terrestri Scansorial	NA	Oviparous	11.3	26.3	2298	54.3	622.9
Scincidae	<i>Insulاسaurus traanorum</i>	Insulاسaurus traanorum	variable 1.00	0.45	0.37	Oriental	yes	8.81	NA	NA	NA	Oviparous	12.0	19.7	2175	52	419.5
Scincidae	<i>Isopachys gyldenstolpei</i>	Isopachys gyldenstolpei	variable 5.00	1.18	0.95	Oriental	no	13.35	Cathemeral	Fossorial&Terrestr Fossorial	NA	Viviparous	11.6	26.8	1196	76.2	1190.1
Scincidae	<i>Janetaescincus braueri</i>	Janetaescincus braueri	variable 2.00	0.05	NA	Madagascar	yes	4.54	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	10.9	25.2	2764	43	681.0
Scincidae	<i>Kanakysaurus viviparus</i>	Kanakysaurus viviparus	variable 3.00	1.07	NA	Oceania	yes	20.25	Nocturnal	Cryptic	Terrestrial	Viviparous	11.3	23.8	1325	53.8	1915.3
Scincidae	<i>Kuniesaurus albaurius</i>	NA	variable 3.00	0.24	0.24	Oceania	yes	22.60	NA	Cryptic	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Scincidae	<i>Lacertaspis lepesmei</i>	Lacertaspis lepesmei	variable 2.00	0.57	0.56	Afrotropic	no	5.68	NA	Terrestrial	Terrestrial	Oviparous	11.6	16.3	2222	67.5	1240.0
Scincidae	<i>Lacertaspis reichenowi</i>	Lacertaspis reichenowi	variable 2.00	0.47	0.13	Afrotropic	no	0.84	Diurnal	Arboreal&Terrestri Scansorial	NA	Oviparous	11.9	23.8	1906	55.4	717.7
Scincidae	<i>Lacertoides pardalis</i>	Lacertoides pardalis	variable 4.50	1.74	1.57	Oceania	yes	22.21	Diurnal	Saxicolous	Scansorial	Viviparous	11.2	21.5	2098	38.6	2073.3
Scincidae	<i>Lamprolepis smaragdina</i>	Lamprolepis smaragdina	variable 2.05	1.61	1.17	Oriental	yes	2.69	Diurnal	Arboreal	Scansorial	Oviparous	11.5	24.8	2645	39.7	676.3
Scincidae	<i>Lampropholis adonis</i>	Lampropholis adonis	variable 3.00	0.44	NA	Australia	no	25.00	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	22.4	1045	63.1	3388.8
Scincidae	<i>Lampropholis amicula</i>	Lampropholis amicula	variable 2.00	-0.14	-0.40	Australia	no	27.99	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	19.2	1231	43.1	3622.3
Scincidae	<i>Lampropholis caligula</i>	Lampropholis caligula	variable 2.00	0.47	NA	Australia	no	31.77	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	15.6	909	29	4374.9
Scincidae	<i>Lampropholis coggeri</i>	Lampropholis coggeri	variable 2.39	0.21	-0.07	Australia	no	16.49	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	22.5	1619	89.9	2582.6
Scincidae	<i>Lampropholis colossus</i>	Lampropholis colossus	variable 5.00	0.52	NA	Australia	no	26.88	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	15.8	951	45	4087.0
Scincidae	<i>Lampropholis delicata</i>	Lampropholis delicata	variable 3.35	0.49	0.05	Australia	no	33.51	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	17.8	866	44	3811.1
Scincidae	<i>Lampropholis elongata</i>	Lampropholis elongata	variable 3.70	0.44	0.31	Australia	no	31.33	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	13.7	1058	37.4	4054.1
Scincidae	<i>Lampropholis guichenoti</i>	Lampropholis guichenoti	variable 2.80	0.42	0.06	Australia	no	34.32	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	14.9	794	27.1	4287.3
Scincidae	<i>Lampropholis mirabilis</i>	Lampropholis mirabilis	variable 3.03	0.42	0.30	Australia	no	19.53	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	24.4	948	94.8	3118.9
Scincidae	<i>Lampropholis robertsi</i>	Lampropholis robertsi	variable 2.37	0.49	0.13	Australia	no	17.02	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	21.7	1961	82.7	2462.8
Scincidae	<i>Lankascincus deignani</i>	Lankascincus deignani	variable 2.00	0.57	0.25	Oriental	yes	7.09	Diurnal	Cryptic&Terrestria Terrestrial	NA	Oviparous	11.8	25.1	1965	47.8	855.4
Scincidae	<i>Lankascincus dorsicatenatus</i>	Lankascincus dorsicatenatus	variable 1.00	0.26	0.04	Oriental	yes	6.62	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	11.7	25.8	2316	40.2	618.4
Scincidae	<i>Lankascincus fallax</i>	Lankascincus fallax	variable 1.90	0.62	0.02	Oriental	yes	7.65	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.6	27	1643	64.4	989.3
Scincidae	<i>Lankascincus gansi</i>	Lankascincus gansi	variable 1.00	0.49	-0.29	Oriental	yes	6.83	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.7	25.2	2166	42.9	691.5
Scincidae	<i>Lankascincus megalops</i>	Phenomorphus megalops	variable 1.00	0.38	0.15	Oriental	yes	7.36	NA	Cryptic&Terrestria Terrestrial	NA	Oviparous	11.7	26.3	2059	54	755.9
Scincidae	<i>Lankascincus sripadensis</i>	Lankascincus sripadensis	variable 2.00	0.58	0.42	Oriental	yes	6.81	Diurnal	Fossorial&Terrestr Fossorial	NA	Oviparous	11.8	18.8	3135	29	613.0
Scincidae	<i>Lankascincus taprobaniensis</i>	Lankascincus taprobaniensis	variable 2.00	0.57	NA	Oriental	yes	6.86	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.8	23.9	2135	41.7	737.3
Scincidae	<i>Lankascincus taylori</i>	Lankascincus taylori	variable 2.00	0.42	0.13	Oriental	yes	6.82	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.7	25.2	2183	42.7	685.9
Scincidae	<i>Larutia larutensis</i>	Larutia larutensis	variable 3.00	1.43	NA	Oriental	no	5.46	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	12.0	24	3144	39	519.0
Scincidae	<i>Larutia miodyactyla</i>	Larutia miodyactyla	variable 1.00	1.18	NA	Oriental	no	4.00	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.9	23.4	2730	29.1	486.2
Scincidae	<i>Larutia trifasciata</i>	Larutia trifasciata	variable 2.50	1.72	1.20	Oriental	no	4.09	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	12.0	25.4	2476	29.7	573.2
Scincidae	<i>Leiopolisma telfairii</i>	Leiopolisma telfairii	variable 11.50	2.09	NA	Madagascar	yes	20.29	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.3	23.4	1806	50.7	1817.8
Scincidae	<i>Leptosiaphos blochmanni</i>	Leptosiaphos blochmanni	variable 2.50	0.49	NA	Afrotropic	no	2.05	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	18.1	1507	41.3	588.5
Scincidae	<i>Leptosiaphos graueri</i>	Leptosiaphos graueri	variable 2.00	0.43	0.28	Afrotropic	no	0.83	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.8	19.7	1387	39.4	483.4
Scincidae	<i>Leptosiaphos ianthinoxantha</i>	Leptosiaphos ianthinoxantha	variable 4.00	0.69	0.53	Afrotropic	no	5.96	NA	Fossorial	Fossorial	Oviparous	11.7	18.4	2552	73.1	1385.0
Scincidae	<i>Leptosiaphos kilimensis</i>	Leptosiaphos kilimensis	variable 3.00	0.89	0.21	Afrotropic	no	3.41	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	21.4	1274	56.8	1000.5
Scincidae	<i>Leptosiaphos luberensis</i>	Leptosiaphos luberensis	variable 2.00	0.52	NA	Afrotropic	no	1.26	NA	Terrestrial	Terrestrial	Oviparous	11.9	18.3	1695	30.1	413.6
Scincidae	<i>Leptosiaphos meleagris</i>	Leptosiaphos meleagris	variable 2.00	0.43	0.38	Afrotropic	no	0.08	Diurnal	Fossorial	Fossorial	Oviparous	11.8	18.6	1319	32.2	347.9
Scincidae	<i>Lerista allanae</i>	Lerista allanae	variable 2.30	0.65	0.50	Australia	no	22.74	Nocturnal	Fossorial	Fossorial	Oviparous	11.4	22.5	643	65.3	4242.5
Scincidae	<i>Lerista arenicola</i>	Lerista arenicola	variable 3.00	0.75	0.46	Australia	no	32.16	Diurnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.0	17.6	314	36.8	3250.4
Scincidae	<i>Lerista baynesi</i>	Lerista baynesi	variable 3.00	0.63	NA	Australia	no	31.73	Cathemeral	Fossorial&Terrestri Fossorial	NA	Oviparous	10.9	17.9	266	21.5	3409.9
Scincidae	<i>Lerista bipes</i>	Lerista bipes	variable 2.01	0.31	0.05	Australia	no	23.83	Nocturnal	Fossorial&Terrestri Fossorial	NA	Oviparous	10.9	24.8	380	77.4	5234.6
Scincidae	<i>Lerista borealis</i>	Lerista borealis	variable 3.00	0.24	0.18	Australia	no	16.08	Cathemeral	Fossorial&Terrestri Fossorial	NA	Oviparous	11.2	26.9	950	113.6	2480.7
Scincidae	<i>Lerista bougainvillii</i>	Lerista bougainvillii	variable 2.62	0.91	0.56	Australia	no	34.62	Cathemeral	Fossorial&Terrestri Fossorial	Mixed	Oviparous	11.5	14.4	619	25.3	4396.3
Scincidae	<i>Lerista christinae</i>	Lerista christinae	variable 2.15	-0.25	-0.31	Australia	no	30.65	Cathemeral	Fossorial&Terrestri Fossorial	NA	Oviparous	11.5	18.9	539	77.5	4635.9
Scincidae	<i>Lerista cinerea</i>	Lerista cinerea	variable 2.40	0.38	0.32	Australia	no	20.07	Nocturnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.5	22.8	713	87.2	3528.6
Scincidae	<i>Lerista colliveri</i>	Lerista colliveri	variable 2.00	0.62	NA	Australia	no	20.07	NA	Fossorial&Terrestri Fossorial	NA	Oviparous	11.4	23.3	612	83.2	4005.5
Scincidae	<i>Lerista connivens</i>	Lerista connivens	variable 6.00	0.57	0.52	Australia	no	25.51	Nocturnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.0	23.1	255	74.2	4607.9
Scincidae	<i>Lerista desertorum</i>	Lerista desertorum	variable 3.00	0.67	0.57	Australia	no	27.10	Nocturnal	Fossorial&Terrestri Fossorial	NA	Oviparous	10.8	21.2	250	39.1	5900.5
Scincidae	<i>Lerista distinguenda</i>	Lerista distinguenda	variable 1.72	0.01	-0.14	Australia	no	32.35	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.3	17.4	514	56.7	3993.4
Scincidae	<i>Lerista edwardsae</i>	Lerista edwardsae	variable 3.00	0.68	NA	Australia	no	32.26	Cathemeral	Fossorial&Terrestri Fossorial	NA	Oviparous	11.0	17.7	294	30.3	4563.5
Scincidae	<i>Lerista elegans</i>	Lerista elegans	variable 2.50	-0.12	-0.22	Australia	no	26.51	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.2	21.5	417	80.2	4146.7
Scincidae	<i>Lerista emmotti</i>	Lerista emmotti	variable 3.00	0.77	NA	Australia	no	22.86	Cathemeral	Fossorial&Terrestri Fossorial	NA	Oviparous	10.7	22.9	262	48.5	6175.2
Scincidae	<i>Lerista fragilis</i>	Lerista fragilis	variable 2.00	0.19	-0.08	Australia	no	23.83	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.5	21	664	48.7	4543.5
Scincidae	<i>Lerista frosti</i>	Lerista frosti	variable 2.30	0.32	0.11	Australia	no	23.44	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	22.9	315	60.7	5996.5
Scincidae	<i>Lerista gerrardii</i>	Lerista gerrardii	variable 2.00	0.63	0.57	Australia	no	29.28	Nocturnal	Fossorial&Terrestri Fossorial	NA	Oviparous	11.2	18.9	341	47.8	5142.8
Scincidae	<i>Lerista griffini</i>	Lerista griffini	variable 2.30	0.31	0.22	Australia	no	16.05	Nocturnal	Fossorial	Fossorial	Oviparous	11.2	27.2	807	115.6	2877.7
Scincidae	<i>Lerista humphriesi</i>	Lerista humphriesi	variable														

Scincidae	<i>Lerista labialis</i>	Lerista labialis	variable 2.00	0.19	0.05	Australia	no	25.81	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	10.7	22.2	226	42.5	6019.6
Scincidae	<i>Lerista lineata</i>	Lerista lineata	variable 2.72	0.22	-0.09	Australia	no	27.94	Diurnal	Fossorial	Fossorial	Oviparous	11.2	21.2	388	81.8	4060.3
Scincidae	<i>Lerista lineopunctulata</i>	Lerista lineopunctulata	variable 3.90	0.87	0.56	Australia	no	27.52	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	11.4	19.1	577	80.4	4342.7
Scincidae	<i>Lerista macropisthopus</i>	NA	variable 2.00	0.74	0.47	Australia	no	26.34	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	10.9	22.2	250	54.1	5892.8
Scincidae	<i>Lerista microtis</i>	Lerista microtis	variable 2.30	0.64	0.38	Australia	no	33.73	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.4	16.1	619	46.6	3211.3
Scincidae	<i>Lerista miopus</i>	NA	variable 4.00	0.80	0.50	Australia	no	28.61	Diurnal	Fossorial	Fossorial	Oviparous	11.2	20.5	447	85.1	3933.8
Scincidae	<i>Lerista muelleri</i>	Lerista muelleri	variable 1.90	-0.01	-0.21	Australia	no	28.71	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	10.9	22.1	288	47.6	5839.6
Scincidae	<i>Lerista petersoni</i>	Lerista petersoni	variable 6.00	0.37	NA	Australia	no	23.57	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	24.9	255	77.5	5249.6
Scincidae	<i>Lerista picturata</i>	Lerista picturata	variable 3.00	0.65	0.52	Australia	no	31.39	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.1	18.1	280	23.3	4582.6
Scincidae	<i>Lerista planiventralis</i>	Lerista planiventralis	variable 3.00	0.38	0.09	Australia	no	25.78	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	11.1	21.9	372	81.5	4007.0
Scincidae	<i>Lerista praepedita</i>	Lerista praepedita	variable 2.30	-0.02	-0.09	Australia	no	27.68	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.1	21.7	416	82.9	3877.7
Scincidae	<i>Lerista punctatovittata</i>	Lerista punctatovittata	variable 2.15	0.79	0.67	Australia	no	28.90	Cathemeral	Fossorial	Fossorial	Oviparous	11.2	19.5	400	29.1	5652.2
Scincidae	<i>Lerista storreri</i>	Lerista storreri	variable 2.00	0.40	0.29	Australia	no	17.60	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	24.4	855	114.1	2795.7
Scincidae	<i>Lerista stylis</i>	Lerista stylis	variable 2.20	0.12	0.04	Australia	no	13.45	Nocturnal	Fossorial	Fossorial	Oviparous	11.3	26.6	1044	109.5	2319.8
Scincidae	<i>Lerista timidula</i>	NA	variable 2.00	0.05	NA	Australia	no	28.20	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	10.9	21.9	238	45.1	5921.9
Scincidae	<i>Lerista uniduo</i>	Lerista uniduo	variable 2.30	0.20	0.06	Australia	no	24.89	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.0	24.1	239	74	4775.5
Scincidae	<i>Lerista vittata</i>	Lerista vittata	variable 2.55	0.44	0.30	Australia	no	20.50	Nocturnal	Fossorial	Fossorial	Viviparous	11.5	23.6	707	78.7	3540.9
Scincidae	<i>Lerista walkeri</i>	Lerista walkeri	variable 2.00	0.34	0.22	Australia	no	15.38	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	11.2	26.8	1350	118.5	1801.1
Scincidae	<i>Lerista wilkinsi</i>	Lerista wilkinsi	variable 1.95	0.43	0.28	Australia	no	20.70	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.3	23.3	595	88.3	4026.4
Scincidae	<i>Lerista xanthura</i>	Lerista xanthura	variable 1.35	0.15	-0.02	Australia	no	23.31	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	10.7	22.5	229	44	6233.7
Scincidae	<i>Liburnascincus mundivensis</i>	Liburnascincus mundivensis	variable 2.00	0.62	0.52	Australia	no	20.01	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	22.3	898	64.7	3645.9
Scincidae	<i>Liburnascincus scirtetis</i>	Liburnascincus scirtetis	variable 2.00	0.83	0.76	Australia	no	15.66	Diurnal	Saxicolous	Scansorial	Oviparous	11.3	25.4	1597	98	1875.5
Scincidae	<i>Liopholis guthega</i>	Liopholis guthega	variable 2.28	1.51	1.26	Australia	no	36.49	Diurnal	Fossorial&Saxicol	Fossorial	Viviparous	11.8	9.7	1013	20.8	4776.5
Scincidae	<i>Liopholis inornata</i>	Liopholis inornata	variable 2.50	1.11	0.90	Australia	no	28.67	Cathemeral	Fossorial&Terrestr	Fossorial	Viviparous	10.9	21.6	251	43.5	5897.7
Scincidae	<i>Liopholis kintorei</i>	Liopholis kintorei	variable 6.00	2.35	2.21	Australia	no	23.58	Nocturnal	Fossorial&Terrestr	Fossorial	Viviparous	10.9	24.2	335	66.9	5602.4
Scincidae	<i>Liopholis modesta</i>	Liopholis modesta	variable 2.70	1.49	1.35	Australia	no	28.73	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.6	18	691	33.4	4822.8
Scincidae	<i>Liopholis montana</i>	Liopholis montana	variable 4.00	1.48	NA	Australia	no	36.76	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.8	10.3	1004	20.8	4447.7
Scincidae	<i>Liopholis multiscutata</i>	Liopholis multiscutata	variable 2.00	1.28	1.05	Australia	no	32.73	Diurnal	Fossorial&Terrest	Fossorial	Viviparous	11.2	17.1	367	36.4	4241.4
Scincidae	<i>Liopholis pulchra</i>	Liopholis pulchra	variable 3.00	1.47	NA	Australia	no	33.17	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	15.8	802	63.9	3236.6
Scincidae	<i>Liopholis slateri</i>	Liopholis slateri	variable 3.30	1.29	1.09	Australia	no	24.17	Cathemeral	Fossorial&Terrestr	Fossorial	Viviparous	10.8	22	243	41.5	6368.7
Scincidae	<i>Liopholis striata</i>	Liopholis striata	variable 2.80	1.55	1.25	Australia	no	23.91	Cathemeral	Fossorial&Terrestr	Fossorial	Viviparous	10.8	23.8	299	62	5774.6
Scincidae	<i>Liopholis whitii</i>	Liopholis whitii	variable 2.90	1.50	1.15	Australia	no	34.75	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.5	15.6	730	28.8	4289.4
Scincidae	<i>Lioscincus steindachneri</i>	Lioscincus steindachneri	variable 6.00	1.50	1.09	Oceania	yes	20.82	Diurnal	Semi-Aquatic	Terrestrial	Oviparous	11.7	21.5	2073	49.8	1998.4
Scincidae	<i>Lipinia albodorsalis</i>	Lipinia albodorsalis	variable 2.00	0.47	NA	Oceania	yes	3.66	NA	NA	NA	NA	12.0	25.5	2155	23	224.0
Scincidae	<i>Lipinia auriculata</i>	Lipinia auriculata	variable 1.50	0.39	0.32	Oriental	yes	10.79	NA	Arboreal	Scansorial	Viviparous	11.4	25.9	2411	52.5	645.7
Scincidae	<i>Lipinia inexpectata</i>	Lipinia inexpectata	variable 2.00	0.07	0.05	Oriental	yes	5.41	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.9	26.6	2859	29.6	481.3
Scincidae	<i>Lipinia leptosoma</i>	Lipinia leptosoma	variable 1.00	0.18	0.03	Oceania	yes	7.44	NA	Arboreal	Scansorial	Oviparous	10.9	27.4	3888	21.5	197.6
Scincidae	<i>Lipinia longiceps</i>	Lipinia longiceps	variable 2.00	0.15	NA	Oceania	yes	7.81	NA	Arboreal	Scansorial	Oviparous	11.5	24.3	2964	27.7	510.2
Scincidae	<i>Lipinia macrotypanum</i>	Lipinia macrotypanum	variable 2.00	0.24	NA	Oriental	yes	7.08	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	27.1	3071	44.9	456.5
Scincidae	<i>Lipinia microcercus</i>	NA	variable 3.00	0.11	-0.21	Oriental	no	12.90	Diurnal	Arboreal	Scansorial	Oviparous	NA	NA	NA	NA	NA
Scincidae	<i>Lipinia noctua</i>	Lipinia noctua	variable 1.75	0.47	0.10	Oceania	yes	5.25	Diurnal	Arboreal&Terrest	Scansorial	Viviparous	11.5	25.3	2945	25.7	364.3
Scincidae	<i>Lipinia notoautenia</i>	Lipinia notoautenia	variable 1.00	0.30	0.18	Oceania	yes	5.61	NA	NA	NA	Viviparous	11.9	26	4498	16.5	535.8
Scincidae	<i>Lipinia pulchella</i>	Lipinia pulchella	variable 1.80	0.36	0.13	Oriental	yes	10.41	Diurnal	Arboreal	Scansorial	Oviparous	11.5	25.5	2463	45.4	654.5
Scincidae	<i>Lipinia pulchra</i>	Lipinia pulchra	variable 1.00	0.08	NA	Oceania	yes	4.38	NA	NA	NA	NA	11.8	25.6	2763	28.2	226.5
Scincidae	<i>Lipinia quadrivittata</i>	Lipinia quadrivittata	variable 2.00	0.24	0.01	Oriental	yes	8.30	Diurnal	Arboreal	Scansorial	Oviparous	11.6	24.9	2203	30	498.2
Scincidae	<i>Lipinia rabori</i>	Lipinia rabori	variable 1.50	0.49	0.35	Oriental	yes	9.67	Diurnal	Arboreal	Scansorial	Viviparous	11.4	25.6	1955	59.1	541.1
Scincidae	<i>Lipinia relicta</i>	Lipinia relicta	variable 2.00	0.52	0.05	Oriental	yes	2.17	NA	Terrestrial	Terrestrial	Viviparous	11.5	26.7	3425	29.8	379.1
Scincidae	<i>Lipinia rouxi</i>	Lipinia rouxi	variable 1.00	0.08	NA	Oceania	yes	3.81	Diurnal	Arboreal	Scansorial	Oviparous	11.2	24.6	3533	21	301.5
Scincidae	<i>Lipinia septentrionalis</i>	Lipinia septentrionalis	variable 2.00	0.15	0.15	Oceania	yes	3.37	NA	NA	NA	Oviparous	11.9	25.3	2526	27.9	199.2
Scincidae	<i>Lipinia venemai</i>	Lipinia venemai	variable 2.00	0.56	0.56	Oceania	yes	1.25	NA	NA	NA	Viviparous	12.0	24.9	3425	17.9	298.3
Scincidae	<i>Lipinia vittigera</i>	Lipinia vittigera	variable 2.25	0.21	-0.02	Oriental	no	11.27	Diurnal	Arboreal&Saxicol	Scansorial	Oviparous	11.7	26.1	1730	76.1	1497.1
Scincidae	<i>Lissoplepis coventryi</i>	Lissoplepis coventryi	variable 2.75	1.90	1.34	Australia	no	37.74	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	13.5	751	25.6	3768.5
Scincidae	<i>Lobulia alpina</i>	Lobulia alpina	variable 2.60	0.83	0.71	Oceania	yes	8.40	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	10.2	3242	32.5	376.1
Scincidae	<i>Lobulia bronigersmai</i>	Lobulia bronigersmai	variable 3.00	0.49	0.36	Oceania	yes	3.80	Diurnal	NA	NA	Viviparous	11.9	20	3205	26.4	188.3
Scincidae	<i>Lobulia elegans</i>	Lobulia elegans	variable 3.00	0.75	0.54	Oceania	yes	6.40	Diurnal	Arboreal&Saxicol	Scansorial	Viviparous	11.7	16.2	3046	26	343.0
Scincidae	<i>Lobulia glacialis</i>	Lobulia glacialis	variable 2.50	0.57	0.49	Oceania	yes	4.05	Diurnal	Terrestrial	Terrestrial	Viviparous	10.7	4.4	3930	19	360.0
Scincidae	<i>Lobulia stellaris</i>	Lobulia stellaris	variable 2.10	0.71	0.59	Oceania	yes	4.93	Diurnal	Terrestrial	Terrestrial	Viviparous	11.4	11.9	5844	17.3	367.5
Scincidae	<i>Lobulia subalpina</i>	Lobulia subalpina	variable 3.00	0.95	0.70	Oceania	yes	7.94	Diurnal	Arboreal&Terrest	Scansorial	Viviparous	11.7	12.9	2650	30.7	400.0
Scincidae	<i>Lubuya ivensis</i>	Trachylepis ivensisii	variable 4.67	1.88	1.54	Afrotropic	no	12.03	Diurnal	Semi-Aquatic	Terrestrial	Viviparous	11.8	20.3	1285	90.7	1648.1
Scincidae	<i>Lygisaurus curtus</i>	NA	variable 2.00	0.16	-0.11	Oceania	yes	9.32	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	23.5	2732	28.4	657.0
Scincidae	<i>Lygisaurus foliorum</i>	Lygisaurus foliorum	variable 1.95	0.18	-0.16	Australia	no	25.52	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	19.9	873	48.7	3990.0
Scincidae	<i>Lygisaurus laevis</i>	Lygisaurus laevis	variable 2.00	-0.06	-0.18	Australia	no	17.01	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	22.5	1569	95.5	2265.4
Scincidae	<i>Lygisaurus macfarlani</i>	Lygisaurus macfarlani	variable 2.00	0.03	-0.25	Australia	no	11.12	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	26	1727	83	1095.0
Scincidae	<i>Lygisaurus roccoco</i>	Lygisaurus roccoco	variable 2.00	0.21	0.01	Australia	no	17.77	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	23.7	936	110.7	2333.3
Scincidae	<i>Lygisaurus zuma</i>	Lygisaurus zuma	variable 2.00	-0.15	-0.20	Australia	no	19.54	Diurnal	NA	NA	Oviparous	11.5	22.5	1101	74.5	3429.3
Scincidae	<i>Lygosoma albopunctatum</i>	NA	variable 2.00	0.75	0.51	Oriental	no	24.01	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	24.4	1832	102.7	4165.4
Scincidae	<i>Lygosoma angeli</i>	Lygosoma angeli	variable 3.50	1.90	NA	Oriental	no										

Scincidae	<i>Lygosoma corpulentum</i>	Lygosoma corpulentum	variable 4.50	2.27	1.88	Oriental	no	13.45	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.8	26.1	2447	78.9	1026.9
Scincidae	<i>Lygosoma koratense</i>	Lygosoma koratense	variable 3.00	1.59	1.28	Oriental	no	14.60	Diurnal	Fossorial	Fossorial	Oviparous	11.7	25.6	1418	79.3	1397.6
Scincidae	<i>Lygosoma lineolatum</i>	Lygosoma lineolatum	variable 2.50	0.24	-0.02	Oriental	no	20.60	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	25.3	1522	91.8	2812.1
Scincidae	<i>Lygosoma punctata</i>	Lygosoma punctata	variable 4.00	1.28	1.08	Oriental	no	22.22	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.3	25	1232	115.6	4211.4
Scincidae	<i>Lygosoma quadrupes</i>	Lygosoma quadrupes	variable 2.50	0.69	0.32	Oriental	no	4.51	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.6	NA	NA	NA	NA
Scincidae	<i>Lygosoma siamensis</i>	NA	variable 2.20	0.69	0.24	Oriental	no	14.75	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	NA	NA	NA	NA	NA
Scincidae	<i>Lygosoma tabonorum</i>	NA	variable 2.50	1.00	0.83	Oriental	yes	10.18	NA	Cryptic	Terrestrial	Oviparous	11.3	26.4	1756	59.9	494.4
Scincidae	<i>Mabuya dominicana</i>	Mabuya dominicana	variable 3.15	1.35	1.15	Neotropic	yes	15.41	NA	NA	NA	Viviparous	10.8	24.7	2246	38.2	908.6
Scincidae	<i>Mabuya guadeloupeae</i>	Mabuya guadeloupeae	variable 5.00	1.41	1.37	Neotropic	yes	16.18	NA	NA	NA	Viviparous	10.8	25.5	1882	37	994.0
Scincidae	<i>Mabuya mabouya</i>	Mabuya mabouya	variable 2.00	1.35	1.34	Neotropic	yes	14.65	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.3	25.9	2448	38.2	860.3
Scincidae	<i>Mabuya montserratae</i>	Mabuya montserratae	variable 5.00	1.30	1.30	Neotropic	yes	16.73	NA	NA	NA	Viviparous	NA	23.7	1751	36	1001.0
Scincidae	<i>Mabuya parviterrae</i>	NA	variable 4.00	1.37	1.37	Neotropic	yes	15.89	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	26.9	1598	37	992.0
Scincidae	<i>Madascincus melanopleura</i>	Madascincus melanopleura	variable 4.50	0.54	0.25	Madagascar	yes	17.58	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	11.8	20.8	2111	67	1999.0
Scincidae	<i>Madascincus mouroundavae</i>	Madascincus mouroundavae	variable 2.50	0.87	0.69	Madagascar	yes	15.28	NA	Terrestrial	Terrestrial	Oviparous	11.9	21	2230	70.3	1716.6
Scincidae	<i>Madascincus nanus</i>	Madascincus nanus	variable 1.00	-0.20	-0.52	Madagascar	yes	15.10	NA	NA	NA	NA	11.8	21.8	2667	41.8	1868.7
Scincidae	<i>Madascincus pyrrhus</i>	NA	variable 6.00	0.47	NA	Madagascar	yes	20.42	NA	Cryptic	Terrestrial	Oviparous	11.7	NA	NA	NA	NA
Scincidae	<i>Madascincus stumpffi</i>	Madascincus stumpffi	variable 4.00	1.52	1.21	Madagascar	yes	13.33	NA	NA	NA	Oviparous	11.7	24.4	1801	101	1139.3
Scincidae	<i>Manciola guaporicola</i>	Manciola guaporicola	variable 4.25	1.30	0.59	Neotropic	no	16.54	Diurnal	Terrestrial	Terrestrial	Viviparous	11.9	24.8	1446	68.2	1599.6
Scincidae	<i>Maracaiba meridensis</i>	Maracaiba meridensis	variable 4.50	0.96	NA	Neotropic	no	8.19	NA	NA	NA	Viviparous	11.6	20.9	1730	37.4	585.8
Scincidae	<i>Marisora allacea</i>	Marisora allacea	variable 4.10	1.15	1.00	Neotropic	no	10.21	Diurnal	NA	NA	Viviparous	11.5	25.3	3826	28.4	370.5
Scincidae	<i>Marisora brachypoda</i>	Marisora brachypoda	variable 5.50	1.19	NA	Neotropic	no	16.79	Diurnal	Arboreal&Terrestr	Scansorial	Viviparous	11.8	24.9	1863	69	1305.9
Scincidae	<i>Marisora pegravisi</i>	Alinea pegravisi	variable 4.10	1.20	1.20	Neotropic	yes	13.35	Diurnal	Arboreal	Scansorial	NA	NA	26.9	1782	61	536.0
Scincidae	<i>Marisora unimarginata</i>	Marisora unimarginata	variable 4.67	1.22	0.76	Neotropic	no	15.42	Diurnal	Arboreal&Terrestr	Scansorial	Viviparous	11.7	24	1904	68.7	1244.1
Scincidae	<i>Marmorosphax boulinda</i>	Marmorosphax boulinda	variable 2.00	0.44	0.44	Oceania	yes	21.27	NA	NA	NA	NA	12.0	20.3	1770	51.5	2059.4
Scincidae	<i>Marmorosphax montana</i>	NA	variable 2.00	0.77	0.59	Oceania	yes	21.94	Diurnal	Cryptic	Terrestrial	Viviparous	11.7	19.6	1638	43	2052.3
Scincidae	<i>Marmorosphax taom</i>	Marmorosphax taom	variable 2.00	0.48	0.47	Oceania	yes	20.58	NA	NA	NA	Viviparous	11.7	22.7	1323	51.4	1967.1
Scincidae	<i>Marmorosphax tricolor</i>	Marmorosphax tricolor	variable 3.00	0.75	0.51	Oceania	yes	21.43	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.4	21.9	1740	47	2079.2
Scincidae	<i>Melanoseps ater</i>	Melanoseps ater	variable 3.00	1.01	0.83	Afrotropic	no	9.64	NA	Cryptic	Terrestrial	Mixed	11.7	19.7	1284	92.2	1749.6
Scincidae	<i>Melanoseps emmrichi</i>	Melanoseps emmrichi	variable 3.00	0.96	0.75	Afrotropic	no	6.96	Cathemeral	Fossorial&Terrestr	Fossorial	Viviparous	11.8	18.9	1354	68.4	1298.2
Scincidae	<i>Melanoseps longicauda</i>	Melanoseps longicauda	variable 4.00	0.19	0.19	Afrotropic	no	5.11	NA	NA	NA	Oviparous	11.8	23.6	1172	57.3	1624.4
Scincidae	<i>Melanoseps loveridgei</i>	Melanoseps loveridgei	variable 4.25	0.76	0.61	Afrotropic	no	8.60	NA	Fossorial	Fossorial	Viviparous	11.8	22.7	1165	86.7	1429.7
Scincidae	<i>Melanoseps pygmaeus</i>	Melanoseps pygmaeus	variable 2.00	0.25	0.25	Afrotropic	no	4.74	Diurnal	NA	NA	Viviparous	11.9	23.9	1394	52.9	1501.6
Scincidae	<i>Melanoseps rondonensis</i>	Melanoseps rondonensis	variable 4.00	0.62	NA	Afrotropic	no	10.26	Diurnal	NA	NA	NA	11.9	23.3	994	97.3	1019.4
Scincidae	<i>Menetia alanae</i>	Menetia alanae	variable 1.65	-0.36	-0.44	Australia	no	13.74	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	27.2	1281	107.9	2095.3
Scincidae	<i>Menetia greyii</i>	Menetia greyii	variable 1.55	0.05	-0.27	Australia	no	25.46	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	22.5	416	60.4	5081.0
Scincidae	<i>Menetia maini</i>	Menetia maini	variable 1.62	-0.26	-0.45	Australia	no	18.01	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	25.7	579	96.9	4253.9
Scincidae	<i>Mochlus brevicaudis</i>	Mochlus brevicaudis	variable 2.20	0.98	NA	Afrotropic	no	8.02	NA	Fossorial&Terrestr	Fossorial	Oviparous	11.8	25.8	1445	66.7	1371.9
Scincidae	<i>Mochlus fernandi</i>	Lepidothryx fernandi	variable 10.00	2.16	1.43	Afrotropic	no	4.31	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.8	24.1	1851	56.7	910.4
Scincidae	<i>Mochlus grandisonianus</i>	Mochlus grandisonianus	variable 2.00	0.60	0.47	Afrotropic	no	8.83	NA	NA	NA	Viviparous	10.7	27.4	152	134	1119.0
Scincidae	<i>Mochlus guineensis</i>	Mochlus guineensis	variable 2.48	1.02	0.75	Afrotropic	no	4.65	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.8	24.4	1710	58.5	1017.5
Scincidae	<i>Mochlus hinkeli</i>	Lepidothryx hinkeli	variable 11.50	1.86	NA	Afrotropic	no	2.37	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	22.5	1677	45.2	684.9
Scincidae	<i>Mochlus laeveiceps</i>	NA	variable 3.00	1.11	0.84	Afrotropic	no	5.05	NA	Fossorial	Fossorial	Viviparous	11.4	27.2	469	82.6	1154.9
Scincidae	<i>Mochlus pembanus</i>	NA	variable 4.00	1.22	NA	Afrotropic	no	4.25	NA	Fossorial&Terrestr	Fossorial	Oviparous	11.7	25.9	965	61.4	1275.8
Scincidae	<i>Mochlus striatus</i>	Lepidothryx striatus	variable 12.00	2.05	NA	Afrotropic	no	0.21	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	11.9	23.8	1579	50.9	726.5
Scincidae	<i>Mochlus sundevallii</i>	Mochlus sundevallii	variable 3.87	1.80	1.23	Afrotropic	no	7.40	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	22.4	764	96.9	2333.7
Scincidae	<i>Mochlus tanae</i>	Mochlus tanae	variable 2.50	0.71	0.66	Afrotropic	no	0.03	NA	NA	NA	Viviparous	11.4	26.8	616	78.4	1281.1
Scincidae	<i>Mochlus vinciguerrei</i>	Mochlus vinciguerrei	variable 3.00	0.71	0.41	Afrotropic	no	7.70	NA	Fossorial	Fossorial	Viviparous	10.9	25.8	229	117.5	1087.2
Scincidae	<i>Morethia adelaidensis</i>	Morethia adelaidensis	variable 3.30	0.62	0.33	Australia	no	30.38	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	19.9	246	29.6	5556.5
Scincidae	<i>Morethia boulengeri</i>	Morethia boulengeri	variable 3.00	0.54	0.28	Australia	no	28.09	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	22.3	486	59.8	4899.8
Scincidae	<i>Morethia butleri</i>	Morethia butleri	variable 3.70	0.54	0.39	Australia	no	29.31	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	20.2	247	37.7	5412.2
Scincidae	<i>Morethia lineocellata</i>	Morethia lineocellata	variable 2.75	0.54	0.25	Australia	no	28.27	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	19.7	553	78.6	3870.9
Scincidae	<i>Morethia obscura</i>	Morethia obscura	variable 4.00	0.52	0.33	Australia	no	31.51	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	18	326	30.9	4856.1
Scincidae	<i>Morethia ruficauda</i>	Morethia ruficauda	variable 2.00	0.24	-0.09	Australia	no	21.13	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	25.2	452	82.1	4965.5
Scincidae	<i>Morethia storreri</i>	Morethia storreri	variable 2.30	-0.02	-0.10	Australia	no	16.12	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	27.1	1175	110.6	2070.2
Scincidae	<i>Morethia taeniopleura</i>	Morethia taeniopleura	variable 2.35	0.18	0.01	Australia	no	20.95	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	22.7	938	74.6	3371.9
Scincidae	<i>Nannoscincus garrulus</i>	Nannoscincus garrulus	variable 2.00	0.42	NA	Oceania	yes	21.74	NA	Cryptic	Terrestrial	Oviparous	11.9	19.9	1462	44.3	2060.7
Scincidae	<i>Nannoscincus gracilis</i>	Nannoscincus gracilis	variable 2.00	-0.03	NA	Oceania	yes	21.44	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	11.6	21.7	1745	47.6	2091.7
Scincidae	<i>Nannoscincus mariei</i>	Nannoscincus mariei	variable 1.50	0.24	NA	Oceania	yes	22.12	Cathemeral	Cryptic&Fossorial	Fossorial	Oviparous	11.3	21.4	1863	40.6	2083.6
Scincidae	<i>Nessia bipes</i>	Nessia bipes	variable 3.00	0.17	NA	Oriental	yes	7.39	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	11.9	22.2	2082	47.8	923.4
Scincidae	<i>Nessia burtonii</i>	Nessia burtonii	variable 2.00	0.44	NA	Oriental	yes	6.63	Nocturnal	Fossorial	Fossorial	Oviparous	11.8	25.7	2313	40.1	623.2
Scincidae	<i>Nessia layardi</i>	Nessia layardi	variable 2.00	0.33	NA	Oriental	yes	7.14	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	11.7	26.6	2228	48.3	706.7
Scincidae	<i>Nessia monodactyla</i>	Nessia monodactyla	variable 1.50	0.30	0.30	Oriental	yes	6.81	Nocturnal	Fossorial	Fossorial	Oviparous	11.7	25.9	2300	42.6	659.6
Scincidae	<i>Notomabuya frenata</i>	Notomabuya frenata	variable 4.30	1.20	0.89	Neotropic	no	18.60	Diurnal	Arboreal&Terrestr	Scansorial	Viviparous	11.8	23.5	1417	65.8	2119.7
Scincidae	<i>Notoscincus ornatus</i>	Notoscincus ornatus	variable 2.62	0.07	-0.05	Australia	no	20.74	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	25.6	523	91.8	4502.1
Scincidae	<i>Oligosoma acrinsum</i>	Oligosoma acrinsum	variable 4.00	1.15	NA	Oceania	yes	45.33	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.2	8.6	3851	11	2381.7
Scincidae	<i>Oligosoma aeneum</i>	Oligosoma aeneum	variable 2.20	0.95	0.36	Oceania	yes	38.60	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	12.8	1500	17.6	3103.1
Scincidae	<i>Oligosoma alani</i>	Oligosoma alani	variable 3.00	1.90	1.66	Oceania	yes	35.89	No								

Scincidae	<i>Oligosoma chloronoton</i>	Oligosoma chloronoton	variable 2.50	1.65	NA	Oceania	yes	45.59	Diurnal	Terrestrial	Terrestrial	Viviparous	11.4	8.3	799	15.4	3267.1
Scincidae	<i>Oligosoma fallai</i>	Oligosoma fallai	variable 4.50	1.85	1.59	Oceania	yes	34.15	Cathemeral	Terrestrial	Terrestrial	Viviparous	10.7	NA	NA	NA	NA
Scincidae	<i>Oligosoma grande</i>	Oligosoma grande	variable 2.13	1.57	1.24	Oceania	yes	45.12	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.4	7.4	591	16.9	3799.2
Scincidae	<i>Oligosoma hardyi</i>	Oligosoma hardyi	variable 5.00	0.66	NA	Oceania	yes	35.46	Cathemeral	Terrestrial	Terrestrial	Viviparous	10.7	16.2	1267	26.8	2313.5
Scincidae	<i>Oligosoma homalonotum</i>	Oligosoma homalonotum	variable 7.50	1.86	NA	Oceania	yes	36.20	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	10.7	15.3	1782	24	2636.9
Scincidae	<i>Oligosoma inconspicuum</i>	Oligosoma inconspicuum	variable 3.00	0.93	0.60	Oceania	yes	45.33	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.5	7.3	1223	14.6	3390.5
Scincidae	<i>Oligosoma infrapunctatum</i>	Oligosoma infrapunctatum	variable 4.00	1.53	NA	Oceania	yes	40.16	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	10.7	1646	14.7	3222.8
Scincidae	<i>Oligosoma judgei</i>	Oligosoma judgei	variable 4.00	1.20	1.08	Oceania	yes	44.90	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.6	5.2	3062	12.3	3289.3
Scincidae	<i>Oligosoma kokowai</i>	NA	variable 2.50	1.26	1.04	Oceania	yes	40.79	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	11.2	11.8	1295	19.6	2880.4
Scincidae	<i>Oligosoma levidensum</i>	Oligosoma levidensum	variable 5.00	0.38	0.32	Oceania	yes	34.50	Diurnal	Terrestrial	Terrestrial	Viviparous	10.7	16.2	1269	26.8	2317.4
Scincidae	<i>Oligosoma lichenigera</i>	Oligosoma lichenigera	variable 2.50	1.02	0.66	Oceania	yes	31.56	Cathemeral	Terrestrial	Terrestrial	Oviparous	NA	19.6	1769	15	2197.5
Scincidae	<i>Oligosoma lineoocellatum</i>	Oligosoma lineoocellatum	variable 2.50	1.48	1.11	Oceania	yes	43.50	Diurnal	Terrestrial	Terrestrial	Viviparous	11.4	9.6	987	12.9	3414.9
Scincidae	<i>Oligosoma longipes</i>	Oligosoma longipes	variable 4.00	0.93	NA	Oceania	yes	43.16	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.5	6.3	1449	12.3	3642.0
Scincidae	<i>Oligosoma macceanni</i>	Oligosoma macceanni	variable 3.25	0.98	0.58	Oceania	yes	44.79	Diurnal	Terrestrial	Terrestrial	Viviparous	11.4	7.9	826	14.4	3536.6
Scincidae	<i>Oligosoma macgregori</i>	Oligosoma macgregori	variable 2.00	1.55	1.43	Oceania	yes	36.35	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.3	15.4	1405	21.5	2675.8
Scincidae	<i>Oligosoma microlepis</i>	Oligosoma microlepis	variable 2.50	0.89	NA	Oceania	yes	39.17	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.8	9.3	1587	14.6	3481.3
Scincidae	<i>Oligosoma moco</i>	Oligosoma moco	variable 4.00	1.04	0.66	Oceania	yes	36.70	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	11.0	15	1635	20.8	2772.7
Scincidae	<i>Oligosoma newmani</i>	NA	variable 3.50	1.53	NA	Oceania	yes	41.63	Diurnal	Terrestrial	Terrestrial	Viviparous	NA	NA	NA	NA	NA
Scincidae	<i>Oligosoma nigriplantare</i>	Oligosoma nigriplantare	variable 4.47	1.30	0.59	Oceania	yes	44.27	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	NA	11.3	1021	19.6	2124.6
Scincidae	<i>Oligosoma notosaurus</i>	Oligosoma notosaurus	variable 2.50	1.19	0.79	Oceania	yes	47.00	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	10.8	9.6	1410	10.7	1756.3
Scincidae	<i>Oligosoma oliveri</i>	Oligosoma oliveri	variable 3.30	1.54	1.04	Oceania	yes	36.65	Cathemeral	Terrestrial	Terrestrial	Viviparous	10.7	15.4	1972	21.8	2733.0
Scincidae	<i>Oligosoma ornatum</i>	Oligosoma ornatum	variable 5.00	1.14	0.72	Oceania	yes	38.34	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.5	12.7	1529	17.4	3104.6
Scincidae	<i>Oligosoma otagense</i>	Oligosoma otagense	variable 2.17	2.07	1.52	Oceania	yes	45.21	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.5	7.4	568	17.6	3804.6
Scincidae	<i>Oligosoma polychroma</i>	Oligosoma polychroma	variable 4.80	1.02	0.60	Oceania	yes	42.65	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	9.5	1298	15.3	3270.2
Scincidae	<i>Oligosoma smithi</i>	Oligosoma smithi	variable 2.60	1.05	0.64	Oceania	yes	37.13	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.2	14	1660	21.6	2849.3
Scincidae	<i>Oligosoma stenotis</i>	Oligosoma stenotis	variable 3.00	0.93	NA	Oceania	yes	46.97	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	9.5	1341	11.8	1786.5
Scincidae	<i>Oligosoma striatum</i>	Oligosoma striatum	variable 5.50	0.95	NA	Oceania	yes	38.03	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	11.6	13.6	1545	17.1	3110.3
Scincidae	<i>Oligosoma suteri</i>	Oligosoma suteri	variable 3.65	1.66	1.10	Oceania	yes	35.64	Cathemeral	Semi-Aquatic	Scansorial	Oviparous	11.0	15.4	1626	22.9	2623.5
Scincidae	<i>Oligosoma whitakeri</i>	Oligosoma whitakeri	variable 2.00	1.50	1.17	Oceania	yes	40.49	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.5	13.3	1634	21.8	2809.3
Scincidae	<i>Oligosoma zelandicum</i>	Oligosoma zelandicum	variable 5.15	0.93	0.51	Oceania	yes	40.36	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	12.1	1547	15	2919.5
Scincidae	<i>Ophiomorus blanfordi</i>	Ophiomorus blanfordi	variable 6.00	0.69	0.62	Paleartic	no	26.58	Nocturnal	Fossorial	Fossorial	Viviparous	10.2	25	129	79	6761.2
Scincidae	<i>Ophiomorus latastii</i>	Ophiomorus latastii	variable 3.00	0.44	0.33	Paleartic	no	32.06	Cathemeral	Fossorial	Fossorial	Viviparous	11.0	18.7	403	108.1	5915.1
Scincidae	<i>Ophiomorus nuchalis</i>	Ophiomorus nuchalis	variable 4.00	0.87	0.73	Paleartic	no	34.57	Nocturnal	Fossorial	Fossorial	Oviparous	10.3	20.3	149	86.8	9915.1
Scincidae	<i>Ophiomorus punctatissimus</i>	Ophiomorus punctatissimus	variable 3.00	0.39	0.23	Paleartic	no	37.44	Diurnal	Fossorial	Fossorial	Oviparous	11.2	14.2	720	76.3	6561.4
Scincidae	<i>Ophiomorus tridactylus</i>	Ophiomorus tridactylus	variable 4.00	0.79	0.58	Paleartic	no	30.23	Cathemeral	Fossorial	Fossorial	Viviparous	10.5	22.7	133	106.4	8518.9
Scincidae	<i>Ophioscincus cooloolensis</i>	Ophioscincus cooloolensis	variable 3.00	0.04	-0.01	Australia	no	24.69	NA	Fossorial	Fossorial	Oviparous	11.5	21.6	1061	51.3	3326.8
Scincidae	<i>Ophioscincus ophioscincus</i>	Ophioscincus ophioscincus	variable 2.50	0.36	0.27	Australia	no	26.08	Nocturnal	Fossorial	Fossorial	Oviparous	11.6	20.3	1029	46.1	3652.8
Scincidae	<i>Ophioscincus truncatus</i>	Ophioscincus truncatus	variable 2.50	0.16	0.14	Australia	no	28.75	Nocturnal	Fossorial	Fossorial	Oviparous	11.6	18	1088	41.4	3842.8
Scincidae	<i>Otosaurus cumingi</i>	Otosaurus cumingi	variable 2.10	1.96	1.60	Oriental	yes	12.05	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.4	2441	51.5	829.9
Scincidae	<i>Pamelaeascincus gardineri</i>	Pamelaeascincus gardineri	variable 2.00	1.05	0.83	Madagascar	yes	4.57	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	10.9	26.1	2539	42.6	681.8
Scincidae	<i>Panaspis breviceps</i>	Panaspis breviceps	variable 2.50	0.83	0.78	Afrotropic	no	2.13	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	24	1747	55	822.7
Scincidae	<i>Panaspis cabindae</i>	NA	variable 2.00	0.12	-0.13	Afrotropic	no	7.23	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	22.7	1364	70.4	703.0
Scincidae	<i>Panaspis helleri</i>	Panaspis helleri	variable 3.00	0.66	0.66	Afrotropic	no	0.43	NA	NA	NA	Oviparous	11.5	NA	NA	NA	NA
Scincidae	<i>Panaspis maculicollis</i>	Afroablepharus maculicollis	variable 3.00	0.21	-0.09	Afrotropic	no	18.29	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	21.6	735	105.5	3066.9
Scincidae	<i>Panaspis massaiensis</i>	NA	variable 6.00	0.12	NA	Afrotropic	no	1.77	Diurnal	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Scincidae	<i>Panaspis seydeli</i>	Afroablepharus seydeli	variable 5.00	-0.02	NA	Afrotropic	no	9.92	NA	NA	NA	Oviparous	11.7	21.8	1194	94.4	1674.7
Scincidae	<i>Panaspis togoensis</i>	Panaspis togoensis	variable 1.92	0.49	0.18	Afrotropic	no	8.42	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	26	1333	85.8	1655.2
Scincidae	<i>Panaspis tristaoi</i>	Panaspis nimbaensis	variable 2.51	0.79	0.21	Afrotropic	no	9.68	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	26	1462	88	1558.8
Scincidae	<i>Panaspis wahlbergi</i>	Afroablepharus wahlbergi	variable 4.24	0.71	0.16	Afrotropic	no	8.78	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	22.4	896	86.5	2026.2
Scincidae	<i>Papuascincus morokanus</i>	Papuascincus morokanus	variable 2.00	0.42	NA	Oceania	yes	6.70	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	17.4	2911	27.6	359.6
Scincidae	<i>Papuascincus stanleyanus</i>	Papuascincus stanleyanus	variable 2.00	0.62	0.47	Oceania	yes	5.75	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	17.8	3231	23.3	364.6
Scincidae	<i>Paracontias minimus</i>	Paracontias minimus	variable 4.00	0.10	0.09	Madagascar	yes	12.21	Diurnal	Fossorial	Fossorial	Oviparous	10.9	26.2	1216	109.4	1160.2
Scincidae	<i>Parvoscincus agtorum</i>	Parvoscincus agtorum	variable 2.00	0.21	0.21	Oriental	yes	15.84	NA	Terrestrial	Terrestrial	Oviparous	11.4	23.1	3379	39	1078.0
Scincidae	<i>Parvoscincus beyeri</i>	Parvoscincus beyeri	variable 2.00	0.89	0.50	Oriental	yes	15.36	NA	Terrestrial	Terrestrial	Oviparous	11.7	26.1	2170	79.2	993.7
Scincidae	<i>Parvoscincus boyungi</i>	Parvoscincus boyungi	variable 2.00	0.77	NA	Oriental	yes	15.42	Diurnal	Cryptic	Terrestrial	Oviparous	11.4	26.1	3112	106.5	889.4
Scincidae	<i>Parvoscincus jimmymcguirei</i>	Parvoscincus jimmymcguirei	variable 1.00	0.33	0.12	Oriental	yes	17.19	NA	Terrestrial	Terrestrial	Oviparous	11.7	25.1	2214	58.2	1583.5
Scincidae	<i>Parvoscincus kitangladensis</i>	Parvoscincus kitangladensis	variable 1.50	0.54	NA	Oriental	yes	8.66	NA	Terrestrial	Terrestrial	Oviparous	11.6	23.5	2360	33.8	555.7
Scincidae	<i>Parvoscincus palawanensis</i>	Parvoscincus palawanensis	variable 1.00	-0.14	NA	Oriental	yes	9.64	NA	Fossorial&Terrestr	Fossorial	Oviparous	10.8	26.4	1526	55	481.0
Scincidae	<i>Parvoscincus sisoni</i>	Parvoscincus sisoni	variable 1.00	-0.08	-0.20	Oriental	yes	11.39	Diurnal	Fossorial&Terrestr	Fossorial	Oviparous	11.9	21.3	4076	70	611.0
Scincidae	<i>Parvoscincus steeriei</i>	Parvoscincus steeriei	variable 1.05	0.12	-0.30	Oriental	yes	11.90	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.5	2415	51.6	805.5
Scincidae	<i>Parvoscincus tagapayo</i>	Parvoscincus tagapayo	variable 2.00	-0.26	-0.41	Oriental	yes	15.95	Diurnal	Cryptic	Terrestrial	Oviparous	11.7	23.5	2826	41	1159.0
Scincidae	<i>Phasmasaurus maruia</i>	Lioscincus maruia	variable 2.50	0.64	NA	Oceania	yes	21.34	Diurnal	Saxicolous	Scansorial	Oviparous	11.8	21.4	1544	49.9	2093.7
Scincidae	<i>Phasmasaurus tillieri</i>	Lioscincus tillieri	variable 2.50	0.71	NA	Oceania	yes	22.10	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	11.3	21.2	1836	40.8	2081.6
Scincidae	<i>Pinoyscincus coxi</i>	Pinoyscincus coxi	variable 1.67	1.19	0.81	Oriental	yes	9.11	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.4	2441	51.7	831.0
Scincidae	<i>Pinoyscincus jagori</i>	Pinoyscincus jagori	variable 1.90	1.47	0.93	Oriental	yes	11.88	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.6	2421	51.6	804.2
Scincidae	<i>Pinoyscincus mindanensis</i>	Pinoyscincus mindanensis	variable 2.00	0.72	0.33	Oriental	yes	9.25	NA	Terrestrial	Terrestrial	Oviparous	11.5	2			

Scincidae	<i>Plestiodon brevirostris</i>	Plestiodon brevirostris	variable 3.00	0.85	0.62	Neotropic	no	17.92	Diurnal	Terrestrial	Terrestrial	Viviparous	11.7	18	914	96.4	2066.7
Scincidae	<i>Plestiodon calliecephalus</i>	Plestiodon calliecephalus	variable 5.00	0.95	0.71	Nearctic	no	26.14	Diurnal	Saxicolous&Terres Scansorial	Mixed	11.4	19.3	764	101.4	4542.6	
Scincidae	<i>Plestiodon capito</i>	Plestiodon capito	variable 6.00	1.02	0.78	Paleartic	no	33.30	Diurnal	NA	NA	Oviparous	11.3	11.7	829	85.6	8314.3
Scincidae	<i>Plestiodon chinensis</i>	Plestiodon chinensis	variable 16.40	1.74	1.38	Paleartic	no	26.56	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	17.9	1454	63.9	6613.3
Scincidae	<i>Plestiodon copei</i>	Plestiodon copei	variable 3.62	0.95	0.78	Neotropic	no	19.26	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	13.8	970	93.5	1713.3
Scincidae	<i>Plestiodon dugesii</i>	Plestiodon dugesii	variable 4.00	0.81	0.67	Neotropic	no	19.97	Diurnal	NA	NA	Viviparous	11.7	17.5	816	104	2098.4
Scincidae	<i>Plestiodon egregius</i>	Plestiodon egregius	variable 4.80	0.71	0.22	Nearctic	no	30.44	Diurnal	Fossorial&Terrestr Fossal	Oviparous	11.6	19.8	1328	33.2	5562.6	
Scincidae	<i>Plestiodon elegans</i>	Plestiodon elegans	variable 5.95	1.40	0.93	Paleartic	no	28.32	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	16.1	1279	70.1	6881.4
Scincidae	<i>Plestiodon fasciatus</i>	Plestiodon fasciatus	variable 7.70	1.14	0.76	Nearctic	no	36.62	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.6	14.5	1145	21.2	7972.3	
Scincidae	<i>Plestiodon gilberti</i>	Plestiodon gilberti	variable 6.30	1.55	1.01	Nearctic	no	35.77	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	15.4	412	74.2	6476.1
Scincidae	<i>Plestiodon inexpectatus</i>	Plestiodon inexpectatus	variable 7.50	1.17	0.85	Nearctic	no	33.11	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	17.7	1317	23.4	6612.5	
Scincidae	<i>Plestiodon japonicus</i>	Plestiodon japonicus	variable 10.50	1.28	NA	Paleartic	yes	33.87	Diurnal	NA	NA	Oviparous	11.3	15.4	1979	48	7335.2
Scincidae	<i>Plestiodon kishinouyei</i>	Plestiodon kishinouyei	variable 3.00	2.09	1.56	Oriental	yes	24.48	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	23.7	2343	21.8	3569.6
Scincidae	<i>Plestiodon lagunensis</i>	Plestiodon lagunensis	variable 5.40	0.62	0.57	Nearctic	no	26.00	Diurnal	Terrestrial	Terrestrial	NA	11.0	21.2	200	99.5	4458.2
Scincidae	<i>Plestiodon laticeps</i>	Plestiodon laticeps	variable 11.58	1.83	1.28	Nearctic	no	34.73	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	16.3	1238	19.9	7506.4	
Scincidae	<i>Plestiodon latiscutatus</i>	Plestiodon latiscutatus	variable 7.95	1.28	0.94	Paleartic	yes	34.95	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	14.4	2082	41.6	7187.9
Scincidae	<i>Plestiodon longirostris</i>	NA	variable 5.00	1.25	0.79	Nearctic	yes	32.31	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	22	1460	17.8	3372.2
Scincidae	<i>Plestiodon lynxe</i>	Plestiodon lynxe	variable 4.35	0.93	0.64	Nearctic	no	21.64	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	17.5	726	93.3	2695.6
Scincidae	<i>Plestiodon multilineatus</i>	Plestiodon multilineatus	variable 5.00	0.83	NA	Nearctic	no	29.01	Diurnal	Terrestrial	Terrestrial	NA	11.4	12.9	723	87.3	5396.2
Scincidae	<i>Plestiodon multivirgatus</i>	Plestiodon multivirgatus	variable 8.65	0.95	0.71	Nearctic	no	37.27	Diurnal	Fossorial&Terresti Fossal	Oviparous	11.1	11.2	386	56.6	8551.3	
Scincidae	<i>Plestiodon oboletus</i>	Plestiodon oboletus	variable 12.65	1.83	1.50	Nearctic	no	32.85	Diurnal	Fossorial&Terestr Fossal	Oviparous	11.2	16.6	525	58.5	7506.8	
Scincidae	<i>Plestiodon parvauriculatus</i>	Plestiodon parvauriculatus	variable 4.00	0.47	0.38	Nearctic	no	28.21	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	21.2	580	100.9	5286.8
Scincidae	<i>Plestiodon quadrilineatus</i>	Plestiodon quadrilineatus	variable 2.00	1.48	1.12	Oriental	no	22.12	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	22.1	1721	70.4	5014.9
Scincidae	<i>Plestiodon reynoldsi</i>	Plestiodon reynoldsi	variable 2.00	0.27	0.10	Nearctic	no	28.45	Diurnal	Fossorial	Fossorial	Oviparous	11.7	21.4	1304	48.6	4406.4
Scincidae	<i>Plestiodon septentrionalis</i>	Plestiodon septentrionalis	variable 10.65	1.19	0.88	Nearctic	no	36.66	Diurnal	Fossorial&Terresti Fossal	Oviparous	11.5	12.5	823	43.5	9563.3	
Scincidae	<i>Plestiodon skiltonianus</i>	Plestiodon skiltonianus	variable 4.90	1.12	0.85	Nearctic	no	41.94	Diurnal	Fossorial&Terresti Fossal	Oviparous	11.2	9.6	483	43.9	7667.4	
Scincidae	<i>Plestiodon stimpsonii</i>	Plestiodon stimpsonii	variable 9.00	1.02	0.48	Oriental	yes	24.36	NA	NA	NA	Oviparous	10.7	23.6	2387	21.9	3530.4
Scincidae	<i>Plestiodon sumichrasti</i>	Plestiodon sumichrasti	variable 11.50	1.33	0.98	Neotropic	no	17.40	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.8	24.6	2183	61	1754.4	
Scincidae	<i>Plestiodon takrai</i>	NA	variable 5.00	0.95	0.84	Oriental	yes	25.79	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	NA	NA	NA	NA
Scincidae	<i>Plestiodon tetragrammus</i>	Plestiodon tetragrammus	variable 8.50	0.95	0.47	Nearctic	no	28.52	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	20.5	587	51.9	6019.8
Scincidae	<i>Prasinohaema flavipes</i>	Prasinohaema flavipes	variable 6.00	1.37	0.83	Oceania	yes	6.65	Diurnal	Arboreal	Scansorial	Viviparous	11.7	19	2930	27.6	363.4
Scincidae	<i>Prasinohaema semoni</i>	Prasinohaema semoni	variable 2.00	0.91	0.77	Oceania	yes	6.97	Diurnal	Arboreal	Scansorial	Viviparous	11.7	24.9	2916	30.8	472.0
Scincidae	<i>Prasinohaema virens</i>	Prasinohaema virens	variable 2.00	0.73	0.33	Oceania	yes	5.60	Diurnal	Arboreal	Scansorial	Oviparous	11.7	25.6	2744	30.7	308.1
Scincidae	<i>Proablepharus reginae</i>	Proablepharus reginae	variable 2.00	0.08	NA	Australia	no	22.87	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	24.1	332	67.7	5482.8
Scincidae	<i>Proablepharus tenuis</i>	Proablepharus tenuis	variable 1.50	-0.26	-0.29	Australia	no	17.80	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	26.4	771	109.2	3288.6
Scincidae	<i>Proscelotes arnoldi</i>	Proscelotes arnoldi	variable 5.00	0.68	0.14	Afrotropic	no	18.07	Diurnal	Fossorial&Terresti Fossal	Mixed	11.7	21.1	1010	98.8	2673.7	
Scincidae	<i>Proscelotes eggeli</i>	Proscelotes eggeli	variable 3.00	0.76	0.55	Afrotropic	no	4.73	NA	Fossorial&Terrestr Fossal	Viviparous	11.7	22.1	1067	58.2	1607.5	
Scincidae	<i>Pseudemoia baudini</i>	Pseudemoia baudini	variable 3.50	0.44	0.28	Australia	no	32.38	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	17.5	327	37.4	3316.9
Scincidae	<i>Pseudemoia cryodroma</i>	Pseudemoia cryodroma	variable 3.05	0.62	0.35	Australia	no	37.05	Diurnal	Terrestrial	Terrestrial	Viviparous	11.8	10.5	1010	20.7	4230.4
Scincidae	<i>Pseudemoia entrecasteauxii</i>	Pseudemoia entrecasteauxii	variable 4.05	0.73	0.44	Australia	no	36.39	Diurnal	Terrestrial	Terrestrial	Mixed	11.5	13	893	26.9	3555.5
Scincidae	<i>Pseudemoia pagenstecheri</i>	Pseudemoia pagenstecheri	variable 6.55	0.81	0.48	Australia	no	36.22	Diurnal	Terrestrial	Terrestrial	Viviparous	11.4	14.6	673	24.8	4276.5
Scincidae	<i>Pseudemoia rawlinsoni</i>	Pseudemoia rawlinsoni	variable 5.30	0.69	0.45	Australia	no	37.64	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	13	816	23.4	3929.4
Scincidae	<i>Pseudemoia spenceri</i>	Pseudemoia spenceri	variable 1.95	0.73	0.51	Australia	no	36.50	Diurnal	Arboreal&Saxicol Scansorial	Viviparous	11.7	12.6	835	19.1	4288.5	
Scincidae	<i>Psychosaura agmosticha</i>	Psychosaura agmosticha	variable 3.47	1.28	0.68	Neotropic	no	8.71	Diurnal	Arboreal	Scansorial	Viviparous	11.6	25.1	630	64.4	1413.5
Scincidae	<i>Psychosaura macrorhyncha</i>	Psychosaura macrorhyncha	variable 3.33	1.11	0.78	Neotropic	no	16.95	Diurnal	Arboreal	Scansorial	Viviparous	11.8	22.7	1111	66.7	1656.7
Scincidae	<i>Pygmaeascincus sadlieri</i>	Pygmaeascincus sadlieri	variable 2.00	-0.36	NA	Australia	yes	19.14	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	23.5	1458	99.5	2880.0
Scincidae	<i>Pygmaeascincus timlowi</i>	Pygmaeascincus timlowi	variable 1.67	-0.40	-0.45	Australia	no	23.00	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	22	802	61	4033.5
Scincidae	<i>Pygomeles trivittatus</i>	Pygomeles trivittatus	variable 3.00	1.15	NA	Madagascar	yes	24.75	NA	Fossorial&Terresti Fossal	Oviparous	11.5	23.9	777	73.1	2305.1	
Scincidae	<i>Ristella beddomii</i>	Ristella beddomii	variable 3.00	0.05	NA	Oriental	no	12.82	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	24.2	2590	112.7	1414.9
Scincidae	<i>Ristella rurkii</i>	Ristella rurkii	variable 2.00	0.27	NA	Oriental	no	10.30	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	24	1302	67	1378.5
Scincidae	<i>Ristella travancorica</i>	Ristella travancorica	variable 2.00	0.05	-0.16	Oriental	no	9.23	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	26	1042	59	1207.0
Scincidae	<i>Saiphos equalis</i>	Saiphos equalis	variable 2.90	0.65	0.42	Australia	no	30.08	Nocturnal	Fossorial&Terresti Fossal	Mixed	11.6	16.5	1041	34.7	3976.5	
Scincidae	<i>Saproscincus basiliscus</i>	Saproscincus basiliscus	variable 2.00	0.36	0.18	Australia	no	17.74	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	22.6	2045	85	2586.8
Scincidae	<i>Saproscincus challengerii</i>	Saproscincus challengerii	variable 3.50	0.59	0.42	Australia	no	28.25	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	18.9	1245	42.1	3574.8
Scincidae	<i>Saproscincus czechurai</i>	Saproscincus czechurai	variable 2.00	0.05	-0.16	Australia	no	17.08	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	23.1	2638	78.2	2365.1
Scincidae	<i>Saproscincus eungellensis</i>	Saproscincus eungellensis	variable 6.00	0.77	NA	Australia	no	21.16	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	22.7	1485	82.8	3190.3
Scincidae	<i>Saproscincus mustelinus</i>	Saproscincus mustelinus	variable 5.05	0.71	0.36	Australia	no	34.94	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.6	13.6	867	20.9	4108.1
Scincidae	<i>Saproscincus oriarus</i>	Saproscincus oriarus	variable 2.00	0.15	NA	Australia	no	30.65	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	18.7	1385	38.1	3428.1
Scincidae	<i>Saproscincus rosei</i>	Saproscincus rosei	variable 2.00	0.73	NA	Australia	no	29.20	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	17.5	1130	42.4	3839.3
Scincidae	<i>Saproscincus spectabilis</i>	Saproscincus spectabilis	variable 2.00	0.62	NA	Australia	no	30.44	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	18.7	1354	38.6	3522.5	
Scincidae	<i>Saproscincus tetradactylus</i>	Saproscincus tetradactylus	variable 2.00	-0.22	-0.27	Australia	no	17.66	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	22.1	1780	85.2	2718.3
Scincidae	<i>Scelotes angineus</i>	Scelotes angineus	variable 3.00	0.21	NA	Afrotropic	no	33.58	NA	Fossorial	Fossorial	Viviparous	11.4	17.9	548	20.9	3056.3
Scincidae	<i>Scelotes arenicolus</i>	Scelotes arenicolus	variable 3.00	0.27	NA	Afrotropic	no	27.30	NA	Fossorial	Fossorial	Viviparous	11.5	NA	NA	NA	NA
Scincidae	<i>Scelotes bidigittatus</i>	Scelotes bidigittatus	variable 1.50	0.54	0.24	Afrotropic	no	24.75	NA	Cryptic&Fossorial	Fossorial	Viviparous	11.6	22	610	75.2	3080.4
Scincidae	<i>Scelotes bipes</i>	Scelotes bipes	variable 1.50	0.63	NA	Afrotropic	no	33.72	NA	Fossorial	Fossorial	Viviparous	11.4	16.4	501	38.4	3628.1
Scincidae	<i>Scelotes bourquini</i>	Scelotes bourquini	variable 5.00	0.82	NA	Afrotropic	no	29.27	NA	Cryptic&Fossorial	Fossorial	Viviparous	11.8	15.3	850	66	3489.7
Scincidae	<i>Scelotes caffer</i>	Scelotes															

Scincidae	<i>Scelotes fitzsimonsi</i>	Scelotes fitzsimonsi	variable 2.00	-0.01	NA	Afrotropic	no	28.33	NA	Fossilial	Fossilial	Viviparous	11.5	21.7	923	46.4	2506.3
Scincidae	<i>Scelotes gronovi</i>	Scelotes gronovi	variable 1.50	0.35	NA	Afrotropic	no	33.30	NA	Fossilial&Terrestr	Fossilial	Viviparous	11.4	16.8	539	61.4	3599.2
Scincidae	<i>Scelotes limpopoensis</i>	Scelotes limpopoensis	variable 2.00	0.56	NA	Afrotropic	no	22.78	Diurnal	Fossilial	Fossilial	Viviparous	11.4	21.3	520	84	3670.3
Scincidae	<i>Scelotes mirus</i>	Scelotes mirus	variable 4.00	1.11	0.88	Afrotropic	no	25.54	NA	Cryptic&Terrestri	Terrestrial	Viviparous	11.6	17.6	769	75	3432.4
Scincidae	<i>Scelotes mossambicus</i>	Scelotes mossambicus	variable 2.50	0.43	NA	Afrotropic	no	26.67	NA	Cryptic	Terrestrial	Viviparous	11.6	21.1	831	59.8	2822.0
Scincidae	<i>Scelotes uluguruensis</i>	Scelotes uluguruensis	variable 4.00	0.60	NA	Afrotropic	no	7.36	NA	Fossilial	Fossilial	NA	11.9	23.8	1072	62.9	1541.1
Scincidae	<i>Scincella assata</i>	NA	variable 3.00	0.49	0.33	Neotropic	no	16.14	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	22.2	1635	89.4	1251.7
Scincidae	<i>Scincella boettgeri</i>	Scincella boettgeri	variable 7.50	0.52	0.14	Oriental	yes	24.48	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.7	23.7	2343	21.8	3569.6
Scincidae	<i>Scincella cherriei</i>	Scincella cherriei	variable 2.50	0.79	0.44	Neotropic	no	15.70	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	24.4	2182	58.9	1321.9
Scincidae	<i>Scincella devorator</i>	Scincella devorator	variable 6.00	0.63	0.44	Oriental	no	21.21	Diurnal	Arboreal&Terrestr	Scansorial	Oviparous	11.6	22.8	1670	75	4319.5
Scincidae	<i>Scincella gemmingeri</i>	Scincella gemmingeri	variable 3.50	0.73	0.66	Neotropic	no	18.77	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	21.6	1684	72.1	2119.9
Scincidae	<i>Scincella huarenensis</i>	Scincella huarenensis	variable 4.56	0.66	0.50	Paleartic	no	39.82	Diurnal	Terrestrial	Terrestrial	Viviparous	11.4	8.8	949	90.1	11021.3
Scincidae	<i>Scincella lateralis</i>	Scincella lateralis	variable 3.08	0.59	0.22	Nearctic	no	33.90	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	17	1165	24.5	7350.2
Scincidae	<i>Scincella melanosticta</i>	Scincella melanosticta	variable 3.00	0.73	0.32	Oriental	no	14.12	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	26	1891	81	1368.9
Scincidae	<i>Scincella modesta</i>	Scincella modesta	variable 7.55	0.76	0.41	Paleartic	no	27.48	Diurnal	NA	NA	Oviparous	11.4	18	1491	59.3	7360.1
Scincidae	<i>Scincella monticola</i>	Scincella monticola	variable 2.50	0.59	0.33	Paleartic	no	28.72	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	10.6	911	84.6	6457.9
Scincidae	<i>Scincella nigrofasciata</i>	NA	variable 2.00	0.43	0.41	Oriental	no	12.32	Cathemeral	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Scincidae	<i>Scincella ochracea</i>	Scincella ochracea	variable 4.00	0.39	0.29	Oriental	no	21.06	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	20.9	1849	77.7	3729.0
Scincidae	<i>Scincella reevesii</i>	Scincella reevesii	variable 4.80	0.62	0.34	Oriental	no	20.11	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	22.5	1735	81.7	3379.8
Scincidae	<i>Scincella rufocaudata</i>	NA	variable 2.50	0.39	0.26	Oriental	no	13.74	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	24.6	2089	82	1467.2
Scincidae	<i>Scincella silvicola</i>	Scincella silvicola	variable 5.00	0.57	0.57	Neotropic	no	21.82	Diurnal	Arboreal&Terrestr	Scansorial	Oviparous	11.8	20.3	1089	82.1	3332.0
Scincidae	<i>Scincella tsiningensis</i>	Scincella tsiningensis	variable 3.00	0.83	0.51	Paleartic	no	33.93	Diurnal	NA	NA	Viviparous	11.4	8.5	729	80.5	7805.7
Scincidae	<i>Scincella vandenburghi</i>	Scincella vandenburghi	variable 7.00	0.46	0.24	Paleartic	no	36.24	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	12	1303	77.7	9015.4
Scincidae	<i>Scincella victoriana</i>	Scincella victoriana	variable 2.00	0.96	0.47	Oriental	no	20.89	Diurnal	NA	NA	Oviparous	11.7	20.1	2002	95.3	2788.8
Scincidae	<i>Scincus albifasciatus</i>	Scincus albifasciatus	variable 2.75	1.71	NA	Paleartic	no	19.58	Diurnal	Fossilial	Fossilial	NA	10.4	27.8	90	149.1	5361.3
Scincidae	<i>Scincus mitranus</i>	Scincus mitranus	variable 5.00	1.74	1.33	Paleartic	no	22.16	Diurnal	Fossilial	Fossilial	Viviparous	10.4	27.4	78	116.2	6498.5
Scincidae	<i>Scincus scincus</i>	Scincus scincus	variable 5.00	1.87	1.25	Paleartic	no	22.74	Cathemeral	Fossilial&Terrestr	Fossilial	Oviparous	10.4	25.6	73	139.3	6285.7
Scincidae	<i>Sepsina alberti</i>	Sepsina alberti	variable 5.00	0.09	NA	Afrotropic	no	18.20	NA	Terrestrial	Terrestrial	Viviparous	11.2	21.6	302	115.7	2424.7
Scincidae	<i>Sepsina tetradactyla</i>	Sepsina tetradactyla	variable 3.00	0.65	0.61	Afrotropic	no	9.41	NA	Fossilial&Terrestr	Fossilial	Oviparous	11.8	22.2	1152	92.8	1519.0
Scincidae	<i>Sigaloseps balios</i>	NA	variable 1.50	0.36	NA	Oceania	yes	21.88	NA	NA	NA	Oviparous	11.9	14.9	2465	44	1928.0
Scincidae	<i>Sigaloseps deplanchei</i>	Sigaloseps deplanchei	variable 2.17	0.24	NA	Oceania	yes	22.00	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	21.2	1759	42	2084.5
Scincidae	<i>Sigaloseps ruficauda</i>	Sigaloseps ruficauda	variable 3.00	0.62	0.42	Oceania	yes	21.97	Diurnal	Cryptic	Terrestrial	Oviparous	11.6	18.8	1990	43.5	2028.3
Scincidae	<i>Silvascincus murrayi</i>	Silvascincus murrayi	variable 3.60	1.44	1.03	Australia	no	29.57	Diurnal	Arboreal&Terrestr	Scansorial	Viviparous	11.8	16.6	1066	39.2	3957.2
Scincidae	<i>Silvascincus tryoni</i>	Silvascincus tryoni	variable 5.00	1.39	NA	Australia	no	28.30	Diurnal	Terrestrial	Terrestrial	Viviparous	11.7	18.5	1344	43	3513.0
Scincidae	<i>Simiscincus aurantiacus</i>	Simiscincus aurantiacus	variable 3.00	1.11	NA	Oceania	yes	22.23	NA	Cryptic	Terrestrial	Oviparous	11.3	21.7	2000	38.8	2081.6
Scincidae	<i>Sphenomorphus aignanus</i>	Sphenomorphus aignanus	variable 1.00	1.02	NA	Oceania	yes	8.81	Diurnal	Arboreal&Terrestr	Scansorial	Oviparous	11.5	23.4	2960	27	594.0
Scincidae	<i>Sphenomorphus bacoensis</i>	Sphenomorphus bacoensis	variable 3.00	0.12	0.05	Oriental	no	22.15	Diurnal	NA	NA	Oviparous	11.8	23	1409	75	4668.0
Scincidae	<i>Sphenomorphus bignelli</i>	Sphenomorphus bignelli	variable 1.00	-0.14	NA	Oceania	yes	9.05	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	25.3	3280	25.1	368.6
Scincidae	<i>Sphenomorphus brunneus</i>	Sphenomorphus brunneus	variable 5.10	1.14	0.98	Oceania	yes	6.73	Nocturnal	Fossilial&Terrestr	Fossilial	Oviparous	11.9	21.7	2823	23	395.2
Scincidae	<i>Sphenomorphus buenloicus</i>	Sphenomorphus buenloicus	variable 2.50	0.54	NA	Oriental	no	13.38	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	23.3	2201	79.6	1495.3
Scincidae	<i>Sphenomorphus cinereus</i>	Sphenomorphus cinereus	variable 4.00	1.40	1.17	Oceania	yes	5.59	NA	Terrestrial	Terrestrial	Viviparous	11.7	15.3	3477	17.1	345.0
Scincidae	<i>Sphenomorphus concinnatus</i>	Sphenomorphus concinnatus	variable 2.00	0.83	0.59	Oceania	yes	8.08	Diurnal	Terrestrial	Terrestrial	Viviparous	11.2	25.6	3363	21.6	374.9
Scincidae	<i>Sphenomorphus consobrinus</i>	Sphenomorphus consobrinus	variable 1.00	-0.01	-0.02	Oceania	yes	0.39	NA	NA	NA	Oviparous	11.3	25.6	2094	21.8	299.0
Scincidae	<i>Sphenomorphus cranei</i>	Sphenomorphus cranei	variable 2.53	1.00	0.71	Oceania	yes	7.84	Diurnal	Cryptic&Fossilial	Fossilial	Oviparous	11.2	25.4	3316	22.2	366.5
Scincidae	<i>Sphenomorphus cyanolaemus</i>	Sphenomorphus cyanolaemus	variable 2.15	0.62	0.42	Oriental	no	3.32	Diurnal	Arboreal&Terrestr	Scansorial	Oviparous	11.9	24.4	3124	21.3	395.7
Scincidae	<i>Sphenomorphus darlingtoni</i>	Sphenomorphus darlingtoni	variable 2.00	0.71	0.52	Oceania	yes	6.77	Nocturnal	Fossilial&Terrestr	Fossilial	Oviparous	11.7	15.8	2619	31.4	316.1
Scincidae	<i>Sphenomorphus dekkerae</i>	NA	variable 2.00	0.36	0.36	Oceania	yes	1.27	NA	NA	NA	Oviparous	12.0	NA	NA	NA	NA
Scincidae	<i>Sphenomorphus dussumieri</i>	Sphenomorphus dussumieri	variable 3.50	0.71	0.51	Oriental	no	9.44	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.6	26.2	2434	83.6	1059.3
Scincidae	<i>Sphenomorphus fasciatus</i>	Sphenomorphus fasciatus	variable 5.35	1.60	1.28	Oriental	yes	8.37	NA	Terrestrial	Terrestrial	Oviparous	11.5	25.5	2376	33.6	488.7
Scincidae	<i>Sphenomorphus forbesi</i>	Sphenomorphus forbesi	variable 1.60	0.59	0.02	Oceania	yes	9.32	Nocturnal	Fossilial&Terrestr	Fossilial	Oviparous	11.5	20.8	3086	31.8	588.4
Scincidae	<i>Sphenomorphus fragilis</i>	Sphenomorphus fragilis	variable 2.70	0.47	0.24	Oceania	yes	9.16	Nocturnal	Fossilial&Terrestr	Fossilial	Viviparous	11.7	25.2	1847	49.7	596.8
Scincidae	<i>Sphenomorphus fuscolineatus</i>	Sphenomorphus fuscolineatus	variable 2.00	0.59	0.25	Oceania	yes	5.83	NA	Terrestrial	Terrestrial	Oviparous	11.8	20.2	3279	22	355.2
Scincidae	<i>Sphenomorphus granulatus</i>	NA	variable 2.00	0.83	0.44	Oceania	yes	8.90	Nocturnal	Fossilial&Terrestr	Fossilial	Oviparous	11.6	24.4	2906	28.2	623.5
Scincidae	<i>Sphenomorphus incognitus</i>	Sphenomorphus incognitus	variable 4.60	1.46	1.11	Oriental	no	24.93	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	11.5	18.7	1487	68.5	5620.5
Scincidae	<i>Sphenomorphus indicus</i>	Sphenomorphus indicus	variable 7.27	1.40	1.00	Oriental	no	24.36	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	17.7	1503	77.4	5294.5
Scincidae	<i>Sphenomorphus jobiensis</i>	Sphenomorphus jobiensis	variable 3.00	1.54	1.17	Oceania	yes	5.66	Cathemeral	Fossilial&Terrestr	Fossilial	Viviparous	11.7	24.8	3320	27.2	422.0
Scincidae	<i>Sphenomorphus kinabaluensis</i>	Sphenomorphus kinabaluensis	variable 1.50	0.59	0.39	Oriental	yes	5.81	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	21.6	2673	26.3	470.2
Scincidae	<i>Sphenomorphus leptofasciat</i>	Sphenomorphus leptofasciat	variable 3.25	1.12	0.88	Oceania	yes	5.90	NA	Cryptic	Terrestrial	Viviparous	11.7	16.4	2994	26.9	278.3
Scincidae	<i>Sphenomorphus longicaudat</i>	Sphenomorphus longicaudat	variable 2.60	1.25	1.01	Oceania	yes	5.73	NA	Fossilial&Terrestr	Fossilial	Viviparous	12.0	25.7	4703	14.3	544.0
Scincidae	<i>Sphenomorphus louisianensis</i>	Sphenomorphus louisianensis	variable 1.00	0.33	NA	Oceania	yes	11.36	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	26.2	3637	18.1	733.4
Scincidae	<i>Sphenomorphus maculatus</i>	Sphenomorphus maculatus	variable 3.85	0.83	0.53	Oriental	no	20.64	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	21.2	1878	88.1	3146.5
Scincidae	<i>Sphenomorphus maidroni</i>	Sphenomorphus maidroni	variable 2.00	0.97	0.64	Oceania	yes	2.42	Nocturnal	Fossilial&Terrestr	Fossilial	Oviparous	11.5	25.5	3127	25.1	352.5
Scincidae	<i>Sphenomorphus melanopogon</i>	Sphenomorphus melanopogon	variable 2.00	1.19	0.58	Oceania	yes	8.83	NA	Arboreal	Scansorial	Oviparous	11.4	25	1640	79.1	660.3
Scincidae	<i>Sphenomorphus mimicus</i>	Sphenomorphus mimicus	variable 2.00	0.12	0.12	Oriental	no	16.27	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	25.1	1815	85.9	2201.8
Scincidae	<i>Sphenomorphus minutus</i>	Sphenomorphus minutus	variable 1.00	0.08	-0.20	Oceania	yes	5.71	Nocturnal	Fossilial&Terrestr	Fossilial	Oviparous	11.6	24.7	2842	29.4	352.5
Scincidae	<i>Sphenomorphus multisquam</i>	Sphenomorphus multisquamatus	variable 3.00	0.89	0.60	Oriental	yes	4.19	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	25	2		

Scincidae	<i>Sphenomorphus nigriventris</i>	Sphenomorphus nigriventris	variable 3.70	1.19	0.87	Oceania	yes	4.32	Nocturnal	Fossorial&Terrestr	Fossorial	Viviparous	11.5	13.6	3644	17.6	343.7
Scincidae	<i>Sphenomorphus nigrolineatus</i>	Sphenomorphus nigrolineatus	variable 3.80	0.93	0.72	Oceania	yes	9.46	Cathemeral	Fossorial&Terrestr	Fossorial	Oviparous	11.8	18.2	2851	30.3	588.9
Scincidae	<i>Sphenomorphus oligolepis</i>	Sphenomorphus oligolepis	variable 2.00	0.49	0.30	Oceania	yes	6.78	NA	NA	NA	Oviparous	11.9	23.3	3514	18.9	496.2
Scincidae	<i>Sphenomorphus orientalis</i>	Sphenomorphus orientale	variable 2.00	0.47	0.47	Oriental	no	21.29	NA	NA	NA	Oviparous	11.5	23.9	897	86.8	3102.0
Scincidae	<i>Sphenomorphus papuae</i>	Sphenomorphus papuae	variable 3.37	1.02	0.90	Oceania	yes	8.39	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.8	18.6	2701	34.1	458.1
Scincidae	<i>Sphenomorphus praesignis</i>	Sphenomorphus praesignis	variable 7.25	1.60	1.51	Oriental	no	5.59	Diurnal	Terrestrial	Terrestrial	Viviparous	11.9	25	2379	37	670.8
Scincidae	<i>Sphenomorphus pratti</i>	Sphenomorphus pratti	variable 3.00	1.27	NA	Oceania	yes	5.29	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.7	24.7	3658	24.5	383.0
Scincidae	<i>Sphenomorphus sabanus</i>	Sphenomorphus sabanus	variable 1.90	0.62	0.40	Oriental	yes	5.30	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	24.9	2460	20.8	450.2
Scincidae	<i>Sphenomorphus schlegeli</i>	Sphenomorphus schlegeli	variable 6.00	-0.22	NA	Oceania	yes	8.57	Diurnal	Terrestrial	Terrestrial	NA	11.2	26.2	1868	67.4	608.4
Scincidae	<i>Sphenomorphus schultzei</i>	Sphenomorphus schultzei	variable 1.00	0.27	-0.02	Oceania	yes	5.26	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.7	17.4	3533	20.6	331.5
Scincidae	<i>Sphenomorphus scotophilus</i>	Sphenomorphus scotophilus	variable 1.80	0.83	0.32	Oriental	no	4.43	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.8	26.5	2456	42.5	575.6
Scincidae	<i>Sphenomorphus scutatus</i>	Sphenomorphus scutatus	variable 2.00	0.18	0.01	Oceania	yes	7.48	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	27.3	3930	21.7	197.6
Scincidae	<i>Sphenomorphus simus</i>	Sphenomorphus simus	variable 2.00	0.57	NA	Oceania	yes	5.10	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	24.7	3306	27.9	418.4
Scincidae	<i>Sphenomorphus solomonis</i>	Sphenomorphus solomonis	variable 2.75	1.00	0.56	Oceania	yes	5.06	Nocturnal	Fossorial&Terrestr	Fossorial	Oviparous	11.5	24.8	3129	26.9	329.4
Scincidae	<i>Sphenomorphus striolatus</i>	Sphenomorphus striolatus	variable 1.00	0.49	0.49	Oceania	yes	8.77	NA	NA	NA	Oviparous	11.5	22.7	1733	70.7	696.0
Scincidae	<i>Sphenomorphus taiwanensis</i>	Sphenomorphus taiwanensis	variable 5.22	0.81	0.44	Oriental	yes	23.61	Diurnal	Saxicolous	Scansorial	Oviparous	11.5	14.9	2496	69.2	3877.5
Scincidae	<i>Sphenomorphus tanneri</i>	Sphenomorphus tanneri	variable 2.00	0.42	0.21	Oceania	yes	5.42	NA	Cryptic&Fossorial	Fossorial	Oviparous	11.2	24.9	3440	19.7	343.9
Scincidae	<i>Sphenomorphus tonkinensis</i>	Sphenomorphus tonkinensis	variable 3.50	0.43	0.17	Oriental	no	22.65	NA	Terrestrial	Terrestrial	Oviparous	11.4	21.9	1799	73.8	5109.7
Scincidae	<i>Sphenomorphus undulatus</i>	Sphenomorphus undulatus	variable 2.00	0.79	0.54	Oceania	yes	7.78	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25.3	3287	32.4	721.8
Scincidae	<i>Sphenomorphus vanheurni</i>	Sphenomorphus vanheurni	variable 2.00	0.71	0.71	Oriental	yes	8.09	Diurnal	Fossorial&Terrest	Fossorial	Oviparous	11.8	NA	NA	NA	NA
Scincidae	<i>Spondylurus anegadae</i>	Spondylurus anegadae	variable 1.70	0.84	0.67	Neotropic	yes	18.73	Diurnal	Saxicolous	Scansorial	Viviparous	10.9	26.8	1163	36	1171.5
Scincidae	<i>Spondylurus cacosae</i>	Spondylurus cacosae	variable 2.20	0.98	0.83	Neotropic	yes	21.77	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	10.9	26.5	699	38	1501.0
Scincidae	<i>Spondylurus culebrae</i>	Spondylurus culebrae	variable 3.55	1.30	1.16	Neotropic	yes	18.32	NA	NA	NA	Viviparous	10.9	26.7	1257	33	1135.0
Scincidae	<i>Spondylurus fulgidus</i>	Spondylurus fulgidus	variable 4.00	1.10	0.86	Neotropic	yes	17.94	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.5	26.6	1292	53.5	995.1
Scincidae	<i>Spondylurus haitiae</i>	Spondylurus haitiae	variable 4.00	1.11	1.11	Neotropic	yes	18.60	NA	NA	NA	Viviparous	10.8	27	1368	38	1060.0
Scincidae	<i>Spondylurus lineolatus</i>	Spondylurus lineolatus	variable 2.00	0.70	NA	Neotropic	yes	19.20	NA	Terrestrial	Terrestrial	Viviparous	11.7	22.6	1343	41	1413.3
Scincidae	<i>Spondylurus monae</i>	Spondylurus monae	variable 3.00	1.14	0.99	Neotropic	yes	18.09	Diurnal	NA	NA	Viviparous	10.9	26.8	1169	35	1068.3
Scincidae	<i>Spondylurus nitidus</i>	Spondylurus nitidus	variable 2.00	1.27	1.19	Neotropic	yes	18.18	Diurnal	Arboreal	Scansorial	Viviparous	11.5	26.7	1348	41.9	1112.8
Scincidae	<i>Spondylurus powelli</i>	Spondylurus powelli	variable 3.00	0.87	0.83	Neotropic	yes	18.16	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	10.9	26.4	1278	35.2	1096.8
Scincidae	<i>Spondylurus sloanii</i>	Spondylurus sloanii	variable 3.00	1.32	1.17	Neotropic	yes	18.34	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.3	25.5	1561	36.6	1113.0
Scincidae	<i>Spondylurus turksae</i>	Spondylurus turksae	variable 3.00	1.01	0.99	Neotropic	yes	21.41	NA	NA	NA	Viviparous	10.9	26.6	630	44.5	1422.0
Scincidae	<i>Techmarscincus jigurru</i>	Techmarscincus jigurru	variable 3.00	1.02	0.92	Australia	no	17.39	Diurnal	Saxicolous	Scansorial	Oviparous	12.0	17.7	4749	61.5	2195.5
Scincidae	<i>Tiliqua adelaidensis</i>	Tiliqua adelaidensis	variable 2.41	1.43	1.27	Australia	no	33.84	Diurnal	Terrestrial	Terrestrial	Viviparous	11.5	15.3	442	36.9	4417.8
Scincidae	<i>Tiliqua gigas</i>	Tiliqua gigas	variable 8.50	3.06	2.70	Oceania	yes	5.23	Diurnal	Terrestrial	Terrestrial	Viviparous	11.7	25.2	3107	28.5	468.0
Scincidae	<i>Tiliqua multifasciata</i>	Tiliqua multifasciata	variable 4.20	2.87	2.52	Australia	no	22.48	Cathemeral	Terrestrial	Terrestrial	Viviparous	10.9	24.9	419	78	5127.0
Scincidae	<i>Tiliqua nigrolutea</i>	Tiliqua nigrolutea	variable 7.00	3.16	2.81	Australia	no	37.27	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	13.1	807	23.1	4089.8
Scincidae	<i>Tiliqua occipitalis</i>	Tiliqua occipitalis	variable 5.00	2.96	2.74	Australia	no	29.43	Diurnal	Terrestrial	Terrestrial	Viviparous	11.0	19.5	278	34.2	5377.1
Scincidae	<i>Tiliqua rugosa</i>	Tiliqua rugosa	variable 2.05	3.09	2.67	Australia	no	30.57	Diurnal	Terrestrial	Terrestrial	Viviparous	11.2	18.9	404	35	5155.0
Scincidae	<i>Tiliqua scincoides</i>	Tiliqua scincoides	variable 11.00	3.21	2.93	Australia	no	25.29	Diurnal	Terrestrial	Terrestrial	Viviparous	11.3	22.1	692	68.8	4125.8
Scincidae	<i>Trachylepis acutilabris</i>	Trachylepis acutilabris	variable 4.50	0.62	0.39	Afrotropic	no	18.79	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	22.2	304	121.6	2421.6
Scincidae	<i>Trachylepis affinis</i>	Trachylepis affinis	variable 2.72	1.07	0.70	Afrotropic	no	4.34	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	25.2	1472	75	1350.9
Scincidae	<i>Trachylepis albilabris</i>	Trachylepis albilabris	variable 3.50	0.93	0.89	Afrotropic	no	0.50	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	24.4	1858	59.4	863.6
Scincidae	<i>Trachylepis albovittata</i>	NA	variable 3.33	0.73	NA	Afrotropic	yes	5.17	Diurnal	Arboreal	Scansorial	Oviparous	10.9	26.3	1685	81	1149.0
Scincidae	<i>Trachylepis bayonii</i>	Trachylepis bayonii	variable 5.50	1.05	0.95	Afrotropic	no	5.91	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	22.3	1394	65.8	1073.8
Scincidae	<i>Trachylepis bogerti</i>	Trachylepis bogerti	variable 5.20	0.89	NA	Afrotropic	no	8.55	NA	NA	NA	Viviparous	11.8	20.9	1080	90.4	910.8
Scincidae	<i>Trachylepis boettgeri</i>	Trachylepis boettgeri	variable 2.00	0.49	0.40	Madagascar	yes	20.75	NA	NA	NA	Viviparous	11.7	17.7	1264	92.3	2419.9
Scincidae	<i>Trachylepis boulengeri</i>	Trachylepis boulengeri	variable 5.50	1.49	NA	Afrotropic	no	14.06	Diurnal	Arboreal&Terrest	Scansorial	Oviparous	11.8	23.4	1137	96.5	1950.9
Scincidae	<i>Trachylepis brauni</i>	Trachylepis brauni	variable 9.00	1.05	NA	Afrotropic	no	9.77	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.8	18.2	1467	91.1	1999.7
Scincidae	<i>Trachylepis brevicollis</i>	Trachylepis brevicollis	variable 3.00	2.16	1.50	Afrotropic	no	10.78	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.0	25.3	428	90.3	2340.1
Scincidae	<i>Trachylepis buettneri</i>	Trachylepis buettneri	variable 8.70	1.19	0.83	Afrotropic	no	6.87	Diurnal	Arboreal	Scansorial	Oviparous	11.8	25.3	1244	76.8	1571.2
Scincidae	<i>Trachylepis capensis</i>	Trachylepis capensis	variable 11.62	1.75	1.22	Afrotropic	no	26.93	Diurnal	Terrestrial	Terrestrial	Mixed	11.2	18.2	434	74	4356.5
Scincidae	<i>Trachylepis comorensis</i>	Trachylepis comorensis	variable 5.00	1.49	1.17	Madagascar	yes	12.08	Diurnal	Arboreal&Terrest	Scansorial	Oviparous	10.9	24.1	2138	64.4	1114.0
Scincidae	<i>Trachylepis depressa</i>	Trachylepis depressa	variable 7.00	1.14	NA	Afrotropic	no	23.45	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	23.6	696	77.3	2863.6
Scincidae	<i>Trachylepis dichroma</i>	Trachylepis dichroma	variable 3.00	2.20	1.45	Afrotropic	no	0.25	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	21.3	787	79.5	1014.2
Scincidae	<i>Trachylepis gravenhorstii</i>	Trachylepis gravenhorstii	variable 3.50	1.25	0.71	Madagascar	yes	19.46	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	22.5	1485	94.5	2021.6
Scincidae	<i>Trachylepis homalocephala</i>	Trachylepis homalocephala	variable 6.00	1.30	NA	Afrotropic	no	32.16	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.4	16.3	575	43.6	3625.5
Scincidae	<i>Trachylepis infralineata</i>	Trachylepis infralineata	variable 7.00	1.44	NA	Afrotropic	yes	22.34	Diurnal	Terrestrial	Terrestrial	Oviparous	NA	25.1	545	94.7	1979.7
Scincidae	<i>Trachylepis irregularis</i>	Trachylepis irregularis	variable 5.00	0.93	0.93	Afrotropic	no	0.49	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	18.3	873	61.1	850.5
Scincidae	<i>Trachylepis lacertiformis</i>	Trachylepis lacertiformis	variable 4.50	0.47	NA	Afrotropic	no	17.26	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	11.6	21.7	765	107.3	2752.8
Scincidae	<i>Trachylepis lavarambo</i>	Trachylepis lavarambo	variable 3.00	0.64	0.55	Madagascar	yes	13.32	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	26	2396	88	1001.2
Scincidae	<i>Trachylepis maculilabris</i>	Trachylepis maculilabris	variable 7.04	1.30	0.88	Afrotropic	no	0.31	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.8	23.7	1486	63.9	1059.8
Scincidae	<i>Trachylepis madagascariensis</i>	Trachylepis madagascariensis	variable 5.00	0.98	0.66	Madagascar	yes	19.98	NA	NA	NA	Oviparous	11.8	17.1	1510	86.3	2380.6
Scincidae	<i>Trachylepis makolowodei</i>	Trachylepis makolowodei	variable 6.50	1.65	1.55	Afrotropic	no	2.01	NA	Arboreal&Saxicolo	Scansorial	Oviparous	12.0	24	1649	43.3	717.3
Scincidae	<i>Trachylepis margaritifera</i>	Trachylepis margaritifera	variable 6.10	1.59	1.28	Afrotropic	no	16.24	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	22.1	905	98	2504.2
Scincidae	<i>Trachylepis megalura</i>	Trachylepis megalura	variable 4.80	1.11	0.62	Afrotropic	no	1.10	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	11.8	21.3	1311	63.4	977.6
Scincidae	<i																

Scincidae	<i>Trachylepis planifrons</i>	Trachylepis planifrons	variable 8.50	1.54	1.31	Afrotropic	no	0.54	Diurnal	Arboreal	Scansorial	Oviparous	11.4	24.4	678	96.8	1313.5
Scincidae	<i>Trachylepis polytropis</i>	Trachylepis polypropis	variable 3.50	1.52	1.40	Afrotropic	no	2.99	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	24.1	1763	53.2	843.6
Scincidae	<i>Trachylepis pulcherrima</i>	Trachylepis pulcherrima	variable 7.00	1.60	NA	Afrotropic	no	9.02	Diurnal	Saxicolous	Scansorial	Oviparous	11.8	23	1153	87.7	1360.9
Scincidae	<i>Trachylepis punctatissima</i>	Trachylepis punctatissima	variable 4.80	1.43	0.81	Afrotropic	no	25.86	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.4	18.4	558	77.7	4437.1
Scincidae	<i>Trachylepis quinqueaeniata</i>	Trachylepis quinqueaeniata	variable 4.80	1.91	1.05	Afrotropic	no	11.19	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.3	26.3	780	115.9	2540.2
Scincidae	<i>Trachylepis raymondlaurenti</i>	NA	variable 10.00	1.02	0.90	Afrotropic	no	7.42	Diurnal	Terrestrial	Terrestrial	Viviparous	NA	NA	NA	NA	NA
Scincidae	<i>Trachylepis sechellensis</i>	Trachylepis sechellensis	variable 4.00	1.43	1.07	Madagascar	yes	4.74	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	26.2	2497	42.8	683.8
Scincidae	<i>Trachylepis sparsa</i>	Trachylepis sparsa	variable 5.15	1.44	1.08	Afrotropic	no	27.00	Diurnal	Arboreal	Scansorial	Viviparous	10.8	20.6	170	93.3	5507.3
Scincidae	<i>Trachylepis spilogaster</i>	Trachylepis spilogaster	variable 4.86	1.23	0.94	Afrotropic	no	23.42	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	10.9	20.4	248	100.3	4597.2
Scincidae	<i>Trachylepis striata</i>	Trachylepis striata	variable 6.70	1.50	1.04	Afrotropic	no	3.70	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.6	22.5	902	89.4	1969.3
Scincidae	<i>Trachylepis sulcata</i>	Trachylepis sulcata	variable 3.75	1.47	0.71	Afrotropic	no	24.64	Diurnal	Saxicolous	Scansorial	Viviparous	11.0	19.4	291	87.2	4031.8
Scincidae	<i>Trachylepis tavaratra</i>	Trachylepis tavaratra	variable 5.00	0.66	0.54	Madagascar	yes	12.81	Diurnal	Terrestrial	Terrestrial	Viviparous	11.6	25.2	1338	104.7	1130.8
Scincidae	<i>Trachylepis tessellata</i>	Trachylepis tessellata	variable 2.50	1.33	0.62	Afrotropic	no	17.32	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	10.5	25.6	134	90.4	3812.0
Scincidae	<i>Trachylepis thomensis</i>	NA	variable 4.50	1.31	1.05	Afrotropic	yes	0.28	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	23.8	1006	66.8	1121.5
Scincidae	<i>Trachylepis varia</i>	Trachylepis varia	variable 7.36	0.85	0.61	Afrotropic	no	10.77	Diurnal	Arboreal&Saxicolo	Scansorial	Mixed	11.6	21.7	956	84.6	2127.9
Scincidae	<i>Trachylepis variegata</i>	Trachylepis variegata	variable 2.32	0.54	0.08	Afrotropic	no	26.90	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	10.8	18.6	194	79.3	4362.8
Scincidae	<i>Trachylepis vato</i>	Trachylepis vato	variable 8.00	0.49	NA	Madagascar	yes	23.53	NA	Saxicolous	Scansorial	Oviparous	11.5	22.4	796	95.8	2511.4
Scincidae	<i>Trachylepis wahlbergii</i>	NA	variable 6.00	1.47	NA	Afrotropic	no	15.76	Diurnal	Arboreal&Saxicolo	Scansorial	Mixed	NA	NA	NA	NA	NA
Scincidae	<i>Trachylepis wrightii</i>	Trachylepis wrightii	variable 4.50	1.99	NA	Afrotropic	yes	4.41	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.9	NA	NA	NA	NA
Scincidae	<i>Tribolonomus annectens</i>	Tribolonomus annectens	variable 1.00	0.36	0.35	Oceania	yes	4.73	NA	NA	NA	Oviparous	11.3	24.4	3497	32.2	298.3
Scincidae	<i>Tribolonomus blanchardi</i>	Tribolonomus blanchardi	variable 1.00	0.05	-0.20	Oceania	yes	6.23	Diurnal	Fossilial&Terrestr	Fossilial	Oviparous	11.3	24.9	3257	16.7	381.2
Scincidae	<i>Tribolonomus gracilis</i>	Tribolonomus gracilis	variable 1.00	1.37	1.24	Oceania	yes	3.64	Diurnal	Fossilial&Terrestr	Fossilial	Oviparous	11.8	25.3	2777	28.3	195.9
Scincidae	<i>Tribolonomus novaequineae</i>	Tribolonomus novaequineae	variable 1.00	1.37	0.93	Oceania	yes	3.07	NA	Terrestrial	Terrestrial	Oviparous	11.5	24.2	3321	18.7	361.4
Scincidae	<i>Tribolonomus ponceleti</i>	Tribolonomus ponceleti	variable 1.00	1.65	1.49	Oceania	yes	6.84	Nocturnal	Fossilial&Terrestr	Fossilial	Oviparous	11.3	25.5	3362	19.5	364.8
Scincidae	<i>Tribolonomus pseudoponceleti</i>	Tribolonomus pseudoponceleti	variable 1.00	0.95	0.43	Oceania	yes	6.37	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	25.3	3339	17	376.1
Scincidae	<i>Tribolonomus schmidtii</i>	Tribolonomus schmidtii	variable 1.00	0.08	-0.12	Oceania	yes	9.62	Diurnal	Cryptic	Terrestrial	Viviparous	11.4	24.5	2673	28.4	368.0
Scincidae	<i>Tropidophorus baviensis</i>	Tropidophorus baviensis	variable 5.50	1.22	1.09	Oriental	no	19.96	Cathemeral	Semi_Aquatic	NA	Viviparous	11.7	22.3	1889	79.8	3588.5
Scincidae	<i>Tropidophorus beccarii</i>	Tropidophorus beccarii	variable 4.00	1.30	NA	Oriental	yes	2.62	Diurnal	Semi_Aquatic	NA	Viviparous	12.0	24.5	3278	19.6	369.7
Scincidae	<i>Tropidophorus berdmorei</i>	Tropidophorus berdmorei	variable 11.50	1.29	1.05	Oriental	no	20.26	Diurnal	Semi_Aquatic	Scansorial	Viviparous	11.7	23.2	1525	86	2982.6
Scincidae	<i>Tropidophorus brookei</i>	Tropidophorus brookei	variable 3.85	1.47	1.22	Oriental	yes	2.29	Diurnal	Semi_Aquatic	Terrestrial	Viviparous	12.0	24.8	3316	20.2	376.5
Scincidae	<i>Tropidophorus coccinensis</i>	Tropidophorus coccinensis	variable 6.50	1.35	1.04	Oriental	no	15.24	Diurnal	Semi_Aquatic	Terrestrial	Viviparous	11.8	22.9	2418	78	2267.9
Scincidae	<i>Tropidophorus davaoensis</i>	Tropidophorus davaoensis	variable 4.50	1.72	1.36	Oriental	yes	7.42	NA	Semi_Aquatic	NA	Viviparous	11.5	25.3	2337	29.5	452.2
Scincidae	<i>Tropidophorus grayi</i>	Tropidophorus grayi	variable 3.80	1.58	1.36	Oriental	yes	11.76	Diurnal	Semi_Aquatic	Terrestrial	Viviparous	11.4	26.5	2619	47.1	713.7
Scincidae	<i>Tropidophorus hainanus</i>	Tropidophorus hainanus	variable 4.00	0.56	0.27	Oriental	no	23.48	Diurnal	Semi_Aquatic	NA	Oviparous	11.5	20.9	1593	71	5511.8
Scincidae	<i>Tropidophorus laotus</i>	Tropidophorus laotus	variable 4.60	1.19	NA	Oriental	no	18.42	Cathemeral	Semi_Aquatic	NA	Viviparous	11.8	24.6	1675	87.9	2369.4
Scincidae	<i>Tropidophorus microlepis</i>	Tropidophorus microlepis	variable 8.00	1.07	0.90	Oriental	no	12.08	Cathemeral	Semi_Aquatic	NA	Viviparous	11.8	25.6	2471	80	975.0
Scincidae	<i>Tropidophorus micropus</i>	Tropidophorus micropus	variable 3.00	0.05	-0.07	Oriental	yes	1.15	Diurnal	Semi_Aquatic	NA	Viviparous	12.0	23.6	3963	16.5	256.3
Scincidae	<i>Tropidophorus misaminius</i>	Tropidophorus misaminius	variable 3.00	1.49	1.35	Oriental	yes	8.07	Cathemeral	Semi_Aquatic	NA	Viviparous	11.5	25.4	2477	36.8	478.3
Scincidae	<i>Tropidophorus moquardii</i>	Tropidophorus moquardii	variable 4.00	1.26	1.26	Oriental	yes	2.31	Diurnal	Semi_Aquatic	NA	Viviparous	12.0	23.9	3462	17.7	314.1
Scincidae	<i>Tropidophorus murphyi</i>	Tropidophorus murphyi	variable 4.00	1.28	1.15	Oriental	no	22.64	Nocturnal	Saxicolous	Scansorial	Viviparous	11.7	19.6	1483	72	4667.5
Scincidae	<i>Tropidophorus nogueei</i>	Tropidophorus nogueei	variable 4.50	1.47	1.35	Oriental	no	17.54	Nocturnal	Saxicolous	Scansorial	NA	11.7	NA	NA	NA	NA
Scincidae	<i>Tropidophorus partelloi</i>	Tropidophorus partelloi	variable 5.00	1.67	1.66	Oriental	yes	7.66	Cathemeral	Terrestrial	Terrestrial	Viviparous	11.6	25.1	2283	33	444.7
Scincidae	<i>Tropidophorus robinsoni</i>	Tropidophorus robinsoni	variable 4.50	0.93	0.65	Oriental	no	11.74	Diurnal	Semi_Aquatic	NA	Viviparous	11.7	26.5	2709	60.6	683.7
Scincidae	<i>Tropidophorus sinicus</i>	Tropidophorus sinicus	variable 6.00	0.85	0.71	Oriental	no	23.08	Nocturnal	Semi_Aquatic	Terrestrial	Viviparous	11.5	21.5	1677	67.6	5507.2
Scincidae	<i>Tropidoscincus boreus</i>	Tropidoscincus boreus	variable 2.50	1.26	NA	Oceania	yes	21.11	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	22.3	1694	49.5	2066.8
Scincidae	<i>Tropidoscincus variabilis</i>	Tropidoscincus variabilis	variable 2.80	1.26	0.99	Oceania	yes	21.87	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	21.1	1887	42.7	2063.6
Scincidae	<i>Tumbunascincus luteilateralis</i>	Tumbunascincus luteilateralis	variable 4.25	1.49	1.11	Australia	no	20.99	Diurnal	Terrestrial	Terrestrial	Viviparous	12.0	19	1776	81.9	3067.6
Scincidae	<i>Typhlacontias brevipes</i>	Typhlacontias brevipes	variable 3.00	0.68	0.49	Afrotropic	no	21.39	Cathemeral	Fossilial	Fossilial	Viviparous	10.4	21.2	49	122.9	2106.6
Scincidae	<i>Typhlacontias rohani</i>	Typhlacontias rohani	variable 3.50	0.29	NA	Afrotropic	no	18.40	Nocturnal	Fossilial&Terrestr	Fossilial	Viviparous	11.4	22.2	573	106.9	3381.4
Scincidae	<i>Typhlosaurus caecus</i>	Typhlosaurus caecus	variable 2.00	1.15	NA	Afrotropic	no	32.67	NA	Fossilial	Fossilial	Mixed	11.3	17.7	364	67.8	3624.5
Scincidae	<i>Typhlosaurus vermis</i>	Typhlosaurus vermis	variable 2.50	1.41	0.97	Afrotropic	no	29.95	NA	Fossilial	Fossilial	Viviparous	10.9	18.2	113	60.6	3152.1
Scincidae	<i>Typhloscincus aesculenticola</i>	Typhloscincus aesculenticola	variable 2.00	0.15	-0.04	Oriental	yes	5.80	Diurnal	Fossilial&Terrestr	Fossilial	Oviparous	11.9	20.2	2483	26	481.5
Scincidae	<i>Typhloscincus bukitensis</i>	Typhloscincus bukitensis	variable 1.00	0.18	0.12	Oriental	no	3.79	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	22.1	2984	28.2	452.1
Scincidae	<i>Typhloscincus hallieri</i>	Typhloscincus hallieri	variable 2.00	0.54	0.18	Oriental	yes	3.58	NA	Terrestrial	Terrestrial	Oviparous	11.9	24.4	2545	15.9	408.8
Scincidae	<i>Typhloscincus temmincki</i>	Typhloscincus temmincki	variable 3.40	0.52	0.37	Oriental	yes	5.43	NA	NA	NA	Oviparous	11.7	22.9	2928	43.5	287.0
Scincidae	<i>Varzea bistrigata</i>	Varzea bistrigata	variable 4.70	1.45	1.23	Neotropic	no	5.92	Diurnal	Arboreal&Terrestri	Scansorial	Viviparous	11.9	25.2	1970	61.5	828.4
Scincidae	<i>Voeltzkowia mira</i>	Voeltzkowia mira	variable 3.00	0.17	NA	Madagascar	yes	16.04	NA	Fossilial	Fossilial	Oviparous	11.8	26.9	1635	120.2	1214.8
Shinisauroidea	<i>Shinisaurus crocodilurus</i>	Shinisaurus crocodilurus	variable 6.30	1.92	1.79	Oriental	no	23.53	Diurnal	Semi_Aquatic	Scansorial	Viviparous	11.5	21.1	1648	62.5	5904.5
Sphaerodactylidae	<i>Aristelliger barbouri</i>	Aristelliger barbouri	fixed 1.00	0.49	0.37	Neotropic	yes	21.10	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	26.8	687	52.4	1456.6
Sphaerodactylidae	<i>Aristelliger cochranae</i>	Aristelliger cochranae	fixed 1.00	0.94	0.32	Neotropic	yes	18.80	Cathemeral	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	24.2	1263	46	1288.5
Sphaerodactylidae	<i>Aristelliger expectatus</i>	Aristelliger expectatus	fixed 1.00	0.61	0.41	Neotropic	yes	18.82	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	24.2	1248	46.1	1303.9
Sphaerodactylidae	<i>Aristelliger georgeensis</i>	Aristelliger georgeensis	fixed 1.00	1.56	1.22	Neotropic	no	18.92	Cathemeral	Arboreal&Terrestri	Scansorial	Oviparous	11.0	26.1	1529	50.6	1408.7
Sphaerodactylidae	<i>Aristelliger hechti</i>	Aristelliger hechti	fixed 1.00	1.25	NA	Neotropic	yes	21.75	Nocturnal	Arboreal	Scansorial	Oviparous	10.9	26.5	687	38.2	1494.2
Sphaerodactylidae	<i>Aristelliger lar</i>	Aristelliger lar	fixed 1.00	1.90	1.50	Neotropic	yes	18.98	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	24	1439	39.5	1278.4
Sphaerodactylidae	<i>Aristelliger praesignis</i>	Aristelliger praesignis	fixed 1.00	1.39	0.68	Neotropic	yes	18.18	Nocturnal	Arboreal	Scansorial	Ovipar					

Sphaerodactylidae	<i>Coleodactylus septentrionalis</i>	Coleodactylus septentrionalis	fixed	1.00	-0.09	-0.52	Neotropic	no	5.32	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	25.1	1821	57.9	685.2
Sphaerodactylidae	<i>Euleptes europaea</i>	Euleptes europaea	fixed	1.75	0.32	0.18	Paleartic	no	40.73	Nocturnal	Arboreal&Saxicolo Scansorial	Oviparous	11.2	15	706	50.9	5169.9	
Sphaerodactylidae	<i>Gonatodes albogularis</i>	Gonatodes albogularis	fixed	1.00	0.44	0.12	Neotropic	no	10.03	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	24.2	2326	52.5	570.5	
Sphaerodactylidae	<i>Gonatodes alexandermendesi</i>	Gonatodes alexandermendesi	fixed	2.00	0.46	NA	Neotropic	no	5.38	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	12.0	21.9	2452	42	532.8	
Sphaerodactylidae	<i>Gonatodes annularis</i>	Gonatodes annularis	fixed	2.00	0.61	0.39	Neotropic	no	0.01	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	12.0	25.1	2210	53.6	703.8	
Sphaerodactylidae	<i>Gonatodes antillensis</i>	Gonatodes antillensis	fixed	1.00	0.13	NA	Neotropic	yes	11.91	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	27.4	528	68.5	796.2
Sphaerodactylidae	<i>Gonatodes caudiscutatus</i>	Gonatodes caudiscutatus	fixed	1.00	0.36	0.15	Neotropic	no	1.81	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.6	24.2	2243	84.3	604.7	
Sphaerodactylidae	<i>Gonatodes ceciliae</i>	Gonatodes ceciliae	fixed	1.00	0.87	0.49	Neotropic	no	10.60	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.4	25.4	1424	51.5	579.2	
Sphaerodactylidae	<i>Gonatodes concinnatus</i>	Gonatodes concinnatus	fixed	1.00	0.55	0.26	Neotropic	no	0.62	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.9	24.5	3124	33.4	543.6	
Sphaerodactylidae	<i>Gonatodes daudini</i>	Gonatodes daudini	fixed	1.00	-0.12	NA	Neotropic	yes	12.60	Diurnal	Saxicolous&Terre Scansorial	Oviparous	10.8	26.9	2112	42	698.0	
Sphaerodactylidae	<i>Gonatodes hasemani</i>	Gonatodes hasemani	fixed	1.00	0.38	0.25	Neotropic	no	8.75	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	12.0	25	2107	56.4	528.3	
Sphaerodactylidae	<i>Gonatodes humeralis</i>	Gonatodes humeralis	fixed	1.34	0.41	0.04	Neotropic	no	4.53	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.9	25.2	2214	54.3	699.1	
Sphaerodactylidae	<i>Gonatodes ligiae</i>	Gonatodes ligiae	fixed	1.00	0.22	0.14	Neotropic	no	8.57	NA	NA	NA	NA	24.4	1966	57.9	424.6	
Sphaerodactylidae	<i>Gonatodes ocellatus</i>	Gonatodes ocellatus	fixed	1.00	0.49	NA	Neotropic	yes	11.28	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.5	25.8	2380	43.4	591.0	
Sphaerodactylidae	<i>Gonatodes petersi</i>	Gonatodes petersi	fixed	1.00	0.27	0.08	Neotropic	no	10.48	Diurnal	Arboreal	Scansorial	Oviparous	11.9	23	1346	60.5	590.8
Sphaerodactylidae	<i>Gonatodes superciliosus</i>	Gonatodes superciliosus	fixed	1.00	0.46	NA	Neotropic	no	4.70	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	21.7	3569	48.5	320.5
Sphaerodactylidae	<i>Gonatodes tannae</i>	Gonatodes tannae	fixed	1.00	0.54	NA	Neotropic	no	10.36	Diurnal	Saxicolous	Scansorial	Oviparous	11.7	22.1	861	65.8	452.8
Sphaerodactylidae	<i>Gonatodes vittatus</i>	Gonatodes vittatus	fixed	1.50	0.03	-0.18	Neotropic	no	10.11	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	25.8	1283	55.8	594.8	
Sphaerodactylidae	<i>Lepidoblepharis heyerorum</i>	Lepidoblepharis heyerorum	fixed	1.00	0.03	NA	Neotropic	no	4.91	Cathemeral	Terrestrial	Terrestrial	Oviparous	12.0	25.6	2233	58.9	593.5
Sphaerodactylidae	<i>Lepidoblepharis montecanensis</i>	Lepidoblepharis montecanensis	fixed	1.00	-0.63	NA	Neotropic	no	11.89	NA	Cryptic	Terrestrial	Oviparous	11.0	27.4	357	69.8	860.9
Sphaerodactylidae	<i>Lepidoblepharis nukak</i>	NA	fixed	1.00	-0.20	NA	Neotropic	no	2.53	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	24.5	2951	40.2	715.5
Sphaerodactylidae	<i>Lepidoblepharis sanctaemartae</i>	Lepidoblepharis sanctaemartae	fixed	1.00	0.03	NA	Neotropic	no	9.19	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25.9	1928	54.2	324.8
Sphaerodactylidae	<i>Lepidoblepharis xanthostigma</i>	Lepidoblepharis xanthostigma	fixed	1.00	0.35	0.01	Neotropic	no	8.21	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	24.5	2717	48.8	381.8
Sphaerodactylidae	<i>Pristurus abdelkuri</i>	Pristurus abdelkuri	fixed	1.00	0.10	NA	Afrotropic	yes	12.52	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	25.1	269	147.5	1202.2
Sphaerodactylidae	<i>Pristurus carteri</i>	Pristurus carteri	fixed	1.33	1.09	NA	Paleartic	no	20.42	Cathemeral	Saxicolous&Terres Scansorial	Oviparous	10.3	28	65	105.5	4785.0	
Sphaerodactylidae	<i>Pristurus celerrimus</i>	Pristurus celerrimus	fixed	1.00	0.20	NA	Afrotropic	no	24.62	Diurnal	Saxicolous	Scansorial	Oviparous	10.4	27.1	110	112.2	5590.0
Sphaerodactylidae	<i>Pristurus collaris</i>	Pristurus collaris	fixed	1.50	0.72	NA	Afrotropic	no	15.05	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.6	25.3	98	78.1	3526.8
Sphaerodactylidae	<i>Pristurus crucifer</i>	Pristurus crucifer	fixed	1.11	0.20	NA	Afrotropic	no	7.83	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	26.2	299	105	1558.6
Sphaerodactylidae	<i>Pristurus flavipunctatus</i>	Pristurus flavipunctatus	fixed	1.00	0.20	0.08	Afrotropic	no	13.04	Diurnal	Arboreal	Scansorial	Oviparous	10.8	26.7	298	118.7	2697.3
Sphaerodactylidae	<i>Pristurus gallagheri</i>	Pristurus gallagheri	fixed	1.00	0.20	NA	Afrotropic	no	23.30	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	10.4	25.3	132	81.1	5318.0	
Sphaerodactylidae	<i>Pristurus guichardi</i>	Pristurus guichardi	fixed	1.00	0.11	-0.01	Afrotropic	yes	12.51	Diurnal	Arboreal	Scansorial	Oviparous	11.0	23.5	358	140.4	1170.1
Sphaerodactylidae	<i>Pristurus insignis</i>	Pristurus insignis	fixed	1.00	0.72	NA	Afrotropic	yes	12.50	Diurnal	Saxicolous	Scansorial	Oviparous	10.9	24.6	308	143.2	1190.1
Sphaerodactylidae	<i>Pristurus insigneoides</i>	Pristurus insigneoides	fixed	1.00	0.56	0.31	Afrotropic	yes	12.56	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.0	21.8	375	145	1135.0	
Sphaerodactylidae	<i>Pristurus minimus</i>	Pristurus minimus	fixed	1.00	-0.17	-0.44	Paleartic	no	20.81	Cathemeral	Arboreal&Terrestri Scansorial	Oviparous	10.3	27.7	66	103.6	4490.1	
Sphaerodactylidae	<i>Pristurus obsti</i>	Pristurus obsti	fixed	1.00	0.12	0.01	Afrotropic	yes	12.43	Diurnal	Arboreal	Scansorial	Oviparous	10.8	25.1	268	143.7	1189.6
Sphaerodactylidae	<i>Pristurus ornithocephalus</i>	Pristurus ornithocephalus	fixed	1.00	0.72	NA	Afrotropic	no	13.72	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	27.2	234	79.3	2943.8
Sphaerodactylidae	<i>Pristurus phillipsii</i>	Pristurus phillipsii	fixed	1.00	-0.17	NA	Afrotropic	no	8.59	Diurnal	Saxicolous	Scansorial	Oviparous	10.6	26.4	131	122.9	1795.2
Sphaerodactylidae	<i>Pristurus popovi</i>	Pristurus popovi	fixed	1.00	0.12	NA	Afrotropic	no	16.28	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	22.1	196	89.6	2856.8
Sphaerodactylidae	<i>Pristurus rupestris</i>	Pristurus rupestris	fixed	1.00	-0.09	NA	Afrotropic	no	17.13	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	10.5	26	157	94.7	3833.3	
Sphaerodactylidae	<i>Pristurus saada</i>	Pristurus saada	fixed	1.67	0.23	NA	Afrotropic	no	16.23	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	20.9	130	102.4	3042.6
Sphaerodactylidae	<i>Pristurus samhaensis</i>	Pristurus samhaensis	fixed	1.00	0.15	NA	Afrotropic	yes	12.15	Diurnal	Saxicolous&Terres Scansorial	Oviparous	10.7	25.7	257	153.5	1149.0	
Sphaerodactylidae	<i>Pristurus sokotranus</i>	Pristurus sokotranus	fixed	1.00	0.20	NA	Afrotropic	yes	12.51	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	10.9	24.8	306	143.6	1195.3	
Sphaerodactylidae	<i>Pristurus somalicus</i>	Pristurus somalicus	fixed	1.00	0.17	-0.15	Afrotropic	no	9.47	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	25	218	91	2066.3
Sphaerodactylidae	<i>Pseudogonatodes guianensis</i>	Pseudogonatodes guianensis	fixed	1.00	-0.17	-0.31	Neotropic	no	0.93	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	24.8	2540	40.4	553.4
Sphaerodactylidae	<i>Pseudogonatodes lunulatus</i>	Pseudogonatodes lunulatus	fixed	1.00	-0.18	-0.28	Neotropic	no	10.38	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.6	24.9	1022	53.4	613.7
Sphaerodactylidae	<i>Quedenfeldia moerens</i>	Quedenfeldia moerens	fixed	1.00	0.20	NA	Paleartic	no	30.27	Diurnal	Saxicolous	Scansorial	Oviparous	10.8	16.6	208	69.6	5658.7
Sphaerodactylidae	<i>Quedenfeldia trachyblepharus</i>	Quedenfeldia trachyblepharus	fixed	1.00	0.39	0.29	Paleartic	no	31.05	Diurnal	Saxicolous	Scansorial	Oviparous	11.0	13.5	295	63.2	6199.4
Sphaerodactylidae	<i>Sauromactylus brosseti</i>	NA	fixed	1.00	-0.13	NA	Paleartic	no	30.18	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.8	18.7	229	75.8	4788.5
Sphaerodactylidae	<i>Saurodactylus fasciatus</i>	Saurodactylus fasciatus	fixed	2.00	0.13	-0.31	Paleartic	no	33.56	Cathemeral	Terrestrial	Terrestrial	Oviparous	11.4	17.7	545	69.8	5150.2
Sphaerodactylidae	<i>Saurodactylus mauritanicus</i>	Saurodactylus mauritanicus	fixed	1.00	-0.01	-0.01	Paleartic	no	31.31	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	18.8	241	68.8	5396.4
Sphaerodactylidae	<i>Sphaerodactylus altaventensis</i>	Sphaerodactylus altaventensis	fixed	1.00	-0.21	-0.38	Neotropic	yes	18.71	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	23.8	1116	50.5	1289.9
Sphaerodactylidae	<i>Sphaerodactylus argivus</i>	Sphaerodactylus argivus	fixed	1.00	-0.21	-0.37	Neotropic	yes	19.42	NA	Terrestrial	Terrestrial	Oviparous	10.9	27	1409	57.4	1234.1
Sphaerodactylidae	<i>Sphaerodactylus argus</i>	Sphaerodactylus argus	fixed	1.00	-0.05	-0.18	Neotropic	no	21.06	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.6	25.1	1438	58	1630.3	
Sphaerodactylidae	<i>Sphaerodactylus armasi</i>	Sphaerodactylus armasi	fixed	1.00	-0.09	-0.64	Neotropic	yes	20.14	NA	Arboreal	Scansorial	Oviparous	11.3	25.1	869	50.5	1290.0
Sphaerodactylidae	<i>Sphaerodactylus caicosensis</i>	Sphaerodactylus caicosensis	fixed	1.00	-0.09	NA	Neotropic	yes	21.74	NA	NA	NA	Oviparous	10.9	26.5	698	38	1498.3
Sphaerodactylidae	<i>Sphaerodactylus callocricus</i>	Sphaerodactylus callocricus	fixed	1.00	-0.26	NA	Neotropic	yes	19.08	NA	Saxicolous&Terres Scansorial	Oviparous	11.7	25.4	2011	31	1203.3	
Sphaerodactylidae	<i>Sphaerodactylus cinereus</i>	Sphaerodactylus cinereus	fixed	1.00	0.10	-0.09	Neotropic	yes	19.04	Nocturnal	Arboreal	Scansorial	Oviparous	11.6	24.8	1330	41.4	1408.0
Sphaerodactylidae	<i>Sphaerodactylus clenchi</i>	Sphaerodactylus clenchi	fixed	1.00	-0.01	NA	Neotropic	yes	19.08	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.6	1946	29.1	1146.6
Sphaerodactylidae	<i>Sphaerodactylus copei</i>	Sphaerodactylus copei	fixed	1.00	0.23	0.17	Neotropic	yes	18.41	NA	Saxicolous	Scansorial	Oviparous	11.5	24.7	1419	46.5	1102.1
Sphaerodactylidae	<i>Sphaerodactylus corticola</i>	Sphaerodactylus corticola	fixed	1.00	0.17	NA	Neotropic	yes	22.90	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	26.2	950	49.7	1746.0
Sphaerodactylidae	<i>Sphaerodactylus dacnicolor</i>	NA	fixed	1.00	-0.09	NA	Neotropic	yes	18.09	NA	NA	NA	Oviparous	10.8	25.5	2457	41.1	976.5
Sphaerodactylidae	<i>Sphaerodactylus darlingtoni</i>	Sphaerodactylus darlingtoni	fixed	1.00	-0.21	NA	Neotropic	yes	18.98	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	23.1	1490	38.4	1276.6
Sphaerodactylidae	<i>Sphaerodactylus difficilis</i>	Sphaerodactylus difficilis	fixed	1.00	-0.01	NA	Neotropic	yes	19.05	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.6	24.1	1402	38.9	1294.3	
Sphaerodactylidae	<i>Sphaerodactylus dimorphicus</i>	Sphaerodactylus dimorphicus	fixed</															

Sphaerodactylidae	<i>Sphaerodactylus goniorhync</i>	Sphaerodactylus goniorhynchus	fixed	1.00	-0.09	NA	Neotropic	yes	18.21	NA	Arboreal&Terrestri	Scansorial	Oviparous	11.5	25	1772	41.8	1012.6
Sphaerodactylidae	<i>Sphaerodactylus grandisqua</i>	NA	fixed	1.00	0.05	NA	Neotropic	yes	18.27	Diurnal	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Sphaerodactylidae	<i>Sphaerodactylus homolepis</i>	Sphaerodactylus homolepis	fixed	1.00	-0.05	-0.09	Neotropic	no	9.65	Diurnal	Arboreal	Scansorial	Oviparous	11.5	24.2	3344	29.5	379.6
Sphaerodactylidae	<i>Sphaerodactylus inaguae</i>	Sphaerodactylus inaguae	fixed	1.00	-0.21	NA	Neotropic	yes	21.03	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	26.8	677	52.9	1446.3
Sphaerodactylidae	<i>Sphaerodactylus inigoi</i>	NA	fixed	1.00	-0.17	NA	Neotropic	yes	18.13	Diurnal	Terrestrial	Terrestrial	Oviparous	NA	NA	NA	NA	NA
Sphaerodactylidae	<i>Sphaerodactylus kirbyi</i>	Sphaerodactylus kirbyi	fixed	1.00	-0.21	-0.44	Neotropic	yes	12.67	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	26.8	2107	41.6	705.6
Sphaerodactylidae	<i>Sphaerodactylus klauberi</i>	Sphaerodactylus klauberi	fixed	1.00	0.10	NA	Neotropic	yes	18.26	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	24.7	1696	33.8	1084.1
Sphaerodactylidae	<i>Sphaerodactylus leucaster</i>	Sphaerodactylus leucaster	fixed	1.00	-0.13	NA	Neotropic	yes	18.45	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.7	25.1	855	57.5	1288.4
Sphaerodactylidae	<i>Sphaerodactylus levinsi</i>	Sphaerodactylus levinsi	fixed	1.00	-0.18	NA	Neotropic	yes	18.39	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	NA	NA	NA	NA
Sphaerodactylidae	<i>Sphaerodactylus macrolepis</i>	Sphaerodactylus macrolepis	fixed	1.00	-0.28	NA	Neotropic	yes	18.23	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	25.5	1611	35.8	1098.4
Sphaerodactylidae	<i>Sphaerodactylus millepunctata</i>	Sphaerodactylus millepunctatus	fixed	1.50	0.04	-0.33	Neotropic	no	14.75	Cathemeral	Arboreal&Terrestri	Scansorial	Oviparous	11.8	24.6	2499	55.6	1131.7
Sphaerodactylidae	<i>Sphaerodactylus molei</i>	Sphaerodactylus molei	fixed	2.00	-0.26	-0.40	Neotropic	no	8.86	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.7	25.4	1484	55.1	681.4
Sphaerodactylidae	<i>Sphaerodactylus nicholsi</i>	Sphaerodactylus nicholsi	fixed	1.00	-0.41	-0.67	Neotropic	yes	18.21	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	25.2	1525	39.3	1086.6
Sphaerodactylidae	<i>Sphaerodactylus nigropunctata</i>	Sphaerodactylus nigropunctatus	fixed	1.00	0.20	-0.01	Neotropic	yes	21.26	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	25.2	1208	54.5	1567.2
Sphaerodactylidae	<i>Sphaerodactylus notatus</i>	Sphaerodactylus notatus	fixed	1.00	-0.01	-0.19	Neotropic	no	22.15	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	25.1	1308	57.1	1835.8
Sphaerodactylidae	<i>Sphaerodactylus oliveri</i>	Sphaerodactylus oliveri	fixed	1.00	-0.01	-0.14	Neotropic	yes	22.02	Diurnal	NA	NA	Oviparous	11.6	24.1	1573	64	1826.4
Sphaerodactylidae	<i>Sphaerodactylus oxyrhinus</i>	Sphaerodactylus oxyrhinus	fixed	1.00	-0.01	-0.16	Neotropic	yes	18.34	NA	Arboreal&Terrestri	Scansorial	Oviparous	11.8	25.6	1741	41.5	1054.2
Sphaerodactylidae	<i>Sphaerodactylus pacificus</i>	Sphaerodactylus pacificus	fixed	1.50	0.46	NA	Neotropic	yes	5.53	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	25.5	7829	41.5	639.0
Sphaerodactylidae	<i>Sphaerodactylus parkeri</i>	Sphaerodactylus parkeri	fixed	1.00	0.03	NA	Neotropic	yes	17.88	Nocturnal	Saxicolous&Terres	Scansorial	Oviparous	11.2	26.6	1352	54.4	981.5
Sphaerodactylidae	<i>Sphaerodactylus parvus</i>	Sphaerodactylus parvus	fixed	1.00	-0.46	NA	Neotropic	yes	18.11	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.9	26.7	1114	34.6	1143.7
Sphaerodactylidae	<i>Sphaerodactylus pimienta</i>	Sphaerodactylus pimienta	fixed	1.00	0.13	-0.03	Neotropic	yes	20.23	NA	Saxicolous&Terres	Scansorial	Oviparous	11.9	24.1	1335	54.5	1326.5
Sphaerodactylidae	<i>Sphaerodactylus richardsoni</i>	Sphaerodactylus richardsonii	fixed	1.00	0.20	NA	Neotropic	yes	18.44	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	26.4	1679	35.4	1074.0
Sphaerodactylidae	<i>Sphaerodactylus roosevelti</i>	Sphaerodactylus roosevelti	fixed	1.00	0.17	0.03	Neotropic	yes	18.00	Nocturnal	Arboreal&Terrestri	Scansorial	Oviparous	11.4	26.8	1194	48.5	1095.6
Sphaerodactylidae	<i>Sphaerodactylus rubitali</i>	Sphaerodactylus rubitali	fixed	1.00	-0.09	-0.21	Neotropic	yes	20.00	NA	Terrestrial	Terrestrial	Oviparous	11.5	25.9	906	55.4	1284.1
Sphaerodactylidae	<i>Sphaerodactylus sabanus</i>	Sphaerodactylus sabanus	fixed	1.00	-0.17	NA	Neotropic	yes	17.30	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.9	25.8	1370	33.8	1077.8
Sphaerodactylidae	<i>Sphaerodactylus savagei</i>	Sphaerodactylus savagei	fixed	1.00	-0.05	-0.15	Neotropic	yes	18.50	Cathemeral	Arboreal	Scansorial	Oviparous	11.2	26.4	1246	36.6	1080.3
Sphaerodactylidae	<i>Sphaerodactylus scaber</i>	Sphaerodactylus scaber	fixed	1.00	-0.01	-0.19	Neotropic	yes	22.02	NA	Cryptic	Terrestrial	Oviparous	11.6	25.2	1369	60.6	1852.1
Sphaerodactylidae	<i>Sphaerodactylus siboney</i>	Sphaerodactylus siboney	fixed	1.00	-0.08	-0.25	Neotropic	yes	19.97	NA	Terrestrial	Terrestrial	Oviparous	10.8	25.9	1125	54	1280.5
Sphaerodactylidae	<i>Sphaerodactylus sputator</i>	Sphaerodactylus sputator	fixed	1.00	0.20	NA	Neotropic	yes	17.76	Cathemeral	Terrestrial	Terrestrial	Oviparous	10.9	26.2	1264	34.1	1107.6
Sphaerodactylidae	<i>Sphaerodactylus streptophorus</i>	Sphaerodactylus streptophorus	fixed	1.00	-0.36	NA	Neotropic	yes	18.27	NA	Terrestrial	Terrestrial	Oviparous	11.5	22.8	1060	52.2	1132.5
Sphaerodactylidae	<i>Sphaerodactylus torrei</i>	Sphaerodactylus torrei	fixed	1.00	0.17	-0.09	Neotropic	yes	20.00	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	25.5	1174	53.6	1285.2
Sphaerodactylidae	<i>Sphaerodactylus townsendi</i>	Sphaerodactylus townsendi	fixed	1.00	-0.17	-0.37	Neotropic	yes	18.10	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.9	1633	37.4	1101.3
Sphaerodactylidae	<i>Sphaerodactylus vincenti</i>	Sphaerodactylus vincenti	fixed	1.00	0.20	-0.28	Neotropic	yes	14.53	Cathemeral	Arboreal&Terrestri	Scansorial	Oviparous	10.9	25.6	2328	38.9	842.7
Sphaerodactylidae	<i>Sphaerodactylus zygaena</i>	Sphaerodactylus zygaena	fixed	1.00	-0.09	-0.19	Neotropic	yes	18.36	NA	NA	NA	Oviparous	11.7	25.3	1470	42.2	982.1
Sphaerodactylidae	<i>Teratoscincus bedriagai</i>	Teratoscincus bedriagai	fixed	1.50	0.98	0.89	Paleartic	no	32.99	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.3	20.4	124	105	9314.5
Sphaerodactylidae	<i>Teratoscincus keyserlingii</i>	NA	fixed	2.00	1.58	NA	Paleartic	no	31.32	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.3	20.9	137	104.4	8763.8
Sphaerodactylidae	<i>Teratoscincus microlepis</i>	Teratoscincus microlepis	fixed	2.00	1.26	0.96	Paleartic	no	29.28	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.3	23.4	104	105.4	8377.5
Sphaerodactylidae	<i>Teratoscincus przewalskii</i>	Teratoscincus przewalskii	fixed	2.00	1.34	1.04	Paleartic	no	40.87	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.0	9.1	66	99.7	12106.5
Sphaerodactylidae	<i>Teratoscincus roborowskii</i>	Teratoscincus roborowskii	fixed	2.00	1.32	1.13	Paleartic	no	40.85	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.2	7.6	47	90.3	12224.4
Teiidae	<i>Teratoscincus scincus</i>	Teratoscincus scincus	fixed	2.00	1.62	1.05	Paleartic	no	41.89	Nocturnal	Terrestrial	Terrestrial	Oviparous	10.5	12.5	210	56.5	10869.5
Teiidae	<i>Ameiva ameiva</i>	Ameiva ameiva	variable	5.25	2.48	1.71	Neotropic	no	8.92	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	24.2	1863	58.2	1165.2
Teiidae	<i>Ameiva atrigularis</i>	Ameiva atrigularis	variable	4.72	2.34	NA	Neotropic	no	10.38	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	24.9	1325	49.6	593.3
Teiidae	<i>Ameiva bifrontata</i>	Ameiva bifrontata	variable	1.88	1.81	1.32	Neotropic	no	3.44	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	24.5	2213	52.2	622.5
Teiidae	<i>Ameiva concolor</i>	Ameiva concolor	variable	1.98	1.81	NA	Neotropic	no	7.62	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	11.6	875	66.7	348.1
Teiidae	<i>Ameiva jacuba</i>	Ameiva jacuba	variable	3.00	1.55	1.50	Neotropic	no	18.37	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	22.4	1724	65.6	1408.2
Teiidae	<i>Ameiva parecis</i>	Ameiva parecis	variable	1.64	1.33	1.16	Neotropic	no	12.48	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	23.4	2024	70.1	705.0
Teiidae	<i>Ameiva praesignis</i>	Ameiva praesignis	variable	4.72	2.67	1.89	Neotropic	no	9.44	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	25.3	1279	66	827.3
Teiidae	<i>Ameivula jalapensis</i>	Ameivula jalapensis	variable	1.00	0.74	0.57	Neotropic	no	10.84	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	25.5	1457	81.9	1073.9
Teiidae	<i>Ameivula mumubica</i>	Ameivula mumubica	variable	1.00	0.76	0.62	Neotropic	no	12.30	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	24.8	1480	85.2	1002.2
Teiidae	<i>Ameivula nativo</i>	Ameivula nativo	variable	2.20	0.98	0.69	Neotropic	no	17.27	NA	Terrestrial	Terrestrial	Oviparous	11.7	24.8	1387	28	1467.7
Teiidae	<i>Ameivula ocellifera</i>	Ameivula ocellifera	variable	2.45	1.72	0.84	Neotropic	no	14.54	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.8	24.2	1464	67.4	1631.7
Teiidae	<i>Aspidoscelis buriti</i>	Aspidoscelis buriti	variable	4.33	1.93	1.50	Nearctic	yes	29.60	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	21	438	95.6	5957.3
Teiidae	<i>Aspidoscelis calidipes</i>	Aspidoscelis calidipes	variable	2.33	1.15	0.86	Nearctic	no	18.81	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	25.2	792	106.5	1369.9
Teiidae	<i>Aspidoscelis ceralbensis</i>	Aspidoscelis ceralbensis	variable	2.50	1.40	0.86	Nearctic	yes	24.24	Diurnal	Terrestrial	Terrestrial	Oviparous	10.6	24.1	223	125.3	3875.3
Teiidae	<i>Aspidoscelis communis</i>	Aspidoscelis communis	variable	5.70	2.04	1.39	Neotropic	no	19.89	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	21.6	985	108.8	1809.1
Teiidae	<i>Aspidoscelis costatus</i>	Aspidoscelis costata	variable	5.05	1.85	1.15	Neotropic	no	22.61	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	20.8	836	106	3000.5
Teiidae	<i>Aspidoscelis cozumelae</i>	Aspidoscelis cozumelae	variable	1.75	1.22	0.86	Neotropic	yes	17.47	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	NA	NA	NA	NA
Teiidae	<i>Aspidoscelis danheimae</i>	Aspidoscelis danheimae	variable	2.50	0.91	NA	Nearctic	yes	24.98	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	23.8	238	111.5	4231.9
Teiidae	<i>Aspidoscelis deppei</i>	Aspidoscelis deppei	variable	2.30	1.37	0.94	Neotropic	no	16.49	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23.2	1731	81.4	1337.1
Teiidae	<i>Aspidoscelis exsanguis</i>	Aspidoscelis exsanguis	variable	3.55	1.56	1.18	Nearctic	no	31.72	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	16.1	357	75.9	7057.4
Teiidae	<i>Aspidoscelis gularis</i>	Aspidoscelis gularis	variable	3.69	1.66	1.13	Nearctic	no	27.86	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	19.2	586	60.9	5722.4
Teiidae	<i>Aspidoscelis guttatus</i>	Aspidoscelis guttatus	variable	4.50	1.97	1.37	Neotropic	no	17.41	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	22.6	1469	91.2	1513.2
Teiidae	<i>Aspidoscelis hyperythrus</i>	Aspidoscelis hyperythra	variable	2.32	1.03	0.74	Nearctic	no	28.61	Diurnal	Terrestrial	Terrestrial						

Teiidae	<i>Aspidoscelis martyris</i>	Cnemidophorus martyris	variable 1.25	1.17	0.97	Nearctic	yes	28.37	Diurnal	Saxicolous&Terres Scansorial	Oviparous	NA	NA	NA	NA	NA	
Teiidae	<i>Aspidoscelis maximus</i>	Aspidoscelis maxima	variable 3.00	1.90	NA	Neotropic	no	23.57	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	22.5	318	129.1	3263.7
Teiidae	<i>Aspidoscelis motaguae</i>	Aspidoscelis motaguae	variable 2.50	1.97	1.69	Neotropic	no	15.87	Diurnal	Terrestrial	Terrestrial	NA	11.8	21.5	1230	88.3	1351.5
Teiidae	<i>Aspidoscelis neomexicanus</i>	Aspidoscelis neomexicana	variable 1.95	1.27	0.94	Nearctic	no	33.15	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	15.7	282	68.4	7757.5
Teiidae	<i>Aspidoscelis neotesselatus</i>	Aspidoscelis neotesselata	variable 2.94	1.56	1.32	Nearctic	no	34.25	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	10.5	380	51.7	8614.6
Teiidae	<i>Aspidoscelis opatae</i>	Aspidoscelis opatae	variable 2.00	1.01	0.95	Nearctic	no	29.83	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	20.5	473	94.6	6126.3
Teiidae	<i>Aspidoscelis paia</i>	Aspidoscelis paia	variable 3.20	1.25	0.90	Nearctic	no	35.09	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	13.1	321	45.8	8278.2
Teiidae	<i>Aspidoscelis parvisocius</i>	Aspidoscelis parvisocia	variable 1.78	1.15	0.76	Neotropic	no	18.18	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	20.1	646	88.4	1779.4
Teiidae	<i>Aspidoscelis pictus</i>	Aspidoscelis picta	variable 2.50	1.01	NA	Nearctic	yes	25.68	Diurnal	Terrestrial	Terrestrial	NA	10.6	24.5	241	110	4392.0
Teiidae	<i>Aspidoscelis rodecki</i>	Aspidoscelis rodecki	variable 2.25	1.10	0.84	Nearctic	no	21.33	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	26	1211	48.8	1558.8
Teiidae	<i>Aspidoscelis sackii</i>	Aspidoscelis sackii	variable 6.07	2.05	1.31	Neotropic	no	18.00	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	20.6	810	95.1	1536.9
Teiidae	<i>Aspidoscelis scalaris</i>	Aspidoscelis scalaris	variable 3.32	1.77	1.15	Nearctic	no	25.14	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	18.8	430	82.9	4281.1
Teiidae	<i>Aspidoscelis sexlineatus</i>	Aspidoscelis sexlineata	variable 3.70	1.35	0.93	Nearctic	no	35.26	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	15.6	974	35.1	7942.9
Teiidae	<i>Aspidoscelis sonorae</i>	Aspidoscelis sonorae	variable 3.90	1.49	1.19	Nearctic	no	31.09	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	17.5	436	84.5	6641.3
Teiidae	<i>Aspidoscelis stictogrammus</i>	Aspidoscelis stictogramma	variable 6.50	1.93	NA	Nearctic	no	30.51	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	19	453	92	6358.0
Teiidae	<i>Aspidoscelis tesselatus</i>	Aspidoscelis tessellata	variable 4.05	1.56	1.12	Nearctic	no	32.45	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.0	16.8	349	64.7	7491.1	
Teiidae	<i>Aspidoscelis tigris</i>	Aspidoscelis tigris	variable 2.70	1.90	1.19	Nearctic	no	33.69	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	16.2	324	61.7	7086.6
Teiidae	<i>Aspidoscelis uniparens</i>	Aspidoscelis uniparens	variable 3.02	1.27	0.85	Nearctic	no	32.27	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	17.2	339	71.8	7281.9
Teiidae	<i>Aspidoscelis velox</i>	Aspidoscelis velox	variable 4.00	1.32	1.07	Nearctic	no	35.97	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	11.6	324	44.7	8436.9
Teiidae	<i>Aspidoscelis xanthonotus</i>	Aspidoscelis xanthonota	variable 4.00	1.65	NA	Nearctic	no	32.21	Diurnal	Saxicolous	Scansorial	NA	10.8	21.9	277	70.4	7243.3
Teiidae	<i>Aurivela tergolaevigata</i>	Aurivela tergolaevigata	variable 2.00	0.89	0.61	Neotropic	no	28.33	Diurnal	NA	NA	Oviparous	11.2	14.3	392	97.1	4606.0
Teiidae	<i>Callopistes maculatus</i>	Callopistes maculatus	variable 9.00	2.21	1.67	Neotropic	no	29.66	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	13.8	214	115.9	4113.4
Teiidae	<i>Cnemidophorus arenivagus</i>	Cnemidophorus arenivagus	variable 1.80	1.25	0.82	Neotropic	no	11.69	Diurnal	NA	NA	Oviparous	11.2	27	528	84.2	8219.0
Teiidae	<i>Cnemidophorus arubensis</i>	Cnemidophorus arubensis	variable 1.00	1.80	1.15	Neotropic	yes	12.51	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	27.4	399	68.3	822.9
Teiidae	<i>Cnemidophorus cryptus</i>	Cnemidophorus cryptus	variable 1.50	1.03	0.83	Neotropic	no	2.60	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	25.7	2126	63.6	717.0
Teiidae	<i>Cnemidophorus grammivagus</i>	Cnemidophorus grammivagus	variable 1.61	1.67	1.17	Neotropic	no	4.77	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25.4	2523	59	790.2
Teiidae	<i>Cnemidophorus lemniscatus</i>	Cnemidophorus lemniscatus	variable 1.87	1.64	0.84	Neotropic	no	3.93	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	24.7	2217	52.4	642.6
Teiidae	<i>Cnemidophorus murinus</i>	Cnemidophorus murinus	variable 1.18	2.10	1.42	Neotropic	yes	11.58	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	27	552	54.7	716.1
Teiidae	<i>Cnemidophorus nigricolor</i>	Cnemidophorus nigricolor	variable 2.14	1.58	NA	Neotropic	yes	11.83	NA	NA	NA	NA	10.9	27.4	538	51.8	776.4
Teiidae	<i>Cnemidophorus ruatanus</i>	Cnemidophorus ruatanus	variable 1.70	1.64	0.90	Neotropic	no	15.58	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	24.9	2198	47.3	1407.1
Teiidae	<i>Cnemidophorus ruthveni</i>	Cnemidophorus ruthveni	variable 1.50	2.03	NA	Neotropic	yes	12.16	Diurnal	NA	NA	NA	10.9	27.5	526	75	790.5
Teiidae	<i>Cnemidophorus splendidus</i>	NA	variable 2.33	1.17	0.86	Neotropic	no	11.93	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	27	396	69	845.8
Teiidae	<i>Contomastix lacertoides</i>	Contomastix lacertoides	variable 3.75	1.12	0.83	Neotropic	no	32.59	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	19	1033	42.5	3919.1
Teiidae	<i>Contomastix vacariensis</i>	Contomastix vacariensis	variable 4.15	1.20	0.96	Neotropic	no	27.54	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	17.8	1716	15.6	3337.3
Teiidae	<i>Crocodilurus amazonicus</i>	Crocodilurus amazonicus	variable 5.59	3.04	2.49	Neotropic	no	3.10	Diurnal	Semi_Aquatic	Scansorial	Oviparous	12.0	25.2	2511	43.8	521.1
Teiidae	<i>Dracaena guianensis</i>	Dracaena guianensis	variable 8.50	3.39	3.06	Neotropic	no	4.25	Diurnal	Semi_Aquatic	Scansorial	Oviparous	12.0	25.2	2474	43.8	517.5
Teiidae	<i>Glaucostomix abaeensis</i>	Ameiva abaeensis	variable 1.40	1.03	0.58	Neotropic	no	12.86	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	25.7	1952	47.1	1149.6
Teiidae	<i>Glaucostomix littoralis</i>	Ameiva littoralis	variable 5.20	1.20	0.84	Neotropic	no	22.72	Diurnal	Terrestrial	Terrestrial	NA	11.7	23.9	1467	45.8	1937.1
Teiidae	<i>Holcosus chaitzami</i>	Holcosus chaitzami	variable 4.00	1.25	1.00	Neotropic	no	15.98	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	23.6	1911	69.6	1384.3
Teiidae	<i>Holcosus festivus</i>	Holcosus festivus	variable 2.75	1.97	1.30	Neotropic	no	10.92	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	24.3	2764	48.7	674.2
Teiidae	<i>Holcosus niceforoi</i>	Holcosus niceforoi	variable 2.60	1.20	NA	Neotropic	no	5.53	Diurnal	Terrestrial	Terrestrial	NA	11.9	25.5	2329	37.2	467.7
Teiidae	<i>Holcosus quadrilineatus</i>	Holcosus quadrilineatus	variable 2.05	1.30	0.97	Neotropic	no	8.79	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	24.3	3003	52.2	522.6
Teiidae	<i>Holcosus undulatus</i>	Holcosus undulatus	variable 4.30	1.91	1.36	Neotropic	no	17.71	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23	1492	79.2	1613.2
Teiidae	<i>Kentropyx altamazonica</i>	Kentropyx altamazonica	variable 6.17	1.65	1.28	Neotropic	no	6.14	Diurnal	Semi_Aquatic	Scansorial	Oviparous	12.0	24.4	2352	43.7	611.5
Teiidae	<i>Kentropyx borekiana</i>	Kentropyx borekiana	variable 6.00	1.49	1.31	Neotropic	no	5.55	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	25.5	2459	41.5	582.7
Teiidae	<i>Kentropyx calcarata</i>	Kentropyx calcarata	variable 4.85	1.71	1.35	Neotropic	no	5.69	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	25.3	1973	60.6	799.9
Teiidae	<i>Kentropyx lagartija</i>	Kentropyx lagartija	variable 5.50	1.28	NA	Neotropic	no	25.30	Diurnal	NA	NA	Oviparous	11.7	20.4	859	85.7	4219.4
Teiidae	<i>Kentropyx paulensis</i>	Kentropyx paulensis	variable 3.85	1.12	1.06	Neotropic	no	17.56	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	23.7	1507	75.4	1443.0
Teiidae	<i>Kentropyx pelviceps</i>	Kentropyx pelviceps	variable 4.53	1.83	1.50	Neotropic	no	4.90	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	24.5	2576	37.5	472.3
Teiidae	<i>Kentropyx striata</i>	Kentropyx striata	variable 4.06	1.80	1.21	Neotropic	no	3.22	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	25.2	2361	54.7	708.6
Teiidae	<i>Kentropyx vanzoi</i>	Kentropyx vanzoi	variable 2.31	1.25	0.65	Neotropic	no	14.20	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	24.8	1748	71.6	1064.1
Teiidae	<i>Kentropyx viridistriga</i>	Kentropyx viridistriga	variable 5.27	1.56	1.17	Neotropic	no	20.43	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	24	1303	54.1	2711.0
Teiidae	<i>Pholidoscelis auberi</i>	Ameiva auberi	variable 1.00	1.89	1.12	Neotropic	yes	21.79	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	25.2	1312	57.9	1746.1
Teiidae	<i>Pholidoscelis chrysolaemus</i>	Ameiva chrysolaema	variable 5.00	2.11	1.32	Neotropic	yes	18.90	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	23.7	1243	44.3	1313.6
Teiidae	<i>Pholidoscelis erythrocephala</i>	Ameiva erythrocephala	variable 4.00	1.93	1.08	Neotropic	yes	17.28	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	25.7	1363	33.9	1076.4
Teiidae	<i>Pholidoscelis exsul</i>	Ameiva exsul	variable 2.68	2.42	1.39	Neotropic	yes	18.23	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	25.5	1612	36.1	1097.9
Teiidae	<i>Pholidoscelis fuscatus</i>	Ameiva fuscata	variable 4.00	2.71	1.69	Neotropic	yes	15.43	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	24.8	2231	38	913.7
Teiidae	<i>Pholidoscelis plei</i>	Ameiva plei	variable 2.60	2.27	1.27	Neotropic	yes	18.11	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	26.7	1114	34.6	1143.7
Teiidae	<i>Pholidoscelis taeniurus</i>	Ameiva taeniura	variable 4.00	1.54	NA	Neotropic	yes	18.81	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	23.9	1387	43.2	1256.0
Teiidae	<i>Pholidoscelis wetmorei</i>	Ameiva wetmorei	variable 1.00	0.60	0.42	Neotropic	yes	18.01	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	26.5	1264	49.6	1091.4
Teiidae	<i>Salvator merianae</i>	Salvator merianae	variable 36.50	3.65	3.16	Neotropic	no	17.60	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	23.1	1409	61.8	2108.8
Teiidae	<i>Salvator rufescens</i>	Salvator rufescens	variable 21.40	3.92	3.22	Neotropic	no	28.34	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	20.7	848	62.1	3993.2
Teiidae	<i>Teyius oculatus</i>	Teyius oculatus	variable 4.85	1.72	1.45	Neotropic	no	31.70	Diurnal	Terrestrial	Terrestrial	Oviparous	11.7	17.9	1135	34.8	4484.6
Teiidae	<i>Teyius suquiensis</i>	Teyius suquiensis	variable 3.95	1.77	1.57	Neotropic	no	30.35	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	17.9	838	68.8	4901.5
Teiidae	<i>Teyius teyou</i>	Teyius teyou	variable 4.80	2.02	1.48	Neotropic	no	25.99	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	19	777	71.1	4043.0
Teiidae	<i>Tupinambis cryptus</i>	NA	variable 8.00	3.31	2.60	Neotropic	no	6.55	Diurnal	Terrestrial</							

Teiidae	<i>Tupinambis teguixin</i>	Tupinambis teguixin	variable 11.95	3.65	3.05	Neotropic	no	4.69	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	25	2125	56.3	751.8
Tropidophiidae	<i>Trogonophis wiegmanni</i>	Trogonophis wiegmanni	variable 5.00	1.15	0.52	Paleartic	no	34.19	Cathemeral	Fossilier	Fossilier	Oviparous	11.0	16.7	387	51.9	6348.5
Tropiduridae	<i>Eurolophosaurus amathites</i>	Eurolophosaurus amathites	variable 2.00	1.10	0.94	Neotropic	no	11.19	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	25.1	704	87.8	1041.8
Tropiduridae	<i>Eurolophosaurus nanuzae</i>	Eurolophosaurus nanuzae	variable 2.04	0.99	0.77	Neotropic	no	17.61	Diurnal	Saxiculous	Scansorial	Oviparous	11.9	21.8	1118	86.4	1738.8
Tropiduridae	<i>Microlophus albemarlensis</i>	Microlophus albemarlensis	variable 2.25	1.82	1.12	Neotropic	yes	0.55	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	21.8	799	59.8	1655.8
Tropiduridae	<i>Microlophus atacamensis</i>	Microlophus atacamensis	variable 4.50	1.86	1.40	Neotropic	no	23.69	Diurnal	Saxiculous	Scansorial	Oviparous	10.5	19.7	12	165.2	2175.6
Tropiduridae	<i>Microlophus barringtonensis</i>	NA	variable 3.00	1.49	NA	Neotropic	yes	0.82	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	22.5	979	52.5	1648.0
Tropiduridae	<i>Microlophus delanonis</i>	Microlophus delanonis	variable 3.47	2.07	1.46	Neotropic	yes	1.38	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	22.9	903	51.5	1757.0
Tropiduridae	<i>Microlophus habelii</i>	Microlophus habelii	variable 2.50	1.72	1.36	Neotropic	yes	0.34	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	23.2	1018	78	1437.3
Tropiduridae	<i>Microlophus heterolepis</i>	Microlophus heterolepis	variable 4.00	1.86	1.28	Neotropic	no	18.44	Diurnal	Saxiculous&Terre	Scansorial	Oviparous	10.7	14.4	50	137.4	1279.8
Tropiduridae	<i>Microlophus indefatigabilis</i>	NA	variable 2.33	1.72	1.00	Neotropic	yes	0.62	Diurnal	Saxiculous	Scansorial	Oviparous	10.9	22.5	817	56.9	1626.8
Tropiduridae	<i>Microlophus jacobi</i>	NA	variable 2.00	1.32	1.09	Neotropic	yes	0.27	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	10.9	23.1	816	63.9	1596.9
Tropiduridae	<i>Microlophus koepckeorum</i>	Microlophus koepckeorum	variable 3.10	1.31	0.86	Neotropic	no	6.04	NA	Saxiculous	Scansorial	Oviparous	11.1	16.4	421	95	541.5
Tropiduridae	<i>Microlophus occipitalis</i>	Microlophus occipitalis	variable 4.00	1.29	0.82	Neotropic	no	4.65	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.3	20.1	584	95.6	724.2
Tropiduridae	<i>Microlophus pacificus</i>	Microlophus pacificus	variable 3.00	1.61	1.38	Neotropic	yes	0.59	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	22.9	1049	85	1387.8
Tropiduridae	<i>Microlophus peruvianus</i>	Microlophus peruvianus	variable 3.50	1.95	1.15	Neotropic	no	8.00	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	10.8	23.1	171	132.7	1275.9
Tropiduridae	<i>Microlophus quadrivittatus</i>	Microlophus quadrivittatus	variable 3.16	1.86	1.35	Neotropic	no	21.21	Diurnal	Saxiculous	Scansorial	Oviparous	10.4	17.6	3	233.8	2007.1
Tropiduridae	<i>Microlophus stolzmanni</i>	Microlophus stolzmanni	variable 2.60	1.93	0.98	Neotropic	no	6.63	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	17.6	923	43.9	545.6
Tropiduridae	<i>Microlophus tarapacensis</i>	Microlophus tarapacensis	variable 4.50	1.67	1.33	Neotropic	no	20.20	Diurnal	Terrestrial	Terrestrial	Oviparous	10.4	19.1	8	181.6	1685.8
Tropiduridae	<i>Microlophus theresiae</i>	Microlophus theresiae	variable 3.40	1.63	0.95	Neotropic	no	13.58	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	10.8	21.2	188	112.7	982.3
Tropiduridae	<i>Microlophus theresiooides</i>	Microlophus theresiooides	variable 2.80	1.72	1.30	Neotropic	no	20.83	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	10.5	14	20	197.9	2203.4
Tropiduridae	<i>Microlophus thoracicus</i>	Microlophus thoracicus	variable 2.80	1.48	1.03	Neotropic	no	10.98	Diurnal	Fossil&Terrest Fossil	Scansorial	Oviparous	10.7	21.8	74	127.5	1136.6
Tropiduridae	<i>Microlophus tigris</i>	Microlophus tigris	variable 3.40	1.61	0.92	Neotropic	no	13.25	NA	Arboreal&Saxicolo	Scansorial	Oviparous	11.0	14.4	284	112.9	885.1
Tropiduridae	<i>Plica caribea</i>	Plica caribea	variable 2.00	1.81	1.70	Neotropic	no	10.50	Diurnal	Arboreal	Scansorial	Oviparous	11.6	26.1	1784	49.3	601.6
Tropiduridae	<i>Plica plica</i>	Plica plica	variable 3.08	2.23	1.88	Neotropic	no	3.19	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	24.5	2306	49.6	638.5
Tropiduridae	<i>Plica umbra</i>	Plica umbra	variable 2.02	1.55	1.36	Neotropic	no	3.84	Diurnal	Arboreal	Scansorial	Oviparous	12.0	24.8	2327	48.6	603.4
Tropiduridae	<i>Stenocercus angel</i>	Stenocercus angel	variable 2.00	1.39	NA	Neotropic	no	0.69	Diurnal	NA	NA	Oviparous	11.4	11.4	1051	32.7	196.1
Tropiduridae	<i>Stenocercus angulifer</i>	Stenocercus angulifer	variable 2.00	1.51	NA	Neotropic	no	1.75	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	22.6	4001	15.3	580.4
Tropiduridae	<i>Stenocercus azureus</i>	Stenocercus azureus	variable 5.50	1.33	1.01	Neotropic	no	29.74	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	19.1	1548	15.2	4182.8
Tropiduridae	<i>Stenocercus boliviarensis</i>	Stenocercus boliviarensis	variable 2.00	1.43	NA	Neotropic	no	2.58	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	19.4	1918	40.1	202.5
Tropiduridae	<i>Stenocercus cadlei</i>	Stenocercus cadlei	variable 2.00	1.36	1.13	Neotropic	no	1.35	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	11.5	9.1	858	34.1	391.8
Tropiduridae	<i>Stenocercus caducus</i>	Stenocercus caducus	variable 2.75	1.47	1.25	Neotropic	no	19.18	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.9	24	1314	59.7	2220.3
Tropiduridae	<i>Stenocercus chinchaensis</i>	Stenocercus chinchaensis	variable 2.00	1.38	1.15	Neotropic	no	9.81	Diurnal	Arboreal	Scansorial	Oviparous	11.5	17.8	1212	45	771.0
Tropiduridae	<i>Stenocercus chota</i>	Stenocercus chota	variable 2.00	1.52	0.95	Neotropic	no	0.49	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	11.5	17.1	745	37.7	206.1
Tropiduridae	<i>Stenocercus chrysopygus</i>	Stenocercus chrysopygus	variable 5.50	1.29	1.03	Neotropic	no	9.83	NA	Saxiculous	Scansorial	Oviparous	11.4	7.1	847	67.6	517.2
Tropiduridae	<i>Stenocercus cupreus</i>	Stenocercus cupreus	variable 3.50	1.26	0.84	Neotropic	no	9.65	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	11.7	18.7	2684	40.6	678.2
Tropiduridae	<i>Stenocercus doellojuradoi</i>	Stenocercus doellojuradoi	variable 6.50	1.29	1.16	Neotropic	no	28.38	NA	Terrestrial	Terrestrial	Oviparous	11.5	20.1	665	80.5	4761.2
Tropiduridae	<i>Stenocercus dumerilii</i>	Stenocercus dumerilii	variable 4.00	1.69	NA	Neotropic	no	3.51	Diurnal	Terrestrial	Terrestrial	Oviparous	11.9	26.3	1847	78.7	669.0
Tropiduridae	<i>Stenocercus empetrus</i>	Stenocercus empetrus	variable 6.00	1.59	1.34	Neotropic	no	7.25	NA	Saxiculous	Scansorial	Oviparous	11.6	12.3	856	64.8	319.5
Tropiduridae	<i>Stenocercus eunetopsis</i>	Stenocercus eunetopsis	variable 2.00	1.33	1.11	Neotropic	no	6.82	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	11.5	14	729	62	301.0
Tropiduridae	<i>Stenocercus festae</i>	NA	variable 2.00	1.58	1.19	Neotropic	no	3.12	Diurnal	Terrestrial	Terrestrial	Oviparous	11.5	11.9	973	43	377.1
Tropiduridae	<i>Stenocercus fimbriatus</i>	Stenocercus fimbriatus	variable 3.50	1.44	NA	Neotropic	no	7.62	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	12.0	24.7	2310	40.1	472.3
Tropiduridae	<i>Stenocercus guentheri</i>	Stenocercus guentheri	variable 2.00	1.51	1.02	Neotropic	no	0.36	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	11.4	10.5	1191	38.6	297.7
Tropiduridae	<i>Stenocercus huancabambae</i>	Stenocercus huancabambae	variable 2.00	1.54	1.11	Neotropic	no	5.61	Diurnal	Terrestrial	Terrestrial	Oviparous	11.8	23.3	914	28.7	704.7
Tropiduridae	<i>Stenocercus humeralis</i>	Stenocercus humeralis	variable 4.00	1.69	1.54	Neotropic	no	4.04	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.7	14.4	1079	39	437.9
Tropiduridae	<i>Stenocercus imitator</i>	Stenocercus imitator	variable 4.50	1.55	1.27	Neotropic	no	6.40	NA	Arboreal&Saxicolo	Scansorial	Oviparous	11.4	17	597	81.7	354.6
Tropiduridae	<i>Stenocercus lache</i>	Stenocercus lache	variable 2.00	1.40	NA	Neotropic	no	6.47	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	11.4	9.6	1585	41.5	275.5
Tropiduridae	<i>Stenocercus melanopygus</i>	Stenocercus melanopygus	variable 6.00	1.36	0.96	Neotropic	no	7.19	NA	Arboreal&Saxicolo	Scansorial	Oviparous	11.6	11.4	871	63.1	308.0
Tropiduridae	<i>Stenocercus omari</i>	NA	variable 8.50	1.12	1.08	Neotropic	no	6.75	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	11.6	14.6	834	44.9	510.3
Tropiduridae	<i>Stenocercus ornatissimus</i>	Stenocercus ornatissimus	variable 2.00	1.21	0.92	Neotropic	no	11.73	NA	NA	NA	Oviparous	11.1	7.4	378	107.5	693.6
Tropiduridae	<i>Stenocercus ornatus</i>	Stenocercus ornatus	variable 2.00	1.36	0.97	Neotropic	no	4.14	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	17.5	900	70.7	376.6
Tropiduridae	<i>Stenocercus percutus</i>	Stenocercus percutus	variable 2.00	1.63	1.28	Neotropic	no	5.90	Diurnal	Saxiculous	Scansorial	Oviparous	11.4	19.2	556	93.2	369.6
Tropiduridae	<i>Stenocercus priodontos</i>	Stenocercus priodontos	variable 2.00	1.47	1.31	Neotropic	no	12.01	Diurnal	Terrestrial	Terrestrial	Oviparous	12.0	23.6	2209	46	925.1
Tropiduridae	<i>Stenocercus puyango</i>	Stenocercus puyango	variable 2.00	1.72	1.19	Neotropic	no	4.63	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	11.3	20.7	586	110.5	445.9
Tropiduridae	<i>Stenocercus roseiventris</i>	Stenocercus roseiventris	variable 2.00	1.57	1.47	Neotropic	no	14.68	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.9	22.8	1596	60.7	1460.2
Tropiduridae	<i>Stenocercus santander</i>	Stenocercus santander	variable 4.00	1.51	NA	Neotropic	no	7.11	Diurnal	Saxiculous&Terres	Scansorial	Oviparous	11.8	25.6	2328	40	363.7
Tropiduridae	<i>Stenocercus torquatus</i>	Stenocercus torquatus	variable 2.00	1.35	1.07	Neotropic	no	11.04	Diurnal	Arboreal	Scansorial	Oviparous	11.6	14.6	1497	45.6	876.4
Tropiduridae	<i>Stenocercus trachycephalus</i>	Stenocercus trachycephalus	variable 2.00	1.43	1.12	Neotropic	no	5.41	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.6	13	1499	38.5	264.4
Tropiduridae	<i>Stenocercus varius</i>	Stenocercus varius	variable 2.00	1.36	1.28	Neotropic	no	0.33	Diurnal	Arboreal&Saxicolo	Scansorial	Oviparous	11.1	16.1	1870	54.9	261.2
Tropiduridae	<i>Strobilurus torquatus</i>	Strobilurus torquatus	variable 2.50	1.63	1.37	Neotropic	no	7.80	Diurnal	Arboreal	Scansorial	Oviparous	11.7	26.5	875	86.6	1149.5
Tropiduridae	<i>Tropidurus bogerti</i>	Tropidurus bogerti	variable 1.00	1.46	1.14	Neotropic	no	5.94	Diurnal	Saxiculous	Scansorial	Oviparous	12.0	23	3054	50.9	518.7
Tropiduridae	<i>Tropidurus callathelys</i>	Tropidurus callathelys	variable 2.00	1.53	1.05	Neotropic	no	14.30	Diurnal	Saxiculous	Scansorial	Oviparous	11.9	24.9	1369	71	1287.0
Tropiduridae	<i>Tropidurus catalanensis</i>	Tropidurus catalanensis	variable 6.15	1.89	1.42	Neotropic	no	26.89	Diurnal	Saxiculous	Scansorial	Oviparous	11.8	20.4	1647	22.9	3661.3
Tropiduridae	<i>Tropidurus chromatops</i>	Tropidurus chromatops	variable 4.50	1.66	1.22	Neotropic	no	14.31	Diurnal	Saxiculous	Scansorial	Oviparous	12.0	2			

Tropiduridae	<i>Tropidurus hispidus</i>	Tropidurus hispidus	variable 6.85	1.98	1.35	Neotropic	no	2.61	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.9	25.5	1602	68.3	935.3	
Tropiduridae	<i>Tropidurus hygomi</i>	Tropidurus hygomi	variable 2.00	1.29	0.83	Neotropic	no	11.70	Diurnal	Terrestrial	Oviparous	11.7	25.4	1330	44.4	1218.3	
Tropiduridae	<i>Tropidurus insulanus</i>	Tropidurus insulanus	variable 3.80	1.38	1.09	Neotropic	no	8.11	Diurnal	Saxicolous	Oviparous	12.0	24.6	2233	65.6	908.9	
Tropiduridae	<i>Tropidurus itambere</i>	Tropidurus itambere	variable 3.74	1.49	1.04	Neotropic	no	18.21	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.8	23.6	1471	70.7	1594.0	
Tropiduridae	<i>Tropidurus jaguaribanus</i>	Tropidurus jaguaribanus	variable 1.72	1.59	1.17	Neotropic	no	6.14	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.6	28.6	814	103.2	806.6	
Tropiduridae	<i>Tropidurus melanopleurus</i>	Tropidurus melanopleurus	variable 2.00	1.66	1.03	Neotropic	no	22.50	NA	Saxicolous&Terres Scansorial	Oviparous	11.6	15.5	865	83.7	2335.2	
Tropiduridae	<i>Tropidurus montanus</i>	Tropidurus montanus	variable 3.49	1.54	1.17	Neotropic	no	16.98	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.9	22.5	1052	89.3	1596.4	
Tropiduridae	<i>Tropidurus mucujensis</i>	Tropidurus mucujensis	variable 2.00	1.22	1.01	Neotropic	no	13.08	NA	Saxicolous	Oviparous	11.9	19.7	900	63.7	1355.0	
Tropiduridae	<i>Tropidurus oreadicus</i>	Tropidurus oreadicus	variable 4.37	1.74	1.25	Neotropic	no	10.28	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.9	25.2	1730	71.3	924.0	
Tropiduridae	<i>Tropidurus pinima</i>	Tropidurus pinima	variable 2.00	1.36	1.04	Neotropic	no	11.46	Diurnal	Saxicolous	Scansorial	Oviparous	11.8	22.7	851	85.6	1091.8
Tropiduridae	<i>Tropidurus psammomastes</i>	Tropidurus psammomastes	variable 4.00	1.54	1.17	Neotropic	no	10.40	Diurnal	Terrestrial	Terrestrial	Oviparous	11.6	26.6	699	88.7	1032.7
Tropiduridae	<i>Tropidurus semitaeniatus</i>	Tropidurus semitaeniatus	variable 2.01	1.55	1.13	Neotropic	no	9.01	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.7	25.8	861	78	1211.7	
Tropiduridae	<i>Tropidurus spinulosus</i>	Tropidurus spinulosus	variable 4.90	1.95	1.43	Neotropic	no	23.27	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.7	23.1	942	63.3	3452.2	
Tropiduridae	<i>Tropidurus torquatus</i>	Tropidurus torquatus	variable 4.71	1.90	1.22	Neotropic	no	17.66	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.8	23.4	1388	62.9	1918.5	
Tropiduridae	<i>Tropidurus xanthochilus</i>	Tropidurus xanthochilus	variable 5.00	1.82	1.60	Neotropic	no	14.75	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	12.0	24.8	1566	66	1229.0	
Tropiduridae	<i>Uracentron azureum</i>	Uracentron azureum	variable 2.00	1.40	1.18	Neotropic	no	1.34	Diurnal	Arboreal	Scansorial	Oviparous	12.0	25.2	2464	46.2	565.5
Tropiduridae	<i>Uracentron flavigeeps</i>	Uracentron flavigeeps	variable 2.00	1.86	1.49	Neotropic	no	4.24	Diurnal	Arboreal	Scansorial	Oviparous	12.0	24.6	2628	32.9	485.9
Tropiduridae	<i>Uranoscodon superciliosus</i>	Uranoscodon superciliosus	variable 8.65	2.15	1.85	Neotropic	no	2.62	Diurnal	Semi_Aquatic	Scansorial	Oviparous	12.0	25.1	2362	51.5	576.0
Varanidae	<i>Varanus acanthurus</i>	Varanus acanthurus	variable 9.30	2.46	1.72	Australia	no	20.89	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.0	25.5	460	88.1	4824.7	
Varanidae	<i>Varanus albigularis</i>	Varanus albigularis	variable 32.00	4.18	3.48	Afrotropic	no	14.15	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.4	21.5	714	91.3	2682.8	
Varanidae	<i>Varanus auffenbergi</i>	Varanus auffenbergi	variable 5.00	2.18	1.94	Oriental	yes	10.73	Diurnal	Arboreal	Scansorial	Oviparous	11.0	27.3	1542	106.2	853.2
Varanidae	<i>Varanus baritji</i>	Varanus baritji	variable 7.30	2.47	NA	Australia	no	13.90	Diurnal	Saxicolous	Scansorial	Oviparous	11.4	26.8	1092	109	2330.3
Varanidae	<i>Varanus beccarii</i>	Varanus beccarii	variable 3.80	2.89	2.62	Oceania	yes	6.19	Diurnal	Arboreal	Scansorial	Oviparous	11.4	26.6	2725	43.1	695.3
Varanidae	<i>Varanus bengalensis</i>	Varanus bengalensis	variable 20.20	4.26	3.07	Oriental	no	23.35	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	24.6	1190	108.7	4578.8
Varanidae	<i>Varanus boehmei</i>	Varanus boehmei	variable 4.00	2.66	2.55	Oceania	yes	0.17	Diurnal	Arboreal	Scansorial	Oviparous	12.0	NA	NA	NA	NA
Varanidae	<i>Varanus bogerti</i>	Varanus bogerti	variable 4.10	2.65	2.58	Oceania	yes	9.83	Diurnal	Arboreal	Scansorial	Oviparous	10.8	26.1	3158	22.4	760.8
Varanidae	<i>Varanus brevicauda</i>	Varanus brevicauda	variable 2.92	1.49	1.04	Australia	no	22.86	Diurnal	Terrestrial	Terrestrial	Oviparous	10.9	24.9	327	76	5519.2
Varanidae	<i>Varanus caeruleivirens</i>	Varanus caeruleivirens	variable 2.00	3.12	3.03	Oceania	yes	0.81	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.4	25.8	2260	19.5	229.5
Varanidae	<i>Varanus caudolineatus</i>	Varanus caudolineatus	variable 3.70	1.57	1.13	Australia	no	25.52	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	10.9	23.6	269	65	5720.5	
Varanidae	<i>Varanus cumingi</i>	Varanus cumingi	variable 7.00	3.69	3.49	Oriental	yes	7.67	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.6	25.2	2289	33.3	443.6
Varanidae	<i>Varanus doreanus</i>	Varanus doreanus	variable 9.09	4.15	NA	Oceania	no	5.08	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	24.5	3248	27.4	428.6	
Varanidae	<i>Varanus dumerili</i>	Varanus dumerili	variable 20.94	3.60	3.36	Oriental	no	2.24	Cathemeral	Semi_Aquatic	Scansorial	Oviparous	11.8	25.4	2835	32.9	427.9
Varanidae	<i>Varanus eremicus</i>	Varanus eremicus	variable 3.85	2.16	1.57	Australia	no	25.13	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	23.3	268	57.3	5806.0
Varanidae	<i>Varanus exanthematicus</i>	Varanus exanthematicus	variable 19.05	4.00	2.90	Afrotropic	no	10.68	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.4	26.8	921	111.3	2320.2	
Varanidae	<i>Varanus fischeri</i>	Varanus fischeri	variable 9.09	3.01	NA	Oceania	yes	5.19	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.5	24.4	4192	34.6	325.9	
Varanidae	<i>Varanus flavescens</i>	Varanus flavescens	variable 12.25	3.47	2.86	Oriental	no	26.85	Diurnal	Terrestrial	Terrestrial	Oviparous	11.4	25.1	1317	109.5	5489.2
Varanidae	<i>Varanus giganteus</i>	Varanus giganteus	variable 9.05	4.33	3.61	Australia	no	24.86	Diurnal	Terrestrial	Terrestrial	Oviparous	10.8	23.6	262	59.7	5966.8
Varanidae	<i>Varanus gilleni</i>	Varanus gilleni	variable 4.28	2.10	1.43	Australia	no	24.65	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	10.8	23.5	279	58.1	5859.6	
Varanidae	<i>Varanus glauerti</i>	Varanus glauerti	variable 4.50	2.46	1.99	Australia	no	15.70	Diurnal	Arboreal&Saxicolo Scansorial	Oviparous	11.2	27.2	876	114.2	2718.7	
Varanidae	<i>Varanus glebopalma</i>	Varanus glebopalma	variable 6.50	3.11	2.43	Australia	no	15.77	Diurnal	Saxicolous	Scansorial	Oviparous	11.3	26.7	922	110.7	2787.1
Varanidae	<i>Varanus Gouldii</i>	Varanus Gouldii	variable 7.81	3.84	2.71	Australia	no	25.47	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	22.4	432	59.2	5072.8
Varanidae	<i>Varanus griseus</i>	Varanus griseus	variable 15.75	3.74	2.95	Paleartic	no	27.18	Diurnal	Terrestrial	Terrestrial	Oviparous	10.5	22.8	124	114.5	7203.8
Varanidae	<i>Varanus indicus</i>	Varanus indicus	variable 7.85	3.64	2.80	Oceania	no	6.89	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.5	25.8	2923	43.8	673.7
Varanidae	<i>Varanus jobiensis</i>	Varanus jobiensis	variable 3.63	3.29	NA	Oceania	yes	4.83	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.8	25.3	3307	23.8	403.4	
Varanidae	<i>Varanus juxtindicus</i>	Varanus juxtindicus	variable 4.00	3.44	NA	Oceania	yes	11.65	Diurnal	Semi_Aquatic	Scansorial	Oviparous	10.8	26.9	3223	18.5	555.5
Varanidae	<i>Varanus keithormei</i>	Varanus keithormei	variable 3.10	2.64	2.31	Australia	no	13.83	Diurnal	Arboreal	Scansorial	Oviparous	11.6	25.5	1399	109.8	1569.1
Varanidae	<i>Varanus kingorum</i>	Varanus kingorum	variable 4.50	1.43	1.05	Australia	no	16.24	Diurnal	Saxicolous	Scansorial	Oviparous	11.1	28	767	112.9	2981.4
Varanidae	<i>Varanus komodoensis</i>	Varanus komodoensis	variable 18.40	5.04	4.52	Oceania	yes	8.60	Diurnal	Terrestrial	Terrestrial	Oviparous	11.2	26.6	2060	67.1	645.4
Varanidae	<i>Varanus kordensis</i>	Varanus kordensis	variable 3.45	2.56	NA	Oceania	yes	0.94	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.2	26.6	3123	14.9	186.7	
Varanidae	<i>Varanus lirungensis</i>	Varanus lirungensis	variable 2.50	2.95	2.91	Oceania	yes	3.95	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	10.9	27	3590	16.8	247.4	
Varanidae	<i>Varanus mabitang</i>	Varanus mabitang	variable 9.00	3.90	3.50	Oriental	yes	11.64	Diurnal	Arboreal	Scansorial	Oviparous	11.7	24.9	3654	57.3	656.0
Varanidae	<i>Varanus macraei</i>	Varanus macraei	variable 4.03	2.97	2.68	Oceania	yes	0.86	Diurnal	Arboreal	Scansorial	Oviparous	11.2	26	2704	18.2	316.2
Varanidae	<i>Varanus marmoratus</i>	Varanus marmoratus	variable 11.00	4.07	3.25	Oriental	yes	16.38	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.5	25.1	2419	73.2	1271.0
Varanidae	<i>Varanus melinus</i>	Varanus melinus	variable 7.40	3.46	3.14	Oceania	yes	1.88	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.2	25.9	2009	40	408.0
Varanidae	<i>Varanus mertensi</i>	Varanus mertensi	variable 9.70	3.59	3.16	Australia	no	16.81	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.3	26.4	856	110.3	3029.1
Varanidae	<i>Varanus mitchelli</i>	Varanus mitchelli	variable 11.85	2.91	2.38	Australia	no	14.62	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.3	27	1057	111.1	2366.7
Varanidae	<i>Varanus nebulosus</i>	Varanus nebulosus	variable 16.50	4.00	3.49	Oriental	no	9.92	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.7	25	2087	73.8	1704.4	
Varanidae	<i>Varanus niloticus</i>	Varanus niloticus	variable 23.38	4.38	3.43	Afrotropic	no	0.75	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.6	24	1084	89.9	1903.4
Varanidae	<i>Varanus nuchalis</i>	Varanus nuchalis	variable 10.50	3.70	3.34	Oriental	yes	10.78	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.2	26.3	2213	52.4	631.9
Varanidae	<i>Varanus olivaceus</i>	Varanus olivaceus	variable 7.10	3.96	3.48	Oriental	yes	15.53	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.4	25	2937	52.8	1168.0	
Varanidae	<i>Varanus panoptes</i>	Varanus panoptes	variable 8.80	3.98	3.12	Australia	no	20.85	Diurnal	Terrestrial	Terrestrial	Oviparous	11.1	24.7	609	85.5	4267.7
Varanidae	<i>Varanus pilbarensis</i>	Varanus pilbarensis	variable 3.25	2.03	1.48	Australia	no	21.49	Diurnal	Saxicolous&Terres Scansorial	Oviparous	10.9	26.4	330	93.7	4980.2	
Varanidae	<i>Varanus prasinus</i>	Varanus prasinus	variable 4.35	2.76	2.43	Oceania	yes	5.24	Diurnal	Arboreal	Scansorial	Oviparous	11.8	25.3	3171	28.3	441.3
Varanidae	<i>Varanus primordius</i>	Varanus primordius	variable 3.45	1.43	NA	Australia	no	14.69	Diurnal	Saxicolous&Terres Scansorial	Oviparous	11.4	27	1021	110	2610.0	
Varanidae	<i>Varanus rosenbergi</i>	Varanus rosenbergi	variable 8.25	3.48	2.80	Australia	no	33.15	Diurnal	Terrestrial	Terrestrial	Oviparous	11.3	16.6	467	38	3974.6
Varanidae	<i>Varanus rudicollis</i>	Varanus rudicollis	variable 9.20	3.66	NA	Oriental	no	1.52	Diurnal	Arboreal&Terrestri Scansorial	Oviparous	11.8	25.3	2861	29.3	379.6	
Varanidae	<i>Varanus salvadorii</i>	Varanus salvadorii	variable 6.80	4.													

Varanidae	<i>Varanus scalaris</i>	Varanus scalaris	variable 5.85	2.55	2.18	Australia	no	16.23	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.3	26.1	979	109	2677.9
Varanidae	<i>Varanus semiremex</i>	Varanus semiremex	variable 5.60	2.63	2.33	Australia	no	18.77	Diurnal	Semi_Aquatic	Scansorial	Oviparous	11.5	23.6	1229	85.6	2629.3
Varanidae	<i>Varanus similis</i>	Varanus similis	variable 5.00	2.28	2.21	Australia	yes	14.03	Diurnal	Arboreal	Scansorial	Oviparous	11.2	26.7	1153	103.2	2104.6
Varanidae	<i>Varanus spenceri</i>	Varanus spenceri	variable 19.75	3.64	3.17	Australia	no	21.22	Diurnal	Terrestrial	Terrestrial	Oviparous	11.0	25	441	89.7	4817.7
Varanidae	<i>Varanus spinulosus</i>	Varanus spinulosus	variable 9.09	2.80	2.77	Oceania	yes	7.56	Diurnal	Arboreal	Scansorial	Oviparous	11.6	27.2	2979	16	356.5
Varanidae	<i>Varanus storri</i>	Varanus storri	variable 4.15	1.63	1.31	Australia	no	18.86	Diurnal	Saxicolous&Terres	Scansorial	Oviparous	11.1	26.1	552	106.4	4042.3
Varanidae	<i>Varanus timorensis</i>	Varanus timorensis	variable 7.95	2.64	2.40	Oceania	yes	9.27	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.4	24.9	1351	75.8	843.5
Varanidae	<i>Varanus togianus</i>	Varanus togianus	variable 12.70	3.60	NA	Oceania	yes	2.17	Diurnal	Semi_Aquatic	Terrestrial	Oviparous	11.6	23.8	2372	35.3	352.2
Varanidae	<i>Varanus tristis</i>	Varanus tristis	variable 9.10	2.74	2.35	Australia	no	23.30	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.0	23.8	455	70.1	5035.0
Varanidae	<i>Varanus varius</i>	Varanus varius	variable 7.55	4.03	3.35	Australia	no	30.14	Diurnal	Arboreal&Terrestri	Scansorial	Oviparous	11.5	17.9	709	34.8	4611.4
Varanidae	<i>Varanus yemenensis</i>	Varanus yemenensis	variable 1.00	3.66	NA	Afrotropic	no	15.32	Diurnal	Terrestrial	Terrestrial	Oviparous	10.7	25.6	248	77.4	2775.8
Xantusiidae	<i>Crotosaura typica</i>	Crotosaura typica	variable 1.00	0.09	-0.22	Neotropic	yes	20.06	Nocturnal	Terrestrial	Terrestrial	Oviparous	11.5	24.7	1160	56.1	1277.8
Xantusiidae	<i>Lepidophyma chicoensis</i>	Lepidophyma chicoensis	variable 5.00	1.51	1.27	Neotropic	no	17.04	NA	NA	NA	Viviparous	11.8	NA	NA	NA	NA
Xantusiidae	<i>Lepidophyma flavimaculatum</i>	Lepidophyma flavimaculatum	variable 5.00	1.86	1.18	Neotropic	no	14.91	Cathemeral	Arboreal&Saxicolo	Scansorial	Viviparous	11.7	24.4	2448	56.3	1203.4
Xantusiidae	<i>Lepidophyma gaigeae</i>	Lepidophyma gaigeae	variable 2.60	0.76	0.51	Nearctic	no	21.17	Cathemeral	Saxicolous	Scansorial	Viviparous	11.7	18.9	1083	80	2778.2
Xantusiidae	<i>Lepidophyma lowei</i>	Lepidophyma lowei	variable 4.00	0.62	NA	Neotropic	no	17.23	NA	Saxicolous	Scansorial	Viviparous	11.9	NA	NA	NA	NA
Xantusiidae	<i>Lepidophyma micropholis</i>	Lepidophyma micropholis	variable 5.30	1.44	1.24	Neotropic	no	22.45	Cathemeral	Saxicolous	Scansorial	Viviparous	11.7	24.3	1114	84.9	3472.2
Xantusiidae	<i>Lepidophyma pajapanensis</i>	Lepidophyma pajapanensis	variable 5.50	1.23	0.94	Neotropic	no	18.45	Nocturnal	Saxicolous	Scansorial	Viviparous	11.7	23.6	1712	80.4	2101.6
Xantusiidae	<i>Lepidophyma smithii</i>	Lepidophyma smithii	variable 8.00	1.49	NA	Neotropic	no	15.41	Cathemeral	Saxicolous&Terres	Scansorial	Viviparous	11.7	24.8	1550	96.7	872.5
Xantusiidae	<i>Lepidophyma sylvaticum</i>	Lepidophyma sylvaticum	variable 5.60	1.46	0.94	Nearctic	no	22.09	Diurnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.6	19.1	894	72.2	3029.2
Xantusiidae	<i>Lepidophyma tuxtlae</i>	Lepidophyma tuxtlae	variable 4.91	1.26	0.79	Neotropic	no	17.85	Nocturnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.8	23.9	1998	77.2	1924.5
Xantusiidae	<i>Xantusia arizonae</i>	Xantusia arizonae	variable 1.69	0.62	0.46	Nearctic	no	34.33	Cathemeral	Saxicolous	Scansorial	Viviparous	11.0	18	375	51.3	7836.8
Xantusiidae	<i>Xantusia bezyi</i>	Xantusia bezyi	variable 1.60	0.83	0.51	Nearctic	no	33.38	NA	Saxicolous	Scansorial	Viviparous	11.1	19.4	404	48.8	7681.0
Xantusiidae	<i>Xantusia bolsonae</i>	Xantusia bolsonae	variable 1.70	0.56	0.47	Nearctic	no	25.42	NA	Saxicolous	Scansorial	Viviparous	11.1	21.9	284	89.7	4504.1
Xantusiidae	<i>Xantusia extorris</i>	Xantusia extorris	variable 1.40	0.18	0.00	Nearctic	no	25.28	Nocturnal	Terrestrial	Terrestrial	Viviparous	11.1	21.8	282	88.5	4425.2
Xantusiidae	<i>Xantusia gilberti</i>	Xantusia gilberti	variable 2.00	0.21	0.09	Neotropic	no	23.47	Nocturnal	Terrestrial	Terrestrial	Viviparous	11.2	19.8	354	130.7	3168.9
Xantusiidae	<i>Xantusia gracilis</i>	Xantusia gracilis	variable 2.00	0.85	NA	Nearctic	no	33.37	Nocturnal	Saxicolous&Terres	Scansorial	Viviparous	10.9	18.9	114	61.5	6397.0
Xantusiidae	<i>Xantusia henshawi</i>	Xantusia henshawi	variable 1.73	0.85	0.64	Nearctic	no	32.53	Cathemeral	Saxicolous	Scansorial	Viviparous	11.1	16.6	307	71.4	5605.1
Xantusiidae	<i>Xantusia riversiana</i>	Xantusia riversiana	variable 4.40	1.51	1.06	Nearctic	yes	33.01	Diurnal	Saxicolous&Terres	Scansorial	Viviparous	10.7	15.1	267	86.5	1634.6
Xantusiidae	<i>Xantusia sanchezi</i>	Xantusia sanchezi	variable 3.00	0.51	0.38	Neotropic	no	21.22	Nocturnal	Arboreal&Saxicolo	Scansorial	Viviparous	11.6	19.6	848	114.7	2462.9
Xantusiidae	<i>Xantusia sierrae</i>	Xantusia sierrae	variable 1.70	0.41	0.34	Nearctic	no	35.87	NA	Saxicolous	Scansorial	Viviparous	11.5	18.1	412	82.8	6992.4
Xantusiidae	<i>Xantusia vigilis</i>	Xantusia vigilis	variable 1.84	0.83	0.16	Nearctic	no	34.34	Cathemeral	Saxicolous&Terres	Scansorial	Viviparous	10.9	17.8	191	60.9	7280.0
Xantusiidae	<i>Xantusia wigginsi</i>	Xantusia wigginsi	variable 1.00	0.21	-0.03	Nearctic	no	30.35	NA	Cryptic&Terrestri	Terrestrial	Viviparous	10.9	20.2	149	72	5456.4
Xenosauridae	<i>Xenosaurus agrenon</i>	Xenosaurus agrenon	variable 2.95	1.59	1.40	Neotropic	no	16.87	Diurnal	Saxicolous	Scansorial	Viviparous	11.8	18.1	1020	92.5	1298.7
Xenosauridae	<i>Xenosaurus grandis</i>	Xenosaurus grandis	variable 3.90	1.75	1.47	Neotropic	no	18.38	Diurnal	Saxicolous	Scansorial	Viviparous	11.7	22.7	2198	82.2	2001.7
Xenosauridae	<i>Xenosaurus mendozai</i>	Xenosaurus mendozai	variable 2.25	1.53	1.41	Neotropic	no	23.35	Diurnal	Saxicolous	Scansorial	Viviparous	11.8	20.5	783	74	3566.6
Xenosauridae	<i>Xenosaurus newmanorum</i>	Xenosaurus newmanorum	variable 2.50	1.74	1.37	Neotropic	no	21.04	Diurnal	Saxicolous	Scansorial	Viviparous	11.9	22.2	1613	69.9	2872.3
Xenosauridae	<i>Xenosaurus penai</i>	Xenosaurus penai	variable 4.00	1.48	1.40	Neotropic	no	16.92	NA	Saxicolous	Scansorial	Viviparous	11.8	23.8	1891	108.2	964.3
Xenosauridae	<i>Xenosaurus phalaroantherec</i>	Xenosaurus phalaroanthereon	variable 2.17	1.72	1.56	Neotropic	no	16.61	Cathemeral	Saxicolous	Scansorial	Viviparous	11.7	20.2	799	89.1	1515.7
Xenosauridae	<i>Xenosaurus platyceps</i>	Xenosaurus platyceps	variable 2.35	1.63	1.40	Nearctic	no	23.20	Diurnal	Saxicolous	Scansorial	Viviparous	11.7	18.4	772	75	3452.7
Xenosauridae	<i>Xenosaurus rackhami</i>	Xenosaurus rackhami	variable 4.50	1.59	1.47	Neotropic	no	16.36	NA	NA	NA	Viviparous	11.8	22	1465	85.6	1373.6
Xenosauridae	<i>Xenosaurus rectocollaris</i>	Xenosaurus rectocollaris	variable 2.62	1.47	1.27	Neotropic	no	18.33	Diurnal	Saxicolous	Scansorial	Viviparous	11.5	17.5	588	87.1	1789.1
Xenosauridae	<i>Xenosaurus tzacualtipantecu</i>	Xenosaurus tzacualtipantecus	variable 5.00	1.62	1.34	Neotropic	no	23.42	Diurnal	Saxicolous	Scansorial	Viviparous	11.8	20.1	770	73.7	3564.6

**paper of**

Abd Rabou et al. 2007

**paper**

- Abd Rabou, A. F. N., Yassin, M. M., Al-Agha, M. R., Hamad, D. M. and Ali, A. K. S. 2007. The Herpetofauna of the Gaza Strip with particular emphasis on the vicinity of Wadi Gaza. *The Islamic University Journal (Series of Natural Studies and Engineering)* 15: 111-135.
- Abdala 2003. Cuatro nuevas especies del genero *Lioleamus* (Iguania: Lioleagridae), pertenecientes al grupo boulengeri, de la Patagonia Argentina. *Cuadernos de Herpetología* 17: 3-32.
- Abdala, C. S. 2005. Una nueva especie del genero *Lioleamus* perteneciente al complejo darwini (Iguania: Lioleagridae) de la provincia de Catamarca, Argentina. *Revista Española de Herpetología*, 19: 5-17.
- Abdala, C. S. 2005. Dos nuevas especies del genero *Lioleamus* (Iguania: Lioleagridae) y redescriccion de *Lioleamus boulengeri* (Koslowsky, 1898). *Cuadernos de Herpetología* 19: 3-33.
- Abdala, C. S. 2007. Estatus de *Lioleamus ditadai*, Cei 1983, (Iguania: Lioleagridae) y ampliacion de su rango de distribucion. *Cuadernos de Herpetología*, 21: 59-63.
- Abdala, C. S. 2007. Phylogeny of the boulengeri group (Iguania: Lioleagridae, Lioleamus) based on morphological and molecular characters. *Zootaxa* 1538: 1-84.
- Abdala, C. S. and Gomez, J. M. D. 2006. A new species of the *Lioleamus darwini* group (Iguania: Lioleagridae) from Catamarca Province, Argentina. *Zootaxa* 1317: 21-33.
- Abdala, C. S. and Heredia, V. I. J. 2013. Taxonomía y filogenia de un grupo de lagartos amenazados: el grupo de *Lioleamus anomalus* (iguania: Lioleagridae). *Cuadernos de Herpetología* 27: 109-153.
- Abdala, C. S. and Lobo, F. 2006. Description of a new Patagonian lizard species of the *Lioleamus silvanae* group (Iguania: Lioleagridae). *South American Journal of Herpetology* 1: 1-8.
- Abdala, C. S. and Lobo, F. 2006. Nueva especie del grupo de *lioleamus darwini* (Iguania: Lioleagridae) del noroeste de Argentina. *Cuadernos de Herpetología*, 19: 3-18.
- Abdala, C. S. and Quinteros, S. 2008. A new species of *Lioleamus* (Iguania: Lioleagridae), endemic to Sierra de Fiambala, Catamarca, Argentina. *Cuadernos de Herpetología*, 22: 35-47.
- Abdala, C. S. and Quinteros, A. S. 2014. Los ultimos 30 años de estudios de la familia de lagartijas mas diversa de Argentina. Actualización taxonomica y sistemática de Lioleagridae. *Cuadernos de Herpetología* 28: 55-82.
- Abdala, C. S., Quinteros, A. S. and Espinoza, R. E. 2008. Two new species of *Lioleamus* (Iguania: Lioleagridae) from the Puna of Northwestern Argentina. *Herpetologica*, 64: 458-471.
- Abdala, C. S., Acosta, J. C., Cabrera, M. R., Villavicencio, H. J. and Marinero, J. 2009. A new Andean *Lioleamus* of the *L. montanus* series (Squamata: Iguania: Lioleagridae) from western Argentina. *South American Journal of Herpetology* 10: 104-115.
- Abdala, C. S., Quinteros, A. S., Scrocchi, G. J. and Stazzonelli, J. C. 2010. Three new species of the *Lioleamus elongatus* group (Iguania: Lioleagridae) from Argentina. *Cuadernos de Herpetología*, 24: 93-109.
- Abdala, C. S., Quinteros, A. S., Arias, F., Portelli, S. and Palavecino, A. 2011. A new species of the *Lioleamus darwini* group (Iguania: Lioleagridae) from Salta Province, Argentina. *Zootaxa* 2968: 26-38.
- Abdala, C. S., Gomez, J. M. D. and Heredia, V. I. J. 2012. From the far reaches of Patagonia: new phylogenetic analyses and description of two new species of the *Lioleamus fitzingerii* clade (Iguania: Lioleagridae). *Zootaxa* 3301: 34-42.
- Abdala, C. S., Semhan, R. V., Moreno Azocar, D. L., Bonino, M., Paz, M. M. and Cruz, F. 2012. Taxonomic study and morphology based phylogeny of the patagonic clade *Lioleamus melanops* group (Iguania: Lioleagridae), with the description of three new taxa.. *Zootaxa* 3163: 1-32.
- Abdala, C. S., Procopio, D. E., Stellatelli, O. A., Travaini, A., Rodriguez, A. and Monachesi, M. R. R. 2014. New Patagonian species of *Lioleamus* (Iguania: Lioleagridae) and novelty in the lepidosis of the southernmost lizard of the world: *Lioleamus magellanicus*. *Zootaxa* 3866: 526-542.
- Abdala, V., Tulli, M. J., Russell, A. P., Powell, G. L. and Cruz, F. B. 2014. Anatomy of the crus and pes of Neotropical iguanian lizards in relation to habitat use and digitally based grasping capabilities. *The Anatomical Record* 297: 104-115.
- Abdala, C. S., Quinteros, A. S. and Semhan, R. V. 2015. New species of *Lioleamus* of the *Lioleamus alticolor-bibronii* group (Iguania: Lioleagridae) from Mendoza, Argentina. *South American Journal of Herpetology*, 10: 104-115.
- Abe 1984. Experimental and field record of preferred temperature in the Neotropical amphisbaenid *Amphisbaena mertensi* Strauch (Reptilia, Amphisbaenidae). *Comparative Biochemistry and Physiology*, A, 77: 251-253.
- Abe, A. S. and Johansen, K. 1987. Gas exchange and ventilatory responses to hypoxia and hypercapnia in *Amphisbaena alba* (Reptilia: Amphisbaenia). *Journal of Experimental Biology* 127: 159-172.
- Abegg, A. D., Entiauspe-Neto, O. M., dos Santos, F. P. R. and Borges, L. M. 2017. A new record of *Rondonops biscutatus* (Reptilia, Sauria, Gymnophthalmidae) from Mato Grosso, Brazil. *Check List*, 13: 7-10.
- Abegg, A. D., Azevedo, W. S. and Duarte, M. R. 2019. Noteworthy insular records of burrowing reptiles in Southeastern Brazil. *Herpetology Notes* 12: 221-224.
- Abell-Davis 2000. *Pogona barbata*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/biol/zoology/herp/NQherplist.shtml>. 3pp. Downloaded February 4th, 2009.
- Abu Baker, M., Qarqaz, M., Rifai, L., Hamidan, N., Omari, K. A., Modry, D. and Amr, Z. 2004. Results of herpetofaunal inventory of Wadi Ramm Protected Area, with notes on some relict species. *Russian Journal of Herpetology*, 11: 107-113.
- Abu Baker, M., Siroky, P., Amr, Z. and Modry, D. 2005. Discovery of a population of *Phrynocephalus maculatus* Anderson, 1872 in the Hashemite Kingdom of Jordan (Squamata: Sauria: Agamidae). *Herpetozoa* 18: 107-113.
- Abu-Ghalyun, Y., Greenwald, L., Hetherington, T. E. and Gaunt, A. S. 1988. The physiological basis of slow locomotion in chameleons. *Journal of Experimental Zoology* 245: 225-231.
- Abukashawa, S. M. A. and Mahmoud, M. M. 2015. New record of the small-spotted lizard, *Mesalina guttulata* (Lichtenstein, 1823) from Dongonab Bay, Red Sea. *Russian Journal of Herpetology* 22: 219-223.
- Acevedo, G. A. 2009. Ecomorphology of the Mexican fence lizards of the *Sceloporus formosus* group (Squamata: Phrynosomatidae). MSc. Thesis, University of Texas at Arlington.
- Achaval, F. and Olmos, A. 2003. Anfibios y reptiles del Uruguay. Graphis, Montevideo.
- Achaval, F. and Olmos, A. 2007. Anfibios y reptiles del Uruguay. 3rd edition. Biophoto, Montevideo.
- Ackerman, R. A., Dmi'el, R. and Ar, A. 1985. Energy and water vapor exchange by parchment-shelled reptile eggs. *Physiological Zoology*, 58: 129-137.
- Ackermann, T. and Zwanzig, B-M. 2018. *Pristurus minimus* – small geckos with big egos. Husbandry and propagation in the terrarium. *Sauria* 40: 1-12.
- Ackermann, T. and Zwanzig, B-M. 2019. On the husbandry and propagation of *Pristurus gallagheri* (Arnold, 1986) in the terrarium. *Sauria* 41: 41-51.
- Ackley, J. W., Muellemen, P. J., Carter, R. E., Henderson, R. W. and Powell, R. 2009. A rapid assessment of herpetofaunal diversity in variously altered habitats on Dominica. *Applied Herpetology* 6: 171-184.
- Acosta, J. C. and Martori, R. A. 1990. Ecología de una población de *Teius oculatus* (Sauria, Teiidae) de Rio Cuarto. II. Utilización espacio temporal y relaciones térmicas. *Cuadernos de Herpetología* 5: 19-24.
- Acosta, J. C., Avila, L. J. and Blanco, G. 1996. Ecología de *Lioleamus boulengeri* (Sauria: Tropiduridae) en el norte de la estepa Patagonica (ing. Jacobacci, Rio Negro, Argentina). *Cuadernos de Herpetología* 9: 100-107.
- Acosta, J. C., Buff, R., Marinero, J. A. and Gomez, P. 2004. *Lioleamus sanjanensis* (NCN). Body temperature. *Herpetological Review* 35: 171.
- Acosta, J. L., Etchepare, E., Arias, F., Palomas, S. and Abreliano, F. 2015. Contomastix serrana (Cei & Martori, 1991). Primer registro para la provincia del Chaco (República Argentina). *Cuadernos de Herpetología* 29: 173-174.
- Acosta-Chaves, V. J., Chaves, G., Abarca, J. G., García-Rodríguez, A. and Bolanos, F. 2015. A checklist of the amphibians and reptiles of Rio Macho Biological Station, Provincia de Cartago, Costa Rica. *Check List* 11: 1784.
- Acosta-Vasconez, N., Carrera, M., Penaherrera, E. and Cisneros-Heredia, D. 2018. Predation on the teiid lizard *Dicroidon guttulatum* Dumeril and Bibron, 1839 by the pitviper *Porthidium arcosae* Schatti and Kramer, 1993. *Herpetology Notes* 11: 391-393.
- Adamopoulos, C., Valakos, E. D. and Pafilis, P. 1999. Summer diet of *Podarcis milensis*, *P. gaigeae* and *P. erhardii* (Sauria: Lacertidae). *Bonner Zoologische Beiträge* 48: 275-282.
- Adamopoulos, C. and Legakis, A. 2002. Diet of a lacertid lizard (*Podarcis milensis*) in an insular dune ecosystem. *Israel Journal of Zoology* 48: 207-219.
- Adamopoulos, C. and Pafilis, P. 2019. Eaten or beaten? Severe population decline of the invasive lizard *Podarcis siculus* (Rafinesque-Schmaltz, 1810) after an eradication project in Athens, Greece. *Herpetozoa* 32: 165-169.
- Adamopoulos, C. and Valakos, E. D. 2000. Small clutch size in a Mediterranean endemic lacertid (*Podarcis milensis*). *Copeia*, 2000: 610-614.
- Adamopoulos, C. and Valakos, E. D. 2005. Thermal ecology and activity cycle of *Podarcis milensis* in a sandy coastal area. *Israel Journal of Zoology* 51: 39-52.
- Adolph, S. C. and Porter, W. P. 1993. Temperature, activity, and lizard life histories. *The American Naturalist*, 142: 273-295.
- Adolph, S. C. and Porter, W. P. 1996. Growth, seasonality, and lizard life histories: age and size at maturity. *Oikos*, 77: 267-278.
- Afonso-Silva, A. C., Bragg, J. G., Potter, S., Fernandes, C., Coelho, M. M. and Moritz, C. 2017. Tropical specialist vs. climate generalist: diversification and demographic history of sister species of *Carlia* skinks from northwestern Australia. *Molecular Ecology* 26: 4045-4058.
- Alfonso-Silva, A. C., Santos, N., Ogilvie, H. A. and Moritz, C. 2017. Validation and description of two new north-western Australian Rainbow skinks with multispecies coalescent methods and morphology. *PeerJ*, 5: e3724.
- Afrasiab, S. R., Mohamad, S. I. and Hossain, R. H. 2013. A review of the Lacertini of Iraq in Iraqi collections (squamata: sauria: Lacertidae). *Herpetozoa* 25: 93-100.

- Afrasiab et al. 2018  
Afsar et al. 2017  
Afsar et al. 2018  
Agarwal 2009  
Agarwal and Bauer 2017  
Agarwal et al. 2010  
Agarwal et al. 2012  
Agarwal et al. 2015  
Agarwal et al. 2016  
Agarwal et al. 2017a  
Agarwal et al. 2017b  
Agarwal et al. 2018a  
Agarwal et al. 2018b  
Agarwal et al. 2018c  
Agarwal et al. 2019a  
Agarwal et al. 2019b  
Agarwal et al. 2019c  
Agarwal, I. 2016  
Aguilar and Cruz 2010  
Aguilar et al. 2007  
Aguilar et al. 2013  
Aguilar-Kirigin and Abdala 2016  
Aguilar-Kirigin et al. 2016  
Aguilar-Lopez et al. 2016  
Aguilar-Miguel 2005  
Aguilar-Puntriano et al. 2018  
Aguilar-Puntriano et al. 2019  
Aguirre and Gatica 2010a  
Aguirre and Gatica 2010b  
Aguirre and Gatica 2010c  
Aguirre and Gatica 2010d  
Aguirre and Gatica 2010e  
Aguirre and Gatica 2010f  
Aguirre and Gatica 2010g  
Aguirre and Gatica 2010h  
Aguirre and Gatica 2010i  
Aguirre and Gatica 2010j  
Aguirre and Gatica 2010k  
Aguirre and Gatica 2010l
- Afrasiab, S.R., Al-Moussawi, A. A. and Hadi, H. D. 2018. Annotated checklist of reptilian fauna of Basrah, south of Iraq. Bulletin of the Iraq Natural History Museum, 15: 77-92.  
Afsar, M., Cicek, K. and Tok, C. V. 2017. More data on the distribution and morphology of *Mediodactylus kotschyi bolkarensis* (Rosler, 1994), from Central Anatolia, Turkey. Herpetozoa, 30: 49-58.  
Afsar, M., Sahin, M. K., Afsar, B., Cicek, K. and Tok, C. V. 2018. Data on nocturnal activity of *Darevskia rufa* (Bedriaga, 1886) (Sauria: Lacertidae) in Central Black Sea Region, Turkey. Ecologica Montenegrina 19: 125-129.  
Agarwal, I. 2009. First record of *Tropiocolotes persicus euphorbiacola* Minton, Anderson and Anderson 1970 (Sauria: Gekkonidae) from the Republic of India, with notes on its habitat and natural history. Russian Journal of Herpetology, 16: 17-24.  
Agarwal, I. and Bauer, A. M. 2017. *Cyrtodactylus rishivalleyensis* (Rishi Valley geckoella). Geographic distribution. Herpetological Review 48: 811.  
Agarwal, I., Mistry, V. K. and Athreya, R. 2010. A preliminary checklist of the reptiles of Eaglenest Wildlife Sanctuary, West Kameng District, Arunachal Pradesh, India. Russian Journal of Herpetology, 17: 81-93.  
Agarwal, I., Datta-Roy, A., Bauer, A. M. and Giri, V. B. 2012. Rediscovery of *Geckoella jeyaporensis* (Squamata: Gekkonidae), with notes on morphology, coloration and habitat. Hamadryad 36: 17-24.  
Agarwal, I., Goyal, S. P. and Qureshi, Q. 2015. Lizards of the Thar Desert - resource partitioning and community composition. Journal of Arid Environments 118: 58-64.  
Agarwal, I., Mirza, Z. A., Pal, S., Maddock, S. T., Mishra, A. and Bauer, A. M. 2016. A new species of the *Cyrtodactylus* (*Geckoella*) *collegensis* (Beddoe, 1870) complex (Squamata: Gekkonidae) from Western India. Zootaxa 4080: 1-10.  
Agarwal, I., Biswas, S., Bauer, A. M., Greenbaum, E., Jackman, T. R., De Silva, A. and Batuwita, S. 2017. Cryptic species, taxonomic inflation, or a bit of both? New species phenomenon in Sri Lanka as suggested by a phylogeny of dwarf geckos (Reptilia, Squamata, Gekkonidae, Cnemaspis). Systematics and Biodiversity, 15: 427-439.  
Agarwal, I., Ceriaco, L. M. P., Bauer, A. M. and Bandeira, S. 2017. *Kolekanos plumicaudus* (slender feather-tailed gecko). Habitat use. Herpetological Review 48: 649-650.  
Agarwal, I., Khandekar, A., Ramakrishnan, U., Vyas, R. and Giri, V. B. 2018. Two new species of the *Ophisops microlepis* (Squamata: Lacertidae) complex from northwestern India with a key to Indian *Ophisops*. Journal of Natural History, 52: 819-847.  
Agarwal, I., Mahony, S., Giri, V. B., Chaitanya, R. and Bauer, A. M. 2018. Six new *Cyrtodactylus* (Squamata: Gekkonidae) from northeast India. Zootaxa 4524: 501-535.  
Agarwal, I., Mahony, S., Giri, V. B., Chaitanya, R. and Bauer, A. M. 2018. Two new species of bent toed geckos, *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) from Northeast India with comments on name-bearing types from the region. Zootaxa 4420: 334-356.  
Agarwal, I., Bauer, A. M., Giri, V. B. and Khandekar, A. 2019. An expanded ND2 phylogeny of the brookii and prashadi groups with the description of three new Indian *Hemidactylus Oken* (Squamata: Gekkonidae). Zootaxa 4619: 1-10.  
Agarwal, I., Jablonski, D. and M Bauer, A. M. 2019. The identity and probable origin of the Hemidactylus geckos of the Maldives. Herpetological Journal 29: 230-236.  
Agarwal, I., Khandekar, A., Giri, V. B., Ramakrishnan, U. and Karanth, K. P. 2019. The hills are alive with geckos! A radiation of a dozen species on sky islands across peninsular India (Squamata: Gekkonidae, Hemiphyllodactylus) with the description of three new species. Organisms Diversity & Evolution 19: 341-361.  
Agarwal, I. 2016. Two new species of ground-dwelling *Cyrtodactylus* (*Geckoella*) from the Mysore Plateau, south India. Zootaxa 4193: 228-244.  
Aguilar, R. and Cruz, F. B. 2010. Refuge use in a Patagonian nocturnal lizard, *Homonota darwini*: the role of temperature. Journal of Herpetology 44: 236-241.  
Aguilar, C., Lundberg, M., Siu-Ting, K. and Jimenez, M. E. 2007. New records for the herpetofauna of Lima, description of *Telmatobius rimac* Schmidt, 1954 tadpole (Anura: Ceratophryidae) and a key to the amphibians. Revista Peruana de Biología 14: 209-216.  
Aguilar, C., Wood, P. L., Cusi, J. C., Guzman, A., Huari, F., Lundberg, M., Mortensen, E., Ramirez, C., Robles, D., Suarez, J., Ticona, A., Vargas, V. J., Venegas, P. J. and Sites, J. W. 2013. Integrative taxonomy and preliminary assessment of species limits in the *Liolemaus walkeri* complex (Squamata, Liolaemidae) with descriptions of three new species from Peru. ZooKeys 364: 47-91.  
Aguilar-Kirigin, A. J. and Abdala, C. S. 2016. Primer registro de *Liolemaus puritamensis* Nunez & Fox, 1989 para el sur de Bolivia (Reptilia, Squamata, Liolaemidae). Cuadernos de Herpetología 30: 45-47.  
Aguilar-Kirigin, A. J., Abdala, C. S., Aparicio, J. and Langstroth, R. P. 2016. Primer registro de *Liolemaus pleopholis* Laurent, 1998 para Bolivia (Reptilia, Squamata, Liolaemidae). Cuadernos de Herpetología 30: 89-92.  
Aguilar-Lopez, J. L., Luria-Manzano, R., Pineda, E. and Aportela, D. 2016. Distribution Notes. *Celestus rozellae* (Smith, 1942). Mesoamerican Herpetology 3: 764-766.  
Aguilar-Miguel, X. 2005. *Heloderma horridum*. Algunas especies de anfibios y reptiles contenidos en el Proyecto de Norma Oficial Mexicana PROY-NOM-059-ECOL-2000. Facultad de Ciencias, Centro de Investigacion en Recursos Bioticos, Universidad Autonoma del Estado de Mexico. Bases de datos SNIBCONABIO. Proyecto W035. Mexico. D.F.  
Aguilar-Puntriano, C., Avila, L. J., De la Riva, I., Johnson, L., Morando, M., Troncoso-Palacios, J., Wood, P. L. and Sites, J. W. 2018. The shadow of the past: Convergence of young and old South American desert lizards as measured by head shape traits. Ecology and Evolution 8: 11399-11409.  
Aguilar-Puntriano, C., Ramirez, C., Castillo, E., Mendoza, A., Vargas, V. J. and Sites, J. W. 2019. Three new lizard species of the *Liolemaus montanus* group from Peru. Diversity 11: 161.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Coleonyx brevis*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Coleonyx reticulatus*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Coleonyx variegatus*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Crotaphytus reticulatus*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Gambelia wislizenii*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Holbrookia lacerata*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Lepidophyma micropholis*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Petrosaurus thalassinus*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Phyllodactylus bugastrolepis*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de *Phyllodactylus xanti*. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecología y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIB-CONABIO. Proyecto No. CK007. Mexico, D.F.

- Aguirre and Gatica 2010m  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Plestiodon gilberti. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010n  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Plestiodon lagunensis. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010o  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Plestiodon multilineatus. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010p  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Plestiodon multivirgatus. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010q  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Plestiodon parvauriculatus. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010r  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Sauromalus ater. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010s  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Sauromalus australis. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010t  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Sauromalus obesus. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010u  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Scincella lateralis. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010v  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Uma exsul. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010w  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Uma notata. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010x  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Uma parphygas. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010y  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Uta nolasensis. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre and Gatica 2010z  
Aguirre, T. A. and Gatica, C. A. 2010. Ficha tecnica de Uta squamata. En: Gatica C. A. (compilador). Diagnostico de algunas especies de anfibios y reptiles del Norte de Mexico. Laboratorio de Ecologia y Biodiversidad Animal. Instituto de Ciencias Biomedicas, Universidad Autonoma de Ciudad Juarez. Bases de datos SNIb-CONABIO. Proyecto No. CK007. Mexico, D.F.
- Aguirre et al. 2017  
Aguirre, T. A., Gatica, C. A., Ortiz, D. A., Hernandez, A. B. 2017. Testicular cycle of *Amphisbaena mertensi* Strauch, 1881 (Squamata: Amphisbaenidae) in northeastern Argentina. *Herpetology Notes*, 10: 141-145.
- Aharoni 1929  
Aharoni, I. 1929. Zoology, a reference book for teachers. Part I: Vertebrata; Class 3: Reptilia Koheleth, Jerusalem. In Hebrew.
- Ahmadvazdeh 2008  
Ahmadzadeh, F. 2008. A contribution on Lacerta media populations in agricultural environments in north west of Iran. Proceedings of the Symposium on the Lacertids of the Mediterranean Basin, 6: 11.
- Ahmadvazdeh et al. 2008  
Ahmadzadeh, F., Kiabi, B. H., Kami, H. G. and Hojjati, V. 2008. A preliminary study of the lizard fauna and their habitats in Northwestern Iran. *Asiatic Herpetological Research*, 11: 1-9.
- Ahmadvazdeh et al. 2009  
Ahmadzadeh, F., Kami, H. G., Hojjati, V. and Rezazadeh, E. 2009. Contribution to the knowledge of *Eremias strauchi strauchi* Kessler, 1878 (Sauria: Lacertidae) from northwestern Iran. *Iranian Journal of Animal Biosystematics* 5: 17.
- Ahmadvazdeh et al. 2013a  
Ahmadzadeh, F., Carretero, M. A., Rodder, D., Harris, D. J., Freitas, S. N., Perera, A. and Bohme, W. 2013. Inferring the effects of past climate fluctuations on the distribution pattern of *iranolacerta* (Reptilia, Lacertidae): Evidence from mitochondrial DNA and species distribution models. *Zoologischer Anzeiger* 252: 141-148.
- Ahmadvazdeh et al. 2013b  
Ahmadzadeh, F., Flecks, M., Carretero, M. A., Bohme, W., Ilgaz, C., Engler, J. O., Harris, D. J., Uzum, N. and Rodder, D. 2013. Rapid lizard radiation lacking niche conservatism: ecological diversification within a complex landscape. *Journal of Biogeography* 40: 1807-1818.
- Ahmadvazdeh et al. 2013c  
Ahmadzadeh, F., Flecks, M., Carretero, M. A., Mozaffari, O., Bohme, W., Harris, D. J., Freitas, S. and Rodder, D. 2013. Cryptic speciation patterns in Iranian rock lizards uncovered by integrative taxonomy. *PLoS ONE* 8(12): e80563. doi:10.1371/journal.pone.0080563
- Ahmed 2009  
Ahmed, Z. U. 2009. Encyclopedia of flora and fauna of Bangladesh. Amphibians and reptiles. Asiatic Society of Bangladesh, volume 25, Dhaka.
- Ahmed et al. 2009  
Ahmed, M. F., Das, A. and Dutta, S. K. 2009. Amphibians and reptiles of northeast India. A photographic guide. Aaranyak, Beltola.
- Ahsan and Abu Saeed 2004  
Ahsan, M. F. and Abu Saeed, M. 2004. Some aspects of breeding biology of the Bengal lizard (*Varanus bengalensis*) in Bangladesh. *Asiatic Herpetological Research* 10: 236-240.
- Ahumada-Carrillo et al. 2011  
Ahumada-Carrillo, I. T., Vazquez-Huizar, O., Vazquez-Diaz, J. and Garcia-Vazquez, U. O. 2011. Noteworthy records of amphibians and reptiles from Zacatecas, Mexico. *Herpetological Review*, 42: 397-398.
- Ahumada-Carrillo et al. 2014  
Ahumada-Carrillo, I. T., Rivera, N. P., Reyes-Velasco, J., Grunwald, C. I. and Jones, J. M. 2014. Notable records of amphibians and reptiles from Colima, Nayarit, Jalisco, and Zacatecas, Mexico. *Herpetological Review* 45: 287-291.
- Ajtic 2014  
Ajtic, R. 2014. Morphological, biogeographical and ecological characteristics of *Kotschy's gecko* (*Cyrtodactylus kotschy* Steindachner, 1870 Gekkonidae) from the mainland portion of its distribution range. *Fauna Balkana* 3: 1-70.
- Akani and Luiselli 2009  
Akani, G. C. and Luiselli, L. M. 2009. Aspects of community ecology of amphibians and reptiles at Bonny island (Nigeria), an area of priority relevance for petrochemical industry. *African Journal of Ecology* 48: 939-948.
- Akani et al. 1999  
Akani, G. C., Luiselli, L. and Politano, E. 1999. Ecological and conservation considerations on the reptile fauna of the eastern Niger Delta (Nigeria). *Herpetozoa*, 11: 141-153.
- Akani et al. 2001  
Akani, G. C., Ogbulu, O. K. and Luiselli, L. 2001. Life-history and ecological distribution of chameleons (Reptilia, Chamaeleonidae) from the rain forests of Nigeria: conservation implications. *Animal Biodiversity and Conservation*.
- Akani et al. 2002  
Akani, G. C., Capizzi, D. and Luiselli, L. 2002. Community ecology of scincid lizards in a swamp rainforest of south-eastern Nigeria. *Russian Journal of Herpetology* 9: 125-134.
- Akani et al. 2013  
Akani, G. C., Petrozzi, F., Rugiero, L., Segniagbeto, G. H. and Luiselli, L. 2013. Effects of rainfall and geography on the comparative diets of eight rainbow lizard populations across Togo, Benin and Nigeria (West Africa). *Amphibia-Aquatic Research* 10: 1-10.
- Akiki et al. 2015  
Akiki, Y. S., Saade, J. H., Hokayem, M. L., Hraoui-Bloquet, S. and Nassar, F. 2015. Female reproductive cycle of the lacertid lizard *Acanthodactylus schreiberi syriacus* (Reptilia: Squamata) from Lebanon. *Herpetology Notes*, 8: 439-442.
- Akman 2019  
Akman, B. 2019. Distribution and some ecological features of *Acanthodactylus schreiberi* Boulenger, 1878 in Anatolia. *Biological Diversity and Conservation*, 12: 1-8.
- Akman and Gocmen 2014  
Akman, B. and Gocmen, B. 2014. Distribution, taxonomy and biology of *Stenodactylus grandiceps* Haas, 1952 (Squamata: Gekkonidae) in Anatolia. *Biharean Biologist*, 8: 63-74.
- Akman et al. 2018  
Akman, B., Yıldız, M. Z., Özcan, A. F., Bozkurt, M. A., İgeci, N. and Gocmen, B. 2018. On the herpetofauna of the East Anatolian province of Bitlis (Turkey). *Herpetozoa* 31: 69-82.
- Alam et al. 2019  
Alam, M., Rabbe, F. and Rahman, M. 2019. New record of *Sphenomorphus maculatus* (Blyth, 1853) in northwestern Bangladesh. *Herpetology Notes*, 12: 915-917.
- Alaniz-Garcia and Valdez-Villavicencio 2008a  
Alaniz-Garcia, J. and Valdez-Villavicencio, J. H. 2008. Ficha tecnica de *Anniella geronimensis*. En: Alaniz-Garcia, J. (compilador). Actualizacion de las fichas de informacion para los reptiles incluidos en la Norma Oficial Mexicana-059-SEMARNAT-2001, para Baja California. Laboratorio de Vertebrados, Facultad de Ciencias, Universidad Autonoma de Baja California. Bases de datos SNIb-CONABIO. Proyecto No. CK013. Mexico, D.F.
- Alaniz-Garcia and Valdez-Villavicencio 2008b  
Alaniz-Garcia, J. and Valdez-Villavicencio, J. H. 2008. Ficha tecnica de *Bipes biporus*. En: Alaniz-Garcia, J. (compilador). Actualizacion de las fichas de informacion para los reptiles incluidos en la Norma Oficial Mexicana-059-SEMARNAT-2001, para Baja California. Laboratorio de Vertebrados, Facultad de Ciencias, Universidad Autonoma de Baja California. Bases de datos SNIb-CONABIO. Proyecto No. CK013. Mexico, D.F.

- Alaniz-Garcia and Valdez-Villavicencio 2008c Alaniz-Garcia, J. and Valdez-Villavicencio, J. H. 2008. Ficha tecnica de *Petrosaurus mearnsi*. En: Alaniz-Garcia, J. (compilador). Actualizacion de las fichas de informacion para los reptiles incluidos en la Norma Oficial Mexicana-059-SEMARNAT-2001, para Baja California. Laboratorio de Vertebrados, Facultad de Ciencias, Universidad Autonoma de Baja California. Bases de datos SNiB-CONABIO. Proyecto No. CK013. Mexico. D.F.
- Alaniz-Garcia and Valdez-Villavicencio 2008d Alaniz-Garcia, J. and Valdez-Villavicencio, J. H. 2008. Ficha tecnica de *Sauromalus hispidus*. En: Alaniz-Garcia, J. (compilador). Actualizacion de las fichas de informacion para los reptiles incluidos en la Norma Oficial Mexicana-059-SEMARNAT-2001, para Baja California. Laboratorio de Vertebrados, Facultad de Ciencias, Universidad Autonoma de Baja California. Bases de datos SNiB-CONABIO. Proyecto No. CK013. Mexico. D.F.
- Alaniz-Garcia and Valdez-Villavicencio 2008ea Alaniz-Garcia, J. and Valdez-Villavicencio, J. H. 2008. Ficha tecnica de *Sauromalus varius*. En: Alaniz-Garcia, J. (compilador). Actualizacion de las fichas de informacion para los reptiles incluidos en la Norma Oficial Mexicana-059-SEMARNAT-2001, para Baja California. Laboratorio de Vertebrados, Facultad de Ciencias, Universidad Autonoma de Baja California. Bases de datos SNiB-CONABIO. Proyecto No. CK013. Mexico. D.F.
- Alaniz-Garcia and Valdez-Villavicencio 2008eb Alaniz-Garcia, J. and Valdez-Villavicencio, J. H. 2008. Ficha tecnica de *Urosaurus nigricaudus*. En: Alaniz-Garcia, J. (compilador). Actualizacion de las fichas de informacion para los reptiles incluidos en la Norma Oficial Mexicana-059-SEMARNAT-2001, para Baja California. Laboratorio de Vertebrados, Facultad de Ciencias, Universidad Autonoma de Baja California. Bases de datos SNiB-CONABIO. Proyecto No. CK013. Mexico. D.F.
- Alaniz-Garcia and Valdez-Villavicencio 2008f Alaniz-Garcia, J. and Valdez-Villavicencio, J. H. 2008. Ficha tecnica de *Uta palmeri*. En: Alaniz-Garcia, J. (compilador). Actualizacion de las fichas de informacion para los reptiles incluidos en la Norma Oficial Mexicana-059-SEMARNAT-2001, para Baja California. Laboratorio de Vertebrados, Facultad de Ciencias, Universidad Autonoma de Baja California. Bases de datos SNiB-CONABIO. Proyecto No. CK013. Mexico. D.F.
- Albaba 2016 Albaba, I. 2016. The herpetofauna of Palestine: A preliminary checklist. *Journal of Entomology and Zoology Studies* 4: 123-128.
- Al-Barazengy 2015 Al-Barazengy, A. N. 2015. First observations on *Phrynocephalus maculatus longicaudatus* Haas, 1957 (Squamata: Sauria: Agamidae) in Iraq. *Bulletin of the Iraq Natural History Museum* 13: 1-7.
- Al-Barazengy et al. 2015 Al-Barazengy, A. N., Salman, A.O. and Hameed, F. T. A. 2015. Updated list of amphibians and reptiles in Iraq 2014. *Bulletin of the Iraq Natural History Museum* 13: 29-40.
- Albert and Fernandez 2009 Albert, E. M. and Fernandez, A. 2009. Evidence of cryptic speciation in a fossorial reptile: description of a new species of *Blanus* (Squamata: Amphisbaenia: Blanidae) from the iberian Peninsula. *Zootaxa* 2234: 56-68.
- Alberts 2004 Alberts, A. (editor) 2004. *Iguanas: Biology and conservation*. University of California Press, Berkeley.
- Albino 2005 Albino, A. M. 2005. A late Quaternary lizard assemblage from the Southern Pampean region of Argentina. *Journal of Vertebrate Paleontology*, 25: 185-191.
- Albuquerque et al. 2015 Albuquerque, R. L., Bonine, K. E. and Garland, T. 2015. Speed and endurance do not trade off in phrynosomatid lizards. *Physiological and Biochemical Zoology: Ecological and Evolutionary Approaches* 88: 634-647.
- Albuquerque et al. 2018 Albuquerque, R. L., dos Santos Protazio, A., Cavalcanti, L. B. Q., Lopez, L. C. S. and Mesquita, D. O. 2018. Geographical Ecology of *Tropidurus hispidus* (Squamata: Tropiduridae) and *Cnemidophorus ocellifer* (Squamata: Teiidae) in a Neotropical Region: A Comparison among Atlantic Forest, Caatinga, and Coastal Populations. *Journal of Herpetology*, 52: 145-155.
- Alcala 1966 Alcala, A. C. 1966. Populations of three tropical lizards of Negros island, Philippines. Ph.D. Thesis, Stanford University; 269 pp.
- Alcala 1986 Alcala, A. C. 1986. Guide to Philippine flora and fauna. Amphibians and reptiles. Natural Resources Management Center, Ministry of Natural Researches and University of the Philippines, Volume 10. 1-195. Quezon City, Philippines.
- Alcala and Brown 1966 Alcala, A. C. and Brown, W. C. 1966. Thermal relations of two tropical lizards on Negros island, Philippine islands. *Copeia* 1966: 593-594.
- Alcala and Brown 1967 Alcala, A. C. and Brown, W. C. 1967. Population ecology of the tropical scincoid lizard, *Emoia atrocostata*, in the Philippines. *Copeia*, 1967: 596-604.
- Alcantara et al. 2015 Alcantara, E. P., De Oliveira, D. B., Da Silva, C. F., Quirino, T. F., Avila, R. W. and Morais, D. H. 2015. *Coleodactylus meridionalis* (meridian Gecko). Predation. *Herpetological Review* 46: 630.
- Alcantara et al. 2018 Alcantara, E. P., Ferreira-Silva, C., Sousa, J. G. G., Avila, R. W. and Morais, D. H. 2018. Ecology and parasitism of the lizard *Tropidurus jaguaribanus* (Squamata: Tropiduridae) from northeastern Brazil. *Phyllomedusa* 17: 195-210.
- Alcantara et al. 2019 Alcantara, E. P., Ferreira-Silva, C., Goncalves-Sousa, J. G., Morais, D. H. and Avila, R. W. 2019. Feeding ecology, reproductive biology, and parasitism of *Gymnodactylus geckoides* Spix, 1825 from a caatinga area in northeastern Brazil. *Herpetological Conservation and Biology*, 14: 641-647.
- Aldape-Lopez and Santos-Moreno 2018 Aldape-Lopez, C. T. and Santos-Moreno, A. 2018. *Abrovia mixteca* (Mixtecan arboreal alligator lizard). Mating behavior. *Herpetological Review* 49: 114.
- Ales et al. 2019 Ales, R. G., Galdeano, A. P., Acosta, J. C. and Blanco, G. M. 2019. *Amphisbaena bolivica* Mertens, 1929 (Squamata: Amphisbaenidae): Primer registro para la provincia de San Juan, Argentina. *Cuadernos de Herpetología* 33: 39-40.
- Alexander 1966 Alexander, A. A. 1966. Taxonomy and variation of *Blanus strauchi*, with comments on the nature of its meristic variation. *Copeia* 1966: 205-224.
- Alexander 2007 Alexander, K. 2007. A photographic field guide to the reptiles and amphibians of Dominica, West Indies. Texas A&M University & Dominica Study Abroad, Project Report.
- Alexander and Marais 2007 Alexander, G. and Marais, J. 2007. A guide to the reptiles of southern Africa. Struik, Cape Town.
- Alfonso et al. 2012a Alfonso, Y. U., Charrua, P., Fajardo, G. and Estrada, A. R. 2012. Interspecific communal oviposition and reproduction of three lizard species in Southeastern Cuba. *Herpetology Notes*, 5: 73-77.
- Alfonso et al. 2012b Alfonso, Y. U., Fajardo, G., Suarez, E. and Krysko, K. L. 2012. Sexual size dimorphism, oviposition, and hatching in *Leiocephalus macropus asbolomus* (Squamata: Leiocephalidae) in Alexander Von Humboldt National Park in eastern Cuba. *IRCF Reptiles & Amphibians* 19: 230-236.
- Alfonso et al. 2014 Alfonso, Y. U., Holanova, V. and Krysko, K. L. 2014. Copulation and oviposition in the green-blotted giant anole, *Anolis smallwoodi* (Squamata: Dactyloidae), from southeastern Cuba. *IRCF Reptiles & Amphibians* 21: 108-115.
- Algar and Lopez-Darias 2016 Algar, A. C. and Lopez-Darias, M. 2016. Sex-specific responses of phenotypic diversity to environmental variation. *Ecography* 39: 715-725.
- Algar et al. 2018 Algar, A. C., Morley, K. and Boyd, D. S. 2018. Remote sensing restores predictability of ectotherm body temperature in the world's forests. *Global Ecology and Biogeography* 27: 1412-1425.
- Al-Hashem 2009 Al-Hashem, M. 2009. Monitoring population abundance of the sand lizard *Acanthodactylus scutellatus* and their ant prey in oil polluted soils at Kuwait's greater Al-Burgan oil field. *Pakistan Journal of Biological Sciences* 12: 1425.
- Ali et al. 2017 Ali, W., Javid, A., Khan, W. A., Hussain, A., Rizwan, M., Ameer, M. and Sajid, A. Q. 2017. Diversity and habitat preferences of herpetofauna at Kalabagh Game Reserve, District Mianwali, Punjab, Pakistan. *Russian Journal of Herpetology* 24: 267-274.
- Ali et al. 2018 Ali, W., Javid, A., Hussain, A. and Bukhari, S. M. 2018. Diversity and habitat preferences of amphibians and reptiles in Pakistan: a review. *Journal of Asia-Pacific Biodiversity* 11: 173-187.
- Al-Johany 1995 Al-Johany, A. M. 1995. The ecology of *Agama yemenensis* Klausewitz (Lacertilia: Agamidae) in south-western Arabia. *Journal of Arid Environments* 29: 495-503.
- Al-Johany 1999 Al-Johany, A. M. 1999. The activity and thermal biology of the fossorial reptile, *Diplometopon zarudnyi* (Amphisbaenia: Trogonophidae) in Central Saudi Arabia. *Asiatic Herpetological Research* 8: 1-6.
- Al-Johany and Spellerberg 1988 Al-Johany, A. M. and Spellerberg, I. F. 1988. Reproductive biology of the lizard *Acanthodactylus schmidti*, Weigmann in central Arabia. *Journal of Arid Environments*, 15: 197-207.
- Al-Johany and Spellerberg 1989 Al-Johany, A. M. and Spellerberg, I. F. 1989. Home range and vagility of the lizards *Acanthodactylus schmidti* and *Acanthodactylus boskianus* in Saudi Arabia. *Journal of arid environments* 16: 79-86.
- Al-Johany et al. 1997 Al-Johany, A. M., Al-Sadoon, M. K. and Al-Farraj, S. A. 1997. Reproductive biology of the skink *Scincus mitratus* (Anderson, 1871) in the central region of Saudi Arabia. *Journal of Arid Environments* 36: 319-326.
- Al-Johany et al. 1999 Al-Johany, A. M., Al-Sadoon, M. K. and Al-Farraj, S. A. 1999. Thermal ecology and activity of the sand fish lizard, *Scincus mitratus* (Scincidae) in central Arabia. *Journal of King Saud University* 2: 1-16.
- Allain 2017 Allain, S. J. R. 2017. The use of roadside gabions as refugia by reptiles in Kota Kinabalu, Sabah, Malaysia. *Captive and Field Herpetology* 1: 7-9.
- Allain 2018 Allain, S. J. R. 2018. In the shadow of mammals: the use of camera traps to investigate the basking behaviour of *Agama mwanzae* in the Serengeti National Park, Tanzania. *The Herpetological Bulletin* 145: 19-21.
- Allain and Bateman 2018 Allain, S. J. R. and Bateman, T. C. B. 2018. Ixodid ticks on Oertzen's rock lizard (*Anatololacerta oertzeni*) on Ikaria, Greece with notes on the island's reptiles. *IRCF Reptiles & Amphibians* 25: 176-179.
- Allen 2015 Allen, K. E. 2015. Phylogenetics and phylogeography of central and West African Trachylepis skinks. MSc. Thesis, Villanova University, PA, USA.
- Allen and Powell 2014 Allen, K. E. and Powell, R. 2014. Thermal biology and microhabitat use in Puerto Rican eyespot geckos (*Sphaerodactylus macrolepis macrolepis*). *Herpetological Conservation and Biology*, 9: 590-600.
- Allison 1982 Allison, A. 1982. Distribution and ecology of New Guinea lizards. *Monographic Biologicae*, 42: 803-813. In: Gressitt, J.L. (ed.) *Biogeography and Ecology of New Guinea*. Dr W. Junk Publishers, The Hague.
- Allison 1997 Allison, A. 1997. Zoogeography of amphibians and reptiles of New Guinea and the Pacific Region. pp. 407-436 in A. Keast and S. E. Miller (eds.), *The origin and evolution of Pacific island biotas*, New Guinea to Eastern Polynesia: Patterns and processes. SPB Academic Publishing, Amsterdam.
- Allison 2006 Allison, A. 2006. Reptiles and amphibians of the Trans-Fly region, New Guinea. Contribution to the Pacific Biological Survey 39: 1-50.
- Allison and Greer 1986 Allison, A. and Greer, A. E. 1986. Egg shells with pustulate surface structures: basis for a new genus of New Guinea skinks (Lacertilia: Scincidae). *Journal of Herpetology* 20: 116-119.

- Almeida et al. 2016
- Almeida-Gomes and Rocha 2014
- Almeida-Gomes et al. 2008
- Almeida-Gomes et al. 2012
- Almendariz et al. 2014
- Almog et al. 2005
- Aloise et al. 2015
- Aloufi and Amr 2015
- Aloufi et al. 2019
- Alqataani 2018
- Al-Quran 2009
- Al-Quran 2010
- Al-Razi et al. 2017
- Al-Sadoon 1988
- Al-Sadoon 2002a
- Al-Sadoon 2002b
- Al-Sadoon and Abdo 1991
- Al-Sadoon and Abdo 1994
- Al-Sadoon and Spellerberg 1985
- Al-Sadoon et al. 1991
- Al-Sadoon et al. 1999
- Al-Sadoon et al. 2016a
- Al-Sadoon et al. 2016b
- Al-Sadoon et al. 2018
- Al-Shammari 2012
- Alshammari and Ibrahim 2015
- Altamirano 2015
- Altamirano-Benavides et al. 2013
- Altunisik and Eksilmez 2018
- Altunisik et al. 2013
- Altunisik et al. 2016
- Alvarado-Diaz et al. 2013
- Alvarez 2000
- Alvarez 2004
- Alvarez and Valentin 1988
- Alvarez del Toro 1960
- Alvarez del Toro and Smith 1956
- Alvarez del Toro and Smith 1962
- Alvarez et al. 2009
- Amadi et al. 2017
- Amador et al. 2017
- Amaral 1933
- Amaral 1935
- Amaral 1950
- Amarasinghe and Campbell 2016
- Amarasinghe et al. 2009a
- Amarasinghe et al. 2009b
- Amarasinghe et al. 2011
- Amarasinghe et al. 2014a
- Amarasinghe et al. 2014b
- Almeida, J. P. F. A., Dal Vechio, F., Teixeira, M., Rodrigues, M. T. and Mott, T. 2016. Morphological similarities between *Amphisbaena mitchelli* Procter, 1923 and *A. miringoera* Vanzolini, 1971 (Squamata: Amphisbaenidae): phylogenetic relatedness or morphological convergence? *Zootaxa* 4168: 573-576.
- Almeida-Gomes, M. and Rocha, C. F. D. 2014. Diversity and distribution of lizards in fragmented Atlantic Forest landscape in Southeastern Brazil. *Journal of Herpetology*, 48: 423-429.
- Almeida-Gomes, M., Vrcibradic, D., Siqueira, C. C., Kiefer, M. C., Klaion, T., Almeida-Santos, P., Nascimento, D., Ariani, C. V., Borges-Junior, V. N., Freitas-Filho, R. F., van Sluys, M. and Rocha, C. F. 2008. Herpetofauna of an Atlantic rainforest area (Morro São Joao) in Rio de Janeiro State, Brazil. *Anais da Academia Brasileira de Ciências*, 80: 291-300.
- Almeida-Gomes, M., Vrcibradic, D., Maia-Carneiro, T. and Rocha, C. F. D. 2012. Diet and endoparasites of the lizard *Gymnodactylus darwini* (Gekkota, Phyllodactylidae) from an Atlantic Rainforest area in southeastern Brazil.
- Almendariz, A., Simmons, J. E., Brito, J. and Vaca-Guerrero, J. 2014. Overview of the herpetofauna of the unexplored Cordillera del Condor of Ecuador. *Amphibian & Reptile Conservation* 8: 45-64.
- Almog, A., Bonen, H., Herman, K. and Werner, Y. L. 2005. Subspeciation or none? The hardun in the Aegean (Reptilia: Sauria: Agamidae: *Laudakia stellio*). *Journal of Natural History* 39: 567-586.
- Aloise, G., Cagnin, M. and Luiselli, L. 2015. Co-occurrence patterns in independently evolved groups of Mediterranean insectivorous vertebrates (lizards and shrews). *Amphibia-Reptilia* 36: 233-243.
- Aloufi, A. A. and Amr, Z. S. 2015. On the herpetofauna of the Province of Tabuk, northwest Saudi Arabia (Amphibia, Reptilia). *Herpetozoa* 27: 147-158.
- Aloufi, A. A., Amr, Z. S., Abu Baker, M. A. and Hamidan, N. 2019. Diversity and conservation of terrestrial, freshwater, and marine reptiles and amphibians in Saudi Arabia. *Amphibian & Reptile Conservation* 13: 181-202.
- Alqahtani, A. R. 2018. Lizard community in Tathleeth district of southwestern Saudi Arabia. *Egyptian Academic Journal of Biological Sciences, B. Zoology*, 10: 29-34.
- Al-Quran, S. 2009. The herpetofauna of the Southern Jordan. *American-Eurasian Journal of Agriculture & Environmental Science* 6: 385-391.
- Al-Quran, S. 2010. A herpetofaunal survey of Southern Jordan. *Herpetological Bulletin*, 10: 7-13.
- Al-Razi, H., Alam, S. M. I., Hossain, M., Neogi, A. K. and Baki, M. A. 2017. Four new herpetofaunal records from Saint Martin's island, Cox's Bazar, Bangladesh. *IRCF Reptiles & Amphibians* 24: 162-167.
- Al-Sadoon, M. K. 1988. Survey of the reptilian fauna of the kingdom of Saudi Arabia. II. The lizard and amphisbaenian fauna of Riyadh Province. *Bulletin of the Maryland Herpetological Society* 24: 58-76.
- Al-Sadoon, M. K. 2002. Measurement of active and resting aerobic and anaerobic metabolism of the sand fish, *Scincus mitranus*, at selected temperatures. *Pakistan Journal of Biological Sciences* 5: 192-195.
- Al-Sadoon, M. K. 2002. Weight specific oxygen consumption values at various temperatures for *Scincus mitranus* Anderson, 1871 (Scincidae: Reptilia). *Journal of Biological Sciences*, 2: 425-428.
- Al-Sadoon, M. K. and Abdo, N. M. 1991. Temperature and body mass effects on the metabolic rate of *Acanthodactylus schmidti* Weigmann (Reptilia : Lacertidae). *Journal of arid environments* 21: 351-361.
- Al-Sadoon, M. K. and Abdo, N. M. 1994. Comparative metabolic rate-temperature curves of *Phrynocephalus arabicus*, Anderson 1894 and *Agama [Stellio] stellio brachydactyla*, Hass 1951 (Agamidae, Sauria, Reptilia). *Journal of Arid Environments* 28: 249-256.
- Al-Sadoon, M. K. and Spellerberg, I. F. 1985. Effect of temperature on the oxygen consumption of lizards from different climatic regions. *Amphibia-Reptilia* 6: 241-258.
- Al-Sadoon, M. K., Al-Farraj, S. A. and Abdo, N. M. 1991. Survey of the reptilian fauna of Saudi Arabia. III. An ecological survey of the lizard, amphisbaenian and snake fauna of Al-Zulfi area. *Bulletin of the Maryland Herpetological Society* 27: 1-10.
- Al-Sadoon, M. K., Al-Johany, A. M. and Al-Farraj, S. A. 1999. Food and feeding habits of the sand fish lizard *Scincus mitranus*. *Saudi Journal of Biological Sciences* 6: 91-101.
- Al-Sadoon, M. K., Paray, B. A. and Al-Otaibi, H. S. 2016. Survey of the reptilian fauna of the Kingdom of Saudi Arabia. V. The lizard fauna of Turaif region. *Saudi Journal of Biological Sciences* 23: 642-648.
- Al-Sadoon, M. K., Paray, B. A. and Rudayni, H. A. 2016. Diet of the worm lizard, *Diplometopon zarudnyi* (Nikolsky, 1907), in Riyadh province, Saudi Arabia (Reptilia: Tropidophidae). *Zoology in the Middle East* 62: 227-230.
- Al-Sadoon, M. K., Paray, B. A. and Rudayni, H. A. 2018. Metabolism of the spade-headed Amphisbaenian worm lizard, *Diplometopon zarudnyi* (Nikolsky, 1907), in Saudi Arabia (Reptilia: Tropidophidae). *Saudi Journal of Biological Sciences*, 25: 178-181.
- Al-Shammari, A. M. 2012. Additional records of lizards in Ha'il Province, Saudi Arabia. *Russian Journal of Herpetology* 19: 287-291.
- Alshammari, A. M. and Ibrahim, A. A. 2015. Lizards and snakes in the historical Fa'id Protected Area (Fa'id Hema), Ha'il Region, Saudi Arabia. *Herpetological Conservation and Biology* 10: 1021-1029.
- Altamirano, A. D. Z. 2015. Systematics of Amazonian lizards of the genus *Potamites* (Gymnophthalmidae). Thesis, Pontificia Universidad Católica del Ecuador.
- Altamirano-Benavides, M., Zaher, H., Lobo, L., Grazziotin, F. G., Nunes, P. M. S. and Rodrigues, M. T. 2013. A new species of lizard genus *Potamites* from Ecuador (Squamata, Gymnophthalmidae). *Zootaxa* 3717: 345-358.
- Altunisik, A. and Eksilmez, H. 2018. Demographic life history traits in a population of a critically endangered species, *Darevskia raddei* (Darevsky & Tuniyev, 1997). *Animal Biology* 68: 27-37.
- Altunisik, A., Gul, C., Ozdemir, N., Tosunoglu, M. and Ergul, T. 2013. Age structure and body size of the Strauchi's racerunner, *Eremias strauchi strauchi* Kessler, 1878. *Turkish Journal of Zoology* 37: 539-543.
- Altunisik, A., Kalayci, T. E., Uysal, Y., Tosunoglu, M. and Ozdemir, N. 2016. Age, adult survival rate, and adult life expectancy of a *Podarcis tauricus* population (Reptilia: Lacertidae) from Saros Bay, Turkey. *Russian Journal of Herpetology* 23: 278-282.
- Alvarado-Díaz, J., Suazo-Ortuno, I., Wilson, L. D. and Medina-Aguilar, O. 2013. Patterns of physiographic distribution and conservation status of the herpetofauna of Michoacan, Mexico. *Amphibian & Reptile Conservation* 7: 128-138.
- Alvarez, B. B. 2000. *Anisolepis grilli*. Geographic distribution. *Herpetological Review* 31: 253.
- Alvarez, H. G. 2004. Pollination and seed dispersal by lizards: a review. *Revista Chilena de Historia Natural* 77: 569-577.
- Alvarez, T. and Valentin, N. 1988. Descripción de una nueva especie de *Lepidophyma* (Reptilia: Xantusiidae) de Chiapas, Mexico. *Annales De La Escuela Nacional De Ciencias Biologicas Mexico* 32: 123-130.
- Alvarez del Toro, M. 1960. Los reptiles de Chiapas. *Inst. Zool. Estado, Tuxtla Gutierrez, Chiapas, Mexico*.
- Alvarez del Toro, M. and Smith, H. M. 1956. Notulae herpetologicas Chiapasiae i. *Herpetologica* 12: 3-17.
- Alvarez del Toro, M. and Smith, H. M. 1962. Notulae Herpetologicae Chiapasiae III. *Herpetologica*, 18: 101-107.
- Alvarez, B. B., García, J. A. R., Cespedez, J. A., Hernando, A. B., Zaracho, V. H., Calamante, C. C. and Aguirre, R. H. 2009. Herpetofauna, provinces of Chaco and Formosa, Chaco Oriental region, north-eastern Argentina. Check List
- Amadi, N., Akani, G. C., Ebere, N., Asumene, G., Petrozzi, F., Eniang, E. A. and Luiselli, L. 2017. Natural history observations of a dwarf 'green' gecko, *Lygodactylus conraui* in Rivers State (Southern Nigeria). The Herpetological
- Amador, L., Ayala-Varela, F., Narvaez, A. E., Cruz, K. and Torres-Carvajal, O. 2017. First record of the invasive brown anole, *Anolis sagrei* Dumeril & Bibron, 1837 (Squamata: Iguanidae: Dactyloinae), in South America. Check List
- Amaral, A. 1933. Estudos sobre Lacertilios neotropicais. I. novos generos e especies de lagartos do Brasil. *Memorias do Instituto de Butantan* 7: 51-75.
- Amaral, A. 1935. Estudos sobre Lacertilios Neotropicais. III. Um novo genero e duas novas especies de gekkonideos e uma nova raca de amphisbenideo, procedentes do Brasil central. *Memorias do Instituto de Butantan*, 9: 251-256.
- Amaral, A. 1950. Two new South American lizards. *Copeia* 1950: 281-284.
- Amarasinghe, A. A. T. and Campbell, P. D. 2016. On the resolution of a long standing issue surrounding the holotype of *Cnemaspis podihuna* Deraniyagala, 1944 (Reptilia: Gekkonidae). *Zootaxa* 4137: 296-300.
- Amarasinghe, A. A. T., Bauer, A. M., Ineich, I., Rudge, J., Bahir, M. M. and Gabadage, D. E. 2009. The original descriptions and figures of Sri Lankan gekkonid lizards (Squamata: Gekkonidae) of the 18th, 19th and 20th centuries. *Taprobanaica* 1: 83-106.
- Amarasinghe, A. A. T., Manthey, U., Stockli, E., Ineich, I., Kullander, S. O., Tiedemann, F., McCarthy, C. and Gabadage, D. E. 2009. The original descriptions and figures of Sri Lankan agamid lizards (Squamata: Agamidae) of the 18th and 19th centuries. *Taprobanaica* 1: 2-15.
- Amarasinghe, A. A. T., Tiedemann, F. and Karunarathna, D. M. S. S. 2011. *Calotes nigrilabris* Peters, 1860 (Reptilia: Agamidae: Draconinae): a threatened highland agamid lizard in Sri Lanka. *Amphibian and Reptile Conservation* 5:
- Amarasinghe, A. A. T., Karunarathna, D. M. S. S., Hallermann, J., Fujinuma, J., Grillitsch, H. and Campbell, P. D. A new species of the genus *Calotes* (Squamata: Agamidae) from high elevations of the Knuckles Massif of Sri Lanka. *Zootaxa* 3785: 59-78.
- Amarasinghe, T. A. A. Karunarathna, D. M. S. S. and Fujinuma, J. 2014. A new *Calotes* species from Sri Lanka with a redescription of *Calotes liolepis* Boulenger, 1885. *Herpetologica*, 70: 323-338.

- Amarasinghe et al. 2015 Amarasinghe, A. A. T., Ineich, I., Karunarathna, D. M. S. S., Botejue, W. M. S. and Campbell, P. D. 2015. Two new species of the genus *Sitana* Cuvier, 1829 (Reptilia: Agamidae) from Sri Lanka, including a taxonomic revision of the Indian *Sitana* species. *Zootaxa* 3915: 67-98.
- Amarasinghe et al. 2016a Amarasinghe, A. A. T., Campbell, P. D., Chandramouli, S. R., Deuti, K., Raha, S., Karunarathna, D. M. S. and Ineich, I. 2016. Taxonomy and natural history of *Eutropis beddomei* (Jerdon, 1870) (Reptilia: Scincidae), including a redescription of the holotype. *Zootaxa* 4132: 509-520.
- Amarasinghe et al. 2016b Amarasinghe, A. A. T., Campbell, P. D., Chandramouli, S. R., Deuti, K., Raha, S., Suranjan, Karunarathna, D. M. S. and Ineich, I. 2016. Taxonomy of two endemic Indian skinks, *Eutropis bibronii* (Gray, 1838) and *E. nagarjunensis* (Sharma, 1969) (Reptilia: Scincidae), including redescriptions of their types. *Zootaxa* 4154: 155-168.
- Amarasinghe et al. 2016c Amarasinghe, A. A. T., Campbell, P. D., Madawala, M. B., Botejue, W. M. S., Gabadage, D. E., De Silva, A. and Karunarathna, D. M. S. S. 2016. The re-discovery of live populations of *Cnemaspis tropidogaster* (Boulenger, 1885) (*Sauria*, *Gekkonidae*) from Sri Lanka after 120 years. *Zootaxa* 4200: 395-405.
- Amaro-Valdes and Herrera-Montano 2017 Amaro-Valdes, S. and Herrera-Montano, R. 2017. Rediscovery of the San Felipe western giant anole, *Anolis luteogularis sanfelipensis* Garrido 1975 (Squamata: Dactyloidae). *IRCF Reptiles & Amphibians* 24: 43-46.
- Amat 2008a Amat, F. 2008. Exploring female reproductive tactics: trade-offs between clutch size, egg mass and newborn size in lacertid lizards. *Herpetological Journal* 18: 147-153.
- Amat 2008b Amat, F. 2008. Lagarto agil – *Lacerta agilis* Linnaeus, 1758. Version 23-01-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Amat et al. 2008 Amat, F., Perez-Mellado, V., Hernandez-Estevez, J. A. and Diez, T. G. 2008. Dietary strategy of a Pyrenean lizard, *Iberolacerta aurelioi*, living in a poor resources alpine environment. *Amphibia-Reptilia* 29: 329-336.
- Amer et al. 2008 Amer, S. A., Reda, E. N., Reheem, A. A. G. and El-Said, D.L. 2008. Lizard community and the genetic variability for two lacertid species in Damietta, North Egypt. *Egyptian Journal of Experimental Biology*, 4: 229-235.
- Amey and Edwards 2017 Amey, A. P. and Edwards, D. L. 2017. Taxonomy of the sand sliders of Western Australia's central coast (genus *Lerista*, Squamata: Scincidae): recognition of *Lerista miopus* (Günther, 1867). *Zootaxa*, 4317: 111-133.
- Amey and Whittier 2000 Amey, A. P. and Whittier, J. M. 2000. The annual reproductive cycle and sperm storage in the bearded dragon, *Pogona barbata*. *Australian Journal of Zoology* 48: 411-419.
- Amey et al. 2005 Amey, A. P., Kutt, A. S. and Hutchinson, M. 2005. A new species of *Lerista* (Scincidae) from Central Queensland. *Memoirs of the Queensland Museum* 50: 125-131.
- Amey et al. 2012 Amey, A. P., Couper, P. J. and Shea, G. M. 2012. *Intellagama lesuerii* (Gray, 1831), the correct binomial combination for the Australian Eastern Water Dragon (*Sauria*, Agamidae). *Zootaxa* 3390: 65-67.
- Amey et al. 2018 Amey, A. P., Couper, P. J., Worthington-Wilmer, J., Ferguson, D. and Borsboom, A. C. 2018. A two-toed population of the critically endangered Retro Slider Skink, *Lerista allanae* (Longman, 1937) (Reptilia: Scincidae). *Memoirs of the Queensland Museum – Nature* 61: 71-81.
- Amey et al. 2019 Amey, A. P., Couper, P. J. and Worthington-Wilmer, J. 2019. Two new species of *Lerista* Bell, 1833 (Reptilia: Scincidae) from North Queensland populations formerly assigned to *Lerista storri* Greer, McDonald and Lawrie, 1983. *Zootaxa* 4577: 473-493.
- Ammann 2013 Ammann, V. H. F. 2013. *Calotes versicolor* (Asian garden lizard): Albinism. *The Herpetological Bulletin* 126: 30.
- Amo et al. 2007a Amo, K., Lopez, P. and Martin, J. 2007. Habitat deterioration affects body condition of lizards: A behavioral approach with *Iberolacerta cyreni* lizards inhabiting ski resorts. *Biological Conservation*, 135: 77-85.
- Amo et al. 2007b Amo, K., Lopez, P. and Martin, J. 2007. Refuge use: A conflict between avoiding predation and losing mass in lizards. *Physiology & Behavior* 90: 334-343.
- Amo et al. 2007c Amo, L., Lopez, P. and Martin, J. 2007. Habitat deterioration affects antipredatory behavior, body condition, and parasite load of female *Psammmodromus algirus* lizards. *Canadian Journal of Zoology*, 85: 743-751.
- Ampai et al. 2019 Ampai, N., Rujirawan, A., Wood, P. L., Stuart, B. L. and Aowphol, A. 2019. Morphological and molecular analyses reveal two new insular species of *Cnemaspis* Strauch, 1887 (Squamata, Gekkonidae) from Satun Province, southern Thailand. *ZooKeys* 858: 127-161.
- Amr et al. 2007a Amr, Z., Modry, D., Abu Baker, M., Qarqas, M., Al Zaidanyen, J. and Moravec, J. 2007. First record of *Hemidactylus mIndiae* Baha El Din, 2005 from Jordan. *Herpetozoa* 20: 73-75.
- Amr et al. 2007b Amr, Z., Shehab, A. and Abu Baker, M. 2007. Recent observations on the herpetofauna of Syria with notes on trade in reptiles. *Herpetozoa* 20: 21-26.
- Amrein 1951 Amrein, Y. U. and Amrein, M. B. 1951. The number of young found in the island night lizard. *Copeia* 1951: 180.
- Ananjeva 2003 Ananjeva, N. B. 2003. Comparative analysis of limb proportions in five sympatric species of desert lizards (Eremias, Lacertidae, Sauria). *Russian Journal of Herpetology* 10: 140-144.
- Ananjeva 2010 Ananjeva, N. B. 2010. Asian Agamid lizards (Agamidae, Acrodonta, Sauria, Reptilia): Phylogenetic and taxonomic diversity. *Tropobanica* 2: 65-71.
- Ananjeva 2012 Ananjeva, N. B. 2012. Research on Asian agamid lizards: contribution of Zoological institute, Russian Academy of Sciences, St. Petersburg. *Russian Journal of Herpetology* 19: 85-100.
- Ananjeva and Golynsky 2013 Ananjeva, N. B. and Golynsky, E. A. 2013. Analysis of distribution of the Turkestan rock agama, *Paralaudakia lehmanni* (Nikolsky, 1896): Using of MAXENT modeling. *Trudy Zoologicheskogo instituta* 317: 426-437.
- Ananjeva and Orlov 2005 Ananjeva, N. B. and Orlov, N. 2005. Lizards of North Eurasia. *Reptilia* 38: 54-63.
- Ananjeva and Stuart 2001 Ananjeva, N.B. and Stuart, B. 2001. The agamid lizard *Ptyctolaemus phuwanuanensis* Manthey and Nabhitabhata, 1991 from Thailand and Laos represents a new genus. *Russian Journal of Herpetology* 8: 165-170.
- Ananjeva and Tsellarius 1986 Ananjeva, N. B. and Tsellarius, A. Y. 1986. On the factors determining desert lizards' diet. Pages 445-448 in Rocek, Z. Editor. *Studies in herpetology: proceedings of the 3rd European herpetological meeting, Prague, 1985*. Charles Ananjeva, N. B. and Tuniev, B. S. 1994. Some aspects of historical biogeography of Asian rock agamids. *Russian Journal of Herpetology* 1: 42-52.
- Ananjeva et al. 1981 Ananjeva, N. B., Peters, G. and Rzepakovsky, V. T. 1981. New species of the mountain agamas from Tadzhikistan, *Agama chernovi* sp. nov. *Trudy Zoologicheskogo instituta Akademii Nauk SSSR* 101: 23-27.
- Ananjeva et al. 1997 Ananjeva, N. B., Munkhbayar, K., Orlov, N. L., Orlova, V. F., Semenov, D. V. and Terbish, K. 1997. Amphibians and reptiles of Mongolia. *Russian Academy of Sciences, Moscow*.
- Ananjeva et al. 2006 Ananjeva, N. B., Orlov, N. L., Khalikov, R. G., Darevsky, I. S., Ryabov, S. A. and Barabanov, A. V. 2006. The reptiles of northern Eurasia. Taxonomic diversity, distribution, conservation status. *Pensoft, Sofia*.
- Ananjeva et al. 2007a Ananjeva, N. B., Orlov, N. L. and Truong, N. Q. 2007. Agamid lizards (Agamidae, Acrodonta, Sauria, Reptilia) of Vietnam. *Mitteilungen aus dem Museum für Naturkunde in Berlin* 83 (Supplement): 13-21.
- Ananjeva et al. 2007b Ananjeva, N. B., Orlov, N. L. and Nazarov, R. A. 2007. A new species of *Pseudocophotis* (Agamidae: Acrodonta: Lacertilia: Reptilia) from central Vietnam. *Russian Journal of Herpetology* 14: 153-160.
- Ananjeva et al. 2008 Ananjeva, N. B., Orlov, N. L. and Kalyavina-Hauf, S. A. 2008. Species of *Acanthosaura* Gray, 1831 (Agamidae: Sauria, Reptilia) of Vietnam: results of molecular and morphological study. *Biology Bulletin*, 35: 178-186.
- Ananjeva et al. 2011a Ananjeva, N. B., Guo, X. and Wang, Y. 2011. Taxonomic diversity of agamid lizards (Reptilia, Sauria, Acrodonta, Agamidae) from China: a comparative analysis. *Asian Herpetological Research*, 2: 117-128.
- Ananjeva et al. 2011b Ananjeva, N. B., Orlov, N. L., Nguyen, T. T. and Ryabov, S. A. 2011. A new species of *Acanthosaura* (Agamidae, Sauria) from northwest Vietnam. *Russian Journal of Herpetology* 18: 195-202.
- Ananjeva et al. 2013 Ananjeva, N. B., David, P., Barabanov, A. V. and Dubois, A. 2013. On the type specimens of *Trapelus ruderatus* (Olivier, 1804) and some nomenclatural problems on *Trapelus* Cuvier, 1816 (Agamidae, Sauria). *Russian Journal of Herpetology* 20: 197-202.
- Ananjeva et al. 2017 Ananjeva, N. B., N. L. and Nguyen, T. T. 2017. A new species of *Japalura* (Agamidae: Lacertilia: Reptilia) from central highland, Vietnam. *Asian Herpetological Research* 8: 14-21.
- Ananjeva et al. 2019 Ananjeva, N. B., Golynska, E. A. and Yousefkhani, S. S. H. 2019. Analysis of the distribution of rock agamas of genus *Paralaudakia* Baig, Wagner, Ananjeva and Bohme, 2012 (Agamidae: Sauria, Reptilia): use of Maxent modeling. *Biology Bulletin*, 46: 179-185.
- Anastasiadis and Whitaker 1987 Anastasiadis, J. M. and Whitaker, A. H. 1987. Longevity of free-living *Hoplodactylus maculatus* (Reptilia : Gekkonidae). *New Zealand Journal of Ecology* 10: 141-142.
- Anaya-Rojas et al. 2010 Anaya-Rojas, J. M., Serrano-Cardozo, V. H. and Ramirez-Pinilla, M. P. 2010. Diet, microhabitat use, and thermal preferences of *Ptychoglossus bicolor* (Squamata: Gymnophthalmidae) in an organic coffee shade plantation in Colombia. *Papeis Avulsos de Zoologia* 50: 159-166.
- Anderson 1974 Anderson, S. C. 1974. Preliminary key to the turtles, lizards, and amphisbaenians of Iran. *Fieldiana, Zoology*, 65: 27-44.
- Anderson 1999 Anderson, S. C. 1999. The Lizards of Iran. Society for the Study of Amphibians and Reptiles, St. Louis.
- Anderson and Karasov 1981 Anderson, R. A. and Karasov, W. H. 1981. Contrasts in energy intake and expenditure in sit-and-wait and widely foraging lizards. *Oecologia*, 49: 67-72.
- Anderson and Leviton 1966 Anderson, S. C. and Leviton, A. E. 1966. A review of the genus *Ophiomorus*: (Sauria: Scincidae), with descriptions of three new forms. *Proceedings of the California Academy of Sciences* 33: 499-534.
- Anderson and Leviton 1967 Anderson, S. C. and Leviton, A. E. 1967. A new species of *Eremias* (Reptilia: Lacertidae) from Afghanistan. *Occasional Papers of the California Academy of Sciences* 64: 1-4.

- Anderson and Leviton 1969  
 Anderson and Tolley 2013  
 Anderson and Van Heygen 2013  
 Anderson and Vitt 1990  
 Andersson et al. 2010  
 Andrade et al. 2006  
 Andrade et al. 2016a  
 Andrade et al. 2016b  
 Andrade-Diaz et al. 2017  
 Andrade-Soto et al. 2017
- Andrango et al. 2016  
 Andreone 2000  
 Andreone and Gavetti 1998  
 Andreone and Greer 2002  
 Andreone and Guarino 2003  
 Andreone et al. 2001  
 Andreone et al. 2003  
 Andreone et al. 2005  
 Andreone et al. 2007  
 Andreone et al. 2009
- Andrew et al. 2018  
 Andrews 1976  
 Andrews 1979a  
 Andrews 1979b  
 Andrews 1983  
 Andrews 1994  
 Andrews 1998  
 Andrews 2008  
 Andrews 2019  
 Andrews and Asato 1977  
 Andrews and Karsten 2010  
 Andrews and Mathies 2000  
 Andrews and Rand 1974  
 Andrews and Schwarzkopf 2012  
 Andrews et al. 1999a  
 Andrews et al. 1999b  
 Andrews et al. 2017  
 Andriopoulos and Pafilis 2016  
 Andriopoulos and Pafilis 2019  
 Angarita-M et al. 2015  
 Angel 1930  
 Angel 1940  
 Angel 1942  
 Angeli 2017  
 Angeli et al. 2015  
 Angelici et al. 1997  
 Angilletta 2006  
 Angilletta and Werner 1998  
 Angilletta et al. 1999  
 Angilletta et al. 2004  
 Angilletta et al. 2010  
 Angin and Gomes 2014  
 Ansari 2018
- Anderson, S. C. and Leviton, A. E. 1969. Amphibians and reptiles collected by the Street Expedition to Afghanistan, 1965. Proceedings of the California Academy of Sciences 37: 25-56.  
 Anderson, C. V. and Tolley, K. A. 2013. Bradypodion occidentale (Hewitt, 1935) western dwarf chameleon reproduction/colour. African Herp News 59: 40-42.  
 Anderson, C. V. and Van Heygen, E. 2013. On the sympatry of three Trioceros species in a tropical upland forest in Cameroon. Salamandra 49: 215-218.  
 Anderson, R. A. and Vitt, L. J. 1990. Sexual selection versus alternative causes of sexual dimorphism in teiid lizards. Oecologia 84: 145-157.  
 Andersson, M., Krockenberger, A. and Schwarzkopf, L. 2010. Experimental manipulation reveals the importance of refuge habitat temperature selected by lizards. Austral Ecology 35: 294-299.  
 Andrade, D. V., Nascimento, L. B. and Abe, A. S. 2006. Habits hidden underground: a review on the reproduction of the Amphisbaenia with notes on four neotropical species. Amphibia-Reptilia 27: 207-217.  
 Andrade, J. B., Lewis, R. P. and Senter, P. 2016. Appendicular skeletons of five Asian skink species of the genera Brachymeles and Ophiomorus, including species with vestigial appendicular structures. Amphibia-Reptilia 37: 337-344.  
 Andrade, M. J. M., De Carvalho, G. A. B., Koloduk, M. F., Jorge, J. S. and Freire, E. M. X. 2016. Phyllopezus periosus (Paraiba gecko). Tree sap foraging. Herpetological Review 47: 672-673.  
 Andrade-Diaz, M. S., Hibbard, T. N. and Diaz-Gomez, J. M. 2017. Identifying endemism areas: an example using neotropical lizards. South American Journal of Herpetology, 12: 61-75.  
 Andrade-Soto, G., Perez-Perez, A., Lopez-Moreno, A. E., Suarez-Varon, G., Suarez-Rodriguez, O., Gribbins, K. M. and Hernandez-Gallegos, O. 2017. A new locality for Ctenosaura pectinata (Wiegmann, 1834) (Squamata: Iguanidae) in central Mexico, with implications for its conservation. Mesoamerican Herpetology 4: 222-224.  
 Andrango, M. B., Sette, C. and Torres-Carvajal, O. 2016. Short-term predicted extinction of Andean populations of the lizard Stenocercus guentheri (Iguanidae: Tropidurinae). Journal of Thermal Biology 62: 30-36.  
 Andreone, F. 2000. Herpetological observations on Cape Verde: a tribute to the Italian naturalist Leonardo Fea, with complementary notes on Macroscincus coctei (Dumeril & Bibron, 1839) (Squamata: Scincidae). Herpetozoa 13: 15-  
 Andreone, F. and Gavetti, E. 1998. Some remarkable specimens of the giant Cape Verde skink, Macroscincus coctei (Dumeril & Bibron, 1839), with notes about its distribution and causes of its possible extinction. Italian Journal of Andreone, F. and Greer, A. E. 2002. Malagasy scincid lizards: descriptions of nine new species, with notes on the morphology, reproduction and taxonomy of some previously described species (Reptilia, Squamata: Scincidae). Journal of Zoology 258: 139-181.  
 Andreone, F. and Guarino, F. M. 2003. Giant and long-lived? Age structure in Macroscincus coctei, an extinct skink from Cape Verde. Amphibia-Reptilia 24: 459-470.  
 Andreone, F., Mattioli, F., Jesu, R. and Randrianirina, J. E. 2001. Two new chameleons of the genus Calumma from N.E. Madagascar, with considerations on the hemipenial morphology in the Calumma furcifer group (Reptilia, Squamata, Chamaeleonidae). Herpetological Journal 11: 53-68.  
 Andreone, F., Glaw, F., Nussbaum, R. A., Raxworthy, C. J., Vences, M. and Randrianirina, J. E. 2003. The amphibians and reptiles of Nosy Be (NW Madagascar) and nearby islands: a case study of diversity and conservation of an insular fauna. Journal of Natural History, 37: 2119-2149.  
 Andreone, F., Guarino, F. M. and Randrianirina, J. E. 2005. Life history traits, age profile, and conservation of the panther chameleon, Furcifer pardalis (Cuvier 1829), at Nosy Be, NW Madagascar. Tropical Zoology, 18: 209-225.  
 Andreone, F., Glaw, F., Randrianirina, J. E. and Vences, M. 2007. Remarkable records of amphibians and reptiles on Madagascar's central high plateau. Tropical Zoology 20: 19-39.  
 Andreone, F., Glaw, F., Mattioli, F., Jesu, R., Schimmenti, G., Randrianirina, J. E. and Vences, M. 2009. The peculiar herpetofauna of some Tsaratanana rainforests and its affinities with Manongarivo and other massifs and forests of northern Madagascar. Italian Journal of Zoology, 76: 92-110.  
 Andrew, P., Cogger, H., Driscoll, D., Flakus, S., Harlow, P., Maple, D., Misso, M., Pink, C., Retallick, K., Rose, K. and Tiernan, B. 2018. Somewhat saved: a captive breeding programme for two endemic Christmas Island lizard species, now extinct in the wild. Oryx, 52: 171-174.  
 Andrews, R. M. 1976. Growth rate in island and mainland anoline lizards. Copeia 1976: 477-482.  
 Andrews, R. M. 1979. Reproductive effort of female Anolis limifrons (Sauria: Iguanidae). Copeia, 1979: 620-626.  
 Andrews, R. M. 1979. The lizard Corytophanes cristatus: an extreme "sit-and-wait" predator. Biotropica, 11: 136-139.  
 Andrews, R. M. 1983. Norops polylepis (Lagartija, Anole, Anolis Lizard). Pages 409-410 in Janzen, D. H. editor. Costa Rican Natural History. University of Chicago Press, Chicago.  
 Andrews, R. M. 1994. Activity and thermal biology of the sand-swimming skink Neoseps reynoldsi: diel and seasonal patterns. Copeia, 1994: 91-99.  
 Andrews, R. M. 1998. Geographic variation in field body temperature of Sceloporus lizards. Journal of Thermal Biology 23: 329-334.  
 Andrews, R. M. 2008. Lizards in the slow lane: thermal biology of chameleons. Journal of Thermal Biology 33: 57-61.  
 Andrews, R. M. 2019. Flap-footed lizards (Gekkota: Pygopodidae) have forelimbs, albeit during embryonic development. Journal of Herpetology, 53 : 252-256.  
 Andrews, R. M. and Asato, T. 1977. Energy utilization of a tropical lizard. Comparative Biochemistry and Physiology, A, 58: 57-62.  
 Andrews, R. M. and Karsten, K. B. 2010. Evolutionary innovations of squamate reproductive and developmental biology in the family Chamaeleonidae. Biological Journal of the Linnean Society, 100: 656-668.  
 Andrews, R. M. and Mathies, T. 2000. Natural history of reptilian development: constraints on the evolution of viviparity. BioScience, 50: 227-238.  
 Andrews, R. M. and Rand, A. S. 1974. Reproductive effort in anoline lizards. Ecology 55: 1317-1327.  
 Andrews, R. M. and Schwarzkopf, L. 2012. Thermal performance of squamate embryos with respect to climate, adult life history, and phylogeny. Biological Journal of the Linnean Society, 106: 851-864.  
 Andrews, R. M., Mathies, T., Qualls, C. P. and Qualls, F. J. 1999. Rates of embryonic development of Sceloporus lizards: do cold climates favor rapid development? Copeia 1999: 691-699.  
 Andrews, R. M., Mendez-de la Cruz, F. R., Villagrán-Santa Cruz, M. and Rodriguez-Romero, F. 1999. Field and selected body temperatures of the lizards Sceloporus aeneus and Sceloporus bicarinatus. Journal of Herpetology, 33: 93-  
 Andrews, R. M., Pezaro, N., Doody, J. S., Guarino, F. and Green, B. 2017. Oviposition to hatching: Development of Varanus rosenbergi. Journal of Herpetology, 51: 396-401.  
 Andriopoulos, P. and Pafilis, P. 2016. First record of Alygropoides nigropunctatus (Dumeril & Bibron, 1839), east of the Pindos mountain chain, Greece. Herpetozoa 29: 83-84.  
 Andriopoulos, P. and Pafilis, P. 2019. Saurophagy of a Lacerta trilineata juvenile by a Podarcis muralis adult. North-Western Journal of Zoology 15: 111-112.  
 Angarita-M, O., Montes-Correa, A. C. and Renjifo, J. M. 2015. Amphibians and reptiles of an agroforestry system in the Colombian Caribbean. Amphibian & Reptile Conservation 8: 19-38.  
 Angel, F. 1930. Diagnoses d'espèces nouvelles de lézards de Madagascar, appartenant au genre Scelotes. Bulletin du Muséum National d'Histoire Naturelle, Paris 2: 506-509.  
 Angel, F. 1940. Deux nouvelles espèces de Lygosoma du Cameroun, matériaux de la mission P. Lepesme, R. Paulian et A. Villiers. Bulletin du Muséum National d'Histoire Naturelle, Paris 12: 82-85.  
 Angel, F. 1942. Les lézards de Madagascar. Mémoires de l'Académie Malgache 36: 1-139.  
 Angeli, N. F. 2017. Identifying mechanisms of persistence for ground lizards (Reptilia: Ameiva) in the Caribbean informed by habitat, physiology, and predation. PhD Dissertation, Texas A&M University.  
 Angeli, N. F., Chyn, K. and Faunce, K. 2015 Ameiva exsul (Puerto Rican ground lizard). Reproduction. Herpetological Review, 46: 249-250.  
 Angelici, F. M., Luiselli, L. and Rugiero, L. 1997. Food habits of the green lizard, Lacerta bilineata, in central Italy and a reliability test of faecal pellet analysis. Italian Journal of Zoology, 64: 267-272.  
 Angilletta, M. J. 2006. Estimating and comparing thermal performance curves. Journal of Thermal Biology, 31: 541-545.  
 Angilletta, M. J. and Werner, Y. L. 1998. Australian geckos do not display diel variation in thermoregulatory behavior. Copeia, 1998: 736-742.  
 Angilletta, M. J., Montgomery, L. G. and Werner, Y. L. 1999. Temperature preference in geckos: diel variation in juveniles and adults. Herpetologica, 55: 212-222.  
 Angilletta, M. J., Niewiarowski, P. H., Dunham, A. E., Leache, A. and Porter, W. P. 2004. Bergmann's clines in ectotherms: illustrating a life-history perspective with sceloporine lizards. The American Naturalist 164: E168–E183.  
 Angilletta, M. J., Huey, R. B. and Frazier, M. R. 2010. Thermodynamic effects on organismal performance: is hotter better? Physiological and Biochemical Zoology 83: 197-206.  
 Angin, B. and Gomes, R. 2014. First report of a skink population on Les Saintes (Guadeloupe, FWI). Caribbean Herpetology, 52: 1-2.  
 Ansari, N. A. 2018. Enumeration of herpetofaunal assemblage of Surajpur Wetland, National Capital Region (India). Amphibian Reptile Conservation 12: 90-97.

- Antipov et al. 2018  
 Antley et al. 2016  
 Anton et al. 2014  
 Aowphol et al. 2019  
 Aplin et al. 1993  
 Arad 1995  
 Arad et al. 1989  
 Arad et al. 1997  
 Aragao et al. 2019  
 Aragon and Fitze 2014  
 Arakelyan 2002  
 Arakelyan et al. 2011  
 Arakelyan et al. 2013  
 Arakelyan et al. 2019  
 Arbel 1984  
 Arbuckle 2009  
 Ardila-Marin et al. 2008a  
 Ardila-Marin et al. 2008b  
 Arena and Wooler 2003  
 Arenas-Moreno et al. 2017  
 Arenas-Moreno et al. 2018  
 Ariani et al. 2012  
 Ariano-Sanchez and Gil-Escobedo 2016  
 Ariano-Sanchez and Torres-Almazan 2010
- Arias et al. 2004  
 Arias et al. 2011a  
 Arias et al. 2011b  
 Arida and Setyawatiningsih 2015  
 Arifin et al. 2011
- Arikan and Cicek 2010  
 Arizmendi 2011  
 Armas and Iturriaga 2019  
 Armstead et al. 2017  
 Arnold 1972  
 Arnold 1977  
 Arnold 1980a  
 Arnold 1980b  
 Arnold 1980c  
 Arnold 1980d  
 Arnold 1982  
 Arnold 1984a  
 Arnold 1984b  
 Arnold 1986a  
 Arnold 1986b  
 Arnold 1989a  
 Arnold 1989b  
 Arnold 1990  
 Arnold 1993  
 Arnold 1994
- Arnold 1997  
 Arnold 1998  
 Arnold 2002  
 Arnold and Bour 2008  
 Arnold and Gardner 1994
- Antipov, S. A., Doronin, I. V., Milto, K. D. and Sergeev, M. A. 2018. New records of amphibians and reptiles in the Vladimir Region, Russia. Current Studies in Herpetology 18: 168-179.
- Antley, D. L., Lind, T. R., Gabbart, B. T. and Zinn, T. L. 2016. Microhabitat, activity, and approach distances of the San Salvador bark anole (*Anolis distichus ocior*). IRCF Reptiles & Amphibians 23: 75-81.
- Anton, J. R. I., Rotger, A., igual, J. M. and Tavecchia, G. 2014. Estimating lizard population density: an empirical comparison between line-transect and capture-recapture methods. Wildlife Research 40: 552-560.
- Aowphol, A., Yodthong, S., Rujirawan, A. and Thirakhupt, K. 2019. Mitochondrial diversity and phylogeographic patterns of *Gekko gecko* (Squamata: Gekkonidae) in Thailand. Asian Herpetological Research 10: 158-169.
- Aplin, K. P., How, R. A. and Boeadi. 1993. A new species of the *Glaphyromorphus-isolepis* species group (Lacertilia Scincidae) From Sumba island, Indonesia. Records of the Western Australian Museum 16: 235-242.
- Arad, Z. 1995. Physiological responses to increasing ambient temperature in three ecologically different, congeneric lizards (Gekkoninae: Ptyodactylus). Comparative Biochemistry and Physiology 112A: 305-311.
- Arad, Z., Raber, P. and Werner, Y. L. 1989. Selected body temperature in diurnal and nocturnal forms of *Ptyodactylus* (Reptilia:Gekkoninae) in a photothermal gradient. Journal of Herpetology, 23: 103-108.
- Arad, Z., Schwarzbauer, A. and Werner, Y. L. 1997. Temperature selection and thermoregulation in the Moorish gecko, *Tarentola mauritanica*. *Amphibia-Reptilia* 69: 269-282.
- Aragao, M., Brito, E. L. S., Neto, A. M. S., Mendes, D. M. M. and Sobral, R. 2019. *Amphisbaena vermicularis* (Wagler's worm lizard). Diet. Herpetological Review 50: 780-781.
- Aragon, P. and Fitze, P. S. 2014. Geographical and temporal body size variation in a reptile: roles of sex, ecology, phylogeny and ecology structured in phylogeny. PLoS ONE 9: e104026. doi:10.1371/journal.pone.0104026
- Arakelyan, M. 2002. The study of age, growth, and longevity in the triploid hybrids of rock lizards of the genus *Darevskia* in Armenia. Russian Journal of Herpetology 9: 63-68.
- Arakelyan, M. S., Danielyan, F. D., Corti, C., Sindaco, R. and Leviton, A. E. 2011. Herpetofauna of Armenia and Nagorno-Karabakh. Society for the Study of Amphibians and Reptiles, Salt Lake City.
- Arakelyan, M., Petrosyan, R., Ilgaz, C., Kumltas, Y., Durmus, S. H., Tayhan, Y. and Danielyan, F. 2013. A skeletochronological study of parthenogenetic lizards of genus *Darevskia* from Turkey. Acta Herpetologica 8: 99-104.
- Arakelyan, M., Ananian, V. and Petrosyan, R. 2019. Rediscovery of Chernov's skink (*Ablepharus chernovi* Darevsky, 1953) in Armenia. Herpetology Notes, 12: 475-477.
- Arbel, A. 1984. Reptiles and Amphibians. In A. Alon (editor) Encyclopedia of plants and animals of the land of Israel. Ministry of Defense Press, Tel-Aviv. (in Hebrew).
- Arbuckle, K. 2009. Ecological function of venom in *Varanus*, with a compilation of dietary records from the literature. Biawak, 3: 46-56.
- Ardila-Marin, D. A., Gaitan-Reyes, D. G. and Hernandez-Ruz, E. J. 2008. Biología reproductiva de una población de *Anolis tolimensis* (Sauria: Iguanidae) en los Andes colombianos. Caldasia 30: 151-159.
- Ardila-Marin, D. A., Hernandez-Ruz, E. J. and Gaitan-Reyes, D. G. 2008. Ecología de *Anolis Tolimensis* (Sauria, Iguanidae) en La Cordillera Oriental de Colombia. Herpetotropicos 4: 71-78.
- Arena, P. C. and Wooler, R. D. 2003. The reproduction and diet of *Egernia kingii* (Reptilia : Scincidae) on Penguin island, Western Australia. Australian Journal of Zoology 51: 495-504.
- Arenas-Moreno, D. M., Santos-Bibiano, R., Arellano-Carcamo, Y-M., Brindis-Badillo, D. A. and Charrua, P. 2017. First record of the turniptail gecko (*Thecadactylus rapicauda* Houttuyn, 1782) in Tabasco, Mexico. Mesoamerican Herpetology 4: 498-500.
- Arenas-Moreno, D. M., Santos-Bibiano, R., Munoz-Nolasco, F. J., Charrua, P. and Mendez-de la Cruz, F. R. 2018. Thermal ecology and activity patterns of six species of tropical night lizards (Squamata: Xantusiidae: Lepidophyma) from Mexico. Journal of Thermal Biology 75: 97-105.
- Ariani, C. V., Menezes, V. A., Vrcibradic, D. and Rocha, C. F. D. 2011. An unusual ecology among whiptails: the case of *Cnemidophorus lacertoides* from a restinga habitat in southern Brazil. Journal of Natural History, 45: 2605-2615.
- Ariano-Sánchez, D. and Gil-Escobedo, J. 2016. *Ctenosaura palearis* (Guatemalan spiny-tailed iguana). Tail trifurcation. Herpetological Review 47: 463-464.
- Ariano-Sánchez, D. and Torres-Almazan, M. 2010. Rediscovery of *Abrovia campbelli* (Sauria: Anguidae) from a pine-oak forest in Southeastern Guatemala: Habitat characterization, natural history, and the conservation status. Herpetological Review 41: 290-292.
- Arias, Y., inchaustegui, S. and Rupp, E. 2004. Preliminary report on *Cyclura ricordi* in the Barahona Peninsula.. Grupo Jaragua inc. El Vergel #33 Santo Domingo Dominican Republic.
- Arias, F., de Carvalho, C. M., Rodrigues, M. T. and Zaher, H. 2011. Two new species of *Cnemidophorus* (Squamata: Teiidae) from the Caatinga, Northwest Brazil. Zootaxa 2787: 37-54.
- Arias, F., de Carvalho, C. M., Rodrigues, M. T. and Zaher, H. 2011. Two new species of *Cnemidophorus* (Squamata: Teiidae) of the C. ocellifer group, from Bahia, Brazil. Zootaxa 3022: 1-21.
- Arida, E. and Setyawatiningsih, S. C. 2015. On the occurrence of *Varanus nebulosus* (Gray, 1831) (Squamata: Varanidae) on Riau Archipelago, Indonesia. Zootaxa 3919: 197-200.
- Arifin, U., Iskandar, D. T. and Elianur, R. 2011. Herpetofauna diversity of Karimata island, Indonesia. 2011 pp 1-7 in i. Das, A. Haas and A. A. Tuin, editors, Biology and conservation of tropical Asian amphibians. Proceedings of the conference "Biology of the amphibians in the Sunda Region, South-east Asia". Institute of Biodiversity and Environmental Conservation, Universiti Malaysia Sarawak, Kota Samarahan.
- Arikan, H. and Cicek, K. 2010. Morphology of peripheral blood cells from various species of Turkish Herpetofauna. Acta Herpetologica, 5: 179-198.
- Arizmendi, J. C. J. 2011. Notes on the ecology of *Phyllodactylus reissi* (Phyllodactylidae: Sauria) in Parque Nacional Cerros de Amotape (Tumbes, Peru). Revista Peruana de Biología 18: 377-380.
- Armas, L. F. and Iturriaga, M. 2019. The Cuban green anole, *Anolis porcatus* (Squamata: Dactyloidae): catering is the best. IRCF Reptiles & Amphibians 26: 35-38.
- Armstead, J. V., Ayala-Varela, F., Torres-Carvajal, O., Ryan, M. J. and Poe, S. 2017. Systematics and ecology of *Anolis biporcatus* (Squamata: Iguanidae). Salamandra 53: 285-293.
- Arnold, E. N. 1972. Lizards with northern affinities from the mountains of Oman. Zoologische Mededelingen 47: 111-128.
- Arnold, E. N. 1977. Little-known geckoes (Reptilia: Gekkonidae) from Arabia with descriptions of two new species from the Sultanate of Oman. Journal of Oman Studies, Special Report 1: 81-110.
- Arnold, D. L. 1980. Geographic variation in *Anolis brevirostris* (Sauria: Iguanidae) in Hispaniola. Breviora 461: 1-31.
- Arnold, E. N. 1980. Recently extinct reptile populations from Mauritius and Reunion, Indian Ocean. Journal of Zoology 191: 33-47.
- Arnold, E. N. 1980. Reptiles of Saudi Arabia. A review of the lizard genus *Stenodactylus* (Reptilia: Gekkonidae). Fauna of Saudi Arabia 2: 368-404.
- Arnold, E. N. 1980. The reptiles and amphibians of Dhofar, Southern Arabia. Journal of Oman Studies, Special report, 2: 273-332.
- Arnold, E. N. 1982. Reptiles of Saudi Arabia. A new semaphore gecko (*Pristurus*: Gekkonidae) and a new dwarf snake (*Eirenis*: Colubridae) from southwestern Arabia. Fauna of Saudi Arabia 4: 468-477.
- Arnold, E. N. 1984. Ecology of lowland lizards in the eastern United Arab Emirates. Journal of Zoology 204: 329-354.
- Arnold, E. N. 1984. Evolutionary aspects of tail shedding in lizards and their relatives. Journal of Natural History, 18: 127-169.
- Arnold, E. N. 1986. A key and annotated checklist to the lizards and amphisbaenians of Arabia. Fauna of Saudi Arabia 8: 385-403.
- Arnold, E. N. 1986. New species of semaphore gecko (*Pristurus*: Gekkonidae) from Arabia and Socotra. Fauna of Saudi Arabia 8: 352-377.
- Arnold, E. N. 1989. Systematics and adaptive radiation of Equatorial African lizards assigned to the genera *Adolfus*, *Bedriagai*, *Gastropholis*, *Holaspis* and *Lacerta* (Reptilia, Lacertidae ). Journal of Natural History, 23: 525-555.
- Arnold, E. N. 1989. Towards a phylogeny and biogeography of the Lacertidae: relationships within an Old-World family of lizards derived from morphology. Bulletin of the British Museum (Natural History), Zoology 55: 209-257.
- Arnold, E. N. 1990. The two species of Moroccan day-geckoes, *Quedenfeldtia* (Reptilia: Gekkonidae). Journal of Natural History 24: 757-762.
- Arnold, E. N. 1993. Historical changes in the ecology and behaviour of semaphore geckos (*Pristurus*, Gekkonidae) and their relatives. Journal of Zoology, 229: 353-384.
- Arnold, E. N. 1994. Do ecological analogues assemble their common features in the same order? An investigation of regularities in evolution, using sand-dwelling lizards as examples. Philosophical Transactions of the Royal Society of London B, 344: 277-290.
- Arnold, E. N. 1997. Interrelationships and evolution of the east Asian grass lizards, *Takydromus* (Squamata: Lacertidae). Zoological Journal of the Linnean Society 119: 267-296.
- Arnold, E. N. 1998. Structural niche, limb morphology and locomotion in lacertid lizards (Squamata, Lacertidae): a preliminary survey. Bulletin of the Natural History Museum, London (Zoology) 64: 63-89.
- Arnold, E. N. 2002. *Holaspis*, a lizard that glided by accident: mosaics of cooption and adaptation in a tropical forest lacertid (Reptilia, Lacertidae). Bulletin of The Natural History Museum. Zoology, 68: 155-163.
- Arnold, E. N. and Bour, R. 2008. A new *Nactus* gecko (Gekkonidae) and a new *Leiolopisma* skink (Scincidae) from La Reunion, Indian Ocean, based on recent fossil remains and ancient DNA sequence. Zootaxa 1705: 40-50.
- Arnold, E. N. and Gardner, A. S. 1994. A review of the middle eastern leaf-toed geckoes (Gekkonidae: Asaccus) with descriptions of two new species from Oman. Fauna of Saudi Arabia 14: 424-441.

- Arnold and Leviton 1977  
 Arnold and Ovenden 2004  
 Arnold and Poinar 2008  
 Arnold et al. 1998  
 Arnold et al. 2002  
 Arredondo and Sanchez-Pacheco 2010  
 Arribas 1993  
 Arribas 2004  
 Arribas 2008a  
 Arribas 2008b  
 Arribas 2008c  
 Arribas 2009a  
 Arribas 2009b  
 Arribas 2010a  
 Arribas 2010b  
 Arribas 2013  
 Arribas 2014  
 Arribas and Carranza 2004  
 Arribas and Carranza 2009  
 Arribas and GalanGalan 2005  
 Arribas et al. 2006  
 Arribas et al. 2013  
 Arribas et al. 2014  
 Arribas et al. 2018  
 Arrivillaga and Brown 2019  
 Arruda et al. 2008  
 Arruda et al. 2019  
 Arslan et al. 2018  
 Artacho et al. 2015  
 Artacho et al. 2017  
 Arteaga et al. 2013  
 Asad et al. 2012  
 Asela et al. 2012  
 Ashaharraza 2019  
 Ashaharraza and Pednekar 2019  
 Ashton 2005  
 Ashton and Telford 2006  
 Asplund 1967  
 Astroza and Gonzalez 2013  
 Astroza and Gonzalez 2015  
 Astroza and Gonzalez 2017  
 Ataev et al. 1994  
 Atatur and Gocmen 2001  
 Atkins et al. 2015  
 Atkins et al. 2018  
 Attum and Eason 2006  
 Attum et al. 2004  
 Attum et al. 2007  
 Aubry et al. 2019  
 Auerbach 1987  
 Auffenberg 1980  
 Auffenberg 1981  
 Auffenberg 1982
- Arnold, E. N. and Leviton, A. E. 1977. A revision of the lizard genus *Scincus* (Reptilia: Scincidae). *Bulletin of the British Museum (Natural History)* 31: 187-248.  
 Arnold, E. N. and Ovenden, D. W. 2004. A field guide to the reptiles and amphibians of Britain and Europe. 2nd edition. Collins, London.  
 Arnold, E. N. and Poinar, G. 2008. A 100 million year old gecko with sophisticated adhesive toe pads, preserved in amber from Myanmar. *Zootaxa*, 1847: 62-68.  
 Arnold, E. N., Lanza, B., Poggesi, M. and Corti, C. 1998. Notes on the anatomy and phylogenetic position of *Eremias ercolini* Lanza & Poggesi 1975 (Reptilia: Lacertidae). *Tropical Zoology*, 11: 235-240.  
 Arnold, E. N., Azar, D., Ineich, I. and Nel, A. 2002. The oldest reptile in amber: a 120 million year old lizard from Lebanon. *Journal of Zoology* 258: 7-10.  
 Arredondo, J. C. and Sanchez-Pacheco, S. J. 2010. New endemic species of *Riama* (Squamata: Gymnophthalmidae) from northern Colombia. *Journal of Herpetology*, 44: 610-617.  
 Arribas, O. 1993. Estatus específico para *Lacerta* (*Archaeolacerta*) *monticola bonnali* Lantz, 1927 (Reptilia, Lacertidae). Specific status for *Lacerta* (*Archaeolacerta*) *monticola bonnali* Lantz, 1927 (Reptilia, Lacertidae). *Boletín de La Real Sociedad Espanola de Historia Natural, Sección Biológica*, 90: 101-112.  
 Arribas, O. J. 2004. Characteristics of the reproductive biology of *Iberolacerta aurelioi* (Arribas, 1994). *Herpetozoa* 17: 3-18.  
 Arribas, O. 2008. *Lagartija aranesa* – *Iberolacerta aranica* (Arribas, 1993). Fecha de publicacion: 24-04-2008. Enciclopedia virtual de los vertebrados Espanoles.  
 Arribas, O. 2008. *Lagartija palaresa* – *Iberolacerta aurelioi* (Arribas, 1994). Fecha de publicacion: 5-06-2008. Enciclopedia virtual de los vertebrados Espanoles.  
 Arribas, O. 2008. *Lagartija pirenaica* – *Iberolacerta bonnali* (Lantz, 1927). Fecha de publicacion: 22-07-2008. Enciclopedia virtual de los vertebrados Espanoles.  
 Arribas, O. 2009. *Lagartija aranesa* – *Iberolacerta aranica* (Arribas, 1993). Version 25-08-2009. Enciclopedia virtual de los vertebrados Espanoles.  
 Arribas, O. 2009. *Lagartija batueca* – *Iberolacerta martinezricai* (Arribas, 1996). Version 25-08-2009. Enciclopedia virtual de los vertebrados Espanoles.  
 Arribas, O. J. 2010. Activity, microhabitat selection and thermal behavior of the Pyrenean rock lizards *Iberolacerta aranica* (Arribas, 1993), *I. aurelioi* (Arribas, 1994) and *i. bonnali* (Lantz, 1927) (Squamata: Sauria: Lacertidae).  
 Arribas, O. J. 2010. Intraspecific variability of the Carpetane Lizard (*Iberolacerta cyreni* [Muller & Hellmich, 1937]) (Squamata: Lacertidae), with special reference to the unstudied peripheral populations from the Sierras de Avila (Paramera, Serrota and Villafranca). *Bonn Zoological Bulletin* 57: 197-210.  
 Arribas, O. J. 2013. Thermoregulation, activity and microhabitat selection in the rare and endangered Batuecan Rock Lizard, *Iberolacerta martinezricai* (ARRIBAS, 1996). *Herpetozoa*, 26: 77-90.  
 Arribas, O. J. 2014. Growth, sex-dimorphism and predation pressure in the Batuecan Lizard, *Iberolacerta martinezricai* (Arribas, 1996). *Butlletí Societat Catalana d'Herpetologia* 21: 147-173.  
 Arribas, O. and Carranza, S. 2004. Morphological and genetic evidence of the full species status of *Iberolacerta cyreni martinezricai* (Arribas, 1996). *Zootaxa* 634: 1-24.  
 Arribas, O. and Carranza, S. 2009. *Lagartija leonesa* – *Iberolacerta galani* Arribas, Carranza y Odierna, 2006. Version 24-07-2008. Enciclopedia virtual de los vertebrados Espanoles.  
 Arribas, O. J. and Galan, P. 2005. Reproductive characteristics of the Pyrenean high-mountain lizards: *Iberolacerta aranica* (Arribas, 1993), *I. aurelioi* (Arribas, 1994) and *i. bonnali* (Lantz, 1927). *Animal Biology*, 55: 163-190.  
 Arribas, O., Carranza, S. and Odierna, G. 2006. Description of a new endemic species of mountain lizard from Northwestern Spain: *Iberolacerta galani* sp. nov. (Squamata : Lacertidae). *Zootaxa* 1240: 1-55.  
 Arribas, O., Ilgaz, C., Kumultas, Y., Durmush, S. H., Avci, A. and Uzum, N. 2013. External morphology and osteology of *Darevskia rufid* (Bedriaga, 1886), with a taxonomic revision of the Pontic and Small-Caucasus populations (Squamata: Lacertidae). *Zootaxa* 3626: 401-428.  
 Arribas, O. J., Galan, P., Remon, N. and Haveira, H. 2014. A new mountain lizard from Montes de Leon (NW iberian Peninsula): *Iberolacerta monticola astur* ssp. nov. (Squamata: Lacertidae). *Zootaxa* 3796: 201-236.  
 Arribas, O., Ilgaz, C. and Kumultas, Y. 2018. Reevaluation of the intraspecific variability in *Darevskia parvula* (Lantz & Cyren, 1913): an integrated approach using morphology, osteology and genetics (Squamata: Lacertidae). *Zootaxa* 4432: 1-24.  
 Arrivillaga, C. and Brown, T. W. 2019. Kypnosis in a free-living *Marisora brachypoda* (Squamata: Scincidae) from Utila Island, Honduras. *The Herpetological Bulletin* 148: 43-44.  
 Arruda, J. L. S., Arruda, D. A. and Cecchin, S. Z. 2008. Reptilia, Squamata, Tropiduridae, *Tropidurus torquatus*: Distribution extension. Check List 4: 269-271.  
 Arruda, J. L. S., Winck, G. R., Loebens, L., Arruda, D. A. and Cecchin, S. Z. 2019. Reproductive Ecology of *Tropidurus catalanensis* (Squamata: Tropiduridae) in Southern Brazil. *South American Journal of Herpetology*, 14: 103-115.  
 Arslan, D., Oliver, A., Yaar, C., ismail, İ.B., Donduren, O., Ernoul, L., Beck, N. and Cicek, K. 2018. Distribution and current status of herpetofauna in the Gediz Delta (Western Anatolia, Turkey). *Herpetology Notes*, 11: 1-15.  
 Artacho, P., Saravia, J., Ferrandiere, B. D., Perret, S. and Le Galliard, J-F. 2015. Quantification of correlational selection on thermal physiology, thermoregulatory behavior, and energy metabolism in lizards. *Ecology and Evolution* 17: 1-10.  
 Artacho, P., Saravia, J., Perret, S., Bartheld, J. L. and Le Galliard, J-F. 2017. Geographic variation and acclimation effects on thermoregulation behavior in the widespread lizard *Liolemaus pictus*. *Journal of Thermal Biology* 63: 78-87.  
 Arteaga, A., Bustamante, L. and Guayasamin, J. M. 2013. The amphibians and reptiles of Mindo. Universidad Tecnologica indoamericana, Quito, 258 pp.  
 Asad, S., McKay, J. L. and Putra, A. P. 2012. The herpetofauna of Nusa Penida, Indonesia. *The Herpetological Bulletin* 122: 8-15.  
 Asela, M. D. C., Ukwela, K. D. B., Bandra, I. N., Kandambi, H. K. D., Surasinghe, T. D. and Karunaratna, D. M. S. S. 2012. Natural history and current distribution patterns of *Calotes liolepis* Boulenger, 1885 (Reptilia: Agamidae: Draconinae) in Sri Lanka. *Herpetotropicos* 8: 39-48.  
 Ashaharraza, K. 2019. Gir's geckoella, *Cyrtodactylus varadgirii* Agarwal, Mirza, Pal, Maddock, Mishra, and Bauer 2016 (Squamata: Gekkonidae), from the Singhori Wildlife Sanctuary, Madhya Pradesh, India. *IRCF Reptiles & Ashaharraza, K. and Pednekar, D. 2019. A novel predation record by *Cyrtodactylus albofasciatus* (Boulenger, 1885) (Squamata: Gekkonidae) from the northern Western Ghats, India. *Sauria* 41: 63-65.*
- Ashton, K. G. 2005. Life history of a fossorial lizard, *Neoseps reynoldsi*. *Journal of Herpetology*, 39: 389-395.  
 Ashton, K. G. and Telford, S. R. 2006. Monthly and daily activity of a fossorial lizard, *Neoseps reynoldsi*. *Southeastern Naturalist* 5: 175-183.  
 Asplund, K. K. 1967. Ecology of lizards in the relictual cape flora, Baja California. *American Midland Naturalist* 77: 462-475.  
 Astroza, M. R. D. G. and Gonzalez, M. F. 2013. *Liolemaus stolzmanni* (Steindachner, 1891) (Squamata: Liolaemidae ): Distribution update. Check List 9: 1067-1069.  
 Astroza, M. R. G. and Gonzalez, M. F. 2015. *Liolemaus nigromaculatus* (many-spotted tree iguana). Geographic distribution. *Herpetological Review*, 46: 217.  
 Astroza, R. G. and Gonzalez, M. F. 2017. Hallazgo de una segunda poblacion de *Liolemaus hellmichi* Donoso-Barros, 1975 (Squamata: Liolaemidae) en el norte de Chile. *Cuadernos de Herpetología* 31: 129-130.  
 Ataev, C., Rustamov, A. K. and Shammakov, S. 1994. Reptiles of Kopetdag. Pages 329-351 in V. Fet and K. Atamuradov. *Biogeography and ecology of Turkmenistan*, Springer, New York.  
 Atatur, M. K. and Gocmen, B. 2001. Amphibians and reptiles of Northern Cyprus. Ege University Press, izmir.  
 Atkins, Z., Cleemann, N. and Robert, K. A. 2015. Does shelter site selection aid persistence of a threatened alpine lizard? Assessing *Liopholis guthega* populations a decade after severe fire in Southeastern Australia. *Journal of Herpetology* 49: 222-229.  
 Atkins, Z. S., Cleemann, N., Schroder, M., Chapple, D. G., Davis, N. E., Robinson, W. A., Wainer, J. and Robert, K. A. 2018. Consistent temporal variation in the diet of an endangered alpine lizard across two south-eastern Australian sky-islands. *Austral Ecology*, 43: 339-351.  
 Attum, O. and Eason, P. 2006. Effects of vegetation loss on a sand dune lizard. *Journal of Wildlife Management* 70: 27-30.  
 Attum, O., Covell, C. and Eason, P. 2004. The comparative diet of three Saharan sand dune skinks. *African Journal of Herpetology*, 53: 91-94.  
 Attum, O., Eason, P. and Cobbs, G. 2007. Morphology, niche segregation, and escape tactics in a sand dune lizard community. *Journal of Arid Environments* 68: 564-573.  
 Aubry, L. M., Eifler, D., Utsumi, K. and French, S. S. 2019. Demographic assessment of the triploid parthenogenetic lizard *Aspidoscelis neotesselatus* at the northern edge of its range. *Herpetological Conservation and Biology* 14: 411-416.  
 Auerbach, R. D. 1987. The amphibians and reptiles of Botswana. Nokwepa Consultants, Gaborone.  
 Auffenberg, W. 1980. The herpetofauna of Komodo, with notes on adjacent areas. *Bulletin of the Florida State Museum Biological Sciences*, 25: 39-156.  
 Auffenberg, W. 1981. The behavioral ecology of the Komodo monitor. University Press of Florida, Gainesville.  
 Auffenberg, W. 1982. Feeding strategy of the Caicos Ground iguana, *Cyclura carinata*, pp. 84-116. In: G.M. Burghardt and A.S. Rand (eds.), *Iguanas of the world: their behavior, ecology and conservation*. Noyes Publications, Park Ridge, NJ.

- Auffenberg 1988  
 Auffenberg and Auffenberg 1988  
 Auffenberg and Auffenberg 1989  
 Auffenberg et al. 1989  
 Auffenberg et al. 2004  
 Auffenberg et al. 2010  
 Augros et al. 2017  
 Auguste 2019a  
 Auguste 2019b  
 Augustino and Utong 2013  
 Auliya et al. 2012  
 Auliya et al. 2016
- Aun and Martori 1998  
 Aun et al. 1999  
 Aurich et al. 2011  
 Aurich et al. 2015  
 Austin 1999  
 Austin 2006  
 Austin et al. 2008  
 Austin et al. 2009  
 Autumn and Losos 1997  
 Autumn et al. 1994  
 Autumn et al. 1999  
 Avci et al. 2015  
 Avci et al. 2018a  
 Avci et al. 2018b  
 Averill-Murray and Averill-Murray 2017  
 Avery 1966  
 Avery 1981  
 Avery 1982  
 Avery 1984  
 Avery 1996  
 Avery et al. 1982  
 Avery et al. 2014  
 Avila 2002  
 Avila 2003  
 Avila 2009  
 Avila and Lobo 1999  
 Avila and Morando 2015  
 Avila and Perez 2011  
 Avila et al. 2001  
 Avila et al. 2004  
 Avila et al. 2006  
 Avila et al. 2008a  
 Avila et al. 2008b  
 Avila et al. 2009  
 Avila et al. 2010  
 Avila et al. 2011  
 Avila et al. 2012  
 Avila et al. 2013a  
 Avila et al. 2013b  
 Avila et al. 2015  
 Avila et al. 2017  
 Avila-Pires 1995
- Auffenberg, W. 1988. Gray's monitor lizard. University Presses of Florida, University of Florida Press, Gainesville.  
 Auffenberg, W. and Auffenberg, T. 1988. Resource partitioning in a community of Philippine skinks (Sauria: Scincidae). Bulletin of the Florida State Museum, Biological Sciences 32: 151-219.  
 Auffenberg, W. and Auffenberg, T. 1989. Reproductive patterns in sympatric Philippine skinks (Sauria: Scincidae). Bulletin of the Florida State Museum, Biological Sciences 34: 201-247.  
 Auffenberg, W., Rahman, H., iffat, F. and Perveen, Z. 1989. A study of *Varanus flavescens* (Hardwicke & Gray) (Sauria: Varanidae). Journal of the Bombay Natural History Society 86: 286-307.  
 Auffenberg, K., Krysko, K. L. and Auffenberg, W. 2004. Studies on Pakistan lizards: *Cyrtopodion stoliczkanum* (Steindachner, 1867) (Gekkonidae: Gekkoninae). Asiatic Herpetological Research 10: 151-160.  
 Auffenberg, K., Krysko, K. L. and Rehman, H. 2010. Studies on Pakistan lizards: *Cyrtopodion baturensis* (Khan and Baig 1992) and *Cyrtopodion walli* (ingoldby 1922) (Sauria: Gekkonidae). Zootaxa 2636: 1-20.  
 Augros, S., Fabulet, P.-Y. and Hawlitschek, O. 2017. First report of the co-existence of the three endemic *Phelsuma* species of Mayotte island (Indian Ocean) in anthropogenic habitats. The Herpetological Bulletin 140: 20-22.  
 Auguste, R. J. 2019. *Bachia trinitatis* (Trinidad hex-scaled bachia). Defensive behavior. Herpetological Review 50: 570.  
 Auguste, R. J. 2019. Herpetofaunal checklist for six pilot protected areas in Trinidad and Tobago. Herpetology Notes 12: 577-585.  
 Augustino, J. and Utong, M. 2013. Characterization of the genome of the agamid lizard (*Uromastyx* spp.) from eastern Sudan based on morphology, karyotype and mitochondrial gene sequences. Asian Herpetological Research, 4: 268-  
 Auliya, M., Wagner, P. and Bohme, W. 2012. The herpetofauna of the Bijagos archipelago, Guinea-Bissau (West Africa) and a first country-wide checklist. Bonn zoological Bulletin 61: 255-281.  
 Auliya, M., Alther, S., Ariano-Sanchez, D., Baard, E. H., Brown, C., Brown, R. M., Cantu, J.-C., Gentile, G., Gildenhuys, P., Henningheim, E., Hintzmann, J., Kanari, K., Kravac, M., Lettink, M., Lippert, J., Luiselli, L., Nilson, G., Nguyen, T. Q., Nijman, V., Parham, J. F., Pasachnik, S. A., Pedroni, M., Rauhaus, A., Cordova, D. R., Sanchez, M.-E., Schepp, U., van Schingen, M., Schneeweiss, N., Segniagbeto, G. H., Somaweer, R., Sy, E. Y., Turkozan, O., Vinke, S., Vinke, T., Vyas, R., Williamson, S. and Ziegler, T. 2016. Trade in live reptiles, its impact on wild populations, and the role of the European market. Biological Conservation 204: 103-119.  
 Aun, L. and Martori, R. 1998. Reproducción y dieta de *Liolaemus koslowskyi* Etheridge 1993. Cuadernos de Herpetología 12: 1-10.  
 Aun, L., Martori, R. and Rocha, C. 1999. Variación estacional de la dieta de *Liolaemus wiegmannii* (Squamata: Tropiduridae) en un agroecosistema del sur de Córdoba, Argentina. Cuadernos de Herpetología 13: 69-80.  
 Aurich, J., Koch, C. and Bohme, W. 2011. Ecology of a gecko assemblage (Phyllodactylidae: Squamata) from northern Peru. North-Western Journal of Zoology 7: 310-317.  
 Aurich, J., Koch, C. and Bohme, W. 2015. Reproduction in a gecko assemblage (Squamata: Phyllodactylidae) in the Maranon Region (Peru) and comments on the largest gecko in the New World. Phylomedusa 14: 53-62.  
 Austin, C. C. 1999. Lizards took express train to Polynesia. Nature, 397: 113-114.  
 Austin, C. C. 2006. Checklist and comments on the terrestrial reptile fauna of Kau Wildlife Area, Papua New Guinea. Herpetological Review, 37: 167-170.  
 Austin, C. C., Hayden, C. J., Bigalke, I., Dahl, C. and Anaminiato, J. 2008. Checklist and comments on the terrestrial amphibian and reptile fauna from Utai, Northwestern Papua New Guinea. Herpetological Review, 39: 40-46.  
 Austin, J. J., Arnold, E. N. and Jones, C. G. 2009. Interrelationships and history of the slit-eared skinks (*Gongylomorphus*, Scincidae) of the Mascarene islands, based on mitochondrial DNA and nuclear gene sequences. Zootaxa 2153:  
 Autumn, K. and Losos, J. B. 1997. Notes on jumping ability and thermal biology of the enigmatic anole *Chamaeleonrops barbouri*. Journal of Herpetology 31: 442-444.  
 Autumn, K., Weinstein, R. B. and Full, R. J. 1994. Low cost of locomotion increases performance at low temperature in a nocturnal lizard. Physiological Zoology, 67: 238-262.  
 Autumn, K., Jindrich, D., DeNardo, D. and Mueller, R. 1999. Locomotor performance at low temperature and the evolution of nocturnality in geckos. Evolution, 53: 580-599.  
 Avci, A., Ilgaz, C., Bozkurt, E., Uzum, N. and Olgun, K. 2015. A new record of *iranolacerta brandtii* (De Filippi, 1863) (Sauria: Lacertidae) in eastern Anatolia, Turkey. Russian Journal of Herpetology 22: 68-74.  
 Avci, A., Uzum, N., Bozkurt, E. and Olgun, K. 2018. The herpetofauna of poorly known Tunceli Province (Turkey). Russian Journal of Herpetology 25: 17-24.  
 Avci, A., Uzum, N., Bozkurt, E. and Olgun, K. 2018. The uncommon morphological feature in reptiles: albinism in the Turkish worm lizard, *Blanus strauchi* (Bedriaga, 1884) (Amphisbaenia, Blanidae). Russian Journal of Herpetology  
 Averill-Murray, R. C. and Averill-Murray, A. 2017. Notes on activity and habitat use of *Pholidobolus vertebralis* (Squamata: Gymnophthalmidae) at a cloud forest reserve in Ecuador. Herpetological Review 48: 728-730.  
 Avery, R. A. 1966. Food and feeding habits of the common lizard (*Lacerta vivipara*) in the west of England. Journal of Zoology 149: 115-121.  
 Avery, R. A. 1981. Feeding ecology of the nocturnal gecko *Hemidactylus brookii* in Ghana. Amphibia-Reptilia 3: 269-276.  
 Avery, R. A. 1982. Field studies of body temperatures and thermoregulation. Biology of the Reptilia 12: 93-166.  
 Avery, R. A. 1984. Physiological aspects of lizard growth: the role of thermoregulation. Symposia, Zoological Society of London 52: 407-424.  
 Avery, R. A. 1996. Ecology of small reptile-grade sauropsids. Symposia of the Zoological Society of London 69: 225-237.  
 Avery, R. A., Bedford, J. D. and Newcombe, C. P. 1982. The role of thermoregulation in lizard biology, predatory efficiency in a temperature diurnal basker. Behavioral Ecology and Sociobiology 11: 261-267.  
 Avery, M. L., Tillman, E. A., Spurfeld, C., Engeman, R. M., Maciejewski, K. P., Brown, J. D. and Fetzer, E. A. 2014. Invasive black spiny-tailed iguanas (*Ctenosaura similis*) on Gasparilla island, Florida, USA. Integrative Zoology, 9:  
 Avila, L. J. 2002. Geographic distribution of lizards of the Genus *teius* (Squamata: Teiidae) in southern South America. Biogeographica 78: 15-33.  
 Avila, L. J. 2003. A new species of *Liolaemus* (Squamata: Liolaemidae) from northeastern Argentina and southern Paraguay. Herpetologica, 59: 283-292.  
 Avila, R. W. 2009. Padres de infecção por helmintos em comunidades de lagartos do Brasil central. PhD Dissertation, Universidade Estadual Paulista.  
 Avila, L. J. and Lobo, F. 1999. New lizard records for La Rioja and Catamarca Provinces, northwestern Argentina. Herpetological Review, 30: 115-117.  
 Avila, L. J. and Morando, M. 2015. *Liolaemus tenuis* tenuis (slender jewel lizard). Nocturnal activity. Herpetological Review 46: 631.  
 Avila, L. J. and Perez, C. H. F. 2011. *Liolaemus goetschi*. Predation. Herpetological Review 42: 605-606.  
 Avila, L. J., Morando, M. and Perez, D. R. 2001. New records and natural history notes for lizards and snakes from Patagonia, Argentina. Herpetological Review 32: 64-65.  
 Avila, L. J., Perez, C. H. F., Morando, M. and Sites, J. W. 2004. Phylogenetic relationships of lizards of the *Liolaemus petrophilus* group (Squamata, Liolaemidae), with description of two new species from western Argentina.  
 Avila, L. J., Frutos, N., Morando, M., Perez, C. H. F. and Kozykariski, M. 2006. Reptilia, Iguania, Liolaemini, *Liolaemus petrophilus* and *Liolaemus pictus*: distribution extension, filling gaps, new records. Check List 2: 65-69.  
 Avila, R. A., Ferreira, V. L. and Maidana, C. 2008. Reproductive biology and feeding habits of *Stenocercus caducus* (Iguanidae) in semideciduous forest in Central Brazil. South American Journal of Herpetology, 3: 112-117.  
 Avila, R. W., Cunha-Avelar, L. R. and Ferreira, V. L. 2008. Diet and reproduction of the lizard *Tropidurus etheridgei* in rocky areas of central Brazil. Herpetological Review 39: 430-433.  
 Avila, L. J., Morando, M., Perez, D. R. and Sites, J. W. 2009. A new species of *Liolaemus* from Anelo sand dunes, northern Patagonia, Neuquén, Argentina, and molecular phylogenetic relationships of the *Liolaemus wiegmannii* Avila, R. W., Anjos, L. A., Gonçalves, U., Freire, E. M. X., Almeida, W. O. and da Silva, R. J. 2010. Nematode infection in the lizard *Bogertia lutzae* (Loveridge, 1941) from the Atlantic forest in north-eastern Brazil. Journal of Helminthology 84: 199-201.  
 Avila, L. J., Perez, C. H. F., Perez, D. R. and Morando, M. 2011. Two new mountain lizard species of the *Phymaturus* genus (Squamata: iguanidae) from northwestern Patagonia, Argentina. Zootaxa 2924: 1-21.  
 Avila, L. J., Perez, C. H. F., Medina, C. D., Sites, J. W. and Morando, M. 2012. A new species of lizard of the *Liolaemus elongatus* clade (Reptilia: Iguania: Liolaemini) from Curi Leuvu River Valley, northern Patagonia, Neuquén, Argentina. Zootaxa 3325: 37-52.  
 Avila, L. J., Martinez, L. E., and Morando, M. 2013. Checklist of lizards and amphisbaenians of Argentina: an update. Zootaxa 3616: 201-238.  
 Avila, L. J., Olave, M., Perez, C. H. F., Perez, D. R. and Morando, M. 2013. Molecular phylogenetic relationships of the *Liolaemus rothi* complex and a new species of lizard from Auca Mahuida Volcano (Squamata: Liolaemini).  
 Avila, L. J., Perez, C. H. F. and Cacciali, P. 2015. New record of *Liolaemus ditadai* Cei, 1983 (Squamata, Liolaemidae) from Santiago del Estero province, Argentina. Check List 11: 1710-1713.  
 Avila, L. J., Perez, C. H. F., Minoli, I., Medina, C. D., Sites, J. W. and Morando, M. 2017. New species of *Liolaemus* (Reptilia, Squamata, Liolaemini) of the *Liolaemus donosobarrosi* clade from northwestern Patagonia, Neuquén province, Argentina. Zootaxa 4362: 535-563.  
 Avila-Pires, T. C. S. 1995. Lizards of Brazilian Amazonia. Backhuys Publishers, Leiden

- Avila-Pires 2001  
 Avila-Pires and Hoogmoed 2000  
 Avila-Pires and Vitt 1998  
 Avila-Pires et al. 2010  
 Avila-Pires et al. 2013  
 Avila-Pires et al. 2017  
 Avila-Pires et al. 2018  
 Avila-Pires et al. 2019  
 Aximoff and Felix 2017  
 Axtell 1956  
 Axtell 1968  
 Axtell 1983  
 Axtell and Axtell 1971  
 Ayala 1986  
 Ayala and Castro 1983  
 Ayala and Williams 1988  
 Ayala et al. 1983  
 Ayala et al. 1984  
 Ayala-Varela 2004  
 Ayala-Varela and Torres-Carvajal 2011  
 Ayala-Varela and Velasco 2010  
 Ayala-Varela et al. 2015  
 Ayaz et al. 2016  
 Azevedo et al. 2016  
 Baburao and Kumar 2014  
 Bacon 1967  
 Badger 2003  
 Badillo-Saldana et al. 2016  
 Baekens et al. 2015  
 Baekens et al. 2017  
 Baekens et al. 2018a  
 Baekens et al. 2018b  
 Baekens et al. 2018c  
 Bah El Din 1994  
 Bah El Din 1996  
 Bah El Din 2001  
 Bah El Din 2005  
 Bah El Din 2006  
 Bah El Din 2007  
 Bah El Din 1999  
 Bahir and Maduwage 2005  
 Bahir and Silva 2005  
 Bahmani et al. 2011  
 Bahmani et al. 2014  
 Bahmani et al. 2016  
 Bahuguna 2015  
 Baier et al. 2009  
 Baig and Masroor 2006  
 Baig et al. 2008  
 Baig et al. 2012  
 Bain and Hurley 2010  
 Bain and Truong 2004  
 Bain et al. 2007  
 Baker 1947  
 Baker 2016a
- Avila-Pires, T. C. S. 2001. A new species of Lepidoblepharis (Reptilia: Squamata: Gekkonidae) from Ecuador, with a redescription of *Lepidoblepharis grandis* Miyata, 1985. Occasional Papers of the Sam Noble Oklahoma Museum of Natural History, University of Oklahoma 11: 1-11.  
 Avila-Pires, T. C. S. and Hoogmoed, M. S. 2000. On two new species of *Pseudogonatodes* Ruthven, 1915. (Reptilia: Squamata: Gekkonidae), with remarks on the distribution of some other sphaerodactyl lizards. *Zoologische Avila-Pires, T. C. S. and Vitt, L. J.* 1998. A new species of *Neusticurus* (Reptilia: Gymnophthalmidae) from the Rio Jurua, Acre, Brazil. *Herpetologica*, 54: 235-245.  
 Avila-Pires, T. C. S., Hoogmoed, M. S. and da Rocha, W. A. 2010. Notes on the vertebrates of northern Para, Brazil: a forgotten part of the Guyanan region i. Herpetofauna. *Boletim do Museu Paraense Emilio Goeldi Ciencias Avila-Pires, T. C. S., Lima, J. D., Hoogmoed, M. S., Lima, J. R. F. and da Rocha, W. A.* 2013. Variation in *Amapasaurus tetradactylus* (Reptilia: Squamata: Gymnophthalmidae), a rare Guiana lizard. *Boletim do Museu Paraense Emilio Goeldi* 8: 419-429.  
 Avila-Pires, T. C. S., Palheta, G. S., Silva, M. B. and Sturaro, M. J. 2017. Geographic variation in *Kentropyx striata* (Reptilia: Teiidae): can we distinguish between isolated populations? *South American Journal of Herpetology*, 12: 224-230.  
 Avila-Pires, T. C. S., Hoogmoed, M. S. and Silva, M. B. 2018. First records in Brazil for *Arthrosaura versteegii* van Lith de Jeude, 1904 (Reptilia, Gymnophthalmidae), a possible species complex, and distribution extension for *Arthrosaura montigena* Myers & Donnelly, 2008, in Venezuela. *Check List* 14: 569-577.  
 Avila-Pires, T. C. S., Nogueira, C. C. and Martins, M. 2019. A new 'horned' *Stenocercus* from the highlands of southeastern Brazil, and redescription of *Stenocercus tricristatus* (Reptilia: Tropiduridae). *Zoologia* 36: e22909.  
 Aximoff, I. and Felix, E. 2017. *Lygodactylus klugei* (kluge's dwarf gecko). Diet. *Herpetological Review* 48: 439.  
 Axtell, R. W. 1956. A solution to the long neglected Holbrookia lacerata problem, and the description of two new subspecies of *Holbrookia*. *Bulletin of the Chicago Academy of Sciences* 10: 163-179.  
 Axtell, R. W. 1968. *Holbrookia lacerata*. Catalogue of American Amphibians and Reptiles 56: 1-2.  
 Axtell, R. W. 1983. *Holbrookia propinquia*. Catalogue of American Amphibians and Reptiles 341: 1-2.  
 Axtell, R. W. and Axtell, C. A. 1971. A new lizard (*Sceloporus jarrovii cyanostictus*) from Sierra Madre of Coahuila, Mexico. *Copeia*, 1971: 89-98.  
 Ayala, S. 1986. *Saurios de Colombia: lista actualizada y distribucion de ejemplares colombianos en los museos*. Caldasia 15: 555-575.  
 Ayala, S. C. and Castro, F. 1983. Dos nuevos gecos (Sauria: Gekkonidae, Sphaerodactylinae) para Colombia: *Lepidoblepharis xanthostigma* (Noble) y descripcion de una nueva especie. Caldasia 13 (No. 65): 743-753.  
 Ayala, S. C. and Williams, E. E. 1988. New or problematic Anolis from Colombia. 6. Two fuscoauratooid anoles from the Pacific lowlands, A. maculiventris Boulenger, 1898, and A. medemi, a new species from Gorgona island.  
 Ayala, S., Harris, D. and Williams, E. E. 1983. New or problematic Anolis from Colombia. I. *Anolis calima*, new species, from the cloud forest of Western Colombia. *Breviora* 475: 1-11.  
 Ayala, S. C., Harris, D. M. and Williams, E. E. 1984. *Anolis menta*, sp. n. (Sauria, Iguanidae), a new *tigrinus* group anole from the west side of Santa Marta Mountains, Colombia. *Papeis Avulsos de Zoologia* 35: 135-145.  
 Ayala-Varela, F. 2004. Revision taxonomica y de variacion geografica de las especies de *Anolis* (Sauria: Polychrotidae) del oriente ecuatoriano. Tesis de Licenciatura. Pontificia Universidad Catolica del Ecuador. Escuela de Biologia.  
 Ayala-Varela, F. P. and Torres-Carvajal, O. 2011. A new species of dactyloid anole (Iguanidae, Polychrotinae, Anolis) from the southeastern slopes of the Andes of Ecuador. *ZooKeys* 53: 59-73.  
 Ayala-Varela, F. P. and Velasco, J. A. 2010. A new species of dactyloid anole (SQUAMATA: Iguanidae) from the western Andes of Ecuador. *Zootaxa* 2577: 46-56.  
 Ayala-Varela, F., Velasco, J. A., Calderon-Espinosa, M., Arteaga, A. F., Sagredo, Y. and Valverde, S. 2015. First records of *Anolis ventrimaculatus* Boulenger, 1911 (Squamata: Iguanidae) in Ecuador. *Amphibian & Reptile Conservation* 8 [Special Section]: 136-140.  
 Ayaz, D., Cicik, K., Tok, C. V. and Dincaslan, Y. E. 2011. A new record of *Eumeles schneideri* (Daudin, 1802) in Northeastern Anatolia, Turkey. *Biharean Biologist*, 5: 78-79.  
 Azevedo, J. A. R., Valdujo, P. H. and Nogueira, C. C. 2016. Biogeography of anurans and squamates in the Cerrado hotspot: coincident endemism patterns in the richest and most impacted savanna on the globe. *Journal of Baburao, G. and Kumar, B. M. K.* 2014. New locality record of Treutler's gecko *Hemidactylus treutleri* Mahony, 2009 in Andhra Pradesh, India. *Herpetology Notes*, 7: 241-243.  
 Bacon, J. P. 1967. Systematic status of three scincid lizards (genus *Sphenomorphus*) from Borneo. *Fieldiana: Zoology* 51: 63-76.  
 Badger, D. P. 2003. Lizards: A natural history of some uncommon creatures - extraordinary chameleons, iguanas, geckos and more. Voyageur Press  
 Badillo-Saldana, L. M., Lara-Tufino, D., Hernandez-Austria, R. and Ramirez-Bautista, A. 2016. Primer registro de *Sceloporus serrifer* Cope 1866, (Squamata: Phrynosomatidae) para Quintana Roo, Mexico. *Cuadernos de Herpetología Baeckens, S., Edwards, S., Huyghe, K. and Van Damme, R.* 2015. Chemical signalling in lizards: an interspecific comparison of femoral pore numbers in Lacertidae. *Biological Journal of the Linnean Society* 114: 44-57.  
 Baeckens, S., Garcia-Roa, R., Ortega, M. J., Huyghe, K. and Van Damme, R. 2017. Fossilorial and durophagous: implications of molluscivory for head size and bite capacity in a burrowing worm lizard. *Journal of Zoology* 301: 193-199.  
 Baeckens, S., Leirs, W. and Scholliers, J. 2018. *Podarcis melisellensis* (Dalmatian wall lizard). Tail bifurcation. *Herpetological Review* 49: 746.  
 Baeckens, S., Martin, J., Garcia-Roa, R. and van Damme, R. 2018. Sexual selection and the chemical signal design of lacertid lizards. *Zoological Journal of the Linnean Society*, 183: 445-457.  
 Baeckens, S., Martin, J., Garcia-Roa, R., Pafilis, P., Huyghe, K. and Van Damme, R. 2018. How environmental conditions shape the chemical signal design of lizards. *Functional Ecology* 32: 566-580.  
 Bah El Din, S. M. 1994. A contribution to the herpetology of Sinai. *British Herpetological Society Bulletin* 48: 18-27.  
 Bah El Din, S. M. 1996. The occurrence of *Acanthodactylus longipes* Boulenger, 1918 in Egypt, with remarks on its identification and ecology. *Zoology in the Middle East* 12: 53-58.  
 Bah El Din, S. M. 2001. A synopsis of African and South Arabian geckos of the genus *Tropiocolotes* (Reptilia: Gekkonidae), with a description of a new species from Egypt. *Zoology in the Middle East* 22: 45-56.  
 Bah El Din, S. M. 2005. An overview of Egyptian species of *Hemidactylus* (Gekkonidae), with the description of a new species from the high mountains of South Sinai. *Zoology in the Middle East*, 34: 11-26.  
 Bah El Din, S. M. 2006. A guide to the reptiles and amphibians of Egypt. American University in Cairo Press, Cairo.  
 Bah El Din, S. M. 2007. A new lizard of the *Acanthodactylus scutellatus* group (Squamata: Lacertidae) from Egypt. *Zoology in the Middle East* 40: 21-32.  
 Bah El-Din, S. M. 1999. A new species of *Tropiocolotes* (Reptilia: Gekkonidae) from Egypt. *Zoology in the Middle East*, 19: 17-26.  
 Bahir, M. M. and Maduwage, K. P. 2005. *Calotes desilvai*, a new species of agamid lizard From Morningside forest, Sri Lanka. *Raffles Bulletin of Zoology*, Supplement 12: 381-392.  
 Bahir, M. M. and Silva, A. 2005. *Otocryptis nigrisigma*, a new species of agamid lizard from Sri Lanka. *Raffles Bulletin of Zoology*, Supplement 12: 393-406.  
 Bahmani, Z., Rastegar-Pouyani, N. and Gharzi, A. 2011. A new record of *Eremias montanus* Rastegar-Pouyani & Rastegar-Pouyani, 2001 (Sauria: Lacertidae) from Kurdistan Province, Western Iran. *Amphibian and Reptile Bahmani, Z., Karamiani, R., Rastegar-Pouyani, N. and Gharzi, A.* 2014. First record of *Apathya cappadocica* muhtari (Eiselt, 1979) (Sauria: Lacertidae) in Iran with its natural history and distribution. *Amphibian and Reptile Bahmani, Z., Rastegar-Pouyani, N. and Rastegar-Pouyani, E.* 2016. Systematics of the Genus *Trachylepis* Fitzinger, 1843 (Sauria: Scincidae) with special reference to the Middle East: A review. *Iranian Journal of Animal Bahuguna, A. 2015. New species of genus *Sitana* (Sauria: Agamidae) from Kalesar National Park and Wildlife Sanctuary, Haryana, North Western India. *International Journal of Advanced Research*, 3: 526-535.  
 Baier, F., Sparrow, J. D. and Wiedl, H.-J. 2009. The amphibians and reptiles of Cyprus. Edition Chimaira, Frankfurt am Main.  
 Baig, K. J. and Masroor, R. 2006. A new species of *Eremias* (Sauria: Lacertidae) from Cholistan Desert, Pakistan. *Russian Journal of Herpetology* 13: 167-174.  
 Baig, K. J., Masroor, R. and Arshad, M. 2008. Biodiversity and ecology of the herpetofauna of Cholistan Desert, Pakistan. *Russian Journal of Herpetology* 15: 193-205.  
 Baig, K. J., Wagner, P., Ananjeva, N. B. and Bohme, W. 2012. A morphology-based taxonomic revision of *Laudakia* Gray, 1845 (Squamata: Agamidae). *Vertebrate Zoology* 62: 213-260.  
 Bain, R. H. and Hurley, M. M. 2010. A biogeographic synthesis of the amphibians and reptiles of indochina. *Bulletin of the American Museum of Natural History*, 360: 1-138.  
 Bain, R. H. and Truong, N. Q. 2004. Herpetofaunal diversity of Ha Giang Province in northeastern Vietnam, with descriptions of two new species. *American Museum Novitates* 3453: 1-42.  
 Bain, R. H., Nguyen, Q. T. and Doan, K. V. 2007. New herpetofaunal records from Vietnam. *Herpetological Review* 38: 107-117.  
 Baker, J. R. 1947. The seasons in a tropical rain-forest. Part 6. Lizards (Emoia). *Journal of the Linnean Society, Zoology* 41: 243-247.  
 Baker, N. 2016. Blue-headed forest skink *Sphenomorphus cyanolaemus* at Sungai Bantang, Johor, Peninsular Malaysia. *Southeast Asia Vertebrate Records* 2016: 11.*

- Baker 2016b  
 Baker 2016c  
 Baker 2017  
 Baker 2019  
 Baker et al. 1967  
 Balakrishna 2014  
 Balakrishna and Achari 2014
- Balakrishna et al. 2012  
 Balakrishna et al. 2016  
 Balestrin 2008  
 Balestrin and Cappellari 2011  
 Balestrin et al. 2010
- Ball 2013  
 Ball and Borrell 2016  
 Ballinger 1973  
 Ballinger 1977  
 Ballinger and Congdon 1981  
 Ballinger and Schrank 1972  
 Ballinger et al. 1970  
 Ballinger et al. 2000a  
 Ballinger et al. 2000b  
 Ballinger et al. 2000c  
 Balshaw 2000  
 Bancila et al. 2010  
 Banda-Leal et al. 2013
- Banda-Leal et al. 2014a  
 Banda-Leal et al. 2014b
- Banda-Leal et al. 2017  
 Banda-Leal et al. 2018  
 Banks and Farmer 1963  
 Bannock et al. 1999  
 Banta 1963  
 Banta et al. 1996  
 Banuelos-Alamillo et al. 2016  
 Banuelos-Alamillo et al. 2017  
 Baptista et al. 2019  
 Bar 2003  
 Bar and Haimovitch 2012  
 Bar and Haimovitch 2013  
 Bar and Haimovitch 2018  
 Barabanov and Ananjeva 2007  
 Barabanov and Milto 2017
- Barahona et al. 2000  
 Baral 2019  
 Baran and Atatur 1998  
 Baran and Gruber 1982  
 Baran et al. 2005
- Baran, I., Kasperek, M. and Oz, M. 1989  
 Barata et al. 2011
- Barata et al. 2015  
 Barbadillo and Martinez-Solano 2002  
 Barbault 1974a
- Baker, N. 2016. Five species of gliding lizard *Draco* spp. at Gunung Pulai, Johor, Peninsular Malaysia. *Southeast Asia Vertebrate Records* 2016: 110-112.  
 Baker, N. 2016. Modest forest dragon *Hypsilurus modestus* from Moro, Southern Highlands Province, Papua New Guinea. *Southeast Asia Vertebrate Records* 2016: 53-54.  
 Baker, N. 2017. Commensal herpetofauna at Villa Borobudur, Central Java, Indonesia. *Southeast Asia Vertebrate Records* 2017: 17-19.  
 Baker, N. 2019. Panti bent-toed gecko (*Cyrtodactylus pantiensis*) at Sungai Menyala, Negeri Sembilan, Peninsular Malaysia. *Southeast Asia Vertebrate Records* 2019: 26-27.  
 Baker, R. H., Webb, R. G. and Dalby, P. 1967. Notes on reptiles and mammals from southern Zacatecas. *American Midland Naturalist* 77: 223-226.  
 Balakrishna, S. 2014. Predation of black rat *Rattus rattus* (Rodentia: Muridae) by the rock lizard *Psammophilus dorsalis* (Squamata: Agamidae) from sub-urban Bangalore, Karnataka. *Herpetology Notes* 7: 519-520.  
 Balakrishna, S. and Achari, N. 2014. Preliminary observations on the ovipositional behavior of the peninsular rock agama *Psammophilus dorsalis* (Gray, 1831) from Savandurga forest area of Southwestern Karnataka, India. *Herpetology Notes*, 7: 319-322.  
 Balakrishna, S., Achary, N. and Kumar, A. 2012. Observations on the ovipositional behaviour of the Nilgiri forest lizard *Calotes nemoricola* (Jerdon, 1853). (Squamata: Agamidae) in Hulikal, Karnataka, India. *Herpetology Notes* 5:  
 Balakrishna, S., Batabyal, A. and Thaker, M. 2016. Dining in the city: dietary shifts in Indian rock agamas across an urban-rural landscape. *Journal of Herpetology* 50: 423-428.  
 Balestrin, R. L. 2008. Historia natural de uma taxoceno de Squamata e redescricao de uma especie de anuro no escudo sul-riograndense, Brasil. PhD Dissertation, Pontificia Universidade Catolica do Rio Grande do Sul, Brazil.  
 Balestrin, R. L. and Cappellari, L. H. 2011. Reproduction and feeding ecology of *Amphisbaena munoi* and *Anops kingi* (Amphisbaenia, Amphisbaenidae) in the Escudo Sul-Rio-Grandense, southern Brazil. *Iheringia, Serie Zoologia*.  
 Balestrin, R. L., Cappellari, L. H. and Outeiral, A. B. 2010. Biologia reprodutiva de *Cercosaura schreibersii* (Squamata, Gymnophthalmidae) e *Cnemidophorus lacertoides* (Squamata, Teiidae) no Escudo Sul-Riograndense, Brasil. *Biota Neotropica* 10: 131-139.  
 Ball, L. 2013. An inventory of herpetofauna in Wadi Sayq. Empty Quarter Expedition Oman 2013 report, pages, 61-69.  
 Ball, L. D. and Borrell, J. S. 2016. An inventory of herpetofauna from Wadi Sayq, Dhofar, Oman. *Journal of Threatened Taxa* 8: 9454-9460.  
 Ballinger, R. E. 1973. Comparative demography of two viviparous iguanid lizards (*Sceloporus Jarrovi* and *Sceloporus Poinsetti*). *Ecology*, 54: 269-283.  
 Ballinger, R. E. 1977. Reproductive strategies: food availability as a source of proximal variation in a lizard. *Ecology* 58: 628-635.  
 Ballinger, R. E. and Congdon, J. D. 1981. Population ecology and life history strategy of a Montane Lizard (*Sceloporus scalaris*) in Southeastern Arizona. *Journal of Natural History*, 15: 213-222.  
 Ballinger, R. E. and Schrank, G. D. 1972. Reproductive potential of female whiptail lizards, *Cnemidophorus gularis gularis*. *Herpetologica* 28: 217-222.  
 Ballinger, R. E., Marion, K. R. and Sexton, O. J. 1970. Thermal ecology of the lizard, *Anolis limifrons*, with comparative notes on three additional Panamanian anoles. *Ecology* 51: 246-254.  
 Ballinger, R. E., Lemos-Espinal, J. A. and Smith, G. R. 2000. Reproduction in females of three species of crevice-dwelling lizards (genus *Xenosaurus*) from Mexico. *Studies on Neotropical Fauna and Environment*, 35: 179-183.  
 Ballinger, R. E., Lemos-Espinal, J. A. and Smith, G. R. 2000. *Xenosaurus grandis*. Catalogue of American Amphibians and Reptiles, 713: 1-4.  
 Ballinger, R. E., Smith, G. R. and Lemos-Espinal, J. A. 2000. *Xenosaurus*. Catalogue of American Amphibians and Reptiles, 712: 1-3.  
 Balshaw, S. 2000. *Heteronotia binoei*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 3pp. Downloaded February 4th, 2009.  
 Bancila, R., van Gelder, I., Rotteveel, E., Loman, J. and Arntzen, J. W. 2010. Fluctuating asymmetry is a function of population isolation in island lizards. *Journal of Zoology* 282: 266-275.  
 Banda-Leal, J., Lazcano, D. and Nevarez-de los Reyes, M. 2013. Notes on Mexican herpetofauna 19: Herpetofauna sympatric with *Gerrhonotus parvus* in San isidro Canyon, Santiago, Nuevo Leon, Mexico. *Bulletin of the Chicago Herpetological Society*, 48: 13-19.  
 Banda-Leal, J., Lazcano, D., los Reyes, M. N. and Barriga-Vallejo, C. 2014. *Gerrhonotus parvus* Knight & Scudder, 1985 (Squamata: Anguidae): New range extension and clutch size in the state of Nuevo Leon, Mexico. Check List 10:  
 Banda-Leal, J., Lazcano, D., Nevarez-de los Reyes, M. and Barriga-Vallejo, C. 2014. Notes on Mexican herpetofauna 20: potential herpetofaunal predators of *Gerrhonotus parvus* in the San isidro Canyon, Santiago, Nuevo Leon, Mexico. *Bulletin of the Chicago Herpetological Society* 49: 17-23.  
 Banda-Leal, J., los Reyes, M. N. and Bryson, R. W. 2017. A new species of pygmy alligator lizard (Squamata: Anguidae) from Nuevo Leon, Mexico. *Journal of Herpetology*, 51: 223-226.  
 Banda-Leal, J., Lazcano, D., Barriga-Vallejo, C. and de los Reyes, N. M. 2018. New records of *Gerrhonotus parvus* Knight & Scudder, 1985 (Squamata, Anguidae) in the state of Coahuila, Mexico. Check List 14: 523-528.  
 Banks, R. C. and Farmer, W. M. 1963. Observations on reptiles of Cerralvo island, Baja California, Mexico. *Herpetologica*, 18: 246-250.  
 Bannock, C. A., Whitaker, A. H. and Hickling, G. J. 1999. Extreme longevity of the common gecko (*Hoplodactylus maculatus*) on Motunau island, Canterbury, New Zealand. *New Zealand Journal of Ecology*, 23: 101-103.  
 Banta, B. H. 1963. Remarks upon the natural history of *Gerrhonotus panamintinus* Stebbins. *Occasional Papers of the California Academy of Sciences* 36: 1-12.  
 Banta, B. H., Mahrdt, C. R. and Beaman, K. R. 1996. *Elgaria panamintina*. Catalogue of American Amphibians and Reptiles 629: 1-4.  
 Banuelos-Alamillo, J. A., Carbajal-Marquez, R. A. and Quintero-Diaz, G. E. 2016. Pleistodon bilineatus. Reproduction. *Mesoamerican Herpetology* 3: 728-729.  
 Banuelos-Alamillo, J. A., Torre, I. Y. T., Quintero-Diaz, G. E. and Carbajal-Marquez, R. A. 2017. The lane's leaf-toed gecko, *Phyllodactylus lanei* Smith, 1935: a new state record for Zacatecas, Mexico. *Herpetology Notes*, 10: 669-  
 Baptista, N. L., Antonio, T. and Branch, W. R. 2019. The herpetofauna of Bicuan National Park and surroundings, southwestern Angola: a preliminary checklist. *Amphibian & Reptile Conservation* 13: 96-130.  
 Bar, A. 2003. Factors that influence the distribution of Acanthodactylus lizards in the northwestern Negev desert. MSc. Thesis, Ben Gurion University of the Negev.  
 Bar, A. and Haimovitch, G. 2012. A field guide to reptiles and amphibians of Israel. Herzlyia: Pazbar. 246 pp.  
 Bar, A. and Haimovitch, G. 2013. A field guide to reptiles and amphibians of Israel. Pazbar, Herzlyia. Updated Hebrew edition.  
 Bar, A. and Haimovitch, G. 2018. A field guide to reptiles and amphibians of Israel. 2nd edition. The Israeli Nature and Parks Authority Press, Jerusalem. In Hebrew.  
 Barabanov, A. V. and Ananjeva, N. B. 2007. Catalogue of the available scientific species-group names for lizards of the genus *Phrynocephalus* Kaup, 1825 (Reptilia, Sauria, Agamidae). *Zootaxa* 1399: 1-56.  
 Barabanov, A. and Milto, K. 2017. An annotated type catalogue of the anguid, dibamid, scincid and varanid lizards in the Department of Herpetology, Zoological institute, Russian Academy of Sciences, St. Petersburg, Russia (Reptilia: Sauria: Anguidae, Dibamidae, Scincidae and Varanidae). *Zootaxa* 4244: 65-78.  
 Barahona, F., Evans, S. E., Mateo, J. A., Garcia-Marquez, M. and Lopez-Jurado, L. F. 2000. Endemism, gigantism and extinction in island lizards: the genus *Gallotia* on the Canary islands. *Journal of Zoology*, 250: 373-388.  
 Baral, S. 2019. Decrypting range limit: The curious case of *Podarcis cretensis* in Crete. MSc. Thesis, University of Twente.  
 Baran, I. and Atatur, M. 1998. Turkish Herpetofauna (Amphibians and Reptiles). Republic of Turkey, Ministry of Environment, Ankara, ISBN 975-7347-38-8  
 Baran, I. and Gruber, U. 1982. Taxonomische untersuchungen an Turkischen gekkoniden. *Spixiana*, 5: 109-138.  
 Baran, I., Kumluata, S. Y., Lanza, B., Sindaco, R., Ilgaz, C., Avci, A. and Crucitti, P. 2005. *Acanthodactylus harranensis*, a new species of lizard from southeastern Turkey (Reptilia: Sauria: Lacertidae). *Bulletino Museo Regionale di Scienze Naturali*, Torino 23: 323-341.  
 Baran, I., Kasperek, M. and Oz, M. 1989. On the distribution of four species of Agama (Agamidae) in Turkey. *Zoology in the Middle East* 3: 37-46.  
 Barata, M., Perera, A., Harris, D. J., Van Der Meijden, A., Carranza, S., Ceacer, F., Garcia-Munoz, E., Goncalves, D., Henrique, S., Jorge, F., Marschall, J. C., Pedrajas, L. and Sousa, P. 2011. New observations of amphibians and reptiles in Morocco, with a special emphasis on the eastern region. *The Herpetological Bulletin* 116: 4-13.  
 Barata, M., Perera, A. and Harris, D. J. 2015. Cryptic variation in the Moroccan high altitude lizard *Atlantolacerta andreeanskyi* (Squamata: Lacertidae). *African Journal of Herpetology*, 64: 1-17.  
 Barbadillo, L. J. and Martinez-Solano, I. 2002. Vertebral intercentra in Lacertidae: variation and phylogenetic implications. *Copeia*, 2002: 208-212.  
 Barbault, R. 1974. Ecologie comparee des lezards *Mabuya blandingi* (Hallowell) et *Panaspis kitsoni* (Boulenger) dans les forets de Lamto (Cote d'Ivoire). *La Terre et La Vie* 28: 272-295.

- Barbault 1974b  
 Barbault 1976  
 Barbault and Maury 1981  
 Barbault et al. 1985  
 Barbo and Marques 2003  
 Barbour 1921a  
 Barbour 1921b  
 Barbour 1927  
 Barbour 1932a  
 Barbour 1932b  
 Barbour and Loveridge 1928  
 Barbour and Loveridge 1930a  
 Barbour and Loveridge 1930b  
 Barbour and Shreve 1937  
 Barbour et al. 2002  
 Barden and Shine 1994  
 Barej et al. 2010  
 Barley et al. 2013  
 Barnett and Emms 2005  
 Barquero and Bolanos 2018  
 Barr et al. 2018  
 Barr et al. 2019a  
 Barr et al. 2019b  
 Barreto et al. 2012  
 Barreto-Lima 2009  
 Barreto-Lima and Sousa 2011  
 Barreto-Lima et al. 2012  
 Barreto-Lima et al. 2013  
 Barrett et al. 2005  
 Barrio-Amoros and Brewer-Carias 2008  
 Barrio-Amoros and Fuenmayor 2005  
 Barrio-Amoros and Molina 2010  
 Barrio-Amoros and Ortiz 2016  
 Barros and Teixeira 2007  
 Barros et al. 1996  
 Barros et al. 2007  
 Barros et al. 2011  
 Barroso et al. 2016  
 Barrows et al. 2010  
 Bars-Closel et al. 2018  
 Bartholomew and Tucker 1964  
 Bartlett 1985  
 Bartlett and Bartlett 2001  
 Bartlett and Bartlett 2003  
 Bartlett and Bartlett 2005  
 Bartlett and Bartlett 2006a  
 Bartlett and Bartlett 2006b  
 Bartlett and Bartlett 2008  
 Bartlett and Bartlett 2009  
 Barts 2003  
 Barts 2004  
 Barts 2010
- Barbault, R. 1974. Structure et dynamique d'un peuplement de lézards: les scinides de la savane de Lamoto (Côte d'Ivoire). *Terre Vie* 28: 352-428.  
 Barbault, R. 1976. Population dynamics and reproductive patterns of three African skinks. *Copeia*, 1976: 483-490.  
 Barbault, R. and Maury, M. E. 1981. Ecological organization of a Chihuahuan desert lizard community. *Oecologia* 51: 335-342.  
 Barbault, R., Ortega, A. and Maury, M. E. 1985. Food partitioning and community organization in a mountain lizard guild of northern Mexico. *Oecologia* 65: 550-554.  
 Barbo, F. E. and Marques, O. A. V. 2003. Do aglyphous colubrid snakes prey on live amphisbaenids able to bite? *Phylomedusa* 2: 113-114.  
 Barbour, T. 1921. A new lizard from Guaymas, Mexico. *Proceedings of the New England Zoological Club* 7: 79-80.  
 Barbour, T. 1921. Some reptiles from Old Providence island. *Proceedings of the New England Zoological Club* 7: 81-85.  
 Barbour, T. 1927. A new lizard from China. *Copeia* 1927: 95.  
 Barbour, T. 1932. New anoles. *Proceedings of the New England Zoological Club* 12: 97-102.  
 Barbour, T. 1932. On a new Anolis from Western Mexico. *Copeia* 1932: 11-12.  
 Barbour, T. and Loveridge, A. 1928. A comparative study of the herpetological fauna of the Uluguru and Usambara mountains, Tanzania Territory with descriptions of new species. *Memoires of the Museum of Comparative Zoology*, 100: 1-100.  
 Barbour, T. and Loveridge, A. 1930. Reptiles and amphibians from Liberia. Pp. 769-786. In Strong, R. P. (editor) *Report of the Harvard-African Expedition upon the African Republic of Liberia and the Belgian Congo; Based on the Observations Made and Material Collected During the Harvard African Expedition 1926 - 1927*. Harvard University Press, Cambridge, Mass.  
 Barbour, T. and Loveridge, A. 1930. Reptiles and amphibians from the Central African Lake Region. Pages 786-796 in Strong, R. P. (editor) *Report of the Harvard-African Expedition upon the African Republic of Liberia and the Belgian Congo; Based on the Observations Made and Material Collected During the Harvard African Expedition 1926 - 1927*. Harvard University Press, Cambridge, Mass.  
 Barbour, T. and Shreve, B. 1937. Novitates Cubanae. *Bulletin of the Museum of Comparative Zoology* 80: 377-387.  
 Barbour, H. R., Archer, M. A., Hart, N. S., Thomas, N., Dunlop, S. A., Beazley, L. D. and Shand, J. 2002. Retinal characteristics of the ornate dragon lizard, *Ctenophorus ornatus*. *Journal of Comparative Neurology* 450: 334-344.  
 Barden, G. and Shine, R. 1994. Effects of sex and reproductive mode on dietary composition of the reproductively bimodal scincid lizard, *Lerista bougainvillii*. *Australian Zoologist* 29: 225-228.  
 Barej, M. F., Ineich, I., Gvozdik, V., Lhermitte-Vallarino, N., Gonwouo, N. L., LeBreton, M., Bott, U. and Schmitz, A. 2010. Insights into chameleons of the genus *Trioceros* (Squamata: Chamaeleonidae) in Cameroon, with the resurrection of *Chamaeleon serratus* Mertens, 1922. *Bonn Zoological Bulletin* 57: 211-229.  
 Barley, A., White, J., Diesmos, A. C. and Brown, R. M. 2013. The challenge of species delimitation at the extremes: diversification without morphological change in Philippine sun skinks. *Evolution* 67: 3556-3572.  
 Barnett, L. and Emms, C. 2005. Common reptiles of the Gambia. Rare Repro, Hailsham, East Sussex.  
 Barquero, M. D. and Bolanos, F. 2018. Morphological and ecological variation of a tropical anoline lizard: are agonistic interactions shaping ecomorphological relationships? *Biological Journal of the Linnean Society* 124: 350-362.  
 Barr, J., Somaweera, R. and Bateman, P. W. 2018. *Ctenotus fallens* (West Coast Ctenotus). Anomalous death through use of modelling clay for research. *Herpetological Review*, 49: 327-328.  
 Barr, J. I., Boisvert, C. A., Somaweera, R., Trinajstic, K. and Bateman, P. W. 2019. Re-regeneration to reduce negative effects associated with tail loss in lizards. *Scientific Reports*, 9: 18717.  
 Barr, J. I., Somaweera, R., Godfrey, S. S. and Bateman, P. W. 2019. Increased tail length in the king's skink, *Egernia kingii* (Reptilia: Scincidae): an anti-predation tactic for juveniles?. *Biological Journal of the Linnean Society* 126: 1-10.  
 Barreto, C. S., Valadao, R. M., Nogueira, C., de Castro, C. P., Ferreira, V. L. and Strussmann, C. 2012. New locality records, geographical distribution, and morphological variation in *Cercosaura parkeri* (Ruibal, 1952) (Squamata: Gymnophthalmidae) from Brazil. *Check List* 8: 1365-1369.  
 Barreto-Lima, A. F. 2009. Gastric suction as an alternative method in studies of lizard diets: tests in two species of *Enyalius* (Squamata). *Studies on Neotropical Fauna and Environment* 44: 23-29.  
 Barreto-Lima, A. F. and Sousa, B. M. 2011. Feeding ecology and sexual dimorphism of *Enyalius perditus* in an Atlantic forest, Brazil. *The Herpetological Bulletin* 118: 1-9.  
 Barreto-Lima, A. F., Toledo, G. M. and Anjos, L. A. 2012. The nematode community in the Atlantic rainforest lizard *Enyalius perditus* Jackson, 1978 from southeastern Brazil. *Journal of Helminthology* 86: 395-400.  
 Barreto-Lima, A. F., Pires, E. d-O.2 and de Sousa, B. M. 2013. Activity, foraging mode and microhabitat use of *Enyalius perditus* (Squamata) in a disturbed Atlantic rainforest in southeastern Brazil. *Salamandra* 49: 177-185.  
 Barrett, K., Anderson, W. B., Wait, D. A., Grismer, L. L., Polis, G. A. and Rose, M. D. 2005. Marine subsidies alter the diet and abundance of insular and coastal lizard populations. *Oikos* 109: 145-153.  
 Barrio-Amoros, C. L. and Brewer-Carias, C. 2008. Herpetological results of the 2002 expedition to Sarisaraima, a tepui in Venezuelan Guayana, with the description of five new species. *Zootaxa* 1942: 1-68.  
 Barrio-Amoros, C. L. and Fuenmayor, G. R. 2005. Review of Reptiles of Los Andes de Venezuela. Catalogo Zoológico de Venezuela, Volumen 2, by Enrique La Marca and Pascual J. Soriano. 2004. *Herpetological Review*, 36: 480-481.  
 Barrio-Amoros, C. L. and Molina, C. 2010. Herpetofauna del Ramal de Calderas, Andes de Venezuela. Pages 74-80 in: Rial, B. A. & Senaris, J. C. & Lasso, C. A. and Flores, A. (eds): *Evaluacion rapida de la biodiversidad y aspectos socioecosistemicos del Ramal de Calderas, Andes de Venezuela*. RAP Bulletin of Biological Assessment , Conservation international, Washington.  
 Barrio-Amoros, C. L. and Ortiz, J. C. 2016. Venezuelan geckos (Gekkonidae, Phyllodactylidae, Sphaerodactylidae) in the collection of the Universidad de Concepcion in Chile, with description of the type series of *Gonatodes ligiae* and *Gonatodes petersi* (Sphaerodactylidae). *Zootaxa* 4136: 537-552.  
 Barros, E. H. and Teixeira, R. L. 2007. Diet and fecundity of the glass-lizard, *Ophiodes striatus* (Sauria, Anguidae) from the Atlantic Forest in southeastern Brazil. *Boletim do Museu de Biologia Mello Leitao* 22: 11-23.  
 Barros, T., Williams, E. E. and Viloria, A. L. 1996. The genus *Phenacosaurus* (Squamata: iguania) in western Venezuela: *Phenacosaurus tetrii* new species, *Phenacosaurus eukalerrii*, new species, and *Phenacosaurus nicefori* Dunn, 1944. *Breviora* 504: 1-30.  
 Barros, T. R., Esqueda, L. F., Mijares-Urrutia, A., La Marca, E. and Nicholson, K. E. 2007. The anoline "lost link" rediscovered: variation and distribution of *Anolis annectens* Williams 1974 (Squamata Polychrotidae). *Tropical Barros, F. C., Herrel, A. and Kohlsdorf, T. 2011. Head shape evolution in Gymnophthalmidae: does habitat use constrain the evolution of cranial design in fossorial lizards? *Journal of Evolutionary Biology* 24: 2423-2433.  
 Barroso, F. M., Carretero, M. A., Silva, F. and Sannolo, M. 2016. Assessing the reliability of thermography to infer internal body temperatures of lizards. *Journal of Thermal Biology* 62: 90-96.  
 Barrows, C. W., Rotenberry, J. T. and Allen, M. F. 2010. Assessing sensitivity to climate change and drought variability of a sand dune endemic lizard. *Biological Conservation* 143: 731-736.  
 Bars-Closel, M., Camacho, A. and Kohlsdorf, T. 2018. Shifts in space and time: ecological transitions affect the evolution of resting metabolic rates in microteiid lizards. *Journal of Experimental Biology*, 221: jeb175661.  
 Bartholomew, G. A. and Tucker, V. A. 1964. Size, body temperature, thermal conductance, oxygen consumption, and heart rate in Australian varanid lizards. *Physiological Zoology*, 37: 341-354.  
 Bartlett, R. D. 1985. Notes on the natural history and reproductive strategy of the island glass lizard, *Ophisaurus compressus*. *British Herpetological Society Bulletin* 11: 19-21.  
 Bartlett, R. D. and Bartlett, P. 2001. Day geckos. Barrons, Hauppauge.  
 Bartlett, R. D. and Bartlett, P. 2003. Reptiles and amphibians of the Amazon. An ecotourist's guide. Florida University Presses  
 Bartlett, R. D. and Bartlett, P. 2005. Chameleons. Barrons, Hauppauge.  
 Bartlett, R. D. and Bartlett, P. 2006. Geckos. Barrons, Hauppauge.  
 Bartlett, R. D. and Bartlett, P. P. 2006. Guide and reference to the crocodilians, turtles, and lizards of Eastern and Central North America (North of Mexico). University Press of Florida, Gainesville.  
 Bartlett, R. D. and Bartlett, P. 2008. Anoles, basilisks, and water dragons. Barrons, Hauppauge.  
 Bartlett, R. D. and Bartlett, P. P. 2009. Bearded dragons. Facts & advice on care and breeding. Second edition. Barrons, Hauppauge.  
 Barts, M. 2003. Die agamen des südlichen Afrikas. *Draco* 4: 70-79.  
 Barts, M. 2004. Erfahrungen bei der haltung und vermehrung von Xenagama batillifera (Vaillant 1832) mit anmerkungen zum verhalten von Xenagama taylori (Parker 1935). *Reptilia* 9: 72-77.  
 Barts, M. 2010. Die dickefingergeckos des südlichen Afrikas. Teil XI: Zur haltung und vermehrung von *Pachydactylus rugosus* Smith, 1849. *Sauria* 32: 3-12.*

- Barts and Colacicco 2015  
 Barts and Colacicco 2019  
 Barts and Haacke 2010a  
 Barts and Haacke 2010b  
 Barts et al. 2001  
 Bashey and Dunham 1997  
 Basso et al. 2019  
 Batabyal and Thaker 2019  
 Bateman and Chung-Maccoubrey 2012  
 Bateman and Chung-MacCoubrey 2013
- Bateman and Fleming 2009  
 Bateman et al. 2010  
 Bateman et al. 2017  
 Bates 1991  
 Bates 1993  
 Bates 1996  
 Bates 2013  
 Bates 2014a  
 Bates 2014b  
 Bates 2018  
 Bates et al. 2014
- Bates et al. 2017  
 Batista et al. 2015a
- Batista et al. 2015b  
 Batista et al. 2019  
 Battersby 1954  
 Batuwita 2016  
 Batuwita 2019  
 Batuwita and Bahir 2005  
 Batuwita and Edirisinha 2017
- Batuwita and Pethiyagoda 2012  
 Batuwita et al. 2019  
 Bauer 1985  
 Bauer 1990  
 Bauer 1997  
 Bauer 1998  
 Bauer 1999  
 Bauer 2000  
 Bauer 2002a  
 Bauer 2002b  
 Bauer 2003a  
 Bauer 2003b  
 Bauer 2004  
 Bauer 2006  
 Bauer 2007  
 Bauer 2010  
 Bauer 2013  
 Bauer 2016  
 Bauer 2019  
 Bauer and Das 1998  
 Bauer and DeVaney 1987  
 Bauer and Doughty 2012  
 Bauer and Giri 2004  
 Bauer and Gunther 1992
- Barts, M. and Colacicco, F. 2015. Die dickfingergeckos des sudlichen Afrikas—Teil XVIII *Pachydactylus visseri* Bauer, Lamb & Branch, 2006. *Sauria* 37: 53-57.  
 Barts, M. and Colacicco, F. 2019. African flat geckos: Field notes and captive care of the genus *Afroedura* Loveridge, 1944 Part III: *Afroedura bogerti* (Loveridge, 1944). *Sauria* 41: 31-36.  
 Barts, M. and Haacke, W. D. 2010. *Afroedura bogerti* Loveridge, 1944 Bogert's flat gecko. Reproduction. *African Herp News* 50: 39.  
 Barts, M. and Haacke, W. D. 2010. Afrogecko plumicaudus Haacke, 2009 feathertail gecko. Reproduction. *African Herp News* 50: 38.  
 Barts, M., Boone, J. and Hulbert, F. 2001. Die dickfingergeckos des sudlichen Afrikas. Teil i. Die haltung und vermehrung des *Tsodilo-geckos*, *Pachydactylus tsodiloensis* Haacke, 1966. *Sauria*, 23: 15-19.  
 Bashey, F. B. and Dunham, A. E. 1997. Elevational variation in the thermal constraints and microhabitat preferences of the greater earless lizard *Cophosaurus texanus*. *Copeia*, 1997: 725-737.  
 Basso, R., Vannuccini, M. L., Nerva, L., Mazza, G., Seno, M. and Mori, E. 2019. Multiple origins of the common chameleon in southern Italy. *Herpetozoa*, 32: 11-19.  
 Batabyal, A. and Thaker, M. 2019. Lizards from suburban areas learn faster to stay safe. *Biology Letters* 15: 20190009.  
 Bateman, H. L. and Chung-Maccoubrey, A. 2012. Growth and activity of *Sceloporus cowlesi* (southwestern fence lizard). *Herpetological Review*, 43: 39-41.  
 Bateman, H. L. and Chung-MacCoubrey, A. 2013. *Aspidoscelis exsanguis* (Chihuahuan spotted whiptail), *Aspidoscelis neomexicana* (New Mexico whiptail), *Aspidoscelis uniparens* (desert grassland whiptail). Bifurcated tails. *Herpetological Review* 44: 663.  
 Bateman, P. W. and Fleming, P. A. 2009. To cut a long tail short: a review of lizard caudal autotomy studies carried out over the last 20 years. *Journal of Zoology* 277: 1-14.  
 Bateman, H. L., Snell, H. L., Chung-MacCoubrey, A. and Finch, D. M. 2010. Growth, activity, and survivorship from three sympatric parthenogenetic whiptails (Family Teiidae). *Journal of Herpetology*, 44: 301-306.  
 Bateman, P. W., Fleming, P. A. and Wolfe, A. K. 2017. A different kind of ecological modelling: the use of clay model organisms to explore predator-prey interactions in vertebrates. *Journal of Zoology* 301: 251-262.  
 Bates, M. F. 1991. New distribution records for amphibians and reptiles from the Cape Province, South Africa. *The Journal of the Herpetological Association of Africa*, 39: 14-18.  
 Bates, M. F. 1993. Extremely rare lizards found at Sterkfontein dam nature reserve. *Culna*, 1993: 34-36.  
 Bates, M. F. 1996. Taxonomic status and distribution of the South African lizard *Tetradactylus breyeri Roux* (Gerrhosauridae). *African Zoology*, 31: 214-218.  
 Bates, M. F. 2013. *Tropidosaura cottrelli* (Hewitt, 1925), Cottrell's mountain lizard. Geographic distribution. *African Herp News* 60: 26-28.  
 Bates, M. F. 2014a. *Tetradactylus africanus* (Gray, 1838) Eastern long-tailed seps. Geographic distribution. *African Herp News* 61: 34-35.  
 Bates, M. F. 2014b. *Tetradactylus africanus* (Gray, 1838) Eastern long-tailed seps. Geographic distribution. *African Herp News* 61: 35-36.  
 Bates, M. F. 2018. *Trachylepis homalocephala* (Wiegmann, 1828). Red sided skink in the Eastern Cape. *African Herp News* 62: 58-59.  
 Bates, M. F., Branch, W. R., Bauer, A. M., Burger, M., Marais, J., Alexander, G. J. and de Villiers, M. S. editors. 2014. *Atlas and red list of the reptiles of South Africa, Lesotho and Swaziland. Suricata 1*. South African National Biodiversity institute, Pretoria.  
 Bates, M. F., Clark, T. and Abell, S. 2017. Cape girdled lizard in Lesotho. *African Herp News* 64: 39-41.  
 Batista, A., Ponce, M., Vesely, M., Mebert, K., Hertz, A., Kohler, G., Carrizo, A. and Lotzkat, S. Revision of the genus *Lepidoblepharis* (Reptilia: Squamata: Sphaerodactylidae) in Central America, with the description of three new species. *Zootaxa* 3994: 187-221.  
 Batista, B., Vesely, M., Mebert, K., Lotzkat, S. and Kohler, G. 2015. A new species of *Dactyloa* from eastern Panama, with comments on other *Dactyloa* species present in the region. *Zootaxa* 4039: 57-84.  
 Batista, A., Ponce, M., Garces, O., Lassiter, E. and Miranda, M. 2019. Silent pirates: *Anolis sagrei* Dumeril & Bibron, 1837 (Squamata, Dactyloidae) taking over Panama City, Panama. *Check List* 15: 455-459.  
 Battersby, J. C. 1954. Reptiles and amphibians collected in the northern frontier division of Kenya in 1951. *Journal of Natural History*, 7: 241-248.  
 Batuwita, S. 2016. Description of two new species of *Eutropis* (Reptilia: Scincidae) from Sri Lanka with a redescription of *Eutropis madaraszi* (Mehely). *Journal of Herpetology* 50: 486-496.  
 Batuwita, S. 2019. A review of the lizards of the endemic genus *Lankascincus* (Reptilia: Scincidae: Lygosominae) from Sri Lanka. *Bulletin of the Museum of Comparative Zoology*, 162: 211-262.  
 Batuwita, S. and Bahir, M. M. 2005. Description of five new species of *Cyrtodactylus* (Reptilia: Gekkonidae) from Sri Lanka. *Raffles Bulletin of Zoology Supplement No. 12*: 351-380.  
 Batuwita, S. and Edirisinha, U. 2017. *Nessia gansi*: a second three-toed snake-skink (Reptilia: Squamata: Scincidae) from Sri Lanka with the designation of a neotype for *Nessia burtonii* Gray. *Travaux du Museum National d'Histoire Naturelle* 60: 377-388.  
 Batuwita, S. and Pethiyagoda, R. 2012. Rediscovery of the Sri Lankan 'house gecko' *Hemidactylus pieresi* Kelaart Reptilia: Gekkonidae) with a redescription of *Hemidactylus depressus* Gray. *Zootaxa* 3359: 17-30.  
 Batuwita, S., Agarwal, I. and Bauer, A. M. 2019. Description of a new diminutive, rupicolous species of day-gecko (Squamata: Gekkonidae: Cnemaspis) from southern Sri Lanka. *Zootaxa* 4565: 223-234.  
 Bauer, A. M. 1985. Notes on the taxonomy, morphology and behavior of *Rhacodactylus chahoua* (Bavay) (Reptilia: Gekkonidae). *Banner zoologische Beitrage* 36: 81-94.  
 Bauer, A. M. 1990. Gekkonid lizards as prey of invertebrates and predators of vertebrates. *Herpetological Review* 21: 83-87.  
 Bauer, A. M. 1997. Peritoneal pigmentation and generic allocation in the Chamaeleonidae. *African Journal of Herpetology*, 46: 117-123.  
 Bauer, A. M. 1998. Twentieth century amphibian and reptile discoveries. *Cryptozooiology* 13: 1-17.  
 Bauer, A. M. 1999. The terrestrial reptiles of New Caledonia: the origin and evolution of a highly endemic herpetofauna. pages 3-25 in Ota, H. (editor). *Tropical island Herpetofauna: Origin, Current Diversity, and Conservation*.  
 Bauer, A. M. 2000. Comments on the types and type localities of South African reptiles collected by Heinrich Bergius and Ludwig Krebs. *African Journal of Herpetology*, 49: 53-60.  
 Bauer, A. M. 2002. Two new species of *Chemaspis* (Reptilia: Squamata: Gekkonidae) from Gund, Uttara Kannada, India. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 99: 155-167.  
 Bauer, A. M. 2002. Two new species of *Cyrtodactylus* (Squamata: Gekkonidae) from Myanmar. *Proceedings of the California Academy of Sciences* 53: 73-86.  
 Bauer, A. M. 2003. Descriptions of seven new *Cyrtodactylus* (Squamata: Gekkonidae) with a key to the species of Myanmar (Burma). *Proceedings of the California Academy of Sciences* 54: 463-498.  
 Bauer, A. M. 2003. On the identity of *Lacerta punctata* Linnaeus, 1758, the type species of the genus *Euprepis* Wagler, 1830, and the generic assignment of Afro-Malagasy skinks. *African Journal of Herpetology* 52: 1-7.  
 Bauer, A. M. 2004. Gekkonidae, Geckos. pages 973-977 in Goodman, S. M. and Benstead, J. P. editors. *The natural history of Madagascar*. University of Chicago Press, Chicago.  
 Bauer, A. M. 2006. A review of the gekkotan lizards of Benin, with the description of a new species of *Hemidactylus* (Squamata : Gekkonidae). *Zootaxa* 1242: 1-20.  
 Bauer, A. M. 2007. The foraging biology of the Gekkota: life in the middle. Pages 371-404 in Reilly, S. M., McBryer, L. B. and Miles, D. B. (editors). *Lizard ecology*. Cambridge University Press, Cambridge.  
 Bauer, A. M. 2010. A new species of *Pachydactylus* (Squamata: Gekkonidae) from the Otavi Highlands of northern Namibia. *Bonn Zoological Bulletin* 57: 257-266.  
 Bauer, A. M. 2013. Geckos. The animal answer guide. Johns Hopkins University Press, Baltimore.  
 Bauer, A. M. 2016. On the taxonomic status of two enigmatic southern African fossorial skinks, *Scelotes bicolor* and *S. schebeni*. *African Journal of Herpetology*, 65: 33-38.  
 Bauer, A. M. 2019. Gecko adhesion in space and time: a phylogenetic perspective on the scansorial success story. *Integrative and Comparative Biology* 59: 117-130.  
 Bauer, A. M. and Das, I. 1998. New species of *Cnemaspis* (Reptilia: Gekkonidae) from southeastern Thailand. *Copeia* 1998: 439-444.  
 Bauer, A. M. and DeVaney, K. D. 1987. Aspects of diet and habitat use in some New Caledonian lizards. *Amphibia-Reptilia* 8: 349-364.  
 Bauer, A. M. and Doughty, P. 2012. A new bent-toed gecko (Squamata: Gekkonidae: Cyrtodactylus) from the Kimberley region, Western Australia. *Zootaxa* 3187: 32-42.  
 Bauer, A. M. and Giri, V. 2004. On the systematic status of *Geckoella deccanensis* (Gunther 1864) and *G. albofasciata* (Boulenger, 1885) (Squamata: Gekkonidae). *Hamadryad* 28: 51-58.  
 Bauer, A. M. and Gunther, R. 1992. A preliminary report of the reptile fauna of the kingdom of Bhutan with the description of a new species of scincid lizard (Reptilia: Scincidae). *Asiatic Herpetological Research* 4: 23-36.

- Bauer and Gunther 1994
- Bauer and Henle 1994
- Bauer and Jackman 2008
- Bauer and Lamb 2003
- Bauer and Lamb 2005
- Bauer and Menegon 2006
- Bauer and Pauwels 2002
- Bauer and Russell 1986
- Bauer and Russell 1989
- Bauer and Russell 1990
- Bauer and Russell 1991
- Bauer and Russell 1992
- Bauer and Russell 1993a
- Bauer and Russell 1993b
- Bauer and Russell 1993c
- Bauer and Russell 1993d
- Bauer and Russell 1993e
- Bauer and Russell 1995
- Bauer and Russell 2003
- Bauer and Sadlier 1994
- Bauer and Sadlier 2000
- Bauer and Vindum 1990
- Bauer and Watkins-Colwell 2001
- Bauer et al. 1993
- Bauer et al. 1994
- Bauer et al. 1995
- Bauer et al. 1996a
- Bauer et al. 1996b
- Bauer et al. 1998
- Bauer et al. 2000a
- Bauer et al. 2000b
- Bauer et al. 2002a
- Bauer et al. 2002b
- Bauer et al. 2003a
- Bauer et al. 2003b
- Bauer et al. 2004
- Bauer et al. 2006a
- Bauer et al. 2006b
- Bauer et al. 2006c
- Bauer et al. 2006d
- Bauer et al. 2006e
- Bauer et al. 2006f
- Bauer et al. 2006g
- Bauer et al. 2007a
- Bauer et al. 2007b
- Bauer et al. 2008a
- Bauer et al. 2008b
- Bauer et al. 2008c
- Bauer et al. 2009a
- Bauer et al. 2009b
- Bauer, A. M. and Gunther, R. 1994. An annotated type catalogue of the teiid and microteiid lizards in the Zoological Museum, Berlin (Reptilia: Squamata: Teiidae and Gymnophthalmidae). Mitteilungen aus dem Museum für Naturkunde in Berlin 70: 67-80.
- Bauer, A. M. and Henle, K. 1994. Familia Gekkonidae. (Das Tierreich/the Animal Kingdom, Pt 109). Part 1 - Australia and Oceania. Walter De Gruyter inc.
- Bauer, A. M. and Jackman, T. R. 2008. Global diversity of lizards in freshwater (Reptilia: Lacertilia). Hydrobiologia 595: 581-586.
- Bauer, A. M. and Lamb, T. 2003. A new species of the Pachydactylus weberi-group (Reptilia: Squamata: Gekkonidae) from the Waterberg Plateau, Namibia. Cimbebasia, 19: 1-12.
- Bauer, A. M. and Lamb, T. 2005. Phylogenetic relationships of southern African geckos in the Pachydactylus group (Squamata: Gekkonidae). African Journal of Herpetology, 54: 105-129.
- Bauer, A. M. and Menegon, M. 2006. A new species of prehensile-tailed gecko, *Urococtyodon* (Squamata: Gekkonidae), from the Udzungwa Mountains, Tanzania. African Journal of Herpetology 55: 13-22.
- Bauer, A. M. and Pauwels, O. S. G. 2002. A new forest-dwelling Hemidactylus (Squamata: Gekkonidae) from Gabon, West Africa. African Journal of Herpetology, 51: 1-8.
- Bauer, A. M. and Russell, A. P. 1986. Hoplodactylus delcourti n. sp. (Reptilia: Gekkonidae), the largest known gecko. New Zealand Journal of Zoology 13: 141-148.
- Bauer, A. M. and Russell, A. P. 1989. A systematic review of the genus *Uroplatus* (Reptilia: Gekkonidae) with notes on its biology. Journal of Natural History 23: 169-203.
- Bauer, A. M. and Russell, A. P. 1990. Dentitional diversity in *Rhacodactylus* (Reptilia: Gekkonidae). Memoirs of the Queensland Museum 29: 311-321.
- Bauer, A. M. and Russell, A. P. 1991. The maximum size of giant geckos: A cautionary tale. Bulletin of the Chicago Herpetological Society 26: 25-26.
- Bauer, A. M. and Russell, A. P. 1992. The evolutionary significance of regional integumentary loss in island geckos: a complement to caudal autotomy. Ethology Ecology & Evolution 4: 343-358.
- Bauer, A. M. and Russell, A. P. 1993. Aristelliger barbouri. Catalogue of American Amphibians and Reptiles 566: 1.
- Bauer, A. M. and Russell, A. P. 1993. Aristelliger georgeensis. Catalogue of American Amphibians and Reptiles 568: 1-2.
- Bauer, A. M. and Russell, A. P. 1993. Aristelliger hechti. Catalogue of American Amphibians and Reptiles 569: 1-2.
- Bauer, A. M. and Russell, A. P. 1993. Aristelliger lar. Catalogue of American Amphibians and Reptiles 570: 1-3.
- Bauer, A. M. and Russell, A. P. 1993. Aristelliger praesignis. Catalogue of American Amphibians and Reptiles 571: 1-4.
- Bauer, A. M. and Russell, A. P. 1995. The systematic relationships of *Draavidogekko anamallensis* (Gunther 1875). Asiatic Herpetological Research 6: 30-35.
- Bauer, A. M. and Russell, A. P. 2003. *Phyllodactylus wirshingi*. Catalogue of American Amphibians and Reptiles, 770: 1-4.
- Bauer, A. M. and Sadlier, R. A. 1994. The terrestrial herpetofauna of the île des Pins, New Caledonia. Pacific Science 48: 353-366.
- Bauer, A. M. and Sadlier, R. A. 2000. The herpetofauna of New Caledonia. Society for the Study of Amphibians and Reptiles, St. Louis.
- Bauer, A. M. and Vindum, J. V. 1990. A checklist and key to the herpetofauna of New Caledonia, with remarks on biogeography. Proceedings of the California Academy of Sciences 47: 17-45.
- Bauer, A. M. and Watkins-Colwell, G. J. 2001. On the origin of the types of *Hypsilurus godeffroyi* (Reptilia: Squamata: Agamidae) and early German contributions to the herpetology of Palau. Micronesica-Agana, 34: 73-84.
- Bauer, A. M., Branch, W. R. and Haacke, W. D. 1993. The herpetofauna of the Kamanjab area and adjacent Damaraland, Namibia. Madroña 18: 117-145.
- Bauer, A. M., Lang, M. and Gunther, R. 1994. An annotated type catalogue of the pygopods, xantusiids, gerrhosaurids and cordylids (Reptilia: Squamata: Pygopodidae, Xantusiidae, Gerrhosauridae and Cordylidae) in the collection of Zoological Museum, Berlin. Mitteilungen aus dem Museum für Naturkunde in Berlin 70: 85-92.
- Bauer, A. M., Lang, M. and Gunther, R. 1995. An annotated type catalogue of the lacertids (Reptilia: Lacertidae) in the Zoological Museum, Berlin. Mitteilungen aus dem Museum für Naturkunde in Berlin 71: 37-62.
- Bauer, A. M., Branch, W. R. and Good, D. A. 1996. A new species of rock-dwelling *Phyllodactylus* (Squamata: Gekkonidae) from the Richtersveld, South Africa. Occasional Papers of the Museum of Zoology Louisiana State Bauer, A. M., Russell, A. P. and Powell, G. L. 1996. The evolution of locomotor morphology in *Rhoptropus* (Squamata: Gekkonidae): Functional and phylogenetic considerations. African Journal of Herpetology 45: 8-30.
- Bauer, A. M., Whitaker, A. H. and Sadlier, R. A. 1998. Two new species of the genus *Bavayia* (Reptilia: Squamata: Diplodactylidae) from New Caledonia, Southwest Pacific. Pacific Science 52: 342-355.
- Bauer, A. M., Jones, J. P. G. and Sadlier, R. A. 2000. A new high-elevation *Bavayia* (Reptilia: Diplodactylidae) from northeastern New Caledonia. Pacific Science 54: 63-69.
- Bauer, A. M., Renevier, A. and Sadlier, R. A. 1992. *Caledoniscincus austrocaledonicum* (Reptilia: Scincidae) from ile Surprise, d'Entrecasteaux Reefs, New Caledonia. Pacific Science 46: 86-89.
- Bauer, A. M., Lamb, T. and Branch, W. R. 2002. A revision of *Pachydactylus scutatus* (Reptilia: Squamata: Gekkonidae) with the description of a new species from northern Namibia. Proceedings of the California Academy of Bauer, A. M., Pauwels, O. S. G. and Chanhome, L. 2002. A new species of cave-dwelling *Cyrtodactylus* (Squamata: Gekkonidae) from Thailand. The Natural History Journal of Chulalongkorn University 2: 19-29.
- Bauer, A. M., Shea, G. and Gunther, R. 2003. An annotated catalogue of the types of scincid lizards (Reptilia, Squamata, Scincidae) in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin (ZMB). Mitteilungen aus dem Museum für Naturkunde in Berlin 79: 253-321.
- Bauer, A. M., Sumontha, G. M. and Pauwels, O. S. G. 2003. Two new species of *Cyrtodactylus* (Reptilia: Squamata: Gekkonidae) from Thailand. Zootaxa 376: 1-18.
- Bauer, A. M., Sumontha, M., Grossmann, W., Pauwels, O. S. G. and Vogel, G. 2004. A new species of *Dixonius* (Squamata: Gekkonidae) from Kanchanaburi Province, Western Thailand. Current Herpetology 23: 17-26.
- Bauer, A. M., Barts, M. and Hulbert, F. 2006. A new species of the Pachydactylus weberi group (Reptilia: Squamata: Gekkonidae) from the Orange River, with comments on its natural history. Salamandra 42: 83-92.
- Bauer, A. M., Bohme, W. and Gunther, R. 2006. An annotated catalogue of the types of chameleons (Reptilia: Squamata: Chamaeleonidae) in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin (ZMB). Mitteilungen aus dem Museum für Naturkunde in Berlin 82: 268-281.
- Bauer, A. M., Chirio, L., Ineich, I. and LeBreton, M. 2006. New species of *Cnemaspis* (Squamata: Gekkonidae) from northern Cameroon, a neglected biodiversity hotspot. Journal of Herpetology 40: 510-519.
- Bauer, A. M., Jackman, T., Sadlier, R. A. and Whitaker, A. H. 2006. A new genus and species of diplodactylid gecko (Reptilia: Squamata: Diplodactylidae) from northwestern New Caledonia. Pacific Science 60: 125-135.
- Bauer, A. M., Jackman, T., Sadlier, R. A. and Whitaker, A. H. 2006. A revision of the *Bavayia validiclavis* group (Squamata: Gekkonidae), a clade of New Caledonian geckos exhibiting microendemism. Proceedings of the California Academy of Sciences 57: 503-547.
- Bauer, A. M., Lamb, T. and Branch, W. R. 2006. A revision of the Pachydactylus serval and *P. weberi* groups (Reptilia: Gekkonidae) of Southern Africa, with the description of eight new species. Proceedings of the California Academy of Sciences 57: 595-709.
- Bauer, A. M., LeBreton, M., Chirio, L., Ineich, I. and Kouete, M. T. 2006. New species of *Hemidactylus* (Squamata: Gekkonidae) from Cameroon. African Journal of Herpetology 55: 83-93.
- Bauer, A. M., Das, A., Ahmed, M. F. and Sarma, P. K. 2007. Notes on the distribution, taxonomy and biology of the skink *Eutropis dissimilis* (Reptilia: Squamata: Scincidae), with first records from Assam, India. Hamadryad 32: 76.
- Bauer, A. M., de Silva, A., Greenbaum, E. and Jackman, T. 2007. A new species of day gecko from high elevation in Sri Lanka, with a preliminary phylogeny of Sri Lankan *Cnemaspis* (Reptilia, Squamata, Gekkonidae). Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe 83 (Supplement): 22-32.
- Bauer, A. M., Giri, V. B., Greenbaum, E., Jackman, T. R., Dharne, M. S. and Shouche, Y. S. 2008. On the systematics of the gekkonid genus *Teratolepis* Gunther, 1869: another one bites the dust. Hamadryad, 33: 13-27.
- Bauer, A. M., Jackman, T. R., Sadlier, R. A., Shea, G. and Whitaker, A. H. 2008. A new small-bodied species of *Bavayia* (Reptilia: Squamata: Diplodactylidae) from southeastern New Caledonia. Pacific Science 62: 247-256.
- Bauer, A. M., Sumontha, M. and Pauwels, O. S. G. 2008. A new red-eyed Gekko (Reptilia: Gekkonidae) from Kanchanaburi Province, Thailand. Zootaxa 1750: 32-42.
- Bauer, A. M., Jackman, T., Sadlier, R. A. and Whitaker, A. H. 2009. Review and phylogeny of the New Caledonian diplodactylid gekkotan genus *Eurydactylodes* Wermuth, 1965, with the description of a new species. In Grandcolas P. (ed.), *Zoologia Neocaledonica 7. Biodiversity studies in New Caledonia*. Mémoires du Muséum national d'Histoire naturelle 198: 13-36.
- Bauer, A. M., Kennedy, A. M., Lewis, P. J., Thies, M. L. and Gabadirwe, M. 2009. The herpetofauna of Koanaka South and adjacent regions, Ngamiland, Botswana. The Herpetological Bulletin 107: 16-26.

- Bauer et al. 2009c
- Bauer, A. M., Kunya, K., Sumontha, M., Niyomawan, P., Panitvong, N., Pauwel, O. S. G., Chanhome, L. and Kunya, T. 2009. *Cyrtodactylus erythrops* (Squamata: Gekkonidae), a new cave-dwelling gecko from Mae Hong Son Province, Thailand. *Zootaxa* 2124: 51-62.
- Bauer et al. 2010
- Bauer, A. M., Kunya, K., Sumontha, M., Niyomwan, P., Pauwels, O. S. G., Chanhome, L. and Kunya, T. 2010. *Cyrtodactylus dumnnui* (Squamata: Gekkonidae), a new cave-dwelling gecko from Chiang Mai Province, Thailand.
- Bauer et al. 2011a
- Bauer, A. M., Glaw, F., Gehring, P. S. and Vences, M. 2011. New species of *Blaesodactylus* (Squamata: Gekkonidae) from Ankarafantsika National Park in north-western Madagascar. *Zootaxa* 2942: 57-68.
- Bauer et al. 2011b
- Bauer, A. M., Heinicke, M. P., Jackman, T. R. and Branch, W. R. 2011. Systematics of the *Pachydactylus mariquensis* group of geckos (Reptilia: Squamata: Gekkonidae): Status of *P. mariquensis latirostris*, *P. m. macrolepis* and *P. amoenus*. *Navor singe van de Nasionale Museum, Bloemfontein* 27: 85-107.
- Bauer et al. 2012a
- Bauer, A. M., Jackman, T. R., Sadlier, R. A. and Whitaker, A. H. 2012. Revision of the giant geckos of New Caledonia (Reptilia: Diplodactylidae: Rhacodactylus). *Zootaxa* 3404: 1-52.
- Bauer et al. 2012b
- Bauer, A. M., Sadlier, R. A., Jackman, T. R. and Shea, G. 2012. A new member of the *Bavayia cyclura* species group (Reptilia: Squamata: Diplodactylidae) from the southern ranges of New Caledonia. *Pacific Science*, 66: 239-247.
- Bauer et al. 2012c
- Bauer, A. M., Vyas, R., Jackman, T. R., Lajmi, A. and Giri, V. B. 2012. *Hemidactylus barnardi* FitzSimons, 1941, Barnard's rough gecko. Geographical distribution. *African Herp News* 62: 35-37.
- Bauer et al. 2015
- Bauer, A. M., Heinicke, M. P. and Blackburn, D. C. 2015. *Pachydactylus barnardi* FitzSimons, 1941, Barnard's rough gecko. Geographical distribution. *African Herp News* 62: 35-37.
- Bauer et al. 2017
- Bauer, A. M., DeBoer, J. C. and Taylor, D. J. 2017. Atlas of the reptiles of Libya. *Proceedings of the California Academy of Sciences* 64: 155-318.
- Baumer et al. 2012
- Baumer, M. C., Foster, C. D., Casey, B. and Titus, V. 2012. Successful incubation of common chuckwalla (*Sauromalus ater*) eggs at the Bronx Zoo using suspended incubation method. *Herpetological Review*, 43: 597-599.
- Bauwens 1999
- Bauwens, D. 1999. Life-history variations in lacertid lizards. *Natura Croatica* 8: 239-252.
- Bauwens and Diaz-Uriarte 1997
- Bauwens, D. and Diaz-Uriarte, R. 1997. Covariation of life-history traits in lacertid lizards: a comparative study. *The American Naturalist* 149: 91-111.
- Bauwens et al. 1990
- Bauwens, D., Castilla, A. M., Van Damme, R. and Verheyen, R. F. 1990. Field body temperatures and thermoregulatory behaviour of the high altitude lizard, *Lacerta bedriagae*. *Journal of Herpetology* 24: 88-91.
- Bauwens et al. 1995
- Bauwens, D., Garland, T., Castilla, A. M. and Van Damme, R. 1995. Evolution of sprint speed in lacertid lizards: morphological, physiological, and behavioral covariation. *Evolution* 49: 848-863.
- Bauwens et al. 1999
- Bauwens, D., Castilla, A. M. and Mouton, P. Le F. N. 1999. Field body temperatures, activity levels and opportunities for thermoregulation in an extreme microhabitat specialist, the girdled lizard (*Cordylus macropholis*). *Journal of Baxter-Gilbert and Riley 2019*
- Baxter-Gilbert, J. and Riley, J. L. 2019. *Platysaurus broadleyi* (augrabies flat lizard). *Heterospecific coprophagy*. *Herpetological Review* 50: 376.
- Baxter-Gilbert et al. 2019
- Baxter-Gilbert, J., Parsons, J., Bostock, C. and Riley, J. L. 2019. Hamerkop (*Scopus umbretta*) predation on an Augrabies flat lizard (*Platysaurus broadleyi*). *The Herpetological Bulletin* 148: 37-38.
- Bayless and Dwyer 1997
- Bayless, M. and Dwyer, Q. 1997. Notes on the peach-throated monitor. *Reptiles & Amphibian Magazine* 47: 26-30.
- Beal et al. 2014
- Beal, M. S. Lattanzio, M. S. and Miles, D. B. 2014. Differences in the thermal physiology of adult Yarrow's spiny lizards (*Sceloporus jarrovii*) in relation to sex and body size. *Ecology and Evolution* 4: 4220-4229.
- Beaman et al. 2004
- Beaman, K. R., Richmond, J. Q. and Grismer, L. L. 2004. *Eumeces lagunensis*. Catalogue of American Amphibians and Reptiles, 792: 1-3.
- Beane et al. 2010
- Beane, J. C., Braswell, A. L., Mitchell, J. C., Palmer, W. M. and Harrison, J. R. 2010. *Amphibians and reptiles of the Carolinas and Virginia*. Second Edition, Revised and Updayted. The University of North Carolina Press, Chapel Hill.
- Beck 1990
- Beck, D. D. 1990. Ecology and behavior of the gila monster in southwestern Utah. *Journal of Herpetology*, 24: 54-68.
- Beck and Lowe 1994
- Beck, D. D. and Lowe, C. H. 1994. Resting metabolism of helodermatid lizards: allometric and ecological relationships. *Journal of Comparative Physiology B* 164: 124-129.
- Becker et al. 2018
- Becker, L. A., Boretto, J. M., Cabezas-Cartes, F., Marquez, S., Kubisch, E., Scolaro, J. A., Sinervo, B. and Ibarguengoytia, N. R. 2018. An integrative approach to elucidate the taxonomic status of five species of *Phymaturus* Gravenhorst, 1837 (Squamata: Liolaemidae) from northwestern Patagonia, Argentina. *Zoological Journal of the Linnean Society* 185: 268-282.
- Beckon 1992
- Beddek et al. 2018
- Beddek, M., Zenboudji-Beddek, S., Geniez, P., Fathalla, R., Sourouille, P., Arnal, V., Dellaoui, B., Koudache, F., Telailia, S., Peyre, O. and Crochet, P.-A. 2018. Comparative phylogeography of amphibians and reptiles in Algeria suggests common causes for the east-west phylogeographic breaks in the Maghreb. *PLoS ONE* 13: e0201218.
- Bedford et al. 1993
- Bedford, G. S., Christian, K. A. and Griffiths, A. D. 1993. Preliminary investigations on the reproduction of the frillneck lizard *Chlamydosaurus kingii* in the Northern Territory. Pages 127-131 in D. Lunney, D. Ayers, editors. *Herpetology in Australia: A Diverse Discipline*. Chipping Norton, NSW, Australia: Royal Zoological Society of New South Wales.
- Bedynek 2004
- Bedeby, W. 2004. *Lygisaurus foliorum*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Beebe 1944a
- Beebe, W. 1944. Field notes on the lizards of Kartabo, British Guiana, and Caripito, Venezuela. Part 1. *Gekkonidae*. *Zoologica* 29: 145-160.
- Beebe 1944b
- Beebe, W. 1944. Field notes on the lizards of Kartabo, British Guiana, and Caripito, Venezuela. Part 2. *Iguanidae*. *Zoologica* 29: 195-216.
- Beebe 1945
- Beebe, W. 1945. Field notes on the lizards of Kartabo, British Guiana, and Caripito, Venezuela. Part 3, *Teiidae, Amphisbaenidae and Scincidae*. *Zoologica* 30: 7-32.
- Bejakovic et al. 1996a
- Bejakovic, D., Alekseev, I., Crnobrnja-isailovic, J., Dzukic, G. and Kalezic, M. L. 1996. Reproductive cycle and clutch size in female sharp-snouted rock lizard, *Lacerta oxycephala*. *Amphibia-Reptilia* 17: 73-77.
- Bejakovic et al. 1996b
- Bejakovic, D., Alekseev, I., Tarasev, A., Crnobrnja-isailovic, J., Dzukic, G. and Kalezic, M. L. 1996. Life-history variation in a community of lacertid lizards from the lake Skadar region (Montenegro). *Herpetological Journal* 6: 125-132.
- Belasen et al. 2012
- Belasen, A., Li, B. and Foufopoulos, J. 2012. *Chalcides ocellatus* (ocellated skink). *Geographic Distribution*. *Herpetological Review* 43: 104.
- Belasen et al. 2017
- Belasen, A., Brock, K., Li, B., Chremou, D., Valakos, E., Pafilis, P., Sinervo, B. and Foufopoulos, J. 2017. Fine with heat, problems with water: microclimate alters water loss in a thermally adapted insular lizard. *Oikos*, 126: 447-457.
- Belinsky et al. 2004
- Belinsky, A., Ackerman, R. A., Dmi'el, R. and Ar, A. 2004. Water in reptilian eggs and hatchlings. Pages 125-141 in D. C. Deeming, editor, *Reptilian incubation: environment, evolution and behaviour*. Nottingham University Press,
- Bell 2001
- Bell, E. L. 2001. Taxonomic status of *Sceloporus becki*, the island fence lizard from the Channel islands, Santa Barbara Co., California. *Bulletin of the Maryland Herpetological Society* 37: 137-142.
- Bell and Price 1996
- Bell, E. L. and Price, A. H. 1996. *Sceloporus occidentalis*. Catalogue of American Amphibians and Reptiles 631: 1-17.
- Bell et al. 2003
- Bell, E. L., Smith, H. M. and Chiszar, D. 2003. An annotated list of the species-group names applied to the lizard genus *Sceloporus*. *Acta Zoologica Mexicana* 90: 103-174.
- Bell et al. 2010
- Bell, C. J., Hollenshead, M. G., Mead, J. I. and Swift, S. L. 2010. Presence of a urinary bladder in *Egernia depressa* (Squamata: Scincidae) in Western Australia. *Records of the Western Australian Museum* 25: 459-462.
- Belliure 2006
- Belliure, J. 2006. Lagartija colirroja – *Acanthodactylus erythrurus* (Schinz, 1833). Version 14-12-2006. Enciclopedia virtual de los vertebrados Espanoles.
- Beltran and Barragan-Conterras 2019
- Beltran, I. and Barragan-Conterras, L. A. 2019. Male courtship display in two populations of *Anolis heterodermus* (Squamata: Dactyloidae) from the Eastern Cordillera of Colombia. *Herpetology Notes*, 12: 881-884.
- Beltran and Tepos-Ramirez 2019
- Beltran, L. C. and Tepos-Ramirez, M. 2019. *Microlophus delanonis* (Hood lava lizard). Cannibalism. *Herpetological Review* 50: 787-788.
- Benabib 1994
- Benabib, M. 1994. Reproduction and lipid utilization of tropical populations of *Sceloporus variabilis*. *Herpetological Monographs*, 8: 160-180.
- Benabib et al. 1997
- Benabib, M., Kjer, K. M. and Sites, J. W. 1997. Mitochondrial DNA sequence-based phylogeny and the evolution of viviparity in the *Sceloporus scalaris* group (Reptilia, Squamata). *Evolution* 51: 1262-1275.
- Bengsen 2002
- Bengsen, A. 2002. *Varanus tristis*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 3pp. Downloaded February 4th, 2009.
- Benicio et al. 2019
- Benicio, R. A., Ortega, Z., Mencia, A. and Passos, D. C. 2019. Microhabitat selection of *Ameiva ameiva* (Linnaeus, 1758), in the Brazilian Pantanal. (Squamata: Sauria: Teiidae). *Herpetozoa* 31: 211-218.
- Bennett 1980
- Bennett, A. F. 1980. The thermal dependence of lizard behaviour. *Animal Behaviour* 28: 752-762.
- Bennett 1995
- Bennett, D. 1995. A little book of monitor lizards: A guide to the monitor lizards of the world and their care in captivity. Viper Press, Aberdeen.
- Bennett 2000
- Bennett, D. 2000. Preliminary survey and status report for *Varanus olivaceus* on Polillo island. Pages 9-28 in: Bennett, D. (Ed.), *Wildlife of Polillo island Philippines*. University of Oxford & University of the Philippines at Los Banos Polillo '99 Project. Final Report – Glossop (Viper Press).
- Bennett 2004
- Bennett, A. F. 2004. Thermoregulation in African chameleons. *International Congress Series*, 1275: 234-241.
- Bennett and Dawson 1976
- Bennett, A. F. and Dawson, W. R. 1976. Metabolism. In: *Biology of Reptilia*, Vol. 5, p. 127-223. Gans, C., Dawson, W. R., Editors, London, Academic Press.
- Bennett and Gorman 1979
- Bennett, A. F. and Gorman, G. C. 1979. Population density and energetics of lizards on a tropical island. *Oecologia* 42: 339-358.

- Bennett and John-Alder 1986  
Bentz et al. 2011
- Beovides-Casas and Mancina 2006  
Berg et al. 2015
- Bergallo and Rocha 1993  
Berger-Dell'mour 1986  
Berghof and Trautmann 2009  
Bergmann and Berk 2012  
Bergmann and irschick 2012  
Bergmann and Russell 2007  
Bergmann et al. 2009  
Berman et al. 2016  
Bernardo et al. 2011a  
Bernardo et al. 2011b  
Bernardo-Silva et al. 2006  
Beser et al. 2015
- Betancourt et al. 2018
- Beukema 2011  
Beutler 1981  
Beutler and Gruber 1979  
Beuttell and Losos 1999  
Beuttner and Koch 2019a  
Beuttner and Koch 2019b  
Bezy 1967  
Bezy 1982  
Bezy 1989  
Bezy and Camarillo 1997  
Bezy and Camarillo 2002  
Bezy and Cole 2014  
Bezy and Flores Villela 1999  
Bezy and Goldberg 2015  
Bezy et al. 1982  
Bezy et al. 2008  
Bezy et al. 2017  
Bezy et al. 2019  
Bhattarai et al. 2017  
Bhattarai et al. 2018  
Bhave et al. 2017  
Biaggini and Corti 2017  
Biaggini and Corti 2019  
Bickel and Losos 2002  
Bickford et al. 2010  
Bienentreu et al. 2013  
Bille 2018  
Binaday et al. 2017  
Bird 1935  
Birt et al. 2001  
Bisbal 2008  
Bischoff 1981  
Bischoff 1984a  
Bischoff 1984b  
Bischoff 1984c  
Bischoff 1984d  
Bischoff and Schmidtler 1999  
Bischoff et al. 1984  
Bishop and Echternacht 2003
- Bennett, A. F. and John-Alder, H. 1986. Thermal relations of some Australian skinks (Sauria: Scincidae). *Copeia* 1986: 57-64.
- Bentz, E. J., Rodriguez, M. J. R., John, R. R., Henderson, R. W. and Powell, R. 2011. Population densities, activity, microhabitats, and thermal biology of a unique crevice- and litter-dwelling assemblage of reptiles on Union island, St. Vincent and the Grenadines. *Herpetological Conservation and Biology* 6: 40-50.
- Beovides-Casas, K. and Mancina, C. A. 2006. Natural history and morphometry of the Cuban iguana (*Cyclura nubila* Gray, 1831) in Cayo Siju, Cuba. *Animal Biodiversity and Conservation*, 29: 1-8.
- Berg, W., Theisinger, O. and Dausmann, K. H. 2015. Evaluation of skin temperature measurements as suitable surrogates of body temperature in lizards under field conditions. *Herpetological Review*, 46: 157-161.
- Bergallo, H. G. and Rocha, C. F. D. 1993. Activity patterns and body temperatures of two sympatric lizards (*Tropidurus torquatus* and *Cnemidophorus ocellifer*) with different foraging tactics in southeastern Brazil. *Amphibia-Reptilia*, 14: 111-118.
- Berger-Dell'mour, V. H. 1986. Zur Herpetofauna des Golans. *Annalen des Naturhistorischen Museums in Wien* 87B: 59-67.
- Berghof, H.-P. and Trautmann, G. 2009. Eine neue art der gattung *Phelsuma* Gray, 1825 (Sauria: Gekkonidae) von der ostküste Madagaskars. *Sauria*, 31: 5-14.
- Bergmann, P. J. and Berk, C. P. 2012. The evolution of positive allometry of weaponry in horned lizards (Phrynosoma). *Journal of Evolutionary Biology* 39: 311-323.
- Bergmann, P. J. and irschick, D. J. 2012. Vertebral evolution and the diversification of squamate reptiles. *Evolution* 66: 1044-1058.
- Bergmann, P. J. and Russell, A. P. 2007. Systematics and biogeography of the widespread Neotropical gekkonid genus *Thecadactylus* (Squamata), with the description of a new cryptic species. *Zoological Journal of the Linnean Society* 159: 1-22.
- Bergmann, P. J., Meyers, J. J. and irschick, D. J. 2009. Directional evolution of stockiness coevolves with ecology and locomotion in lizards. *Evolution* 63: 215-227.
- Berman, D. I., Bulakhova, N. A., Alfirmov, A. V. and Meshcheryakova, E. N. 2016. How the most northern lizard, *Zootoca vivipara*, overwinters in Siberia. *Polar Biology* 39: 2411-2425.
- Bernardo, P. H., Guera-Fuentes, R. A. and Zaher, H. 2011. Colobodactylus dalycanus: reproduction. *Herpetological Bulletin* 118: 36-38.
- Bernardo, P. H., Junqueira, A. F. B. and Martins, I. A. 2011. A new geographic distribution record of the rare lizard *Colobodactylus dalycanus* Vanzolini and Ramos, 1977 (Squamata, Gymnophthalmidae, Heterodactylini). *Herpetology International* 9: 1-4.
- Bernardo-Silva, J. S., Von-Muhlen, E. M., Di-Bernardo, M. and Ketterl, J. 2006. Feeding ecology in the small neotropical amphisbaenid *Amphisbaena munoi* (Amphisbaenidae) in southern Brazil. *Iheringia, Serie Zoologia*, 96: 487-492.
- Beser, N., Uzum, N., Candan, K., Ilgaz, C., Kumultas, Y., Kanilic, T., Durmus, H. and Guclu, O. 2015. The age structure of *Anatololacerta danfordi* (Squamata: Lacertidae) (Gunther 1876) population from Southern Anatolia/Turkey. *Proceedings of the 13th international Congress on the Zoogeography and Ecology of Greece and Adjacent Regions*, 13: 95.
- Betancourt, R., Reyes-Puig, C., Lobos, S. E., Yanez-Munoz, M. H. and Torres-Carvajal, O. 2018. Sistemática de los saurios *Anadia* Gray, 1845 (Squamata: Gymnophthalmidae) de Ecuador: límite de especies, distribución geográfica y descripción de una especie nueva. *Neotropical Biodiversity*, 4: 82-101.
- Beukema, W. 2011. Herpetofauna of disturbed forest fragments on the lower Mt. Kitanglad Range, Mindanao island, Philippines. *Salamandra* 47: 90-98.
- Beutler, A. 1981. *Cyrtodactylus kotschy* - Agassischer Bogenfingergecko. Pages 53-74 in: Bohme, W. editor. *Handbuch der reptiliens und amphibiens Europas*, Band 1, Echsen 1. Akademische Verlagsgesellschaft, Wiesbaden.
- Beutler, A. and Gruber, U. 1979. Geschlechtsdimorphismus, populationsdynamik und ökologie von *Cyrtodactylus kotschy* (Steindachner, 1870) (Reptilia: Sauria: Gekkonidae). *Salamandra* 15: 84-95.
- Beuttell, K. and Losos, J. B. 1999. Ecological morphology of Caribbean anoles. *Herpetological Monographs* 13: 1-28.
- Beuttner, A. and Koch, C. 2019. Analysis of diet composition and morphological characters of the little-known Peruvian bush anole *Polychrus peruvianus* (Noble, 1924) in a northern Peruvian dry forest. *Amphibian & Reptile Conservation*, 15: 1-10.
- Beuttner, A. and Koch, C. 2019. Analysis of diet composition and morphological characters of the Peruvian lizard *Microlophus stolzmanni* (Squamata: Tropiduridae). *Phyllomedusa*, 18: 47-62.
- Bezy, R. L. 1967. Variation, distribution, and taxonomic status of the Arizona night lizard (*Xantusia arizonae*). *Copeia*, 1967: 653-661.
- Bezy, R. L. 1982. *Xantusia vigilis*. Catalogue of American Amphibians and Reptiles 302: 1-4.
- Bezy, R. L. 1989. Morphological differentiation in unisexual and bisexual xantusiid lizards of the genus *Lepidophyma* in Central America. *Herpetological Monographs* 3: 61-80.
- Bezy, R. L. and Camarillo, R. J. L. 1997. A new species of *Lepidophyma* (Sauria: Xantusiidae) from Oaxaca, Mexico. *Contributions in Science, Los Angeles* 465: 1-8.
- Bezy, R. L. and Camarillo, J. L. 2002. Systematics of xantusiid lizards of the genus *Lepidophyma*. *Los Angeles County Museum Contributions in Science* 493: 1-41.
- Bezy, R. L. and Cole, C. J. 2014. Amphibians and Reptiles of the Madrean Archipelago of Arizona and New Mexico. *American Museum Novitates* 3810: 1-23.
- Bezy, R. L. and Flores Villela, O. 1999. A new species of *Xantusia* (Squamata: Xantusiidae) from Zacatecas, Mexico. *Herpetologica* 55: 174-184.
- Bezy, R. L. and Goldberg, S. R. 2015. Reproduction in night lizards (*Xantusia*). *Sonoran Herpetologist* 28: 5-10.
- Bezy, R. L., Webb, R. G. and Alvarez, T. 1982. A new species of the genus *Lepidophyma* (Sauria: Xantusiidae) from Michoacan Mexico. *Herpetologica* 38: 361-366.
- Bezy, R. L., Bezy, K. B. and Bolles, K. 2008. Two new species of night lizards (*Xantusia*) from Mexico. *Journal of Herpetology*, 42: 680-688.
- Bezy, R. L., Rosen, P. C., Van Devender, T. R. and Enderson, E. F. 2017. Southern distributional limits of the Sonoran Desert herpetofauna along the mainland coast of northwestern Mexico. *Mesoamerican Herpetology* 4: 138-167.
- Bezy, R. L., Bezy, K. B., Bolles, K. and Sherbrooke, W. C. 2019. Night lizards (*Xantusia*) and their discoverers on the Baja California Peninsula. *Sonoran Herpetologist* 32: 25-33.
- Bhattarai, S., Pokheral, C. P., Lamichhane, B. and Subedi, N. 2017. Herpetofauna of a Ramsar site: Beeshazar and associated lakes, Chitwan National Park, Nepal. *IRCP Reptiles & Amphibians* 24: 17-29.
- Bhattarai, S., Pokheral, C. P., Lamichhane, B. R., Regmi, U. R., Ram, A. K. and Subedi, N. 2018. Amphibians and reptiles of Parsa National Park, Nepal. *Amphibian & Reptile Conservation* 12: 35-48.
- Bhave, R., Deodhar, S. and isvaran, K. 2017. Intrinsic factors are relatively more important than habitat features in modulating risk perception in a tropical lizard. *Behavioral Ecology and Sociobiology*, 71: 146.
- Biaggini, M. and Corti, C. 2017. Variability of breeding resource partitioning in a lacertid lizard at field scale. *Animal Biology* 67: 81-92.
- Biaggini, M. and Corti, C. 2019. Notes on egg and hatchling size in *Podarcis siculus* (Squamata: Lacertidae) from central Italy. *Phyllomedusa*, 18: 127-129.
- Bickel, R. and Losos, J. B. 2002. Patterns of morphological variation and correlates of habitat use in chameleons. *Biological Journal of the Linnean Society* 76: 91-103.
- Bickford, D., Howard, S. D., Ng, D. J. J. and Sheridan, J. A. 2010. Impacts of climate change on the amphibians and reptiles of Southeast Asia. *Biodiversity and Conservation* 19: 1043-1062.
- Bienentreu, J.-F., Hertz, A., Kohler, G. and Lotzkat, S. 2013. Distribution extension for *Anolis salvini* Boulenger, 1885 (Reptilia: Squamata: Dactyloidae), in western Panama. *Check List* 9: 169-174.
- Bille, T. 2018. Dactyloa roquet zebra (Martinique's anole). Frugivory. *Herpetological Review* 49: 741-742.
- Binaday, J. W. B., Amarga, A. K. S., Barrameda, E. S. and Bonagua, B. J. M. 2017. Amphibians and reptiles in the Vicinity of Bulusan Lake, Bulusan Volcano Natural Park, Sorsogon, Philippines. *Philippine Journal of Science*, 146: 1-10.
- Bird, C. G. 1935. The reptiles and amphibians of the Cyclades. *Annals and Magazine of Natural History*, 16: 274-284.
- Birt, R. A., Powell, R. and Greene, B. D. 2001. Natural history of *Anolis barkeri*: a semiaquatic lizard from Southern Mexico. *Journal of Herpetology*, 35: 161-166.
- Bisbal, F. 2008. The terrestrial vertebrates of the federal dependences of Venezuela. *Interciencia* 33: 103-111.
- Bischoff, W. 1981. Freiland- und Terrarienbeobachtungen an der Omaniedechse, *Lacerta jayakari* Boulenger, 1887. *Zeitschr. Kolner Zoo* 24: 135-143.
- Bischoff, W. 1984. *Lacerta agilis* Linnaeus 1758 - Zauneidechse. Pages 23-68 in W. Bohme, editor. *Handbuch der reptiliens und amphibiens Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Bischoff, W. 1984. *Lacerta horvathi* Mehely 1904 - Kroatische Gebirgsdechse. Pages 265-275 in W. Bohme, editor. *Handbuch der reptiliens und amphibiens Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Bischoff, W. 1984. *Lacerta mosorensis* Kolombatovic 1886 - Mosor-Eidechse. Pages 290-300 in W. Bohme, editor. *Handbuch der reptiliens und amphibiens Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Bischoff, W. 1984. *Lacerta oxycephala* Dumeril und Bibron 1839 - Spitzkopfdechse. Pages 301-317 in W. Bohme, editor. *Handbuch der reptiliens und amphibiens Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Bischoff, W. and Schmidtler, J. F. 1999. New data on distribution, morphology and habitat choice of the *Lacerta laevis*-kulzeri complex. *Natura Croatica* 8: 211-222.
- Bischoff, W., Cheylan, M. and Bohme, W. 1984. *Lacerta lepida* Daudin 1802 - Perleidechse. Pages 181-210 in W. Bohme, editor. *Handbuch der reptiliens und amphibiens Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Bishop, D. C. and Echternacht, A. C. 2003. Winter growth and sex ratio of a northern population of *Anolis carolinensis* (Sauria: Polychrotidae). *Copeia*, 2003: 906-909.

- Bishop and Echternacht 2004
- Bissell and Martins 2004
- Biswas and Ishwar 2006
- Biswas and Sanyal 1980
- Bittencourt-Silva 2019
- Bjursell 2001
- Black 2005
- Black and Tattersall 2017
- Blackburn 1982
- Blackburn 1983
- Blackburn 1999
- Blackburn 2006
- Blackburn and Flemming 2010
- Blackburn and Flemming 2012
- Blackburn and Vitt 1992
- Blackburn et al. 1984
- Blake 1965
- Blanc 1970
- Blanc 1977
- Blanco and Acosta 2003
- Bland and Bohm 2016
- Blankers et al. 2013
- Blazquez et al. 1997
- Blazquez et al. 2000
- Blob 1998
- Blob 2000
- Block et al. 2012
- Blom 2015
- Blouin-Demers and Nadeau 2005
- Bobrov 1993a
- Bobrov 1993b
- Bobrov 2005
- Bobrov 2008
- Bobrov 2013
- Bobrov and Aleshchenko 2001
- Bobrov and Semenov 2008
- Bochaton and Kemp 2017
- Bochaton et al. 2016
- Bochaton et al. 2017
- Bock et al. 2009
- Bock et al. 2010
- Bodenheimer 1944
- Bogaerts 2006
- Bogert 1949
- Bogert and Cowles 1947
- Bogert and Martin del Campo 1956
- Bogert and Oliver 1945
- Bogin and Werner 1995
- Bogin et al. 1999
- Bohle and Schonecker 2004
- Bohle et al. 2004
- Bohm et al. 2016a
- Bohm et al. 2016b
- Bohme 1975
- Bohme 1979
- Bishop, D. C. and Echternacht, A. C. 2004. Emergence behavior and movements of winter-aggregated green anoles (*Anolis carolinensis*) and the thermal characteristics of their crevices in Tennessee. *Herpetologica*, 60: 168-177.
- Bissell, A. N. and Martins, E. P. 2004. Behavior and ecology of rock iguanas II. Pages 109-118 in Alberts, A. (editor). *Iguanas: Biology and Conservation*. University of California Press, Berkeley.
- Biswas, S. and Iiishwar, N. M. 2006. *Cnemaspis* (Oriental dwarf geckos). Communal oviposition. *Herpetological Review* 37: 83-84.
- Biswas, S. and Sanyal, D. P. 1980. A report on the reptilia fauna of Andaman and Nicobars islands in the collection of zoological survey of India. *Records of the Zoological Survey of India* 77: 255-292.
- Bittencourt-Silva, G. B. 2019. Herpetological survey of western Zambia. *Amphibian & Reptile Conservation* 13: 1-28.
- Bjursell, A. 2001. *Ctenotus robustus*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Black, A. 2005. Crested geckos. A complete guide to *Rhacodactylus*. T. F. H. Publications, Neptune City.
- Black, I. R. and Tattersall, G. J. 2017. Thermoregulatory behavior and orientation preference in bearded dragons. *Journal of Thermal Biology* 69: 171-177.
- Blackburn, D. G. 1982. Evolutionary origins of viviparity in the Reptilia. I. *Sauria*. *Amphibia-Reptilia* 3: 185-205.
- Blackburn, D. G. 1993. Standardized criteria for the recognition of reproductive modes in squamate reptiles. *Herpetologica*, 49: 118-132.
- Blackburn, D. G. 1999. Are viviparity and egg-guarding evolutionarily labile in squamates? *Herpetologica* 55: 556-573.
- Blackburn, D. G. 2006. Squamate reptiles as model organisms for the evolution of viviparity. *Herpetological Monographs* 20: 131-146.
- Blackburn, D. G. and Flemming, A. F. 2010. Reproductive specializations in a viviparous African skink and its implications for evolution and conservation. *Herpetological Conservation and Biology* 5: 263-270.
- Blackburn, D. G. and Flemming, A. F. 2012. Invasive implantation and intimate placental associations in a placentotrophic African lizard, *Trachylepis ivensi* (Scincidae). *Journal of Morphology* 273: 137-159.
- Blackburn, D. G. and Vitt, L. J. 1992. Reproduction in viviparous South American lizards of the genus *Mabuya*. pages 150-164 in: Hamlett W., editor. *Reproduction in South American vertebrates: aquatic and terrestrial*. New York: Blackburn, D. G., Vitt, L. J. and Beuchat, C. A. 1984. Eutherian-like reproductive specializations in a viviparous reptile. *Proceedings of the National Academy of Sciences, USA* 81: 4860-4863.
- Blake, D. K. 1965. The fourth Umtali Museum expedition to Mozambique. *Journal of the Herpetological Association of Rhodesia*, 23-24: 31-46.
- Blanc, F. 1970. Le cycle reproducteur chez la femelle de *Chamaeleo lateralis*, Gray. 1831. *Annales de l'Universite de Madagascar, Serie Lettres et sciences* 7: 345-358.
- Blanc, C. P. 1977. Reptiles. *Sauriens. Iguanidae*. Faune de Madagascar 45: 1-200.
- Blanco, G. and Acosta, J. C. 2003. *Leiosaurus catamarcensis* (NCN). Clutch size. *Herpetological Review* 34: 145.
- Bland, L. M. and Bohm, M. 2016. Overcoming data deficiency in reptiles. *Biological Conservation* 204: 16-22.
- Blankers, T., Townsend, T. M., Pepe, K., Reeder, T. W. and Wiens, J. J. 2013. Contrasting global-scale evolutionary radiations: phylogeny, diversification, and morphological evolution in the major clades of iguanian lizards. *Biological Journal of the Linnean Society*, 108: 127-143.
- Blazquez, M. C., Rodriguez-Estrada, R. and Delibes, M. 1997. Escape behaviour and predation risk of mainland and island spiny-tailed iguanas (*Ctenosaura hemilopha*). *Ethology* 103: 990-998.
- Blazquez, M. C., Diaz-Paniagua, C. and Mateo, J. A. 2000. Egg retention and mortality of gravid and nesting female chameleons in southern Spain. *Herpetological Journal* 10: 91-94.
- Blob, R. W. 1998. Evaluation of vent position from lizard skeletons for estimation of snout: vent length and body mass. *Copeia* 1998: 792-801.
- Blob, R. W. 2000. Interspecific scaling of the hindlimb skeleton in lizards, crocodilians, felids and canids: does limb bone shape correlate with limb posture? *Journal of Zoology* 250: 507-531.
- Block, C., Vega, L. E. and Stellatelli, O. A. 2012. Vegetation refuges of a sand lizard assemblage in temperate coastal sand dunes. *Journal of Herpetology*, 46: 608-613.
- Blom, M. P. K. 2015. Habitat use and new locality records for *Cryptoblepharus poecilopleurus* (Squamata: Scincidae) from French Polynesia. *Herpetology Notes*, 8: 579-582.
- Blouin-Demers, G. and Nadeau, P. 2005. The cost-benefit model of thermoregulation does not predict lizard thermoregulatory behavior. *Ecology* 86: 560-566.
- Bobrov, V. V. 1993. A report on a collection of lizards (Reptilia, Sauria) from Son La Province (Northern Vietnam). *Journal of the Bengal Natural History Society* 12: 5-10.
- Bobrov, V. V. 1993. Spatial organization of a tropical lizard community in a forested area in northern Vietnam. *Herpetozoa* 6: 21-28.
- Bobrov, V. V. 2005. Independence of the Central Asian faunistic region (according to the distribution of lizards (Reptilia, Sauria)). *Biology Bulletin* 32: 576-589.
- Bobrov, V. V. 2008. Anguids (Reptilia, Sauria, Anguidae) in Vietnam: their systematics and distribution. *Current Studies in Herpetology* 8: 30-38.
- Bobrov, V. V. 2008. *Acanthosaura cardamomensis* (Reptilia, Sauria, Agamidae) as a lizard species new for the Vietnam fauna. *Current Studies in Herpetology* 13: 64-66.
- Bobrov, V. V. and Aleshchenko, G. M. 2001. Herpetogeographical regionalization of Russia and adjacent countries. *Russian Journal of Herpetology*, 8: 223-238.
- Bobrov, V. V. and Semenov, D. V. 2008. The lizards of Vietnam. (in Russian: Yashcheritsy Vietnamna). Pensoft.
- Bochaton, C. and Kemp, M. E. 2017. Reconstructing the body sizes of Quaternary lizards using *Pholidoscelis* Fitzinger, 1843, and *Anolis* Daudin, 1802, as case studies. *Journal of Vertebrate Paleontology*, 37: e1239626.
- Bochaton, C., Bailon, S., Ineich, I., Breuil, M., Tresset, A. and Grouard, S. 2016. From a thriving past to an uncertain future: Zooarchaeological evidence of two millennia of human impact on a large emblematic lizard (iguana delicatissima) on the Guadeloupe islands (French West Indies). *Quaternary Science Reviews* 150: 172-183.
- Bochaton, C., Boistel, R., Grouard, S., Ineich, I., Tresset, A. and Bailon, S. 2019. Evolution, diversity and interactions with past human populations of recently extinct *Pholidoscelis* lizards (Squamata: Teiidae) from the Guadeloupe islands (French West-Indies). *Historical Biology*, 31: 140-156.
- Bock, B. C., Ortega, A. M., Zapata, A. M. and Paez, V. P. 2009. Microgeographic body size variation in a high elevation Andean anole (*Anolis mariarum*; Squamata, Polychrotidae). *Revista de Biología Tropical*, 57: 1253-1262.
- Bock, B. C., Zapata, A. M. and Paez, V. P. 2010. Survivorship rates of adult *Anolis mariarum* (Squamata: Polychrotidae) in two populations with differing mean and asymptotic body sizes. *Papeis Avulsos de Zoologia* 50: 43-50.
- Bodenheimer, F. S. 1944. Introduction into the knowledge of the amphibia and reptilia of Turkey. *Revue de la Faculte des sciences de l'Universite d'Istanbul* 9B: 1-93.
- Bogaerts, S. 2006. First data on the reproduction of Lanza's skink, *Chalcides lanzai* Pasteur, 1967. *Podarcis* 7: 9-16.
- Bogert, C. M. 1949. Thermoregulation and ecdysis body temperatures in Mexican lizards of the genus *Sceloporus*. *Annales del Instituto de Biología Mexicano* 20: 415-426.
- Bogert, C. M. and Cowles, R. B. 1947. Moisture loss in relation to habitat selection in some Floridian reptiles. *American Museum Novitates* 1358: 1-34.
- Bogert, C. M. and Martin del Campo, R. 1956. The Gila monster and its allies: the relationships, habits, and behavior of the lizards of the family Helodermatidae. *Bulletin of the American Museum of Natural History* 109: 1-238.
- Bogert, C. M. and Oliver, J. A. 1945. A preliminary analysis of the herpetofauna of Sonora. *Bulletin of the American Museum of Natural History* 83: 297-426.
- Bogin, Y. and Werner, Y. L. 1995. Comparative longevity of Israeli chameleons (Reptilia: Sauria: *Chamaeleo chamaeleon* spp.). *Herpetological Journal* 5: 239-240.
- Bogin, Y., Por-Efrati, N. and Werner, Y. L. 1999. Captive longevity in *Lacerta laevis laevis* (Reptilia: Sauria): hypothetical effects of sex, temperature and climate. *Russian Journal of Herpetology* 6: 87-91.
- Bohle, A. and Schonecker, P. 2004. Eine neue art der gattung *Uroplatus* Dumeril, 1805 aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). *Salamandra* 39: 129-138.
- Bohle, A., Gockel, M. and Schmidt, W. 2004. Über die haltung und zucht des poroto-dreihornchamäleons, *Chamaeleo (Trioceros) fuellerborni* Tornier 1900. *Sauria* 26: 39-45.
- Bohm, M., Cook, D., Ma, H., Davidson, A., Garcia, A., Tapley, B., Pearce-Kelly, P. and Carr, J. 2016. Hot and bothered: Using trait-based approaches to assess climate change vulnerability in reptiles. *Biological Conservation* 204: 32-38.
- Bohm, M., Williams, R., Bramhall, H. R., McMillan, K. M., Davidson, A. D., Garcia, A., Bland, L. M., Bielby, J. and Collen, B. 2016. Correlates of extinction risk in squamate reptiles: the relative importance of biology, geography, threat and range size. *Global Ecology and Biogeography* 25: 391-405.
- Bohme, W. 1975. Zur herpetofaunistik Kameruns, mit beschreibung eines neuen scinciden. *Bonner Zoologische Beiträge* 26: 2-48.
- Bohme, W. 1979. Eine neue art der gattung *Leiolopisma* Dumeril et Bibron, 1839 aus Neukaledonien (Reptilia: Sauria: Scincidae). *Salamandra*, 15: 140-145.

- Bohme 1984a  
 Bohme 1984b  
 Bohme 1986  
 Bohme 2005  
 Bohme 2010  
 Bohme 2012  
 Bohme and Bischoff 1984  
 Bohme and Esser 2015  
 Bohme and Fischer 1999  
 Bohme and Heath 2018  
 Bohme and Jacobs 2001  
 Bohme and Kirschner 2002  
 Bohme and Klaver 1980  
 Bohme and Klaver 1981  
 Bohme and Klaver 1990  
 Bohme and Koch 2010  
 Bohme and Leptien 1990  
 Bohme and Ziegler 1997a  
 Bohme and Ziegler 1997b  
 Bohme and Ziegler 2007  
 Bohme and Ziegler 2009  
 Bohme et al. 1996  
 Bohme et al. 2000  
 Bohme et al. 2002  
 Bohme et al. 2005  
 Bohme et al. 2011  
 Bohme et al. 2013  
 Bolivar-G and Hernadez-Morales 2013  
 Bombi and Vignoli 2004  
 Bondarenko and Peregontsev 2018  
 Bonine 2007  
 Bonine and Garland 1999  
 Bonine et al. 2005  
 Bonino et al. 2011  
 Bonino et al. 2015  
 Bons 1969  
 Bons and Geniez 1995  
 Bons and Geniez 1996  
 Boone 2010  
 Bora et al. 2010  
 Borczyk 2013  
 Borczyk and Skawinski 2019  
 Boretto and Ibarguengoytia 2006  
 Boretto and Ibarguengoytia 2009  
 Boretto and Ibarguengoytia 2018  
 Boretto et al. 2007
- Bohme, W. (editor). 1984. Handbuch der reptilien und amphibien Europas, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.  
 Bohme, W. 1984. *Lacerta graeca* Bedriaga 1886 - Taygetos-Eidechse, Griechische Spitzkopfeidechse. Pages 255-264 in W. Bohme, editor. Handbuch der reptilien und amphibien Europas, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.  
 Bohme, W. (editor) 1986. Handbuch der reptilien und amphibien Europas, Band 2/ii: Echsen (Sauria) III. Aula-Verlag, Wiesbaden.  
 Bohme, W. 2005. Presence of *Agama weidholzi* Wettstein 1932. In The Gambia, West Africa. *Salamandra* 41: 155-157.  
 Bohme, W. 2010. A list of the herpetological type specimens in the Zoologisches Forschungsmuseum Alexander Koenig, Bonn. *Bonn Zoological Bulletin* 59: 79-108.  
 Bohme, W. 2012. A record-sized specimen of the western slow worm (*Anguis fragilis*). *Zeitschrift fur Feldherpetologie* 19: 117-118.  
 Bohme, W. and Bischoff, W. 1984. *Lacerta rufus* Bedriaga 1886 - Kielschwanz-Felseidechse. Pages 332-344 in W. Bohme, editor. Handbuch der reptilien und amphibien Europas, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.  
 Bohme, W. and Esser, S. 2015. A remarkable age and size record of a male jewelled lizard, *Timon lepidus* (Daudin, 1802). *Herpetozoa* 28: 104-106.  
 Bohme, W. and Fischer, E. 1999. Verification of species identity and geographic origin of an extinct giant lizard (Reptilia: Anguidae: *Celestus occiduus*) based on stomach contents, with comments on other undiscovered large lizards. *Cryptozoology*, 13: 23-37.  
 Bohme, W. and Heath, J. 2018. Amphibian and reptilian records from south-central Mali and western Burkina Faso. *Bonn Zoological Bulletin* 67: 59-69.  
 Bohme, W. and Jacobs, H. J. 2001. *Varanus macraei* sp. n., eine neue Waranart der V. prasinus-Gruppe aus West iran, indonesien. *Herpetofauna*, 23: 5-10.  
 Bohme, W. and Kirschner, A. 2002. Über die Stachelschwanzagamen der Gattung *Xenagama* Boulenger 1895, mit Anmerkungen zur Zucht beider Arten. *Herpetofauna* 24: 5-18.  
 Bohme, W. and Klaver, C. J. J. 1980. The systematic status of *Chamaeleo kinetiensis* Schmidt, 1943, (Sauria: Chamaeleonidae) from the imantong Mountains, Sudan, with comments on lung and hemipenial morphology within the C. bitaeniatus group. *Amphibia-Reptilia* 1: 3-17.  
 Bohme, W. and Klaver, C. 1981. Zur innerartlichen gliederung und zur artgeschichte von *Chamaeleo quadricornis* Tornier, 1899 (Sauria: Chamaeleonidae). *Amphibia-Reptilia* 1: 313-328.  
 Bohme, W. and Klaver, C. 1990. Zur kenntnis von *Bradyopidion utthmoelleri* (Muller, 1938). *Salamandra* 26: 260-266.  
 Bohme, W. and Koch, A. 2010. On the type selection and re-typification of two monitor lizard taxa (Squamata: Varanidae): *Monitor bivittatus* celebensis Schlegel, 1844 and *Monitor kordensis* Meyer, 1874; with some comments and corrections on other name-bearing type specimens. *Zootaxa* 2440: 60-68.  
 Bohme, W. and Leptien, R. 1990. Record of *Pristurus minimus* Arnold, 1977 (Reptilia: Sauria: Gekkonidae) from the United Arab Emirates. *Herpetozoa* 3: 73-78.  
 Bohme, W. and Ziegler, T. 1997. On the synonymy and taxonomy of the Bengal monitor lizard, *Varanus bengalensis* (Daudin, 1802) complex (Sauria: Varanidae). *Amphibia-Reptilia* 18: 207-211.  
 Bohme, W. and Ziegler, T. 1997. *Varanus melinus* sp. n., ein neuer waran aus der V. indicus-gruppe von den Molukken, Indonesien. *Herpetofauna* 19: 26-34.  
 Bohme, W. and Ziegler, T. 2007. Notes on the distribution, diet, hemipenis morphology and systematics of *Varanus spinulosus* Mertens, 1941. In: Horn, H.-G., Bohme, W. & U. Krebs (editors): *Advances in monitor research iii: 100-108*. Mertensiella, Rheinbach 16: 1-447.  
 Bohme, W. and Ziegler, T. 2009. A review of iguanian and anguimorph lizard genitalia (Squamata: Chamaeleonidae; Varanoidea, Shinisauridae, Xenosauridae, Anguidae) and their phylogenetic significance: comparisons with molecular data sets. *Journal of Zoological Systematics and Evolutionary Research* 47: 189-202.  
 Bohme, W., Meinig, H. and Rodel, M.-O. 1996. New records of amphibians and reptiles from Burkina Faso and Mali. *British Herpetological Society Bulletin* 56: 7-26.  
 Bohme, W., Schmitz, A. and Ziegler, T. 2000. A review of the West African skink genus *Cophoscincopus* Mertens (Reptilia : Scincidae : Lygosominae): resurrection of *C-simulans* (Vaillant, 1884) and description of a new species. *Revue Suisse de Zoologie* 107: 777-791.  
 Bohme, W., Philipp, K. and Ziegler, T. 2002. Another new member of the *Varanus* (*Euprepiosaurus*) *indicus* group (Sauria, Varanidae): an undescribed species from Rennell island, Solomon islands. *Salamandra*, 38: 15-26.  
 Bohme, W., Wagner, P., Malonza, P., Lotters, S and Kohler, J. 2005. A new species of the Agama agama group (Squamata: Agamidae) from Western Kenya, East Africa, with comments on *Agama lionotus* Boulenger 1896. *Russian Journal of Herpetology* 12: 143-150.  
 Bohme, W., Rodel, M.-O., Brede, C. and Wagner, P. 2011. The reptiles (Testudines, Squamata, Crocodilia) of the forested southeast of the Republic of Guinea (Guinee forestiere), with a country-wide checklist. *Bonn zoological Bulletin* 60: 1-12.  
 Bohme, W., Esser, S. and Wagner, P. 2013. Zur kenntnis der zentralasiatischen wirtelschwanzagame *Paralaudakia lehmanni* (Nikolsky, 1896) und ihrer nachzucht im tierhaus des Zoologischen Forschungsmuseums Alexander Koenig (ZFMK) in Bonn. *Sauria* 35: 45-50.  
 Bolivar-G, W. and Hernandez-Morales, C. 2013. *Ptychoglossus stenolepis*. Catalogo de Anfibios y Reptiles de Colombia 1: 26-30.  
 Bombi, P. and Vignoli, L. 2004. Distribution, ecology and conservation of *Archaeolacerta bedriagae* in Sardinia (Reptilia, Lacertidae). *Italian Journal of Zoology*, 71: 135-144.  
 Bondarenko, D. A. and Peregontsev, E. A. 2018. Reptile communities of the Karakalpak Ustyurt (Uzbekistan). *Current Studies in Herpetology* 18: 13-26.  
 Bonine, K. E. 2007. Physiological correlates of lizard foraging mode. Pages 94-119 in S. Reilly, L. McBrayer, and D. Miles, eds. *Lizard ecology: the evolutionary consequences of foraging mode*. Cambridge University Press.  
 Bonine, K. E. and Garland, T. 1999. Spring performance of phrynosomatid lizards, measured on a high-speed treadmill, correlates with hindlimb length. *Journal of Zoology* 248: 255-265.  
 Bonine, K. E., Gleeson, T. T. and Garland, T. 2005. Muscle fiber-type variation in lizards (Squamata) and phylogenetic reconstruction of hypothesized ancestral states. *Journal of Experimental Biology* 208: 4529-4547.  
 Bonino, M. N., Azocar, D. L. M., Tulli, M. J., Abdala, C. S., Perotti, M. G. and Cruz, F. B. 2011. Running in cold weather: morphology, thermal biology, and performance in the southernmost lizard clade in the world (Liolaemus lineomaculatus section: Liolaemini: iguana). *Journal of Experimental Zoology* 315: 495-503.  
 Bonino, M. F., Moreno Azocar, D. L., Schulte, J. A., Abdala, C. S. and Cruz, F. B. 2015. Thermal sensitivity of cold climate lizards and the importance of distributional ranges. *Zoology* 118: 281-290.  
 Bons, N. 1969. Le cycle sexuel du male chez *Acanthodactylus erythrurus lineomaculatus* Dum. et Bibr. (Sauria, Lacertidae). *Bulletin de la Societe des Sciences Naturelles et Physiques du Maroc*, 49: 161-204.  
 Bons, J. and Geniez, P. 1995. Contribution to the systematics of the lizard *Acanthodactylus erythrurus* (Sauria: Lacertidae) in Morocco. *Herpetological Journal* 5: 271-280.  
 Bons, J. and Geniez, P. 1996. Amphibiens et reptiles du Maroc (Sahara Occidental compris) *Atlas Biogeographique*. Asociacion Herpetologica Espanola, Barcelona.  
 Boone, J. 2010. Field notes and reproduction in the genus *Colopus*. *Gekko* 6: 43-55.  
 Bora, P., Randriantaoandro, J. C., Randriaravelona, R., Hantalalaina, E. F., Andriantsimanirilafy, R. R., Rakotondravony, D., Ramilijaona, O. R., Vences, M., Jenkins, R. K., Glaw, F. and Koehler, J. 2010. Amphibians and reptiles of the Tsingy de Bemaraha Plateau, Western Madagascar: Checklist, biogeography and conservation. *Herpetological Conservation and Biology*, 5: 111-125.  
 Borczyk, B. 2013. Rediscovery and redescription of the holotype of *Liolaemus lemniscatus* Gravenhorst, 1838 (Reptilia, Squamata, Liolaemidae). *ZooKeys* 320: 97-101.  
 Borczyk, B. and Skawinski, T. 2019. Tracking down the lizards from Gravenhorst's collection at the University of Wroclaw: type specimens of *Callopistes maculatus* Gravenhorst, 1838 and three *Liolaemus* species rediscovered. PeerJ  
 Boretto, J. M. and Ibarguengoytia, N. R. 2006. Asynchronous spermatogenesis and biennial female cycle of the viviparous lizard *Phymaturus antofagastensis* (Liolaemidae): reproductive responses to high altitudes and temperate climate of Catamarca, Argentina. *Amphibia-Reptilia*, 27: 25-36.  
 Boretto, J. M. and Ibarguengoytia, N. R. 2009. *Phymaturus* of Patagonia, Argentina: reproductive biology of *Phymaturus zapalensis* (Liolaemidae) and a comparison of sexual dimorphism within the genus. *Journal of Herpetology*, 43: 401-408.  
 Boretto, J. M. and Ibarguengoytia, N. R. 2018. *Phymaturus zapalensis*. Diet. *Herpetological Review* 49: 745.  
 Boretto, J. M., Ibarguengoytia, N. R., Acosta, J. C., Blanco, G. M., Villavicencio, J. and Marinero, J. A. 2007. Reproductive biology and sexual dimorphism of a high-altitude population of the viviparous lizard *Phymaturus punae* from the Andes in Argentina. *Amphibia-Reptilia* 28: 427-432.

- Boretto et al. 2014a  
Boretto, J. M., Cabezas-Cartes, F., Tappari, F., de la Cruz, F. M., Sinervo, B., Scolaro, A. J. and Ibarguengoytia, N. R. 2014. Reproductive biology of *Phymaturus spectabilis* (Liolaemidae): females skip reproduction in cold and harsh environments of Patagonia, Argentina. *Herpetological Conservation and Biology* 9: 170-180.
- Boretto et al. 2014b  
Boretto, J. M., Cabezas-Cartes, Kubisch, E. L., Sinervo, B. and Ibarguengoytia, N. R. 2014. Changes in female reproduction and body condition in an endemic lizard, *phymaturus spectabilis*, following the puyehue volcanic ashfall event. *Herpetological Conservation and Biology* 9: 181-191.
- Boretto et al. 2014c  
Boretto, J. M., Fornes, M. W., Jahn, G. A., Acosta, J. C. and Ibarguengoytia, N. R. 2014. Testosterone cycle and regulation of reproductive events in the lizard *Phymaturus punae* (Liolaemidae) from the highlands of the Andes, Argentina. *Journal of Herpetology*, 48: 172-180.
- Boretto et al. 2015  
Boretto, J. M., Cabezas-Cartes, F. and Ibarguengoytia, N. R. 2015. Energy allocation to growth and reproduction in a viviparous lizard endemic to the highlands of the Andes, Argentina. *Journal of Zoology* 297: 77-86.
- Boretto et al. 2018  
Boretto, J. M., Cabezas-Cartes, F. and Ibarguengoytia, N. R. 2018. Slow life histories in lizards living in the highlands of the Andes Mountains. *Journal of Comparative Physiology B*. 188: 491-503.
- Borges et al. 2017  
Borges, L. M., Abegg, A. D. and da Rosa, C. M. 2017. Herpetofauna da Universidade Federal de Santa Maria: campus Sede. Pelotas: USEB, 114p.
- Borges Martins 1998  
Borges Martins, M. 1998. Revisao taxonomica e sistematica filogenetica do genero *Ophioches Wagler*, 1828 (Sauria, Anguidae, Diploglossinae). Tesis de Doutorado em Biociencias (Zoologia), Pontificia Universidade Catolica do Rio Grande do Sul, PUCRS, Brasil.
- Borges-Leite et al. 2014  
Borges-Leite, M. J., Rodrigues, J. F. M. and Borges-Nojosa, D. M. 2014. Herpetofauna of a coastal region of northeastern Brazil. *Herpetology Notes*, 7: 405-413.
- Borkin et al. 2018  
Borkin, L. J., Litvinchuk, S. N., Melnikov, D. A. and Skorinov, D. 2018. Altitudinal distribution of skinks of the genus *Asymblopharus* in the Western Himalaya, India (Reptilia: Sauria: Scincidae). pages 163-167 in: M. Hartmann, M. V. L. Barclay and J. Weipert, editors, Biodiversity and natural heritage of the Himalaya, volume 4, Naturkundemuseum Erfurt, Erfurt.
- Borner and Schuttler 1983  
Borner, A. R. and Schuttler, B. I. 1983. An additional note on the Australian geckos of the genus *Gehyra*. *Miscellaneous Articles in Saurology* 12: 1-4.
- Boronow et al. 2018  
Boronow, K. E., Shields, I. H. and Munoz, M. M. 2018. Parallel behavioral divergence with macrohabitat in *Anolis* (Squamata: Dactyloidae) lizards from the Dominican Republic. *Breviora*, 561: 1-17.
- Borsuk-Bialynicka et al. 1999  
Borsuk-Bialynicka, M., Lubka, M. and Bohme, W. 1999. A lizard from Baltic amber (Eocene) and the ancestry of the crown group lacertids. *Acta Palaeontologica Polonica* 44: 349-382.
- Borteiro et al. 2013  
Borteiro, C., Kolenc, F., Prigioni, C., Lyra, M. L. and Baldo, D. 2013. A lost species or the loss of stripes? The case of *Contomastix* lizards from Cabo Polonio, Uruguay, with observations on *C. lacertoides* (Dumeril & Bibron) and *Cnemidophorus grandis* Cope (Squamata, Teiidae). *Zootaxa* 3620: 245-259.
- Botov et al. 2015  
Botov, A., Phung, T. M., Nguyen, T. Q., Bauer, A. M., Brennan, I. G. and Ziegler, T. 2015. A new species of *Dixonius* (Squamata: Gekkonidae) from Phu Quy island, Vietnam. *Zootaxa* 4040: 48-58.
- Bouam et al. 2016  
Bouam, I., Necer, A., Saoudi, M., Tahar-Chaouch, L. and Khelfaoui, F. 2016. Diet and daily activity patterns of the lacertid lizard *Psammmodromus algirus* (Sauria: Lacertidae) in a semi-arid Mediterranean region. *Zoology and Ecology*
- Bouam et al. 2017  
Bouam, I., Necer, A. and Saoudi, M. 2017. Highest altitudinal record of the ocellated lizard *Timon pater* (Latase, 1880) (Squamata: Lacertidae). *Herpetology Notes* 10: 101-102.
- Bouazza et al. 2016  
Bouazza, A., Slimani, T., El Mouden, H., Blouin-Demers, G. and Lourdais, O. 2016. Thermal constraints and the influence of reproduction on thermoregulation in a high-altitude gecko (*Quedenfeldtia trachylepharus*). *Journal of Boulenger 1920a  
Boulenger 1920b  
Boulenger 1920c  
Boulenger 1921  
Bourke et al. 2017  
Bourquin 2004  
Bourquin 2019  
Bourquin and Gruener 2017  
Bourret 1937a  
Bourret 1937b  
Bourret 1939a  
Bourret 1939b  
Bouskila and Amitai 2001  
Bowker 1984  
Bowker 1986  
Bowker et al. 1986  
Bowker et al. 2010  
Bowler 2006  
Boylan 1985  
Boylan 1989  
Bozkurt 2017  
Bradshaw 2018  
Bradshaw and Main 1968  
Bradshaw et al. 1979  
Brain 1962  
Brammah et al. 2010  
Brana 1996  
Brana et al. 1992  
Branch 1982  
Branch 1988  
Branch 1998  
Branch 2005* Boulenger, G. A. 1920. A list of lizards from Mesopotamia. Collected by members of the Mesopotamian Expeditionary Force, 1915 to 1919. *Journal of the Bombay Natural History Society* 27: 347-350.
- Boulenger, G. A. 1920. Description of a new gecko and a new snake from Sumatra. *Annals and Magazine of Natural History* 9th series, 5: 281-283.
- Boulenger, G. A. 1920. Monograph of the Lacertidae. Vol. 1. London, Trustees of the British Museum (Natural History).
- Boulenger, G. A. 1921. Monograph of the Lacertidae. Vol. 2. London, Trustees of the British Museum (Natural History).
- Bourke, G., Pratt, R. C., Vanderduys, E. and Moritz, C. 2017. Systematics of a small *Gehyra* (Squamata: Gekkonidae) from the Einasleigh Uplands, Queensland: description of a new range restricted species. *Zootaxa*, 4231: 85-99.
- Bourquin, O. 2004. Reptiles (Reptilia) in KwaZulu-Natal: I – diversity and distribution. *Durban Museum Novitates* 29: 57-103.
- Bourquin, O. 2019. *Homopholis wahlbergii* (A. Smith, 1849) Wahlberg's velvet gecko. Geographical distribution. *African Herp News* 70: 35-36.
- Bourquin, O. and Gruener, V. 2017. A note on the herpetofauna of Modisa Camp (Botswana) and its surroundings. *African Herp News* 64: 9-26.
- Bourret, R. 1937. Notes herpetologiques sur l'indochine francaise. XV. Lizards and serpents recu au laboratoire des Sciences Naturelles de l'Universite au cours de l'annee 1937. Descriptions de deux especes et de deux varietes nouvelles. *Bulletin Generale de l'instruction Publique* 5. Gouvernement Geneneral de l'indochine, pp. 57-82.
- Bourret, R. 1937. Notes herpetologiques sur l'indochine francaise. Xii. Les lizards de la collection du Laboratoire des Sciences Naturelles de l'Universite. Descriptions de cinq especes nouvelles. *Bulletin Generale de l'instruction Publique*, Hanoi 1937: 1-39.
- Bourret, R. 1939. Notes Herpetologiques sur l'indochine Francaise. XVII. Reptiles et Batrachiens recus au Laboratoire des Sciences Naturelles de l'Universite au cours de l'annee 1938. Descriptions de trois especes nouvelles. *Bulletin Generale de l'instruction Publique*, Hanoi, 1939: 13-36.
- Bourret, R. 1939. Notes Herpetologiques sur l'indochine Francaise. XVIII. Reptiles et Batrachiens recus au Laboratoire des Sciences Naturelles de l'Universite au cours de l'annee 1939. *Bulletin Generale de l'instruction Publique*, Bouskila, A. and Amitai, P. 2001. *Handbook of amphibians & reptiles of Israel*. Keter Publishing House, Jerusalem. (in Hebrew).
- Bowker, R. G. 1984. Precision of thermoregulation of some African lizards. *Physiological Zoology*, 57: 401-412.
- Bowker, R. W. 1986. *Gerrhonotus kingi*: reproduction. *Herpetological Review* 17: 20.
- Bowker, R. G., Damschroder, S., Sweet, A. M. and Anderson, D. K. 1986. Thermoregulatory behavior of the north american lizards *Cnemidophorus velox* and *Sceloporus undulatus*. *Amphibia-Reptilia* 7: 335-346.
- Bowker, R. G., Wright, C. L. and Bowker, G. E. 2010. Patterns of body temperatures: is lizard thermoregulation chaotic? *Journal of Thermal Biology* 35: 1-5.
- Bowler, J. 2006. Wildlife of the Seychelles. WiLD Guides, Maidenhead.
- Boylan, T. 1985. Captive management of a population of rhinoceros iguanas *Cyclura cornuta cornuta* at Taronga Zoo, Sydney. Pages 491-494 in G. Grigg, R. Shine and H. Ehmann (editors). *The biology of Australasian frogs and reptiles*. Surrey Beatty & Sons, Chipping Norton, NSW.
- Boylan, T. 1989. Reproduction of the Fijian crested iguana, *Brachylophus vitiensis* at Taronga Zoo. *International Zoo Yearbook* 28: 126-130.
- Bozkurt, E. 2017. *Turkiye'deki Ablepharus* (Sauria: Scincidae) cinsinin morfolojik ve molekuler yontemlerle taksonomik incelenmesi . PhD Dissertation, Adnan Menderes universitesi.
- Bradshaw, S. D. 2018. Ecophysiology of Australian arid-zone reptiles. In *On the Ecology of Australia's Arid Zone* (pp. 133-148). Springer, Cham.
- Bradshaw, S. D. and Main, A. R. 1968. Behavioural attitudes and regulation of temperature in *Amphibolurus* lizards. *Journal of Zoology* 154: 193-221.
- Bradshaw, S. D., Gans, C., and Saint Girons, H. 1980. Behavioral thermoregulation in a Pygopodid lizard: *Lialis burtonis* Gray. *Copeia* 1980: 738-743.
- Brain, C. K. 1962. Observations on the temperature tolerance of lizards in the central Namib Desert, South West Africa. *Cimbebasia* 4: 1-5.
- Brammah, M., Hoffman, J. I. and Amos, W. 2010. Genetic divergence between and within two subspecies of *Laudakia stellio* on islands in the Greek Cyclades. *Herpetological Journal* 20: 91-98.
- Brana, F. 1996. Sexual dimorphism in lacertid lizards: male head increase vs female abdomen increase? *Oikos* 75: 511-523.
- Brana, F., Gonzalez, F. and Barahona, A. 1992. Relationship between ovarian and fat body weights during vitellogenesis for three species of lacertid lizards. *Journal of Herpetology*, 26: 515-518.
- Branch, W. R. 1982. Hemipenal morphology of platynotan lizards. *Journal of Herpetology* 16: 16-38.
- Branch, W. R. 1988. Field guide to snakes and other reptiles of Southern Africa. New Holland, London.
- Branch, W. R. 1998. Field guide to snakes and other reptiles of Southern Africa. 3rd ed. Sanibel island, FL: Ralph Curtis Books. ISBN 0883590425pa.
- Branch, W. R. 2005. A photographic guide to snakes other reptiles and amphibians of East Africa. Struik Nature, Capetown.

- Branch 2013  
 Branch 2014  
 Branch 2016  
 Branch 2018  
 Branch and Haagner 1993  
 Branch and Hanekom 1987  
 Branch and McCartney 1992  
 Branch and Ryan 2001  
 Branch and Tolley 2010  
 Branch et al. 1995
- Branch et al. 2005a  
 Branch et al. 2005b  
 Branch et al. 2006  
 Branch et al. 2007  
 Branch et al. 2011  
 Branch et al. 2014  
 Branch et al. 2017a  
 Branch et al. 2017b
- Branch et al. 2018
- Branch et al. 2019  
 Brandao and Motta 2005  
 Brandao et al. 2018  
 Brandley et al. 2014
- Brandt and Navas 2011  
 Brandt and Navas 2013  
 Brandt et al. 2015  
 Brandt et al. 2016
- Brattstrom 1952  
 Brattstrom 1965  
 Brazeau and Hecnar 2018  
 Brazeau et al. 2015  
 Breedveld et al. 2017  
 Breitman et al. 2011a  
 Breitman et al. 2011b
- Breitman et al. 2013  
 Breitman et al. 2014
- Breitman et al. 2015a
- Breitman et al. 2015b
- Brennan and Bauer 2017  
 Brennan et al. 2009  
 Breuil 2002  
 Breuil 2009  
 Breuil et al. 2019
- Brewster and Beaupre 2019  
 Bringsoe 1985  
 Bringsoe 1998  
 Bringsoe et al. 2016
- Branch, W. R. 2013. *Meroles ctenodactylus* (Smith 1838) Smith's desert lizard. Geographical distribution. African Herp News 59: 54-55.
- Branch, W. R. 2014. A photographic guide to snakes other reptiles and amphibians of East Africa. 2nd edition. Struik Nature, Capetown.
- Branch, W. R. 2016. Snakes other reptiles of southern Africa. 3rd edition. Struik Nature, Capetown.
- Branch, W. R. 2018. Herping the Angolan Okavango Wilderness. Sauria 40: 25-57.
- Branch, W. R. and Haagner, G. V. 1993. The skink *Mabuya ivensi*: new records from Zambia and Zaire, and the status of the subspecies *septemlineata* Laurent 1964 and the genus *Lubuya* Horton 1972. Amphibia-Reptilia 14: 105-115.
- Branch, W. R. and Hanekom, N. 1987. The herpetofauna of the Tsitsikamma coastal and forest national parks. Koedoe, 30: 49-60.
- Branch, W. R. and McCartney, C. J. 1992. A report on a small collection of reptiles from southern Angola. Journal of the Herpetological Association of Africa 41: 1-3.
- Branch, B. and Ryan, P. G. 2001. Additions to the Mozambique herpetofauna: two new lizards from the Namuli Massif. Herpetological Review, 32: 281-282.
- Branch, W. R. and Tolley, K. A. 2010. A new species of chameleon (Sauria: Chamaeleonidae: Nadzikambia) from Mount Mabu, central Mozambique. African Journal of Herpetology 59: 157-172.
- Branch, W. R., Bauer, A. M. and Good, D. A. 1995. Species limits in the *Phyllodactylus lineatus* complex (Reptilia: Gekkonidae), with the elevation of two taxa to specific status and the description of two new species. The Journal of the Herpetological Association of Africa, 44: 33-54.
- Branch, W. R., Rodel, M. O. and Marais, J. 2005. A new species of rupicolous *Cordylus Laurenti* 1768 (Sauria: Cordylidae) from Northern Mozambique. African Journal of Herpetology, 54: 131-138.
- Branch, W. R., Rodel, M-O. and Marais, J. 2005. Herpetological survey of the Niassa Game Reserve, northern Mozambique – Part I: Reptiles. Salamandra 41: 195-214.
- Branch, W. R., Tolley, K. A. and Tilbury, C. R. 2006. A new dwarf chameleon (Sauria: *Bradyopodium Figzingeri*, 1843) from the Cape Fold Mountains, South Africa. African Journal of Herpetology 55: 123-141.
- Branch, W. R., Kilpin, A. and Beraducci, J. 2007. *Trachylepis dichroma* Gunther, Whiting & Bauer, 2005: additional Tanzanian material and restriction of the type locality. Herpetozoa 20: 67-69.
- Branch, W. R., Bauer, A. M., Jackman, T. R. and Heinicke, M. 2011. A new species of the *Pachydactylus weberi* complex (Reptilia: Gekkonidae) from the Nambibrand Reserve, southern Namibia. Breviora, 524: 1-15.
- Branch, W. R., Bayliss, J. and Tolley, K. A. 2014. Pygmy chameleons of the *Rhampholeon platiceps* complex (Squamata: Chamaeleonidae): Description of four new species from isolated 'sky islands' of northern Mozambique.
- Branch, W. R., Guyton, J. A., Schmitz, A., Barej, M. F., Naskrecki, P., Farooq, H., Verburgt, L. and Rodel, M-O. 2017. Description of a new flat gecko (Squa mata: Gekkonidae: Afroedura) from Mount Gorongosa, Mozambique.
- Branch, W. R., Haacke, W., Pinto, P. V., Conradie, W., Baptista, N., Verburgt, L. and Verisimmo, L. 2017. Loveridge's Angolan geckos, *Afroedura karroica bogerti* and *Pachydactylus scutatus angolensis* (Sauria, Gekkonidae): new distribution records, comments on type localities and taxonomic status. Zoosystematics and Evolution, 93: 157-166.
- Branch, W. R., Baptista, N. and Vaz Pinto, P. 2018. Angolan Amphisbaenians: Rediscovery of *Monopeltis luanda* Gans 1976, with comments on the type locality of *Monopeltis perplexus* Gans 1976 (Sauria: Amphisbaenidae). Herpetology Notes, 11: 603-606.
- Branch, W. R., Pinto, P. V., Baptista, N. and Conradie, W. 2019. The reptiles of Angola: history, diversity, endemism and hotspots. Pages 283-334 In: B. J. Huntley et al. (eds.), Biodiversity of Angola.
- Brandao, R. A. and Motta, P. C. 2005. Circumstantial evidences for mimicry of scorpions by the neotropical gecko *Coelodactylus brachystoma* (Squamata, Gekkonidae) in the Cerrados of central Brazil. Phyllomedusa 4: 139-145.
- Brandao, R. A., Francoso, R. D., Santoro, G. R. C. C. and Peres, A. K. 2018. Using pitfall traps arrays to estimate the home range of a Cerrado lizard in Central Brazil. Herpetology Notes 11: 985-991.
- Brandley, M. C., Kuriyama, T. and Hasegawa, M. 2014. Snake and bird predation drive the repeated convergent evolution of correlated life history traits and phenotype in the izu island scincid lizard (*Plestiodon latiscutatus*). PLoS ONE 9(3): e92233. doi:10.1371/journal.pone.0092233.
- Brandt, R. and Navas, C. A. 2011. Life-history evolution on tropidurinae lizards: influence of lineage, body size and climate. PLoS ONE 6(5): e20040. doi:10.1371/journal.pone.0020040
- Brandt, R. and Navas, C. A. 2013. Body size variation across climatic gradients and sexual size dimorphism in Tropidurinae lizards. Journal of Zoology 290: 192-198.
- Brandt, R., Galvani, F. and Kohlsdorf, T. 2015. Sprint performance of a generalist lizard running on different substrates: grip matters. Journal of Zoology 297: 15-21.
- Brandt, R., De Barros, F. C., Noronha, C., Tulli, M. J. and Kohlsdorf, T. 2016. Sexual differences in locomotor performance in *Tropidurus catalanensis* lizards (Squamata: Tropiduridae) – body shape, size and limb musculature explain variation between males and females. Biological Journal of the Linnean Society, 118: 598-609.
- Brattstrom, B. H. 1952. The food of the nightlizards, genus *Xantusia*. Copeia, 1952: 168-172.
- Brattstrom, B. H. 1965. Body temperatures of reptiles. American Midland Naturalist, 73: 376-422.
- Brazeau, D. J. and Hecnar, S. J. 2018. Summer movements of the common five-lined skink (*Plestiodon fasciatus*) in the northern portion of its range. Herpetological Conservation and Biology 13: 743-752.
- Brazeau, D., Freitag, R., Hecnar, S. J. and Hecnar, D. R. 2015. Comparing common five-lined skink (*Plestiodon fasciatus*) diet among populations and time. Herpetological Review 46: 331-336.
- Breedveld, M. C., San-Jose, L. M., Romero-Diaz, C., Roldan, E. R. and Fitze, P. S. 2017. Mate availability affects the trade-off between producing one or multiple annual clutches. Animal Behaviour, 123: 43-51.
- Breitman, M. F., Parra, M., Perez, C. H. F. and Sites, J. W. 2011. Two new species of lizards from the *Liolaemus lineomaculatus* section (Squamata: Iguania: Liolaemidae) from southern Patagonia. Zootaxa 3120: 1-28.
- Breitman, M. F., Perez, C. H. F., Parra, M., Morando, M., Sites, J. W. and Avila, L. J. 2011. New species of lizard from the magellanicus clade of the *Liolaemus lineomaculatus* section (Squamata: Iguania: Liolaemidae) from southern Patagonia. Zootaxa 3123: 32-48.
- Breitman, M. F., Morando, M. and Avila L. J. 2013. Past and present taxonomy of the *Liolaemus lineomaculatus* section (Liolaemidae): is the morphological arrangement hypothesis valid? Biological Journal of the Linnean Society
- Breitman, M. F., Minoli, I., Avila, L. J., Medina, C. D., Sites, J. W. and Morando, M. 2014. Lagartijas de la provincia de Santa Cruz, Argentina: distribucion geografica, diversidad genetica y estado de conservacion. Cuadernos de Herpetología 28: 83-110.
- Breitman, M. F., Bonino, M. F., Sites, J. W., Avila, L. J. and Morando, M. 2015. Morphological variation, niche divergence, and phylogeography of lizards of the *Liolaemus lineomaculatus* section (Liolaemidae) from Southern Patagonia. Herpetological Monographs, 29: 65-88.
- Breitman, M. F., Martinez, R. J. N., Avila, L. J., Sites, J. W. and Morando, M. 2015. Phylogeography and morphological variation of the northernmost distributed species of the *Liolaemus lineomaculatus* section (Liolaemidae) from Patagonia. Amphibia-Reptilia 36: 373-387.
- Brennan, I. G. and Bauer, A. M. 2017. Notes on hemipenial morphology and its phylogenetic implications in the Pygopodidae Boulenger, 1884. Bonn Zoological Bulletin 66: 15-28.
- Brennan, A. M., Censky, E. J. and Powell, R. 2009. Effects of chigger mite (Acar: Trombiculidae) infections on *Ameiva* (Squamata: Teiidae) from the Anguilla Bank. Contemporary Herpetology 2009: 1-3.
- Breuil, M. 2002. Histoire naturelle des amphibiens et reptiles terrestres de l'archipel Guadeloupe (Broche). Museum National d'Histoire Naturelle, Paris.
- Breuil, M. 2009. The terrestrial herpetofauna of Martinique: Past, present, future. Applied Herpetology, 6: 123-149.
- Breuil, M., Vuillaume, B., Schikorski, D., Krauss, U., Morton, M. N., Haynes, P., Daltry, J. C., Corry, E., Gayme, G., Gaymes, J., Bech, N., Jelic, M. and Grandjean, F. 2019. A story of nasal horns: two new subspecies of *Iguana Laurenti*, 1768 (Squamata, Iguanidae) in Saint Lucia, St Vincent & the Grenadines, and Grenada (southern Lesser Antilles). Zootaxa 4608: 201-232.
- Brewster, C. L. and Beaupre, S. J. 2019. The effect of body posture on available habitat and activity-time in a lizard: Implications for thermal ecology studies. Journal of Thermal Biology 82: 10-17.
- Bringsoe, H. 1985. A check-list of Peloponnesian amphibians and reptiles, including new records from Greece. Annals Musei Goulandris 7: 271-318.
- Bringsoe, H. 1998. Observations on growth and longevity in *Uromastyx aegyptia* (Forsskal, 1775) in the Negev Desert, southern Israel (Reptilia: Sauria: Agamidae). Faunistische Abhandlungen Staatliches Museum für Tierkunde Dresden 21 (supplement): 19-21.
- Bringsoe, H., Sanchez, O. A. and Hansen, H. O. 2016. First record and distributional extension for *Polychrus gutturosus* Berthold, 1845 (Squamata: Polychrotidae) in the Peninsula de Nicoya of northwestern Costa Rica, with a new record from Provincia de San Jose. Mesoamerican Herpetology 3: 1091-1094.

- Brites et al. 2009  
 Brito et al. 2008a  
 Brito et al. 2008b  
 Brito et al. 2012  
 Brito et al. 2014  
 Britto et al. 2001  
 Brizuela and Albino 2004  
 Brizuela and Albino 2017  
 Broadley 1962  
 Broadley 1965a  
 Broadley 1965b  
 Broadley 1968  
 Broadley 1971a  
 Broadley 1971b  
 Broadley 1974a  
 Broadley 1974b  
 Broadley 1992  
 Broadley 1994a  
 Broadley 1994b  
 Broadley 1997  
 Broadley 2000  
 Broadley 2003  
 Broadley 2008  
 Broadley 2017  
 Broadley and Bauer 1999  
 Broadley and Branch 2002  
 Broadley and Broadley 1997  
 Broadley and Cotterill 2004  
 Broadley and Gans 1978  
 Broadley and Greer 1969  
 Broadley and Howell 1991  
 Broadley and Mouton 2000  
 Broadley and Willems 2015  
 Broadley et al. 1976  
 Broadley et al. 2006  
 Broadley et al. 2014  
 Brock 2013  
 Brock et al. 2014  
 Brock et al. 2015  
 Broeckhoven et al. 2015  
 Broeckhoven et al. 2016  
 Broeckhoven et al. 2018  
 Broggi 1994  
 Broggi 1996  
 Broggi 1999  
 Broggi 2000  
 Broggi 2001  
 Broggi 2002  
 Broggi 2006  
 Broggi 2007  
 Broggi 2008  
 Broggi 2010  
 Broggi 2011
- Brites, V. L. C., Faria, R. G., Mesquita, D. O. and Colli, G. R. 2009. The herpetofauna of the neotropical savannas. pp. 1–24, in: K. Del Claro (ed.). Encyclopedia of Life Support Systems (EOLSS). Oxford, UK: Eolss Publishers.
- Brito, J. C., Feriche, M., Herrera, T., Kaliotzopoulou, A., Martinez-Freiria, F., Nesbitt, D., Omolo, D., Ontiveros, D., Quinoz, L., Pleguezuelos, J. M., Santos, X. and Sillero, N. 2008. En los limites de su distribucion: anfibios y reptiles paleoarticos en el noroeste de Tunex. Boletin de la Asociacion Herpetologica Espanola 19: 75-82.
- Brito, J. C., Rebelo, H., Crochet, P-A. and Geniez, P. 2008. Data on the distribution of amphibians and reptiles from North and West Africa, with emphasis on Acanthodactylus lizards and the Sahara Desert. The Herpetological Bulletin 100: 1-10.
- Brito, M. S., Barbosa, L. F. S., Pereira, L. C. M., Nicola, P. A. and Ribeiro, L. B. 2012. Range extension, new state record and geographic distribution map of *Acratosaura mentalis* (Amaral, 1933) (Squamata: Gymnophthalmidae). Check List 8: 172-174.
- Brito, J. C., Godinho, R., Martinez-Freiria, F., Pleguezuelos, J. M., Rebelo, H., Santos, X., Vale, C. G., Velo-Anton, G., Boratynski, Z., Carvalho, S. B., Ferreira, S., Goncalves, D. V., Silva, T. L., Tarroso, P., Campos, J. C., Leite, J. V., Nogueira, J., Alvares, F., Sillero, N., Sow, A. S., Fahd, S., Crochet, P-A. and Carranza, S. 2014. Unravelling biodiversity, evolution and threats to conservation in the Sahara-Sahel. Biological Reviews 89: 215-231.
- Britto, S. P., Abe, A. S. and Andre, D. V. 2001. *Tupinambis merianae*. Longevity. Herpetological Review 32: 260-261.
- Brizuela, S. and Albino, A. 2004. The earliest *Tupinambis* teiid from South America and its palaeoenvironmental significance. Journal of Herpetology, 38: 113-119.
- Brizuela, S. and Albino, A. M. 2017. Redescription of the extinct species *Callopistes bicuspidatus* Chani, 1976 (Squamata, Teiidae). Journal of Herpetology, 51: 343-354.
- Broadley, D. G. 1962. On some reptile collections from the north-western and north-eastern districts of Southern Rhodesia, 1958-61, with descriptions of four new lizards. Occasional Papers of the National Museums of Southern Rhodesia Series B, 3: 787-843.
- Broadley, D. G. 1965. A new chameleon from Malawi. Arnoldia 32: 1-3.
- Broadley, D. G. 1965. A new species of *Platysaurus* from northern Mozambique. Arnoldia (Rhodesia) 1: 1-4.
- Broadley, D. G. 1968. A review of the African genus *Typhlosaurus* Wiegmann (Sauria: Scincidae). Arnoldia (Rhodesia) 3: 1-20.
- Broadley, D. G. 1971. A reassessment of the northern forms currently assigned to the *Cordylus cordylus* group. Journal of the Herpetological Association of Africa, 7: 20-22.
- Broadley, D. G. 1971. The reptiles and amphibians of Zambia. Puku 6: 1-143.
- Broadley, D. G. 1974. A review of the *Mabuya maculilabris* group in South-Eastern Africa (Sauria: Scincidae). Arnoldia (Rhodesia) 6 (23): 1-10.
- Broadley, D. G. 1974. Reproduction in the genus *Platysaurus* (Sauria: Cordylidae). Herpetologica, 30: 379-380.
- Broadley, D. G. 1992. New distribution records for geckos from Western Beitbridge District, Zimbabwe. Journal of the Herpetological Association of Africa, 41: 35-35.
- Broadley, D. G. 1994. A review of *Lygosoma Hardwicke and Gray 1827* (Reptilia: Scincidae) on the East African coast, with the description of a new species. Tropical Zoology 7: 217-222.
- Broadley, D. G. 1994. The genus *Scelotes Fitzingeri* (Reptilia: Scincidae) in Mozambique, Swaziland and Natal, South Africa. Annals of the Natal Museum 35: 237-259.
- Broadley, D. G. 1997. A review of the *Monopeltis capensis* complex in southern Africa (Reptilia: Amphisbaenidae). African Journal of Herpetology 46: 1-12.
- Broadley, D. G. 2000. A review of the genus *Mabuya* in southeastern Africa (Sauria: Scincidae). African Journal of Herpetology, 49: 87-110.
- Broadley, D. G. 2003. *Pachydactylus katanganus* de Witte 1953, a species endemic to the Upemba National Park (Sauria: Gekkonidae). African Journal of Herpetology 52: 69-70.
- Broadley, D. G. 2008. Reptiles and amphibians. Pages 46-52 in Everett, B. I., van der Elst, R. P. and Schleyer, M. H., editors. A natural history of the Bazaruto Archipelago, Mozambique. Oceanographic Research institute/SAAMBR and Worldwide Fund for Nature. Special Publication #8. 118 pp.
- Broadley, S. 2017. *Agama kirkii*, (Boulenger 1885), Kirk's rock agama, sand-bathing. African Herp News 64: 35-36.
- Broadley, D. G. and Bauer, A. M. 1999. A review of the *Mabuya quinquetaeniata* complex in East Africa (Sauria: Scincidae). African Journal of Herpetology 47: 43-58.
- Broadley, D. G. and Branch, W. R. 2002. A review of the small east African *Cordylus* (Sauria: Cordylidae), with the description of a new species. African Journal of Herpetology, 51: 9-34.
- Broadley, D. G. and Broadley, S. 1997. A revision of the African genus *Zygaspis* Cope (Reptilia: Amphisbaenia). Syntarsus 4: 1-23.
- Broadley, D. G. and Cotterill, F. P. D. 2004. The reptiles of southeast Katanga, an overlooked 'hot spot'. African Journal of Herpetology 53: 35-61.
- Broadley, D. G. and Gans, C. 1978. Southern forms of *Chirindia* (Amphisbaenia, Reptilia). Annals of the Carnegie Museum 47: 29-51.
- Broadley, D.G. and Greer, A. E. 1969. A revision of the genus *Acontias* Cuvier (Sauria: Scincidae). Arnoldia 4: 1-29.
- Broadley, D. G. and Howell, K. M. 1991. A check list of the reptiles of Tanzania, with synoptic keys. Syntarsus, 1: 1-70.
- Broadley, D. G. and Mouton, P. le F. N. 2000. A new species of *rupicolous* *Cordylus Laurenti* from Malawi (Sauria: Cordylidae). African Journal of Herpetology, 49: 169-172.
- Broadley, D. G. and Willems, F. 2015. Geographic distribution. *Trachylepis ivensis* Bocage, 1879, meadow skink. African Herp News 62: 71-42.
- Broadley, D. G., Gans, C. and Visser, J. 1976. Studies on amphisbaenians (Amphisbaenia, Reptilia). 6. The genera *Monopeltis* and *Dalophia* in southern Africa. Bulletin of the American Museum of Natural History 157: 1-10.
- Broadley, D. G., Whiting, A. S. and Bauer, A. M. 2006. A revision of the East African species of *Melanoseps* Boulenger (Sauria: Scincidae: Feyliniinae). African Journal of Herpetology 55: 95-112.
- Broadley, D. G., Jackman, T. R. and Bauer, A. M. 2014. A review of the genus *Homopholis* Boulenger (Reptilia: Squamata: Gekkonidae) in southern Africa. African Journal of Herpetology, 63: 109-126.
- Brock, K. M. 2013. Evolution of antipredator defenses in an island lizard, *Podarcis erhardii*. MSc. Thesis, University of Michigan.
- Brock, K. M., Donihue, C. M. and Pafilis, P. 2014. New records of frugivory and ovophagy in *Podarcis* (Lacertidae) lizards from East Mediterranean islands. North-Western Journal of Zoology 10: 223-225.
- Brock, K. M., Bednekoff, P. A., Pafilis, P. and Foufopoulos, J. 2015. Evolution of antipredator behavior in an island lizard species, *Podarcis erhardii* (Reptilia: Lacertidae): The sum of all fears? Evolution 69: 216-231.
- Broeckhoven, C., Diedericks, G. and Mouton, P. Le F. N. 2015. What doesn't kill you might make you stronger: functional basis for variation in body armour. Journal of Animal Ecology 84: 1213-1221.
- Broeckhoven, C., Diedericks, G., Hui, C., Makhubo, B. G. and Mouton, P. Le F. N. 2016. Enemy at the gates: Rapid defensive trait diversification in an adaptive radiation of lizards. Evolution 70: 2647-2656.
- Broeckhoven, C., El Adak, Y., Hui, C., Van Damme, R. and Stankowich, T. 2018. On dangerous ground: the evolution of body armour in cordyline lizards. Proceedings of the Royal Society of London B. 285: 20180513.
- Broggi, M. F. 1994. Feldherpetologische Beobachtungen und Bemerkungen zu schutzen werten Biotopen auf Griechischen Inseln (Amphibia, Reptilia, Griechenland). Herpetozoa 7: 29-34.
- Broggi, M. F. 1996. Die feuchtgebiete der Insel Andros mit ihren Amphibien und hydrophilen Reptilien (Amphibia, Reptilia, Kykladen, Griechenland). Herpetozoa 8: 135-144.
- Broggi, M. F. 1999. Notizen zur Herpetofauna der Agaïs Insel Gokceada. Herpetozoa 12: 73-78.
- Broggi, M. F. 2000. Herpetological notes on the islands of Milos and Sifnos (Cyclades, Greece). Herpetozoa 13: 89-93.
- Broggi, M. F. 2001. Bemerkungen zur Herpetofauna der Agaïs Insel Ikaria (Griechenland). Herpetozoa 14: 9-14.
- Broggi, M. F. 2002. Herpetological notes on the Dodecanese Islands of Symi and Sesklaia (Greece). Herpetozoa 15: 186-187.
- Broggi, M. F. 2006. Isolation und Land - Nutzungswandel und ihre Einflüsse auf die Herpetofauna – dargestellt am Beispiel der Insel Tilos (Dodekanes, Griechenland). Herpetozoa 19: 13-16.
- Broggi, M. F. 2007. Herpetological notes on the island of Amorgos (Cyclades, Greece). Herpetozoa 20: 94-96.
- Broggi, M. F. 2008. The herpetofauna of Lipsi (Dodecanese, Greece) and nature conservation aspects. Herpetozoa 21: 79-84.
- Broggi, M. F. 2010. The herpetofauna of Alonissos (Northern Sporades, Greece) (Amphibia, Reptilia). Herpetozoa 23: 71-78.
- Broggi, M. F. 2011. The semi-aquatic herpetofauna of Serifos (Cyclades, Greece) including conservation aspects (Amphibia, Reptilia). Herpetozoa, 24: 13-22.

- Broggi 2014a  
 Broggi 2014b  
 Broggi 2016a  
 Broggi 2016b  
 Broggi 2019  
 Brongersma 1931  
 Brongersma 1934  
 Brongersma 1942  
 Brongersma 1953  
 Brooke and Houston 1983  
 Brooks 1968  
 Brooks 1975  
 Brown 1953  
 Brown 1954  
 Brown 1956  
 Brown 1976  
 Brown 1991a  
 Brown 1991b  
 Brown 1995  
 Brown 1996  
 Brown 1999  
 Brown 2012a  
 Brown 2012b  
 Brown 2012c  
 Brown and Alcala 1961a  
 Brown and Alcala 1961b  
 Brown and Alcala 1978  
 Brown and Alcala 1980  
 Brown and Allison 1986  
 Brown and Gibbons 1986  
 Brown and Nagy 2007  
 Brown and Parker 1973  
 Brown and Parker 1977  
 Brown and Parker 1985  
 Brown and Rabor 1967  
 Brown and Roberts 2008  
 Brown and Thorpe 1991  
 Brown and Yang 2010  
 Brown et al. 1995a  
 Brown et al. 1995b  
 Brown et al. 1996  
 Brown et al. 1999a  
 Brown et al. 1999b  
 Brown et al. 2000  
 Brown et al. 2007  
 Brown et al. 2010a  
 Brown et al. 2010b  
 Brown et al. 2011a  
 Brown et al. 2011b  
 Brown et al. 2012a  
 Brown et al. 2012b  
 Brown et al. 2013  
 Brown et al. 2014  
 Brown et al. 2016  
 Brown et al. 2017a
- Broggi, M. F. 2014. The herpetofauna of Kimolos (Milos Archipelago, Greece). *Herpetozoa* 27: 102-103.  
 Broggi, M. F. 2014. The herpetofauna of the isolated island of Gavdos (Greece). *Herpetozoa* 27: 83-90.  
 Broggi, M. F. 2016. The herpetofauna of the island of Kythera (Attica, Greece) (Amphibia; reptilia). *Herpetozoa* 29: 37-46.  
 Broggi, M. F. 2016. The reptile fauna of the island of Elafonisos (Peloponnese, Lakonia, Greece). *Herpetozoa* 28: 198-203.  
 Broggi, M. F. 2019. Herpetological notes on Mauremys, Pelophylax and Stellagama from the Cyclades island of Tinos (Greece). *Herpetozoa* 31: 225-229.  
 Brongersma, L. D. 1931. Eine neue rasse von *Lygosoma kuekenthali*. *Zoologischer Anzeiger* 96: 335-336.  
 Brongersma, L. D. 1934. Contributions to indo-Australian herpetology. *Zoologische Mededelingen* 17: 161-251.  
 Brongersma, L. D. 1942. Notes on scincid lizards. *Zoologische Mededelingen* 24: 125-152.  
 Brongersma, L. D. 1953. Notes on New Guinean reptiles and amphibians. I. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen. Series C, 56: 137-142.  
 Brooke, M. D. L. and Houston, D. C. 1983. The biology and biomass of the skinks *Mabuya sechellensis* and *M. wrightii* on Cousin island, Seychelles. *Journal of Zoology* 200: 179-195.  
 Brooks, G. R. 1968. Body temperatures of three lizards from Dominica, West indies. *Herpetologica*, 24: 209-214.  
 Brooks, G. R. 1975. *Scincella lateralis*. Catalogue of American Amphibians and Reptiles 169: 1-4.  
 Brown, W. C. 1953. Results of the Archbold Expeditions. No. 69. A review of New Guinea lizards allied to *Emoia baudini* and *Emoia physicae* (Scincidae). *American Museum Novitates* 1627: 1-26.  
 Brown, W. C. 1954. Notes on several lizards of the genus *Emoia*, with descriptions of new species from the Solomon islands. *Fieldiana: Zoology* 34: 263-276.  
 Brown, W. C. 1956. A revision of the genus *Brachymeles* (Scincidae), with descriptions of new species and subspecies. *Breviora* 54: 1-19.  
 Brown, W. C. 1976. Review of the genus *Perochirus* (Gekkonidae). *Occasional Papers of the California Academy of Sciences* 126: 1-14.  
 Brown, G. W. 1991. Ecological feeding analysis of south-eastern Australian scincids (Reptilia: Lacertilia). *Australian Journal of Zoology* 39: 9-29.  
 Brown, W. C. 1991. Lizards of the genus *Emoia* (Scincidae) with observations on their ecology and biogeography. *Memoirs of the California Academy of Sciences* 15: 1-94.  
 Brown, W. C. 1995. A new lizard of the genus *Sphenomorphus* (Reptilia: Scincidae) from Mt. Kitanglad, Mindanao island, Philippine island. *Proceedings of the Biological Society of Washington* 108: 388-391.  
 Brown, R. P. 1996. Thermal biology of the gecko *Tarentola boettgeri*: comparisons among populations from different elevations within Gran Canaria. *Herpetologica*, 52: 396-405.  
 Brown, R. M. 1999. New species of parachute gecko (Squamata: Gekkonidae: genus *Ptychozoon*) from northeastern Thailand and central Vietnam. *Copeia* 1999: 990-1001.  
 Brown, D. 2012. A guide to Australian dragons in captivity. *Reptile Publications*, Burleigh.  
 Brown, D. 2012. A guide to Australian geckos & pygopods in captivity. *Reptile Publications*, Burleigh.  
 Brown, D. 2012. A guide to Australian skinks in captivity. *Reptile Publications*, Burleigh.  
 Brown, W. C. and Alcala, A. C. 1961. A new sphenomorphid lizard from Palawan island, Philippines. *Occasional papers of the California Academy of Sciences* 32: 1-4.  
 Brown, W. C. and Alcala, A. C. 1961. Populations of amphibians and reptiles in the submontane and montane forests of Cuernos de Negros, Philippine islands. *Ecology* 42: 628-636.  
 Brown, W. C. and Alcala, A. C. 1978. Philippine lizards of the family Gekkonidae. *Silliman University Press*, Dumaguete City, Philippines.  
 Brown, W. C. and Alcala, A. C. 1980. Philippine lizards of the family Scincidae. *Silliman University Press*, Dumaguete City, Philippines.  
 Brown, W. C. and Allison, A. 1986. A new lizard of the genus *Emoia* (Scincidae) from Morobe Province, Papua New Guinea. *Occasional Papers Bernice P. Bishop Museum* 26: 47-51.  
 Brown, W. C. and Gibbons, J. R. H. 1986. Species of the *Emoia samoensis* group of lizards (Scincidae) in the Fiji islands, with descriptions of two new species. *Proceedings of the California Academy of Sciences* 44: 41-53.  
 Brown, T. K. and Nagy, K. A. 2007. Lizard energetics and the sit-and-wait vs. wide-foraging paradigm. Pages 120-140 in Reilly, S. M., McBrayer, L. B. and Miles, D. B. (editors). *Lizard ecology*. Cambridge University Press, New York.  
 Brown, W. C. and Parker, F. 1973. A new species of *Cyrtodactylus* (Gekkonidae) from New Guinea with a key to species from the island. *Breviora* 417: 1-7.  
 Brown, W. C. and Parker, F. 1977. Lizards of the genus *Lepidodactylus* (Gekkonidae) from the indo-Australian Archipelago and the islands of the Pacific, with description of new species. *Proceedings of the California Academy of Sciences* 47: 1-12.  
 Brown, W. C. and Parker, F. 1985. Three new lizards of the genus *Emoia* (Scincidae) from southern New Guinea. *Breviora* 480: 1-12.  
 Brown, W. C. and Rabor, D. S. 1967. Review of the genus *Brachymeles* (Scincidae), with descriptions of new species and subspecies. *Proceedings of the California Academy of Sciences* 34: 525-548.  
 Brown, R. P. and Roberts, N. 2008. Feeding state and selected body temperatures in the slow-worm (*Anguis fragilis*). *Herpetological Journal* 18: 59-62.  
 Brown, R. P. and Thorpe, R. S. 1991. Within-island microgeographic variation in the colour pattern of the skink, *Chalcides sexlineatus*: Pattern and cause. *Journal of Evolutionary Biology*, 4: 557-574.  
 Brown, R. P. and Yang, Z. 2010. Bayesian dating of shallow phylogenies with a relaxed clock. *Systematic Biology* 59: 119-131.  
 Brown, R. M., Ferner, J. F. and Sison, R. V. 1995. Rediscovery and redescription of *Sphenomorphus beyeri* (Lacertilia: Scincidae) from the Zambales Mountains of Luzon, Philippines. *Proceedings of the Biological Society of Washington* 108: 388-391.  
 Brown, R. M., Ferner, J. W. and Ruedas, L. A. 1995. A new species of lygosomine lizard (Reptilia: Lacertilia: Scincidae: Sphenomorphus) from Mt. Isarog, Luzon island, Philippines. *Proceedings of the Biological Society of Washington* 108: 388-391.  
 Brown, R. M., Ferner, J. W., Sison, R. V. and Gonzales, P. C. 1996. Amphibians and reptiles of the Zambales mountains of Luzon island, Republic of the Philippines. *Herpetological Natural History* 14: 1-22.  
 Brown, R. M., McGuire, J. A., Ferner, J. W. and Alcala, A. C. 1999. New species of diminutive scincid lizard (Squamata: Lygosominae: Sphenomorphus) from Luzon island, Republic of the Philippines. *Copeia* 1999: 362-370.  
 Brown, R. P., Znari, M., El Mouden, E. H. and Harris, P. 1999. Estimating asymptotic body size and testing geographic variation in *Agama impalearis*. *Ecography* 22: 277-283.  
 Brown, R. M., Supriatna, J. and Ota, H. 2000. Discovery of a new species of *Luperosaurus* (Squamata: Gekkonidae) from Sulawesi, with a phylogenetic analysis of the genus, and comments on the status of *Luperosaurus serratcaudus*. *Copeia* 2000: 191-209.  
 Brown, R. M., Diesmos, A. C. and Duya, M. V. 2007. A new *Luperosaurus* (Squamata: Gekkonidae) from the Sierra Madre of Luzon island, Philippines. *Raffles Bulletin of Zoology* 55: 167-174.  
 Brown, R. M., Diesmos, A. C., Duya, M. V., Garcia, H. J. D. and Rico, E. L. B. 2010. New forest gecko (Squamata: Gekkonidae: genus *Luperosaurus*) from Mt. Mantalingajan, southern Palawan island, Philippines. *Journal of Herpetology* 44: 1-10.  
 Brown, R. M., Linkem, C. W., Balete, D., Duya, M. V., Diesmos, A. C. and Ferner, J. W. 2010. Species boundaries in Philippine montane forest skinks (Genus *Sphenomorphus*): three new species from the mountains of Luzon and clarification of the status of the poorly known *S. beyeri*, *S. knollmanae*, and *S. laterimaculatus*. *Scientific Papers of the Natural History Museum, University of Kansas* 42: 1-27.  
 Brown, R. M., Diesmos, A. C. and Oliveros, C. H. 2011. New flap-legged forest gecko (genus *Luperosaurus*) from the northern Philippines. *Journal of Herpetology* 45: 202-210.  
 Brown, R. M., Siler, C. D., Oliveros, C. H., Diesmos, A. C. and Alcala, A. C. 2011. A new *Gekko* from Sibuyan island, central Philippines. *Herpetologica* 67: 460-476.  
 Brown, D., Wilmer, J. W. and Macdonald, S. 2012. A revision of *Strophurus taenicauda* (Squamata: Diplodactylidae) with the description of two new subspecies from central Queensland and a southerly range extension. *Zootaxa* 3243: 1-22.  
 Brown, R. M., Oliveros, C. H., Siler, C. D., Fernandez, J. B., Welton, L. J., Buenavente, P. A. C., Diesmos, M. L. L. and Diesmos, A. C. 2012. Amphibians and reptiles of Luzon island (Philippines), VII: herpetofauna of ilocos Norte Province, northern Cordillera Mountain Range. *Check List* 8: 469-490.  
 Brown, R. M., Siler, C. D., Oliveros, C. H., Welton, L. J., Rock, A., Swab, J., Van Weerd, M., van Beijnen, J., Jose, E., Rodriguez, D., Jose, E. and Diesmos, A. C. 2013. The amphibians and reptiles of Luzon island, Philippines, VIII: the herpetofauna of Cagayan and isabela Provinces, northern Sierra Madre Mountain Range. *ZooKeys* 266: 1-120.  
 Brown, J. L., Cameron, A., Yoder, A. D. and Vences, M. 2014. A necessarily complex model to explain the biogeography of the amphibians and reptiles of Madagascar. *Nature Communications* 5: e5046.  
 Brown, J. L., Sillero, N., Glaw, F., Bora, P., Vieites, D. R. and Vences, M. 2016. Spatial biodiversity patterns of Madagascar's amphibians and reptiles. *PLoS ONE* 11(1): e0144076. doi:10.1371/journal.pone.0144076  
 Brown, R. P., Woods, M. and Thorpe, R. S. 2017. Historical volcanism and within-island genetic divergence in the Tenerife skink (*Chalcides viridanus*). *Biological Journal of the Linnean Society*. *Biological Journal of the Linnean Society*.

- Brown et al. 2017b  
 Brown et al. 2017c  
 Brown et al. 2018  
 Brown et al. 2019a  
 Brown et al. 2019b  
 Brown et al. 2019c  
 Brownlie and Loveridge 1983  
 Bruinje et al. 2018  
 Bruna et al. 1996  
 Brunes et al. 2019  
 Brusagin et al. 2017  
 Brusch et al. 2016  
 Bruschi 2006  
 Brushko 1979  
 Brushko 1995  
 Brygoo 1971  
 Brygoo 1978  
 Brygoo 1981a  
 Brygoo 1981b  
 Brygoo 1981c  
 Brygoo 1986  
 Brygoo 1987a  
 Brygoo 1987b  
 Brygoo 1987c  
 Brygoo and Roux-Esteve 1981  
 Brygoo and Roux-Esteve 1983  
 Bryson and Lazcano 2005  
 Bryson et al. 2005  
 Bshaena and Joger 2013  
 Buckley 2010  
 Buckley and Axtell 1990  
 Buckley and Axtell 1997  
 Buckley and Jetz 2007  
 Buckley et al. 2008  
 Bucklitsch et al. 2012  
 Bucklitsch et al. 2016  
 Bucol 2019  
 Budak et al. 1998  
 Buden 1998a  
 Buden 1998b  
 Buden 1999  
 Buden 2000a  
 Buden 2000b  
 Buden 2007  
 Buden 2008  
 Buden 2010  
 Buden 2011a  
 Buden 2011b  
 Buden 2013  
 Buden and Taborosi 2016  
 Bueter and Haas 2008  
 Buffrenil et al. 2004  
 Bul and Pamula 1996  
 Bulbul et al. 2016
- Brown, T. W., Maryon, D. and Lonsdale, G. 2017. Habitat diversification and natural history observations in *Norops utilensis* (Squamata; Dactyloidae) on isla de Utila, Honduras. *Mesoamerican Herpetology* 4: 974-979.  
 Brown, T. W., Maryon, D. F., Van den Burg, M. P. and Lonsdale, G. 2017. Distribution and natural history notes on *Norops bicaorum* (Squamata: Dactyloidae) endemic to isla de Utila, Honduras. *Mesoamerican Herpetology* 4: 493-498.  
 Brown, T. W., van den Burg, M. P., Maryon, D. F. and Arrivillaga, C. 2018. Arboreality and diet in Pacific long-tailed snakes, *Enulius flavorictus* (Squamata: Dipsadidae), and a potential adaptive hypothesis for egg attendance in Honduran Leaf-toed Geckos, *Phyllodactylus palmeus* (Squamata: Phyllodactylidae). *IRCF Reptiles & Amphibians* 25: 31-34.  
 Brown, G. W., Robertson, P. and Fanson, B. G. 2019. Digging in: a review of the ecology and management of a threatened reptile with a small disjunct distribution—the heath skink, *Liopholis multiscutata*, in Victoria, south-eastern Australia. *Pacific Conservation Biology* 25: 222-230.  
 Brown, T. W., Algar, A. C. and Molina, N. 2019. Predation of the lizards *Ctenosaura similis* (Iguanidae) and *Hemidactylus frenatus* (Gekkonidae), by the green vinesnake *Oxybelis fulgidus* (Colubridae) on Utila Island, Honduras.  
 Brown, T. W., Masters, M., Rossito, I. and Maryon, D. F. 2019. Egg laying cycle by *Basiliscus vittatus* Wiegmann, 1828 on the island of Utila, Honduras, including observations of nest excavation and in-situ data on the morphology of hatchlings. *Sauria* 41: 55-62.  
 Brownlie, S. and Loveridge, J. P. 1983. The oxygen consumption of limbed and limbless African skinks (Sauria: Scincidae): circadian rhythms and effect of temperature. *Comparative Biochemistry and Physiology* 74A: 643-647.  
 Bruinje, A. C., Leivas, P. T. and Costa, G. C. 2018. Characterisation of sexual dimorphism and male colour morphs of *Tropidurus semitaeniatus* (Spix, 1825) in three populations from northeast of Brazil. *Herpetology Notes*, 11: 755-758.  
 Bruna, E. M., Fisher, R. N. and Case, T. J. 1996. New evidence of habitat segregation between two cryptic species of Pacific skinks (*Emoia cyanura* and *E. impar*). *Copeia* 1996: 998-1005.  
 Brunes, T. O., da Silva, A. J., Marques-Souza, S., Rodrigues, M. T. and Pellegrino, K. C. M. 2019. Not always young: The first vertebrate ancient origin of true parthenogenesis found in an Amazon leaf litter lizard with evidence of mitochondrial haplotypes surfing on the wave of a range expansion. *Molecular Phylogenetics and Evolution* 135: 105-122.  
 Brusagin, R. T., Dixo, M., Fameli, S. and Bertoluci, J. 2017. Patch size effects on richness, abundance, and diversity of leaf-litter lizards from Atlantic rainforest fragments. *Salamandra* 53: 59-65.  
 Brusch, G. A., Taylor, E. N. and Whitfield, S. M. 2016. Turn up the heat: thermal tolerances of lizards at La Selva, Costa Rica. *Oecologia* 180: 325-334.  
 Bruschi, S., Corti, C., Carretero, M. A., Harris, D. J., Lanza, B. and Leviton, A. 2006. Comments on the Status of the Sardinian-Corsican Lacertid Lizard *Podarcis tiliguerta*. *Proceedings of the California Academy of Sciences* 57: 225-228.  
 Brushko, Z. K. 1979. Longevity and age structure of a population of *Phrynocephalus mystaceus* in sand banks of the middle course of the ili river Kazakh SSR USSR. *Ecologiya* (Sverdlovsk), 1: 104-107.  
 Brushko, Z. K. 1995. Lizards of desert regions of Kazakhstan. National Academy of Sciences, institute of Zoology, Almatai.  
 Brygoo, E. R. 1971. Reptiles. Sauriens. Chamaeleonidae. Genre Chamaeleo. Faune de Madagascar, ORSTOM et CNRS, Paris 33: 1-318.  
 Brygoo, E. R. 1978. Reptiles. Sauriens. Chamaeleonidae. Genre Brookesia et complement pour le genre Chamaeleo. Faune de Madagascar, 47: 1-173.  
 Brygoo, E. R. 1981. Systematique des lezards scincides de la region malgache VIII. Les Mabuya des iles de l'Ocean indien Occidental: Comores, Europa, Sechelles. *Bulletin du Museum National d'Histoire Naturelle*, Paris series 4, 3: 1193-1204.  
 Brygoo, E. R. 1981. Systematique des lezards scincides de la region malgache. IX. Nouvelles unites taxinomiques pour les Scelotes s.l. *Bulletin du Museum National d'Histoire Naturelle*, Paris series 4, 3: 1193-1204.  
 Brygoo, E. R. 1981. Systematique des lezards scincides de la region malgache. VII. Revision des genres Voeltzkowia Boettger 1893, Grandidierina Mocquard 1894, et Cryptoscincus Mocquard 1894. *Bulletin du Museum National d'Histoire Naturelle*, Paris, 4th ser., Sect. A., 3 : 675-688.  
 Brygoo, E. R. 1986. Systematique des lezards scincides de la region malgache. XVIII. Les Cryptoblepharus. *Bulletin du Museum National d'Histoire Naturelle*, Paris series 4, 8: 643-690.  
 Brygoo, E. R. 1987. Les Ophisaurus (Sauria, Anguidae) d'Asie orientale. *Bulletin du Museum d'Histoire Naturelle*, Paris, 4(9): 727-752.  
 Brygoo, E. R. 1987. Les types d'Anguides (Reptiles, Sauriens) du Museum National d'Histoire Naturelle catalogue critique. *Bulletin du Museum National d'Histoire Naturelle*, Paris, 4e ser., 9, sect. A (Zool., Bioi. & Ecol. anim.), (2), 1-20.  
 Brygoo, E. R. 1987. Systematique des lezards scincides de la region malgache. XIX. Donnees sur le genre Androno. *Bulletin du Museum National d'Histoire Naturelle*, Paris 4 ser. 9: 255-263.  
 Brygoo, E. R. and Roux-Esteve, R. 1981. Un genre de lezards scincines d'Afrique: Melanoseps. *Bulletin du Museum National d'Histoire Naturelle*, Paris 3: 1169-1191.  
 Brygoo, E. R. and Roux-Esteve, R. 1983. Feylinia, genre de lezards africains de la famille des Scincidae, sous-famille des Feyliniinae. *Bulletin du Museum National d'Histoire Naturelle*, Paris 4e ser., 5: 307-341.  
 Bryson, R. W. and Lazcano, D. 2005. *Gerrhonotus parvus*. *Reptilia* (GB) 39: 69-72.  
 Bryson, R. W., Smith, H. M. and Lemos-Espinal, J. A. 2005. Taxonomic status of the Madrean alligator lizard (Lacertilia: Anguidae) of the Sierra del Nido, Chihuahua, Mexico. *The Southwestern Naturalist* 50: 497-497-498.  
 Bshaena, I. and Joger, U. 2013. A new gecko from Libya: *Tarentola neglecta lanzai* n. sp. *Amphibia-Reptilia* 34: 353-362.  
 Buckley, L. B. 2010. The range implications of lizard traits in changing environments. *Global Ecology and Biogeography*, 19: 452-464.  
 Buckley, L. J. and Axtell, R. W. 1990. *Ctenosaura palearis*. Catalogue of American Amphibians and Reptiles 491: 1-3.  
 Buckley, L. J. and Axtell, R. W. 1997. Evidence for the specific status of the Honduran lizards formerly referred to *Ctenosaura palearis* (Reptilia: Squamata: Iguanidae). *Copeia*, 1997: 138-150.  
 Buckley, L. B. and Jetz, W. 2007. Insularity and the determinants of lizard population density. *Ecology Letters*, 10: 481-489.  
 Buckley, L. B., Rodda, G. H. and Jetz, W. 2008. Thermal and energetic constraints on ectotherm abundance: a global test using lizards. *Ecology*, 89: 48-55.  
 Bucklitsch, Y., Geissler, P., Hartmann, T., Doria, G. and Koch, A. 2012. Rediscovery and redescription of the holotype of *Lytosoma vittigerum* (= *Lipinia vittigera*) Boulenger, 1894. *Acta Herpetologica* 7: 325-329.  
 Bucklitsch, Y., Bohme, Y. and Koch, A. 2016. Scale morphology and micro-structure of monitor lizards (Squamata: Varanidae: *Varanus* spp.) and their allies: implications for systematics, ecology, and conservation. *Zootaxa* 4153: 1-12.  
 Bucol, L. A. 2019. Predation of tokay gecko (Gekko gecko) by domestic cat (*Felis catus*) in Siquijor Island, Philippines. *Southeast Asia Vertebrate Records* 2019: 19-20.  
 Budak, A., Tok, C. V. and Mermer, A. 1998. A report on reptiles collected from Kumluca-Kalkan (Antalya), Turkey. *Turkish Journal of Zoology* 22: 185-189.  
 Buden, D. W. 1998. Morphological variation and distributional ecology of the giant Micronesian gecko (*Perochirus scutellatus*) of Kapingamarangi Atoll. *Pacific Science* 52: 250-258.  
 Buden, D. W. 1998. The reptiles of Kapingamarangi Atoll, Micronesia. *Atoll Research Bulletin* 453: 1-10.  
 Buden, D. W. 1999. Reptiles, birds, and mammals of Oroluk Atoll, Eastern Caroline Islands. *Micronesica* 31: 289-300.  
 Buden, D. W. 2000. The reptiles of Pohnpei, Federated States of Micronesia. *Micronesica* 32: 155-180.  
 Buden, D. W. 2000. The reptiles of Sapuwahfik Atoll, Federated States of Micronesia. *Micronesica* 32: 245-256.  
 Buden, D. W. 2007. Reptiles of Satawan Atoll and the Mortlock islands, Chuuk State, Federated States of Micronesia. *Pacific Science* 61: 415-428.  
 Buden, D. W. 2008. The reptiles of Nauru. *Pacific Science* 62: 499-507.  
 Buden, D. W. 2010. Reptiles of Ngulu Atoll, Yap State, Federated States of Micronesia. *Pacific Science* 64: 473-480.  
 Buden, D. W. 2011. Reptiles of Fais island, Yap State, Federated States of Micronesia. *Pacific Science* 65: 277-283.  
 Buden, D. W. 2011. Reptiles of the Hall islands, Chuuk State, Federated States of Micronesia. *Pacific Science* 65: 497-505.  
 Buden, D. W. 2013. Reptiles of Sorol Atoll, Yap, Federated States of Micronesia. *Pacific Science* 67: 119-128.  
 Buden, D. W. and Taborosi, D. 2016. Reptiles of the Federated States of Micronesia. *Island Research & Education initiative*, Pohnpei.  
 Bueter, C. and Haas, A. 2008. Living the high life: *Sceloporus malachiticus* from high elevations perform better at extreme temperatures. *Eukaryon* 4: 112-114.  
 Buffrenil, V. D., Ineich, I. and Bohme, W. 2004. Comparative data on epiphyseal development in the family Varanidae. *Journal of Herpetology*, 37: 328-335.  
 Bull, C. M. and Pamula, Y. 1996. Sexually dimorphic head sizes and reproductive success in the sleepy lizard *Tiliqua rugosa*. *Journal of Zoology* 240: 511-521.  
 Bulbul, U., Kurnaz, M., Eroglu, A. I., Koc, H. and Kutrup, B. 2016. Age and growth of the red-bellied lizard, *Darevskia parvula*. *Animal Biology* 66: 81-95.

- Bull and Bonnett 2004
- Bullock 1986
- Bullock and Evans 1990
- Burghardt and Rand 1982
- Burgin 1993
- Burgos-Gallardo and Harvey 2019
- Burkett 1962
- Burriel-Carranza et al. 2019
- Bursey et al. 2007
- Bursey et al. 2018
- Burstein et al. 1974
- Burt 1930
- Burt 1931
- Burt and Burt 1931
- Bury 1982
- Bury and Balgooyen 1976
- Busack 1975
- Busack 1976
- Busack 1978a
- Busack 1978b
- Busack 1986
- Busack 1987
- Busack 1988
- Busack and Jaksic 1982
- Busack and Klosterman 1987
- Busack and Visnaw 1989
- Busack et al. 2006
- Busack et al. 2016
- Busais and Joger 2011a
- Busais and Joger 2011b
- Busby et al. 1996
- Bush 1992
- Bush et al. 2007
- Bush et al. 2010
- Busschau 2019
- Busschau et al. 2017
- Bustard 1966
- Bustard 1967a
- Bustard 1967b
- Bustard 1968a
- Bustard 1968b
- Bustos Zagal et al. 2013
- Bustos-Zagal et al. 2011
- Butikofer et al. 2013
- Butler 2005
- Butler and Losos 2002
- Butler et al. 2000
- Butler et al. 2007
- Butler et al. 2019
- Cabezas et al. 2010
- Cabezas-Cartes et al. 2019
- Cabezas-Cartes et al. 2015
- Cabezas-Cartes et al. 2018a
- Cabezas-Cartes et al. 2018b
- Bull, C. M. and Bonnett, M. 2004. *Egernia striolata* (tree skink) reproduction. *Herpetological Review*, 35: 389.
- Bullock, D. J. 1986. The ecology and conservation of reptiles on Round island and Gunner's Quoin, Mauritius. *Biological Conservation* 37: 135-156.
- Bullock, D. J. and Evans, P. G. H. 1990. The distribution, density and biomass of terrestrial reptiles in Dominica, West Indies. *Journal of Zoology*, 222: 421-443.
- Burghardt, G. M. and Rand, A. S. editors. 1982. *Iguanas of the world: their behavior, ecology and conservation*. Noyes Publications, Park Ridge, New Jersey.
- Burgin, S. 1993. Lampropholis: the new "laboratory" animals. Pages 279-282 in D. Lunney, D. Ayers, editors. *Herpetology in Australia: A Diverse Discipline*. Chipping Norton, NSW, Australia: Royal Zoological Society of New South Wales.
- Burgos-Gallardo, F. and Harvey, M. 2019. Aspronema cochabambae (Squamata: Lacertilia: Scincidae): its discovery in Argentina, morphological variation and extent of suitable habitat. *Salamandra* 55: 135-139.
- Burkett, R. D. 1962. Two clutches of eggs in the lizard, *Gerrhonotus liocephalus infernalis*. *Herpetologica*, 18: 211.
- Burriel-Carranza, B., Tarroso, P., Els, J., Gardner, A., Soorae, P., Mohammed, A. A., Tubati, S. R. K., Eltayeb, M. M., Shah, J. N., Tejero-Cicuendez, H., Simo-Ruidalbas, M., Pleguezuelos, J. M., Fernandez-Guiberteau, D., Smid, J. and Carranza, S. 2019. An integrative assessment of the diversity, phylogeny, distribution, and conservation of the terrestrial reptiles (Sauropsida, Squamata) of the United Arab Emirates. *PLoS ONE* 14: e0216273.
- Bursey, C. R., Goldberg, S. R. and Telford, S. R. 2007. Gastrointestinal helminths of 14 species of lizards from Panama with descriptions of five new species. *Comparative Parasitology* 74: 108-140.
- Bursey, C. R., Goldberg, S. R. and Grismer, L. L. 2018. *Cyrtodactylus pulchellus* (Malayan forest gecko). *Endoparasite. Herpetological Review* 49: 536.
- Burstein, N., Larsen, K. R. and Smith, H. M. 1974. A preliminary survey of dermatoglyphic variation in the lizard genus *Sceloporus*. *Journal of Herpetology*, 8: 359-369.
- Burt, C. E. 1930. Herpetological results of the Whitney South Sea Expedition. 4. Descriptions of new species of lizards from the Pacific islands (Scincidae). *American Museum novitates* 427: 1-3.
- Burt, C. E. 1931. A study of the teiid lizards of the genus *Cnemidophorus* with special reference to their phylogenetic relationships. *Bulletin of the United States National Museum* 154: 1-286.
- Burt, C. E. and Burt, M. D. 1931. South American lizards in the collection of the American Museum of Natural History. *Bulletin of the American Museum of Natural History* 61: 227-395.
- Bury, R. B. 1982. Structure and composition of Mojave Desert reptile communities determined with a removal method. Pages 135-142 in N. J. Scott, editor, *Herpetological Communities*. U.S. Fish and Wildlife Service Research Report.
- Bury, R. B. and Balgooyen, T. G. 1976. Temperature selectivity in the legless lizard, *Anniella pulchra*. *Copeia*, 1976: 152-155.
- Busack, S. J. 1975. Biomass estimates and thermal environment of a population of the fringe-toed lizard *Acanthodactylus pardalis*. *British Journal of Herpetology* 5: 457-459.
- Busack, S. D. 1976. Activity cycles and body temperatures of *Acanthodactylus erythrurus*. *Copeia*, 1976: 826-830.
- Busack, S. J. 1978. Body temperatures and live weights of five Spanish amphibians and reptiles. *Journal of Herpetology* 12: 256-258.
- Busack, S. J. 1978. Diurnal surface activity in the amphisbaenian, *Blanus cinereus* (Vandelli) 1797 (Reptilia, Lacertilia, Amphisbaenidae). *Journal of Herpetology* 12: 428.
- Busack, S. D. 1986. Taxonomic implications of biochemical and morphological differentiation in Spanish and Moroccan populations of three-toed skinks, *Chalcides chalcides* (Lacertilia, Scincidae). *Herpetologica*, 42: 230-236.
- Busack, S. D. 1987. Notes on the biology of *Lacerta andreaszkyi* (Reptilia: Lacertidae). *Amphibia-Reptilia* 8: 231-236.
- Busack, S. D. 1988. Biochemical and morphological differentiation in Spanish and Moroccan populations of *Blanus* and the description of a new species from northern Morocco (Reptilia, Amphisbaenia, Amphisbaenidae). *Copeia*, 1988: 101-106.
- Busack, S. D. and Jaksic, F. M. 1982. Autecological observations of *Acanthodactylus erythrurus* (Sauria: Lacertidae) in Southern Spain. *Amphibia-Reptilia* 3: 237-255.
- Busack, S. J. and Klosterman, L. 1987. Reproduction in a Spanish population of *Acanthodactylus erythrurus* (Reptilia: Lacertilia: Lacertidae). *Annals of Carnegie Museum* 56: 97-102.
- Busack, S. D. and Visnaw, J. A. 1989. Observations on the natural history of *Lacerta lepida* in. Cadiz province, Spain. *Amphibia-Reptilia*, 10: 201-213.
- Busack, S. D., Salvador, A. and Lawson, R. 2006. Two new species in the genus *Psammmodromus* (Reptilia: Lacertidae) from the Iberian Peninsula. *Annals of Carnegie Museum* 75: 1-10.
- Busack, S. D., Salvador, A., Bauer, A. M. and Kaiser, H. 2016. *Darevskia* and *Iberolacerta* (Reptilia, Lacertidae): Arribas, 1997 or 1999? The correct dating of two nomenclatural acts affecting Palearctic lizards, and validation of the name *Caucasilacerta* Harris, Arnold & Thomas, 1998. *Bionomina*, 10: 61-73.
- Busais, S. and Joger, U. 2011. Molecular phylogeny of the gecko genus *Hemidactylus* Oken, 1817 on the mainland of Yemen. *Zoology in the Middle East* 53: 25-34.
- Busais, S. M. and Joger, U. 2011. Three new species and one new subspecies of *Hemidactylus* Oken, 1817 from Yemen (Squamata, Gekkonidae). *Vertebrate Zoology* 61: 267-280.
- Busby, W. H., Collins, J. T. and Parmelee, J. R. 1996. The reptiles and amphibians of Fort Riley and vicinity. *Kansas Biological Survey*, Lawrence.
- Bush, B. 1992. Some records of reproduction in captive lizards and snakes. *Herpetofauna* 22: 26-30.
- Bush, B., Maryan, B., Browne-Cooper, R. and Robinson, D. 2007. Reptiles and frogs in the bush: southwestern Australia. University of Western Australia Press, Perth.
- Bush, B., Maryan, B., Browne-Cooper, R. and Robinson, D. 2010. Field guide to the reptiles & frogs of the Perth region. Western Australian Museum, Perth.
- Busschau, T. 2019. Phylogeographic patterning of three co-distributed forest-dwelling reptile species along the east coast of South Africa. MSc. Thesis, Stellenbosch University.
- Busschau, T., Conradie, W., Jordaan, A. and Daniels, S. R. 2017. Unmasking evolutionary diversity among two closely related South African legless skink species (Acontinae: Acontias) using molecular data. *Zoology*, 121: 72-82.
- Bustard, H. R. 1966. Notes on the eggs, incubation and young of the bearded dragon *Amphibolurus barbatus* (Cuvier). *British Journal of Herpetology* 3: 252-259.
- Bustard, H. R. 1967. Defensive display behavior of the Australian gecko *Nephrurus asper*. *Herpetologica*, 23: 126-129.
- Bustard, H. R. 1967. Reproduction in the Australian gekkonid genus *Oedura* Gray 1842. *Herpetologica*, 23: 276-284.
- Bustard, H. R. 1968. The egg-shell of gekkonid lizards: a taxonomic adjunct. *Copeia*, 1968: 162-164.
- Bustard, H. R. 1968. The reptiles of Merriwinda State Forest, Pilliga West, northern New South Wales, Australia. *Herpetologica*, 24: 131-140.
- Bustos Zagal, M. G., Manjarrez, J. and Castro-Franco, R. 2013. Uso de microhabitat y termorregulación en *Sceloporus horridus horridus* (Wiegmann 1939) (Sauria: Phrynosomatidae). *Acta Zoologica Mexicana*, 29: 153-163.
- Bustos-Zagal, M. G., de la Cruz, F. R. M., Castro-Franco, R. and Cruz, M. V.-S. 2011. Reproductive cycle of *Sceloporus ochooterae* from Morelos State, Mexico. *Revista Mexicana de Biodiversidad* 82: 589-597.
- Butikofer, L., Sacchi, R., Pupin, F., Pellitteri-Rosa, D., Razzetti, E., Pella, F. and Fasola, M. 2013. Sexual dimorphism and allometry of the lacertid *Mesalina balfouri* (Blanford, 1881), endemic to the Archipelago of Socotra (Yemen) (Squamata: Sauria: lacertidae). *Herpetozoa* 25: 101-108.
- Butler, M. A. 2005. Foraging mode of the chameleon, *Bradypodion pumilum*: a challenge to the sit-and-wait versus active forager paradigm? *Biological Journal of the Linnean Society* 84: 797-808.
- Butler, M. A. and Losos, J. B. 2002. Multivariate sexual dimorphism, sexual selection, and adaptation in Greater Antillean *Anolis* lizards. *Ecological Monographs* 72: 541-559.
- Butler, M. A., Schoener, T. W. and Losos, J. B. 2002. The relationship between sexual size dimorphism and habitat use in Greater Antillean *Anolis* lizards. *Evolution*, 54: 259-272.
- Butler, M. A., Sawyer, S. A. and Losos, J. B. 2007. Sexual dimorphism and adaptive radiation in *Anolis* lizards. *Nature* 447: 202-205.
- Butler, B. O., Ceriaco, L. M. P., Marques, M. P., Bandeira, S., Julio, T., Heinicke, M. P. and Bauer, A. M. 2019. Herpetological survey of Huila Province, southwest Angola, including first records from Bicuar National Park. *Herpetological Review*, 50: 225-240.
- Cabezas, C. F., Boretto, J. M., Acosta, J. C., Jahn, G., Blanco, G., Laspur, A. and Ibarguengoytia, N. R. 2010. Reproductive biology of *Phymaturus* cf. *palluma*: a vulnerable lizard from the highlands of the Andes, San Juan, Argentina. *Herpetological Conservation and Biology* 5: 430-440.
- Cabezas-Cartes, F., Fernandez, J. B., Duran, F. and Kubisch, E. L. 2019. Potential benefits from global warming to the thermal biology and locomotor performance of an endangered Patagonian lizard. *PeerJ* 7:e7437
- Cabezas-Cartes, F., Boretto, J. M. and Ibarguengoytia, N. R. 2015. Age, growth and life-history parameters of an endemic vulnerable lizard from Patagonia, Argentina. *Herpetological Journal* 25: 215-224.
- Cabezas-Cartes, F., Boretto, J. M., Halloy, M., Krenz, J. D. and Ibarguengoytia, N. R. 2018. Maternal behaviour in response to predation threats in a vulnerable lizard from Patagonia, Argentina. *Journal of Zoology* 304: 175-181.
- Cabezas-Cartes, F., Mariela Boretto, J. and Ibarguengoytia, N. 2018. Effects of climate and latitude on age at maturity and longevity of lizards studied by skeletochronology. *Integrative and Comparative Biology* 58: 1086-1097.

- Cabral and Weiler 2014  
 Cabrera 2004  
 Cabrera 2012  
 Cabrera and Carreira 2009  
 Cabrera and Etheridge 2006  
 Cabrera and Monguillot 2006  
 Cabrera et al. 2013
- Cabrera et al. 2019  
 Cacciali 2010  
 Cacciali and Kohler 2018  
 Cacciali and Scott 2012  
 Cacciali and Scott 2015  
 Cacciali et al. 2007  
 Cacciali et al. 2015  
 Cacciali et al. 2016a  
 Cacciali et al. 2016b  
 Cacciali et al. 2017a  
 Cacciali et al. 2017b
- Cacciali et al. 2018  
 Cacciali et al. 2019  
 Cadiz and Bird 2012  
 Cadiz et al. 2013
- Cadle 1991  
 Cadle 1998  
 Cadle 2001  
 Cadle 2004  
 Cadle and Chuna 1995  
 Caeiro-Dias et al. 2018
- Cagle 1946  
 Caicedo-Portilla 2014
- Caicedo-Portilla et al. 2010  
 Cajade et al. 2013
- Caldas et al. 2016a  
 Caldas et al. 2016b  
 Calderon 2002a
- Calderon 2002b  
 Calderon 2002c  
 Calderon 2002d  
 Calderon 2002e  
 Calderon 2002f  
 Calderon 2002g
- Calderon 2002h  
 Calderon 2002i
- Cabral, H. and Weiler, A. 2014. Lista comentada de los reptiles de la Colección Zoológica de la Facultad de Ciencias Exactas y Naturales de Asunción, Paraguay. Cuadernos de Herpetología 28: 19-28.
- Cabrera, M. R. 2004. A new *Cnemidophorus* (Squamata: Teiidae) from western Argentina. Amphibia-Reptilia 25: 265-275.
- Cabrera, M. R. 2012. A new species of *Cnemidophorus* (Squamata, Teiidae) from the South American Chaco. Herpetological Journal 22: 123-131.
- Cabrera, M. R. and Carreira, S. 2009. A new, but probably extinct, species of *Cnemidophorus* (Squamata, Teiidae) from Uruguay. Herpetological Journal 19: 97-105.
- Cabrera, M. R. and Etheridge, R. E. 2006. New records and type locality restriction for the endemic Argentinian lizard *Cnemidophorus tergolaevigatus* (Squamata: Teiidae). Herpetological Review, 37: 110-111.
- Cabrera, M. R. and Monguillot, J. C. 2006. A new Andean species of *Liolaemus* of the darwini Complex (Reptilia: Iguanidae). Zootaxa 1106: 35-43.
- Cabrera, M. P., Scrocchi, G. J. and Cruz, F. B. 2013. Sexual size dimorphism and allometry in *Liolaemus* of the L. laurenti group (Sauria: Liolaemidae): Morphologic lability in a clade of lizards with different reproductive modes. Zoologischer Anzeiger 252: 299-306.
- Cabrera, M. R., Carreira, S., Di Pietro, D. O. and Rivera, P. C. 2019. A new species of *Contomastix* (Squamata, Teiidae) supported by total evidence, with remarks on diagnostic characters defining the genus. Herpetological Journal 29: 1-10.
- Cacciali, P. 2010. Reptiles de Paraguay: una aproximación al estudio de su diversidad y distribución geográfica. PhD Dissertation, Universidad de la República, Montevideo.
- Cacciali, P. and Kohler, G. 2018. Diversity of *Tropidurus* (Squamata: Tropiduridae) in Paraguay - an integrative taxonomic approach based on morphological and molecular genetic evidence. Zootaxa 4375: 511-536.
- Cacciali, P. and Scott, N. J. 2012. Revision del género *Ophiodes* de Paraguay (Squamata: Anguidae). Boletín de la Sociedad Zoológica del Uruguay 21: 1-8.
- Cacciali, P. and Scott, N. J. 2015. Key to the *Ophiodes* (Squamata: Sauria: Diploglossidae) of Paraguay with the description of a new species. Zootaxa 3980: 42-50.
- Cacciali, P., Avila, I. and Bauer, F. 2007. A new species of *Homonota* (Squamata, Gekkonidae) from Paraguay, with a key to the genus. Phyllophedusa 6: 137-146.
- Cacciali, P., Cabral, H. and Yanosky, A. A. 2015. Conservation implications of protected areas' coverage for Paraguay's reptiles. Parks 21: 87-105.
- Cacciali, P., Morando, M., Kohler, M. and Avila, L. 2016. On the distribution of the genus *Teius* Merrem, 1820 (Reptilia: Squamata: Teiidae). Zootaxa 4136: 491-514.
- Cacciali, P., Scott, N. J., Ortiz, A. L. A., Fitzgerald, L. A. and Smith, P. 2016. The reptiles of Paraguay: literature, distribution, and an annotated taxonomic checklist. Special Publication Museum of Southwestern Biology 11: 1-373.
- Cacciali, P., Martinez, N. and Kohler, G. 2017. Revision of the phylogeny and chorology of the tribe *iphisini* with the revalidation of *Colobosaura kraepelini* Werner, 1910 (Reptilia, Squamata, Gymnophthalmidae). ZooKeys 669: 89-110.
- Cacciali, P., Morando, M., Medina, C.D., Kohler, G., Motte, M. and Avila, L. J. 2017. Taxonomic analysis of Paraguayan samples of *Homonota fasciata* Dumeril & Bibron (1836) with the revalidation of *Homonota horrida* Burmeister (1861)(Reptilia: Squamata: Phyllodactylidae) and the description of a new species. PeerJ, 5: e3523.
- Cacciali, P., Lotzkat, S., Gamble, T. and Kohler, G. 2018. Cryptic diversity in the Neotropical gecko genus *Phyllopezus* Peters, 1878 (Reptilia: Squamata: Phyllodactylidae): A new species from Paraguay. International Journal of Systematic and Evolutionary Biology 6: 1-10.
- Cacciali, P., Buongermini, E. and Kohler, G. 2019. Barcoding analysis of Paraguayan Squamata. Diversity 11: 152.
- Cadiz, A. and Bird, D. J. 2012. A rare anole on the isla de la Juventud, Cuba. IRCP Reptiles & Amphibians 19: 101-102.
- Cadiz, A., Nagata, N., Katabuchi, M., Diaz, L. M., Echenique-Diaz, L. M., Akashi, H. D., Makino, T. and Kawata, M. 2013. Relative importance of habitat use, range expansion, and speciation in local species diversity of *Anolis* lizards in Cuba. Ecosphere 4: 78. <http://dx.doi.org/10.1890/ES12-00383.1>
- Cadle, J. E. 1991. Systematics of lizards of the genus *Stenocercus* (Iguania: Tropiduridae) from northern Peru. New species and comments on relationships and distribution patterns. Proceedings of the Academy of Natural Sciences of Philadelphia 143: 1-96.
- Cadle, J. E. 1998. New species of lizards, genus *Stenocercus* (Iguania: Tropiduridae) from western Ecuador and Peru. Bulletin of the Museum of Comparative Zoology 155: 257-297.
- Cadle, J. E. 2001. A new species of lizard related to *Stenocercus caducus* (Cope) (Squamata:Iguanidae) from Peru and Bolivia, with a key to the "Ophryossooides group". Bulletin of the Museum of Comparative Zoology 157: 183-221.
- Cadle, J. E. 2004. Iguanidae (Oplurines), oplurine lizards. pages 983-986 in Goodman, S. M. and Benstead, J. P. editors. The natural history of Madagascar. University of Chicago Press, Chicago.
- Cadle, J. E. and Chuna, M. P. 1995. A new lizard of the genus *Macropholidus* (Teiidae) from a relictual humid forest of northwestern Peru, and notes on *Macropholidus ruthveni* Noble. Breviora 501: 1-39.
- Caeiro-Dias, G., Luis, C., Pinho, C., Crochet, P. A., Sillero, N. and Kaliotzopoulou, A. 2018. Lack of congruence of genetic and niche divergence in *Podarcis hispanicus* complex. Journal of Zoological Systematics and Evolutionary Research, 56: 479-492.
- Cagle, F. R. 1946. A lizard population on Tinian. Copeia, 1946: 4-9.
- Caicedo-Portilla, J. R. 2014. Rediscovery of *Mabuya berengeriae*, *Mabuya pergravis* (Squamata: Scincidae) and *Coniophanes andresensis* (Squamata: Colubridae), and assessment of its threatened status in the San Andres and Providencia islands, Colombia. Caldasia 36: 181-201.
- Caicedo-Portilla, R., Serrano-Cardoza, V. H. and Ramirez-Pinilla, M. P. 2010. Diet, microhabitat use and daily activity patterns of an andean population of *Mabuya* (Squamata: Scincidae). South American Journal of Herpetology, 5: 1-10.
- Cajade, R., Etchepare, E. G., Falcione, C., Barrasso, D. A. and Alvarez, B. B. 2013. A new species of *Homonota* (Reptilia: Squamata: Gekkota: Phyllodactylidae) endemic to the hills of Paraje Tres Cerros, Corrientes Province, Argentina. Zootaxa 3709: 162-176.
- Caldas, F. L. S., Costa, T. B., Laranjeiras, D. O., Mesquita, D. O. and Garda, A. A. 2016. Herpetofauna of protected areas in the Caatinga V: Serido Ecological Station (Rio Grande do Norte, Brazil). Check List 12: 1929.
- Caldas, F. L. S., Santana, D. O., Faria, R. G., Bocchiglieri, A. and Mesquita, D. O. 2016. *Diploglossus lessonae* Peracca, 1890 (Squamata: Anguidae): new records from northeast Brazil and notes on distribution. Check List 12: 1982.
- Calderon, M. R. 2002. *Anolis biporcatus* biporcatus. Propuesta para la realización de 37 fichas biológicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Península de Yucatán. Museo de Zoología, ECOSUR- Unidad Chetumal. Bases de datos SNIB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon, M. R. 2002. *Anolis pentaprion*. Propuesta para la realización de 37 fichas biológicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Península de Yucatán. Museo de Zoología, ECOSUR- Unidad Chetumal. Bases de datos SNIB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon, M. R. 2002. *Anolis pentaprion*. Propuesta para la realización de 37 fichas biológicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Península de Yucatán. Museo de Zoología, ECOSUR- Unidad Chetumal. Bases de datos SNIB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon, M. R. 2002. *Aristelliger georgeensis*. Propuesta para la realización de 37 fichas biológicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Península de Yucatán. Museo de Zoología, ECOSUR- Unidad Chetumal. Bases de datos SNIB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon, M. R. 2002. *Corytophanes cristatus*. Propuesta para la realización de 37 fichas biológicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Península de Yucatán. Museo de Zoología, ECOSUR- Unidad Chetumal. Bases de datos SNIB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon, M. R. 2002. *Corytophanes hermanae*. Propuesta para la realización de 37 fichas biológicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Península de Yucatán. Museo de Zoología, ECOSUR- Unidad Chetumal. Bases de datos SNIB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon, M. R. 2002. *Iguana iguana*. Propuesta para la realización de 37 fichas biológicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Península de Yucatán. Museo de Zoología, ECOSUR- Unidad Chetumal. Bases de datos SNIB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon, M. R. 2002. *Laemancus longipes*. Propuesta para la realización de 37 fichas biológicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Península de Yucatán. Museo de Zoología, ECOSUR- Unidad Chetumal. Bases de datos SNIB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon, M. R. 2002. *Laemancus serratus*. Propuesta para la realización de 37 fichas biológicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Península de Yucatán. Museo de Zoología, ECOSUR- Unidad Chetumal. Bases de datos SNIB-CONABIO. Proyecto W030. Mexico. D.F.

- Calderon 2002j Calderon, M. R. 2002. *Sphaerodactylus glaucus*. Propuesta para la realizacion de 37 fichas biologicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Peninsula de Yucatan. Museo de Zoologia, ECOSUR- Unidad Chetumal. Bases de datos SNiB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon 2002k Calderon, M. R. 2002. *Thecadactylus rapicaudus*. Propuesta para la realizacion de 37 fichas biologicas de las especies de herpetofauna incluidas en la NOM-059 presentes en la Peninsula de Yucatan. Museo de Zoologia, ECOSUR- Unidad Chetumal. Bases de datos SNiB-CONABIO. Proyecto W030. Mexico. D.F.
- Calderon et al. 1995 Calderon, S., Bowersox, S. R., Parmerlee, J. S. and Powell, R. 1995. *Anolis barahonae*. Catalogue of American Amphibians and Reptiles 609: 1-3.
- Calderon et al. 2003 Calderon, R., Cedesio-Vazquez, J. R. and Pozo, C. 2003. New distributional records for amphibians and reptiles from Campeche, Mexico. Herpetological Review, 34: 269-272.
- Calderon-Espinosa and Barragan Forero 2011 Calderon-Espinosa, M. L. and Barragan Forero, A. 2011. Morphological diversification in solitary endemic anoles: *Anolis concolor* and *Anolis pinchoti* from San Andres and Providence islands, Colombia. South American Journal of Herpetology, 6: 205-210.
- Calderon-Espinosa and Medina-Rangel 2016 Calderon-Espinosa, M. L. and Medina-Rangel, G. F. 2016. A new Lepidoblepharis lizard (Squamata: Sphaerodactylidae) from the Colombian Guyana shield. Zootaxa 4067: 215-232.
- Calderon-Espinosa et al. 2018 Calderon-Espinosa, M. L., Jerez, A. and Medina-Rangel, G. F. 2018. Living in the extremes: The thermal ecology of communal nests of the highland Andean lizard *Anadia bogotensis* (Squamata: Gymnophthalmidae). Current Calderon-Mandujano and Mora-Tembre 2004 Calderon-Mandujano, R. and Mora-Tembre, L. 2004. New distributional records and comments on amphibians and reptiles from Quintana Roo, Mexico. Herpetological Review, 35: 295-296.
- Caldwell 2013 Caldwell, K. R. 2013. *Gekko japonicus* (Japanese gecko). Cold weather aggregations. Herpetological Review 44: 672.
- Caldwell et al. 2015 Caldwell, A. J., While, G. M., Beeton, N. J. and Wapstra, E. 2015. Potential for thermal tolerance to mediate climate change effects on three members of a cool temperate lizard genus, *Niveoscincus*. Journal of Thermal Biology 52: 14- Calixto, P. O. and Morato, S. A. 2017. Herpetofauna recorded by a fauna rescue program in a Caatinga area of Joao Camara, Rio Grande do Norte, Brazil. Check List 13: 647-657.
- Calsbeek and Cox 2010 Calsbeek, R. and Cox, R. M. 2010. Experimentally assessing the relative importance of predation and competition as agents of selection. Nature 465: 613-616.
- Calsbeek and Smith 2007 Calsbeek, R. and Smith, T. B. 2007. Probing the adaptive landscape using experimental islands: density-dependent natural selection on lizard body size. Evolution 61: 1052-1061.
- Calzada-Arciniega et al. 2017 Calzada-Arciniega, R. A., Recuero, E., Garcia-Castillo, M. G. and Parra-Olea, G. 2017. New records and an updated list of herpetofauna from Cerro Piedra Larga, an isolated mountain massif in Oaxaca, Mexico. Herpetology Notes 10: Camacho et al. 2015 Camacho, A., Pavao, R., Moreira, C. N., Pinto, A. C. B. C. F., Navas, C. A. and Rodrigues, M. T. 2015. Interaction of morphology, thermal physiology and burrowing performance during the evolution of fossoriality in Gymnophthalmini lizards. Functional Ecology 29: 515-521.
- Camaiti et al. 2019 Camaiti, M., Villa, A., Wencker, L. C., Bauer, A. M., Stanley, E. L. and Delfino, M. 2019. Descriptive osteology and patterns of limb loss of the European limbless skink *Ophiomorus punctatissimus* (Squamata, Scincidae). Journal of Anatomy 235: 313-345.
- Camina et al. 2013 Camina, A., Salinas, N. and Cuevas, J. 2013. Husbandry and breeding of the crocodile Monitor varanus salvadorii Peters & Doria, 1878 in captivity. Biawak, 7: 56-62.
- Campbell 1973 Campbell, H. W. 1973. Ecological observations on *Anolis lionotus* and *Anolis poecilopus* (Reptilia, Sauria) in Panama. American Museum Novitates 2516: 1-29.
- Campbell 1982 Campbell, J. A. 1982. A new species of Abronia (Sauria, Anguidae) from the Sierra Juarez, Oaxaca, Mexico. Herpetologica 38: 355-361.
- Campbell 1984 Campbell, J. A. 1984. A new species of Abronia (Sauria, Anguidae), with comments on the herpetogeography of the highlands of southern Mexico. Herpetologica 40: 373-381.
- Campbell 1994 Campbell, J. A. 1994. A new species of elongate Abronia (Squamata: Anguidae) from Chiapas, Mexico. Herpetologica, 50: 1-7.
- Campbell 1999 Campbell, J. A. 1999. Amphibians and reptiles of northern Guatemala, the Yucatan, and Belize. University of Oklahoma Press, Norman.
- Campbell and Brodie 1999 Campbell, J. A. and Brodie, E. D. 1999. A new species of Abronia (Squamata: Anguidae) from the southeastern highlands of Guatemala. Herpetologica 55: 161-174.
- Campbell and Camarillo 1994 Campbell, J. A. and Camarillo, R. J. L. 1994. A new lizard of the genus Diploglossus (Anguidae: Diploglossinae) from Mexico, with a review of the Mexican and northern Central American species. Herpetologica 50: 193-209.
- Campbell and Echternacht 2003 Campbell, T. S. and Echternacht, A. C. 2003. Introduced species as moving targets: changes in body sizes of introduced lizards following experimental introductions and historical invasions. Biological invasions 5: 193-212.
- Campbell and Frost 1993 Campbell, J. A. and Frost, D. R. 1993. Anguid lizards of the genus Abronia: revisionary notes on the species of nuclear Central America and adjacent Mexico, descriptions of four additional species, with a phylogenetic hypothesis for the genus and an identification key. Bulletin of the American Museum of Natural History 216: 1-121.
- Campbell and Vannini 1988 Campbell, J. A. and Vannini, J. P. 1988. A new subspecies of beaded lizard, *Heloderma horridum*, from the Motagua Valley of Guatemala. Journal of Herpetology 22: 457-468.
- Campbell and Vannini 1989 Campbell, J. A. and Vannini, J. P. 1989. Distribution of amphibians and reptiles in Guatemala and Belize. Proceedings of the Western Foundation of Vertebrate Zoology 4: 1-21.
- Campbell et al. 1989a Campbell, J. A., Formanowicz, D. R. and Medley, P. B. 1989. The reproductive cycle of *Norops uniformis* (Sauria: Iguanidae) in Veracruz, Mexico. Biotropica 21: 237-243.
- Campbell et al. 1989b Campbell, J. A., Hillis, D. M. and Lamar, W. W. 1989. A new lizard of the genus *Norops* (Sauria: Iguanidae) from the cloud forest of Hidalgo, Mexico. Herpetologica 45: 232-242.
- Campbell et al. 1998 Campbell, J. A., Sasa, M., Acevedo, M. E. and Mendelson, J. R. 1998. A new species of Abronia (Squamata: Anguidae) from the high Cuchumatanes of Guatemala. Herpetologica 54: 221-234.
- Campos and Lage 2013 Campos, E. S. and Lage, A. R. B. 2013. Checklist of amphibians and reptiles from the Nova Roma Ecological Station, in the Cerrado of the State of Goias, central Brazil. Herpetology Notes, 6: 431-438.
- Campos-Rodriguez and Lopez-Vidal 2007a Campos-Rodriguez, I. J. and Lopez-Vidal, C. J. 2007. Annotated checklist of type specimens in the herpetological collection of the Escuela Nacional de Ciencias Biologicas, IPN, Mexico. The Southwestern Naturalist, 52: 323-326.
- Campos-Rodriguez and Lopez-Vidal 2007b Campos-Rodriguez, I. J. and Lopez-Vidal, C. J. 2007. Annotated checklist of type specimens in the herpetological collection of the Escuela Nacional de Ciencias Biologicas, IPN, Mexico. The Southwestern Naturalist, 52: 323-326.
- Canavero et al. 2010 Canavero, A., Carreira, S., Langone, J. A., Achaval, F., Borteiro, C., Camargo, A., da Rosa, I., Estrades, A., Fallabrino, A., Kolenc, F., Lopez-Mendilaharsu, M. M., Maneyro, R., Meneghel, M., Nunez, D., Prigioni, C. M. and Ziegler, L. 2010. Conservation status assessment of the amphibians and reptiles of Uruguay. Iheringia, Serie Zoologia 100: 5-12.
- Candan et al. 2019 Candan, K., Gul, S. and Kumlutas, Y. 2019. The New locality records for *Eumece schneideri* (Daudin, 1802), *Heremites vittatus* (Olivier, 1804) and *Ablepharus chernovi* (Darevsky, 1953) (Sauria: Scincidae) from Anatolia, Turkey. Acta Biologica Turcica, 32: 26-32.
- Cano and Leynaud 2010 Cano, P. D. and Leynaud, G. L. 2010. Effects of fire and cattle grazing on amphibians and lizards in northeastern Argentina (Humid Chaco). European Journal of Wildlife Research 56: 411-420.
- Cano et al. 2015 Cano, P. D., Ball, H. A., Carpinetto, M. F. and Pena, G. D. 2015. Reptile checklist of Rio Pilcomayo National Park, Formosa, Argentina. Check List, 11: 1658.
- Canovas et al. 2006 Canovas, M. G., Acosta, J. C., Villavicencio, H. J. and Marinero, J. A. 2006. *Liolaemus ololygon* Body temperature. Herpetological Review 37: 87-88.
- Canovas et al. 2014 Canovas, M. G., Villavicencio, H. J., Fager, V. B., Marinero, J. and Borghi, C. 2014. Primeros datos de la biología reproductiva de hembras del lagarto *Liolaemus ruibali* en la Puna Sanjuanina, Argentina. Notulas Faunisticas - Segunda Canseco-Marquez, L., Gutierrez-Mayen, G. and Salazar-Arenas, J. 2000. New records and range extensions for amphibians and reptiles from Puebla, Mexico. Herpetological Review 31: 259-263.
- Canto 2007 Canto, R. 2007. Notes on the occurrence of *Varanus auffenbergi* on Roti island. Biawak 1: 24-25.
- Capizzi 1999 Capizzi, D. 1999. Preliminary data on food habits of an Alpine population of Horvath's rock lizard *Lacerta horvathi* Mehely, 1904 (Squamata: Sauna: Lacertidae). Herpetozoa 11: 117-120.
- Cappellari et al. 2007 Cappellari, L. H., de Lema, T., Prates, P. and da Rocha, C. F. D. 2007. Diet of *Teius oculatus* (Sauria, Teiidae) in southern Brazil (Dom Feliciano, Rio Grande do Sul). Iheringia, Serie Zoologia 97: 31-35.
- Cappellari et al. 2011 Cappellari, L. H., Balestrin, R. L., de Lema, T. and Rocha, C. F. D. 2011. Reproductive biology of *Teius oculatus* (Sauria, Teiidae) in Southern Brazil (Dom Feliciano, Rio Grande do Sul). North-Western Journal of Zoology 7: 270-276.
- Capula and Luiselli 1994 Capula, M. and Luiselli, L. 1994. Resource partitioning in a Mediterranean lizard community. Bollettino di Zoologia, 61: 173-177.
- Capula et al. 2002 Capula, M., Luiselli, L., Filippi, E. and Ceccarelli, A. 2002. Habitat characteristics and demography of high-altitude populations of the lacertid lizard, *Algyroides fitzingeri*. Italian Journal of Zoology, 69: 33-36.
- Capula et al. 2014 Capula, M., Corti, C., Lo Cascio, P., Luiselli, L., Capula, M. and Corti, C. 2014. Thermal ecology of the aeolian wall lizard, *Podarcis raffonei*. what about body temperatures in microinsular lizards. Scripta Herpetologica. Studies on Amphibians and Reptiles in honour of Benedetto Lanza. Monographie della Societas Herpetologica Italica—III, Latina: Edizioni Belbedere, pp.39-47.
- Caputo 1993 Caputo, V. 1993. Taxonomy and evolution of the Chalcides chalcides complex (Reptilia, Scincidae) with description of two new species. Museo Regionale di Scienze Naturali Bollettino (Turin) 11: 47-120.
- Caputo and Mellado 1992 Caputo, V. and Mellado, J. 1992. A new species of Chalcides (Reptilia: Scincidae) from northeastern Morocco. Bollettino di Zoologia, 59: 335-342.

- Caputo et al. 1995  
 Caputo et al. 2000  
 Carbajal-Marquez and Quintero-Diaz 2013  
 Carbajal-Marquez and Quintero-Diaz 2017  
 Carbonero et al. 2016
- Cardenete and Cardenete 2010  
 Cardozo et al. 2015  
 Carey 1975  
 Caribbean islands National Wildlife Refuge Complex, Puerto Rico. 2011  
 Carl and Jones 1979  
 Carlino and Pauwels 2015  
 Carlino and Pauwels 2016  
 Carlo and Roze 2005  
 Carlson and Steadman 2009  
 Carne and Measey 2013  
 Carneiro et al. 2015  
 Carneiro et al. 2017
- Caro et al. 2001  
 Carothers 1981  
 Carothers 1983  
 Carothers 1984  
 Carothers et al. 1998  
 Carpenter 1969  
 Carpenter 1970  
 Carpenter 2003  
 Carpenter and Robson 2005  
 Carpio et al. 2015  
 Carr 1949  
 Carr et al. 2013
- Carranza and Arnold 2012  
 Carranza et al. 2001  
 Carranza et al. 2008  
 Carranza et al. 2016  
 Carranza et al. 2018  
 Carreira et al. 2005  
 Carretero 2004  
 Carretero 2006  
 Carretero 2008  
 Carretero 2012  
 Carretero and Llorente 1993
- Carretero and Lo Cascio 2010  
 Carretero et al. 2005  
 Carretero et al. 2006  
 Carretero et al. 2008
- Carretero et al. 2010  
 Carretero et al. 2011
- Caputo, V., Lanza, B. and Palmieri, R. 1995. Body elongation and limb reduction in the genus *Chalcides* Laurenti 1768 (Squamata Scincidae): a comparative study. *Tropical Zoology* 8: 95–152.  
 Caputo , V., Guarino, F. M. and Angelini, F. 2000. Body elongation and placentome evolution in the scincid lizard genus *Chalcides* (Squamata, Scincidae). *Italian Journal of Zoology*, 67: 385-391.  
 Carbajal-Marquez, R. A. and Quintero-Diaz, G. E. 2013. *Sceloporus scalaris* (light-bellied bunchgrass lizard). Clutch size. *Herpetological Review* 44: 683.  
 Carbajal-Marquez, R. A. and Quintero-Diaz , G. E. 2017. Natural History of *Sceloporus goldmani* (Squamata: Phrynosomatidae) in its southern distribution. *Herpetology Notes*, 10: 161-167.  
 Carbonero, J., Garcia-Diaz, P., Avila, C., Arribas, O. and Lizana, M. 2016. Distribution, habitat characterization and conservation status of *Iberolacerta martinezricai* (Arribas, 1996), in the Sierra de Francia, Salamanca, Spain (squamata: Sauria: Lacertidae). *Herpetozoa* 28: 149-165.  
 Cardenete, J. R. F. and Cardenete, L., G. 2010. Lagartija de valverde – *Algyrodes marchi*. In: Enciclopedia Virtual de los Vertebrados Espanoles. Salvador, A., Marco, A. (Eds.). Museo Nacional de Ciencias Naturales, Madrid. <http://www.vertebradosibericos.org/>, Version 23-02-2010  
 Cardozo, G., Naretto, S., Blengini, C. S. and Chiaravillo, M. 2015. Phenotypic diversity in female body shape is related to reproductive potential in *Tupinambis merianae* lizards. *Annales Zoologici Fennici*, 52:129-144.  
 Carey, W. M. 1975. Rock iguana, *Cyclura pinguis*, on Anegada, British Virgin islands, with notes on *Cyclura ricordi* and *Cyclura cornuta* on Hispaniola. *Bulletin of the Florida State Museum Biological Sciences* 19: 189-233.  
 Caribbean islands National Wildlife Refuge Complex, Puerto Rico. 2011. Desecho island National Wildlife Refuge. Rat eradication to promote ecosystem restoration final environmental assessment. Special Report.
- Carl, G. and Jones, J. P. 1979. The eggs and hatchlings of *Sauromalus hispidus* (Reptilia, Lacertilia, Iguanidae). *Journal of Herpetology*, 13: 293-296.  
 Carlino, P. and Pauwels, O. S. G. 2015. An updated reptile list of ivindo National Park, the herpetofaunal hotspot of Gabon. *Bulletin of the Chicago Herpetological Society* 50: 25-39.  
 Carlino, P. and Pauwels, O. S. G. 2016. Taxonomic identity of an extrazonal population of *Algyrodes* lizards (Squamata: Lacertidae) from Apulia Region in Southern Italy. *Bulletin of the Chicago Herpetological Society* 51: 149-151.  
 Carlo, A. B. and Roze, J. A. 2005. Lizards of the genus *Anolis* (Reptilia: Polychrotidae) from Sierra Nevada de Santa Marta, Colombia, with description of two new species. *Novedades Colombianas Nueva Epoca* 8: 9-26.  
 Carlson, L. A. and Steadman, D. W. 2009. Examining temporal differences in faunal exploitation at two ceramic age sites in Puerto Rico. *Journal of Island and Coastal Archaeology*, 4: 207-222.  
 Carne, L. and Measey, G. J. 2013. Chameleons on the cruise: seasonal differences in prey choice of two dwarf chameleons. *Herpetological Journal* 23: 221-227.  
 Carneiro, D., Garcia-Munoz, E., Kaliontzopoulou, A., Llorente, G. A. and Carretero, M. A. 2015. Comparing ecophysiological traits in two *Podarcis* wall lizards with overlapping ranges. *Salamandra* 51: 335-344.  
 Carneiro, D., Garcia-Munoz, E., Zagar, A., Pañilis, P. and Carretero, M. A. 2017. Is ecophysiology congruent with the present-day relictual distribution of a lizard group? Evidence from preferred temperatures and water loss rates. *Herpetological Journal* 27: 47-56.  
 Caro, T., Evans, O. S., Fitzherbert, E., Gardner, T. A., Howell, K., Drewes, R. and Shaffer, H. B. 2011. Reptiles of Katavi National Park, western Tanzania, are from different biomes. *African Journal of Ecology*, 49: 377-382.  
 Carothers, J. H. 1981. Dominance and competition in an herbivorous lizard. *Behavioral Ecology and Sociobiology* 8: 261-266.  
 Carothers, J. H. 1983. Size-related activity patterns in an herbivorous lizard. *Oecologia* 57: 103-106.  
 Carothers, J. H. 1984. Sexual selection and sexual dimorphism in some herbivorous lizards. *The American Naturalist* 124: 244-254.  
 Carothers, J. H., Marquet, P. A. and Jaksic, F. M. 1998. Thermal ecology of a *Liolemaus* assemblage along an Andean altitudinal gradient in Chile. *Revista Chilena de Historia Natural* 71: 39-50.  
 Carpenter, C. C. 1969. Behavioral and ecological notes on the Galapagos land iguanas. *Herpetologica*, 25: 155-164.  
 Carpenter, C. C. 1970. Miscellaneous notes on Galapagos lava lizards (*Tropidurus*: Iguanidae). *Herpetologica*, 26: 377-386.  
 Carpenter, A. I. 2003. The ecology and exploitation of chameleons in Madagascar. PhD thesis, University of East Anglia, UK.  
 Carpenter, A. I. and Robson, O. 2005. A review of the endemic chameleon genus *Brookesia* from Madagascar, and the rationale for its listing on CITES Appendix II. *Oryx* 39: 1-6.  
 Carpio, A. J., Cabrera, M. and Tortosa, F. S. 2015. Evaluation of methods for estimating species richness and abundance of reptiles in olive groves. *Herpetological Conservation and Biology* 10: 54-63.  
 Carr, A. 1949. Notes on eggs and young of the lizard *Rhineura floridana*. *Copeia*, 1949: 77.  
 Carr, J. A., Outhwaite, W. E., Goodman, G. L., Oldfield, T. E. E. and Foden, W. B. 2013. Vital but vulnerable: Climate change vulnerability and human use of wildlife in Africa's Albertine Rift. *Occasional Paper of the IUCN Species Survival Commission No. 48*. IUCN, Gland, Switzerland and Cambridge, UK.  
 Carranza, S. and Arnold, E. N. 2012. A review of the geckos of the genus *Hemidactylus* (Squamata: Gekkonidae) from Oman based on morphology, mitochondrial and nuclear data, with descriptions of eight new species. *Zootaxa*  
 Carranza, S., Arnold, E. N., Mateo, J. A. and Lopez-Jurado, L. F. 2001. Parallel gigantism and complex colonization patterns in the Cape Verde scincid lizards *Mabuya* and *Macroscincus* (Reptilia : Scincidae) revealed by mitochondrial DNA sequences. *Proceedings of the Royal Society of London B*, 268: 1595-1603.  
 Carranza, S., Arnold, E. N., Geniez, P., Roca, J. and Mateo, J. A. 2008. Radiation, multiple dispersal and parallelism in the skinks, *Chalcides* and *Sphenops* (Squamata: Scincidae), with comments on *Scincus* and *Scincopus* and the age of the Sahara Desert. *Molecular Phylogenetics and Evolution* 46: 1071-1094.  
 Carranza, S., Simo-Riudalbas, M., Jayasinghe, S., Wilms, T. and Els, J. 2016. Microendemicity in the northern Hajar Mountains of Oman and the United Arab Emirates with the description of two new species of geckos of the genus *Asaccus* (Squamata: Phyllodactylidae). *PeerJ* 4: e2371; DOI 10.7717/peerj.2371.  
 Carranza, S., Xipell, M., Tarroso, P., Gardner, A., Arnold, E. N., Robinson, M.D., Simo-Riudalbas, M., Vasconcelos, R., de Pous, P., Amat, F., Smid, J., Sindaco, R., Metallinou, M., Els, J., Pleguezuelos, J. M., Machado, L., Donaire, D., Martoanez, G., Garcia-Porta, J., Mazuch, T., Wilms, T., Gebhart, J., Aznar, J., Gallego, J., Zwanzig, B. M., Fernandez-Guiberteau, D., Papenfuss, T., Al Saadi, S., Alghafri, A., Khalifa, S., Al Farqani, H., Bilal, S. B., Alazri, I. S., Al Adhoobi, A. S., Al Omairi, Z. S., Al Shariani, M., Al Kiyumi, A., Al Sariri, T., Al Shukaili, A. S. and Al Akhzami, S. N. 2018. Diversity, distribution and conservation of the terrestrial reptiles of Oman (Sauropsida, Squamata). *PLoS ONE*  
 Carreira, S., Meneghel, M. and Achaval, F. 2005. Reptiles de Uruguay. Montevideo: Di.R.A.C.. Facultad de Ciencias. Universidad de la Repùblica.  
 Carretero, M. A. 2004. From set menu to a la carte. Linking issues in trophic ecology of Mediterranean lacertids. *Italian Journal of Zoology*, 71: 121-133.  
 Carretero, M. A. 2006. Reproductive cycles in mediterranean lacertids: Plasticity and constraints. Mainland and insular lizards. Pages 33-54 in: Mainland and insular Lizards: a Mediterranean Perspective. Corti C., Lo Cascio P. & Biaggini M. (editors). Florence University Press, Florence.  
 Carretero, M. A. 2008. Preferred temperatures of *Tarentola mauritanica* in spring. *Acta Herpetologica* 3: 57-64.  
 Carretero, M. A. 2012. Measuring body temperatures in small lacertids: infrared vs. contact thermometers. *Basic and Applied Herpetology*, 26: 99-105.  
 Carretero, M. A. and Llorente, G. A. 1993. Feeding of two sympatric lacertids in a sandy coastal area (Ebro Delta, Spain). pp. 155-172, in: Valakos, E.; Bohme, W.; Perez-Mellado, V. & Maragou, P. (eds.) *Lacertids of the Mediterranean Region. A Biological approach*. Hellenic Zoological Society.  
 Carretero, M. A. and Lo Cascio, P. 2010. What do myrmecophagous geckos eat when ants are not available? comparative diets of three Socotran species. *African Zoology*, 45: 115-120.  
 Carretero, M. A., Harris, D. J. and Rocha, S. 2005. Recent observations of reptiles in the Comoro islands (Western Indian Ocean). *The Herpetological Bulletin*, 91: 19-28.  
 Carretero, M. A., Perera, A., Harris, D. J., Batista, V. and Pinho, C. 2006. Spring diet and resource partitioning in an alpine lizard community from Morocco. *African Zoology* 41: 113-122.  
 Carretero, M. A., Ayllon, E., Sillero, N., Godinho, R., Harris, D. J. and Hernandez-Sastre, P. L. 2008. Combining methodologies in lacertid conservation. The case of *Lacerta schreiberi* in Montes de Toledo (Spain). *Proceedings of the Symposium on the Lacertids of the Mediterranean Basin*, 6: 26.  
 Carretero, M. A., Lo Cascio, P., Corti, C. and Pasta, S. 2010. Sharing resources in a tiny Mediterranean island? Comparative diets of *Chalcides ocellatus* and *Podarcis filfolensis* in Lampione. *Bonn Zoological Bulletin* 57: 111-118.  
 Carretero, M. A., Fonseca, M. M., Garcia-Munoz, E., Brito, J. C. and Harris, D. J. 2011. Adding *Acanthodactylus beershebensis* to the mtDNA phylogeny of the *Acanthodactylus pardalis* group. *North-Western Journal of Zoology*, 7:

- Carretero et al. 2014  
 Carretero et al. 2016  
 Carter and Hayes 2004
- Caruccio et al. 2010  
 Carvajal et al. 2013
- Carvalho 2016  
 Casas-Andreu and Gurrola-Hidalgo 1993
- Cascio 2010  
 Cascio and Capula 2011
- Case 1976a  
 Case 1976b  
 Case 2002  
 Case et al. 1998
- Cassimiro and Rodrigues 2009  
 Cast et al. 2000
- Castaneda-Gaytan et al. 2003  
 Castaneda-Hernandez et al. 2015  
 Castanet 1994  
 Castanet and Baez 1991  
 Castiglia et al. 2006  
 Castilla and Bauwens 1991a  
 Castilla and Bauwens 1991b  
 Castilla and Bauwens 2000a  
 Castilla and Bauwens 2000b  
 Castilla and Herrel 2009  
 Castilla and Labra 1998  
 Castilla et al. 1989  
 Castilla et al. 1999  
 Castilla et al. 2008a  
 Castilla et al. 2008b  
 Castilla et al. 2013
- Castillo et al. 2019a  
 Castillo et al. 2019b  
 Castillo et al. 2019c  
 Castrillon and Strussman 1998  
 Castro 2019  
 Castro et al. 1991  
 Castro et al. 2013  
 Castro et al. 2018  
 Castro et al. 2019
- Castro-Franco and Uribe-Pena 1992  
 Castro-Franco and Zagal 2003  
 Castro-Franco and Zagal 2004  
 Castro-Franco et al. 2011
- Castro-Franco et al. 2017  
 Castro-Herrera 1994  
 Castro-Herrera 1988  
 Castro-Herrera and Vargas-Salinas 2008  
 Castro-Herrera et al. 2007  
 Castro-Herrera et al. 2012  
 Castro-Herrera and Diaz 1993
- Carretero, M. A., Jorge, F., Llorente, G. A. and Roca, V. 2014. Relationships between helminth communities and diet in Canarian lizards: the evidence from *Gallotia atlantica* (Squamata: Lacertidae). *Journal of Natural History*, 48: 19-44.
- Carretero, M. A., Lopes, E. P. and Vasconcelos R. 2016. An ecophysiological background for biogeographic patterns of two island lizards? *The Science of Nature* 103: 97.
- Carter, R. L. and Hayes, W. K. 2004. Conservation of an endangered Bahamian iguana. II. morphological variation and conservation recommendations. pages 258-273 in Alberts, A. (editor). *Iguanas: Biology and Conservation*. University of California Press, Berkeley.
- Caruccio, R., Vieira, R. C. and Verrastro, L. 2010. Microhabitat use by *Cnemidophorus vaciensis* (Squamata: Teiidae) in the grasslands of the Araucaria Plateau, Rio Grande do Sul, Brazil. *Zoologia* 27: 902-908.
- Carvajal, J., Bernal, V. and Medina-R, G. F. 2013. Diversidad de reptiles en cienegas del departamento del Cesar. Diversity of the reptilians community in the wetlands at department of Cesar. Colombia Diversidad Biotica Xiii. Bogota, Colombia: instituto de Ciencias Naturales, Universidad Nacional de Colombia, pp.511-523.
- Carvalho, A. L. G. 2016. Three new species of the *Tropidurus spinulosus* Group (Squamata: Tropiduridae) from Eastern Paraguay. *American Museum Novitates* 3853: 1-44.
- Casas-Andreu, G. and Gurrola-Hidalgo, M. A. 1993. Comparative ecology of two species of *Cnemidophorus* in coastal Jelisco, Mexico. pages 133-150 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards (Genus Cnemidophorus)*. Oklahoma Museum of Natural History, Norman.
- Cascio, P. L. 2010. Field body temperatures in a micro-insular lizard community (Squamata Sauria). II *Naturalista Siciliano* 34: 21-27.
- Cascio, P. L. and Capula, M. 2011. Does diet in lacertid lizards reflect prey availability? Evidence for selective predation in the Aeolian wall lizard, *Podarcis raffonei* (Mertens, 1952) (Reptilia, Lacertidae). *Biodiversity Journal*, 2: 89-96.
- Case, T. J. 1976. Body size differences between populations of the chuckwalla, *Sauromalus obesus*. *Ecology* 57: 313-323.
- Case, T. J. 1976. Seasonal aspects of thermoregulatory behavior in the chuckwalla, *Sauromalus obesus* (Reptilia, Lacertilia, Iguanidae). *Journal of Herpetology* 10: 85-95.
- Case, T. J. 2002. Reptiles. Pages 221-270 in T. J. Case, Cody, M. L. and E. Ezcurra, editors. *A new island biogeography in the Sea of Cortez*. 2nd edition. Oxford University Press, Oxford.
- Case, T. J., Bolger, A. D. and Richman, A. D. 1998. Reptilian extinctions over the last ten thousand years. Pages 157-186 in: Fielder, P. L. and, Kareiva, P. M. (editors). *Conservation biology for the coming decade*, 2nd edition, Chapman & Hall, New York.
- Cassimiro, J. and Rodrigues, M. T. 2009. A new species of lizard genus *Gymnodactylus* Spix, 1825 (Squamata: Gekkota: Phyllodactylidae) from Serra do Sincora, northeastern Brazil, and the status of *G. carvalhoi* Vanzolini, 2005.
- Cast, E. E., Gifford, M. E., Schneider, K. R., Hardwick, A. J., Parmerlee, J. S. and Powell, R. 2000. Natural history of an anoline Lizard community in the Sierra de Baoruco, Dominican Republic. *Caribbean Journal of Science*, 36: 258-266.
- Castaneda-Gaytan, G., Gadsden, H., Lopez-Corrujedo, H. and Estrada-Rodriguez, J. L. 2003. Historia de vida de *Uma paraphygas* (Sauria: Phrynosomatidae) en la Reserva de la Biosfera de Mapimi, Durango. *Acta Zoologica Mexicana*
- Castaneda-Hernandez, C., Canseco-Marquez, L. and Vargas-Orrego, M. E. 2015. Additional distributional records for the state of Oaxaca, Mexico. *Mesoamerican Herpetology* 2: 368-370.
- Castanet, J. 1994. Age estimation and longevity in reptiles. *Gerontology*, 40: 174-192.
- Castanet, J. and Baez, M. 1991. Adaptation and evolution in Gallotia lizards from the Canary islands: age, growth, maturity and longevity. *Amphibia-Reptilia* 12: 81-102.
- Castiglia, R., Corti, M. and Annesi, F. 2006. Molecular and karyological homogeneity in *Trachylepis striata* (Peters 1844) and *T. wahlbergii* (Peters 1869) (Scincidae Reptilia). *Tropical Zoology*, 19: 119-128.
- Castilla, A. M. and Bauwens, D. 1991. Observations on the Natural History, Present Status, and Conservation of the insular Lizard *Podarcis hispanica atrata* on the Columbretes Archipelago, Spain. *Biological Conservation* 58: 69-84.
- Castilla, A. M. and Bauwens, D. 1991. Thermal biology, microhabitat selection, and conservation of the insular lizard *Podarcis hispanica atrata*. *Oecologia* 85: 366-374.
- Castilla, A. M. and Bauwens, D. 2000. Reproductive characteristics of the island lacertid Lizard *Podarcis lilfordi*. *Journal of Herpetology* 34: 390-396.
- Castilla, A. M. and Bauwens, D. 2000. Reproductive characteristics of the lacertid lizard *Podarcis atrata*. *Copeia* 2000: 748-756.
- Castilla, A. M. and Herrel, A. 2009. The scorpion *Butthius occitanus* as a profitable prey for the endemic lizard *Podarcis atrata* in the volcanic Columbretes islands (Mediterranean, Spain). *Journal of Arid Environments* 73: 378-380.
- Castilla, A. M. and Labra, A. 1998. Predation and spatial distribution of the lizard *Podarcis hispanica atrata*: an experimental approach. *Acta Oecologica* 19: 107-114.
- Castilla, A. M., Bauwens, D., Van Damme, R. and Verheyen, R. F. 1989. Notes on the biology of the high altitude lizard *Lacerta bedriagae*. *Herpetological Journal* 1: 400-403.
- Castilla, A. M., Van Damme, R. and Bauwens, D. 1999. Field body temperatures, mechanisms of thermoregulation and evolution of thermal characteristics in lacertid lizards. *Natura Croatica*, 8: 253-274.
- Castilla, A. M., Herrel, A. and Gosa, A. 2008. Mainland versus island differences in behaviour of *Podarcis* lizards confronted with dangerous prey: the scorpion *Butthius occitanus*. *Journal of Natural History*, 42: 2331-2342.
- Castilla, A. M., Vanhooydonck, B. and Catenazzi, A. 2008. Feeding behaviour of the Columbretes lizard *Podarcis atrata*, in relation to isopoda (Crustaceae) species: *Ligia italicica* and *Armadillo officinalis*. *Belgian Journal of Zoology*
- Castilla, A. M., Valdeon, A., Coghlneanu, D., Gosa, A., Alkuwary, A., Saifelnsar, E. O. H., Al Naimi, S. and Al-Hemaidi, A. A. M. 2013. First record of a gecko species to the fauna of Qatar: *Hemidactylus persicus* Anderson, 1872 (Gekkonidae). QScience Connect 2013.28 <http://dx.doi.org/10.5339/2013.28>
- Castillo, G. N., Acosta, J. C. and Acosta, R. 2019. *Lioalaemus fitzgeraldi* (Fitzgerald's tree iguana). *Endoparasites*. *Herpetological Review* 50: 578-579.
- Castillo, G. N., Gonzalez-Rivas, C. J. and Acosta, J. C. 2019. *Lioalaemus elongata* (helco lizard). *Endoparasites*. *Herpetological Review* 50: 579.
- Castillo, G. N., Ramallo, G. and Acosta, J. C. 2019. *Pristidactylus scalipatus* (Burmeister's anole). *Endoparasites*. *Herpetological Review* 50: 378.
- Castrillon, M. I. and Strussman, C. 1998. Nova especie de *Bachia* e a presencia de *B. dorbignyi* (Dumeril & Bibron) no sudoeste de Mato Grosso, Brasil (Sauria, Gymnophthalmidae). *Revista Brasileira de Zoologia* 15: 567-581.
- Castro, S. A. 2019. Biología reproductiva de cuatro especies de lagartos (*Lioalaemidae*) en los Andes centrales de San Juan, Argentina.
- Castro, S. A., Jimenez, J. E. and Jaksic, F. M. 1991. Diet of the racerunner *Callopistes palluma* in North-Central Chile. *Journal of Herpetology* 25: 127-129.
- Castro, S. A., Laspia, A. and Acosta, J. C. 2013. Annual and intrapopulational variation in diet of *Phymaturus cf. palluma* (Iguania: Liolaemidae) from the Central Andes in Argentina. *Revista Mexicana de Biodiversidad* 84: 1258-1264.
- Castro, S. A., Boretto, J. M., Blanco, G. M. and Acosta, J. C. 2018. Adjustment of the reproductive activity of vulnerable lizard *Phymaturus williamsi* at high altitudes. *Herpetological Conservation and Biology*, 13: 283-293.
- Castro, D. P., Mangia, S., Magalhaes, F. M., Rohr, D. L., Camurugi, F., da Silveira-Filho, R. R., da Silva, M. M. X., Andrade-Oliveira, J. A., de Sousa, T. A., Franca, F. G. R., Harris, D. J., Garda, A. A. and Borges-Nojosa, D. M. 2019. Herpetofauna of protected areas in the Caatinga VI: the Ubajara National Park, Ceará, Brazil. *Herpetology Notes*, 12: 727-742.
- Castro-Franco, R. and Uribe-Pena, Z. 1992. Two new subspecies of *Phyllodactylus lanei* (Sauria: Gekkonidae). *Anales del Instituto de Biología Universidad Nacional Autónoma de México Serie Zoología* 63: 113-123.
- Castro-Franco, R. and Zagal, M. G. B. 2003. Lagartijas de Morelos, Mexico: distribución, hábitat y conservación. *Acta Zoologica Mexicana* 88: 123-142.
- Castro-Franco, R. and Zagal, M. G. B. 2004. Additional records and range extensions of reptiles from Morelos, Mexico. *Herpetological Review* 35: 196-197.
- Castro-Franco, R., Bustos-Zagal, M. G. and Mendez-De la Cruz, F. R. 2011. Variation in parental investment and relative clutch mass of the spiny-tail iguana, *Ctenosaura pectinata* (Squamata: Iguanidae) in central Mexico. *Revista Mexicana de Biodiversidad* 82: 199-204.
- Castro-Franco, R., Bustos-Zagal, M. G. and Trujillo-Jimenez, P. 2017. Diet composition of *Sceloporus horridus* horridus (Sauria: Phrynosomatidae) in tropical deciduous forest, Mexico. *Zoologica Mexicana*, 33: 443-449.
- Castro-Herrera, F. 1994. Anfibios y reptiles del llano. Cristina Uribe Ediciones.
- Castro-Herrera, F. 1988. Niche structure on an anole community in a tropical rain forest within the Chocó Region of Colombia. DPhil Thesis, North Texas State University.
- Castro-Herrera, F. and Vargas-Salinas, F. 2008. Anfibios y reptiles en el departamento del Valle del Cauca, Colombia. *Biota Colombiana* 9: 251-277.
- Castro-Herrera, F., Bolívar-García, W. and Herrera-Montes, M. I. 2007. Guía de los anfibios y reptiles del Bosque de Yotoco, Valle del Cauca - Colombia. Grupo de investigación Laboratorio de Herpetología, Universidad del Valle.
- Castro-Herrera, F., Valencia, A. and Villaquirán, D. 2012. Diversidad de anfibios y reptiles del Parque Nacional Natural isla Gorgona. Feria impresores SA Cali, Colombia.
- Castro-Herrera, F. and Diaz, H. G. 1993. Distribución de *Stenocercus guentheri* (Sauria: Iguanidae) en el sur de los Andes de Colombia. *Caldasia*, 17: 295-300.

- Castro-Mello 2000  
 Castro-Mello 2003  
 Catenazzi and Donnelly 2007a  
 Catenazzi and Donnelly 2007b  
 Catenazzi et al. 2005  
 Catenazzi et al. 2013  
 Cattaneo 1984  
 Cattaneo 2006  
 Cattaneo 2010  
 Cattaneo 2018  
 Cavalcanti et al. 2014
- Cazares-Hernandez et al. 2017  
 Ceacero et al. 2010  
 Cecchetto and Naretto 2015  
 Cedeno-Vazquez et al. 2003  
 Cei 1978  
 Cei 1982  
 Cei 1986  
 Cei 1993  
 Cei and Castro 1973  
 Cei and Scolaro 1983  
 Cei and Scolaro 1996  
 Cei and Scolaro 2006  
 Cei and Scrocchi 1991  
 Cei and Videla 2003  
 Cei et al. 1983  
 Cei et al. 2003
- Ceirans and Nikolajeva 2017  
 Cejudo and Marquez 2001  
 Censky 1986  
 Censky 1995  
 Censky 1998  
 Censky and Paulson 1992  
 Censky et al. 1998  
 Centeno et al. 2014
- Ceriaco 2012  
 Ceriaco 2014
- Ceriaco and Bauer 2018  
 Ceriaco and Sousa 2017  
 Ceriaco et al. 2014  
 Ceriaco et al. 2016a
- Ceriaco et al. 2016b
- Ceriaco et al. 2017  
 Ceriaco et al. 2018a  
 Ceriaco et al. 2018b
- Cernansky and Auge 2013  
 Cervenka and Kratochvil 2010  
 Cervenka et al. 2008  
 Cesarec and Zadravec 2018
- Castro-Mello, C. 2000. A new species of Amphisbaena from Central Brasil (Squamata: Amphisbaenidae). *Papeis Avulsos de Zoologia* 41: 243-246.  
 Castro-Mello, C. 2003. Nova especie de Bronia Gray, 1845, do estado do Tocantins, Brasil (Squamata: Amphisbaenidae). *Papeis Avulsos de Zoologia*, 43: 139-143.  
 Catenazzi , A. and Donnelly, M. A. 2007. Distribution of geckos in northern Peru: Long-term effect of strong ENSO events? *Journal of Arid Environments* 71: 327-332.  
 Catenazzi, A. and Donnelly, M. A. 2007. The Ulva connection. Marine green algae subsidize terrestrial consumers in coastal Peru. *Oikos*, 116: 75-86.  
 Catenazzi, A., Carrillo, J. and Donnelly, M. A. 2005. Seasonal and geographic eurythermy in a coastal Peruvian lizard. *Copeia*, 4: 713-723.  
 Catenazzi, A., Lehr, E. and May, R. V. 2013. The amphibians and reptiles of Manu National Park and its buffer zone, Amazon basin and eastern slopes of the Andes, Peru. *Biota Neotropica*, 13: 269-283.  
 Cattaneo, A. 1984. Reperti erpetologici nelle Cicladi occidentali: *Testudo marginata* a Milos, *Hemidactylus turcicus* ed *Elaphe situla* a Sifnos (Reptilia). *Natura (Milan)*, 75: 75-78.  
 Cattaneo, A. 2006. Contributo alla conoscenza dell'erpetofauna dell'isola Egea di Nisyros (Dodecaneso) (Reptilia). *Naturalista Siciliano*, serie 4, 30: 485-494.  
 Cattaneo, A. 2010. Osservazioni sui rettili delle isole Egee di Karpathos e Kasos (Dodecaneso Meridionale) (Reptilia). *Naturalista Siciliana* 34: 29-47.  
 Cattaneo, A. 2018. The herpetofauna of the Aegean islands of Oinousses (NE Aegean) and Lipsi (N Dodecanese). *Naturalista Siciliano* 42: 273-297.  
 Cavalcanti, L. B. Q., Costa, T. B., Colli, G. R., Costa, G. C., Franca, F. G. R., Mesquita, D. O., Palmeira, C. N. S., Pelegrin, N., Soares, A. H. B., Tucker, D. B. and Garda, A. A. 2014. Herpetofauna of protected areas in the Caatinga ii: Serra da Capivara National Park, Piaui, Brazil. *Check List* 10: 18-27.  
 Cazares-Hernandez, E., Urbano-Torrez, C. U., Lazaro-Vazquez, A. and Jimeno-Sevilla, H. D. 2017. *Xenosaurus grandis* (Gray, 1856). Diet (predation on Aquiloeurycea). *Mesoamerican Herpetology* 4: 931-933.  
 Ceacero, F., Garcia-Munoz, E., Pedrajas, L., Perera, A. and Carretero, M. A. 2010. Tarentola and other gekkonid records from Djebel Ouarkziz (SW Morocco). *Acta Herpetologica* 5: 13-17.  
 Cecchetto, N. R. and Naretto, S. 2015. Do sex, body size and reproductive condition influence the thermal preferences of a large lizard? A study in *Tupinambis merianae*.  
 Cedeno-Vazquez, J. R., Calderon, R. and Pozo, C. 2003. New distributional records for amphibians and reptiles from Quintana Roo on the Yucatan Peninsula, Mexico. *Herpetological Review*, 2003, 34: 393-395.  
 Cei, J. M. 1978. A new species of *Liolemaus* (*Sauria: Iguanidae*) from the Andean Mountains of the southern Mendoza volcanic region of Argentina. *Occasional Papers of the Museum of Natural History, University of Kansas* 76: 1-6.  
 Cei, J. M. 1982. A new endemic lizard from Sierra Pie de Palo in western Argentina. *Journal of Herpetology*, 16: 179-182.  
 Cei, J. M. 1986. Reptiles del centro, centro-oeste y sur de la Argentina. *Herpetofauna de las zonas aridas y semiaridas*. Museo Regionale di Scienze Naturali, Torino. 527 pp.  
 Cei, J. M. 1993. Reptiles del noroeste, noreste y este de la Argentina. *Museo Regionale di Scienze Naturali*, Torino, Monografie 14: 1-949.  
 Cei, J. M. and Castro, L. P. 1973. Taxonomic and serological researches on the *Phymaturus patagonicus* complex. *Journal of Herpetology*, 7: 237-247.  
 Cei, J. M. and Scolaro, J. A. 1983. Una nueva forma geográfica de *Liolemaus kingi* de Santa Cruz, Argentina (Lacertilia, Iguanidae). *Neotropica* 29: 209-214.  
 Cei, J. M. and Scolaro, J. A. 1996. A new species of *Liolemaus* of the archeforus group from the precordilleran valley of the Zeballos river, Santa Cruz Province, Argentina (Reptilia, Tropiduridae). *Museo Regionale di Scienze Naturali Bollettino* (Torino) 14: 389-401.  
 Cei, J. M. and Scolaro, J. A. 2006. The neotype of the type species of the neotropical iguanian genus *Phymaturus*: a critical commentary on a recent opinion of the international Commission on Zoological Nomenclature. *Zootaxa* 1297:  
 Cei, J. M. and Scrocchi, G. 1991. A poorly known and discussed species, *Cnemidophorus leachei* Peracca 1897, and general remarks on the genus *Cnemidophorus* in Argentina (Lacertilia, Teiidae). *Bullettino del Museo Regionale di Scienze Naturali*, Torino 9: 233-244.  
 Cei, J. M. and Videla, F. 2003. A new *Phymaturus* species from volcanic cordilleran mountains of the south-western Mendoza province, Argentina (Liolemaidae, Iguania, Lacertilia, Reptilia). *Bullettino Museo Regionale di Scienze Naturali - Torino* 20: 291-314.  
 Cei, J. M., Etheridge, R. and Videla, F. 1983. Especies nuevas de iguanidos del noroeste de la provincia de San Juan (Reserva provincial San Guillermo), Argentina. *Deserta* 7: 316-323.  
 Cei, J. M. Videla, F. and Vicente, L. 2003. From oviparity to viviparity: a preliminary note on the morphometric differentiation between oviparous and viviparous species assigned to the genus *Liolemaus* (Reptilia, Squamata, Liolemaidae). *Journal of Zoological Systematics and Evolutionary Research* 41: 152-156.  
 Ceirans, A. and Nikolajeva, L. 2017. Habitat ecology of the smooth snake *Coronella austriaca* and its reptilian prey in the degraded bog with implications for artificial refuge surveys. *Zoology and Ecology*, 27: 19-29.  
 Cejudo, D. and Marquez, R. 2001. Sprint performance in the lizards *Gallotia simonyi* and *Gallotia stehlini* (Lacertidae): implications for species management. *Herpetologica*, 57: 87-98.  
 Censky, E. J. 1986. *Sceloporus graciosus*. Catalogue of American Amphibians and Reptiles 386: 1-4.  
 Censky, E. J. 1995. Reproduction in two Lesser Antillean populations of *Ameiva plei* (Teiidae). *Journal of Herpetology*, 29: 553-560.  
 Censky, E. J. 1998. *Ameiva plei*. Catalogue of American Amphibians and Reptiles 671: 1-3.  
 Censky, E. J. and Paulson, D. R. 1992. Revision of the *Ameiva* (Reptilia: Teiidae) of the *Anguilla* Bank, West indies. *Annals of the Carnegie Museum* 61: 177-195.  
 Censky, E. J., Hodge, K. and Dudley, J. 1998. Over-water dispersal of lizards due to hurricanes. *Nature*, 395: 556.  
 Centeno, F. C., Texeira, M., Recoder, R., Andrade, D. V. and Rodrigues, M. T. 2014. Updated distribution map of *Acratosaura mentalis* (Squamata, Gymnophthalmidae) with a note on feeding ecology of the treefrog *Bokermannohyla alvarengai* (Anura, Hylidae). *Herpetology Notes*, 7: 783-786.  
 Ceriaco, L. M. P. 2012. Human attitudes towards herpetofauna: The influence of folklore and negative values on the conservation of amphibians and reptiles in Portugal. *Journal of Ethnobiology and Ethnomedicine*, 8: 8.  
 Ceriaco, L. M. 2014. Some historical notes about the possible precedence of "Lacerta Xiphidiura" Carvalho, 1836, as the first identification of the Brazilian Spiny-tailed lizard *Hoplocercus spinosus* Fitzinger, 1843, and general remarks on early nineteenth century Portuguese zoology. *Bibliotheca Herpetologica*, 11: 42-55.  
 Ceriaco, L. M. P. and Bauer, A. M. 2018. An integrative approach to the nomenclature and taxonomic status of the genus *Blanus* Wagler, 1830 (Squamata: Blanidae) from the iberian Peninsula. *Journal of Natural History*, 52: 849-880.  
 Ceriaco, L. M. P. and Sousa, A. C. 2017. *Trachylepis perrotetii* (Dumeril & Bibron, 1839), African red sided skink – geographic distribution. *African Herp News*, 64: 44-46.  
 Ceriaco, L. M. P., Bauer, A. M., Blackburn, D. C. and Lavres, A. C. F. C. 2014. The herpetofauna of the Capanda Dam region, Malanje, Angola. *Herpetological Review*, 45: 667-674.  
 Ceriaco, L. M. P., de Sa, S. A. C., Bandeira, S., Valerio, H., Stanley, E. L., Kuhn, A. L., Marques, M. P., Vindum, J. V., Blackburn, D. C. and Bauer, A. M. 2016. Herpetological survey of iona National Park and Namibe Regional Natural Park, with a synoptic list of the amphibians and reptiles of Namibe Province, Southwestern Angola. *Proceedings of the California Academy of Sciences* 63: 15-61.  
 Ceriaco, L. M. P., Marques, M. P. and Bauer, A. M. 2016. A review of the genus *Trachylepis* (Sauria: Scincidae) from the Gulf of Guinea, with descriptions of two new species in the *Trachylepis maculilabris* (Gray, 1845) species complex. *Zootaxa* 4109: 284-314.  
 Ceriaco, L. M. P., Bauer, A. M., Heinecke, M. P. and Blackburn, D. C. 2017. Pulitzer's thick-toed gecko in Angola. *African Herp News* 64: 41-44.  
 Ceriaco, L. M. P., Marques, M. P. and Bauer, A. M. 2018. Miscellanea herpetologica Sanctithomae, with a provisional checklist of the terrestrial herpetofauna of Sao Tome, Principe and Annobon islands. *Zootaxa* 4387: 91-108.  
 Ceriaco, L. M. P., Marques, M. P., Bandeira, S., Blackburn, D. C. and Bauer, A. M. 2018. Herpetological survey of Cangandala National Park, with a synoptic list of the amphibians and reptiles of Malanje Province, Central Angola. *Herpetological Review* 49: 408-431.  
 Cernansky, A. and Auge, M. L. 2013. New species of the genus *Plesiolacerta* (Squamata: Lacertidae) from the Upper Oligocene (MP28) of southern Germany and a revision of the type species *Plesiolacerta lydekkeri*. *Palaeontology* 56: Cernansky, J. and Kratochvil, L. 2010. Generic reassessment and validity of the recently described species *Cyrtopodion dehakroense*. *Herpetology Notes* 3: 135-137.  
 Cervenka, J., Kratochvil, L. and Frynta, D. 2008. Phylogeny and taxonomy of the Middle Eastern geckos of the genus *Cyrtopodion* and their selected relatives. *Zootaxa* 1931: 25-36.  
 Cesarec, R. and Zadravec, M. 2018. First record of the erythronotus color morph in *Lacerta agilis bosnica* Schreiber, 1912, from Croatia. *Herpetozoa* 31: 101-102.

- Cespedez et al. 2017  
Chadwick and Slater 2005  
Chaitanya et al. 2017  
Chaitanya et al. 2019
- Chamaille-Jammes et al. 2006  
Chan 2019  
Chan and Chan 2019  
Chan and Norhayati  
Chan et al. 2019  
Chan-ard et al. 1999  
Chan-ard et al. 2015  
Chandi 2006  
Chandramouli 2009a  
Chandramouli 2009b  
Chandramouli and Amarasinghe 2015  
Chandramouli and Ganesh 2011  
Chandramouli et al. 2012  
Chang and Oh 2012  
Chang-fu 2000  
Chapman and Dell 1985  
Chapple 2003  
Chapple 2005  
Chapple 2016  
Chapple and Hitchmough 2009  
Chapple and Hitchmough 2016  
Chapple and Patterson 2007  
Chapple and Ritchie 2013  
Chapple et al. 2005
- Chapple et al. 2008a  
Chapple et al. 2008b
- Chapple et al. 2008c
- Chapple et al. 2011
- Chapple et al. 2017  
Charles and Smith 2008  
Chaudhuri and Chowdhury 2018  
Chaudhuri et al. 2015  
Chavez and Chavez-Arribasplata 2016  
Chavez et al. 2011  
Chavez et al. 2017
- Cheatsazan et al. 2008  
Cheke 1984  
Chen 1996  
Chen and Lue 1987  
Chen et al. 2001a  
Chen et al. 2001b  
Chen et al. 2003  
Chen et al. 2012  
Chen et al. 2013  
Chen et al. 2014
- Cherlin 2015
- Chettri and Bhupathy 2010
- Cespedez, J., Cacciali, P., Motte, M. and Cespedez, J. 2017. *Teius suquiensis* Avila & Martori, 1991, from Santiago del Estero, Argentina: first record and potential case of range extension. *Herpetozoa* 30: 76-78.  
Chadwick, E. A. and Slater, F. M. 2005. A population of skinks (*Mabuya* spp.) and the gecko *Hemidactylus bouvieri* boavistensis behind coastal dunes on Boa Vista, Cape Verde islands. *The Herpetological Bulletin* 92: 14-18.  
Chaitanya, R., Giri, V. B. and Deepak, V. 2017. On the recent designation of a neotype for the taxon *Calotes versicolor* (Daudin, 1802) (Reptilia: Agamidae). *Zootaxa* 4317: 585-587.  
Chaitanya, R., Giri, V. B., Deepak, V., Datta-Roy, A., Murthy, B. H. C. K. and Karanth, P. 2019. Diversification in the mountains: a generic reappraisal of the Western Ghats endemic gecko genus *Dravidogecko* Smith, 1933 (Squamata: Gekkonidae) with descriptions of six new species. *Zootaxa* 4688: 1-56.  
Chamaille-Jammes, S., Massot, M., Aragon, P. and Clober, J. 2006. Global warming and positive fitness response in mountain populations of common lizards *Lacerta vivipara*. *Global Change Biology*, 12: 392-402.  
Chan, B. P. L. 2019. Predation attempt by king cobra (*Ophiophagus hannah*) on clouded monitor (*Varanus nebulosus*) on Pulau Bintan, Riau Archipelago, Indonesia. *Southeast Asia Vertebrate Records* 2019: 11-13.  
Chan, B. P. L. and Chan, V. W. K. 2019. Herpetofauna records of two visits to Pulau Bintan, Riau Archipelago, Indonesia in 2018. *Southeast Asia Vertebrate Records* 2019: 37-39.  
Chan, K. O. and Norhayati, A. 2010. A new insular species of *Cyrtodactylus* (Squamata: Gekkonidae) from northeastern Peninsular Malaysia, Malaysia. *Zootaxa* 2389: 47-56.  
Chan, K. O., Muin, M. A., Anuar, S., Andam, J., Razak, N. and Aziz, M. A. 2019. First checklist on the amphibians and reptiles of Mount Korbu, the second highest peak in Peninsular Malaysia. *Check List* 15: 1055-1069.  
Chan-ard, T., Grossmann, W., Gumprecht, A. and Schulz, K. D. 1999. Amphibians and reptiles of Peninsula Malaysia and Thailand: an illustrated checklist. Bushmaster Publications, Wuerselen, Germany.  
Chan-ard, T., Parr, J. W. K. and Nabhitabhata, J. 2015. A field guide to the reptiles of Thailand. Oxford University Press, Oxford.  
Chandi, M. 2006. The use and knowledge of herpetofauna on little Nicobar island, India. *Conservation and Society*, 4: 155-165.  
Chandramouli, S. R. 2009. An aberrant specimen of *Calotes grandisquamis* Gunther, 1875 (Reptilia: Agamidae) with comments on its altitudinal distribution. *Taprobanica* 1: 111-114.  
Chandramouli, S. R. 2009. Status and microhabitat preferences of *Otocryptis beddomii* Boulenger, 1885 (Reptilia: Agamidae) in Ponmudi hills, Western Ghats, Kerala, India. *Taprobanica* 1: 107-110.  
Chandramouli, S. R. and Amarasinghe, A. A. T. 2015. On some recent taxonomic advancement and the resultant problems in the arboreal skink genus *Dasia* Gray, 1839 (Reptilia: Scincidae). *Zootaxa* 3914: 495-500.  
Chandramouli, S. R. and Ganesh, S. R. 2011. Herpetofauna of southern Western Ghats, India – reinvestigated after decades. *Taprobanica* 2: 72-85.  
Chandramouli, S. R., Harfikrfishnan, S. and Vasudevan, K. 2012. Record of the Indo-Pacific slender gecko *Hemiphyllodactylus typus* (Squamata: Gekkonidae) from the Andaman islands, India. *Journal of Threatened Taxa* Chang, M. H. and Oh, H.-S. 2012. Sexual size dimorphism of lacertid lizards from Korea. *Journal of Ecology and Environment* 26: 668-674.  
Chang-fu, Z. 2000. The reptiles of Jiangxi - Reptilia. *Acta Academae Medicinae Jiangxi*, 40 (supplement): 1-113.  
Chapman, A. and Dell, J. 1985. Biology and zoogeography of the amphibians and reptiles of the Western Australian wheatbelt. *Records of the Western Australian Museum* 12: 1-46.  
Chapple, D. G. 2003. Ecology, life-history, and behavior in the Australian Scincid genus *Egernia*, with comments on the evolution of complex sociality in lizards. *Herpetological Monographs* 17: 145-180.  
Chapple, D. G. 2005. Life history and reproductive ecology of White's skink, *Egernia whitii*. *Australian Journal of Zoology* 53: 353-360.  
Chapple, D. G. Editor. 2016. New Zealand lizards. Springer, New York.  
Chapple, D. G. and Hitchmough, R. A. 2009. Taxonomic instability of reptiles and frogs in New Zealand: information to aid the use of Jewell (2008) for species identification. *New Zealand Journal of Zoology* 36: 60-67.  
Chapple, D. G. and Hitchmough, R. A. 2016. Biogeography of New Zealand lizards. Pages 109-131 in Chapple, D. G. Editor. New Zealand lizards. Springer, New York.  
Chapple, D. G. and Patterson, G. B. 2007. A new skink species (Oligosoma taumakae sp. nov.; Reptilia: Scincidae) from the Open Bay Islands, New Zealand. *New Zealand Journal of Zoology* 34: 347-357.  
Chapple, D. G. and Ritchie, P. A. 2013. A retrospective approach to testing the DNA barcoding method. *PLoS ONE* 8(11): e77882. doi:10.1371/journal.pone.0077882  
Chapple, D. G., Keogh, J. S. and Hutchinson, M. N. 2005. Substantial genetic substructuring in southeastern and alpine Australia revealed by molecular phylogeography of the *Egernia whitii* (Lacertilia: Scincidae) species group. *Molecular Ecology*, 14: 1279-1292.  
Chapple, D. G., Hutchinson, M. N., Maryan, B., Plivelić, M., Moore, J. A. and Keogh, J. S. 2008. Evolution and maintenance of colour pattern polymorphism in *Liopholis* (Squamata: Scincidae). *Australian Journal of Zoology*, 56: 437-452.  
Chapple, D. G., Patterson, G. B., Bell, T. and Daugherty, C. H. 2008. Taxonomic revision of the New Zealand copper skink (*Cyclodina aenea*: Squamata: Scincidae) species complex, with descriptions of two new species. *Journal of Herpetology*, 42: 129-146.  
Chapple, D. G., Patterson, G. B., Gleeson, D. M., Daygherty, C. H. and Ritchie, P. A. 2008. Taxonomic revision of the marbled skink (*Cyclodina oliveri*, Reptilia: Scincidae) species complex, with a description of a new species. *New Zealand Journal of Zoology* 35: 129-146.  
Chapple, D. G., Bell, T. P., Chapple, S. N. J., Miller, K. A., Daugherty, C. H. and Patterson, C. H. 2011. Phylogeography and taxonomic revision of the New Zealand cryptic skink (Oligosoma inconspicuum; Reptilia: Scincidae) species complex. *Zootaxa* 2782: 1-33.  
Chapple, D. G., Keall, S. N., Daugherty, C. H. and Hare, K. M. 2017. Nest-site selection and the factors influencing hatching success and offspring phenotype in a nocturnal skink. *Amphibia-Reptilia*, 38: 363-369.  
Charles, S. P. and Smith, S. 2008. Observations of reptiles on Huevos island, Trinidad, with five lizard species newly recorded for the island. *Living World*, 2008:28-32.  
Chaudhuri, A. and Chowdhury, S. 2018. Attempted predation of *Varanus bengalensis* (Squamata: Varanidae) by *Varanus flavescens* (Squamata: Varanidae). *The Herpetological Bulletin* 145: 34.  
Chaudhuri, A., Dutta, A. and Purkayastha, J. 2015. *Chamaeleo zeylanicus* (Indian chameleon). Clutch size. *Herpetological Review* 46: 629-630.  
Chavez, G. and Chavez-Arribasplata, J. C. 2016. Distribution and natural history notes on the Peruvian lizard *Proctoporus laudahnae* (Squamata: Gymnophthalmidae). *Phyllomedusa* 15: 147-154.  
Chavez, G., Siu-Ting, K., Duran, V. and Venegas, P. J. 2011. Two new species of Andean gymnophthalmid lizards of the genus *Euspondylus* (Reptilia, Squamata) from central and southern Peru. *ZooKeys* 109: 1-17.  
Chavez, G., Catenazzi, A. and Venegas, P. J. 2017. A new species of arboreal microteiid lizard of the genus *Euspondylus* (Gymnophthalmidae: Cercosaurinae) from the Andean slopes of central Peru with comments on Peruvian *Euspondylus*. *Zootaxa* 4350: 301-316.  
Cheatsazan, H., Vahideh, R., Atabak, M. and Kami, H. G. 2008. Taxonomic status of the Yellow-Headed Agama, *Laudakia nupta fusca* (Blanford, 1876) (Sauria: Agamidae). *Zoology in the Middle East* 44: 41-50.  
Cheke, A. S. 1984. Lizards of the Seychelles. Biogeography and ecology of the Seychelles islands (ed. by D.S. Stoddart), pp. 331-360. Dr W. Junk, The Hague.  
Chen, S.-L. 1996. Notes on the reproduction of the Tsushima smooth skink, *Scincella vandenburghi*. *Japanese Journal of Herpetology* 16: 141.  
Chen, S. H. and Lue, K. Y. 1987. A new species of skink, *Sphenomorphus taiwanensis*, from Taiwan (Sauria, Scincidae). *Bulletin of the Institute of Zoology, Academia Sinica* 26: 115-121.  
Chen, S. L., Hikida, T., Han, S. H., Shim, J. H., Oh, H. S. and Ota, H. 2001. Taxonomic status of the Korean populations of the genus *Scincella* (Squamata: Scincidae). *Journal of Herpetology* 35: 122-129.  
Chen, S.-L., Ota, H. and Hikida, T. 2001. Geographic variation in the two smooth skinks, *Scincella boettgeri* and *S. formosensis* (Squamata: Scincidae), in the subtropical east Asian islands. *Zoological Science*, 18: 115-130.  
Chen, X.-J., Xu, X. F. and Ji, X. 2003. Influence of body temperature on food assimilation and locomotor performance in white-striped grass lizards, *Takydromus wolteri* (Lacertidae). *Journal of Thermal Biology* 28: 385-391.  
Chen, i-P., Stuart-Fox, D., Hugall, A. F. and Symonds, M. R. E. 2012. Sexual selection and the evolution of complex color patterns in dragon lizards. *Evolution* 66: 3605-3614.  
Chen, i-P., Symonds, M. R. E., Melville, J. E. and Stuart-Fox, D. 2013. Factors shaping the evolution of colour patterns in Australian agamid lizards (Agamidae): a comparative study. *Biological Journal of the Linnean Society*, 109: 1-10.  
Chen, T.-B., Meng, Y.-J., Jiang, K., Li, P.-P., Wen, B.-H., Lu, W., Lazell, J. and Hou, M. 2014. New record of the leopard gecko *Goniurosaurus araneus* (Squamata: Eublepharidae) for China and habitat partitioning between geographically and phylogenetically close leopard geckos. *IRCF Reptiles & Amphibians* 21: 16-27.  
Cherlin, V. A. 2015. The activity statuses and their significance in physiological ecology of reptiles and other ectothermic animals. Pages 11-54 In: V. Cherlin, ed. Some important aspects of thermal biology of reptiles. Saarbrücken, Lambert Academic Publishing.  
Chettri, B. and Bhupathy, S. 2010. Three little known reptile species from the Araku Valley, Eastern Ghats with notes on their distribution. *Journal of Threatened Taxa* 2: 1109-1113.

- Chiari et al. 2009  
 Chiari et al. 2016  
 Chippindale 1991  
 Chirikova et al. 2017  
 Chirikova et al. 2018  
 Chirikova et al. 2019  
 Chirio 2013  
 Chirio and Ineich 2006  
 Chirio and LeBreton 2007  
 Chirio et al. 2008  
 Chiszar et al. 2009  
 Chi-xian et al. 2004  
 Choi et al. 2018  
 Chondropoulos and Lykakis 1983  
 Chondropoulos, B. P. 1986  
 Chou et al. 2001  
 Chrapliwy et al. 1961  
 Christian 1988  
 Christian 2007  
 Christian and Bedford 1993  
 Christian and Bedford 1995  
 Christian and Bedford 1996  
 Christian and Garland 1996  
 Christian and Tracy 1982  
 Christian and Tracy 1985  
 Christian and Waldschmidt 1984  
 Christian and Weavers 1996  
 Christian et al. 1985  
 Christian et al. 1986  
 Christian et al. 1997  
 Christian et al. 1999  
 Christian et al. 2003  
 Christian et al. 2006  
 Christie et al. 2011  
 Christie et al. 2012  
 Christopoulos 2018  
 Chukwuka et al. 2019  
 Church 1962  
 Cicek and Goemen 2013  
 Cicek et al. 2012  
 Cicek et al. 2014  
 Cicek et al. 2015  
 Cihan and Tok 2014  
 Ciofi and De Boer 2004  
 Ciofi et al. 2007  
 Cisneros-Heredia 2005  
 Cisse and Kars 1978  
 Cisse et al. 1977  
 Civantos et al. 2003  
 Civantos et al. 2013  
 Clark 1967  
 Clark 1973  
 Clark 1990  
 Clark 1991
- Chiari, Y., Vieites, D. R., Guo, J., Bora, P. and Vences, M. 2009. High haplotype diversity in a microendemic Malagasy gecko species, *Lygodactylus mirabilis* (Pasteur, 1962). *Zootaxa* 2269: 43-52.  
 Chiari, Y., Glaberman, S., Tarroso, P., Caccone, A. and Claude, J. 2016. Ecological and evolutionary influences on body size and shape in the Galapagos marine iguana (*Amblyrhynchus cristatus*). *Oecologia* 181: 885-894.  
 Chippindale, P. 1991. Captive breeding of the Timor monitor *Varanus timorensis similis*. *Herpetological Review* 22: 52-53.  
 Chirikova, M., Berezovikov, N. and Dujsebayeva, T. 2017. The lizards of anthropogenic habitats in the southeastern Kazakhstan. *News of the National Academy of Sciences of the Republic of Kazakhstan, Series Of Biological and Medical* 320: 236-246.  
 Chirikova, M. A., Zima, Y. A. and Gubin B. M. 2018. Schneider's skink (*Eumeles schneideri* (Daudin, 1802)) as a new species for the fauna of Kazakhstan. *Current Studies in Herpetology* 18: 74-76.  
 Chirikova, M. A., Dujsebayeva, T. N., Liu, J. and Guo, X. 2019. Geographical distribution and morphological variability of the rapid racerunner, *Eremias velox* (Pallas, 1771) (Reptilia, Lacertidae) in the eastern periphery of its range. *Asian Herpetological Research* 10: 230-245.  
 Chirio, L. 2013. Inventaire des reptiles de la region de Sangaredi (Guinee maritime). *Bulletin de la Societe Herpetologique de France* 144: 67-100.  
 Chirio, L. and Ineich, I. 2006. Biogeography of the reptiles of the Central African Republic. *African Journal of Herpetology* 55: 23-59.  
 Chirio, L. and LeBreton, M. 2007. Atlas des reptiles du Cameroun. *Publications Scientifiques du Museum national d'Histoire naturelle*, Paris.  
 Chirio, L., Ineich, I., Schmitz, A. and LeBreton, M. 2008. A new species of *Trachylepis Fitzinger, 1843* (Squamata: Scincidae) from Central African forests. *African Journal of Herpetology* 57: 13-28.  
 Chiszar, D., Krauss, S., Shipley, B., Trout, T. and Smith, H. M. 2009. Response of hatchling Komodo dragons (*Varanus komodoensis*) at Denver Zoo to visual and chemical cues arising from prey. *Zoo Biology* 28: 29-34.  
 Chi-xian, L., Qing-bo, Q., Long-Hui, L. and Xiang, J. 2004. Sexual dimorphism and reproductive output in Reeves's butterfly lizards, *Leiolepis reevesii*. *Zoological Research* 25: 477-483.  
 Choi, S., Han, S., Kim, N.-H. and Lee, Y.-N. 2018. A comparative study of eggshells of Gekkota with morphological, chemical compositional and crystallographic approaches and its evolutionary implications. *PLoS ONE* 13: e0199496.  
 Chondropoulos, B. P. and Lykakis, J. J. 1983. Ecology of the Balkan wall lizard, *Podarcis taurica ionica* (Sauria: Lacertidae) from Greece. *Copeia*, 1983: 991-1001.  
 Chondropoulos, B. P. 1986. A checklist of the Greek reptiles. I. The lizards. *Amphibia-Reptilia* 7: 217-235.  
 Chou, W. H., Nguyen, T. Q. and Pauwels, O. S. G. 2001. A new species of *Takydromus* (Reptilia: Lacertidae) from Vietnam. *Herpetologica* 57: 497-508.  
 Chrapliwy, P. S., Smith, H. M. and Grant, C. 1961. Systematic status of the gekkonid lizard genera *Gehyra*, *Peropis*, *Hoplodactylus* and *Naultinus*. *Herpetologica* 17: 5-12.  
 Christian, K. A. 1988. Thermoregulation by the short-horned lizard (*Phrynosoma douglassi*) at high elevation. *Journal of Thermal Biology* 23: 395-399.  
 Christian, A. 2007. Scaling effects in monitor lizards and consequences for the evolution of large size in terrestrial vertebrates. *Mertensiella*, 16: 1-9.  
 Christian, K. and Bedford, G. 1993. High reproductive expenditure per progeny in geckos relative to other lizards. *Journal of Herpetology*, 27: 351-354.  
 Christian, K. A. and Bedford, G. S. 1995. Seasonal changes in thermoregulation by the frillneck lizard, *Chlamydosaurus kingii*, in tropical Australia. *Ecology* 76: 124-132.  
 Christian, K. and Bedford, G. 1996. Thermoregulation by the spotted tree monitor, *Varanus scalaris*, in the seasonal tropics of Australia. *Journal of Thermal Biology* 21: 67-73.  
 Christian, A. and Garland, T. 1996. Scaling of limb proportions in monitor lizards (Squamata: Varanidae). *Journal of Herpetology* 30: 219-230.  
 Christian, K. A. and Tracy, C. R. 1982. Reproductive behavior of Galapagos land iguanas, *Conolophus pallidus*, on isla Santa Fe, Galapagos. Pages 366-379 in G. M. Burghardt and A. S. Rand, editors. *Iguanas of the world: their behavior, ecology and conservation*. Noyes Publications, Park Ridge, New Jersey.  
 Christian, K. A. and Tracy, C. R. 1985. Physical and biotic determinants of space utilization by the Galapagos land iguana (*Conolophus pallidus*). *Oecologia* 66: 132-140.  
 Christian, K. A. and Waldschmidt, S. 1984. The relationship between lizard home range and body size: A reanalysis of the data. *Herpetologica* 40: 68-75.  
 Christian, K. A. and Weavers, B. W. 1996. Thermoregulation of monitor lizards in Australia: an evaluation of methods in thermal biology. *Ecological Monographs*, 66: 139-157.  
 Christian, K. A., Tracy, C. R. and Porter, W. P. 1985. Inter-individual and intra-individual variation in body temperatures of the Galapagos land iguana *Conolophus pallidus*. *Journal of Thermal Biology*, 10: 47-50.  
 Christian, K. A., Clavijo, I. E., Cordero-Lopez, N., Elias-Maldonado, E. E., Franco, M. A., Lugo-Ramirez, M. V. and Marengo, M. 1986. Thermoregulation and energetics of a population of Cuban iguanas (*Cyclura nubila*) on isla Magueyes, Puerto Rico. *Copeia*, 1986: 65-69.  
 Christian, K. A., Baudinette, R. V. and Pamula, Y. 1997. Energetic costs of activity by lizards in the field. *Functional Ecology*, 11: 392-397.  
 Christian, K., Bedford, G., Green, B., Griffiths, A., Newgrain, K. and Schultz, T. 1999. Physiological ecology of a tropical dragon, *Lophognathus temporalis*. *Australian Journal of Ecology* 24: 171-181.  
 Christian, K. A., Webb, J. K. and Schultz, T. J. 2003. Energetics of bluetongue lizards (*Tiliqua scincoides*) in a seasonal tropical environment. *Oecologia*, 136: 515-523.  
 Christian, K. A., Tracy, C. R. and Tracy, C. R. 2006. Evaluating thermoregulation in reptiles: an appropriate null model. *The American Naturalist*, 168: 421-430.  
 Christie, K., Craig, M. D., Stokes, V. L. and Hobbs, R. J. 2011. Movement patterns by *Egernia napoleonis* following reintroduction into restored jarrah forest. *Wildlife Research*, 38: 475-481.  
 Christie, K., Craig, M. D., Stokes, V. L. and Hobbs, R. J. 2012. Home range size and micro-habitat density requirements of *Egernia napoleonis*: implications for restored jarrah forest of South Western Australia. *Restoration Ecology*  
 Christopoulos, A. 2018. First record of *Podarcis erhardii* (Bedriaga, 1886) from Paros island (Cyclades), Greece (Squamata: Lacertidae). *Herpetology Notes*, 11, pp.117-119.  
 Chukwuka, C. O., Virens, J. and Cree, A. 2019. Accuracy of an inexpensive, compact infrared thermometer for measuring skin surface temperature of small lizards. *Journal of Thermal Biology* 84: 285-291.  
 Church, G. 1962. The reproductive cycles of the Javanese house geckos, *Cosymbotus platyrurus*, *Hemidactylus frenatus*, and *Peropus mutillatus*. *Copeia*, 1962: 262-269.  
 Cicek, K. and Goemen, B. 2013. Food composition of ocellated skink, *Chalcides ocellatus* (Forskal, 1775) (Squamata: Scincidae), from the Cyprus island. *Acta Herpetologica* 8: 167-170.  
 Cicek, K., Kumas, M., Ayaz, D. and Tok, C. V. 2012. Preliminary data on the age structure of *Phrynocephalus horvathi* in Mount Ararat (Northeastern Anatolia, Turkey). *Biharean Biologist* 6: 112-115.  
 Cicek, K., Tok, C. T., Hayretdag, S. and Ayaz, D. 2014. Data on the food composition of European glass lizard, *Pseudopus apodus* (Pallas, 1775) (Squamata: Anguidae) from Canakkale (Western Anatolia, Turkey). *Acta Zoologica Bulgarica* 66: 433-436.  
 Cicek, K., Afşar, M., Kumas, M., Ayaz, D. and Tok, C. V. 2015. Age, growth and longevity of Kotschy's gecko, *Mediodactylus kotschyi* (Steindachner, 1870) (Reptilia, Gekkonidae) from Central Anatolia, Turkey. *Acta Zoologica Cihani, D. and Tok, C. V. 2014. Herpetofauna of the vicinity of Aksehir and Eber (Konya, Ayyon), Turkey. Turkish Journal of Zoology*, 38: 234-241.
- Ciofi, C. and De Boer, M. 2004. Distribution and conservation of the Komodo monitor *Varanus komodoensis*. *Herpetological Journal* 14: 99-107.  
 Ciofi, C., Puswati, J., Winana, D., de Boer, M. E., Chelazzi, G. and Sastrawan, P. 2007. Preliminary Analysis of Home Range Structure in the Komodo Monitor, *Varanus komodoensis*. *Copeia*, 2007: 462-470.  
 Cisneros-Heredia, D. F. 2005. Enyalioiodes cofanorum (Cofan wood lizard), reproduction. *Herpetological Review* 36: 176-177.  
 Cisse, M. and Karns, D. R. 1978. Saurians from Senegal. *Bulletin de l'Institut Fondamental d'Afrique Noire Serie A Sciences Naturelles*, 40: 144-211.  
 Cisse, M., Karns, D. R. and Karns, K. C. 1977. Aspects of the ecology of Acanthodactylus dumerili Sauria Lacertidae in Senegal. *Bulletin de l'Institut Fondamental d'Afrique Noire Serie A Sciences* 39: 190-218.  
 Civantos, E., Martin, J. and Lopez, P. 2003. Fossilorial life constrains microhabitat selection of the amphisbaenian *Trogonophis wiegmanni*. *Canadian Journal of Zoology* 81: 1839-1844.  
 Civantos, E., Ortega, J., Lopez, P., Perez-Cembranos, A., Perez-Mellado, V. and Martin, J. 2013. Diet selection by the threatened Chafarinas' skink *Chalcides parallelus* in North Africa. *African Journal of Herpetology* 62: 78-89.  
 Clark, R. J. 1967. Herpetofauna of the islands of the Argo-Saronic Gulf, Greece. *Proceedings of the California Academy of Sciences* 35: 23-36.  
 Clark, D. R. 1973. Temperature responses of three Costa Rican lizards (Anolis). *Caribbean Journal of Science* 13: 199-206.  
 Clark, R. 1990. A report on herpetological observations in Afghanistan. *British Herpetological Society Bulletin* 33: 20-24.  
 Clark, D. L. 1991. Agama atra atra. Southern rock agama. *Reproduction. Journal of the Herpetological Association of Africa* 39: 21.

- Clark et al. 2015  
 Clark et al. 2016  
 Clarke 2000  
 Clause et al. 2016a  
 Clause et al. 2016b  
 Clause et al. 2016c  
 Clause et al. 2016d  
 Clause et al. 2018  
 Clausen 1938  
 Clemann 2015a  
 Clemann 2015b  
 Clemann et al. 2004  
 Clemann et al. 2008  
 Clemente et al. 2008  
 Clemente et al. 2009a  
 Clemente et al. 2009b  
 Clerke and Alford 1993  
 Clober et al. 1998  
 Cloete et al. 2019  
 Cloudsley-Thompson 1971  
 Clusella-Trullas and Botes 2008  
 Clusella-Trullas and Chown 2014  
 Clusella-Trullas et al. 2007  
 Clusella-Trullas et al. 2009  
 Cobos 2019  
 Cobos et al. 2016  
 Cochran 1922  
 Cochran 1927  
 Cochran 1933  
 Cochran 1938  
 Cochran 1941  
 Coddington and Cree 1997  
 Cogalniceanu et al. 2013  
 Cogger 1972  
 Cogger 1975  
 Cogger 1979  
 Cogger 2000  
 Cogger 2005  
 Cogger 2014  
 Cogger et al. 1983  
 Colacicco et al. 2018a  
 Colacicco et al. 2018b  
 Cole 1968  
 Cole and Dessauer 1993  
 Cole and Kok 2006  
 Cole et al. 1990  
 Cole et al. 1995  
 Cole et al. 2013  
 Cole et al. 2014  
 Colina et al. 2012  
 Collar et al. 2010  
 Collar et al. 2011
- Clark, D. L., Macedonia, J. M., Rowe, J. W., Stuart, M. A., Kemp, D. J. and Ord, T. J. 2015. Evolution of displays in Galapagos lava lizards: comparative analyses of signalers and robot playbacks to receivers. *Animal Behaviour* 109: 1-10.
- Clark, D. L., Macedonia, J. M., Gillingham, J. C., Rowe, J. W., Kane, H. J. and Valle, C. A. 2016. Why does conspecific display recognition differ among species of Galapagos lava lizards? A test using lizard robots. *Herpetologica*, 72(1), 1-10.
- Clarke, S. 2000. Management of the pygmy bluetongue lizard (*Tiliqua adelaidensis*) on private grazing properties, Mid-North SA. *Environment Australia*, Canberra.
- Clause, A. G., Jimenez-Velazquez, G. and Perez-Mendoza, H. A. 2016. *Abronia graminea* (Cope, 1864). Color variant. *Mesoamerican Herpetology* 3: 142-145.
- Clause, A. G., Pavon-Vazquez, C. J., Scott, P. A., Murphy, C. M., Schaad, E. W. and Gray, L. N. 2016. Identification uncertainty and proposed best-practices for documenting herpetofaunal geographic distributions, with applied examples from southern Mexico. *Mesoamerican Herpetology* 3: 977-1000.
- Clause, A. G., Solano-Zavaleta, I. and Vazquez-Vega, L. F. 2016. Captive reproduction and neonate variation in *Abronia graminea* (Squamata: Anguidae). *Herpetological Review*, 47(3), 231-234.
- Clause, A. G., Solano-Zavaleta, I., Jimenez-Velazquez, G. and Heimes, P. 2016. Morphological variation and natural history in the enigmatic lizard clade *Scopaeabraonia* (Squamata: Abronia). *Herpetological Review* 47: 536-537.
- Clause, A. G., Solano-Zavaleta, I. and Soto-Huerta, K. A. 2018. Morphological similarity in a zone of sympatry between two *Abronia* (Squamata: Anguidae), with comments on ecology and conservation. *Herpetological Conservation and Biology*, 13: 183-193.
- Clausen, R. T. 1938. Notes on *Eumeces anthracinus* in Central New York. *Copeia* 1938: 3-7.
- Clemann, N. 2015. Cold-blooded indifference: a case study of the worsening status of threatened reptiles from Victoria, Australia. *Pacific Conservation Biology* 21: 15-26.
- Clemann, N. 2015. Cold-blooded indifference: a case study of the worsening status of threatened reptiles from Victoria, Australia. *Pacific Conservation Biology*, 21: 15-26.
- Clemann, N., Chapple, D. G. and Wainer, J. 2004. Sexual dimorphism, diet, and reproduction in the Swamp Skink, *Egernia coventryi*. *Journal of Herpetology* 38: 461-467.
- Clemann, N., Melville, J., Ananjeva, N. B., Scroggie, M. P., Milton, K. and Kreuzberg, E. 2008. Microhabitat occupation and functional morphology of four species of sympatric agamid lizards in the Kyzylkum Desert, central Uzbekistan. *Animal Biodiversity and Conservation*, 31: 51-62.
- Clemente, C. J., Withers, P. C., Thompson, G. and Lloyd, D. 2008. Why go bipedal? locomotion and morphology in Australian agamid lizards. *Journal of Experimental Biology* 211: 2058-2065.
- Clemente, C. J., Thompson, G. G. and Withers, P. C. 2009. Evolutionary relationships of sprint speed in Australian varanid lizards. *Journal of Zoology* 278: 270-280.
- Clemente, C. J., Withers, P. C. and Thompson, G. G. 2009. Metabolic rate and endurance capacity in Australian varanid lizards (Squamata: Varanidae; *Varanus*). *Biological Journal of the Linnean Society* 97: 664-676.
- Clerke, R. B. and Alford, R. A. 1993. Reproductive cycling in four species of tropical Australian lizards, and comments on the factors regulating lizard reproductive cycles. *Journal of Herpetology* 27: 400-406.
- Clobert, J., Garland, T. and Barbault, R. 1998. The evolution of demographic tactics in lizards: a test of some hypotheses concerning life history evolution. *Journal of Evolutionary Biology* 11: 329-364.
- Cloete, B. N., Mohamed, R., Ponton, T. J., Tokota, S. and Maritz, B. 2019. *Gerrhosaurus typicus* (Smith, 1837). Karoo plated lizard. Geographical distribution. *African Herp News* 71: 40-42.
- Cloudsley-Thompson, J. L. 1971. The temperature and water relations of reptiles. *Merrow*, Watford.
- Clusella-Trullas, S. and Botes, A. 2008. Faecal analysis suggests generalist diets in three species of Western Cape cordyliids. *African Zoology* 43: 125-130.
- Clusella-Trullas, S. and Chown, S. L. 2014. Lizard thermal trait variation at multiple scales: a review. *Journal of Comparative Physiology B*, 184: 5-21.
- Clusella-Trullas, S., Terblanche, J. S., van Wyk, J. H. and Spotila, J. R. 2007. Low repeatability of preferred body temperature in four species of cordyliid lizards: temporal variation and implications for adaptive significance. *Evolutionary Ecology* 21: 63-79.
- Clusella-Trullas, S., Van Wyk, J. H. and Spotila, J. R. 2009. Thermal benefits of melanism in cordyliid lizards: a theoretical and field test. *Ecology*, 90: 2297-2312.
- Cobos, A. 2019. An introduction to Gollum's Rule with an assessment of convergent evolution among cave-dwelling Malaysian bent-toed geckos. MSc. Thesis, California State University, Northridge.
- Cobos, A., Grismer, L. L., Wood, P. L., Quah, E. S. H., Anuar, S. and Muin, M. A. 2016. Phylogenetic relationships of geckos of the *Hemiphyllodactylus harterti* group, a new species from Penang island, Peninsular Malaysia, and a likely case of true cryptic speciation. *Zootaxa* 4107: 367-380.
- Cochran, D. M. 1922. Description of a new species of agamid lizard from the Malay Peninsula. *Proceedings of the United States National Museum* 60: 1-3.
- Cochran, D. M. 1927. New reptiles and batrachians collected by Dr. Hugh M. Smith in Siam. *Proceedings of the Biological Society of Washington*, 40: 179-192.
- Cochran, D. M. 1933. A new gecko from Haiti, *Aristelliger expectatus*. *Proceedings of the Biological Society of Washington* 46: 33-35.
- Cochran, D. M. 1938. Reptiles and amphibians from the Lesser Antilles collected by Dr. S. T. Danforth. *Proceedings of the Biological Society of Washington*, 51: 147-156.
- Cochran, D. 1941. The herpetology of Hispaniola. *Bulletin of the U.S. National Museum* 177: 1-398.
- Coddington, E. J. and Cree, A. 1997. Population numbers, response to weather, movements and management of the threatened New Zealand skinks *Oligosoma grande* and *O. otagense* in tussock grassland. *Pacific Conservation Biology* 3: 1-10.
- Cogalniceanu, D., Rozylowicz, L., Szekely, P., Samoilă, C., Stanescu, F., Tudor, M., Szekely, D. and Iosif, R. 2013. Diversity and distribution of reptiles in Romania. *ZooKeys* 341: 49-76.
- Cogger, H. G. 1972. A new scincid lizard of the genus *Tribolodonotus* from Manus island, New Guinea. *Zoologische Mededelingen* 47: 202-210.
- Cogger, H. G. 1975. New lizards of the genus *Pseudothecadactylus* (Lacertilia: Gekkonidae) from Arnhem Land and northwestern Australia. *Records of the Australian Museum* 30: 87-97.
- Cogger, H. G. 1979. Type specimens of reptiles and amphibians in the Australian Museum. *Records of the Australian Museum* 32: 163-210.
- Cogger, H. G. 2000. Reptiles and amphibians of Australia. 6th ed. Sanibel island, FL : Ralph Curtis Publishing.
- Cogger, H. 2005. Background Information on Lister's gecko (*Lepidodactylus listeri*) and the Christmas Island blind snake (*Typhlops exocoeti*). Department of the Environment and Heritage, Canberra.
- Cogger, H. G. 2014. Reptiles and amphibians of Australia. 7th ed. CSIRO Publishing, Collingwood.
- Cogger, H., Sadlier, R. and Cameron, E. 1983. The terrestrial reptiles of Australia's island territories. *Australian National Parks and Wildlife Service Special Publication* 8: 1-79.
- Colacicco, F., Zwanzig, B. M., Grossmann, W., Kowalski, T. and Zilger, H-J. 2018. Herpetological observations on Al Hallaniyat Island, in the Dhofar Region of the Sultanate of Oman, with new geographic distribution records. *Sauria* 10(1): 1-10.
- Colacicco, F., Zwanzig, M-B., Grossmann, W. and Kowalski, T. 2018. Notes on the natural history of *Trachydactylus spatalurus* (Anderson, 1901) in southwestern Oman. *Herpetology Notes* 11: 239-242.
- Cole, C. J. 1968. *Sceloporus virgatus*. Catalogue of American Amphibians and Reptiles 72: 1-2.
- Cole, C. J. and Dessauer, H. C. 1993. Unisexual and bisexual whiptail lizards of the *Cnemidophorus lemniscatus* complex (Squamata: Teiidae) of the Guiana Region, South America, with descriptions of new species. *American Museum Novitates* 3081: 1-30.
- Cole, C. J. and Kok, P. J. R. 2006. A new species of gekkonid lizard (*Sphaerodactylinae: Gonatodes*) from Guyana, South America. *American Museum Novitates* 3254: 1-13.
- Cole, C. J., Dessauer, H. C., Townsend, C. R. and Arnold, M. G. 1990. Unisexual Lizards of the Genus *Gymnophthalmus* (Reptilia: Teiidae) in the Neotropics: Genetics, Origin, and Systematics. *American Museum Novitates* 2994: 1-10.
- Cole, C. J., Dessauer, H. C., Townsend, C. R. and Arnold, M. G. 1995. *Kentropyx borchkiana* (Squamata, Teiidae): a unisexual lizard of hybrid origin in the Guiana region, South America. *American Museum Novitates* 3145: 1-23.
- Cole, C. J., Townsend, C. R., Reynolds, R. P., MacCulloch, R. D. and Lathrop, A. 2013. Amphibians and reptiles of Guyana, South America: illustrated keys, annotated species accounts, and a biogeographic synopsis. *Proceedings of the Biological Society of Washington*, 125: 317-578.
- Cole, C. J., Taylor, H. L., Baumann, D. P. and Baumann, P. 2014. Neaves' whiptail lizard: the first known tetraploid parthenogenetic tetraploid (Reptilia: Squamata: Teiidae). *Breviora* 539: 1-19.
- Colina, M., Arrieta, D. and Carreira, S. 2012. *Ophiodes intermedius* Bouleenger, 1894 (Squamata: Anguidae): Uruguay distribution extension with conservation comments. *Checklist*, 8: 896-897.
- Collar, D. C., Schulte, J. A., O'Meara, B. C. and Losos, J. B. 2010. Habitat use affects morphological diversification in dragon lizards. *Journal of Evolutionary Biology* 23: 1033-1049.
- Collar, D. C., Schulte, J. A. and Losos, J. B. 2011. Evolution of extreme body size disparity in monitor lizards (*Varanus*). *Evolution* 65: 2664-2680.

- Collette 1962  
 Colli 1991  
 Colli and Zamboni 1999  
 Colli et al. 2002  
 Colli et al. 2003a  
 Colli et al. 2003b  
 Colli et al. 2003c  
 Colli et al. 2009  
 Colli et al. 2015  
 Colli et al. 2016  
 Collins 1971  
 Colston et al. 2015  
 Comas et al. 2014  
 Comas et al. 2016a  
 Comas et al. 2016b  
 Comas et al. 2019  
 Commins and Savitzky 1973  
 Conant and Collins 1998  
 Conant and Hudson 1949  
 Congdon et al. 1978  
 Connette et al. 2017  
 Connolly and Cree 2008  
 Conover et al. 2015  
 Conrad and Bradley 2009  
 Conrad et al. 2012  
 Conradie 2012a  
 Conradie 2012b  
 Conradie 2012c  
 Conradie and Bourquin 2013  
 Conradie et al. 2011  
 Conradie et al. 2012  
 Conradie et al. 2016a  
 Conradie et al. 2016b  
 Conradie et al. 2017a  
 Conradie et al. 2017b  
 Conradie et al. 2017c  
 Conradie et al. 2018  
 Conradie et al. 2019  
 Constable 1949  
 Contreras-Lozano et al. 2010  
 Conzendeley et al. 2013  
 Cooper 1953  
 Cooper 1988  
 Cooper 1995  
 Cooper 2005  
 Cooper and Bradley 2009  
 Cooper and Guillette 1991  
 Cooper and Habegger 2000
- Collette, B. B. 1962. Arboreality, lamellae, and body size in two species of Cuban geckos. *Copeia* 1962: 644-645.  
 Colli, G. R. 1991. Reproductive ecology of *Ameiva ameiva* (Sauria, Teiidae) in the Cerrado of central Brazil. *Copeia* 1991: 1002-1012.  
 Colli, G. R. and Zamboni, D. S. 1999. Ecology of the worm-lizard *Amphisbaena alba* in the Cerrado of Central Brazil. *Copeia* 1999: 733-742.  
 Colli, G. R., Bastos, R. P. and Araujo, A. F. B. 2002. The character and dynamics of the Cerrado herptofauna. Pages 223-241 in P. S. Oliveira and R. J. Marques, editors. *The cerrado of Brazil: ecology and natural history of a Neotropical savanna*. Columbia University Press, New York, New York, USA.  
 Colli, G. R., Caldwell, J. P., Costa, G. C., Gainsbury, A. M., Garda, A. A., Mesquita, D. M., Filho, C. M. M. R., Soares, A. H. B., Silva, V. N., Valdujo, P. H., Vieira, G. H. C., Vitt, L. J., Werneck, F. P., Wiederhecker, H. C. and Zatz, M. G. 2003. A new species of *Cnemidophorus* (Squamata, Teiidae) from the cerrado biome in central Brazil. *Occasional Papers of the Sam Noble Oklahoma Museum of Natural History, University of Oklahoma* 14: 1-14.  
 Colli, G. R., Costa, G. C., Garda, A. A., Kopp, K. A., Mesquita, D. O., Peres, A. K., Valdujo, P. H., Vieira, G. H. C. and Wiederhecker, H. C. 2003. A critically endangered new species of *Cnemidophorus* (Squamata, Teiidae) from a cerrado enclave in southwestern Amazonia, Brazil. *Herpetologica*, 59: 76-88.  
 Colli, G. R., Mesquita, D. O., Rodrigues, P. V. V. and Kitayama, K. 2003. Ecology of the gecko *Gymnodactylus geckoides amarali* in a neotropical Savanna. *Journal of Herpetology* 37: 694-706.  
 Colli, G. R., Giugliano, L. G., Mesquita, D. O. and Franca, F. G. R. 2009. A new species of *Cnemidophorus* from the Jalapao region, in the central Brazilian Cerrado. *Herpetologica* 65: 311-327.  
 Colli, G. R., Hoogmoed, M. S., Cannatella, D. C., Cassimiro, J., Gomes, J. O., Ghellere, J. M., Nunes, P. M. S., Pellegrino, K. C. M., Salerno, P., De Souza, S. M. and Rodrigues, M. T. 2015. Description and phylogenetic relationships of a new genus and two new species of lizards from Brazilian Amazonia, with nomenclatural comments on the taxonomy of *Gymnophthalmidae* (Reptilia: Squamata). *Zootaxa* 4000: 401-427.  
 Colli, G. R., Fenker, J., Tedeschi, L. G., Barreto-Lima, A. F., Mott, T. and Ribeiro, S. L. B. 2016. In the depths of obscurity: Knowledge gaps and extinction risk of Brazilian worm lizards (Squamata, Amphisbaenidae). *Biological Conservation*, 197: 1-6.  
 Colston, T. J., Barao-Nobrega, J. A. L., Manders, R., Lett, A., Willmott, A., Cameron, G., Hunter, S., Radage, A., Littlefair, E., Williams, R. J., Cen, A. L. and Slater, K. 2015. Amphibians and reptiles of the Calakmul Biosphere Reserve, Mexico, with new records. *Check List* 11: 1759-1765.  
 Comas, M., Escoriza, D. and Moreno-Rueda, G. 2014. Stable isotope analysis reveals variation in trophic niche depending on altitude in an endemic alpine gecko. *Basic and Applied Ecology* 15: 362-369.  
 Comas, M., Reguera, S., Zamora-Camacho, F. J., Salvador, H. and Moreno-Rueda, G. 2016. Comparison of the effectiveness of phalanges vs. humeri and femurs to estimate lizard age with skeletochronology. *Animal Biodiversity and Conservation*, 39: 237-240.  
 Comas, M., Reguera, S., Zamora-Camacho, F.J., Salvador, H. and Moreno-Rueda, G. 2016. Comparison of the effectiveness of phalanges vs. humeri and femurs to estimate lizard age with skeletochronology. *Animal Biodiversity and Conservation*, 39: 237-240.  
 Comas, M., Reguera, S., Zamora-Camacho, F. J. and Moreno-Rueda, G. 2019. Age structure of a lizard along an elevational gradient reveals non-linear lifespan patterns with altitude. *Current Zoology* <https://doi.org/10.1093/cz/zoz063>  
 Commins, M. L. and Savitzky, A. H. 1973. Field observations on a population of the sand lizard *Uma exsul*. *Journal of Herpetology*, 7: 51-53.  
 Conant, R. and Collins, J. T. 1998. Reptiles and amphibians of eastern and central North America. 3rd Edition expanded. Houghton Mifflin Company, Boston.  
 Conant, R. and Hudson, R. G. 1949. Longevity records for reptiles and amphibians in the Philadelphia Zoological Garden. *Herpetologica*, 5: 1-8.  
 Congdon, J. D., Vitt, L. J. and Hadley, N. F. 1978. Parental investment: comparative reproductive energetics in bisexual and unisexual lizards, genus *Cnemidophorus*. *The American Naturalist* 12: 595-608.  
 Connette, G. M., Oswald, P., Thura, M. K., Connette, K. J. L., Grindley, M. E., Songer, M., Zug, G. R. and Mulcahy, D. G. 2017. Rapid forest clearing in a Myanmar proposed national park threatens two newly discovered species of geckos (Gekkonidae: Cyrtodactylus). *PLoS One*, 12: e0174432.  
 Connolly, J. D. and Cree, A. 2008. Risks of a late start to captive management for conservation: phenotypic differences between wild and captive individuals of a viviparous endangered skink (*Oligosoma otagense*). *Biological Conservation* 141: 1283-1292.  
 Conover, A. E., Cook, E. G., Boronow, K. E. and Munoz, M. M. 2015. Effects of ectoparasitism on behavioral thermoregulation in the tropical lizards *Anolis cybotes* (Squamata: Dactyloidae) and *Anolis armouri* (Squamata: Dactyloidae). *Breviora* 545: 1-13.  
 Conrad, P. M. and Bradley, P. V. 2009. *Coleonyx variegatus* (western banded gecko). Geographic distribution. *Herpetological Review* 40: 112.  
 Conrad, J. L., Balcarcel, A. M. and Melhling, C. M. 2012. Earliest example of a giant monitor lizard (Varanus, Varanidae, Squamata). *PLoS ONE* 7(8): e41767. doi:10.1371/journal.pone.0041767.  
 Conradie, W. 2012. *Pedioplanis husabensis* Berger-Dell'Mour & Mayer, 1989. (Husab sand lizard) (Sauria Lacertidae): Maximum size. *The Herpetological Bulletin* 120: 42.  
 Conradie, W. 2012. *Pedioplanis lineoocellata* lineoocellata (Dumeril and Bibron, 1839) (spotted sand lizard) (Sauria Lacertidae): Maximum size. *The Herpetological Bulletin* 120: 42-43.  
 Conradie, W. 2012. *Varanus albiginarius* (Daudin, 1802), rock monitor. Diet. *African Herp News* 58: 15-16.  
 Conradie, W. and Bourquin, S. 2013. Geographic distribution: *Acontias kgalagadi kgalagadi* (Lamb, Biswas & Bauer, 2010) striped legless skink. *African Herp News* 60: 29-30.  
 Conradie, W., Doucette-Riise, S., Vanhooydonck, B., Engelbrecht, H., Measey, J. and Tolley, K. 2011. Herpetological survey of Rooipoort Nature Reserve, Northern Cape Province, South Africa. *African Herp News* 53: 35-41.  
 Conradie, W., Measey, G. J., Branch, W. R. and Tolley, K. A. 2012. Revised phylogeny of African sand lizards (Pedioplanis), with the description of two new species from south-western Angola. *African Journal of Herpetology*, 61: 91-98.  
 Conradie, W., Bills, R. and Branch, W. R. 2016. The herpetofauna of the Cubango, Cuito, and lower Cuando river catchments of south-eastern Angola. *Amphibian & Reptile Conservation* 10: 6-36.  
 Conradie, W., Bittencourt-Silva, G. B., Engelbrecht, H. M., Loader, S. P., Menegon, M., Nanvonomauquitxo, C., Scott, M. and Tolley, K. A. 2016. Exploration into the hidden world of Mozambique's sky island forests: new discoveries of reptiles and amphibians. *Zoosystematics and Evolution* 92: 163-180.  
 Conradie, W., King, V. F., Pressly, M. and Leander, A. 2017. *Gerrhosaurus typicus* (A. Smith, 1837), Karoo plated lizard, clutch size, incubation period and hatching description. *African Herp News* 64: 28-30.  
 Conradie, W., Branch, W. R. and Herbert, D. G. 2017. *Tetradactylus seps* (Linnaeus 1758) short legged seps. Diet. *African Herp News* 65: 14-16.  
 Conradie, W., Du Preez, B. and Venter, J. 2017. Natal mountain lizard in South Africa. *African Herp News* 65: 40-41.  
 Conradie, W., Busschau, T. and Edwards, S. 2018. Two new species of *Acontias* (Acontinae, Scincidae) from the Mpumalanga Highveld escarpment of South Africa. *Zootaxa* 4429: 89-106.  
 Conradie, W., Branch, W. R. and Watson, G. 2019. Type specimens in the Port Elizabeth Museum, South Africa, including the historically important Albany Museum collection. Part 2: Reptiles (Squamata). *Zootaxa* 4576: 1-45.  
 Constable, J. D. 1949. Reptiles from the Indian Peninsula in the Museum of Comparative Zoology. *Bulletin of the Museum of Comparative Zoology* 103: 59-160.  
 Contreras-Lozano, J. A., Lazcano, D. and Contreras-Balderra, A. J. 2010. *Barisia ciliaris* (Northern imbricate Alligator Lizard). Antipredator behavior. *Herpetological Review* 41: 217.  
 Conzendeley, P., Campos, S. P. S., Lanna, F. M., De Amorim, J. D. D. C. G. and De Sousa, B. M. 2013. *Ophiodes striatus* (striped worm lizard). Bifurcated tail. *Herpetological Review* 44: 145-146.  
 Cooper, B. W. 1953. Notes on the life history of the lizard, *Neoseps reynoldsi Stejneger*. *Journal of the Florida Academy of Sciences*, 16: 235-238.  
 Cooper, W. E. 1988. *Eumeces laticeps*. Catalogue of American Amphibians and Reptiles 445: 1-3.  
 Cooper, W. E. 1995. Prey chemical discrimination and foraging mode in gekkonoid lizards. *Herpetological Monographs*, 9: 120-129.  
 Cooper, W. E. 2005. The foraging mode controversy: both continuous variation and clustering of foraging movements occur. *Journal of Zoology* 267: 179-190.  
 Cooper, W. E. and Bradley, K. A. 2009. Prey chemical discrimination by a diplodiscine lizard, the giant Hispaniolan galliwasp (*Celestus warreni*). *Amphibia-Reptilia* 30: 135-140.  
 Cooper, W. E. and Guillette, L. J. 1991. Observations on activity, display behavior, coloration and androgen levels in the keeled earless lizard, *Holbrookia propinqua*. *Amphibia-Reptilia* 12: 57-66.  
 Cooper, W. E. and Habegger, J. J. 2000. Lingually mediated discrimination of prey, but not plant chemicals, by the Central American anguid lizard, *Mesaspis moreletii*. *Amphibia-Reptilia* 22: 81-90.

- Cooper and Vitt 1989  
 Cooper and Vitt 2002  
 Cooper and Whiting 2000  
 Cooper et al. 1997  
 Cooper et al. 2000  
 Cooper et al. 2001  
 Cooper et al. 2002  
 Cooper et al. 2005  
 Cooper et al. 2013  
 Cooper et al. 2014  
 Cooper et al. 2015  
 Coote 1987  
 Corbalan and Debandi 2014  
 Corbalan et al. 2013  
 Corbalan et al. 2016  
 Cordes and Walker 2016  
 Cordes et al. 1995  
 Corke 1987  
 Corl et al. 2009  
 Corn and Dalby 1973  
 Cornetti et al. 2015  
 Corovic and Crnobrnja-isailovic 2018  
 Corovic et al. 2018  
 Cortada et al. 2017  
 Corti and Cascio 2002  
 Corti et al. 1999  
 Corti et al. 2006  
 Costa and Garcia 2019  
 Costa et al. 2005  
 Costa et al. 2008a  
 Costa et al. 2008b  
 Costa et al. 2009  
 Costa et al. 2013  
 Costa et al. 2016  
 Costa et al. 2018  
 Costa et al. 2019a  
 Costa et al. 2019b  
 Costandius and Mouton 2006  
 Costandius et al. 2006  
 Costantini et al. 2005  
 Cota et al. 2011  
 Coti and Ariano-Sanchez 2008  
 Cotto et al. 2015  
 Couper and Amey 2009  
 Couper and Gregson 1994  
 Couper and Hoskin 2014  
 Couper and Oliver 2016  
 Couper et al. 1993  
 Couper et al. 2002  
 Couper et al. 2005  
 Couper et al. 2007  
 Couper et al. 2008  
 Couper et al. 2010
- Cooper, W. E. and Vitt, L. J. 1989. Sexual dimorphism of head and body size in an iguanid lizard: paradoxical results. *The American Naturalist* 133: 729–735.  
 Cooper, W. E. and Vitt, L. J. 2002. Distribution, extent, and evolution of plant consumption by lizards. *Journal of Zoology* 257: 487-517.  
 Cooper, W. E. and Whiting, M. J. 2000. Ambush and active foraging modes both occur in the scincid genus *Mabuya*. *Copeia*, 2000: 112-118.  
 Cooper, W. E., Whiting, M. J. and Van Wyk, J. 1997. Foraging modes of cordyliform lizards. *South African Journal of Zoology* 32: 9-13.  
 Cooper, W. E., Al-Johany, A. M., Vitt, L. J. and Habegger, J. J. 2000. Responses to chemical cues from animal and plant foods by actively foraging insectivorous and omnivorous scincine lizards. *Journal of Experimental Zoology* 287: 65-76.  
 Cooper, W. E., Vitt, L. J., Caldwell, J. P. and Fox, S. F. 2001. Foraging modes of some American lizards: relationships among measurement variables and discreteness of modes. *Herpetologica* 57: 65-76.  
 Cooper, W. E., Perez-Mellado, V., Baird, T., Baird, T. A., Caldwell, J. P. and Vitt, L. J. 2002. Effects of risk, cost, and their interaction on optimal escape by nonrefuging Bonaire whiptail lizards, *Cnemidophorus murinus*. *Behavioral Ecology and Evolution* 19: 111-118.  
 Cooper, W. E., Vitt, L. J., Caldwell, J. P. and Fox, S. F. 2005. Relationships among foraging variables, phylogeny, and foraging modes, with new data for nine North American lizard species. *Herpetologica*, 61: 250-259.  
 Cooper, W. E., Castaneda, G., Garcia-De la Pena, C., Wilson, B., Caldwell, J. P. and Vitt, L. J. 2013. Foraging modes of some Jamaican, Costa Rican, and Mexican lizards. *Herpetology Notes*, 6: 591-597.  
 Cooper, W. E., Pyron, R. A. and Garland, T. 2014. Island tameness: living on islands reduces flight initiation distance. *Proceedings of the Royal Society of London B*. 281: 20133019.  
 Cooper, W. E., Dimopoulos, I. and Paafilis, P. 2015. Sex, age and population density affect aggressive behaviors in island lizards promoting cannibalism. *Ethology*, 121: 260-269.  
 Coote, J. 1987. editor. *Reptiles. Proceedings of the 1986 U.K. Herpetological Societies symposium on captive breeding*. British Herpetological Society, London; 97 pp.  
 Corbalan, V. and Debandi, G. 2014. Resource segregation in two herbivorous species of mountain lizards from Argentina. *Herpetological Journal* 24: 201-208.  
 Corbalan, V., Debandi, G. and Kubisch, E. 2013. Thermal ecology of two sympatric saxicolous lizards of the genus *Phymaturus* from the Payunia region (Argentina). *Journal of Thermal Biology* 38: 384-389.  
 Corbalan, V., Debandi, G., Scolaro, J. A. and Ojeda, A. A. 2016. DNA barcoding of *Phymaturus* lizards reveals conflicts in species delimitation within the patagonicus Clade. *Journal of Herpetology*, 50: 654-666.  
 Cordes, J. E. and Walker, J. M. 2016. *Aspidoscelis exsanguis* (Chihuahuan spotted whiptail). Maximum body size. 47: 294-295.  
 Cordes, I. G., Mouton, P. Le F. N., van Wyk, J. H. 1995. Sexual dimorphism in two girdled lizard species, *Cordylus niger* and *Cordylus cordylus*. *South African Journal of Zoology* 30: 187-196.  
 Corke, D. 1987. Reptile conservation on the Maria islands (St Lucia, West Indies). *Biological Conservation* 40: 263-279.  
 Corl, A., Davis, A. R., Kuchta, S. R., Comendant, T. and Sinervo, B. 2009. Alternative mating strategies and the evolution of sexual size dimorphism in the side-blotched lizard, *Uta stansburiana*: a population-level comparative analysis. *Evolution* 64: 79-96.  
 Corn, M. J. and Dalby, P. L. 1973. Systematics of the anoles of San Andres and Providencia islands, Colombia. *Journal of Herpetology*, 7: 63-74.  
 Cornetti, L., Belluardo, F., Ghielmi, S., Giovine, G., Ficetola, G. F., Bertorelle, G., Veronesi, C. and Hauffe, H. C. 2015. Reproductive isolation between oviparous and viviparous lineages of the Eurasian common lizard *Zootoca vivipara* in a contact zone. *Biological Journal of the Linnean Society* 114: 566-573.  
 Corovic, J. and Crnobrnja-isailovic, J. 2018. Aspects of thermal ecology of the meadow lizard (*Darevskia praticola*). *Amphibia-Reptilia* 39: 229-238.  
 Corovic, J., Popovic, M., Cogalniceanu, D., Carretero, M. A. and Crnobrnja-isailovic, J. 2018. Distribution of the meadow lizard in Europe and its realized ecological niche model. *Journal of Natural History*, 52: 1909-1925.  
 Cortada, A., Kaliontzopoulou, A., Mendes, J. and Carretero, M. A. 2017. A case of limb regeneration in a wild adult *Podarcis lilfordi* lizard. *Turkish Journal of Zoology*, 41: 1069-1071.  
 Corti, C. and Cascio, P. L. 2002. The lizards of Italy and adjacent areas. *Frankfurt Contributions to Herpetology*, Frankfurt am Main.  
 Corti, C., Masseti, M., Delfino, M. and Perez-Mellado, V. 1999. Man and herpetofauna of the Mediterranean islands. *Revista Espanola de Herpetologia* 13: 83-100.  
 Corti, C., Lo Cascio, P. and Biagianni, M. editors. 2005. *Mainland and insular lacertid lizards: a mediterranean perspective*. Firenze University Press, Firenze.  
 Costa, H. C. and Garcia, P. C. 2019. Quem sao as Anfisbenias?. *Revista da Biologia*, 19: 19-30.  
 Costa, G. C., Mesquita, D. O. and Franca, F. G. 2005. *Crocodilurus amazonicus* Diet. *Herpetological Review* 36: 174-175.  
 Costa, G. C., Vitt, L. G., Pianka, E. R., Mesquita, D. O. and Colli, G. R. 2008. Optimal foraging constrains macroecological patterns: body size and dietary niche breadth in lizards. *Global Ecology and Biogeography* 17: 670-677.  
 Costa, H. C., Fernandes, V. D., Vrcibradic, D. and Feio, R. N. 2008. *Reptilia, Scincidae, Mabuya frenata*: Distribution extension. *Check List* 4: 86-88.  
 Costa, H. C., Fernandes, V. D., Rodrigues, A. C. and Feio, R. N. 2009. Lizards and Amphisbaenians, municipality of Vicoso, state of Minas Gerais, southeastern Brazil. *Check List* 5: 732-745.  
 Costa, B. M., Pantoja, D. L., Vianna, M. C. M. and Colli, G. R. 2013. Direct and short-term effects of fire on lizard assemblages from a Neotropical savanna hotspot. *Journal of Herpetology*, 47: 502-510.  
 Costa, H. C., Garcia, P. C. and Zaher, H. 2016. The correct authorship and date of lizard names *Teiinae*, *Tupinambinae*, and *Gymnophthalmidae*. *Zootaxa*, 4132: 295-300.  
 Costa, T. B., Laranjeira, D. O., Caldas, F. L. S., Santana, D. O., da Silva, C. F., de Alcantara, E. P., Brito, S. V., Galdino, J. Y., Mesquita, D. O., Faria, R. G., Franca, F. G. R., Avila, R. W. and Garda, A. A. 2018. Herpetofauna of protected areas in the Caatinga VII: Aiuba Ecological Station (Ceara, Brazil). *Herpetology Notes*, 11: 929-941.  
 Costa, H. C., Graboski, R. and Zaher, H. 2019. *Amphisbaena mensae Catro-Mello*, 2000 is a synonym of *Amphisbaena talisiae Vanzolini*, 1995 (Squamata: Amphisbaenidae). *Zootaxa* 4559: 166-174.  
 Costa, H. C., Velasquez, S., Zaher, H. and Garcia, P. C. 2019. Updated diagnosis of *Amphisbaena metallurga* and *A. sanctaeiritae* and first record of *A. hiata* in Brazil (Squamata: Amphisbaenidae). *South American Journal of Herpetology* 14: 1-12.  
 Costandius, E. and Mouton, P. Le F. N. 2006. Sexual size dimorphism in montane cordylid lizards: a case study of the dwarf crag lizard, *Pseudocordylus nebulosus*. *African Zoology* 41: 103-112.  
 Costandius, E., Mouton, P. Le F. N. and Flemming, A. F. 2006. The effect of intergroup distance on group fidelity in the group-living Lizard, *Cordylus cataphractus*. *African Journal of Herpetology*, 55: 61-68.  
 Costantini, D., Dell'Orno, G., Casagrande, S., Fabiani, A., Carosi, M., Bertacche, V., Marquez, C., Snell, H., Snell, H., Tapia, W. and Gentile, G. 2005. Inter-population variation of carotenoids in Galapagos land iguanas (*Conolophus subcristatus*). *Comparative Biochemistry and Physiology*, B, 142: 239-244.  
 Cota, M., Geissler, P., Chan-ard, T. and Makchai, S. 2011. First record of *Lygosoma angeli* (Smith, 1937) (Reptilia: Squamata: Scincidae) in Thailand with notes on other specimens from Laos. *The Thailand Natural History Museum* 1: 1-10.  
 Coti, P. and Ariano-Sanchez, D. 2008. Ecology and traditional use of the Guatemalan black iguana (*Ctenosaura palaearis*) in the dry forests of the Motagua Valley, Guatemala. *Iguana* 15: 142-149.  
 Cotto, O., Massot, M., Ronce, O. and Cloibert, J. 2015. Dispersal as a source of variation in age-specific reproductive strategies in a wild population of lizards. *Proceedings of the Royal Society of London B*. 282: 20151741.  
 Couper, P. J. and Amey, A. P. 2009. *Lerista karlschmidti* (Marx and Hosmer, 1959) (Sauria: Scincidae): re-examination of the type series, reassignment of a paratype and distribution notes. *Zootaxa*, 2312: 39-48.  
 Couper, P. J. and Gregson, R. A. M. 1994. Redescription of *Nephrurus asper* Gunther, and description of *N. amayae* sp. nov. and *N. sheai* sp. Nov. *Memoirs of the Queensland Museum* 37: 53- 67.  
 Couper, P. and Hoskin, C. J. 2014. A new genus to accommodate three skinks currently assigned to *Menetia* (Lacertilia: Scincidae). *Zootaxa* 3884: 597-599.  
 Couper, P. J. and Oliver, P. M. 2016. A new species of gecko from arid inland regions of eastern Australia (Diplodactylus; Diplodactylidae). *Zootaxa* 4093: 525-538.  
 Couper, P. J., Covacevich, J. A. and Moritz, C. 1993. A review of the leaf-tailed geckos endemic to eastern Australia: a new genus, four new species, and other new data. *Memoirs of the Queensland Museum* 34: 95-124.  
 Couper, P. J., Amey, A. P. and Kutt, A. S. 2002. A new species of *Ctenotus* (Scincidae) from central Queensland. *Memoirs of the Queensland Museum* 48: 85-92.  
 Couper, P. J., Wilmer, J. W., Roberts, L., Amey, A. P. and Zug, G. R. 2005. Skinks currently assigned to *Carlia aerata* (Scincidae : Lygosominae) of north-eastern Queensland: a preliminary study of cryptic diversity and two new species. *Australian Journal of Zoology* 53: 35-49.  
 Couper, P. J., Leim, L. D. and Hoskin, C. J. 2007. A new velvet Gecko (Gekkonidae: Oedura) from south-east Queensland, Australia. *Zootaxa* 1587: 27-41.  
 Couper, P. J., Sadlier, R. A., Shea, G. M. and Wilmer, J. W. 2008. A reassessment of *Saltuarius swaini* (Lacertilia: Diplodactylidae) in southeastern Queensland and New South Wales: two new taxa, phylogeny, biogeography and conservation. *Records of the Australian Museum* 60: 87-118.  
 Couper, P. J., Limpus, C. J., McDonald, K. R. and Amey, A. P. 2010. A new species of *Proablepharus* (Scincidae: Lygosominae) from Mt Surprise, north-eastern Queensland, Australia. *Zootaxa* 2433: 62-68.

- Couper et al. 2012  
 Couper et al. 2016  
 Couper, and Hoskin 2009  
 Courchamp et al. 2006  
 Cousins 1956  
 Couto-Ferreira et al. 2011
- Covacevich 1984  
 Covacevich and Ingram 1975  
 Covacevich and Ingram 1978  
 Covacevich et al. 1997  
 Cowles and Bogert 1944  
 Cox and Cox 2015  
 Cox and Temple 2009  
 Cox et al. 1998  
 Cox et al. 2003  
 Cox et al. 2006  
 Cox et al. 2007
- Cox et al. 2010  
 Cox et al. 2011  
 Cozien et al. 2019  
 Craig et al. 2007
- Crane et al. 2018
- Crawford and Thorpe 1979  
 Cree 1994  
 Cree and Guillette 1995  
 Cree and Hare 2010  
 Cree and Hare 2016  
 Cree et al. 1999  
 Creer et al. 2001  
 Crisp et al. 1979  
 Crochet 1997  
 Crochet and Renoult 2008  
 Crochet et al. 2003
- Crochet et al. 2006  
 Crochet et al. 2015  
 Crombie and Pregill 1999  
 Crombie and Steadman 1986  
 Cromie and Chapple 2013  
 Crother 1988  
 Crother 1999  
 Crottini et al. 2015
- Crovetto and Salvidio 2013  
 Crump 1971  
 Crump and Forstner 2019  
 Cruz and Daundasekera 1988  
 Cruz 1997  
 Cruz 1998  
 Cruz and Maranan 2018  
 Cruz et al. 1997  
 Cruz et al. 1998  
 Cruz et al. 1999a  
 Cruz et al. 1999b  
 Cruz et al. 2005
- Couper, P., Melville, J., Emmott, A. and Chapple, S. N. J. 2012. A new species of Diporiphora from the Gunnedah Tablelands of Western Queensland. *Zootaxa* 3556: 39-54.  
 Couper, P. J., Amey, A. P. and Wilmer, J. W. 2016. Cryptic diversity within the narrowly endemic *Lerista wilkinsi* group of north Queensland—two new species (Reptilia: Scincidae). *Zootaxa* 4162: 61-91.  
 Couper, P. J. and Hoskin, C. J. 2009. Litho-refugia: the importance of rock landscapes for the long-term persistence of Australian rainforest fauna. *Australian Zoologist*, 34: 554-560.  
 Courchamp, F., Angulo, E., Rivalan, P., Hall, R. J., Signoret, L., Bull, L. and Meinard, Y. 2006. Rarity value and species extinction: the anthropogenic Allee effect. *PLoS Biology*, 4: e415.  
 Cousins, P. N. 1956. Notes on the Jamaican and Cayman island lizards of the genus *Celestus*. *Breviora* 56: 1-6.  
 Couto-Ferreira, D., Tinoco, M. S., de Oliveira, M. L. T., Browne-Ribeiro, H. C., Fazolato, C. P., da Silva, R. M., Barreto, G. S. and Dias, M. A. 2011. Restinga lizards (Reptilia: Squamata) at the imbassai Preserve on the northern coast of Bahia, Brazil. *Journal of Threatened Taxa* 3: 1990-2000.  
 Covacevich, J. 1984. A biogeographically significant new species of *Leiolopisma* (Scincidae) from north eastern Queensland. *Memoirs of the Queensland Museum* 21: 401-411.  
 Covacevich, J. and Ingram, G. 1975. Three new species of rainbow skinks of the genus *Carlia* from northern Queensland. *Victorian Naturalist* 92: 19-22.  
 Covacevich, J. and Ingram, G. J. 1978. An undescribed species of rock dwelling *Cryptoblepharus* (Lacertilia: Scincidae). *Memoirs of the Queensland Museum* 18: 151-154.  
 Covacevich, J. A., Couper, P. J. and Roberts, L. 1997. New data on *Lerista ingrata*, a rare skink from southern Cape York Peninsula, Australia. *Memoirs of the Queensland Museum* 42: 24.  
 Cowles, R. B. and Bogert, C. M. 1944. A preliminary study of the thermal requirements of desert reptiles. *Bulletin of the American Museum of Natural History* 83: 261-296.  
 Cox, C. L. and Cox, R. M. 2015. Evolutionary shifts in habitat aridity predict evaporative water loss across squamate reptiles. *Evolution* 69: 2507-2516.  
 Cox, N. A. and Temple, H. J. 2009. European red list of reptiles. Luxembourg: Office for Official Publications of the European Communities.  
 Cox, M. J., van Dijk, P. P., Nabhitabhata, J. and Thirakupt, K. 1998. A photographic guide to snakes and other reptiles of Peninsular Malaysia, Singapore and Thailand. New Holland Publishers, London.  
 Cox, R. M., Skelly, S. L. and John-Alder, H. B. 2003. A comparative test of adaptive hypotheses for sexual size dimorphism in lizards. *Evolution* 57: 1653-1669.  
 Cox, N., Chanson, J. and Stuart, S. (Compilers) 2006. The status and distribution of reptiles and amphibians of the Mediterranean Basin. IUCN, Gland, Switzerland and Cambridge, UK. v + 42 pp.  
 Cox, R. M., Butler, M. A. and John-Alder, H. B. 2007. The evolution of sexual size dimorphism in reptiles. pages 38-49 in Fairbairn, D. J., Blanckenhorn, W. U. and Székely, T. Sex, size and gender roles: evolutionary studies of sexual size dimorphism. Oxford University Press, Oxford.  
 Cox, M. J., Van Dijk, P. P., Nabhitabhata, J. and Thirakupt, K. 2010. A photographic guide to snakes and other reptiles of Peninsular Malaysia, Singapore and Thailand. 2nd Edition. New Holland Publishers, London.  
 Cox, C. L., Boback, S. M. and Guyer, C. 2011. Spatial dynamics of body size frequency distributions for North American squamates. *Evolutionary Biology* 38: 453-464.  
 Cozien, R. J., van der Niet, T., Johnson, S. D. and Steenhuizen, S. L. 2019. Saurian surprise: lizards pollinate South Africa's enigmatic hidden flower. *Ecology*, 100: e01554.  
 Craig, M. D., Garkaklis, M. J., Hardy, G. E. S. J., Grigg, A. H., Grant, C. D., Fleming, P. A. and Hobbs, R. J. 2007. Ecology of the western bearded dragon (*Pogona minor*) in unmined forest and forest restored after bauxite mining in south-west Western Australia. *Australian Journal of Zoology*, 55: 107-116.  
 Crane, M. S., Strine, C. T., Knierim, T. K., Arthawakom, T. and Suwanwaree, P. 2018. Herpetofaunal species abundance, richness, and diversity in a dry tropical forest and agricultural matrix at the Sakaerat Biosphere Reserve, Thailand. *Herpetological Conservation and Biology* 13: 586-597.  
 Crawford, C. M. and Thorpe, R. S. 1979. Body temperatures of two geckos (*Phelsuma*) and a skink (*Mabuya*) in Praslin, Seychelles. *British Journal of Herpetology* 6: 25-31.  
 Cree, A. 1994. Low annual reproductive output in female reptiles from New Zealand. *New Zealand Journal of Zoology*, 21: 351-372.  
 Cree, A. and Guillette, L. J. 1995. Biennial reproduction with a fourteen-month pregnancy in the gecko *Hoplodactylus maculatus* from southern New Zealand. *Journal of Herpetology*, 29: 163-173.  
 Cree, A. and Hare, K. M. 2010. Equal thermal opportunity does not result in equal gestation length in a cool-climate skink and gecko. *Herpetological Conservation and Biology* 5: 271-282.  
 Cree, A. and Hare, K. M. 2016. Reproduction and life history of New Zealand lizards. Pages 169-206 in Chapple, D. G. Editor. *New Zealand lizards*. Springer, New York.  
 Cree, A., Rock, J. and Whitaker, T. 1999. Report on the SRARNZ research trip in 1997 to study geckos of the Seaward Kaikoura Range, Marlborough, New Zealand. *New Zealand Journal of Zoology* 26: 256.  
 Creer, D. A., de Queiroz, K., Jackman, T. R., Losos, J. B. and Larson, A. 2001. Systematics of the *Anolis roquet* series of the southern Lesser Antilles. *Journal of Herpetology* 35: 428-441.  
 Crisp, M., Cook, L. M. and Hereward, F. V. 1979. Color and heat balance in the lizard *Lacerta dugesii*. *Copeia* 1979: 250-258.  
 Crochet, P. A. 1997. Herpetological observations in southern Israel. *British Herpetological Society Bulletin* 60: 13-24.  
 Crochet, P.-A. and Renoult, J. P. 2008. *Tarentola annularis annularis* (Geoffroy de Saint-Hilaire, 1827) preying on a mammal. *Herpetology Notes* 1: 58-59.  
 Crochet, P. A., Geniez, P. and Ineich, I. 2003. A multivariate analysis of the fringe-toed lizards of the *Acanthodactylus scutellatus* group (Squamata: Lacertidae): systematic and biogeographical implications. *Zoological Journal of the Linnean Society* 137: 117-155.  
 Crochet, P.-A., Lymberakis, P. and Werner, Y. L. 2006. The type specimens of *Laudakia stellio* (Linnaeus) and its subspecies. *Journal of Natural History*, 40: 461-471.  
 Crochet, P.-A., Leblouis, R. and Renoult, J. P. 2015. New reptile records from Morocco and Western Sahara. *Herpetology Notes* 583: 588.  
 Crombie, R. I. and Pregill, G. K. 1999. A checklist of the herpetofauna of the Palau islands (Republic of Belau). *Oceania. Herpetological Monographs* 13: 29-80.  
 Crombie, R. and Steadman, D. W. 1986. The lizards of Rarotonga and Mangaia, Cook Island group. *Oceania. Pacific Science* 40: 44-53.  
 Cromie, G. L. and Chapple, D. G. 2013. Is partial tail loss the key to a complete understanding of caudal autotomy? *Austral Ecology* 38: 452-455.  
 Crother, B. I. 1988. *Cricosaura*, C. typica. Catalogue of American Amphibians and Reptiles 443: 1-3.  
 Crother, B. I. (editor) 1999. Caribbean amphibians and reptiles. Academic Press, San Diego.  
 Crottini, A., Harris, D. J., Miralles, A., Glaw, F., Jenkins, R. K. B., Randrianantoandro, J. C., Bauer, A. M. and Vences, M. 2015. Morphology and molecules reveal two new species of the poorly studied gecko genus *Paragehyra* (Squamata: Gekkonidae) from Madagascar. *Organisms Diversity & Evolution* 15: 175-198.  
 Crovetto, F. and Salvidio, S. 2013. Feeding habits of the sand lizard, *Lacerta agilis*, from North-Western Italian Alps. *Folia Zoologica* 62: 264-268.  
 Crump, M. L. 1971. Quantitative analysis of the ecological distribution of a tropical herpetofauna. *Occasional Papers of the Museum of Natural History, University of Kansas* 3: 1-62.  
 Crump, P. S. and Forstner, M. R. J. 2019. Bias and precision of lizard occupancy estimates vary among observers and between methods. *Journal of Herpetology*, 53: 13-21.  
 Crusz, H. and Daundasekera, D. M. A. K. 1988. Parasites of the relict fauna of Ceylon-IX. Helminths from burrowing scincine lizards. *Annales de Parasitologie Humaine et Comparee*, 63: 439-447.  
 Cruz, F. B. 1997. Reproductive activity in *Tropidurus etheridgei* in the semiarid Chaco of Salta, Argentina. *Journal of Herpetology* 31: 444-450.  
 Cruz, F. B. 1998. Natural history of *Tropidurus spinulosus* (Squamata: Tropiduridae) from the dry chaco of Salta, Argentina. *Herpetological Natural History* 6: 23-31.  
 Cruz, C. J. P. D. and Maranan, A. D. 2018. Amphibians and reptiles of Abasig Matogrossense Mananap Natural Biotic Area: the herpetofauna of San Vicente. *Southeast Asia Vertebrate Records* 2018: 22-27.  
 Cruz, F. B., Teisaire, E. and Nieto, L. 1997. Reproductive biology of the lizard *Tropidurus spinulosus* in the Chaco of Salta, Argentina. *Studies on Neotropical Fauna and Environment*, 32: 28-32.  
 Cruz, F. B., Silva, S. and Scrocchi, G. J. 1998. Ecology of the lizard *Tropidurus etheridgei* (Squamata: Tropiduridae) from the dry Chaco of Salta, Argentina. *Herpetological Natural History* 6: 23-31.  
 Cruz, F. B., Schulte, J. A. and Bellagamba, P. 1999. New distributional records and natural history notes for reptiles from Southern Argentina. *Herpetological Review* 30: 182-183.  
 Cruz, F. B., Teisaire, E., Nieto, L. and Roldan, A. 1999. Reproductive biology of *Teius teyou* in the semiarid chaco of Salta, Argentina. *Journal of Herpetology*, 33: 420-429.  
 Cruz, F. B., Fitzgerald, L. A., Espinoza, R. E. and Schulte, J. A. 2005. The importance of phylogenetic scale in tests of Bergmann's and Rapoport's rules: lessons from a clade of South American lizards. *Journal of Evolutionary Biology*

- Cruz et al. 2009  
 Cruz et al. 2011  
 Cruz et al. 2014a  
 Cruz et al. 2014b  
 Cruz et al. 2018  
 Cruz-Elizalde et al. 2014  
 Cruz-Elizalde et al. 2017a  
 Cruz-Elizalde et al. 2017b  
 Cruz-Elizalde et al. 2019  
 Cruz-Mendoza and Padron-Santiago 2019  
 Cruz-Saenz 2012  
 Cruz-Saenz and Lazcano 2012  
 Cruz-Saenz et al. 2008  
 Cruz-Saenz et al. 2011a  
 Cruz-Saenz et al. 2011b  
 Cruz-Saenz et al. 2013a  
 Cruz-Saenz et al. 2013b  
 Cruz-Saenz et al. 2017  
 Cuadrado 2001  
 Cuadrado 2010  
 Cuellar 1984  
 Cuellar 1993  
 Cuervo and Shine 2007  
 Cullum 1997  
 Cullum 1998  
 Cullum 2000  
 Cumhuriyet et al. 2018  
 Cunha 1966  
 Cunha 1977  
 Cunha et al. 1991  
 Cunningham 1966  
 Cunningham 2000  
 Cunningham 2010a  
 Cunningham 2010b  
 Cunningham 2013a  
 Cunningham 2013b  
 Cunningham 2018  
 Cunningham et al. 2012a  
 Cunningham et al. 2012b  
 Cunningham et al. 2018  
 Cupul-Magana et al. 2016  
 Currin 2016  
 Curry-Lindahl 1979  
 Curtin et al. 2005  
 Cyriac and Umesh 2013  
 Cyriac et al. 2018  
 D'amico et al. 2018  
 Da Silva and Avila-Pires 2013
- Cruz, F. B., Belver, L., Acosta, J. C., Villavicencio, H. J., Blanco, G. and Canovas, M. G. 2009. Thermal biology of *Phymaturus* lizards: evolutionary constraints or lack of environmental variation? *Zoology* 112: 425-432.
- Cruz, F. B., Antenucci, D., Luna, F., Abdala, C. S. and Vega, L. E. 2011. Energetics in *Liolaemini* lizards: implications of a small body size and ecological conservatism. *Journal of Comparative Physiology B*. 181: 373-382.
- Cruz, A. J. R., Drummond, L. O., Lucena, V. D., de Magalhaes, A. P., Braga, C. A. C., Rolin, J. M. and Pires, M. R. S. 2014. Lizard fauna (Squamata, Sauria) from Serra do Ouro Branco, southern Espinhaco Range, Minas Gerais, Brazil. *Check List* 10: 1290-1299.
- Cruz, F. B., Moreno Azocar, D. L., Bonino, M. F., Schulte, J. A., Abdala, C. S. and Perotti, M. G. 2014. Climate, geographic distribution and viviparity in *Liolaemus* (Reptilia; Squamata) species: when hypotheses need to be tested. *Ecosistemas* 23: 37-45.
- Cruz, D. R., Dias, I. R., Medeiros, T. T. and Sole, M. 2018. Diet of *Enyalius catenatus* (Wied, 1821) (Reptilia: Leiosauridae) from Serra Bonita Reserve, Bahia, Brazil. *Herpetology Notes*, 11: 227-232.
- Cruz-Elizalde, R., Ramirez-Bautista, A., Hernandez-Salinas, U., Sosa-Vargas, C., Johnson, J. D. and Mata-Silva, V. 2014. Sexual dimorphism and natural history of the western Mexico whiptail, *Aspidoscelis costata* (Squamata: Teiidae), from isla isabel, Nayarit, Mexico. *North-Western Journal of Zoology* 10: 374-381.
- Cruz-Elizalde, R., Ramirez-Bautista, A. and Lozan, A. 2017. Sexual size dimorphism among populations of the rose-bellied lizard *Sceloporus variabilis* (Squamata: Phrynosomatidae) from high and low elevations in Mexico. *Herpetological Journal* 27: 252-257.
- Cruz-Elizalde, R., Ramirez-Bautista, A., Stephenson, B. P., Luja, V. H. and Hernandez-Salinas, U. 2017. Variation in female reproduction between populations of the arboreal lizard *Urosaurus bicarinatus* (Squamata: Phrynosomatidae) from two different environments in Mexico. *Salamandra* 53: 359-367.
- Cruz-Elizalde, R., Ramirez-Bautista, A., Hernandez-Salinas, U., Berrioabal-Islas, C. and Wilson, L. D. 2019. An updated checklist of the herpetofauna of Queretaro, Mexico: species richness, diversity, and conservation status.
- Cruz-Mendoza, A. C. and Padron-Santiago, E. 2019. *Anolis evermanni* (Puerto Rican emerald anole). Sap feeding. *Herpetological Review* 50: 781.
- Cruz-Saenz, M. C. D. 2012. Aspectos de biología y ecología de la lagartija *Xantusia sanchezi*. PhD Dissertation, Universidad Autónoma de Nuevo Leon
- Cruz-Saenz, D. and Lazcano, D. 2012. Biological and ecological aspects of *Xantusia sanchezi*, an endangered lizard in an oak forest in the state of Jalisco, Mexico. *Revista Mexicana de Biodiversidad*, 83: 129-132.
- Cruz-Saenz, D., Gudino-Larios, C. E., Jimeno-Sevilla, C. D., Lopez-Velazquez, R. and Cortes-Aguilar, J. 2008. Guía de anfibios y reptiles de Arredondo, Gobierno de Jalisco. Comisión Estatal del Agua, Guadalajara, Jalisco, Mexico.
- Cruz-Saenz, D., Lazcano, D. and Ontiveros-Esqueda, L. 2011. Notes on the herpetofauna of western Mexico 5: an update of herpetofauna in the oak forest of Huaxtla, Zapopan, Jalisco, Mexico. *Bulletin of the Chicago Herpetological Society*
- Cruz-Saenz, D., Lazcano, D., Ontiveros-Esqueda, L., Narvaez-Torres, S. and Flores-Covarrubias, E. 2011. Notes on the herpetofauna of Western Mexico 4: A case of parental care in the mountain skink (*Plestiodon callicephalus*) in Huaxtla, Zapopan, Jalisco, Mexico. *Bulletin of the Chicago Herpetological Society* 46: 57-61.
- Cruz-Saenz, D., Penilla-Juarez, A. and Lazcano, D. 2013. Notes on the herpetofauna of Western Mexico 10: Herpetofauna of the Protected natural area "Estero El Salado" and adjacent areas in Puerto Vallarta, Jalisco, Mexico. *Bulletin of the Chicago Herpetological Society*, 48: 117-119.
- Cruz-Saenz, D., Santiago, J. L. O. and Lazcano, D. 2013. Notes on the herpetofauna of Western Mexico 8: diet items of the Zacatecas night lizard, *Xantusia sanchezi*, in an oak forest of Jalisco, Mexico. *Bulletin of the Chicago Herpetological Society*, 48: 67-69.
- Cruz-Saenz, D., Munoz-Nolasco, F. J., Mata-Silva, V., Johnson, J. D., Garcia-Padilla, E. and Wilson, L. D. 2017. The herpetofauna of Jalisco, Mexico: composition, distribution, and conservation status. *Mesoamerican Herpetology* 4:
- Cuadrado, M. 2001. Mate guarding and social mating system in male common chameleons (*Chamaeleo chamaeleon*). *Journal of Zoology* 255: 425-435.
- Cuadrado, M. 2010. Camaleón comun – *Chamaeleo chamaeleon*. In: Enciclopedia Virtual de los Vertebrados Españoles. Salvador, A., Marco, A. (Eds.). Museo Nacional de Ciencias Naturales, Madrid. <http://www.vertebradosibericos.org/>. Version 23-07-2009
- Cuellar, O. 1984. Reproduction in a parthenogenetic lizard: With a discussion of optimal clutch size and a critique of the clutch weight/body weight ratio. *American Midland Naturalist*, 111: 242-258.
- Cuellar, O. 1993. Further observations on competition and natural history of coexisting parthenogenetic and bisexual whiptail lizards. pages 345-370 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards* (Genus *Cnemidophorus*). Oklahoma Museum of Natural History, Norman.
- Cuervo, J. J. and Shine, R. 2007. Hues of a dragon's belly: morphological correlates of ventral coloration in water dragons. *Journal of Zoology* 273: 298-304.
- Cullum, A. J. 1997. Heterozygosity and physiological performance: comparisons among sexual and asexual whiptail lizards (genus *Cnemidophorus*). *The American Naturalist* 150: 24-47.
- Cullum, A. J. 1998. Sexual dimorphism in physiological performance of whiptail lizards (Genus *Cnemidophorus*). *Physiological Zoology* 71: 541-552.
- Cullum, A. J. 2000. Phenotypic variability of physiological traits in populations of sexual and asexual whiptail lizards (genus *Cnemidophorus*). *Evolutionary Ecology Research*, 2: 841-855.
- Cumhuriyet, O., Bayrakci, Y., Dincer, A. and Cicik, K. 2018. Notes on the reproduction of Mediterranean chameleon, *Chamaeleo chamaeleon* (L., 1758) from Southwestern Anatolia, Turkey. *Biharean Biologist* 12: 116-117.
- Cunha, O. R. 1966. Sobre uma nova especie de lagarto do estado de Minas Gerais *Placosoma cipoense* sp. n. (Lacertilia, Teiidae). *Boletim do Museu Paraense Emílio Goeldi Serie Zoologia* 61: 1-9.
- Cunha, O. R. 1977. Lacertilos da Amazonia Vi - Uma nova especie de lagarto (*Colobosaura landii*) da regiao leste do Para (Lacertilia, Teiidae). *Boletim do Museu Paraense Emílio Goeldi* 86: 1-13.
- Cunha, O. R., Lima-Verde, J. S. and Lima, A. C. M. 1991. Novo genero e especie de lagarto do Estado do Ceara (Lacertilia: Teiidae). *Boletim do Museu Paraense Emílio Goeldi Serie Zoologia* 7: 163-176.
- Cunningham, J. D. 1966. Additional observations on the body temperatures of reptiles. *Herpetologica*, 22: 184-189.
- Cunningham, P. 2000. Daily activity pattern and diet of a population of the spinytailed lizard, *Uromastyx aegyptius microlepis*, during summer in the United Arab Emirates. *Zoology in the Middle East*, 21: 37-46.
- Cunningham, P. 2010. A contribution to the reptiles of the Farasan Islands, Saudi Arabia. *African Herp News* 50: 21-24.
- Cunningham, P. L. 2010. Checklist of terrestrial reptiles in three protected areas in the Kingdom of Saudi Arabia. *Herpetological Review*, 41: 25-28.
- Cunningham, P. 2013. *Meroles ctenodactylus* (Smith, 1838), Smith's desert lizard. Diet. *African Herp News* 60: 22-23.
- Cunningham, P. 2013. *Pachydactylus rangei* (Andersson, 1908) web-footed gecko. Geographical distribution. *African Herp News* 59: 56-59.
- Cunningham, P. 2018. *Trachylepis occidentalis* (Peters, 1867), western three-striped skink, avian predation. *African Herp News* 67: 32-34.
- Cunningham, H. R., Davis, C. A., Swarth, C. W. and Therres, G. D. 2012. The Maryland amphibian and reptile atlas: a volunteer based distributional survey. *International Journal of Zoology*, 2012: 348653.
- Cunningham, P., Wassenaar, T. and Henschel, J. 2012. Notes on some aspects of the ecology of the husab sand lizard, *Pedioplanis husabensis*, from Namibia. *African Herp News* 56: 1-11.
- Cunningham, P. L., Maartens, L. and Prickett, M. 2018. A contribution to the reptiles of the Kunene River Mouth area. *Namibian Journal of Environment* 2B: 1-8.
- Cupul-Magana, F. G., McCann, F., Escobedo-Galvan, A. H. and Estrada-Alvarez, J. C. 2016. *Aspidoscelis lineattissima* (Cope, 1878). Diet. *Mesoamerican Herpetology* 3: 482-483.
- Currin, C. 2016. Two limbless skinks *isopachys* spp. from Huai Hin, Prachuap Khiri Khan, Thailand.
- Curry-Lindahl, K. 1979. Thermal ecology of the tree agama (*Agama atricollis*) in Zaire with a review of heat tolerance in reptiles. *Journal of Zoology*, 188: 185-220.
- Curtin, A. J., Mouton, P. le F. N. and Chinsamy, A. 2005. Bone growth patterns in two cordylid lizards, *Cordylus cataphractus* and *C. capensis*. *African Zoology* 40: 1-7.
- Cyriac, V. P. and Umesh, P. K. 2013. Current status of *Cnemaspis littoralis* (Jerdon, 1853) (Sauria: Gekkonidae) with designation of a neotype. *Taprobanica* 5: 36-43.
- Cyriac, V. P., Johny, A., Umesh, P. K. and Palot, M. J. 2018. Description of two new species of *Cnemaspis* Strauch, 1887 (Squamata: Gekkonidae) from the Western Ghats of Kerala, India. *Zootaxa* 4459: 85-100.
- D'amico, M., Bastianelli, G., Faraone, F. P. and Valvo, M. L. 2018. The spreading of the invasive Italian Wall Lizard on Vulcano, the last island inhabited by the critically endangered Aeolian wall lizard. *Herpetological Conservation and Biology*, 13: 146-157.
- Da Silva, M. B. and Avila-Pires, T. C. S. 2013. The genus *Cnemidophorus* (Squamata: Teiidae) in State of Piaui, northeastern Brazil, with description of a new species. *Zootaxa* 3681: 455-477.

- da Silva and Tolley 2013  
 da Silva and Tolley 2017  
 Da Silva et al. 2016a
- Da Silva et al. 2016b  
 Da Silva et al. 2017  
 Da Silva et al. 2018a  
 da Silva et al. 2018b
- Daan and Hillenius 1966  
 Dai et al. 2007  
 Dal Vechio et al. 2013  
 Dal Vechio et al. 2014  
 Dalrymple 1980  
 Dalmry 2007  
 Daltry 2009  
 Daly et al. 2007  
 Daly et al. 2008  
 Damadi et al. 2016
- Damadi et al. 2017  
 Damas-Moreira et al. 2014  
 Damhoureyeh et al. 2009  
 D'Amore et al. 2018  
 D'angiolella et al. 2011
- Daniel 1983  
 Daniel 2011  
 Daniells et al. 2008  
 Daniells et al. 2010  
 Darevsky 1964a  
 Darevsky 1964b  
 Darevsky 1978  
 Darevsky 1984a  
 Darevsky 1984b  
 Darevsky 1984c  
 Darevsky 1990  
 Darevsky 1999  
 Darevsky and Danielyan 1977  
 Darevsky and Kupriyanova 1993  
 Darevsky and Orlov 1994  
 Darevsky and Orlov 1997  
 Darevsky and Orlov 2005  
 Darevsky and Roitberg 1999  
 Darevsky and Szczerbak 1997  
 Darevsky and Tuniyev 1997
- Darevsky and Van Sang 1983  
 Darevsky et al. 1985  
 Darevsky et al. 1997  
 Darvish and Rastegar -Pouyani 2012
- Das 1991  
 Das 1992  
 Das 1997a  
 Das 1997b  
 Das 1997c  
 Das 1998  
 Das 1999  
 Das 2002a
- da Silva, J. M. and Tolley, K. A. 2013. Ecomorphological variation and sexual dimorphism in a recent radiation of dwarf chameleons (*Bradypodion*). *Biological Journal of the Linnean Society*, 109: 113-130.
- da Silva, J. M. and Tolley, K. A. 2017. Diversification through ecological opportunity in dwarf chameleons. *Journal of Biogeography* 44: 834-847.
- Da Silva, J. M., Carne, L., Measey, J., Herrel, A. and Tolley, K. A. 2016. The relationship between cranial morphology, bite performance, diet and habitat in a radiation of dwarf chameleon (*Bradypodion*). *Biological Journal of the Linnean Society* 119: 52-67.
- Da Silva, J. N., Silva-Soares, T. and De Azevedo, C. S. 2016. *Ameiva* *nativo* (linhare's lizard) and *Tropidurus torquatus* (Amazon lava lizard). Predation. *Herpetological Review* 47: 664.
- Da Silva, E. G., Pinto, C. L. M., De Oliveira, M. C., Teles, D. A., Filho, J. A. A., Pereira, A. M. A. and Almeida, W. O. 2017. *Amphisbaena vermicularis* (Wagler's worm lizard). Parasitism. *Herpetological Review* 48: 631.
- Da Silva, E. G., Pinto, C. L. M., Teles, D. A., Filho, J. A. A., Teixeira, A. A. M. and Almeida, W. O. 2018. *Thamnodynastes phoenix*. Diet. *Herpetological Review*, 49: 355-356.
- da Silva, E. G., Teixeira, A. A. M., Teles, D. A., Filho, J. A. A., Mesquita, D. O. and Almeida, W. O. 2018. First record of *Aplectana* sp. (Nematoda: Cosmocercidae) infecting *Gymnodactylus darwini* (Gekkota: Phyllodactylidae) from an Atlantic Forest fragment in northeastern Brazil. *Herpetology Notes*, 11: 1075-1077.
- Daan, S. and Hillenius, D. 1966. Catalogue of the type specimens of amphibians and reptiles in the Zoological Museum, Amsterdam. *Beaufortia* 13: 117-144.
- Dai, D-L. Wu, Z-J. Huang, C-M., Ning, J-J. Yu, H. and Zhong, Y-M. 2007. The application of stomach flush in diet analysis of Chinese crocodile lizard. *Sichuan Journal of Zoology* 26: 438-440.
- Dal Vechio, F., Recoder, R., Rodrigues, M. T. and Zaher, H. 2013. The herpetofauna of the Estacao Ecologica de Urucu-Unha, state of Piaui, Brazil. *Papeis Avulsos de Zoologia* 53: 225-243.
- Dal Vechio, F., Recoder, R., Zaher, H. and Rodrigues, M. T. 2014. Natural history of *Micrablepharus maximiliani* (Squamata: Gymnophthalmidae) in a Cerrado region of northeastern Brazil. *Zoologia* 31: 114-118.
- Dalrymple, G. H. 1980. Comments on the density and diet of a giant anole, *Anolis equestris*. *Journal of Herpetology* 14: 412-415.
- Daltry, J. C. 2007. An introduction to the herpetofauna of Antigua, Barbuda and Redonda, with some conservation recommendations. *Applied Herpetology* 4: 97-130.
- Daltry, J. C. 2009. The status and management of Saint Lucia's forest reptiles and amphibians. Technical Report No. 2 to the National Forest Demarcation and Bio-Physical Resource inventory Project, FCG international Ltd, Helsinki.
- Daly, B. G., Dickman, C. R. and Crowther, M. S. 2007. Selection of habitat components by two species of agamid lizards in sandridge desert, central Australia. *Austral Ecology* 32: 825-833.
- Daly, B. G., Dickman, C. R. and Crowther, M. S. 2008. Causes of habitat divergence in two species of agamid lizards in arid Central Australia. *Ecology*, 89: 65-76.
- Damadi, E., Gholamifard, A. and Rastegar-Pouyani, N. 2015. Additional records for *Ophiomorus brevipes* (Blanford, 1874) and *O. tridactylus* (Blyth, 1853) (Sauria: Scincidae) from Sistan and Baluchestan Province, Southeastern Iran. *Iranian Journal of Animal Biosystematics* 11: 173-178.
- Damadi, E., Karamiani, R., Rastegar-Pouyani, N. and Gholamifard, A. 2017. A checklist of lizards from southeastern part of the Sistan and Baluchestan Province in southeastern Iran. *Iranian Journal of Animal Biosystematics* 13: 67-76.
- Damas-Moreira, I., Tome, B., Harris, D. J., Maia, J. P. and Salvi, D. 2014. Moroccan herpetofauna: distribution updates. *Herpetozoa* 27: 96-102.
- Damhoureyeh, S. A., Qarqaz, M. A., Baker, M. A., Himdan, N., Eid, E. and Amr, Z. S. 2009. Reptiles and Amphibians in Dibbeen Nature Reserve, Jordan. *Vertebrate Zoology*, 59: 169-177.
- D'Amore, D. C., Meadows, D., Clulow, S., Doody, J. S., Rhind, D. and McHenry, C. 2018. Increasing dietary breadth through allometry: bite forces in sympatric Australian skinks. *Herpetology Notes*, 11: 179-187.
- D'angiolella, A. B., Gamble, T., Avila-Pires, T. C. S., Colli, G. R. and Noonan, B. P. 2011. *Anolis chrysopeltes* Dumeril and Bibron, 1837 (Squamata: Iguanidae), revisited: molecular phylogeny and taxonomy of the *Anolis chrysopeltes* species group. *Bulletin of the Museum of Comparative Zoology* 160: 35-63.
- Daniel, J. C. 1983. The handbook of Indian reptiles. Bombay Natural History Society, Bombay.
- Daniel, R. E. 2011. Updated maximum size records for amphibians and reptiles from Missouri. *Missouri Herpetological Association Newsletter* 24: 17-20.
- Daniells, E. A., Ackley, J. W., Carter, R. E., Muellerman, P. J., Rudman, S. M., Turk, A. P., Espinet, N. J. V., White, L. A. and Wyszynski, N. N. 2008. An annotated checklist of the amphibians and reptiles of Dominica, West Indies.
- Daniells, E. A., Velez-Espinet, N. J., Thorpe, R. S. and Powell, R. 2010. *Sphaerodactylus fantasticus*. Catalogue of American Amphibians and Reptiles 876: 1-4.
- Darevsky, I. S. 1964. New species of scincid lizards from the islands of Lesser Sundas Archipelago, East Indonesia. *Zoologicheskii Zhurnal* 43: 80-88.
- Darevsky, I. S. 1964. Two new species of gekkonid lizards from the Komodo island in Lesser Sundas Archipelago. *Zoologischer Anzeiger* 173: 169-174.
- Darevsky, I. S. 1978. Rock lizards of the Caucasus. Smithsonian Institution Press, Washington DC.
- Darevsky, I. S. 1984. *Lacerta caucasica* Mehely 1909 - Kaukasische Felsenidechse. Pages 225-238 in W. Bohme, editor. *Handbuch der Reptilien und Amphibien Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Darevsky, I. S. 1984. *Lacerta saxicola* Eversmann 1834 - Felsenidechse. Pages 345-361 in W. Bohme, editor. *Handbuch der Reptilien und Amphibien Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Darevsky, I. S. 1984. *Lacerta strigata* Eichwald 1831 - Kaspische Smaragdeidechse. Pages 82-99 in W. Bohme, editor. *Handbuch der Reptilien und Amphibien Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Darevsky, I. S. 1990. Notes on some reptiles (Squamata) of some offshore islands along the coast of Vietnam. Pages 125-129 in: G. Peters & R. Hutterer (editors), *Vertebrates in the Tropics*, Museum Alexander Koenig, Bonn.
- Darevsky, I. S. 1999. The herpetofauna of some offshore islands of Vietnam, as related to that of the adjacent mainland, pages 27-42 in Ota, H. (editor). *Tropical island Herpetofauna: Origin, Current Diversity, and Conservation*.
- Darevsky, I. S. and Danielyan, F. D. 1977. *Lacerta uzzelli* sp. nov. (Sauria: Lacertidae) - a new parthenogenetic species of rock lizard from eastern Turkey. Leningrad, Trudy Zool. Inst. 76: 55-59.
- Darevsky, I. S. and Kupriyanova, L. A. 1993. Two new all-female lizard species of the genus *Leiolepis* Cuvier, 1829 from Thailand and Vietnam (Squamata: Sauria: Uromastyciniae). *Herpetozoa* 6: 3-20.
- Darevsky, I. S. and Orlov, N. L. 1994. Eine bemerkenswerte neue, grosswuchige Art der Gattung Gekko: *Gekko ulikovskii* sp. nov. aus Zentralvietnam. *Salamandra* 30: 71-75.
- Darevsky, I. S. and Orlov, N. L. 1997. A new genus and species of scincid lizard from Vietnam: first asiatic skink with double rows of basal subdigital pads. *Journal of Herpetology* 31: 323-326.
- Darevsky, I. S. and Orlov, N. L. 2005. New species of limb-reduced lygosomine skink genus *Leptoseps* Greer, 1997 (Sauria, Scincidae) from Vietnam. *Russian Journal of Herpetology* 12: 65-68.
- Darevsky, I. S. and Roitberg, E. S. 1999. A new subspecies of *Lacerta caucasica* (Sauria, Lacertidae) from the south-east of Chechen Republic. *Russian Journal of Herpetology*, 6: 209-214.
- Darevsky, I. S. and Szczerbak, N. N. 1997. A new gecko of the genus *Gonydactylus* (Sauria: Gekkonidae) with a key to the species from Vietnam. *Asiatic Herpetological Research* 7: 19-22.
- Darevsky, I. S. and Tuniyev, B. S. 1997. A new species from *Lacerta saxicola* group - *Lacerta dryada* sp. nov. (Sauria: Lacertidae) and some comments relative to *Lacerta clarkorum* Darevsky & Vedmederja 1977. *Russian Journal of Herpetology* 4: 1-7.
- Darevsky, I. S. and Van Sang, N. 1983. New and little known lizard species from Vietnam. *Zoologicheskii Zhurnal* 62: 1827-1837.
- Darevsky, I. S., Kupriyanova, L. A. and Uzzell, T. 1985. Parthenogenesis in reptiles, pages 411-526. In: *Biology of the Reptilia*, Vol. 15. C. Gans and F. Billett (eds.), John Wiley and Sons, New York.
- Darevsky, I. S., Helfenberger, N., Orlov, N. and Shah, K. 1997. Two new species of the genus *Gonydactylus* (Sauria: Gekkonidae) from eastern Nepal. *Russian Journal of Herpetology* 4: 89-93.
- Darvish, J. and Rastegar-Pouyani, E. 2012. Biodiversity conservation of reptiles and mammals in the Khorasan Provinces, northeast of Iran. *Progress in Biological Sciences* 2: 95-109.
- Das, I. 1991. A new species of *Mabuya* from Tamil Nadu State, Southern India (Squamata: Scincidae). *Journal of Herpetology* 25: 342-344.
- Das, I. 1992. Eggs and hatchlings of some lizards from Borneo. *Hamadryad* 17: 42-45.
- Das, I. 1997. A new species of *Cyrtodactylus* from the Nicobar Islands, India. *Journal of Herpetology*, 31: 375-382.
- Das, I. 1997. Rediscovery of *Lipinia macrotymanpanum* (Stoliczka, 1873) from the Nicobar Islands, India. *Asiatic Herpetological Research* 7: 23-26.
- Das, I. 1997. Resolution of the systematic status of *Eublepharis macularius fuscus* Boerner, 1981 (Eublepharidae: Sauria: Squamata). *Hamadryad* 22: 13-20.
- Das, I. 1998. A record of *Gehyrina mutilata* (Wiegmann, 1835) from northern India (Sauria: Gekkonidae). *Hamadryad* 22: 118-119.
- Das, I. 1999. Biogeography of the amphibians and reptiles of the Andaman and Nicobar Islands, India. pages 43-77 in Ota, H. (editor). *Tropical island Herpetofauna: Origin, Current Diversity, and Conservation*. Elsevier, Amsterdam.
- Das, I. 2002. A photographic guide to snakes and other reptiles of India. New Holland, London.

- Das 2002b  
 Das 2003  
 Das 2004a  
 Das 2004b  
 Das 2004c  
 Das 2005  
 Das 2007  
 Das 2008  
 Das 2010  
 Das 2011  
 Das 2016  
 Das and Austin 2007  
 Das and Bauer 1998  
 Das and Bauer 2000  
 Das and Bhattacharjee 2005  
 Das and Das 2007  
 Das and Das 2017  
 Das and Dattagupta 1997  
 Das and de Silva 2011  
 Das and Grismer 2003  
 Das and Hee 2008  
 Das and Lim 2000  
 Das and Palden 2000  
 Das and Sengupta 2000  
 Das and Vijayakumar 2009  
 Das et al. 2008a  
 Das et al. 2008b  
 Das et al. 2009  
 Das et al. 2012  
 Das et al. 2015a  
 Das et al. 2015b  
 Das et al. 2016  
 Das et al. 2017  
 Das et al. 2019a  
 Das et al. 2019b  
 Dashevsky et al. 2013  
 Daszkiewicz and Bauer 2008  
 Datong 2008  
 Datta-Roy et al. 2015  
 Daudin and de Silva 2007  
 Daut and Andrews 1993  
 Davalos-Martinez et al. 2018  
 Davenport et al. 2001  
 David and Ineich 2017  
 David et al. 2004  
 David et al. 2006  
 Davidge 1979  
 Davis 1954  
 Davis and Bamford 2005  
 Davis and Dixon 1961  
 Davis and LaDuc 2018  
 Davis and Smith 1952  
 Davis and Smith 1953  
 Davis and Wilcox 2008
- Das, I. 2002. An introduction to the amphibians and reptiles of tropical Asia. Natural History Publications (Borneo).  
 Das, I. 2003. Collecting in "The land below the wind". Herpetological Explorations of Borneo. Bonner Zoologische Beitrage 52: 231-243.  
 Das, I. 2004. A new locality for the rare Bornean skink, *Lamprolepis vyneri* (Shelford, 1905) (Sauria: Scincidae). Asiatic Herpetological Research, 10: 241-244.  
 Das, I. 2004. Collecting in the "land below the wind", herpetological explorations of Borneo. Bonner Zoologische Beitrage 52: 231-243.  
 Das, I. 2004. Lizards of Borneo. Natural History Publications (Borneo), Kota Kinabalu.  
 Das, I. 2005. Revision of the genus *Cnemaspis* Strauch, 1887 (Sauria: Gekkonidae), from the Mentawai and adjacent archipelagos off western Sumatra, Indonesia, with the description of four new species. Journal of Herpetology 39: 39-46.  
 Das, I. 2007. "Not available". Lizard species erroneously or doubtfully reported from Borneo. Sarawak Museum Journal, New Series 62: 151-174.  
 Das, A. 2008. Diversity and distribution of herpetofauna and evaluation conservation status in Barail Hill Range (Including Barail Wildlife Sanctuary), Assam, Northeast India. Final Report. Aaranyak. Guwahati.  
 Das, I. 2010. A field guide to the reptiles of South-East Asia. New Holland Publishers, London.  
 Das, I. 2011. A photographic guide to snakes & other reptiles of Borneo. 2nd Edition, New Holland Publishers, London.  
 Das, I. 2016. Rapid assessments of reptile diversity. Pages 241-253 C. K. Dodd, editor; Reptile ecology and conservation. A handbook of techniques. Oxford University Press, Oxford.  
 Das, I. and Austin, C. C. 2007. New species of *Lipinia* (Squamata: Scincidae) from Borneo, revealed by molecular and morphological data. Journal of Herpetology, 41: 61-71.  
 Das, I. and Bauer, A. M. 1998. Systematics and biogeography of Bornean geckos of the genus *Cnemaspis* Strauch, 1887 (Sauria: Gekkonidae), with the description of a new species. Raffles Bulletin of Zoology 46: 11-28.  
 Das, I. and Bauer, A. M. 2000. Two new species of *Cnemaspis* (Sauria: Gekkonidae) from Tamil Nadu, southern India. Russian Journal of Herpetology 7: 17-28.  
 Das, A. and Bhattacharjee, P. C. 2005. Reptilian fauna in and around Gauhati University campus, Assam, India. Newsletter of the South Asian Reptile Network 7: 3-6.  
 Das, A. and Das, I. 2007. Rediscovery of *Mictopholis austeniana* (Annandale, 1908) (Squamata: Agamidae). Current Herpetology, 26: 45-47.  
 Das, I. and Das, A. 2017. A naturalist's guide to the reptiles of India. Bangladesh, Bhutan, Nepal, Pakistan and Sri Lanka. John Beaufoy Publishing, Oxford.  
 Das, I. and Dattagupta, B. 1997. On Chinese reptile yiptes collected during the second Forsyth expedition to Yarkand, Eastern Turkestan (1873). Sichuan Journal of Zoology 16: 168-170.  
 Das, I. and de Silva, A. 2011. A photographic guide to snakes & other reptiles of Sri Lanka. 2nd Edition, New Holland Publishers, London.  
 Das, I. and Grismer, L. L. 2003. Two new species of *Cnemaspis* Strauch, 1887 (Squamata: Gekkonidae) from the Seribuat Archipelago, Pahang and Johor States, West Malaysia. Herpetologica, 59: 544-552.  
 Das, I. and Hee, K. B. 2008. Herpetofauna of the Pulau Banggi group of islands of Northeastern Borneo. Herpetological Review, 39: 296-298.  
 Das, I. and Lim, L. J. 2000. A new species of *Cyrtodactylus* (Sauria: Gekkonidae) from Pulau Tioman. Raffles Bulletin of Zoology 48: 223-231.  
 Das, I. and Palden, J. 2000. A herpetological collection from Bhutan, with new country records. Herpetological Review 31: 256-258.  
 Das, I. and Sengupta, S. 2000. A new species of *Cnemaspis* (Sauria: Gekkonidae) from Assam, northeastern India. Journal of South Asian Natural History 5: 17-23.  
 Das, I. and Vijayakumar, S. P. 2009. New species of *Ptychozoon* (Sauria: Gekkonidae) from the Nicobar Archipelago, Indian Ocean. Zootaxa 2095: 8-20.  
 Das, I., Lakim, M. and Kandaung, P. 2008. New species of *Luperosaurus* (Squamata: Gekkonidae) from the Crocker Range Park, Sabah, Malaysia (Borneo). Zootaxa 1719: 53-60.  
 Das, I., Se Silva, A. and Austin, C. C. 2008. A new species of *Eutropis* (Squamata: Scincidae) from Sri Lanka. Zootaxa 1700: 35-52.  
 Das, A., Saikia, U., Murthy, B. H. C. K., Dey, S. and Dutta, S. K. 2009. A herpetofaunal inventory of Barail Wildlife Sanctuary and adjacent regions, Assam, north-eastern India. Hamadryad 34: 117-134.  
 Das, S. K., Dookia, S., Das, K. and Dutta, S. K. 2012. Ecological observations on the Indian Spiny-tailed Lizard *Saara hardwickii* (Gray, 1827) (Reptilia: Squamata: Agamidae) in Tal Chhapar Wildlife Sanctuary, Rajasthan, India. Journal of Threatened Taxa 5: 3516-3526.  
 Das, M., Bhattacharjee, P. C. and Purkayastha, J. 2015. Addition of *Hemidactylus aquilonius* (McMahan & Zug, 2007) to the state fauna for four states of Northeast India. Hamadryad 37: 124-127.  
 Das, S. K., Joshi, M. and Sahoo, S. 2015. On the population status of Indian spiny-tailed lizard, *Saara hardwickii* outside the Thar Desert of Rajasthan, with a preliminary report on the herpetofauna of Sariska National Park.  
 Das, A., Sharma, P., Surendran, H., Nath, A., Ghosh, S., Dutta, D., Mondol, J. and Wangdi, Y. 2016. Additions to the herpetofauna of Royal Manas National Park, Bhutan, with six new country records. Herpetology Notes, 9: 261-278.  
 Das, S., Raha, S., Mitra, S. and Bag, P. 2017. Implication of variable characters for the taxonomy of *Altiphylax stoliczkae* (Steindachner, 1867) and *Altiphylax yarkanensis* (Anderson, 1872) (Reptilia: Gekkonidae) with comments on the ZSI "syntype" of the latter taxon. Zootaxa 4320: 183-192.  
 Das, S., Campbell, P. D., Deuti, K., Bag, P. and Raha, S. 2019. A contribution to the systematics of *Salea anamallayana* (Beddome, 1878) and *S. horsfieldii* Gray, 1845 (Squamata: Agamidae: Draconinae). Zootaxa 4563: 563-583.  
 Das, S., Tripathy, B. and Deuti, K. 2019. Range extension for the Khasi Hill long-tailed lizard, *Takydromus khasiensis* Boulenger, 1917 (Squamata: Lacertidae) from India's north eastern region into the Gangetic Plains landscape at Gorumara National Park, West Bengal. Herpetology Notes, 12: 83-85.  
 Dashevsky, D., Meik, J. M., Mocino-Deloya, E., Setser, K. and Schaack, S. 2013. Patterns of sexual dimorphism in Mexican alligator lizards, *Barisia imbricata*. Ecology and Evolution 3: 255-261.  
 Daszkiewicz, P. and Bauer, A. M. 2008. Antoni Andrzejowski and his Contributions to Early 19th Century Knowledge of the Ukrainian Herpetofauna. Bibliotheca Herpetologica, 7: 14-21.  
 Datong, Y. Editor. 2008. Amphibia and Reptilia of Yunnan. Yunnan Science and Technology Press.  
 Datta-Roy, A., Deepak, V., Sidharthan, C., Barley, A. J. and Karanth, K. P. 2015. An addition to the endemic Indian radiation of *Eutropis*: Phylogenetic position of *Eutropis dissimilis* Hallowell (Squamata: Scincidae). Zootaxa 4027: 501-512.  
 Daudin, J. and de Silva, M. 2007. An annotated checklist of the amphibians and terrestrial reptiles of the Grenadines with notes on their local natural history and conservation. Applied Herpetology 4: 163-175.  
 Daut, E. F. and Andrews, R. M. 1993. The effect of pregnancy on thermoregulatory behavior of the viviparous lizard *Chalcides ocellatus*. Journal of Herpetology, 27: 6-13.  
 Davalos-Martinez, A., Cruz-Saenz, D., Guerrero-Vazquez, S., Lopez-Fernandez, L., Banda-Leal, J. and Lazcano, D. 2018. Notes on the herpetofauna of Western Mexico 18: noteworthy records of Wiegmann's alligator lizard, *Gerrhonotus liocephalus* (Wiegmann, 1828), in Jalisco, Mexico. Bulletin of the Chicago Herpetological Society, 53: 125-130.  
 Davenport, J., Hills, J., Glasspool, A. and Ward, J. 2001. Threats to the critically endangered endemic Bermudian skink *Eumeces longirostris*. Oryx, 35: 332-339.  
 David, P. and Ineich, I. 2009. The lizards of the former French indochina (Vietnam, Cambodia, Laos). An updated reappraisal. R. Bourret, Les lizards de l'indochine. Edition Chimaira, Frankfurt am Main, pp.347-436.  
 David, P., Teynie, A. and Ohler, A. 2004. A new species of *Cyrtodactylus* Gray, 1827 (Reptilia : Squamata : Gekkonidae) from southern Laos. Raffles Bulletin of Zoology, 52: 621-627.  
 David, P., Pauwels, O. S. G., Lays, P. F. A. G. and Lenglet, G. L. 2006. On a collection of reptiles from Southern Mindanao island, the Philippines. Biologie 76: 201-227.  
 Davidge, C. 1979. A census of a community of small terrestrial vertebrates. Australian Journal of Ecology 4: 165-170.  
 Davis, W. B. 1954. Three new anoles from Mexico. Herpetologica 10: 1-6.  
 Davis, R. A. and Bamford, M. J. 2005. A range extension for *Lerista lineopunctulata* (Dumeril and Bibron 1839) and a second record of *Lerista lineata*, near Yalgorup, Western Australia. The Western Australian Naturalist 25: 59-60.  
 Davis, W. B. and Dixon, J. R. 1961. Reptiles (exclusive of snakes) of the Chilpancingo region, Mexico. Proceedings of the Biological Society of Washington 74: 37-56.  
 Davis, D. R. and LaDuc, T. J. 2018. Amphibians and reptiles of C. E. Miller Ranch and the Sierra Vieja, Chihuahuan Desert, Texas, USA. ZooKeys 735: 97-130.  
 Davis, W. B. and Smith, H. M. 1952. A new whiptailed lizard (genus *Cnemidophorus*) from Mexico. Herpetologica 8: 97-100.  
 Davis, W. B. and Smith, H. M. 1953. Lizards and turtles of the Mexican state of Morelos. Herpetologica 9: 100-108.  
 Davis, R. A. and Wilcox, J. 2008. Range extension of the western heath dragon *Rankinia adelaidensis* and Gray's legless lizard *Delma grayii* with notes on the distribution of southern Swan Coastal Plain reptiles. The Western Australian Naturalist 26: 67-70.

- Davis et al. 2008  
 Davis et al. 2014  
 Davis et al. 2015  
 Davis et al. 2018  
 Davis et al. 2019  
 Dayananda et al. 2016  
 Dayananda et al. 2017a  
 Dayananda et al. 2017b  
 Daza and Bauer 2012a  
 Daza and Bauer 2012b  
 Daza et al. 2009  
 Daza et al. 2012  
 Daza et al. 2013  
 Daza et al. 2015  
 Daza et al. 2017  
 Daza et al. 2018  
 Daza et al. 2019  
 D'Cruze and Sabel 2005  
 D'Cruze and Stafford 2006  
 de Aguiar et al. 2019  
 de Albuquerque et al. 2019  
 De Almeida et al. 2018  
 de Amorim et al. 2017  
 de Andrade et al. 2013  
 de Armas 2019  
 de Buffrenil and Castanet 2000  
 de Buffrenil and Hemery 2002  
 de Buffrenil and Rimblot-Baly 1999  
 de Buffrenil et al. 2008  
 de Carvalho 1997  
 de Carvalho 2013  
 de Espinzo 1983  
 de Espinoza et al. 1990  
 De Freitas et al. 2011  
 de Freitas et al. 2012  
 de Freitas et al. 2013  
 de Freitas et al. 2014  
 de Freitas et al. 2017  
 de Freitas et al. 2018  
 de Freitas et al. 2019  
 de Fuentes-Fernandez et al. 2019  
 De Gamboa et al. 2018  
 de Gris 1936  
 de Jong 1927  
 De Jong 1930  
 De La Luz et al. 2016  
 de la Vega-Perez et al. 2013
- Davis, C., Fleming, P., Craig, M., Grigg, A. and Hardy, G. 2008. A funnel trap for capture of small arboreal reptiles. *Amphibia-Reptilia* 29: 413-423.  
 Davis, D. R., Feller, K. D., Brown, R. M. and Siler, C. D. 2014. Evaluating the diversity of Philippine slender skinks of the *Brachymeles bonitae* complex (Reptilia: Squamata: Scincidae): redescription of *B. tridactylus* and descriptions of two new species. *Journal of Herpetology*, 48: 480-494.  
 Davis, D. R., Watters, J. L., Kohler, G., Whitsett, C., Huron, N. A., Brown, R. M., Diesmos, A. C. and Siler, C. D. 2015. Redescription of the rare Philippine false gecko *Pseudogekko brevipes* (Reptilia: Squamata: Gekkonidae) and description of a new species. *Zootaxa* 4020: 357-374.  
 Davis, H. R., Grimser, L. L., Cobos, A. J., Murdoch, M. L., Sumarli, A. X., Anuar, S., Muin, M. A., Wood, P. and Quah, E. S. H. 2017. Checklist of the herpetofauna of Hutan Lipur Gunung Senyum, Pahang, Peninsular Malaysia. *Russian Journal of Herpetology*, 25: 207-220.  
 Davis, H. R., Bauer, A. M., Jackman, T. R., Nashriq, I. and Das, I. 2019. Uncovering karst endemism within Borneo: two new *Cyrtodactylus* species from Sarawak, Malaysia. *Zootaxa* 4614: 331-352.  
 Dayananda, B., Gray, S., Pike, D. and Webb, J. K. 2016. Communal nesting under climate change: fitness consequences of higher incubation temperatures for a nocturnal lizard. *Global Change Biology* 22: 2405-2414.  
 Dayananda, B., Ibarguengoytia, N., Whiting, M. J. and Webb, J. K. 2017. Effects of pregnancy on body temperature and locomotor performance of velvet geckos. *Journal of Thermal Biology* 65: 64-68.  
 Dayananda, B., Penfold, S. and Webb, J. K. 2017. The effects of incubation temperature on locomotor performance, growth and survival in hatchling velvet geckos. *Journal of Zoology* 303: 46-53.  
 Daza, J. D. and Bauer, A. M. 2012. A new amber-embedded sphaerodactyl gecko from Hispaniola, with comments on morphological synapomorphies of the Sphaerodactylidae. *Breviora*, 529: 1-28.  
 Daza, J. D. and Bauer, A. M. 2012. Temporal bones of the Gekkota support molecular relationships within the Pygopodioidea. *Journal of Herpetology* 46: 381-386.  
 Daza, J. D., Herrera, A., Thomas, R. and Claudio, H. J. 2009. Are you what you eat? A geometric morphometric analysis of gekkotan skull shape. *Biological Journal of the Linnean Society* 97: 677-707.  
 Daza, J. D., Travers, S. L. and Bauer, A. M. 2012. New records of the mourning gecko *Lepidodactylus lugubris* (Dumeril and Bibron, 1836) (Squamata: Gekkonidae) from Colombia. *Check List* 8: 164-167.  
 Daza, J. D., Bauer, A. M. and Snively, E. 2013. *Gobekko cretacicus* (Reptilia: Squamata) and its bearing on the interpretation of gekkotan affinities. *Zoological Journal of the Linnean Society*, 167: 430-448.  
 Daza, J. D., Bauer, A. M., Sand, C., Lilley, I., Wake, T. A. and Valentin, F. 2015. Reptile remains from Tiga (Tokanod), Loyalty islands, New Caledonia. *Pacific Science*, 69: 531-557.  
 Daza, J. D., Gamble, T., Abdala, V. and Bauer, A. M. 2017. Cool geckos: does plesiomorphy explain morphological similarities between geckos from the Southern Cone?. *Journal of Herpetology*, 51: 330-342.  
 Daza, J. D., Hunziker, J. P., Bauer, A. M., Wagner, P. and Bohme, W. 2018. Things are not always as they seem: High-resolution X-ray CT scanning reveals the first resin-embedded miniature gecko of the genus *Ebenavia*. *Bonn Zoological Bulletin* 67: 71-77.  
 Daza, J. D., Pinto, B. J., Thomas, R., Herrera-Martinez, A., Scantlebury, D. P., Garcia, L. F. P., Balaraman, R. P., Perry, G. and Gamble, T. 2019. The sprightly little sphaerodactyl: Systematics and biogeography of the Puerto Rican dwarf geckos *Sphaerodactylus* (Gekkota, Sphaerodactylidae). *Zootaxa*, 4712: 151-201.  
 D'Cruze, N. C. and Sabel, J. A. 2005. The reptiles of the southern Mikea forest, Madagascar. *The Herpetological Bulletin*, 93: 2-8.  
 D'Cruze, N. C. and Stafford, P. J. 2006. Resource partitioning of sympatric *Norops* (Beta Anolis) in a subtropical mainland community. *Herpetological Journal* 16: 273-280.  
 de Aguiar, C. A., de Santana, A. V., Pereira, J. G. S. and dos Santos, T. G. 2019. Attempted predation on the lizard *Aspronema dorsivittatum* (Cope, 1862) by the American kestrel *Falco sparverius* Linnaeus, 1758. *Herpetology Notes*, 16: 1-4.  
 de Albuquerque, S., Delaix-Zaqueo, K., Calderon, L. A. and Bernarde, P. S. 2019. Predation on the lizard *Chatogekko amazonicus* (Andersson, 1918) (Squamata, Sphaerodactylidae) by the ant *Dinoponera longiceps* (Emery, 1901) (Formicidae, Dorylinea) in Rondônia State, Brazil. *Herpetology Notes*, 12: 347-349.  
 De Almeida, J. P. F. A., De Freitas, M. A., Da Silva, M. B., Valverde, M. C. C., Rodrigues, M. T., Pires, A. M. and Mott, T. 2018. A new four-pored *Amphisbaena* (Squamata: Amphisbaenidae) from northeastern Brazil. *Zootaxa* 4514: 1-10.  
 de Amorim, M. E., Schoener, T. W., Santoro, G. R. C. C., Lins, A. C. R., Piovia-Scott, J. and Brando, R. A. 2017. Lizards on newly created islands independently and rapidly adapt in morphology and diet. *Proceedings of the National Academy of Sciences, USA* 114: 8812-8816.  
 de Andrade, S. P., Santos, D. L., Kawashita-Ribeiro, R. A. and Vaz-Silva, W. 2013. New records and updated distribution map of *Iphisa elegans* Gray, 1851 (Reptilia, Gymnophthalmidae). *Herpetology Notes*, 6: 395-400.  
 de Armas, L. F. 2019. Florivory by a Cuban green anole, *Anolis porcatus* (Squamata: Dactyloidae). *IRCP Reptiles & Amphibians* 26: 103-105.  
 de Buffrenil, V. and Castanet, J. 2000. Age estimation by skeletochronology in the Nile monitor (*Varanus niloticus*), a highly exploited species. *Journal of Herpetology*, 34: 414-424.  
 de Buffrenil, V. and Hemery, G. 2002. Variation in longevity, growth, and morphology in exploited Nile monitors (*Varanus niloticus*) from Sahelian Africa. *Journal of Herpetology*, 36: 419-426.  
 de Buffrenil, V. and Rimblot-Baly, F. 1999. Female reproductive output in exploited Nile monitor lizard (*Varanus niloticus* L.) populations in Sahelian Africa. *Canadian Journal of Zoology* 77: 1530-1539.  
 de Buffrenil, V., Houssaye, A. and Bohme, W. 2008. Bone vascular supply in monitor lizards (Squamata: Varanidae): influence of size, growth, and phylogeny. *Journal of Morphology* 269: 533-543.  
 de Carvalho, C. M. 1997. Uma nova espécie de microteioideo do gênero *Gymnophthalmus* do estado do Roraima, Brasil (Sauria: Gymnophthalmidae). *Papeis Avulsos de Zoologia* 40: 161-174.  
 de Carvalho, A. L. G. 2013. On the distribution and conservation of the South American lizard genus *Tropidurus* Wied-Neuwied, 1825 (Squamata: Tropiduridae). *Zootaxa* 3640: 42-56.  
 de Espinoza, C. N. 1983. List of Peruvian Anolis with distributional data (Sauria: Iguanidae). Pages 406-411 in Rhodin, A. and K. Miyata, editors. *Advances in Herpetology and Evolutionary Biology*. Museum of Comparative Zoology, Cambridge, MA, USA.  
 de Espinoza, C. N., Rothenstein, D., Salas, A. W. and Werner, Y. L. 1990. Radiation and convergence among desert geckos: *Phyllodactylus* species resembling both *Ptyodactylus* and *Stenodactylus*. *Amphibia-Reptilia* 11: 1-13.  
 De Freitas, J. L., Strussmann, C., De Carvalho, M. A., Kawashita-Ribeiro, R. A. and Mott, T. 2011. A new species of *Bachia* Gray, 1845 (Squamata: Gymnophthalmidae) from the Cerrado of midwestern Brazil. *Zootaxa* 2737: 61-68.  
 de Freitas, M. A., Verissimo, D. and Uhlig, V. 2012. Squamate reptiles of the central Chapada Diamantina, with a focus on the municipality of Mucuge, state of Bahia, Brazil. *Check List*, 8: 16-22.  
 de Freitas, M. A., Sousa, S. O., Vieira, R. S., Farias, T. and de Moura, G. J. B. 2013. First record of *Cercosaura argulus* (Peters, 1863) (Squamata: Gymnophthalmidae) for the state of Maranhao, Brazil. *Check List* 9: 1541-1542.  
 de Freitas, P. R. P., Franca, F. G. R. and Mesquita, D. O. 2014. Aspectos demográficos dos lagartos *Phyllopezus periosus* e *Phyllopezus pollicaris* (Sauria: Phyllodactylidae) em simpatrícia em área de Caatinga no Nordeste do Brasil. *Gaia Scientia* 8: 294-305.  
 de Freitas, M. A., Vieira, R. S., Entiauspe-Neto, O. M., Sousa, S. O., Farias, T., Sousa, A. G., and Moura, G. J. B. 2017. Herpetofauna of the Northwest Amazon forest in the state of Maranhao, Brazil, with remarks on the Gurupi Biological Reserve. *ZooKeys* 643: 141-155.  
 de Freitas, M. A., Abegg, A. D., Dias, I. R. and de Figueiredo Moraes, E. P. 2018. Herpetofauna from Serra da Jiboia, an Atlantic Rainforest remnant in the state of Bahia, northeastern Brazil. *Herpetology Notes*, 11: 59-72.  
 de Freitas, M. A., Abegg, A. D., Araujo, D. S., Coelho, H. E. A., Azevedo, W. S., Chaves, M. F., da Rosa, C. M. and de Moura, G. J. B. 2019. Herpetofauna of three "Brejos de Altitude" in the interior of the state of Pernambuco, northeastern Brazil. *Herpetology Notes* 12: 591-602.  
 de Fuentes-Fernandez, M., Suarez-Rancel, M. M. and Molina-Borja, M. 2019. How morphology and thermal ecology relates to diurnal microhabitat use and selection across seasons in two habitats of the nocturnal *Tarentola delalandii* from Tenerife. *Amphibia-Reptilia*, 40: 487-498.  
 De Gamboa, M. R., Correa, C., Marambio-Alfarro, Y., Riveros-Riffo, E. and Ortiz, J. C. 2018. Molecular evidence for conspecificity of two desert *Liolaemus* lizards (Iguania: Liolaemidae). *Zootaxa* 4438: 283-298.  
 de Gris, P. 1936. *Prionodactylus rahmi*, eine neue Eidechse aus den Anden. *Zoologischer Anzeiger* 116: 27-30.  
 de Jong, J. K. 1927. Reptiles from Dutch New Guinea. *Nova Guinea* 15: 296-318.  
 De Jong, J. K. 1930. Notes on some reptiles from the Dutch-East-indies. *Treubia*, 12: 115-119.  
 De La Luz, N. M. C., Lemos-Espinal, J. A. and Smith, G. R. 2016. A diversity and conservation inventory of the herpetofauna of the Cuautlapan Valley, Veracruz, Mexico. *Zootaxa*, 4205: 127-142.  
 de la Vega-Perez, A. H. D. Jimenez-Arcos, V. H., Manriquez-Moran, N. L. and Mendez-de la Cruz, F. R. 2013. Conservatism of thermal preferences between parthenogenetic *Aspidoscelis cozumela* complex (Squamata: Teiidae) and their parental species. *Herpetological Journal* 23: 93-104.

- de la Vega-Perez et al. 2019  
 de la Vega-Perez, D. A. H., Barrios-Montiel, R., Jimenez-Arcos, V. H., Bautista, A. and Bastiaans, E. 2019. High-mountain altitudinal gradient influences thermal ecology of the Mesquite Lizard (*Sceloporus grammicus*). Canadian Journal of Zoology, 97: 659-668.
- De Lisle 1996  
 De Los Reyes et al. 2019  
 de los Santos and de Nicolas 2008  
 De Massary et al. 2018  
 De Meester et al. 2019  
 de Oca 1994  
 de Oca 1996  
 de Oca et al. 2001  
 de Oca et al. 2013a  
 De Oca et al. 2013b  
 de Oca et al. 2014  
 de Oliveira 2014  
 de Oliveira and Pessanha 2013  
 de Oliveira et al. 2014  
 de Pous et al. 2011  
 de Pous et al. 2012  
 De Pous et al. 2015  
 de Queiroz 1990a  
 de Queiroz 1990b  
 de Rooij 1922  
 de Silva 1989  
 de Silva 2006  
 de Silva and Ukuwela 2017  
 de Silva et al. 2005a  
 de Silva et al. 2005b  
 de Silva et al. 2016  
 De Silva et al. 2017  
 De Villiers et al. 2017  
 de Vosjoli 2007  
 De Witte 1922  
 de Witte 1933a  
 de Witte 1933b  
 de Witte 1933c  
 de Witte 1933d  
 de Witte 1941  
 de Witte 1953  
 de Witte 1966  
 de Zeeuw 2010  
 Dearing and Schall 1992  
 Dearing and Schall 1994  
 Debien et al. 2019  
 DeBoer et al. 2018  
 Debrot et al. 2013  
 de-Carvalho et al. 2010  
 Deeming 2004  
 Deeming et al. 2006  
 Deepak et al. 2015  
 Deepak et al. 2016  
 Deepak et al. 2018  
 Defabiani and Mathey 2011  
 de la Vega-Perez, D. A. H., Barrios-Montiel, R., Jimenez-Arcos, V. H., Bautista, A. and Bastiaans, E. 2019. High-mountain altitudinal gradient influences thermal ecology of the Mesquite Lizard (*Sceloporus grammicus*). Canadian Journal of Zoology, 97: 659-668.
- De Lisle, H. F. 1996. The natural history of monitor lizards. Krieger, Malabar.
- De Los Reyes, M. N., Lazcano, D., and Wilson, L. D. 2019. *Gerrhonotus ophiurus* (smooth-headed alligator lizard). Microhabitat. Herpetological Review 50: 575.
- de los Santos, A. and de Nicolas, J. P. 2008. Environmental niche of the smut lizard population on a sandy coastal ecosystem of Southeastern Tenerife (Canary islands). Marine Ecology 29 (Suppl. 1): 2-11.
- De Massary, J.C., Bour, R., Dewynter, M., Ineich, I., Vidal, N. and Lescure, J. 2018. Liste taxinomique de l'herpetofaune dans l'outre-mer Francais: II. Collectivite de Saint-Barthelemy. Bulletin de la Societe Herpetologique de France,
- De Meester, G., Huyghe, K. and Van Damme, R. 2019. Brain size, ecology and sociality: a reptilian perspective. Biological Journal of the Linnean Society 126: 381-391.
- de Oca, A. N.-M. 1994. A taxonomic review of the *Anolis schiedii* group (Squamata: Polychrotidae). PhD Dissertation, University of Kansas.
- de Oca, A. N. M. 1996. A new species of *Anolis* (Squamata: Polychrotidae) from Chiapas, Mexico. Journal of Herpetology, 30: 19-27.
- de Oca, A. N. M., Campbell, J. A. and Flores-Villela, O. 2001. A new species of *Xenosaurus* (Squamata: Xenosauridae) from the sierra madre del Sur of Oaxaca, Mexico. Herpetologica 57: 32-47.
- de Oca, A. N. M., Garcia-Vazquez, U. O., Zuniga-Vega, J. J. and Schmidt-Bal, W. 2013. A new species of *Xenosaurus* (Squamata: Xenosauridae) from the Sierra Gorda Biosphere Reserve of Queretaro, Mexico. Revista Mexicana de Biodiversidad 84: 485-498.
- De Oca, A. N. M., Poe, S., Scarpetta, S., Gray, L. and Lieb, C. S. 2013. Synonyms for some species of Mexican anoles (Squamata: Dactyloidae). Zootaxa 3637: 484-492.
- de Oca, A. N.-M., Kohler, G. and Feria-Ortiz, M. 2014. *Anolis boulengerianus* Thominot, 1887, a senior synonym of *Anolis isthmicus* Fitch, 1978 (Squamata: Dactyloidae). Zootaxa 3794: 125-133.
- de Oliveira, B. H. S. 2014. Autecologia do lagarto *Anotosaura vanzolinia* (squamata: gymnophthalmidae) em area de caatinga no estado da Paraiba, nordeste do Brasil. MSc. Thesis,
- de Oliveira, B. H. S. and Pessanha, A. L. M. 2013. Microhabitat use and diet of *Anotosaura vanzolinia* (Squamata: Gymnophthalmidae) in a Caatinga area, Brazil. Biota Neotropica 13: 193-198.
- de Oliveira, D. P., Souza, S. M., Frazao, L., de Almeida, A. P. and Hrbek, T. 2014. Lizards from central Jatapu River, Amazonas, Brazil. Check List 10: 46-53.
- de Pous, P., Mora, E., Metallinou, M., Escoriza, D., Comas, M., Donaire, D., Pleguezuelos, J. M. and Carranza, S. 2011. Elusive but widespread? The potential distribution and genetic variation of *Hyalosaurus koellikeri* (Gunther, 1873) in the Maghreb. Amphibia-Reptilia 32: 385-397.
- de Pous, P., Speybroeck, J., Bogaerts, S., Pasmans, F. and Beukema, W. 2012. A contribution to the atlas of the terrestrial herpetofauna of Sardinia. Herpetology Notes, 5: 391-405.
- De Pous, P., Machado, L., Metallinou, M., Cervenka, J., Kratochvil, L., Paschou, N., Mazuch, T., Smid, J., Simo-Riudalbas, M., Sanuy, D. and Carranza, S. 2016. Taxonomy and biogeography of *Bunopus spatulatus* (Reptilia; Gekkonidae) from the Arabian Peninsula. Journal of Zoological Systematics and Evolutionary Research 54: 67-81.
- de Queiroz, K. 1990. *Ctenosaura bakeri*. Catalogue of American Amphibians and Reptiles 465: 1-2.
- de Queiroz, K. 1990. *Ctenosaura oedirhina*. Catalogue of American Amphibians and Reptiles 466: 1-2.
- de Rooij, N. 1922. Reptiles and Amphibians of Curacao. Journal Bijdragen tot de Dierkunde 22: 249-253.
- de Silva, A. (editor). 1998. Biology and Conservation of the amphibians, reptiles and their habitats in South Asia. Proceedings of the international Conference on the Biology and Conservation of Amphibians and Reptiles of South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka (ARROS).
- de Silva, A. 2006. Current status of the reptiles of Sri Lanka. Pages 134-163 in: The fauna of Sri Lanka. The World Conservation Union, Colombo, and Government of Sri Lanka.
- de Silva, A. and Ukuwela, K. 2017. A naturalist's guide to the reptiles of Sri Lanka. John Beaufoy Publishing, Oxford.
- de Silva, A., Bauer, A. M., Austin, C. C., Goonewardene, S., Drake, J. and de Silva, P. 2005. Chalcidoseps thwaitesii (Gunther, 1872) (Reptilia: Scincidae) four-toed skink: preliminary observations. Lyriocephalus, 6: 103-111.
- de Silva, A., Meek, R., Bauer, A. M., Goonewardene, S., Drake, J., Dasanayaka5, R. D. C. S. K., Amarakoon, A. M. R. K. and Goonasekera, M. M. 2005. First studies on the thermal ecology of *Ceratophora tennentii*: (Sauria: Agamidae) inhabiting the cloud forests of Knuckles Massif, Sri Lanka. Lyriocephalus 6: 65-71.
- de Silva, A., Madawala, M., Bauer, A. M. and Karunarathna, S. 2016. Rediscovery of the frilled tail gecko *Hemidactylus platyurus* (Schneider, 1792) in Sri Lanka after more than 160 years. Journal of Threatened Taxa 8: 9663-9666.
- De Silva, A., Sandaruwan, W. M. J., De Zoysa, H. S. and Ukuwela, K. D. 2017. An authentic record of *Europis bibronii* (Gray, 1838)(Reptilia: Scincidae) from Sri Lanka. Zootaxa, 4329: 175-182.
- De Villiers, A. L., Baard, E. and Branch, W. R. 1983. 'Lacerta' australis: additional material. The Journal of the Herpetological Association of Africa, 29: 13-14.
- de Vosjoli, P. 2007. The lizard keeper's handbook. The Herpetocultural Library, Irvine.
- De Witte, G. F. 1922. Description de reptiles nouveaux du Congo Belge. Revue de Zoologie et de Botanique Africaine 10: 66-71.
- de Witte, G. F. 1933. Batraciens et reptiles recueillis par M.L. Burgeon au Ruwenzori, au Kivu et au Tanganyika. Revue de Zoologie et de Botanique Africaine 24: 111-123.
- de Witte, G. F. 1933. Description de deux amphisbaenides nouveaux du Congo Belge. Revue de Zoologie et de Botanique Africaine, 23: 168-171.
- de Witte, G. F. 1933. Description de reptiles nouveaux provenant du Katanga (1930-31). Revue de Zoologie et de Botanique Africaine, 23: 185-192.
- de Witte, G. F. 1933. Reptiles recoltes au Conge Belge par le Dr. H. Schouteden et par M. G.-F. Witte. Annales du Musee du Congo Belge Tervuren (Belgique) Sciences Zoologiques 1 Tome iii: 53-100.
- de Witte, G. F. 1941. Batraciens et reptiles. Exploration du Parc National Albert. Mission G. F. de Witte (1933-1935). Fascicule 33. Brussels 1941, 261 pp.
- de Witte, G. F. 1953. Reptiles. Exploration du Parc National de l'Upemba. Mission G. F. de Witte. Institut des Parcs Nationaux du Congo Belge. Brussels, vol. 6, 322 pp.
- de Witte, G. F. 1966. Exploration du Parc National de la Garamba, Mission H. De Sager. Reptiles. Brussels: institut des parcs nationaux du Congo Belge.
- de Zeeuw, M. 2010. Husbandry and reproduction of *Varanus glauerti* in captivity. Biawak, 4: 103-107.
- Dearing, M. D. and Schall, J. J. 1992. Testing models of optimal diet assembly by the generalist herbivorous lizard *Cnemidophorus murinus*. Ecology, 73: 845-858.
- Dearing, M. D. and Schall, J. J. 1994. Atypical reproduction and sexual dimorphism of the tropical Bonaire island whiptail lizard, *Cnemidophorus murinus*. Copeia, 1994: 760-766.
- Debien, I. V., Waldez, F. and Menin, M. 2019. Diversity of reptiles in flooded and unflooded forests of the Amanã Sustainable Development Reserve, central Amazonia. Herpetology Notes, 12, pp.1051-1065.
- DeBoer, J. C., Griffing, A. H., Iyengar, V. K. and Bauer, A. M. 2018. New dietary records for croaking lizards of the genus *Aristelliger* (Reptilia: Sphaerodactylidae). Caribbean Herpetology 62: 1-8.
- Debrot, A. O., Boman, E. B. and Madden, H. 2013. The Lesser Antillean iguana on St. Eustatius: A 2012 population status update and causes for concern. IRCP Reptiles & Amphibians 20: 44-52.
- de-Carvalho, C. B., Caldas, F. L. S., Santana, D. O., Noronha, M. V., Freitas, E. B., Faria, R. G. and Santos, R. A. 2010. Reptilia, Squamata, Gymnophthalmidae, *Acratosaura mentalis* (Amaral 1933): Distribution extension and geographic distribution map. Check List 6: 434-436.
- Deeming, D. C. editor. 2004. Reptilian incubation. Environment, evolution and behaviour. Nottingham University Press, Nottingham.
- Deeming, D. C., Birchard, G. F., Crafer, R. and Eady, P. E. 2006. Egg mass and incubation period allometry in birds and reptiles: effects of phylogeny. Journal of Zoology 270: 209-218.
- Deepak, V., Vyasa, R., Giri, V. B. and Karanth, K. P. 2015. A taxonomic mystery for more than 180 years: the identity and systematic position of *Brachysaura minor* (Hardwicke & Gray, 1827). Vertebrate Zoology 65: 371-381.
- Deepak, V., Giri, V. B., Asif, M., Dutta, S. K., Vyasa, R., Zambre, A. M., Bhosale, H. and Karanth, K. P. 2016. Systematics and phylogeny of *Sitana* (Reptilia: Agamidae) of Peninsular India, with the description of one new genus and five new species. Contributions to Zoology, 85: 67-111.
- Deepak, V., Khanedkar, A., Chaitanya, R. and Karanth, P. 2018. Descriptions of two new endemic and cryptic species of *Sitana* Cuvier, 1829 from peninsular India. Zootaxa 4434: 327-365.
- Defabiani, A. and Mathey, Y. 2011. Husbandry and propagation of Taylor's fat-tailed gecko, *Hemitheconyx taylori* Parker, 1930. Sauria 33: 3-15.

- Degenhardt et al. 1996  
 Degenhardt, W. G., Painter, C. W. and Price, A. H. 1996. Amphibians and reptiles of New Mexico. University of New Mexico Press, Albuquerque.
- Dehghani et al. 2014  
 Dehghani, A., Yousefkhani, S. S. H., Rastegar-Pouyani, N., Banan-Khojasteh, S. M. and Mohammadpour, A. 2014. Sexual size dimorphism in *Darevskia raddei* (Sauria: Lacertidae) from northwestern Iran. *Zoology in the Middle East*, 109: 1-10.
- Dejun 1989  
 Dejun, L. 1989. A survey of reptiles in Leigongshan area. Pages 269-275 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.
- Del Canto 2013  
 Del Canto, R. 2013. Field observations on *Varanus macraei*. *Biauwak*, 7: 18-20.
- Del Prado et al. 2018  
 Del Prado, Y. L. C., Pili, A. N., Caguimbal, N. A. L. E., Cuy, C. M., Apo, D. M. P., Ayuste, N. M., De Castro, C. M. M., Supelana, P. N. K., Diesmos, A. C. and Diesmos, M. L. L. 2018. *Otosaurus cumingi* (Philippine giant forest skink). Nest site and environmentally cued hatching. *Herpetological Review* 49: 119-120.
- Delaugerre 1984  
 Delaugerre, M. 1984. Sur l'écologie thermique des geckos *Phyllodactylus europaeus*, *Hemidactylus turcicus* et *Tarentola mauritanica*: rythmes d'activité, température et activité, répartition altitudinale. *Travaux scientifiques du parc naturel régional de Corse* 3: 96-121.
- Delaugerre and Cheylan 1992  
 Delaugerre, M. and Cheylan, M. 1992. Atlas de Repartition des Batraciens et Reptiles de Corse. L'Oikema, Pamplona.
- Delaugerre et al. 2012  
 Delaugerre, M., Grita, F., Lo Cascio, P. and Ouni, R. 2012. Lizards and Eleonora's Falcon (*Falco eleonorae* Gene, 1839), a Mediterranean micro-insular commensalism. *Biodiversity Journal*, 3: 3-12.
- Delaugerre et al. 2019  
 Delaugerre, M.-J., Sacchi, R., Biaggini, M., Cascio, P. L., Ouni, R. and Corti, C. 2019. Coping with aliens: how a native gecko manages to persist on Mediterranean islands despite the black rat? *Acta Herpetologica* 14: 89-100.
- Delfim and Freire 2007  
 Delfim, F. R. and Freire, E. M. C. 2007. Os lagartos ginnofthalmideos (Squamata: Gymnophthalmidae) do cariri paraibano e do serido do rio grande do norte, nordeste do Brasil: considerações acerca da distribuição geográfica e ecológica. *Oecologia Brasiliensis* 11: 365-382.
- Delfim et al. 2006  
 Delfim, F. R., Gonçalves, E. M. and da Silva, S. T. 2006. Squamata, Gymnophthalmidae, *Psilophthalmus paeminosus*: Distribution extension, new state record. *Check List* 2: 89-92.
- Delfino et al. 2011  
 Delfino, M., Bailon, S. and Pitruzzella, G. 2011. The Late Pliocene amphibians and reptiles from "Capo Mannu D1 Local Fauna" (Mandriola, Sardinia, Italy). *Geodiversitas* 33: 357-382.
- Delibes and Blazquez 1998  
 Delibes, M. and Blazquez, M. C. 1998. Tameness of insular lizards and loss of biological diversity. *Conservation Biology*, 12: 1142-1143.
- Delibes et al. 2011  
 Delibes, M., Blazquez, Md. C., Soriano, L., Revilla, E. and Godoy, J. A. 2011. High antipredatory efficiency of insular lizards: a warning signal of excessive specimen collection? *PLoS ONE* 6(12): e29312.
- Dellaoui et al. 2015  
 Dellaoui, B., Beddek, M., Peyre, O., Geniez, P., Allegreini, B., Koudache, F. and Crochet, P.-A. 2015. Rediscovery of *Acanthodactylus spinicauda* Doumergue, 1901 in Algeria. *Herpetology Notes*, 8: 511-515.
- Dely and Bohme 1984  
 Dely, O. G. and Bohme, W. 1984. Lacerta vivipara Jacquin 1787 - Waldeidechse. Pages 362-393 in W. Bohme, editor. *Handbuch der Reptilien und Amphibien Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Demangel 2016a  
 Demangel, D. 2016. Guía del campo. Reptiles del centro sur de Chile. la Corporación Chilena de la Madera, Corma. Concepción.
- Demangel 2016b  
 Demangel, D. 2016. Reptiles en Chile. Fauna Nativa Ediciones, Santiago.
- Dennison et al. 2015  
 Dennison, S., McAlpin, S., Chapple, D. G. and Stow, A. J. 2015. Genetic divergence among regions containing the vulnerable Great Desert skink (*Liopholis kintorei*) in the Australian arid zone. *PLoS ONE* 10(6): e0128874. doi:10.1371/journal.pone.0128874
- Denzer and Manthey 2016  
 Denzer, W. and Manthey, U. 2016. Remarks on the taxonomy and nomenclature of the genus *Hypsilurus* Peters, 1867 (Reptilia, Agamidae, Amphibolurinae). *Zoosystematics and Evolution* 92: 103-110.
- Denzer and Menthey 1991  
 Denzer, W. and Menthey, U. 1991. A nominal checklist of the lizards inhabiting Peninsular Malaya and Singapore. *Raffles Bulletin of Zoology* 39: 309-322.
- Denzer et al. 1997a  
 Denzer, W., Gunther, R. and Manthey, U. 1997. Annotated type catalogue of the agamid lizards (Reptilia: Squamata: Agamidae) in the Museum für Naturkunde der Humboldt-Universität zu Berlin (former Zoological Museum Berlin). *Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe* 73: 309-332.
- Denzer et al. 1997b  
 Denzer, W., Gunther, R. and Manthey, U. 1997. Kommentiert typenkatalog der agamen (Reptilia: Squamata: Agamidae) des Museums für Naturkunde der Humboldt-Universität zu Berlin (ehemals Zoologisches Museum Berlin). *Mitteilungen aus dem Museum für Naturkunde in Berlin* 73: 309-332.
- Denzer et al. 2015  
 Denzer, W., Manthey, U., Mahlow, K. and Bohme, W. 2015. The systematic status of *Gonocephalus robinsonii* Boulenger, 1908 (Squamata: Agamidae: Draconinae). *Zootaxa* 4039: 129-144.
- Denzer et al. 2016  
 Denzer, W., Manthey, U., Wagner, P. and Bohme, W. 2016. A critical review of Hoser's writings on Draconinae, Amphibolurinae, Laudakia and Uromastycinac (Squamata: Agamidae). *Bonn zoological Bulletin* 64: 117-138.
- Denzer et al. 2018a  
 Denzer, W., Doughty, P., Johnstone, R. E. and Manthey, U. 2018. Anglehead lizards from Gag Island, Halmahera Sea, Indonesia. *Sauria* 40: 52-61.
- Denzer et al. 2018b  
 Denzer, W., Manthey, U. and Venter, F. 2018. Erstnachweis der langschwanzigen Papua-winkelkopfagame (*Hypsilurus papuensis longicauda* Manthey & Denzer, 2006) in Sudost-Neuguinea. First record of the long-tailed forest dragon (*Hypsilurus papuensis longicauda* Manthey & Denzer, 2006) in Southeast New Guinea. *Sauria* 40: 71-74.
- Deraniyagala 1953  
 Deraniyagala, P. E. P. 1953. A coloured atlas of some vertebrates from Ceylon. Vol. 2. Tetrapod Reptilia. Government Press, Colombo.
- Desser and Yekutiel 1986  
 Desser, S. S. and Yekutiel, D. 1986. Blood parasites of amphibians and reptiles in Israel. *Israel Journal of Zoology*, 34: 77-90.
- Devan-Song and Brown 2012  
 Devan-Song, A. and Brown, R. M. 2012. Amphibians and reptiles of Luzon island, Philippines, VI: the herpetofauna of the Subic Bay area. *Asian Herpetological Research* 3: 1-20.
- Dewynter and Surugue 2012  
 Dewynter, M. and Surugue, N. 2012. First record of *Amapasaurus tetradactylus* Cunha, 1970 (Squamata: Gymnophthalmidae) in French Guiana. Checklist 8: 815-816.
- Dewynter et al. 2017  
 Dewynter, M., Chirio, L., Melki, F., Cordier, J. and Frétey, T. 2017. Premières données herpétologiques (amphibiens et reptiles) sur le mont Koumouna-Bouali (Gabon). *Les Cahiers de la Fondation Biotope* 11: 1-42.
- Dewynter et al. 2018  
 Dewynter, M., Frétey, T., Jongsma, G. F. M., Bamba-Kaya, A. and Pauwels, O. S. G. 2018. L'herpétifaune du site Ramsar des Monts Birougou (Gabon): catalogue illustré des espèces. *Les Cahiers de la fondation Biotope* 18: 1-50.
- Di Virgilio et al. 2017  
 Di Virgilio, G., Laffan, S. W., Nielsen, S. V. and Chapple, D. G. 2017. Does range-restricted evolutionary history predict extinction risk? A case study in lizards. *Journal of Biogeography* 44: 605-614.
- Dial 1975  
 Dial, B. E. 1975. Aspects of the ecology and systematics of the lizards *Coleonyx brevis* and *Coleonyx reticulatus* (Lacertidae: Gekkonidae). MSc. Thesis, Texas A&M University.
- Dial 1978  
 Dial, B. E. 1978. The thermal ecology of two sympatric, nocturnal *Coleonyx* (Lacertidae: Gekkonidae). *Herpetologica* 34: 194-201.
- Dial and Grismer 1992  
 Dial, B. E. and Grismer, L. L. 1992. A phylogenetic analysis of physiological-ecological character evolution in the lizard genus *Coleonyx* and its implications for historical biogeographic reconstruction. *Systematic Biology* 41: 178-195.
- Dial et al. 1987  
 Dial, B. E., Gatten, R. E. and Kamel, S. 1987. Energetics of concertina locomotion in *Bipes biporus* (Reptilia: Amphisbaenia). *Copeia*, 1987: 470-477.
- Diamond et al. 2014  
 Diamond, K., Trovillion, D., Allen, K. E., Malela, K. M., Noble, D. A., Powell, R., Eifler, D. A. and Gifford, M. E. 2014. Individual (co)variation of field behavior and locomotor performance in curly tailed lizards. *Journal of Zoology*, 291: 1-10.
- Dias and Rocha 2004  
 Dias, E. J. R. and Rocha, C. F. D. 2004. Thermal ecology, activity patterns, and microhabitat use by two sympatric whiptail lizards (*Cnemidophorus abertiensis* and *Cnemidophorus ocellifer*) from northeastern Brazil. *Journal of Herpetology*, 38: 10-16.
- Dias and Rocha 2013  
 Dias, E. J. R. and Rocha, C. F. D. 2013. *Ecpelopus gaudichaudii* Duméril and Bibron, 1839 (Squamata: Gymnophthalmidae) and *Psychosaura agmosticha* (Rodrigues, 2000) (Squamata: Scincidae): Distribution extension and new records from Atlantic Forest in Bahia state, Brazil. *Check List* 9: 607-609.
- Dias et al. 2002  
 Dias, E. J. R., Rocha, C. F. D. and Vrcibradic, D. 2002. New *Cnemidophorus* (Squamata: Teiidae) from Bahia State, Northern Brazil. *Copeia* 2002: 1070-1077.
- Diaz and Cadiz 2012  
 Diaz, L. M. and Cadiz, A. 2012. The rediscovery of the Guantanomo striped curlytail (*Leiocephalus onaneyi*). *IRCF Reptiles & Amphibians*, 19: 11-13.
- Diaz and Hedges 2008  
 Diaz, L. M. and Hedges, S. B. 2008. A new gecko of the genus *Tarentola* (Squamata: Gekkonidae) from Eastern Cuba. *Zootaxa* 1743: 43-52.
- Diaz and Hedges 2009  
 Diaz, L. M. and Hedges, S. B. 2009. First record of the genus *Aristelliger* (Squamata: Sphaerodactylidae) in Cuba, with the description of a new species. *Zootaxa* 2028: 31-40.
- Diaz et al. 2006  
 Diaz, J. A., Monasterio, C. and Salvador, A. 2006. Abundance, microhabitat selection and conservation of eyed lizards (*Lacerta lepida*): a radiotelemetric study. *Journal of Zoology* 268: 295-301.
- Diaz et al. 2018  
 Diaz, J. A., Castillo, C. J., Montes, L. F. and Atencia, P. L. 2018. New records of *Bachia bicolor* (Cope, 1896) in the Caribbean Region of Colombia (Squamata, Gymnophthalmidae). *Herpetology Notes*, 11: 907-909.
- Diaz-Ayala et al. 2015  
 Diaz-Ayala, R. F., Gutierrez-Cardenas, P. D. A., Vasquez-Correa, A. M. and Caicedo-Portilla, J. R. 2015. New records of *Diploglossus monotropis* (Kuhl, 1820) (Squamata: Anguidae) from Uraba and Magdalena River valley, Colombia, with an updated geographic distribution map. *Check List* 11: 1703-1709.
- Diaz-Cardenas et al. 2017  
 Diaz-Cardenas, B., Ruiz-Sanchez, E., Castro-Felix, P., Castaneda-Gaytan, G., Ruiz-Santana, S. and Gadsden, H. 2017. Species delimitation of the blue-spotted spiny lizard within a multilocus, multispecies coalescent framework, results in the recognition of a new *Sceloporus* species. *Molecular Phylogenetics and Evolution* 111: 185-195.

- Diaz-Cardenas et al. 2019
- Diaz-Lameiro et al. 2013
- Diaz-Marin et al. 2019
- Diaz-Paniagua et al. 2002
- Diaz-Sacco 2015
- Diaz-Vega 2014
- Dickman et al. 1999
- Diele-Viegas and Rocha 2018
- Diele-Viegas et al. 2018
- Diele-Viegas et al. 2019
- Dimaki and Legakis 1999
- Dimaki et al. 2000a
- Dimaki et al. 2000b
- Dimaki et al. 2001
- Dimaki et al. 2008
- Dimaki et al. 2015
- Dimond et al. 2012
- Diog and Lim 1998
- Dirksen and De la Riva 1999
- Disi 1991
- Disi 1996
- Disi 2011
- Disi and Bohme 1966
- Disi et al. 2001
- Disi et al. 2014
- Dittmer et al. 2015
- Dixon 1956
- Dixon 1960a
- Dixon 1960b
- Dixon 1964a
- Dixon 1964b
- Dixon 1966
- Dixon 1969
- Dixon 1970a
- Dixon 1970b
- Dixon 1970c
- Dixon 1970d
- Dixon 1973
- Dixon 1974
- Dixon 2000
- Dixon and Huey 1970
- Dixon and Kluge 1964
- Dixon and Lamar 1981
- Dixon and Lemos-Espinal 2010
- Dixon and Soini 1986
- Dixon and Staton 1977
- Dixon and Wright 1975
- Dixon et al. 1972a
- Dixon et al. 1972b
- Dmi'El 2001
- Dmi'el et al. 1997
- Doan 2008
- Doan 2016
- Diaz-Cardenas, B., Ruiz-Sanchez, E., Gadsden, H., Garcia-Enriquez, J. M., Castro-Felix, P., Castaneda-Gaytan, G. and Santerre, A. 2019. Physiographic and climatic events in the Chihuahuan Desert lead to the speciation and distinct demographic patterns of two sister *Sceloporus* lizards. *Journal of Zoological Systematics and Evolutionary Research* 57: 864-876.
- Diaz-Lameiro, A. M., Oleksyk, T. K., Bird-Pico, F. J. and Martinez-Cruzado, J. C. 2013. Colonization of islands in the Mona Passage by endemic dwarf geckoes (genus *Sphaerodactylus*) reconstructed with mitochondrial phylogeny. *Ecology and Evolution* 3: 4488-4500.
- Diaz-Marin, C. A., Luria-Manzano, R. and Gutierrez-Mayen, G. 2019. Body temperature of *Phrynosoma braconnierei* (Squamata: Phrynosomatidae) from a xeric scrubland in central Mexico. *Herpetological Review*, 50: 259-262.
- Diaz-Paniagua, C., Cuadrado, M., Blazquez, M. C. and Mateo, J. A. 2002. Reproduction of *Chamaeleo chamaeleon* under contrasting environmental conditions. *Herpetological Journal*, 12: 99-104.
- Diaz-Sacco, J. J. 2015. Nocturnal activity records of the Kishinouye's giant skink, *Plestiodon kishinouyei*, on iriomote-jima island. *Current Herpetology* 34: 172-176.
- Diaz-Vega, R. I. 2014. Range extension of *Liolemaus torresi* (Nunez, Navarro, Garin, Pincheira-Donoso & Meriggi, 2003) (Squamata: Liolaemidae) in the Atacama Desert, Chile. *Check List* 10: 1234-1236.
- Dickman, C. R., Letnic, M. and Mahon, P. S. 1999. Population dynamics of two species of dragon lizards in arid Australia: the effects of rainfall. *Oecologia* 119: 357-366.
- Diele-Viegas, L. M. and Rocha, C. F. D. 2018. Unraveling the influences of climate change in *Lepidosauria* (Reptilia). *Journal of Thermal Biology* 78: 401-414.
- Diele-Viegas, L. M., Vitt, L. J., Sinervo, B., Colli, G. R., Werneck, F. P., Miles, D. B., Magnusson, W. E., Santos, J. C., Sette, C. M., Caetano, G. H. and Pontes, E. 2018. Thermal physiology of amazonian lizards (reptilia: Squamata). *PLoS One*, 13: e0192834.
- Diele-Viegas, L. M., Werneck, F. P. and Rocha, C. F. D. 2019. Climate change effects on population dynamics of three species of Amazonian lizards. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Biology* 187: 1-10.
- Dimaki, M. and Legakis, A. 1999. The reptile fauna of the Fourni Archipelago (Eastern Aegean, Greece). *Herpetozoa* 12: 129-133.
- Dimaki, M., Valakos, E. D. and Legakis, A. 2000. Variation in body temperatures of the African *Chamaeleo africanus* Laurenti, 1768 and the Common Chameleon *Chamaeleo chamaeleo* L. *Belgian Journal of Zoology* 130: 1-10.
- Dimaki, M., Valakos, E. D., Chondropoulos, B. and Legakis, A. 2000. Morphometric analysis of the African Chameleon *Chamaeleo africanus* Laurenti, 1768 from southwestern Peloponnese, Greece. *Israel Journal of Zoology* 46: 231-237.
- Dimaki, M., Valakos, E. D., Legakis, A., Chondropoulos, B. and Bonetti, A. 2001. Preliminary results on the feeding ecology of the African Chameleon *Chamaeleo africanus* Laurenti, 1768 from the southwestern Peloponnese, Greece. In: P. Lyberarakis, E. Valakos, P. Pafilis & M. Mylonas (eds.), *Herpetologia Candiana*. SEH, iraklio, pp. 57-63.
- Dimaki, M., Hundstorfer, A. K. and Fritz, U. 2008. Eastern Mediterranean chameleons (*Chamaeleo chamaeleon*, Ch. *africanus*) are distinct. *Amphibia-Reptilia* 29: 535-540.
- Dimaki, M., Chondropoulos, B., Legakis, A., Valakos, E. and Vergetopoulos, M. 2015. New data on the distribution and population density of the African Chameleon, *Chamaeleo africanus* and the Common Chameleon, *Chamaeleo chamaeleon* in Greece. *Hyla* 1: 36-43.
- Dimond, W. J., Osborne, W. S., Evans, M. C., Gruber, B. and. Sarre, S. D. 2012. Back to the brink: population decline of the endangered grassland earless dragon (*Tympanocryptis pinguicolla*) following its rediscovery. *Herpetological Conservation and Biology* 7: 132-149.
- Diog, C. H. and Lim, S. S. L. 1998. Taxonomic review and morphological description of *Bronchocela cristatella* (Kuhl, 1820) (Squamata: Agamidae) with notes on other species in the genus. *Raffles Bulletin of Zoology* 46: 345-359.
- Dirksen, L. and De la Riva, I. 1999. The lizards and amphisbaenians of Bolivia (Reptilia, Squamata): checklist, localities, and bibliography. *Graellsia* 55: 199-215.
- Disi, A. M. 1991. A contribution to the herpetofauna of Jordan. 4. Lizards of Jordan. *Zoology in the Middle East* 5: 25-35.
- Disi, A. M. 1996. A contribution to the knowledge of the herpetofauna of Jordan. VI. The Jordanian herpetofauna as a Zoogeographic indicator. *Herpetozoa* 9: 71-81.
- Disi, A. M. 2011. Review of the lizard fauna of Jordan (Reptilia: Sauria). *Zoology in the Middle East Supplement* 3: 89-102.
- Disi, A. M. and Bohme, W. 1996. Zoogeography of the amphibians and reptiles of Syria, with additional new records. *Herpetozoa* 9: 63-70.
- Disi, A. M., Modrý, D., Necas, P. and Rifai, L. 2001. Amphibians and reptiles of the Hashemite kingdom of Jordan: an atlas and field guide. Edition Chimaira, Frankfurt am Main.
- Disi, A. M., Amr, Z. S. and Hamidan, N. 2014. Diversity, threats, and conservation of the terrestrial and freshwater herpetofauna of Jordan. *Russian Journal of Herpetology* 21: 221-233.
- Dittmer, D. W., Johnson, J. B. and Hibbitts, T. J. 2015. Sexual dimorphism and patch size variation in three lizard species suggests potential for sexual confusion. *Copeia* 103: 310-321.
- Dixon, J. R. 1956. A collection of amphibians and reptiles from west central Korea. *Herpetologica*, 12: 50-56.
- Dixon, J. R. 1960. The discovery of *Phyllodactylus tuberculosus* (Reptilia: Sauria) in Central America, the resurrection of *P. xanti*, and description of a new Gecko from British Honduras. *Herpetologica* 16: 1-11.
- Dixon, J. R. 1960. Two new geckos, genus *Phyllodactylus* (Reptilia: Sauria), from Michoacan, Mexico. *Southwestern Naturalist*, 5: 37-42.
- Dixon, J. R. 1964. Further data on the geckos (*Phyllodactylus*) of islands of the extreme southern Caribbean. *The Southwestern Naturalist*, 9: 203-205.
- Dixon, J. R. 1964. The systematics and distribution of lizards of the genus *Phyllodactylus* in North and Central America. *New Mexico State University Scientific Bulletin* 64: 1-139.
- Dixon, J. R. 1966. Speciation and systematics of the gekkonid lizard genus *Phyllodactylus* of the islands of the Gulf of California. *Proceedings of the California Academy of Sciences* 33: 415-452.
- Dixon, J. R. 1969. *Phyllodactylus xanti*. Catalogue of American Amphibians and Reptiles 79: 1-2.
- Dixon, J. R. 1970. *Coleonyx brevis*. Catalogue of American Amphibians and Reptiles 88: 1-2.
- Dixon, J. R. 1970. *Coleonyx reticulatus*. Catalogue of American Amphibians and Reptiles 89: 1.
- Dixon, J. R. 1970. *Coleonyx variegatus*. Catalogue of American Amphibians and Reptiles 96: 1-4.
- Dixon, J. R. 1970. *Coleonyx*. Catalogue of American Amphibians and Reptiles 95: 1-2.
- Dixon, J. R. 1973. A systematic review of the teiid lizards, genus *Bachia*, with remarks on *Heterodactylus* and *Anotosaura*. *Misellaneous Publications of the University of Kansas Museum of Natural History* 57: 1-47.
- Dixon, J. R. 1974. Systematic review of the lizard genus *Anotosaura* (Teiidae). *Herpetologica* 30: 13-18.
- Dixon, J. R. 2000. Amphibians and reptiles of Texas. 2nd edition. Texas A&M University Press, College Station, Texas.
- Dixon, J. R. and Huey, R. B. 1970. Systematics of the lizards of the gekkonid genus *Phyllodactylus* on mainland South America. *Los Angeles County Museum Contributions in Science* 192: 1-78.
- Dixon, J. R. and Kluge, A. G. 1964. A new gekkonid lizard genus from Australia. *Copeia*, 1964: 174-180.
- Dixon, J. R. and Lamar, W. W. 1981. A new species of microteiid lizard (genus *Neusticurus*) from Colombia. *Journal of Herpetology* 15: 309-314.
- Dixon, J. R. and Lemos-Espinal, J. A. 2010. Amphibians and reptiles of the state of Queretaro, Mexico. Texas A & M University, College Station, TX.
- Dixon, J. R. and Soini, P. 1986. The reptiles of the upper Amazon basin, iquitos Region, Peru. 2nd edition. Milwaukee Public Museum.
- Dixon, J. R. and Staton, M. A. 1977. Arboreality in the teiid lizard *Cnemidophorus lemniscatus* (Reptilia, Lacertilia, Teiidae) in the Venezuelan Llanos. *Journal of Herpetology*, 11: 108-111.
- Dixon, J. R. and Wright, J. W. 1975. A review of the iguanid genus *Tropidurus* in Peru. *Contribution Science Natural History Museum, Los Angeles County* 271: 1-39.
- Dixon, J. R., Ketchersid, C. A. and Lieb, C. S. 1972. A new species of *Sceloporus* (undulatus group; Sauria, Iguanidae) from Mexico. *Proceedings of the Biological Society of Washington* 84: 307-312.
- Dixon, J. R., Ketchersid, C. A. and Lieb, C. S. 1972. The herpetofauna of Queretaro, Mexico, with remarks on taxonomic problems. *The Southwestern Naturalist*, 16: 225-237.
- Dmi'El, R. 2001. Skin resistance to evaporative water loss in reptiles: a physiological adaptive mechanism to environmental stress or a phyletically dictated trait?. *Israel Journal of Zoology*, 47(1), pp.56-67.
- Dmi'el, R., Perry, G. and Lazell, J. 1997. Evaporative water loss in nine insular populations of the *Anolis cristatulus* group in the British Virgin Islands. *Biotropica* 29: 111-116.
- Doan, T. M. 2008. Dietary variation within the Andean lizard clade *Proctoporus* (Squamata: Gymnophthalmidae). *Journal of Herpetology*, 42: 16-21.
- Doan, T. 2016. Plot and transect censuses. Pp 227-240 in C. K. Dodd, editor; *Reptile ecology and conservation. A handbook of techniques*. Oxford University Press, Oxford.

- Doan and Adams 2015  
 Doan and Arriaga 2000  
 Doan and Arriaga 2002  
 Doan and Castoe 2003  
 Doan and Cusi 2014  
 Doan and Schargel 2003  
 Doan et al. 2005  
 Dodd 1980  
 Dodd 2016  
 Doles et al. 1996  
 Domic et al. 2015  
 Domingos et al. 2017  
 Dominguez et al. 2006  
 Dominguez et al. 2010  
 Dominguez-Godoy et al. 2017  
 Dominguez-Lopez et al. 2016  
 Dominguez-Lopez et al. 2018  
 Donald et al. 2017  
 Dong 2005  
 Dong et al. 2007  
 Dong et al. 2008  
 Donihue 2016  
 Donihue and Herrel 2017  
 Donihue and Herrel 2019  
 Donihue et al. 2016  
 Donnellan et al. 2000  
 Donnellan et al. 2002  
 Donnelly et al. 2006  
 Donoso-Barros 1966  
 Donoso-Barros 1967  
 Donoso-Barros 1968  
 Donoso-Barros 1974  
 Donoso-Barros and Garrido 1964  
 Doody 2019  
 Doody and Moore 2010  
 Doody et al. 2009a  
 Doody et al. 2009b  
 Doody et al. 2010  
 Doody et al. 2013  
 Doody et al. 2014  
 Doody et al. 2015  
 Doody et al. 2017  
 Doody et al. 2018  
 Dorado-Rodrigues et al. 2013  
 Doronin 2012  
 Doronin 2018  
 Doronin and Doronina 2019  
 Doronin et al. 2018  
 Doronin et al. 2019  
 Dos Santos 2009  
 dos Santos 2018  
 dos Santos et al. 2007  
 Dos Santos et al. 2012a  
 dos Santos et al. 2012b  
 Doan, T. M. and Adams, G. 2015. A novel species of *Euspondylus* (Squamata: Gymnophthalmidae) from the Andes Mountains of central Peru. *Zootaxa* 4033: 129-136.  
 Doan, T. M. and Arriaga, W. A. 2000. New herpetological records for the Tambopata Province, Department of Madre de Dios, Peru. *Herpetological Review*, 31: 188-189.  
 Doan, T. M. and Arriaga, W. A. 2002. Microgeographic variation in species composition of the herpetofaunal communities of Tambopata Region, Peru. *Biotropica*, 34: 101-117.  
 Doan, T. M. and Castoe, T. A. 2003. Using morphological and molecular evidence to infer species boundaries within *Proctoporus boliviensis* Werner (Squamata: Gymnophthalmidae). *Herpetologica* 59: 432-449.  
 Doan, T. M. and Cusi, J. C. 2014. Geographic distribution of *Cercosaura vertebralis* O'Shaughnessy, 1879 (Reptilia: Squamata: Gymnophthalmidae) and the status of *Cercosaura ampuedai* (Lancini, 1968). *Check List* 10: 1195-1200.  
 Doan, T. M. and Schargel, W. E. 2003. Bridging the gap in *Proctoporus* distribution: a new species (Squamata: Gymnophthalmidae) from the Andes of Venezuela. *Herpetologica* 59: 68-75.  
 Doan, T. M., Castoe, T. A. and Arriaga, W. A. 2005. Phylogenetic relationships of the genus *Proctoporus* sensu stricto (Squamata: Gymnophthalmidae), with a new species from Puno, southeastern Peru. *Herpetologica*, 61: 325-336.  
 Dodd, C. K. 1980. *Ameiva polops*. Catalogue of American Amphibians and Reptiles 240: 1-2.  
 Dodd, C. K. 2016. editor. *Reptile ecology and conservation. A handbook of techniques*. Oxford University Press, Oxford.  
 Doles, M. W., Painter, C. and Gorum, W. 1996. *Eumeces multivirgatus* (Many-lined Skink) clutch size. *Herpetological Review* 27: 201.  
 Domic, E., Martinez, J., Spanowicz, M. and Wallace, R. B. 2015. *Diploglossus fasciatus* Gray, 1831 (Diploglossidae). Primer registro para el Parque Nacional y Area Natural de Manejo integrado Madidi. *Cuadernos de Domingos*, F. M. C. B., Arantes, I. C., Bosque, R. J. and Santos, M. G. 2017. Nesting in the lizard *Phyllodactylus pollicaris* (Squamata: Phyllodactylidae) and a phylogenetic perspective on communal nesting in the family. *Phyllomedusa Dominguez*, M., Sanz, A., Almaguer, N. and Chavez, J. 2006. Seasonal reproduction in males of the Cuban lizard *Anolis lucius* (Polychrotidae). *Boletin de la Sociedad Herpetologica Mexicana* 14: 1-9.  
 Dominguez, M., Sanz, A., Chavez, J. and Almaguer, N. 2010. Cyclical reproduction in females of the Cuban lizard *Anolis lucius* (Polychrotidae). *Herpetologica*, 66: 443-450.  
 Dominguez-Godoy, M. A., Barrios-Montiel, R., Bautista, A. and Vega-Perez, A. H. D. 2017. *Crotalus ravus*. Diet and accidental mortality involving a *Sceloporus spinosus*. *Mesoamerican Herpetology* 4: 426-428.  
 Dominguez-Lopez, M. E., Kacoliris, F. P. and Ortega-Leon, A. M. 2016. Effects of microhabitat temperature on escape behavior in the diurnal gecko, *Gonatodes albogularis* (Dumeril & Bibron, 1836) (Sauria: Sphaerodactylidae). *Herpetozoa* 28: 49-54.  
 Dominguez-Lopez, M. E., Kacoliris, F. P. and Simoy, M. V. 2018. Escape behavior in gravid and non-gravid females of *Gonatodes albogularis* (Squamata: Sphaerodactylidae). *Phyllomedusa* 17: 73-81.  
 Donald, J. D., Clegg, J. R. and Farnon Ellwood, M. D. 2017. Colonisation of epiphytic ferns by skinks and geckos in the high canopy of a Bornean rainforest. *The Herpetological Bulletin* 141: 32-34.  
 Dong, B-J. 2005. Current status and protection of *Scincella huanrenensis*. *Sichuan Journal of Zoology*, 24: 279-281.  
 Dong, B. J., Wang, J. Q., Zhou, Z. Y., Lu, Y. Y. and Li, P. P. 2007. Research on reproductive behavior and strategy of *Scincella huanrenensis*. *Sichuan Journal of Zoology*, 26: 302-304.  
 Dong, B-J., Wng, J-Q., Zhou, Z-Y., Lu, Y-Y. and Li, P-P. 2008. Preliminary observations on *Scincella huanrenensis* bred indoors. *Sichuan Journal of Zoology*, 27: 50-52.  
 Donihue, C. M. 2016. Aegean wall lizards switch foraging modes, diet, and morphology in a human-built environment. *Ecology and Evolution*, 6: 7433-7442.  
 Donihue, C. M. and Herrel, A. 2017. *Pholidoscelis atrata* (Redonda ground lizard). Diet. *Herpetological Review* 48: 665.  
 Donihue, C. M. and Herrel, A. 2019. A report on *Anolis nubilus* from the now rat-free island of Redonda. *Anolis Newsletter VII*. Washington University, St. Louis MO. <https://doi.org/10.7936/gig3-h168>.  
 Donihue, C. M., Brock, K. M., Foufopoulos, J. and Herrel, A. 2016. Feed or fight: Testing the impact of food availability and intraspecific aggression on the functional ecology of an island lizard. *Functional Ecology* 30: 566-575.  
 Donnellan, S. C., Aplin, K. P. and Dempsey, P. J. 2000. Genetic and morphological variation in Australian *Christinus* (Squamata: Gekkonidae): preliminary overview with recognition of a cryptic species on the Nullarbor Plain. *Australian Journal of Zoology*, 48: 289-315.  
 Donnellan, S. C., Hutchinson, M. N., Dempsey, P. and Osborne, W. S. 2002. Systematics of the *Egernia whitii* species group (Lacertilia: Scincidae) in south-eastern Australia. *Australian Journal of Zoology* 50: 439-459.  
 Donnelly, M. A., Maculloch, R. D., Ugarte, C. A. and Kizirian, D. 2006. A new riparian gymnophthalmid (Squamata) from Guyana. *Copeia*, 2006: 396-403.  
 Donoso-Barros, R. 1966. Reptiles de Chile. Ediciones de la Universidad de Chile, Santiago de Chile.  
 Donoso-Barros, R. 1967. Diagnosis de dos nuevas especies del genero *Gonatodes* de Venezuela. *Noticiario Mensual del Museo Nacional de Historia Natural*, Santiago (Chile) 129: 4.  
 Donoso-Barros, R. 1968. The lizards of Venezuela (checklist and key). *Caribbean Journal of Science* 8: 105-122.  
 Donoso-Barros, R. 1974. Nuevos reptiles y anfibios de Chile. *Boletin de la Sociedad de Biologia de Concepcion* 48: 217-229.  
 Donoso-Barros, R. and Garrido, A. R. 1964. Nuevo *Teiidae* de Venezuela, *Bachia marcelae*, nov. sp. *Publicaciones Ocasionales del Museo de Ciencias Naturales de Caracas Zoologia* 8: 1-7.  
 Doody, J. S. 2019. *Intelligama lesueurii* (Australian water dragon); *Acritoscincus duperreyi* (three-lined skink); *Lampropholis guichenoti* (garden skink). Interspecific communal nesting. *Herpetological Review* 50: 141.  
 Doody, J. S. and Moore, J. A. 2010. Conceptual model for thermal limits on the distribution of reptiles. *Herpetological Conservation and Biology* 5: 283-289.  
 Doody, J. S., Freedberg, S. and Keogh, J. S. 2009. Communal egg-laying in reptiles and amphibians: evolutionary patterns and hypotheses. *The Quarterly Review of Biology*, 84: 229-252.  
 Doody, J. S., Freedberg, S. and Keogh, J. S. 2009. Communal egg-laying in reptiles and amphibians: Evolutionary patterns and hypotheses. *Quarterly Review of Biology* 84: 229-252.  
 Doody, J. S., Usman, Ull-Hasanah, A. U., Shelton, M. and Gillespie, G. 2010. *Draco beccarii* (Beccari's flying dragon). Nesting. *Herpetological Review* 41: 220-221.  
 Doody, J. S., Burghardt, G. M. and Dinets, V. 2013. Breaking the social-non-social dichotomy: a role for reptiles in vertebrate social behavior research? *Ethology* 119: 95-103.  
 Doody, J. S., James, H., Ellis, R., Gibson, N., Raven, M., Mahoney, S., Hamilton, D. G., Rhind, D., Clulow, S. and McHenry, C. R. 2014. Cryptic and complex nesting in the yellow-spotted monitor, *Varanus panoptes*. *Journal of Zoology*, 300: 89-95.  
 Doody, J. S., Sawyer, G. and Hands, K. 2015. *Varanus panoptes* (yellow-spotted monitor). Diet and foraging behavior. *Herpetological Review*, 46: 95-96.  
 Doody, J. S., Clulow, S., McHenry, C., Brown, M., Vas, G. and Canning, G. 2017. *Varanus acanthurus* (spiny-tailed monitor lizard). Communal nesting, reproduction, and commensalism. *Herpetological Review* 48: 203.  
 Doody, J. S., McHenry, C., Brown, M., Canning, G., Vas, G. and Clulow, S. 2018. Deep, helical, communal nesting and emergence in the sand monitor: ecology informing paleoecology? *Journal of Zoology* 305: 88-95.  
 Dorado-Rodrigues, T. F., Strussmann, C., Lima, F. A. N. S., Valadão, R. M. and Mott, T. 2016. *Reptilia*, *Squamata*, *Amphisbaenidae*, *Amphisbaena brasiliiana* (Gray, 1865): range extension. *Herpetology Notes*, 6: 331-333.  
 Doronin, I. V. 2012. The use of GiS for the analysis of the distribution of rock lizards *Darevskia* (saxicola) complex (Sauria: Lacertidae). *Current Studies in Herpetology* 12: 91-122.  
 Doronin, I. V. 2018. The taxonomic status of *Lacerta composita* Mehely, 1909 (Squamata: Sauria: Lacertidae). *Russian Journal of Herpetology* 25: 143-146.  
 Doronin, I. V. and Doronina, M. A. 2019. On the distribution of *Eremias arguta deserti* (Gmelin, 1789) (Reptilia, Lacertidae) in Kabardino-Balkaria. *Current Studies in Herpetology*, 19: 147-152. (in Russian).  
 Doronin, I. V., Mazanaeva, L. F. and Doronina, M. A. 2018. The use of GIS-modeling for the analysis of the distribution of three-lined lizard, *Lacerta media* Lantz et Cyren, 1920, in the territory of Dagestan (Russia). *Proceedings of the Zoological Institute of the Russian Academy of Sciences*, 322: 463-480.  
 Doronin, I. V., Doronina, M. A. and Bekoshvili, D. 2019. New data on the distribution of lizards in Caucasus. *Herpetozoa* 32: 87-90.  
 Dos Santos, L. C. 2009. Biología reproductiva de *Leposternon microcephalum* (Squamata, Amphisbaenidae) do Sudeste do Brasil. MSc. Thesis, Universidad de Sao Paulo. 2009  
 dos Santos, K. B. 2018. Morfologia de populacoes de *Enyalius iberringii* (Squamata: Leiosauridae) de regioes insulares e continental do Leste do Estado de Santa Catarina. Thesis, Universidade Federal de Santa Catarina.  
 dos Santos, A. R., da Frota, J. G. and Ribeiro, F. R. V. 2007. *Reptilia*, *Squamata*, *Polychrotidae*, *Anolis nitens tandai*: Distribution extension, new state record, and geographic distribution map. *Check List* 3: 9-10.  
 Dos Santos, M. B., Marques, C., Carrasco, D., Do Nascimento, L. V. and Tozetti, A. M. T. 2012. *Cercosaura schreibersii*. Diet. *Herpetological Review* 43: 130-131.  
 dos Santos, M. V. G., Macedo, I. G. S., de Sousa, R. S., Gogliatti, M. and Ribeiro, L. B. 2012. Diet of *Nothobachia alephala* (Squamata: Gymnophthalmidae) in a Caatinga area of the San Francisco Valley in northeastern Brazil. *Herpetology Notes*, 5: 305-307.  
 Doughty, P. 1997. The effects of "fixed" clutch sizes on lizard life-histories: reproduction in the Australian velvet gecko, *Oedura lesueurii*. *Journal of Herpetology*, 31: 266-272.

- Doughty and Hutchinson 2008  
Doughty and Oliver 2011  
Doughty and Oliver 2013
- Doughty and Shine 1995  
Doughty and Thompson 1998  
Doughty et al. 2007  
Doughty et al. 2008
- Doughty et al. 2010  
Doughty et al. 2011a
- Doughty et al. 2011b
- Doughty et al. 2012a  
Doughty et al. 2012b
- Doughty et al. 2015  
Doughty et al. 2016  
Doughty et al. 2018a
- Doughty et al. 2018b
- Douglas 1982  
Downes and Shine 1999  
Downes and Shine 2001  
Drechsler and Monros 2019
- Drewes 1972  
Dring 1979  
Druke and Rodder 2017  
Drummond et al. 2014
- Dryden and Taylor 1969  
Du and Ji 2001  
Du et al. 2000  
Du et al. 2005a  
Du et al. 2005b
- Du et al. 2005c  
Du et al. 2005d  
Du et al. 2006  
Du et al. 2008  
Du et al. 2009  
Du et al. 2011  
Du et al. 2012  
Du et al. 2014  
Du Toit et al. 2003  
Duarte-Marin et al. 2018  
Duarte-Rocha 1992  
Dubey and Shine 2010  
Dubey and Shine 2011a  
Dubey and Shine 2011b  
Dubey et al. 2010  
Dubey et al. 2013  
Dubke et al. 2018  
Dubos 2013  
Dubos et al. 2014
- Duda and Sahi 1978a
- Doughty, P. and Hutchinson, M. N. 2008. A new species of *Lucasium* (Squamata: Diplodactylidae) from the southern deserts of Western Australia and South Australia. *Records of the Western Australian Museum* 25: 95-106.
- Doughty, P. and Oliver, P. M. 2011. A new species of *Underwoodisaurus* (Squamata: Gekkota: Carphodactylidae) from the Pilbara region of Western Australia. *Zootaxa* 3010: 20-30.
- Doughty, P. and Oliver, P. M. 2013. Systematics of *Diplodactylus* (Squamata: Diplodactylidae) from the south-western Australian biodiversity hotspot: redefinition of *D. polyophthalmus* and the description of two new species. *Records of the Western Australian Museum* 28: 44-65.
- Doughty, P. and Shine, R. 1995. Life in two dimensions: Natural history of the southern leaf-tailed gecko, *Phyllurus platurus*. *Herpetologica* 51: 193-201.
- Doughty, P. and Thompson, M. B. 1998. Unusual reproductive patterns in the Australian marbled gecko (*Phyllodactylus marmoratus*). *Copeia*, 1998: 747-752.
- Doughty, P., Maryan, B., Melville, J. and Austin, J. 2007. A new species of *Ctenophorus* (Lacertilia: Agamidae) from Lake Disappointment, Western Australia. *Herpetologica*, 63: 72-86.
- Doughty, P., Oliver, P. and Adams, M. 2008. Systematics of stone geckos in the genus *Diplodactylus* (Reptilia: Diplodactylidae) from northwestern Australia, with a description of a new species from the Northwest Cape, Western Australia. *Records of the Western Australian Museum* 24: 247-265.
- Doughty, P., Pepper, M. and Keogh, J. S. 2010. Morphological and molecular assessment of the *Diplodactylus savagei* species complex in the Pilbara region, Western Australia, with a description of a new species. *Zootaxa* 2393: 33-45.
- Doughty, P., Kealley, L. and Donnellan, S. C. 2011. Revision of the pygmy spiny-tailed skinks (*Egernia depressa* species-group) from Western Australia, with descriptions of three new species. *Records Of The Western Australian Museum*, 26: 115-137.
- Doughty, P., Rolfe, J. K., Burbidge, A. H., Pearson, D. J. and Kendrick, P. G. 2011. Herpetological assemblages of the Pilbara biogeographic region, Western Australia: ecological associations, biogeographic patterns and conservation. *Records of the Western Australian Museum, Supplement* 78: 315-341.
- Doughty, P., Kealley, L. and Melville, J. 2012. Taxonomic assessment of *Diporiphora* (Reptilia: Agamidae) dragon lizards from the western arid zone of Australia. *Zootaxa* 3518: 1-24.
- Doughty, P., Palmer, R., Sistrom, M. J., Bauer, A. M. and Donnellan, S. C. 2012. Two new species of *Gehyra* (Squamata: Gekkonidae) geckos from the north-west Kimberley region of Western Australia. *Records of the Western Australian Museum*, 27: 117-134.
- Doughty, P., Kealley, L., Shoo, I. P. and Melville, J. 2015. Revision of the Western Australian pebble-mimic dragon species-group (*Tympanocryptis cephalus*: Reptilia: Agamidae). *Zootaxa* 4039: 85-117.
- Doughty, P., Ellis, R. J. and Oliver, P. M. 2016. Many things come in small packages: Revision of the clawless geckos (*Crenadactylus*: Diplodactylidae) of Australia. *Zootaxa* 4168: 239-278.
- Doughty, P., Bauer, A. M., Pepper, M. and Keogh, J. S. 2018. Spots before the eyes: revision of the saxicoline geckos of the *Gehyra punctata* (Squamata: Gekkonidae) species complex in the Pilbara region of Western Australia. *Records of the Western Australian Museum* 33: 1-50.
- Doughty, P., Bourke, G., Tedeschi, L. G., Pratt, R. C., Oliver, P. M., Palmer, R. A. and Moritz, C. 2018. Species delimitation in the *Gehyra nana* (Squamata: Gekkonidae) complex: cryptic and divergent morphological evolution in the Australian Monsoonal Tropics, with the description of four new species. *Zootaxa* 4403: 201-244.
- Douglas, R. M. 1982. Acontias plumbeus Bianconi (Sauria:Scincidae). Notes on birth and captive care. *Journal of the Herpetological Association of Africa* 28: 23-24.
- Downes, S. J. and Shine, R. 1999. Do incubation-induced changes in a lizard's phenotype influence its vulnerability to predators? *Oecologia* 120: 9-18.
- Downes, S. and Shine, R. 2001. Why does tail loss increase a lizard's later vulnerability to snake predators? *Ecology* 82: 1293-1303.
- Drechsler, R. M. and Monros, J. S. 2019. Body growth and its implications in population dynamics of *Acanthodactylus erythrurus* (Schinz, 1834) in the Eastern Iberian peninsula. *Amphibia-Reptilia* 40: 305-312.
- Drewes, R. C. 1972. Report on a collection of reptiles and amphibians from the ilemi Triangle, southwestern Sudan. *Occasional Papers of the California Academy of Sciences* 100: 1-14.
- Dring, J. C. M. 1979. Amphibians and reptiles from northern Trengganu, Malaysia, with descriptions of two new geckos: *Cnemaspis* and *Cyrtodactylus*. *Bulletin of the British Museum (Natural History), Zoology* 34: 181-241.
- Druke, Y. and Rodder, D. 2017. Feeding ecology of the invasive gecko species *Hemidactylus mabouia* (Moreau de Jonnes, 1818) (Sauria: Gekkonidae) in São Sebastião (Brazil). *Bonn Zoological Bulletin* 66: 85-93.
- Drummond, L. O., Cruz, A. J. R., Costa, H. C. and Braga, C. A. C. 2014. New records of the teiid lizards *Kentropyx paulensis* (Boettger, 1893) and *Tupinambis duseni* Lonnberg, 1910 (Squamata: Teiidae) from the state of Minas Gerais, southeastern Brazil. *Check List* 10: 1549-1554.
- Dryden and Taylor 1969  
Du and Ji 2001  
Du et al. 2000  
Du et al. 2005a  
Du et al. 2005b
- Du et al. 2005c  
Du et al. 2005d  
Du et al. 2006  
Du et al. 2008  
Du et al. 2009  
Du et al. 2011  
Du et al. 2012  
Du et al. 2014  
Du Toit et al. 2003  
Duarte-Marin et al. 2018  
Duarte-Rocha 1992  
Dubey and Shine 2010  
Dubey and Shine 2011a  
Dubey and Shine 2011b  
Dubey et al. 2010  
Dubey et al. 2013  
Dubke et al. 2018  
Dubos 2013  
Dubos et al. 2014
- Duda and Sahi 1978a
- Du, W.-G. and Ji, X. 2001. Growth, sexual size dimorphism and female reproduction of blue tailed skinks, *Eumeces elegans*. *Zoological Research*, 22: 279-286.
- Du, W.-G., Yan, S.-J. and Ji, X. 2000. Selected body temperature, thermal tolerance and thermal dependence of food assimilation and locomotor performance in adult blue-tailed skinks, *Eumeces elegans*. *Journal of Thermal Biology* 25: Du, W., Ji, X. and Shine, R. 2005. Does body volume constrain reproductive output in lizards? *Biology Letters* 1: 98-100.
- Du, W., Ji, X., Zhang, Y., Xu, X. and Shine, R. 2005. Identifying sources of variation in reproductive and life history traits among five populations of a Chinese lizard (*Takydromus septentrionalis*, Lacertidae). *Biological Journal of the Linnean Society* 85: 443-453.
- Du, W.-G., Lin, C.-x., Shou, L. and Ji, X. 2005. Morphological correlates of locomotor performance in four species of lizards using different habitats. *Acta Metallurgica Sinica* 26: 41-46.
- Du, W.-G., Lu, Y.-W. and Shen, J.-Y. 2005. The influence of maternal thermal environments on reproductive traits and hatching traits in a Lacertid lizard, *Takydromus septentrionalis*. *Journal of Thermal Biology*, 30: 153-161.
- Du, W.-G., Ji, X. and Zhang, Y.-P. 2006. Inter-population variation in life-history traits of a Chinese lizard (*Takydromus septentrionalis*, Lacertidae). *Herpetological Journal*, 16: 233-237.
- Du, Y., Ding, G.-H., Sun, Y.-Y. and Ji, X. 2008. Northern grass lizards (*Takydromus septentrionalis*; Lacertidae) shift thermal preferences when fasted. *Acta Zoologica Sinica* 54: 739-743.
- Du, W.-G., Radder, R. S. and Shine, R. 2009. Determinants of incubation period: do reptilian embryos hatch after a fixed total number of heart beats? *Journal of Experimental Biology* 212: 1302-1306.
- Du, Y., Lin, C.-X., Lin, L.-H., Qiu, Q.-B. and Ji, X. 2011. Ontogenetic shifts in sexual dimorphism and female reproduction in the Reeves's butterfly lizard *Leiolepis reevesii* from Hainan, China. *Journal of Herpetology*, 45: 399-405.
- Du, Y., Sun, Y., Lin, C. and Ji, X. 2012. Reexamination of sexual dimorphism and female reproduction in the many-lined sun skink *Eutropis multifasciata* from China. *Asian Herpetological Research*, 3: 265-272.
- Du, Y., Lin, L., Yao, Y., Lin, C. and Ji, X. 2014. Body size and reproductive tactics in varanid lizards. *Asian Herpetological Research* 5: 263-270.
- Du Toit, A., Mouton, P., Le F. N. and Flemming, A. F. 2003. Asseasonal reproduction and high fecundity in the Cape grass lizard, *Cordylus anguinus*, in a fire-prone habitat. *Amphibia-Reptilia* 24: 471-482.
- Duarte-Marin, S., Atehortua-Vallejo, M. A. and Arcila-Perez, L. F. 2018. Riama columbiana (Andersson, 1914). Catalogo de Anfibios y Reptiles de Colombia 4: 56-60.
- Duarte-Rocha, C. F. 1992. *Amphisbaena alba* (White-bellied worm lizard). Distribution. *Herpetological Review* 23: 89.
- Dubey, S. and Shine, R. 2010. Evolutionary diversification of the lizard genus *Bassiana* (Scincidae) across Southern Australia. *PLoS ONE* 5: e12982.
- Dubey, S. and Shine, R. 2011. Geographic variation in the age of temperate-zone reptile and amphibian species: Southern Hemisphere species are older. *Biology Letters* 7: 96-97.
- Dubey, S. and Shine, R. 2011. Predicting the effects of climate change on reproductive fitness of an endangered montane lizard, *Eulamprus leuraensis* (Scincidae). *Climatic Change* 107: 531-547.
- Dubey, S., Chevalley, M. and Shine, R. 2010. Sexual dimorphism and sexual selection in a montane scincid lizard (*Eulamprus leuraensis*). *Austral Ecology* 36: 68-75.
- Dubey, S., Sinsch, U., Dehling, M. J., Chevalley, M. and Shine, R. 2013. Population demography of an endangered lizard, the Blue Mountain Water Skink. *BMC Ecology* 13:e4.
- Dubke, M., Hipsley, C. A. and Muller, J. 2018. Comparative skull osteology and preliminary systematic revision of the African lizard genus *Helobolus* (Squamata: Lacertidae). *African Journal of Herpetology* 67: 160-197.
- Dubos, N. 2013. New locality record for *Phelsuma grandis* (Sauria: Gekkonidae) in Réunion, in sympatry with the critically endangered *Phelsuma inexpectata*. *Herpetology Notes*, 6: 309-311.
- Dubos, N., Piludu, N., Andriantsimananjafy, R. R., Randrianantoandro, J. C. and Andreone, F. 2014. New findings of *Phelsuma grandis* and *P. laticauda* (Sauria: Gekkonidae) at the southern edge of the range of the endangered *Phelsuma serraticeps* in eastern Madagascar. *Herpetology Notes*, 7: 21-23.
- Duda, P. L. and Sahi, D. N. 1978. *Cyrtodactylus himalayanus*: a new gekkonid species from Jammu, India. *Journal of Herpetology*, 12: 351-354.

- Duda and Sahi 1978b  
 Dudek et al. 2015  
 Duellman 1961  
 Duellman 1963  
 Duellman 1965  
 Duellman 1978  
 Duellman 1979  
 Duellman 1987  
 Duellman 1990  
 Duellman 2005  
 Duellman and Berg 1962  
 Duellman and Duellman 1959  
 Duellman and Mendelson 1995  
 Duenas and Valencia 2019  
 Duenas et al. 2018
- Duffield and Bull 1996  
 Duffield and Bull 1998  
 Dugan and Wiewandt 1982
- Dujsebayeva 2010  
 Dujsebayeva 2015  
 Dujsebayeva et al. 2019
- Dunger 1967a  
 Dunger 1967b  
 Dunger 1967c  
 Dunger 1968a  
 Dunger 1968b  
 Dunger 1972  
 Dunger 1973  
 Dunham 1981  
 Dunham and Miles 1985  
 Dunham et al. 1978  
 Dunham et al. 1988a  
 Dunham et al. 1988b  
 Dunham et al. 1989  
 Dunn 1927  
 Dunn 1935  
 Dunn 1940  
 Dunn 1943  
 Dunn 1944  
 Dunn and Conant 1937  
 Dunson and Bramham 1981  
 Durkin et al. 2011  
 Durso and Seigel 2015  
 Dürtsche 2000  
 Duryea et al. 2016  
 Dusen and Oz 2001  
 Dutra et al. 2011  
 Dutton et al. 1975  
 Duvdevani 1971  
 Duvdevani and Borut 1974  
 Dwyer and Hyndman 1983  
 Dzikowski et al. 2019  
 Echevarria and Venegas 2013  
 Echevarria et al. 2015  
 Echternacht 1970  
 Echternacht 1977
- Duda, P. L. and Sahi, D. N. 1978. *Cyrtodactylus mansarulus* n. sp. from Jammu. Indian Science Congress Proceedings 65: 211.
- Dudek, K., Sajkowska, Z., Gawalek, M. and Ekner-Grzyb, A. 2015. Using body condition index can be an unreliable indicator of fitness: a case of sand lizard *Lacerta agilis* Linnaeus, 1758 (Sauria: Lacertidae). Turkish Journal of Biology 39: 1-10.
- Duellman, W. E. 1961. The amphibians and reptiles of Michoacan, Mexico. University of Kansas Publications, Museum of Natural History, 15: 1-148.
- Duellman, W. E. 1963. Amphibians and reptiles of the rainforests of southern El Petén, Guatemala. University of Kansas Publication, Museum of Natural History, 15: 205-249.
- Duellman, W. E. 1965. A biogeographic account of the herpetofauna of Michoacan, Mexico. University of Kansas Publication, Museum of Natural History, 15: 627-709.
- Duellman, W. E. 1978. The biology of an equatorial herpetofauna in Amazonian Ecuador. University of Kansas Museum of Natural History Miscellaneous publications 65: 1-352.
- Duellman, W. E. (editor), 1979. The South American herpetofauna: its origin, evolution, and dispersal. University of Kansas Museum of Natural History Monograph 7: 1-485.
- Duellman, W. E. 1987. Lizards in an Amazonian rain forest community: resource utilization and abundance. National Geographic Research, 3: 489-500.
- Duellman, W. E. 1990. Herpetofaunas in Neotropical rainforests: comparative composition, history, and resource use. Pages 455-505 in A. H. Gentry 1990. (editor). Four Neotropical rainforests. Yale University Press, New Haven.
- Duellman, W. E. 2005. *Cusco Amazonico*: The lives of amphibians and reptiles in an Amazonian rainforest. Cornell University Press, Ithaca.
- Duellman, W. E. and Berg, B. 1962. Type specimens of amphibians and reptiles in the Museum of Natural History, The University of Kansas. University of Kansas Publication, Museum of Natural History, 15: 183-204.
- Duellman, W. E. and Duellman, S. 1959. Variation, distribution, and ecology of the iguanid lizard *Enyaliosaurus clarkii* of Michoacan, Mexico. Occasional Papers of the Museum of Zoology University of Michigan 598: 1-10.
- Duellman, W. E. and Mendelson, J. R. 1995. Amphibians and reptiles from Northern Departamento Loreto, Peru: taxonomy and biogeography. University of Kansas Science Bulletin 55: 329-376.
- Duenas, M. R. and Valencia, J. H. 2019. *Andinosaura oculata* (tropical lightbulb lizard). Predation. Herpetological Review 50: 134.
- Duenas, M.R., Valencia, J.H., Yanez-Muoz, M. H. and Eguiguren, J. S. 2018. Primer registro de la salamanquesa asiatica *Hemidactylus frenatus* Dumeril & Bibron, 1834 (Sauria: Gekkonidae) en la Cordillera del Condor, Zamora Chinchipe, Ecuador. Cuadernos de Herpetología 32: 75-77.
- Duffield, G. A. and Bull, C. M. 1996. Characteristics of the litter of the gidgee skink, *Egernia stokesii*. Wildlife Research 23: 337-341.
- Duffield, G. A. and Bull, C. M. 1998. Seasonal and ontogenetic changes in the diet of the Australian skink *Egernia stokesii*. Herpetologica, 54: 414-419.
- Dugan, B. and Wiewandt, T. V. 1982. Socio-ecological determinants of mating strategies in iguanine lizards. Pages 303-319 in G. M. Burghardt and A. S. Rand, editors. Iguanas of the world: their behavior, ecology and conservation. Noyes Publications, Park Ridge, New Jersey.
- Dujsebayeva, T. N. 2010. Herpetological researches in Kazakhstan and adjacent countries. Association for the conservation of biodiversity of Kazakhstan, Kazakhstan bird conservation union, Almaty.
- Dujsebayeva, T. N. 2015. About the desert lidless skink *Ablepharus deserti* in Kazakhstan and parapatry of *A. deserti* and *Asymblopharus alaiicus* (Reptilia: Scincidae). Труды Зоологического института РАН 319: 282-303.
- Dujsebayeva, T. N., Malakhov, D. V., Berezovikov, N. N., Guo, X., Liu, J. and Cherednichenko, A. V. 2019. Comparative analysis of the distribution and habitats of two *Eremias* species (Reptilia, Lacertidae) using niche-based GIS modeling. Russian Journal of Herpetology 26: 281-304.
- Dunger, G. T. 1967. The lizards and snakes of Nigeria. Part 1. The Chamaeleons of Nigeria. Nigerian Field 32: 53-74.
- Dunger, G. T. 1967. The lizards and snakes of Nigeria. Part 2. The lacertids of Nigeria. Nigerian Field 32: 117-131.
- Dunger, G. T. 1967. The lizards and snakes of Nigeria. Part 3. The monitors and a plated lizard. Nigerian Field 32: 170-178.
- Dunger, G. T. 1968. The lizards and snakes of Nigeria. Part 4. The geckos of Nigeria. Nigerian Field 33: 18-47.
- Dunger, G. T. 1968. The lizards and snakes of Nigeria. Part 5: The amphisbaenids of Nigeria including a description of 3 new species. Nigerian Field 33: 167-192.
- Dunger, G. T. 1972. The lizards and snakes of Nigeria. Part 6. The skinks of Nigeria. Nigerian Field 37: 99-120.
- Dunger, G. T. 1973. The lizards and snakes of Nigeria. Part 7. The skinks of Nigeria (continued and completed). Nigerian Field 38: 54-80.
- Dunham, A. E. 1981. Populations in a fluctuating environment: The comparative population ecology of *Sceloporus merriami* and *Urosaurus ornatus*. Miscellaneous Publications of the Museum of Zoology, University of Michigan 158: 1-100.
- Dunham, A. E. and Miles, D. B. 1985. Patterns of covariation in life history traits of squamate reptiles: the effects of size and phylogeny reconsidered. The American Naturalist 126: 231-257.
- Dunham, A. E., Tinkle, D. W. and Gibbons, J. W. 1978. Body size in island lizards: A cautionary tale. Ecology 59: 1230-1238.
- Dunham, A. E., Miles, D. B. and Reznick, D. N. 1988. Life history patterns in squamate reptiles. Pages 441-522 in C. Gans and R. B. Huey, eds. Biology of the Reptilia. Vol. 16. Ecology B. Defense and life history. Liss, New York.
- Dunham, A. E., Morin, P. J. and Wilbur, H. M. 1988. Methods for the study of reptile populations. Pages 331-373 in C. Gans and R. B. Huey, eds. Biology of the Reptilia. Vol. 16. Ecology B. Defense and life history. Liss, New York.
- Dunham, A. E., Grant, B. W. and Overall, K. L. 1989. Interfaces between biophysical and physiological ecology and the population ecology of terrestrial vertebrate ectotherms. Physiological Zoology, 62: 335-355.
- Dunn, E. R. 1927. Results of the Douglas Burden Expedition to the island of Komodo. 3, Lizards from the East indies. American Museum novitates 288: 1-13.
- Dunn, E. R. 1935. Notes on American Mabuyas. Proceedings of the Academy of Natural Sciences of Philadelphia 87: 533-560.
- Dunn, E. R. 1940. New and noteworthy herpetological material from Panama. Proceedings of the Academy of Natural Sciences of Philadelphia, 92: 105-122.
- Dunn, E. R. 1943. A new race of *Ameiva festiva* from Colombia. Notulae Naturae of the Academy of Natural Sciences of Philadelphia 126: 1-2.
- Dunn, E. R. 1944. The lizard genus *Phenacosaurus*. Caldasia 3: 57-62.
- Dunn, E. R. and Conant, R. 1937. The herpetological fauna of Bermuda. Herpetologica 1: 78-80.
- Dunson, W. A. and Bramham, C. R. 1981. Evaporative water loss and oxygen consumption of three small lizards from the Florida keys: *Sphaerodactylus cinereus*, *S. notatus*, and *Anolis sagrei*. Physiological Zoology 54: 253-259.
- Durkin, L., Steer, M. D. and Belle, E. M. S. 2011. Herpetological surveys of forest fragments between Montagne D'Ambo National Park and Ankarana Special Reserve, Northern Madagascar. Herpetological Conservation and Biology 6: 1-10.
- Durso, A. M. and Seigel, R. A. 2015. A snake in the hand is worth 10,000 in the bush. Journal of Herpetology 49: 503-506.
- Dürtsche, R. D. 2000. Ontogenetic plasticity of food habits in the Mexican spiny-tailed iguana, *Ctenosaura pectinata*. Oecologia 124: 185-195.
- Duryea, M. C., Bergeron, P., Clare-Salzler, Z. and Calsbeek, R. 2016. Field estimates of parentage reveal sexually antagonistic selection on body size in a population of *Anolis* lizards. Ecology and Evolution 6: 7024-7031.
- Dusen, S. and Oz, M. 2001. A study on the feeding biology of *Laudakia (=Agama) stellio* (L. 1758) (Lacertilia: Agamidae) populations in the Antalya region. Turkish Journal of Zoology 25: 177-181.
- Dutra, G. F., Siqueira, C. C., Vrcibradic, D., Kiefer, M. C. and Rocha, C. F. D. 2011. Plant consumption of insular and mainland populations of a tropical lizard. Herpetologica, 67: 32-45.
- Dutton, R. H., Fitzpatrick, L. C. and Hughes, J. L. 1975. Energistics of the rusty lizard *Sceloporus olivaceus*. Ecology, 56: 1378-1387.
- Duvdevani, I. 1971. The water and electrolyte metabolism in lizards of the genus *Acanthodactylus* Wiegmann 1834 (Lacertidae). PhD Dissertation, the Hebrew University, Jerusalem. (in Hebrew).
- Duvdevani, I. and Borut, A. 1974. Mean body temperature and heat absorption in four species of Acanthodactylus lizards. Herpetologica 30: 176-181.
- Dwyer, P. D. and Hyndman, D. C. 1983. "Frog" and "Lizard": additional life-forms from Papua New Guinea. American Anthropologist 85: 890-896.
- Dzikowski, N. T., Blais, C. B., Henigan, L. E., Romagosa, C. M. and Claunch, N. M. 2019. *Agama picticauda* (Peters's rock agama). Reproduction. Herpetological Review 50: 132.
- Echevarria, L. Y. and Venegas, P. J. 2013. *Petracola ventrimaculatus* (spotted lightbulb lizard). Cannibalism. Herpetological Review 44: 678-679.
- Echevarria, L. Y., Barboza, A. C. and Venegas, P. J. 2015. A new species of montane gymnophthalmid lizard, genus *Cercosaura* (Squamata: Gymnophthalmidae), from the Amazon slope of northern Peru. Amphibian & Reptile Echternacht, A. C. 1970. Taxonomic and ecological notes on some Middle and South American lizards of the genus *Ameiva* (Teiidae). Breviora 354: 1-9.
- Echternacht, A. C. 1977. A new species of lizard of the Genus *Ameiva* (Teiidae) from the pacific lowlands of Colombia. Copeia 1977: 1-7.

- Echternacht 1983  
 Echternacht et al. 2011  
 Eckhardt et al. 2012
- Eckhardt et al. 2017  
 Eckhardt et al. 2019  
 Eckstut et al. 2013  
 Edgar 2009  
 Edward et al. 2013  
 Edwards 1999  
 Edwards 2013  
 Edwards and Melville 2011  
 Edwards et al. 2002  
 Edwards et al. 2015  
 Edwards et al. 2016
- Eidenmueller and Philippen 2008  
 Eidenmueller et al. 2017  
 Eifler and Eifler 2019  
 Eifler and Passek 2000  
 Eifler and Eifler 2014  
 Eifler et al. 2017  
 Eifler et al. 2018  
 Eifler et al. 2019  
 Eiselt 1968  
 Eiselt 1969  
 Eiselt and Schmidtler 1986  
 Eisenberg and Werning 2012  
 Ekner et al. 2008
- El Mouden et al. 1999  
 Eliades et al. 2019  
 Ellinger et al. 2001  
 Ellis 2018a  
 Ellis 2018b  
 Ellis 2019  
 Ellis and Pauwels 2012  
 Ellis et al. 2006  
 Ellis et al. 2018a
- Ellis et al. 2018b
- Elstrott and Irschick 2004  
 Elwasila 1988  
 Embert 2007  
 Emmrich 1994  
 Enderson et al. 2009  
 Enderson et al. 2014  
 Engelmann et al. 1993  
 Eniang et al. 2014  
 Entiauspe-Neto et al. 2016  
 Erdelen 1998a  
 Erdelen 1998b  
 Eremchenko 2003  
 Eremchenko and Das 2004  
 Eremchenko et al. 1992  
 Ergul et al. 2014
- Echternacht, A. C. 1983. Ameiva and Cnemidophorus. Pages 375-379 in Janzen, D. H. editor. Costa Rican Natural History. University of Chicago Press, Chicago.
- Echternacht, A. C., Burton, F. J. and Blumenthal, J. M. 2011. The amphibians and reptiles of the Cayman islands: Conservation issues in the face of invasions. Conservation of Caribbean island Herpetofaunas, 1: 129-147.
- Eckhardt, F. S., Gehring, P. S., Bartel, L., Bellmann, J., Beuker, J., Hahne, D., Korte, J., Knittel, V., Mensch, M., Nagel, D., Pohl, M., Rostosky, C., Vierath, V., Wilms, V., Zenk, J. and Vences, M. 2012. Assessing sexual dimorphism in a species of Malagasy chameleon (*Calumma boettgeri*) with a newly defined set of morphometric and meristic measurements. Herpetology Notes, 5: 335-344.
- Eckhardt, F., Kappeler, P. M. and Kraus, C. 2017. Highly variable lifespan in an annual reptile, Labord's chameleon (*Furcifer labordi*). Scientific Reports 7: 11397.
- Eckhardt, F., Kraus, C. and Kappeler, P. M. 2019. Life histories, demographics and population dynamics of three sympatric chameleon species (*Furcifer spp.*) from western Madagascar. Amphibia-Reptilia 40: 41-54.
- Eckstut, M. E., Hamilton, A. M. and Austin, C. C. 2013. Variable unisexuals and uniform bisexuals: morphology, genetics, and biogeography of the *Nactus pelagicus* complex on Tanna island, Vanuatu. Herpetologica, 69: 199-213.
- Edgar, P. 2009. The amphibians and reptiles of the UK overseas territories, crown dependencies and sovereign base areas. Species inventory and overview of conservation and research priorities. The Herpetological Conservation Trust
- Edward, S., Tolley, K. A., Vanhooydonck, B., Measey, G. J. and Herrel, A. 2013. Is dietary niche breadth linked to morphology and performance in Sandveld lizards *Nucras* (Sauria: Lacertidae)? Biological Journal of the Linnean Society 108: 103-113.
- Edwards, A. 1999. Steroids and reproductive biology in the blotched blue-tongued lizard, *Tiliqua nigrolutea*. PhD Dissertation, University of Tasmania.
- Edwards, S. 2013. Patterns and processes of adaptation in lacertid lizards to environments in southern Africa. PhD dissertation, Stellenbosch University.
- Edwards, D. L. and Melville, J. 2011. Extensive phylogeographic and morphological diversity in *Diporiphora nobbi* (Agamidae) leads to a taxonomic review and a new species description. Journal of Herpetology, 45: 530-546.
- Edwards, A., Jones, S. M. and Wapstra, E. 2002. Multiennial reproduction in females of a viviparous, temperate-zone skink, *Tiliqua nigrolutea*. Herpetologica, 58: 407-414.
- Edwards, D. L., Melville, J., Joseph, L. and Keogh, J. S. 2015. Ecological divergence, adaptive diversification, and the evolution of social signaling traits: an empirical study in arid Australian lizards. The American Naturalist 186: E144-E157.
- Edwards, S., Herrel, A., Vanhooydonck, B., Measey, G. J. and Tolley, K. A. 2016. Diving in head first: trade-offs between phenotypic traits and sand-diving predator escape strategy in *Meroles* desert lizards. Biological Journal of the Linnean Society 119: 919-931.
- Eidenmueller, B. and Philippen, H. D. 2008. Varanoid lizards. Edition Chimaira, Frankfurt am Main.
- Eidenmueller, B., Koch, A., Kohler, J. and Wicker, R. 2017. New findings on the relationships among New Guinea tree monitor lizards of the *Varanus prasinus* (Schlegel, 1839) complex (Sauria: Varanidae). Herpetozoa 30: 9-18.
- Eifler, D. and Eifler, M. 2019. Movement and habitat use by adult and juvenile toad-headed agama lizards (*Phrynocephalus versicolor* Strauch, 1876) in the eastern Gobi Desert, Mongolia. Herpetology Notes 12: 717-719.
- Eifler, D. A. and Passek, K. M. 2000. Body size effects on pursuit success and interspecific diet differences in Cnemidophorus lizards. Amphibia-Reptilia 21: 477-484.
- Eifler, D. A. and Eifler, M. A. 2014. Social foraging in the lizard *Ameiva corax*. Behavioral Ecology 25: 1347-1352.
- Eifler, M. A., Marchand, R., Eifler, D. A. and Malela, K. 2017. Habitat use and activity patterns in the nocturnal gecko, *Chondrodactylus turneri*. Herpetologica, 73: 43-47.
- Eifler, M., Godoy, W. B. and Eifler, D. A. 2018. *Microlophus atacamensis* (Atacama Pacific iguana). Diet. Herpetological Review 49: 537-538.
- Eifler, M. A., Eifler, D. A. and Godoy, W. B. 2019. *Callopistes maculatus* (spotted false monitor). Diet and prey handling. Herpetological Review 50: 369.
- Eiselt, J. 1968. Ergebnisse zoologischer sammelreisen in der Türkei: Ein Beitrag zur Taxonomie der Zagroseidechse *Lacerta princeps* Blanf. Annalen des Naturhistorischen Museums in Wien 72: 409-434.
- Eiselt, J. 1969. Zweiter Beitrag zur Taxonomie der Zagroseidechse *Lacerta princeps* Blanford. Annalen des Naturhistorischen Museums in Wien 73: 209-220.
- Eiselt, J. and Schmidtler, J. F. 1986. Der *Lacerta danfordi*-komplex (Reptilia: Lacertidae). Spixiana 9: 289-328.
- Eisenberg, T. and Werning, H. 2012. *Phymaturus cf. palluma* in captivity: observations on its reproduction and biology. Salamandra 48: 198-206.
- Ekner, A., Majlath, I., Majlathova, V., Hromada, M., Bona, M., Antczak, M., Bogaczek, M. and Tryjanowski, P. 2008. Densities and morphology of two co-existing lizard species (*Lacerta agilis* and *Zootoca vivipara*) in extensively used farmland in Poland. Folia Biologica 56: 165-171.
- El Mouden, E. H., Znari, M. and Brown, R. P. 1999. Skeletochronology and mark-recapture assessments of growth in the North African agamid lizard (*Agama impalearis*). Journal of Zoology 249: 455-461.
- Eliades, S. J., Phimmacchak, S., Sivongxay, N., Siler, C. D. and Stuart, B. L. 2019. Two new species of *Hemiphyllodactylus* (Reptilia: Gekkonidae) from Laos. Zootaxa 4577: 131-147.
- Ellinger, N., Schalte, G., Jerome, N., and Hodl, W. 2001. Habitat use and activity patterns of the Neotropical arboreal lizard *Tropidurus* (= *Uracentron*) *azureus* wernerii (Tropiduridae). Journal of Herpetology, 35: 395-402.
- Ellis, R. J. 2018. An annotated type catalogue of varanid lizards (Reptilia: Squamata: Varanidae) in the collection of the Western Australian Museum. Records of the Western Australian Museum 33: 187-194.
- Ellis, R. J. 2018. Clarification of the type series of *Amphibolurus barbatus* *microlepidotus* Glauert, 1952 (= *Pogona microlepidota*) (Reptilia: Squamata: Agamidae). Zootaxa 4457: 197-200.
- Ellis, R. J. 2019. An annotated type catalogue of the dragon lizards (Reptilia: Squamata: Agamidae) in the collection of the Western Australian Museum. Records of the Western Australian Museum 34: 115-132.
- Ellis, M. and Pauwels, O. S. G. 2012. The bent-toed geckos (*Cyrtodactylus*) of the caves and karst of Thailand. Cave and Karst Science 39: 16-22.
- Ellis, D. J., Firth, B. T. and Belan, I. 2006. Circadian rhythm of behavioral thermoregulation in the sleepy lizard (*Tiliqua rugosa*). Herpetologica, 62: 259-265.
- Ellis, R. J., Doughty, P., Bauer, A. M. 2018. An annotated type catalogue of the geckos and pygopods (Squamata: Gekkota: Carphodactylidae, Diplodactylidae, Gekkonidae, Pygopodidae) in the collection of the Western Australian Museum. Records of the Western Australian Museum 33: 51-94.
- Ellis, R. J., Doughty, P., Bauer, A. M., Pepper, M. and Keogh, J. S. 2018. A replacement name for *Gehyra punctulata* Doughty, Bauer, Pepper & Keogh, 2018 (Reptilia: Squamata: Gekkonidae) and the nomenclatural status of *Phyria punctulata* Gray, 1842. Records of the Western Australian Museum 33: 133-134.
- Elstrott, J. and Irschick, D. J. 2004. Evolutionary correlations among morphology, habitat use and clinging performance in Caribbean Anolis lizards. Biological Journal of the Linnean Society 83: 389-398.
- Elwasila, M. 1988. Leishmania tarentolae Wenyon, 1921 from the gecko *Tarentola annularis* in the Sudan. Parasitology Research, 74: 591-592.
- Embret, D. 2007. Distribution, diversity and conservation status of Bolivian reptiles. PhD Dissertation, Rheinischen Friedrichs-Wilhelms-Universität Bonn.
- Emmrich, D. 1994. Herpetological results of some expeditions to the Nguru Mountains, Tanzania. Mitteilungen aus dem Museum für Naturkunde in Berlin 70: 281-300.
- Enderson, E. F., Quijada-Mascarenas, A., Turner, D. S., Rosen, P. C. and Bezy, R. L. 2009. The herpetofauna of Sonora, Mexico, with comparisons to adjoining states. Check List 5: 632-672.
- Enderson, E. F., Van Devender, T. R. and Bezy, R. L. 2014. Amphibians and reptiles of Yecora, Sonora and the Madrean tropical zone of the Sierra Madre Occidental in northwestern Mexico. Check List 10: 913-926.
- Engelmann, W. E., Fritzsche, J., Gunther, R. and Obst, F. J. 1993. Lurche und kriechtiere Europas. Neumann Verlag, Radebeul, Germany.
- Eniang, E. A., Amadi, N., Petrozzi, F., Vignoli, L., Akani, G. C. and Luiselli, L. 2014. Inter-seasonal and inter-habitat variations in the diet of the African fire skink, *Lygosoma fernandi*, from southern Nigeria. Amphibia-Reptilia 35: 223-229.
- Entiauspe-Neto, O. M., Perleberg, T. D. and de Freitas, M. A. 2016. Herpetofauna from an urban Pampa fragment in southern Brazil: composition, structure and conservation. Check List 12: 1964.
- Erdelen, W. 1998. Geographic distribution, biology and conservation of the water monitor (*Varanus salvator* Laurenti, 1788). pages 223-229 in de Silva, A. (editor). Biology and Conservation of the Amphibians, Reptiles and their habitats in South Asia. Proceedings of the international Conference on the Biology and Conservation of Amphibians and Reptiles of South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka (ARROS).
- Erdelen, W. 1998. The genera *Otocryptis* and *Sitana* (Sauria, Agamidae): geographic distribution, microhabitat use, and morphometric relations. pages 232-240 in de Silva, A. (editor). Biology and Conservation of the Amphibians, Reptiles and their habitats in South Asia. Proceedings of the international Conference on the Biology and Conservation of Amphibians and Reptiles of South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka.
- Eremchenko, V. K. 2003. Generic and specific redefinition and redescription of the North-Vietnam skink (*Scincella melanosticta* (Boulenger, 1887)). Izvestiya Vuzov (= Proceedings of Universities and Institutes), Bishkek, (1-2): 20-28.
- Eremchenko, V. K. and Das, I. 2004. Kaestlea: a new genus of scincid lizards (Scincidae: Lygosominae) from the Western Ghats, south-western India. Hamadryad 28: 43-50.
- Eremchenko, V., Panfilov, A. M. and Tsarinenko, E. I. 1992. Conspectus on cytogenetic and taxonomic research on some Asiatic species of Scincidae and Lacertidae. [in Russian]. Ylim Publications, Bishkek.
- Ergul, T., Ozdemir, N., Gul, C. and Tosunoglu, M. 2014. Variation in Body Size and Age Structure of *Stellagama stellio* (L., 1758) (Reptilia: Agamidae) from Turkey. Acta Zoologica Bulgarica 66: 65-72.

- Ergul et al. 2017  
Erickson 2003  
Ernst and Ernst 2011  
Eroglu et al. 2017a  
Eroglu et al. 2017b  
Eroglu et al. 2018  
Escobar et al. 2003  
Escobedo-Galvan et al. 2017  
Escoriza and Comas 2015  
Escudero et al. 2017  
  
Eskandarzadeh et al. 2015  
Esmaeili-Rineh et al. 2016  
  
Espinal et al. 2014  
Espinoza and Barrio-Amoros 2018  
Espinoza and Lobo 2003  
Espinoza et al. 2000  
Esqueda 2005  
Esqueda and Marca 1999  
Esqueda et al. 2001a  
Esqueda et al. 2001b  
Esqueda et al. 2016  
  
Esquerre et al. 2013  
Esquerre et al. 2016  
Esquerre et al. 2019  
  
Esser and Rodder 2012  
Esterbauer 1992  
Etchepare et al. 2015  
Etheridge 1965  
Etheridge 1968  
Etheridge 1969  
Etheridge 1995  
Etheridge 2000  
Etheridge and Christie 2003  
Etheridge and Espinoza 1997  
Etheridge and Espinoza 2000  
Etheridge and Williams 1985  
Etheridge and Williams 1991  
Evan et al. 2011  
Evans 1947  
Evans 1951  
Evans and Evans 1980  
Faiz et al. 2018  
Faizi and Rastegar-Pouyani 2006  
Faizi et al. 2010  
  
Faizi et al. 2016  
Faizi et al. 2017  
Falcione and Hernando 2010  
Fang et al. 2019  
Farhadi Qomi et al. 2011  
  
Faria and Araujo 2004  
Farkas et al. 2018  
Farr et al. 2007  
Farr et al. 2009
- Ergul, K. T., Altunışık, A., Gul, C., Tosunoglu, M. and Ozdemir, N. 2017. Age structure of the Caucasian agama (*Paralaudakia caucasia*) from Elmadağ, igdır, Turkey: preliminary data from small sample size. *Russian Journal of Erickson* 2003  
Erickson, G. M. 2003. Using external vertebral growth rings to assess longevity in the Bengal monitor (*Varanus bengalensis*). *Copeia*, 2003: 872-878.  
Ernst, C. H. and Ernst, E. M. 2011. Venomous reptiles of the United States, Canada, and northern Mexico. Volume 1. *Heloderma*, *Micruroides*, *Micrurus*, *Pelamis*, *Agkistrodon*, *Sistrurus*. Johns Hopkins University Press, Baltimore.  
Eroglu, A. I., Bulbul, U. and Kurnaz, M. 2017. Age structure and growth in a Turkish population of the Crimean wall lizard, *Podarcis tauricus* (Pallas, 1814) (squamata: sauria: Lacertidae). *Herpetozoa* 29: 125-133.  
Eroglu, A. I., Bulbul, U. and Kurnaz, M. 2017. Age structure and growth in a Turkish population of the Italian wall lizard *Podarcis siculus* (Rafinesque-Schmaltz, 1810)(Reptilia: Lacertidae). *Acta Zoologica Bulgarica*, 69: 209-214.  
Eroglu, A. I., Bulbul, U., Kurnaz, M. and Odabas, Y. 2018. Age and growth of the common wall lizard, *Podarcis muralis* (Laurenti, 1768). *Animal Biology*, 68: 147-159.  
Escobar, C. M., Escobar, C. A., Labra, A. and Niemeyer, H. M. 2003. Chemical composition of precloacal secretions of two *Liolemaus fabiani* populations: are they different? *Journal of Chemical Ecology* 29: 629-638.  
Escobedo-Galvan, A. H., Flores-Guerrero, U. S., Gonzalez-Solorzano, M. and Cruz, J. J. L. 2017. *Sceloporus bulleri* (Buller's spiny lizard). *Reproduction*. *Herpetological Review* 48: 854-855.  
Escoriza, D. and Comas, M. 2015. Is *Hylosaurus koellikeri* a true forest lizard? *Herpetological Conservation and Biology* 10: 610-620.  
Escudero, P. C., Tucker, D. B., Avila, L. J., Sites, J. W. and Morando, M. 2017. Distribution of genetic diversity within a population of *Liolemaus xanthoviridis* and an assessment of its mating system, as inferred with microsatellite markers. *South American Journal of Herpetology*, 12: 183-192.  
Eskandarzadeh, N., Rastegar-Pouyani, N., Rastegar-Pouyani, E. and Zinati, L. 2015. Sexual dimorphism in *Trapelus agilis agilis* (Olivier, 1807) (Sauria: Agamidae) from Tabas Region, Northeastern Iran. *Russian Journal of Esmaeili-Rineh, S., Akmal, V., Fathipour, F., Heidari, N. and Rastegar-Pouyani, N. 2016. New distribution records of cave-dwelling gekkonid lizards (Sauria, Gekkonidae and Phyllodactylidae) in the Zagros Mountains of Iran. *Subterranean Biology*, 18: 39-47.  
Espinol, M., Solis, J. M., O'Reilly, C. and Valle, R. 2014. New distributional records for amphibians and reptiles from the department of Choluteca, Honduras. *Mesoamerican Herpetology* 1: 298-300.  
Espinoza, A. and Barrio-Amoros, C. 2018. *Ungaliophis panamensis*. Schmidt, 1933. Predation on *Gonatodes albogularis*. *Mesoamerican Herpetology* 5: 165-166.  
Espinoza, R. E. and Lobo, F. 2003. Two new species of *Liolemaus* lizards from northwestern Argentina: speciation within the northern subclade of the *elongatus* group (Iguania: Liolaemidae). *Herpetologica* 59: 89-105.  
Espinoza, R. E., Lobo, F. and Cruz, F. B. 2000. *Liolemaus heliodermis*, a new lizard from northwestern Argentina with remarks on the content of the *elongatus* group (Iguania: Tropiduridae). *Herpetologica* 56: 235-244.  
Esqueda, L. F. 2005. Un nuevo *Leposoma* (Squamata, Gymnophthalmidae) de la Reserva Forestal de Caparo, Estado Barinas, Venezuela. *Herpetotropicos* 2: 33-42.  
Esqueda, L. F. and Marca, E. L. 1999. New reptilian species records from the Cordillera de Mérida, Andes of Venezuela. *Herpetological Review*, 30: 238-239.  
Esqueda, L. F., La Marca, E., Natera, M. and Battiston, P. 2001. Noteworthy reptilian state records and a lizard species new to the herpetofauna of Venezuela. *Herpetological Review* 32: 198-200.  
Esqueda, L. F., La Marca, E., Natera, M. and Battiston, P. 2001. Noteworthy reptilian state records and a lizard species new to the herpetofauna of Venezuela. *Herpetological Review* 32: 198-200.  
Esqueda, L. F., Lotzkat, S., Hertz, A., Natera, M., Valera-Leal, J., La Marca, E., Rojas-Runjaic, F. J. M. and Rivero, R. 2016. Morphological variation and geographic distribution of *Pseudogonatodes lunulatus* (Roux, 1927) (Sauria, Sphaerodactylidae) in Venezuela. *Saber, Universidad de Oriente, Venezuela* 28: 17-27.  
Esquerre, D., Nunez, H. and Scolaro, J. A. 2013. *Liolemaus carlosgarini* and *Liolemaus rioldamas* (Squamata: Liolaemidae), two new species of lizards lacking precloacal pores, from Andean areas of central Chile. *Zootaxa* 3619: 428-440.  
Esquerre, D., Troncoso-Palacios, J. and Barros, R. 2016. *Liolemaus rioldamas* Esquerre, Nunez & Scolaro, 2013 (Reptilia: Squamata: Liolaemidae): new record for the Maule Region in Chile. *Check List* 12: 1872.  
Esquerre, D., Brennan, I. G., Catullo, R. A., Torres-Perez, F. and Keogh, J. S. 2019. How mountains shape biodiversity: the role of the Andes in biogeography, diversification and reproductive biology in South America's most species rich lizard radiation (Squamata: Liolaemidae). *Evolution* 73: 214-230.  
Esser, S. and Rodder, D. 2012. Notes on the reproduction of the yellow-throated plated lizard *Gerrhosaurus flavigularis* Wiegmann, 1882. *Herpetology Notes* 5: 13-14.  
Esterbauer, H. 1992. Die herptofauna des östlichen Golan- und Hermongebiete funde und bemerkungen zur systematik und ökologie. *Zoology in the Middle East* 7: 21-54.  
Etchepare, E., Aguiar, D., Palomas, S., Giraudo, A. and Alonso, J. 2015. Presencia de *Stenocercus azureus* Muller 1880 (Squamata: iguanida) en la Republica Argentina. *Cuadernos de Herpetología* 29: 155-156.  
Etheridge, R. E. 1965. The abdominal skeleton of lizards in the family Iguanidae. *Herpetologica* 21: 161-168.  
Etheridge, R. 1968. A review of the iguanid lizard genera *Uracentron* and *Strobilurus*. *Bulletin of the British Museum (Natural History)*, *Zoology* 17 : 47-64.  
Etheridge, R. 1969. A review of the iguanid lizard genus *Enyalius*. *Bulletin of the British Museum (Natural History)*, *Zoology* 18: 233-260.  
Etheridge, R. 1995. Redescription of *Ctenoblepharys adspersa* Tschudi, 1845, and the taxonomy of *Liolaeminae* (Reptilia, Squamata, Tropiduridae). *American Museum novitates* 3142: 1-34.  
Etheridge, R. 2000. A review of lizards of the *Liolaemus wiegmannii* group (Squamata, Iguania, Tropiduridae), and a history of morphological change in the sand-dwelling species. *Herpetological Monographs*, 14: 293-352.  
Etheridge, R. and Christie, M. I. 2003. Two new species of the lizard genus *Liolaemus* (Squamata: Liolaemidae) from northern Patagonia, with comments on *Liolaemus rothi*. *Journal of Herpetology* 37: 325-341.  
Etheridge, R. and Espinoza, R. E. 1997. New records and natural history notes for lizards from Northwestern Argentina. *Herpetological Review*, 28: 160-161.  
Etheridge, R. and Espinoza, R. E. 2000. Taxonomy of the *Liolaeminae* (Squamata: iguanida:Tropiduridae) and a semi- annotated bibliography. *Smithsonian Herpetological information Service* 127: 1-64.  
Etheridge, R. and Williams, E. E. 1985. Notes on *Pristidactylus* (Squamata, Iguanidae). *Breviora* 483: 1-18.  
Etheridge, R. and Williams, E. E. 1991. A review of the South American lizard genera *Urostrophus* and *Anisolepis* (Squamata: Polychiridae). *Bulletin of the Museum of Comparative Zoology* 152: 317-361.  
Evan, S. H. Q., Sharulannuar, M. S., Grismer, L. L., Mohd, A. M. A., Chan, K. O. and Grismer, J. L. 2011. Preliminary checklist of the herpetofauna of Jerejak island, Penang, Malaysia. *Malayan Nature Journal* 63: 595-600.  
Evans, H. E. 1947. Notes on Panamanian reptiles and amphibians. *Copeia* 1947: 166-170.  
Evans, L. T. 1951. Field study of social behavior of the black lizard, *Ctenosaura pectinata*. *American Museum Novitates* 1493: 1-26.  
Evans, P. G. H. and Evans, J. B. 1980. The ecology of lizards on Praslin island, Seychelles. *Journal of Zoology*, 191: 171-192.  
Faiz, A. H., Bagaturop, M. F., Hassan, M. U., Tariq, G., Malik, I. U. and Faiz, L. Z. 2018. Distribution of reptiles in Tolipir National Park, Pakistan. *Journal of Bioresource Management*, 5: 29-35.  
Faizi, H. and Rastegar-Pouyani, N. 2006. Intra- and-inter-specific geographic variation in the Iranian Scincid lizards of the genus *Trachylepis* Fitzinger 1843 (Sauria: Scincidae). *Iranian Journal of Animal Biosystematics* 2: 1-11.  
Faizi, H., Rastegar-Pouyani, N., Rajabizadeh, M. and Heydari, N. 2010. Sexual dimorphism in *Trachylepis aurata transcaucasica* Chernov, 1926 (Reptilia: Scincidae) in the Zagros Mountains, western Iran. *Iranian Journal of Animal Biosystematics* 6: 25-35.  
Faizi, H., Rastegar-Pouyani, N., Rastegar-Pouyani, E. and Heidari, N. 2016. Systematics of the genera *Eumeces* Wiegmann, 1834 and *Eurylepis* Blyth 1854 (Sauria: Scincidae) in iran: A review. *Iranian Journal of Animal Biosystematics* 2017  
Faizi, H., Rastegar-Pouyani, N., Rastegar-Pouyani, E., Nazarov, R., Heidari, N., Zangi, B., Orlova, V. and Poyarkov, N. 2017. A new species of *Eumeces* Wiegmann 1834 (Sauria: Scincidae) from Iran. *Zootaxa* 4320: 289-304.  
Falcione, C. and Hernando, A. 2010. A new karyotypic formula for the genus *Amphisbaena* (Squamata: Amphisbaenidae). *Phylomedusa* 9: 75-80.  
Fang, M., Zhu, X., Du, Y., Zhang, L. and Lin, L. 2019. Macroecological patterns of climatic niche breadth variation in lacertid lizards. *Asian Herpetological Research* 10: 41-47.  
Farhadi Qomi, M., Kami, H. G., Shajii, H. and Kazemi, S. M. 2011. Further records of the Plateau snake skink *Ophiomorus nuchalis* Nilson and Andrei, 1978 (Sauria: Scincidae) from isfahan Province, Iran. *Iranian Journal of Animal Biosystematics* 7: 171-175.  
Faria, R. G. and Araujo, A. F. B. 2004. Sintopy of two *Tropidurus* lizard species (Squamata: Tropiduridae) in a rocky cerrado habitat in central Brazil. *Brazilian Journal of Biology* 4: 775-786.  
Farkas, B., Buzas, B. and Farkas, V. 2018. Additions to the herpetofauna of the Wadi Wurayah National Park, Fujairah. *Tribulus*, 26: 42-45.  
Farr, W. L., Murcio, P. A. L. and Lazcano, D. 2007. New distributional records for amphibians and reptiles from the State of Tamaulipas, Mexico. *Herpetological Review* , 38: 226-233.  
Farr, W. L., Lazcano, D. and Murcio, P. A. L. 2009. New distributional records for amphibians and reptiles from the State of Tamaulipas, Mexico. *Herpetological Review* 40: 459-467.*

- Farr et al. 2013  
 Fathinia and Rastegar-Pouyani 2011  
 Fathinia et al. 2009  
 Fathinia et al. 2011
- Fathinia et al. 2014  
 Fattahi and Rastegar-Pouyani 2017  
 Fattahi et al. 2014a
- Fattahi et al. 2014b  
 Faundez 2012  
 Feder and Feder 1981  
 Federman and Werner 2007  
 Feldman et al. 2016  
 Fellers and Drost 1991  
 Fellers et al. 1998  
 Feltrim and De Lema 2000  
 Fenner et al. 2007  
 Ferguson 1971  
 Ferguson et al. 1982  
 Ferguson et al. 2005  
 Feria-Ortiz and Garcia-Vazquez 2012  
 Feria-Ortiz et al. 2011  
 Feria-Ortiz et al. 2018  
 Fernandez et al. 2011  
 Fernandez et al. 2015
- Fernandez-Badillo et al. 2016  
 Fernandez-Ortin et al. 2019
- Ferner et al. 1997  
 Ferner et al. 2000  
 Ferreguetti et al. 2018
- Ferreira et al. 2009  
 Ferreira et al. 2016  
 Ferreira et al. 2017a  
 Ferreira et al. 2017b  
 Ferreira et al. 2017c
- Ferreira et al. 2018  
 Ferreiro and Galan 2004  
 Ferrer et al. 2016
- FERRI-YANEZ AND ARAUJO 2015**
- Ferronato 2019  
 Ficetola et al. 2010  
 Ficetola et al. 2014  
 Ficetola et al. 2018  
 Fieldsend and Burnham 2018  
 Fierro-Estrada et al. 2019  
 Filadelfo et al. 2014  
 Filho 2013  
 Filho and de Oliveira 2015  
 Filho et al. 2013  
 Filho et al. 2017  
 Filogonio et al. 2009
- Finley 1945
- Farr, W. L., Lazcano, D. and Murcio, P. A. L. 2013. New distributional records for amphibians and reptiles from the State of Tamaulipas, Mexico. *Herpetological Review* 44: 631-645.
- Fathinia, B. and Rastegar-Pouyani, N. 2011. Sexual dimorphism in *Trapelus ruderatus ruderatus* (Sauria: Agamidae) with notes on the natural history. *Amphibian and Reptile Conservation* 5: 15-22.
- Fathinia, B., Rastegar-Pouyani, N., Sampour, M., Bahrami, A.M. and Jaafri, G. 2009. The lizard fauna of Ilam province, Southwestern Iran. *Iranian Journal of Animal Biosystematics* 5: 65-79.
- Fathinia, B., Rastegar-Pouyani, N. and Mohamadi, H. 2011. Sexual dimorphism in *Carinatogecko heteropholis* (Minton, Anderson, and Anderson, 1970) (Sauria: Gekkonidae) from Ilam Province, western Iran. *Amphib. Amphibian and Reptile Conservation* 5: 47-53.
- Fathinia, B., Gholami -Fard, A. and Rastegar-Pouyani, N. 2014. First record of *Stenodactylus arabicus* (Haas, 1957) from Iran. *Herpetozoa* 26: 169-173.
- Fattahi, R. and Rastegar-Pouyani, N. 2017. Geographic variation in *Trachylepis vittata* (Olivier, 1804)(Sauria: Scincidae): two populations from the Turkish-Iranian Plateau. *Iranian Journal of Animal Biosystematics*, 13: 275-283.
- Fattahi, R., Ficetola, G. F., Rastegar-Pouyani, N., Avci, A., Kumlutus, Y., Ilgaz, C. and Yousefkhani, S. S. H. 2014. Modelling the potential distribution of the Bridled Skink, *Trachylepis vittata* (Olivier, 1804), in the Middle East. *Zoology in the Middle East* 60: 208-216.
- Fattahi, R., Rastegar-Pouyani, N. and Seymarch, H. A. 2014. Notes taxonomy, distribution, geographic variation and natural history in *Trachylepis vittata* (Olivier, 1804) in the Zagros Mountains, western Iran. *Russian Journal of Faundez*, P. V. 2012. *Callopistes maculatus* (Chilean racerunner). *Prey. Herpetological Review* 43: 644-645.
- Feder, M. E. and Feder, J. H. 1981. Diel variation of oxygen consumption in three species of Philippine gekkonid lizards. *Copeia*, 1981: 204-209.
- Federman, R. and Werner, Y. L. 2007. Man-made environmental changes affect the boundary between two taxa of *Laudakia*. *Journal of Zoology* 273: 281-288.
- Feldman, A., Sabath, N., Pyron, R. A., Mayrose, I. and Meiri, S. 2016. Body-sizes and diversification rates of lizards, snakes, amphisbaenians and the tuatara. *Global Ecology and Biogeography* 25: 187-197. Doi: 10.1111/geb.12398.
- Fellers, G. M. and Drost, C. A. 1991. *Xantusia riversiana*. Catalogue of American Amphibians and Reptiles 518: 1-4.
- Fellers, G. M., Drost, C. A., Mautz, W. J. and Murphey, T. 1998. Ecology of the island night lizard, *Xantusia riversiana*, on San Nicolas island, California. U.S. Navy Contributing Office Western Ecological Research Center.
- Feltrim, A. C. and De Lema, T. 2000. Uma nova especie de *Cnemidophorus* Wagler, 1830 do estado do Rio Grande do sul Brasil (Sauria, Teiidae). *Biociencias, Porto Alegre*, 8: 103-114.
- Fenner, A. L., Bull, C. M. and Hutchinson, M. N. 2007. Omnivorous diet of the endangered pygmy bluetongue lizard, *Tiliqua adelaidensis*. *Amphibia-Reptilia* 28: 560-565
- Ferguson, G. W. 1970. Variation and evolution of the push-up displays of the side-blotched lizard Genus *Uta* (Iguanidae). *Systematic Zoology* 19: 79-101.
- Ferguson, G. W., Brown, K. L. and DeMarco, V. G. 1982. Selective basis for the evolution of variable egg and hatchling size in some iguanid lizards. *Herpetologica*, 38: 178-188.
- Ferguson, G. M., Smith, H. M., Liner, E. A. and Chiszar, D. 2005. *Sceloporus exsul*. Catalogue of American Amphibians and Reptiles, 812: 1-3.
- Feria-Ortiz, M. and Garcia-Vazquez, U. O. 2012. A new species of *Plestiodon* (Squamata: Scincidae) from Sierra Madre del Sur of Guerrero, Mexico. *Zootaxa* 3339: 57-68.
- Feria-Ortiz, M., Manriquez-Moran, N. L. and De Oca, A. N.-M. 2011. Species limits Based on mtDNA and morphological data in the polytypic species *Plestiodon brevirostris* (Squamata: Scincidae). *Herpetological Monographs*, 25: 25.
- Feria-Ortiz, M., Hernandez-Gutierrez, J. R. and Garcia-Montecinos, D. L. 2018. *Phrynosoma orbicularie* (Mexican Plateau horned lizard). Reproduction. *Herpetological Review* 49: 120-121.
- Fernandez, J. B., Smith, J., Scolaro, A. and Ibarguengoytia, N. R. 2011. Performance and thermal sensitivity of the southernmost lizards in the world, *Liolaemus sarmientoi* and *Liolaemus magellanicus*. *Journal of Thermal Biology* 36: 101-108.
- Fernandez, J. B., Medina, M., Kubisch, E. L., Manero, A. A., Scolaro, J. A. and Ibarguengoytia, N. R. 2015. Female reproductive biology of the lizards *Liolaemus sarmientoi* and *L. magellanicus* from the southern end of the world. *Herpetological Journal* 25: 101-108.
- Fernandez-Badillo, L., Aguilera-Gutierrez, D. R., Valdez-Renteria, S. Y., Hernandez-Melo, J. A., Olvera-Olvera, C. R., Callejas-Jimenez, F. J., Hernandez-Ramos, M., iturbe-Morgado, J. C., Torres-Angeles, F. and Reano-Hernandez, I. 2016. First records for amphibians and reptiles from the Municipality of Atonilco el Grande, Hidalgo, Mexico. *Herpetological Review* 47: 91-93.
- Fernandez-Ortin, D. F., Montes, G. S. and Martinez-Solano, I. 2019. A catalogue of reptiles of Monfragüe National Park (Spain), with molecular characterization of populations of *Blanus Wagler, 1830* in this protected area. *Basic and Applied Herpetology*, 33: 81-91.
- Ferner, J. W., Brown, R. M. and Greer, A. E. 1997. A new genus and species of moist closed canopy forest skinks from the Philippines. *Journal of Herpetology*, 31: 187-192.
- Ferner, J. W., Brown, R. M., Sison, R. V. and Kennedy, R. S. 2000. The amphibians and reptiles of Panay island, Philippines. *Asiatic Herpetological Research* 9: 1-37.
- Ferreguetti, A. C., Pereira-Ribeiro, J., Bergallo, H. G. and Rocha, C. F. D. 2018. Abundance, density and activity of *Salvator merianae* (Reptilia: Teiidae) and the effect of poaching on the site occupancy by the lizard in an Atlantic Forest Reserve, Brazil. *Austral Ecology* 43: 663-671.
- Ferreira, A., Silva, D. N., Van Sluys, M. and Dolder, H. 2009. Seasonal changes in testicular and epididymal histology of the tropical lizard, *Tropidurus itambere* (Rodrigues, 1987), during its reproductive cycle. *Brazilian Journal of Ferreira, C. C., Santos, X. and Carretero, M. A. 2016. Does ecophysiology mediate reptile responses to fire regimes? Evidence from ibérican lizards. PeerJ* 4: e2107.
- Ferreira, A. S., Silva, A. O., Conceicao, B. M. and Faria, R. G. 2017. The diet of six species of lizards in an area of Caatinga, Brazil. *Herpetological Journal* 26: 151-160.
- Ferreira, D., Zagar, A. and Santos, X. 2016. Uncovering the rules of (reptile) species coexistence in transition zones between bioregions. *Salamandra* 53: 193-200.
- Ferreira, V. L., Terra, J. S., Piatti, L., Delatorre, M., Strussmann, C., Beda, A. F., Kawashita-Ribeiro, R. A., Landref-Filho, P., Aoki, C., Campos, Z., Souza, F. L., avila, R. W., Duleba, S., Martins, K. S., Rita, P. H. S. and Albuquerque, N. R. 2017. Repteis do Mato Grosso do Sul, Brasil. *Iheringia* 107 (supl.): e2017153.
- Ferreira, D., Brito, J. C. and Santos, X. 2018. Long-interval monitoring reveals changes in the structure of a reptile community in a biogeographic transition zone. *Basic and Applied Herpetology* 32: 41-55.
- Ferreiro, R. and Galan, P. 2004. Reproductive ecology of the slow worm (*Anguis fragilis*) in the northwest ibérican Peninsula. *Animal Biology*, 54: 353-371.
- Ferrer, J., Dahmani, W., Hammou, M. A., Camarasa, S., Maatoug, M. and Sanuy, D. 2016. Contribucio al coneixement de l'herpetofauna del nord d'Algeria (regions de Tiaret i Chlef). *Butlleti de la Societat Catalana d'Herpetologia* 23: Ferri-Yanez, F. and Araujo, M. B. 2015. Lizards could be warming faster than climate. *Ecography* 38: 437-439.
- Ferronato, B. O. 2019. An assessment of funding and publication rates in herpetology. *Herpetological Journal* 29: 264-273.
- Ficetola, G. F., Crottini, A., Casiraghi, M. and Padoa-Schioppa, E. 2010. New data on amphibians and reptiles of the Northern areas of Pakistan: distribution, genetic variability and conservation issues. *North-Western Journal of Ficetola, G. F., Cagnetta, M., Padoa-Schioppa, E., Quas, A., Razzetti, E., Sindaco, R. and Bonardi, A. 2014. Sampling bias inverts ecogeographical relationships in island reptiles. Global Ecology and Biogeography* 23: 1303-1313.
- Ficetola, G. F., Falaschi, M., Bonardi, A., Padoa-Schioppa, E. and Sindaco, R. 2018. Biogeographical structure and endemism pattern in reptiles of the Western Palearctic. *Progress in Physical Geography: Earth and Environment*, 42: Fieldsend, T. W. and Burnham, N. 2018. *Trachylepis seychellensis* (Seychelles skink). Diet. *Herpetological Review* 49: 540.
- Fierro-Estrada, N., Gonzalez, Y. G. G., Miles, D. B., Gomez, M. M., Garcia, A., Salgado-Ugarte, I. H. and de la Cruz, F. R. M. 2019. Thermoregulation of the lizard *Barisia imbricata* at altitudinal extremes. *Amphibia-Reptilia*, 40: 349-
- Filadelfo, T., Dantas, P. T. and Ledo, R. M. D. 2014. Evidence of a communal nest of *Kentropyx calcarata* (Squamata: Teiidae) in the Atlantic Forest of northeastern Brazil. *Phyllomedusa* 12: 143-146.
- Filho, G. A. d. S. 2013. *Cnemidophorus vacariensis* Feltrim and Lema, 2000 (Squamata: Teiidae): A new record for the state of Paraná, southern Brazil. *Check List* 9: 1564-1566.
- Filho, G. A. S. and de Oliveira, F. S. 2015. Squamate reptiles from Mauá Hydroelectric Power Plant, state of Paraná, southern Brazil. *Check List* 11: 1800.
- Filho, J. D. B., Freitas, M. A., Silva, T. F. S., Valverde, M. C. C., Loguerio, M. F. C. and Verissimo, D. 2013. On the distribution and habitat of *Leposternon octostegum* (Dumeril, 1851) (Squamata: Amphisbaenidae). *Wildlife Filho, L. M. C., Medeiros, T. T., Sena, M. and Argolo, A. J. S. 2017. Enyalius catenatus (Wied's fat-headed anole). Clutch size and hatchling size. Herpetological Review* 48: 188-189.
- Filogonio, R., Galdino, C. A. B., Cabral, D. P. R., Righi, A. F., Lopes, M. F. and Nascimento, L. B. 2009. Sexual dimorphism in *Leposternon microcephalum* and *L. wuchereri* (Squamata: Amphisbaenidae) from Minas Gerais, southeastern Brazil. *Herpetologica* 65: 353-362.
- Finley, R. B. 1945. Notes on lizards from Fernando Noronha. *Copeia* 1945: 162-164.

- Fischer 2012
- Fischer and Lindenmayer 2005
- Fischer et al. 2018
- Fisher 1997
- Fisher et al. 2013a
- Fisher et al. 2013b
- Fitch 1954
- Fitch 1955
- Fitch 1956
- Fitch 1967
- Fitch 1968
- Fitch 1970
- Fitch 1973a
- Fitch 1973b
- Fitch 1976
- Fitch 1978a
- Fitch 1978b
- Fitch 1981
- Fitch 1982
- Fitch 1983
- Fitch 1985
- Fitch 1989a
- Fitch 1989b
- Fitch 2003
- Fitch 2006
- Fitch and Greene 1965
- Fitch and Hackforth-Jones 1983
- Fitch and Henderson 1973
- Fitch and Henderson 1976
- Fitch and Henderson 1978
- Fitch and Hillis 1984
- Fitch et al. 1976
- Fitness et al. 2013
- Fitz et al. 2012
- Fitzgerald 1994
- Fitzgerald 2012
- Fitzgerald et al. 1991
- Fitzgerald et al. 1993
- Fitzgerald et al. 1999a
- Fitzgerald et al. 1999b
- Fitzgerald et al. 2015
- Fitzgerald et al. 2018
- Fitzpatrick 2017
- FitzSimons 1930
- FitzSimons 1932
- Fitzsimons 1938
- Fitzsimons 1941
- FitzSimons 1943
- Fitzsimons 2011
- Fitzsimons 2017
- Fitzsimons and Thomas 2016
- Fitzsimons et al. 2019
- Flaschendrager and Hoffmann 2018
- Flecks et al. 2012a
- Fischer, D. 2012. Notes on the husbandry and breeding of the black tree monitor *Varanus (Euprepiosaurus) beccarii* (Doria, 1874). *Biawak*, 6: 79-87.
- Fischer, J. and Lindenmayer, D. B. 2005. The sensitivity of lizards to elevation: case study from south-eastern Australia. *Diversity and Distributions*, 11: 225-233.
- Fischer, W., Godoi, R. F. and Filho, A. C. P. 2018. Roadkill records of reptiles and birds in Cerrado and Pantanal landscapes. *Check List* 14: 845-876.
- Fisher, R. N. 1997. Dispersal and evolution of the Pacific Basin gekkonid lizards *Gehyra oceanica* and *Gehyra mutilata*. *Evolution*, 51: 906-921.
- Fisher, R. N., Thomson, P., Watling, D. and Harlow, P. S. 2013. *Brachylophus bulabula* (Fiji banded iguana). Predation. *Herpetological Review* 44: 140-141.
- Fisher, R. N., Uili, M., Enoka, F. and Zug, G. R. 2013. Clarifying the distributional records for *Hemiphyllodactylus typus* (Bleeker, 1860) from Central Oceania. *Herpetology Notes*, 6: 247-250.
- Fitch, H. S. 1954. Life history and ecology of the five-lined skink, *Eumeces fasciatus*. University of Kansas Publications, Museum of Natural History 8: 1-156.
- Fitch, H. S. 1955. Habits and adaptations of the Great Plains skink (*Eumeces obovatus*). *Ecological Monographs*, 25: 59-83.
- Fitch, H. S. 1956. Temperature responses in free-living amphibians and reptiles of northeastern Kansas. University of Kansas Museum of Natural History Miscellaneous Publications 8: 417-476.
- Fitch, H. S. 1967. Ecological studies of lizards on the University of Kansas Natural History Reservation. Pages 30-44 in W.W. Milstead (ed.), *Lizard Ecology: A Symposium*.
- Fitch, H. S. 1968. Temperature and behavior of some equatorial lizards. *Herpetologica* 24: 35-38.
- Fitch, H. S. 1970. Reproductive cycles of lizards and snakes. University of Kansas Museum of Natural History Miscellaneous Publications 52: 1-247.
- Fitch, H. S. 1973. A field study of Costa Rican lizards. University of Kansas Science Bulletin 50: 39-126.
- Fitch, H. S. 1973. Population structure and survivorship in some Costa Rican lizards. Occasional Papers of the Museum of Natural History, University of Kansas 18: 1-41.
- Fitch, H. S. 1976. Sexual size differences in the mainland anoles. Occasional Papers of the Museum of Natural History, University of Kansas, Lawrence, 50: 1-21.
- Fitch, H. S. 1978. Sexual size differences in the genus *Sceloporus*. University of Kansas Science Bulletin 51: 441-461.
- Fitch, H. S. 1978. Two new anoles (Reptilia: Iguanidae) from Oaxaca with comments on other Mexican species. Milwaukee Public Museum Contributions in Biology and Geology 20: 1-15.
- Fitch, H. S. 1981. Sexual size differences in reptiles. University of Kansas Museum of Natural History Miscellaneous Publications 70: 1-72.
- Fitch, H. S. 1982. Reproductive cycles in tropical reptiles. Occasional Papers of the Museum of Natural History, University of Kansas, Lawrence, 96: 1-53.
- Fitch, H. S. 1983. *Sphenomorphus cherriei* (Escincela Parda, Skink), Pages 422-425 in Janzen, D. H. editor. *Costa Rican Natural History*. University of Chicago Press, Chicago.
- Fitch, H. S. 1985. Variation in clutch and litter size in New World reptiles. University of Kansas Museum of Natural History Miscellaneous Publications 76: 1-76.
- Fitch, H. S. 1989. A field study of the slender glass lizard, *Ophisaurus attenuatus*, in Northeastern Kansas. Occasional Papers of the Museum of Natural History of the University of Kansas, 125: 1-50.
- Fitch, H. S. 1989. Aspects of the ecology of an introduced anole: *Anolis cristatellus* in the Dominican Republic. *Ampibia-Reptilia* 10: 307-320.
- Fitch, H. S. 2003. A comparative study of loss and regeneration of lizard tails. *Journal of Herpetology*, 37: 395-399.
- Fitch, H. S. 2006. Collapse of a fauna: reptiles and turtles of the University of Kansas natural history reservation. *Journal of Kansas Herpetology*, 17: 10-13.
- Fitch, H. S. and Greene, H. W. 1965. Breeding cycle in the ground skink, *Lygosoma laterale*. University of Kansas Publication, Museum of Natural History, 15: 565-575.
- Fitch, H. S. and Hackforth-Jones, J. 1983. *Ctenosaura similis* (Garrobo, iguana Negra, Ctenosaur). Pages 394-396 in Janzen, D. H. editor. *Costa Rican Natural History*. University of Chicago Press, Chicago.
- Fitch, H. S. and Henderson, R. W. 1973. A new Anole (Reptilia: Iguanidae) from southern Veracruz, Mexico. *Journal of Herpetology*, 7: 125-128.
- Fitch, H. S. and Henderson, R. W. 1976. A field study of the rock anoles (Reptilia, Lacertilia, Iguanidae) of southern Mexico. *Journal of Herpetology*, 10: 303-311.
- Fitch, H. S. and Henderson, R. W. 1978. Ecology and exploitation of *Ctenosaura similis*. University of Kansas Science Bulletin 51: 483-500.
- Fitch, H. S. and Hillis, D. M. 1984. The *Anolis* dewlap: interspecific variability and morphological associations with habitat. *Copeia*, 1984: 315-323.
- Fitch, H. S., Echelle, A. F. and Echelle, A. A. 1976. Field observations on rare or little known mainland anoles. University of Kansas Science Bulletin 51: 91-128.
- Fitness, J., Hitchmough, R. A. and Morgan-Richards, M. 2012. Little and large: body size and genetic clines in a New Zealand gecko (*Woodworthia maculata*) along a coastal transect. *Ecology and Evolution* 2: 273-285.
- Fitzke, P. S., Gonzalez-Jimena, V., San-Jose, L. M., Mauro, D. S. and Zardoya, R. 2012. A new species of sand racer, *Psammmodromus* (Squamata: Lacertidae), from the Western Iberian Peninsula. *Zootaxa* 3205: 41-52.
- Fitzgerald, L. A. 1994. The interplay between life history and environmental stochasticity: implications for the management of exploited lizard populations. *American Zoologist* 34: 371-381.
- Fitzgerald, L. A. 2012. Finding and capturing reptiles. Pages 77-88 in Mediarmid, R., Foster, M., Guyer, C., Gibbons, W. and Chernoff, N. editors, *Reptile biodiversity: standard methods for inventory and monitoring*. University of California Press, Berkeley.
- Fitzgerald, L. A., Chani, J. M. and Donadio, O. E. 1991. *Tupinambis* lizards in Argentina: implementing management of a traditionally exploited resource. Pages 303-316 in J. Robinson and K. Redford (editors) *Neotropical wildlife: use and conservation*. University of Chicago Press, Chicago.
- Fitzgerald, L. A., Cruz, F. B. and Perotti, M. G. 1993. Reproductive cycle and size at maturity of *Tupinambis rufescens* (Sauria: Teiidae) in the dry chaco of Argentina. *Journal of Herpetology* 27: 70-78.
- Fitzgerald, L. A., Cook, J. A. and Aquino, A. L. 1999. Phylogenetics and conservation of *Tupinambis* (Sauria: Teiidae). *Copeia* 1999: 894-905.
- Fitzgerald, L. A., Cruz, F. B. and Perotti, G. 1999. Phenology of a lizard assemblage in the dry chaco of Argentina. *Journal of Herpetology* 33: 526-535.
- Fitzgerald, L. A., Treglia, M. L., Angeli, N., Hibbitts, T. J., Leavitt, D. J., Subalusky, A. L., Lundgren, I. and Hillis-Starr, Z. 2015. Determinants of successful establishment and post-translocation dispersal of a new population of the critically endangered St. Croix ground lizard (*Ameiva polops*). *Restoration Ecology* 23: 776-786.
- Fitzgerald, L. A., Walkup, D., Chyn, K., Buchholtz, E., Angeli, N. and Parker, M. 2018. The future for reptiles: Advances and challenges in the Anthropocene. *Encyclopedia of the Anthropocene* 3: 163-174.
- Fitzpatrick, S. W. 2017. *Meroles anchietae* (shovel-snouted lizard). Diet. *Herpetological Review* 48: 194.
- Fitzsimons, V. F. M. 1930. Descriptions of new South African Reptilia and Batrachia, with distribution records of allied species in the Transvaal Museum collection. *Annals of the Transvaal Museum* 14: 20-48.
- FitzSimons, V. F. M. 1932. Preliminary descriptions of new forms of South African Reptilia and Amphibia, from the Vernay-Lang Kalahari Expedition, 1930. *Annals of the Transvaal Museum* 15: 35-40.
- Fitzsimons, V. F. M. 1938. Transvaal Museum expedition to South-West Africa and Little Namaqualand, May to August 1937 - Reptiles and Amphibians. *Annals of the Transvaal Museum* 19: 153-209.
- Fitzsimons, V. F. M. 1941. Descriptions of some new lizards from South Africa and a frog from southern Rhodesia. *Annals of the Transvaal Museum* 20: 273-281.
- Fitzsimons, V. F. M. 1943. The Lizards of South Africa. Transvaal Museum, Pretoria.
- Fitzsimons, J. A. 2011. Southward range expansion of the mourning gecko *Lepidodactylus lugubris* on mainland Australia and nearshore islands. *Australian Zoologist* 35: 619-621.
- Fitzsimons, J. A. 2017. Ecological notes on the three-banded parachute gecko *Ptychozoon trinotatum* in southern Vietnam. *Russian Journal of Herpetology*, 24: 327-328.
- Fitzsimons, J. and Thomas, J. 2016. *Bronchocela cristatella* (green crested lizard). Diet and foraging behavior. *Herpetological Review* 47: 462.
- Fitzsimons, J., Thomas, J. and Tikoca, S. 2019. *Lepidodactylus lugubris* (mourning gecko). Diet. *Herpetological Review* 50: 787.
- Flaschendrager, A. and Hoffmann, M. H. 2018. Notes on the vertical distribution of *Paralaudakia himalayana* (Steindachner, 1867). *Sauria* 40: 75-77.
- Flecks, M., Schmitz, A., Bohme, W., Henkel, F. W. and Ineich, I. 2012. A new species of *Gehyra* Gray, 1834 (Squamata, Gekkonidae) from the Loyalty Islands and Vanuatu, and phylogenetic relationships in the genus *Gehyra* in Melanesia. *Zoosystema* 34: 203-221.

- Flecks et al. 2012b
- Fleischmann 1981
- Fleishman 1988
- Fleming and Hooker 1975
- Fleming et al. 2013
- Flemming 1993
- Flemming 1994
- Flemming and Bates 1995
- Flemming and Mouton 2000
- Flemming and Mouton 2002
- Flemming and van Wyk 1992
- Flores et al. 1994
- Flores-Cobarrubias et al. 2012
- Flores-Hernandez and Fernandez-Badillo 2017
- Flores-Villela 1991
- Flores-Villela 1993
- Flores-Villela and Canseco-Marquez 2004
- Flores-villela and Munoz-Alonso 1990
- Flores-Villela and Rubio-Perez 2008a
- Flores-Villela and Rubio-Perez 2008aa
- Flores-Villela and Rubio-Perez 2008ab
- Flores-Villela and Rubio-Perez 2008ac
- Flores-Villela and Rubio-Perez 2008ad
- Flores-Villela and Rubio-Perez 2008ae
- Flores-Villela and Rubio-Perez 2008af
- Flores-Villela and Rubio-Perez 2008ag
- Flores-Villela and Rubio-Perez 2008ah
- Flores-Villela and Rubio-Perez 2008ai
- Flores-Villela and Rubio-Perez 2008ak
- Flores-Villela and Rubio-Perez 2008al
- Flores-Villela and Rubio-Perez 2008am
- Flores-Villela and Rubio-Perez 2008an
- Flores-Villela and Rubio-Perez 2008ao
- Flores-Villela and Rubio-Perez 2008ap
- Flores-Villela and Rubio-Perez 2008aq
- Flores-Villela and Rubio-Perez 2008ar
- Flores-Villela and Rubio-Perez 2008as
- Flores-Villela and Rubio-Perez 2008at
- Flecks, M., Weinsheimer , F., Bohme, W., Chenga, J., Lotters, S. and Rodder, D. 2012. Watching extinction happen: the dramatic population decline of the critically endangered Tanzanian Turquoise Dwarf Gecko, *Lygodactylus williamsi*. *Salamandra* 48: 12-20.
- Fleischmann, A. 1981. The social behaviour of *Agama sinaita* von Hayden (1837). MSc Thesis, Tel Aviv University.
- Fleishman, L. J. 1988. The social behavior of *Anolis auratus*, a grass anole from Panama. *Journal of Herpetology* 22: 13-23.
- Fleming, T. H. and Hooker, R. S. 1975. *Anolis cupreus*: the response of a lizard to tropical seasonality. *Ecology*, 56: 1243-1261.
- Fleming, P. A., Valentine, L. E. and Bateman, P. W. 2013. Telling tails: selective pressures acting on investment in lizard tails. *Physiological and Biochemical Zoology*, 86: 645-658.
- Flemming, A. F. 1993. The male reproductive cycle of the lizard *Pseudocordylus m. melanotus* (Sauria: Cordylidae). *Journal of Herpetology*, 27: 473-478.
- Flemming, A. F. 1994. Male and female reproductive cycles of the viviparous Lizard, *Mabuya capensis* (Sauria:Scincidae) from South Africa. *Journal of Herpetology*, 28: 334-341.
- Flemming, A. F. and Bates, M. F. 1995. Male and female reproductive cycles of Bibron's Gecko *Pachydactylus bibronii* (Sauria: Gekkonidae) in the Free State province of South Africa. *Journal of African Zoology* 109: 409-422.
- Flemming, A. F. and Mouton, P. Le F. N. 2000. Geographic variation in sexual size dimorphism in the rock agama, *Agama atra* (Sauria : Agamidae). *African Zoology* 35: 233-249.
- Flemming, A. F. and Mouton, P. Le F. N. 2002. Reproduction in a group-living lizard, *Cordylus cataphractus* (Cordylidae), from South Africa. *Journal of Herpetology*, 36: 691-696.
- Flemming, A. F. and van Wyk, J. H. 1992. The female reproductive cycle of the lizard *Cordylus p. polyzonus* (Sauria: Cordylidae) in the southwestern Cape Province, South Africa. *Journal of Herpetology*, 26: 121-127.
- Flores, F., Lenzyki, J. H. and Palumbo, J. 1994. An ecological study of the endemic hispaniolan Anoline lizard *Chamaelinrops barbouri* (Lacertilia: Iguanidae). *Breviora* 499: 1-23.
- Flores-Cobarrubias, E., Lazcano, D. and Cruz-Saenz, D. 2012. Notes on the herpetofauna of western Mexico 6: amphibians and reptiles of Hostotipaquilto, Jalisco, Mexico. *Bulletin of the Chicago Herpetological Society*, 47: 21-26.
- Flores-Hernandez, M. A. and Fernandez-Badillo, L. 2017. *Plestiodon tetragrammus* Baird, 1859. Distribution notes. *Mesoamerican Herpetology* 4: 958-959.
- Flores-Villela, O. 1991. Analisis de la distribucion de la herpetofauna de Mexico. Ph.D. dissertation, Facultad de Ciencias, Universidad Nacional Autonoma de Mexico, Mexico D.F., Mexico.
- Flores-Villela, O. 1993. Herpetofauna Mexicana. Annotated list of the species of amphibians and reptiles of Mexico, recent taxonomic changes, and new species. *Carnegie Museum of Natural History Special Publication* 17: 1-73.
- Flores-Villela, O. and Canseco-Marquez, L. 2004. Nuevas especies y cambios taxonomicos para la herpetofauna de Mexico. *Acta Zoologica Mexicana* 20: 115-144.
- Flores-villela, O. and Munoz-Alonso, A. 1990. *Anolis omiltemanus*. Catalogue of American Amphibians and Reptiles 490: 1-2.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Anolis anisolepis*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Anolis milleri*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Sceloporus salvini*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Phyllodactylus duellmani*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Sceloporus subpictus*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Phyllodactylus nocticulus*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Anolis omiltemanus*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Sceloporus zosteromus*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Sphaerodactylus argus*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Anolis parvircirculatus*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Uta stansburiana*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Anolis polyrhachis*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Xantusia bolsonae*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Anolis matudai*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Anolis subocularis*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Ctenosaura clarki*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Ctenosaura quinquecarinata*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.



- Flores-Villela and Rubio-Perez 2008w  
 Flores-Villela and Rubio-Perez 2008x  
 Flores-Villela and Rubio-Perez 2008y  
 Flores-Villela and Rubio-Perez 2008z  
 Flores-Villela and Sanchez 2003  
 Flores-Villela et al. 1995  
 Flores-villela et al. 2005  
 Flores-villela et al. 2007  
 Flores-villela et al. 2008  
 Flores-Villela et al. 2010a  
 Flores-Villela et al. 2010b  
 Flores-Villela et al. 2010c  
 Flower 1933  
 Flower 1937  
 Flury 1949  
 Fobes et al. 1992  
 Fobes et al. 1993  
 Fogel 2003  
 Folly et al. 2015  
 Fong and Diaz 2004  
 Fong and Garrido 2000  
 Fonseca et al. 2018  
 Fonseca et al. 2019  
 Font et al. 2009  
 Fontes et al. 2003  
 Foster 2012  
 Foster et al. 2015  
 Foster et al. 2018  
 Foster et al. 2019  
 Foucart et al. 2018  
 Foufopoulos 1997  
 Foufopoulos and Ives 1999  
 Foufopoulos and Richards 2007  
 Foufopoulos et al. 2017  
 Fouquette 1968  
 Fox and Shipman 2003  
 Fox et al. 2003  
 Franco and de la Torre 1990  
 Francois et al. 2015  
 Frank 2017  
 Frank et al. 2018  
 Frankenberg 1971  
 Frankenberg 1978  
 Frankenberg and Werner 1984  
 Frankenberg and Werner 1992  
 Franz et al. 1993  
 Franzen and Glaw 2007  
 Franzen and Heckes 1999  
 Franzen et al. 2008
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Anolis megapholidotus*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Ctenosaura* defensor. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Anolis microlepidotus*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Rubio-Perez, I. V. 2008. Ficha tecnica de *Phyllodactylus bordai*. En: Flores-Villela, O. (compilador). Evaluacion del riesgo de extincion de setenta y tres especies de lagartijas (Sauria) incluidas en la Norma Oficial Mexicana-059-SEMARNAT-2001. Universidad Nacional Autonoma de Mexico, Facultad de Ciencias. Museo de Zoologia "Alfonso L. Herrera". Bases de datos SNiB-CONABIO. Proyecto No. CK008. Mexico. D.F.
- Flores-Villela, O. and Sanchez, H. S. 2003. A new species of *Abronia* (Squamata: Anguidae) from the Sierra Madre Del Sur of Guerrero, Mexico, with comments on *Abronia deppii*. *Herpetologica*, 59: 524-531.
- Flores-Villela, O., Mendoza, Q. F. and Gonzales, G. 1995. Recopilacion de claves para la determinacion de Anfibios y Reptiles de Mexico. Publicaciones Especiales del Museo de Zoologia, Mexico, 10: 1-285.
- Flores-Villela, O., Canseco-Marquez, L., Smith, E. N. and Campbell, J. A. 2005. Rediscovery and redescription of the night lizard *Lepidophyma radula* Smith, 1942. *Journal of Herpetology* 39: 493-495.
- Flores-Villela, O., Smith, H. M., Liner, E. A. and Chiszar, D. 2007. *Sceloporus ochooterena*. Catalogue of American Amphibians and Reptiles, 855: 1-5.
- Flores-Villela, O., Smith, H. M., Liner, E. A. and Chiszar, D. 2008. *Sceloporus jalapae*. Catalogue of American Amphibians and Reptiles, 854: 1-5.
- Flores-Villela, O., Smith, H. M., Liner, E. A. and Chiszar, D. 2010. *Sceloporus carinatus*. Catalogue of American Amphibians and Reptiles 873: 1-4.
- Flores-Villela, O., Smith, H. M., Liner, E. A. and Chiszar, D. 2010. *Sceloporus edwardtaylori*. Catalogue of American Amphibians and Reptiles 873: 1-4.
- Flores-Villela, O., Smith, H. M., Liner, E. A. and Chiszar, D. 2010. *Sceloporus subpictus*. Catalogue of American Amphibians and Reptiles 873: 1-4.
- Flower, S. S. 1933. Notes on the recent reptiles and amphibians of Egypt, with a list of the species recorded from the kingdom. *Proceedings of the Zoological Society of London* 19: 735-851.
- Flower, M. S. S. 1937. Further notes on the duration of life in animals - III. Reptiles. *Proceedings of the Zoological Society of London* 1937: 1-39.
- Flury, A. 1949. *Gerrhonotus liocephalus infernalis* Baird in Texas. *Herpetologica*, 5: 65-67.
- Fobes, T. M., Powell, R., Parmerlee, J. S., Lathrop, A. and Smith, D. D. 1992. Natural history of *Anolis cybotes* (Sauria: Polychrotidae) from an altered habitat in Barahona, Dominican Republic. *Caribbean Journal of Science* 28: 200-204.
- Fobes, T. M., Parmerlee, J. S. and Powell, R. 1993. *Anolis cybotes*. Catalogue of American Amphibians and Reptiles 564: 1-5.
- Fogel, G. 2003. The art of armadillo lizards (*Cordylus cataphractus*): Fifteen years of captive observations. *Bulletin of the Chicago Herpetological Society* 38: 113-119.
- Folly, H., Neves, M. O., Pereira, E. A., Hote, P., Souza, R. A. and Santana, D. J. 2015. Predation on *Leposternon microcephalum* Wagler, 1824 (Squamata, Amphisbaenidae) by *Cariama cristata* Linnaeus, 1766 (Cariamiformes, Cariamidae). *Herpetology Notes*, 8: 465-466.
- Fong, A. and Diaz, L. M. 2004. Two new species of *Sphaerodactylus* (Sauria: Gekkonidae) from the southeastern coast of Cuba. *Solenodon* 4: 73-84.
- Fong, G. A. and Garrido, O. H. 2000. Nueva especie de *Anolis* (Sauria: Iguanidae) de la region norte de Cuba oriental. *Revista de Biología Tropical* 48: 665-670.
- Fonseca, E. M., Gehara, M., Werneck, F. P., Lanna, F. M., Colli, G. R., Sites, J. W., Rodrigues, M. T. and Garda, A. A. 2018. Diversification with gene flow and niche divergence in a lizard species along the South American “diagonal of open formations”. *Journal of Biogeography* 45: 1688-1700.
- Fonseca, W. L., da Silva, J. D., Abegg, A. D., da Rosa, C. M. and Bernarde, P. S. 2019. Herpetofauna of Porto Walter and surrounding areas, Southwest Amazonia, Brazil. *Herpetology Notes* 12: 91-107.
- Font, E., De Lanuza, G. P. I. and Sampedro, C. 2009. Ultraviolet reflectance and cryptic sexual dichromatism in the ocellated lizard, *Lacerta (Timon) lepida* (Squamata: Lacertidae). *Biological Journal of the Linnean Society*, 97: 766-772.
- Fontes, A. F., Vicente, J. J., Kiefer, M. C. and Van Sluys, M. 2003. Parasitism by helminths in *Eurolophosaurus nanuzae* (Lacertilia: Tropiduridae). *Journal of Herpetology* 37: 736-741.
- Foster, M. S. 2012. Standard techniques for inventory monitoring. Pages 205-271 in McIarmid, R., Foster, M., Guyer, C., Gibbons, W. and Chernoff, N. editors, *Reptile biodiversity: standard methods for inventory and monitoring*. University of California Press, Berkeley.
- Foster, C. D., Tietgen, M. and Baumer, M. 2015. Yuman fringe-toed lizard (*Uma rufopunctata*) care and breeding at the Phoenix zoo. *Herpetological Review*, 46: 46-49.
- Foster, K. L., Garland, T., Schmitz, L. and Higham, T. E. 2018. Skink ecomorphology: forelimb and hind limb lengths, but not static stability, correlate with habitat use and demonstrate multiple solutions. *Biological Journal of the Linnean Society*, 125: 673-692.
- Foster, C. D., Sharp, S., Greene, S. and Tietgen, M. 2019. Husbandry and breeding of the Baja blue rock lizard (*Petrosaurus thalassinus*) at the Arizona Center for Nature Conservation’s Phoenix Zoo. *Herpetological Review* 50: 79-83.
- Foucart, T., Heulin, B. and Lourdais, O. 2018. Small changes, big benefits: testing the significance of maternal thermoregulation in a lizard with extended egg retention. *Biological Journal of the Linnean Society*, 125: 280-291.
- Foufopoulos, J. 1997. The reptile fauna of the Northern Dodecanese (Aegean islands, Greece). *Herpetozoa*, 10: 3-12.
- Foufopoulos, J. and Ives, A. R. 1999. Reptile extinctions on land-bridge islands: life-history attributes and vulnerability to extinction. *The American Naturalist* 153: 1-25.
- Foufopoulos, J. and Richards, S. 2007. Amphibians and Reptiles of New Britain island, Papua new Guinea: diversity and conservation status. *Hamadryad* 31: 176-201.
- Foufopoulos, J., Roca, V., White, K. A., Pafilis, P. and Valakos, E. D. 2017. Effects of island characteristics on parasitism in a Mediterranean lizard (*Podarcis erhardii*): a role of population size and island history?. *North-Western Journal of Zoology*, 13: 70-76.
- Fouquette, M. J. 1968. Observations on the natural history of microteiid lizards from the Venezuelan Andes. *Copeia*, 1968: 881-884.
- Fox, S. F. and Shipman, P. A. 2003. Social behavior at high and low elevations. pages 310-355 in S. F. Fox, J. K. McCoy and T. A. Baird (editors), *Lizard social behavior*. John Hopkins University Press, Baltimore.
- Fox, S. F., McCoy, J. K. and Baird, T. A. editors. 2003. *Lizard social behavior*. John Hopkins University Press, Baltimore.
- Franco, R. C. and de la Torre, G. G. 1990. Reptiles de la isla La Pena, Nayarit, Mexico. *Anales del instituto de Biologia, Universidad Nacional Autonoma de Mexico, serie Zoologia* 61: 175-187.
- Francois, A., Dieuleveut, T. and Gabbard, J. 2015. *Ptyodactylus oudrii* Lataste, 1880 (Squamata: Phyllodactylidae): First records in the north of the High Atlas mountain (Morocco). *Bulletin de l’institut Scientifique, Rabat, Section Sciences de la Vie*, 37: 61-63.
- Frank, S. 2017. First experiences with the husbandry and first European breeding record of *Bavayia exsuccida* Bauer, Whitaker & Sadlier, 1998 (Sauria: Gekkota: Diplodactylidae). *Sauria* 39: 56-62.
- Frank, T., Sacdanaku, E., Duda, M. and Bego, F. 2018. Amphibian and reptile fauna of the Vjosa River, Albania. *Acta ZooBot Austria*, 155: 323-336.
- Frankenberg, E. 1979. Influence of light and temperature on daily activity patterns of three Israeli forms of *Ptyodactylus* (Reptilia: Gekkonidae). *Journal of Zoology*, 189: 21-30.
- Frankenberg, E. 1978. Interspecific and seasonal variation of daily activity times in gekkonid lizards (Reptilia, Lacertilia). *Journal of Herpetology*, 12: 505-519.
- Frankenberg, E. and Werner, Y. L. 1984. Ecological aspects of reproduction of lizards in Israel. *Israel Journal of Zoology*, 33: 112-113.
- Frankenberg, E. and Werner, Y. L. 1992. Egg, clutch and maternal sizes in lizards: intra- and interspecific relations in near-eastern Agamidae and Lacertidae. *Herpetological Journal* 2: 7-18.
- Franz, R., Dodd, C. K. and Buden, D. W. 1993. Distributional records of amphibians and reptiles from the Exuma islands, Bahamas, including the first reports of a freshwater turtle and an introduced gecko. *Caribbean Journal of Herpetology*, 21: 1-10.
- Franzen, M. and Glaw, F. 2007. Type catalogue of reptiles in the Zoologische Staatssammlung Munchen. *Spixiana* 30: 201-274.
- Franzen, M. and Heckes, U. 1999. *Eremias suphani* Basoglu & Hellmich, 1968 and *Eremias strauchi* Kessler, 1878 in der ostlichen Turkei: Diagnostische Merkmale, Verbreitung und Lebensraume (Sauria: Lacertidae). *Salamandra* 35: 1-10.
- Franzen, M., Bussman, M., Kordges, T. and Thiesmeier, B. 2008. *Die amphiibien und reptilien der sudwest-Turkei*. Laurenti Verlag, Bielefeld.

- Franzini et al. 2019a  
 Franzini et al. 2019b  
 Frappell and Daniels 1991  
 Freeman 1997  
 Freire et al. 2012
- Freitas et al. 2016  
 Freitas et al. 2019  
 Frishkoff et al. 2019  
 Fritts 1969  
 Fritts 1972  
 Fritts et al. 2002  
 Frost 1992  
 Fry et al. 2001  
 Fry et al. 2009
- Fry et al. 2010  
 Frydlova et al. 2011  
 Frynta et al. 2000  
 Fu et al. 2017  
 Fuenmayor and Barrio-Amoros 2003  
 Fuenmayor and Barrio-Amoros 2005  
 Fuenmayor and Molina 2003  
 Fuenmayor et al. 2002  
 Fuenmayor et al. 2005  
 Fuentes 1976  
 Fuentes and Jaksic 1979  
 Fuentes-Fernandez et al. 2016
- Fuhn 1969  
 Fukuyama 2019  
 Fukuyama et al. 2019  
 Fulgione et al. 2004
- Fulgione et al. 2008  
 Fulgione et al. 2014  
 Fuller et al. 2005  
 Funk 1981  
 Funnell et al. 2012  
 Furnas et al. 2019  
 Gabelaia et al. 2015  
 Gabelaia et al. 2018
- Gadsden and Castaneda 2013  
 Gadsden and Estrada-Rodriguez 2007  
 Gadsden and Estrada-Rodriguez 2008  
 Gadsden and Woolrich-Pina 2017  
 Gadsden et al. 2006  
 Gadsden et al. 2014  
 Gadsden et al. 2015a  
 Gadsden et al. 2015b  
 Gadsden et al. 2015c  
 Gadsden et al. 2018  
 Gainsbury and Colli 2003  
 Gainsbury and Colli 2014  
 Gainsbury and Colli 2019
- Franzini, L. D., da Silva, I. R. S., Santana, D. O., Delfim, F. R., Vieira, G. H. C. and Mesquita, D. O. 2019. Lizard fauna from the state of Paraiba, northeastern Brazil: current knowledge and sampling discontinuities. *Herpetology Notes*, 12: 245-260.
- Franzini, L. D., Teixeira, A. A. M., Tavares-Bastos, L., Vitt, L. J. and Mesquita, D. O. 2019. Autecology of *Kentropyx calcarata* (Squamata: Teiidae) in a remnant of Atlantic Forest in Eastern South America. *Journal of Herpetology*, 53: 985-1001.
- Frappell, P. B. and Daniels, C. B. 1991. Ventilation and oxygen consumption in agamid lizards. *Physiological Zoology*, 64: 985-1001.
- Freeman, A. B. 1997. Comparative ecology of two *Oligosoma* skinks in coastal Canterbury: a contrast with Central Otago. *New Zealand Journal of Ecology*, 21: 153-160.
- Freire, E. M. X., Jorge, J. d-S. and Ribeiro, L. B. 2012. First record of *Colobosaura modesta* (Reinhardt and Lutken, 1862) (Squamata: Gymnophthalmidae) to the Cariri region, state of Ceara, Brazil, with a map of its geographical distribution. *Checklist*, 8: 970-972.
- Freitas, S., Vavakou, A., Arakelyan, M., Drovetski, S. V., Crnobrnja-Isailovic, J., Kidov, A. A., Cogalniceanu, D., Corti, C., Lymberakis, P., Harris, D. J. and Carretero, M. A. 2016. Cryptic diversity and unexpected evolutionary patterns in the meadow lizard, *Darevskia praticola* (Eversmann, 1834). *Systematics and Biodiversity*, 14: 184-197.
- Freitas, M. A., Silva, T. F. S., Fonseca, P. M., Hamdan, B., Filadelfo, T. and Abegg, A. D. 2019. Herpetofauna of Serra do Timbo, an Atlantic Forest remnant in Bahia State, northeastern Brazil. *Herpetology Notes*, 12: 245-260.
- Frishkoff, L. O., Gabot, E., Sandler, G., Marte, C. and Maher, D. L. 2019. Elevation shapes the reassembly of Anthropocene lizard communities. *Nature Ecology & Evolution*, 3: 368.
- Fritts, T. H. 1969. The systematics of the parthenogenetic lizards of the *Cnemidophorus cozumela* complex. *Copeia*, 1969: 519-535.
- Fritts, T. H. 1972. New species of lizards of the genus *Stenocercus* from Peru (Sauria: Iguanidae). *Ocassional Papers of the University of Kansas Museum of Natural History* 10: 1-21.
- Fritts, T. H., Almendariz, A. and Samec, S. 2002. A new species of *Echiniosaura* (Gymnophthalmidae) from Ecuador and Colombia with comments on other members of the genus and *Teuchocercus keyi*. *Journal of Herpetology* 36: 1-68.
- Frost, D. R. 1992. Phylogenetic analysis and taxonomy of the *Tropidurus* group of lizards (Iguania: Tropiduridae). *American Museum Novitates* 3033: 1-68.
- Fry, S. K. 2001. Ecology of the endangered Sandy Cay Rock iguana, *Cyclura rileyi cristata*, in the Bahamas. *MS Thesis*, Loma Linda University.
- Fry, B. G., Wroe, S., Teeuwisse, W., van Osch, M. J. p., Morenoc, K., inglef, J., McHenry, C., Ferrara, T., Clausen, P., Scheib, H., Winter, K. L., Greisman, L., Roelants, K., van der Weerdd, L., Clemente, C. J., Giannakis, E., Hodgson, W. C., Luz, S., Martelli, P., Krishnasamy, K., Kochva, E., Kwok, H. F., Scanlon, D., Karas, J., Citron, D. M., Goldstein, E. J. C., Mcnaughtan, J. E. and Norman, J. A. 2009. A central role for venom in predation by *Varanus komodoensis* (Komodo Dragon) and the extinct giant *Varanus* (*Megalania*) *priscus*. *Proceedings of the National Academy of Sciences, USA* 106: 8969-8974.
- Fry, B. G., Winter, K., Norman, J. A., Roelants, K., Nabuurs, R. J. A., van Osch, M. J. P., Teeuwisse, W. M., van der Weerd, L., Mcnaughtan, J. E., Kwok, H. F., Scheib, H., Greisman, L., Kochva, E., Miller, L. J., Gao, F., Karas, J., Scanlon, D., Lin, F., Kuruppu, S., Shaw, C., Wong, L., and Hodgson, W. C. 2010. Functional and structural diversification of the *Anguimorpha* lizard venom system. *Molecular & Cellular Proteomics* 9: 2369-2390.
- Frydlova, P., Velensky, P., Simkova, O., Cikanova, V., Hnizdo, J., Rehak, I. and Frynta, D. 2011. Is body shape of mangrove-dwelling monitor lizards (*Varanus indicus*; Varanidae) sexually dimorphic? *Amphibia-Reptilia* 32: 27-37.
- Frynta, D., Kratochvil, L., Moravec, J., Benda, P., Dandova, R., Kaftan, M., Klosova, K., Mikulova, P., Nova, P. and Schwarzova, L. 2000. Amphibians and reptiles recently recorded in Libya. *Acta Societatis Zoologicae Bohemicae*.
- Fu, M., Chen, S., He, Z., Jie, Z. and Bi, J. 2017. Behavior of *Phrynocephalus frontalis* to avoid traps. *Asian Herpetological Research*, 8: 55-60.
- Fuenmayor, G. R. and Barrio-Amoros, C. L. 2003. Geographic distribution: Sauria: Norops biporcatus. *Herpetological Review* 34: 385.
- Fuenmayor, G. R. and Barrio-Amoros, C. L. 2005. New amphibian and reptile records from Cojedes State, Venezuela. *Herpetological Review*, 36: 205-209.
- Fuenmayor, G. R. and Molina, C. R. 2003. New records of reptiles from the Orinoco Delta, Delta Amacuro State, Venezuela. *Herpetological Review*, 34: 171-173.
- Fuenmayor, G. R., Manzanilla, J., Rivero, R. and La Marca, E. 2002. *Lepidoblepharis sanctaemartae* (Ruthven, 1916), a lizard new to the Venezuelan fauna. *Herpetozoa* 15: 92-94.
- Fuenmayor, G. R., Ugueto, G., Rivero, R. and Miralles, A. 2005. The herpetofauna of isla de Margarita, Venezuela: new records and comments. *Caribbean Journal of Science*, 41: 346-351.
- Fuentes, E. R. 1976. Ecological convergence of lizard communities in Chile and California. *Ecology* 57: 3-17.
- Fuentes, E. R. and Jaksic, F. M. 1979. Activity temperatures of eight *Liolaemus* (Iguanidae) species in central Chile. *Copeia* 1979: 546-548.
- Fuentes-Fernandez, M., Suarez-Rancel, M. M. and Molina-Borja, M. 2016. Variation in body size and morphometric traits of males and females of the wall gecko, *Tarentola delalandii* (Phyllodactylidae) from different environments on Tenerife. *African Journal of Herpetology*, 65: 83-98.
- Fuhn, I. E. 1969. The "polyphyletic" origin of the genus *Ablepharus* (Reptilia, Scincidae): a case of parallel evolution. *Journal of Zoological Systematics and Evolutionary Research* 7: 67-76.
- Fukuyama, I. 2019. *Takydromus dorsalis* (Sakishima grass lizard). Predation. *Herpetological Review* 50: 145-146.
- Fukuyama, I., Nishikawa, K., Takata, K., Shimada, T. and Hamidy, A. 2019. *Gonocephalus bornensis* (Borneo anglehead lizard). Reproduction. *Herpetological Review* 50: 575-576.
- Fulgione, D., Milone, M., Capriglione, T., Guarino, F. M., Rippa, D. and Odierna G. 2004. Genetic analysis in a mainland melanic lizard (*Podarcis sicula*) population from Cilento and Vallo di Diano National Park (Campania, Italy). *Italian Journal of Zoology*, Supplement 2: 25-28.
- Fulgione, D., Guglielmi, S., Odierna, G., Rippa, D., Caliendo, M. F. and Rastogi, R. K. 2008. Morphological differentiation and genetic structure in island lizard populations. *Zoological Science* 25: 465-474.
- Fulgione, D., Trapanese, M., Maselli, V., Rippa, D., itri, F., Avallone, B., Van Damme, R., Monti, D. M. and Raia, P. 2014. Seeing through the skin: dermal light sensitivity provides cryptism in moorish gecko. 294: 122-128.
- Fuller, S. J., Bull, C. M., Murray, K. and Spencer, R. J. 2005. Clustering of related individuals in a population of the Australian lizard, *Egernia frerei*. *Molecular Ecology* 14: 1207-1213.
- Funk, R. S. 1981. *Phrynosoma mcallii*. Catalogue of American Amphibians and Reptiles 281: 1
- Funnell, S., Shrum, M., Ellis, e. and Andreone, F. 2012. A new record of the phantom gecko *Matoatoa spannringi* from Sainte Luce, SE Madagascar augments the species' known range. *Herpetology Notes* 5: 151-153.
- Furnas, B. J., Newton, D. S., Capehart, G. D. and Barrows, C. W. 2019. Hierarchical distance sampling to estimate population sizes of common lizards across a desert ecoregion. *Ecology and Evolution*, 9: 3046-3058.
- Gabelaia, M., Tarkhnishvili, D. and Murtskhvaladze, M. 2015. Phylogeography and morphological variation in a narrowly distributed Caucasian rock lizard, *Darevskia mixta*. *Amphibia-Reptilia* 36: 45-54.
- Gabelaia, M., Tarkhnishvili, D. and Adriaens, D. 2018. Use of three-dimensional geometric morphometrics for the identification of closely related species of Caucasian rock lizards (Lacertidae: *Darevskia*). *Biological Journal of the Linnean Society*, 125: 709-717.
- Gadsden, H. and Castaneda, G. 2013. Life history of the marbled whiptail lizard *Aspidoscelis marmorata* from the central Chihuahuan Desert, Mexico. *Acta Herpetologica* 8: 81-91.
- Gadsden, H. and Estrada-Rodriguez, J. L. 2007. Ecology of the spiny lizard *Sceloporus jarrovii* in the central Chihuahuan Desert. *The Southwestern Naturalist*, 52: 600-608.
- Gadsden, H. and Estrada-Rodriguez, J. L. 2008. Demography of the Yarrow's spiny lizard, *Sceloporus jarrovii*, from the Central Chihuahuan Desert. *Western North American Naturalist*, 68: 46-57.
- Gadsden, H. and Woolrich-Pina, G. A. 2017. *Xenosaurus* (knob-scaled lizards). Preferred body temperature. *Herpetological Review* 48: 792-793.
- Gadsden, H., Davila-Carrazco, M. L. and Gil-Martinez, R. 2006. Reproduction in the arenicolous Mexican lizard *Uma exsul*. *Journal of Herpetology*, 40: 117-122.
- Gadsden, H., Rivera-Hernandez, L. A. and Lavin-Murcio, P. A. 2014. *Uta stansburiana* (side-blotted lizard). Preferred body temperature. *Herpetological Review* 45: 702.
- Gadsden, H., Castaneda, G. and Huitron-Ramirez, R. A. 2015. *Sceloporus cyanostictus* (Yarrow's blue-spotted spiny lizard). Field and preferred body temperature. *Herpetological Review* 46: 436-437.
- Gadsden, H., Castaneda, G. and Rodriguez, R. I. O. 2015. *Xantusia extorris* (Durango night lizard). Field and preferred body temperature. *Herpetological Review* 46: 440-441.
- Gadsden, H., Ruiz, S. and Castaneda, G. 2015. *Sceloporus jarrovii* (Yarrow's spiny lizard) and *Sceloporus poinsettii* (crevice spiny lizard). Preferred body temperature. *Herpetological Review*, 46: 261-262.
- Gadsden, H., Castaneda, G., Huitron-Ramirez, R. A., Zapata-Aguilar, S. A., Ruiz, S. and Smith, G. R. 2018. Ecology of *Sceloporus gadsdeni* (Squamata: Phrynosomatidae) from the central Chihuahuan Desert, Mexico. *Phyllomedusa*, 17: 1-10.
- Gainsbury, A. M. and Colli, G. R. 2003. Lizard assemblages from natural cerrado enclaves in southwestern Amazonia: the role of stochastic extinctions and isolation. *Biotropica* 35: 503-519.
- Gainsbury, A. M. and Colli, G. R. 2014. Effects of abandoned Eucalyptus plantations on lizard communities in the Brazilian Cerrado. *Biodivers Conservation* 23: 3155-3170.
- Gainsbury, A. M. and Colli, G. R. 2019. Phylogenetic community structure as an ecological indicator of anthropogenic disturbance for endemic lizards in a biodiversity hotspot. *Ecological Indicators* 103: 766-773.

- Gainsbury and Meiri 2017  
 Galan 1997  
 Galan 1999  
 Galan 2003a  
 Galan 2003b  
 Galan 2004  
 Galan 2008a  
 Galan 2008b  
 Galan 2011  
 Galan and Salvador 2006  
 Galan and Vicente 2003  
 Galdamez et al. 2016  
 Galdino and Torquato 2019  
 Galdino and Van Sluys 2011  
 Galdino et al. 2003  
 Galdino et al. 2006  
 Galdino et al. 2017a  
 Galdino et al. 2017b  
 Galis et al. 2010  
 Galitsyn and Vershinin 2018  
 Gallagher 1971  
 Gallagher and Dixon 1980  
 Gallagher and Dixon 1992  
 Gallardo 1962  
 Gallardo 2013  
 Gallardo 2019  
 Gallardo and Scrocchi 2018  
 Gallardo et al. 2018  
 Galoyan 2017  
 Galoyan and Geissler 2013  
 Galoyan et al. 2019  
 Gamble et al. 2008  
 Gamble et al. 2011  
 Gamble et al. 2015  
 Gamble et al. 2017  
 Gamboa 2015a  
 Gamboa 2015b  
 Gamboa 2016  
 Gandia et al. 2018  
 Ganesh 2017  
 Ganesh 2018  
 Ganesh and Arumugam 2016  
 Ganesh and Chandramouli 2010  
 Ganesh and Chandramouli 2013  
 Ganesh and Shankar 2009  
 Ganesh et al. 2011  
 Ganesh et al. 2013  
 Ganesh et al. 2017  
 Gans 1960  
 Gans 1963a  
 Gans 1963b  
 Gans 1965a  
 Gans 1965b  
 Gans 1965c  
 Gans 1966  
 Gans 1967a
- Gainsbury, A. and Meiri, S. 2017. The latitudinal diversity gradient and interspecific competition: no global relationship between lizard dietary niche breadth and species richness. *Global Ecology and Biogeography* 26: 563-572. DOI: 10.1111/geb.12600.
- Galan, P. 1997. Reproductive ecology of the lacertid lizard *Podarcis bocagei*. *Ecography* 20: 197-209.
- Galan, P. 1999. Demography and population dynamics of the lacertid lizard *Podarcis bocagei* in north-west Spain. *Journal of Zoology* 249: 203-218.
- Galan, P. 2003. Female reproductive characteristics of the viviparous skink *Chalcides bedriagai pistaciae* (Reptilia, Squamata, Scincidae) from an Atlantic beach in north-west Spain. *Amphibia-Reptilia* 24: 79-85.
- Galan, P. 2003. Reproductive characteristics of an insular population of the lizard *Podarcis hispanica* from Northwest Spain (Cies islands, Galicia). *Copeia*, 2003: 657-665.
- Galan, P. 2004. Structure of a population of the lizard *Podarcis bocagei* in northwest Spain: variations in age distribution, size distribution and sex ratio. *Animal Biology*, 54: 57-75.
- Galan, P. 2008. *Lagartija de Bocage – Podarcis bocagei* (Seoane, 1884). Version 28-01-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Galan, P. 2008. Ontogenetic and sexual variation in the coloration of the lacertid lizards, *Iberolacerta monticola* and *Podarcis bocagei*. Do the females prefer the greener males? *Animal Biology* 58: 173-198.
- Galan, P. 2011. *Iberolacerta monticola*. Longevity. *Herpetological Review* 43: 430.
- Galan, P. and Salvador, A. 2006. *Lucion – Anguis fragilis* Linnaeus, 1758. Fecha de publicacion: 23-06-2006. Enciclopedia virtual de los vertebrados Espanoles.
- Galan, P. and Vicente, L. 2003. Reproductive characteristics of the insular lacertid *Teira dugesii*. *Herpetological Journal* 13: 149-154.
- Galdamez, J. R., Zuniga, L. G. and Espinal, M. 2016. A new locality for *Corytophanes hernandesii* (Wiegmann, 1831), (Squamata: Corytophanidae) in western Honduras, with comments on its distribution. *Mesoamerican Herpetology* 10: 1-10.
- Galdino, J. Y. A. and Torquato, S. 2019. Bothrops erythromelas (jararaca). Diet. *Herpetological Review* 50: 797.
- Galdino, C. A. B. and Van Sluys, M. 2011. Clutch size in the small-sized lizard *Eurolophosaurus nanuzae*: does it vary along the geographic distribution of the species? *heringia*, Serie Zoologia, 101: 61-64.
- Galdino, C. A. B., Assis, V. B., Kiefer, M. C. and Van Sluys, M. 2003. Reproduction and fa body cycle of *Eurolophosaurus nanuzae* (Sauria; Tropiduridae) from a seasonal montane habitat of southeastern Brazil. *Journal of Phyllomedusa* 5: 25-30.
- Galdino, C. A. B., Pereira, E. G., Fontes, A. F. and Van Sluys, M. 2006. Defense behavior and tail loss in the endemic lizard *Eurolophosaurus nanuzae* (Squamata, Tropiduridae) from southeastern Brazil. *Phyllomedusa* 5: 25-30.
- Galdino, C., Ventura, S. and Moreira, G. 2017. Unveiling a spatial tail breakage outbreak in a lizard population. *Amphibia-Reptilia* 38: 238-242.
- Galdino, C., Ventura, S., Lisboa, C. C. and Young, R. J. 2017. Social spacing of the montane lizard *Tropidurus montanus*. *Herpetological Journal* 27: 333-338.
- Galis, F., Arntzen, J. W. and Lande, R. 2010. Dollo's law and the irreversibility of digit loss in Bachia. *Evolution* 64: 2466-2476.
- Galitsyn, D. and Vershinin, V. 2018. Reproductive characteristics of sand lizard (*Lacerta agilis* Linnaeus, 1758) females in northern limit of species distribution in the Ural mountains. *Principy Ekologii*. 7: 19-28. In Russian.
- Gallagher, M. D. 1971. The amphibians and reptiles of Bahrain. Privately published, Bahrain.
- Gallagher, D. S. and Dixon, J. R. 1980. A new lizard (Sauria: Teiidae: Kentropyx) from Brasil. *Copeia*, 1980: 616-620.
- Gallagher, D. S. and Dixon, J. R. 1992. Taxonomic revision of the South American lizard genus *Kentropyx* Spix (Sauria, Teiidae). *Bollettino del Museo Regionale di Scienze Naturali*, Torino 10: 125-171.
- Gallardo, J. M. 1962. El genero *Kentropyx* (Sauria, Teiidae) en la Republica Argentina. *Acta Zoologica Lilloana* 18: 243-345.
- Gallardo, F. B. 2013. El utero chaqueno *Phyllopezus pollicaris* (Spix 1825)(Squamata, Phylodactylidae). Cuadernos de Herpetología, 27: 167.
- Gallardo, G. A. 2019. Ecología reproductiva de *Aurivela tergoalveigata* (Teiidae) en el monte del noroeste de Argentina: efectos de las variaciones ambientales interanuales. Cuadernos de Herpetología 33: 5-16.
- Gallardo, G. A. and Scrocchi, G. J. 2018. *Liolaemus cuyanus*. Saurophagy. *Herpetological Review* 49: 744.
- Gallardo, G., Barrionuevo, M. J. and Scrocchi, G. 2018. Dieta de la lagartija arenicola *Liolaemus laurenti* (Sauria: Liolaemidae) en un bioma de desierto de Argentina. Cuadernos de Herpetología. Cuadernos de Herpetología, 32: 61-66.
- Galoyan, E. A. 2017. Unstable social structure indicates low diversity of relationships in the spotted forest skink *Sphenomorphus maculatus*. *Amphibia-Reptilia*, 38: 381-393.
- Galoyan, E. and Geissler, P. 2013. Autecology and mating behaviour of the spotted forest skink, *Sphenomorphus maculatus* (Blyth, 1853) in the monsoon forest of Cat Tien National Park, southern Vietnam. *Herpetological Journal* 23: 1-10.
- Galoyan, E., Bolshakova, A., Abrahamyan, M., Petrosyan, R., Komarova, V., Spangenberg, V. and Arakelyan, M. 2019. Natural history of Valentin's rock lizard (*Darevskia valentini*) in Armenia. *Zoological Research* 2019: 1-17.
- Gamble, T., Bauer, A. M., Greenbaum, E. and Jackman, T. R. 2008. Evidence for Gondwanan vicariance in an ancient clade of gecko lizards. *Journal of Biogeography* 35: 88-104.
- Gamble, T., Daza, J. D., Colli, G. R., Vitt, L. J. and Bauer, A. M. 2011. A new genus of miniaturized and pug-nosed gecko from South America (Sphaerodactylidae: Gekkota). *Zoological Journal of the Linnean Society*, 163: 1244-1262.
- Gamble, T., Coryell, J., Ezaz, T., Lynch, J., Scantlebury, D. P. and Zarkower, D. 2015. Restriction site-associated DNA sequencing (RAD-seq) reveals an extraordinary number of transitions among gecko sex-determining systems. *Molecular Biology and Evolution* 32: 1296-1309.
- Gamble, T., Greenbaum, E., Jackman, T. R., Russell, A.P. and Bauer, A. M. 2017. Repeated evolution of digital adhesion in geckos: a reply to Harrington and Reeder. *Journal of Evolutionary Biology*, 30: 1429-1436.
- Gamboa, A. M. R. 2015. *Liolaemus ornatus* Koslowsky 1898 (Squamata: Liolaemidae) in Chile: record of a new locality and updated distribution map. *Boletín Chileno de Herpetología* 2: 4-7.
- Gamboa, M. R. A. 2015. *Liolemus ornatus* Koslowsky 1898 (Squamata: Liolaemidae) en Chile: Registro de una nueva localidad y mapa de distribución actualizado. *Boletín Chileno de Herpetología* 2: 4-7.
- Gamboa, M. R. 2016. Lista actualizada de los reptiles de Chile. Updated list of the reptiles of Chile. *Boletín Chileno de Herpetología* 3: 7-12.
- Gandia, A. C., Carvajal, J. R. and Lopez, J. T. 2018. An instance of nectarivory in a Cuban green anole, *Anolis porcatus* (Squamata: Dactyloidae). *IRCF Reptiles & Amphibians* 25: 37-39.
- Ganesh, S. R. 2017. On the poorly-known white-spotted skink *Lygosoma albopunctatum* (Gray, 1846) (Reptilia: Scincidae) with further topotypical records and notes on the type locality. *Journal of Threatened Taxa* 9: 10662-10668.
- Ganesh, S. R. 2018. The rediscovery of Rurk's cat skink *Ristella rurkii* Gray, 1839 (Reptilia: Ristellidae) with remarks on distribution and natural history. *Journal of Threatened Taxa* 10: 12376-12381.
- Ganesh, S. R. and Arumugam, M. 2016. Species richness of montane herpetofauna of southern Eastern Ghats, India: a historical resume and a descriptive checklist. *Russian Journal of Herpetology* 2: 7-24.
- Ganesh, S. R. and Chandramouli, S. R. 2010. Rediscovery of *Hemidactylus scabriceps* (Annandale, 1906) (Reptilia: Sauria: Gekkonidae) from eastern Tamil Nadu, India. *Russian Journal of Herpetology* 17: 70-74.
- Ganesh, S. R. and Chandramouli, S. R. 2013. Identification of two similar Indian agamid lizards *Calotes nemoricola* Jerdon, 1853 AND *C. grandisquamis* Gunther, 1875. *Russian Journal of Herpetology* 20: 33-35.
- Ganesh, S. R. and Shankar, P. G. 2009. Range extension of *Kaestlea beddomei* (Boulenger, 1887) (in part) (Reptilia: Sauria: Scincidae). *The Herpetological Bulletin* 107: 12-15.
- Ganesh, S. R., Sreekar, R., Pal, S. P., Ramchandra, G., Srinivasulu, C. and Srinivasulu, B. 2011. Discovery and first description of male *Nemaspis heteropholis* Bauer, 2002 (Reptilia: Gekkonidae) from Agumbe, central Western Ghats, India. *Journal of Threatened Taxa* 3: 2023-2027.
- Ganesh, S. R., Chandramouli, S. R., Sreekar, R. and Shankar, P. G. 2013. Reptiles of the central Western Ghats, India — a reappraisal and revised checklist, with emphasis on the Agumbe Plateau. *Russian Journal of Herpetology* 20: 1-18.
- Ganesh, S. R., Rameshwaran, M., Joseph, N. A. and Jerith, A. M. 2017. On two little-known terrestrial South Asian geckoes *Hemidactylus reiculatus* and *Hemidactylus scabriceps* (Reptilia: Gekkonidae). *Journal of Threatened Taxa* 9: 10669-10675.
- Gans, C. 1960. Studies on amphisbaenids (Amphisbaenia, Reptilia). 1. A taxonomic revision of the Tropognophinae, and a functional interpretation of the amphisbaenid adaptive pattern. *Bulletin of the American Museum of Natural History* 127: 1-22.
- Gans, C. 1963. Notes on amphisbaenids (Amphisbaenia, Reptilia). 7. Redescription and redefinition of *Amphisbaena mitchelli* Procter and *Amphisbaena slevini* Schmidt from the Middle and Lower Amazon, Brazil. *American Museum Novitates* 2127: 1-22.
- Gans, C. 1963. Notes on amphisbaenids (Amphisbaenia, Reptilia). 8. A redescription of *Amphisbaena stejnegeri* and the description of a new species of *Amphisbaena* from British Guiana. *American Museum Novitates* 2128: 1-18.
- Gans, C. 1965. Notes on amphisbaenids (Amphisbaenia, Reptilia). 17. A redescription and discussion of *Amphisbaena angustifrons* Cope and *Amphisbaena camura* Cope of southern South America. *American Museum Novitates* 2225: 1-18.
- Gans, C. 1965. On *Amphisbaena heathi* Schmidt and A. carvalhoi, new species, small forms, from the northeast of Brazil (Amphisbaenia: Reptilia). [Notes on amphisbaenids 16]. *Proceedings of the California Academy of Sciences*, 1965, 16: 1-18.
- Gans, C. 1965. Redescription of *Amphisbaena pretrei* Duméril and Bibron and A. leucocephala Peters, with a discussion of their relation and synonymy (Amphisbaenia: Reptilia). *American Midland Naturalist*, 74: 387-407.
- Gans, C. 1966. Studies on amphisbaenids (Amphisbaenia, Reptilia) 3. The small species from southern South America commonly identified as *Amphisbaena Darwini*. *Bulletin of the American Museum of Natural History* 134: 185-260.
- Gans, C. 1967. A check list of recent Amphisbaenians (Amphisbaenia, Reptilia). *Bulletin of the American Museum of Natural History*, 135: 63-105.

- Gans 1967b  
 Gans 1968  
 Gans 1971a  
 Gans 1971b  
 Gans 1976  
 Gans 1987  
 Gans 1990  
 Gans 1996  
 Gans 2005  
 Gans and Billeit 1985  
 Gans and Fusari 1994  
 Gans and Huey 1988  
 Gans and Kraklau 1989  
 Gao and Huo 2002  
 Garcia and Gerber 2016  
 Garcia et al. 2007  
 Garcia-Bastida et al. 2013  
 Garcia-Cobos et al. 2018  
 Garcia-Grajales et al. 2014  
 Garcia-Morales et al. 2017  
 Garcia-Padilla and Mata-Silva 2014a  
 Garcia-Padilla and Mata-Silva 2014b  
 Garcia-Padilla et al. 2015  
 Garcia-Padilla et al. 2016  
 Garcia-Perez and Yustiz 1995  
 Garcia-Porta and Ord 2013  
 Garcia-Porta et al. 2016  
 Garcia-Porta et al. 2019  
 Garcia-Roa et al. 2014  
 Garcia-Rosales et al. 2017  
 Garcia-Rosales et al. 2019  
 Garcia-Vazquez and Bryson 2017  
 Garcia-Vazquez and Feria-Ortiz 2006  
 Garcia-Vazquez et al. 2007  
 Garcia-Vazquez et al. 2009  
 Garcia-Vazquez et al. 2010  
 Garcia-Vazquez et al. 2014  
 Garda et al. 2012  
 Garda et al. 2013  
 Garda et al. 2014  
 Gardner 1985  
 Gardner 2009  
 Gardner 2013  
 Gardner and Jasper 2012a  
 Gardner and Jasper 2012b  
 Gardner and Jasper 2015  
 Gardner et al. 2001  
 Garg et al. 2019  
 Garland 1994  
 Garland 1999  
 Gans, C. 1967. *Rhineura floridana*. Catalogue of American Amphibians and Reptiles 43: 1-2.  
 Gans, C. 1968. Relative success of divergent pathways in amphisbaenian specialization. *The American Naturalist*, 102: 345-362.  
 Gans, C. 1971. Redescription of three monotypic genera of amphisbaenians from South America: *Aulura* Barbour, *Bronia* Gray, and *Mesobaena* Mertens. *American Museum Novitates* 2475: 1-32.  
 Gans, C. 1971. Studies on amphisbaenids (Amphisbaenia, Reptilia) 4. A review of the amphisbaenid genus *Leposternon*. *Bulletin of the American Museum of Natural History* 144: 379-464.  
 Gans, C. 1976. Three new spade-snouted amphisbaenians from Angola (Amphisbaenia, Reptilia). *American Museum Novitates* 2590: 1-11.  
 Gans, C. 1987. Studies on amphisbaenians (Reptilia). 7. The small round-headed species (*Cynisca*) from western Africa. *American Museum Novitates* 2896: 1-84.  
 Gans, C. 1990. Patterns in amphisbaenian biogeography: a preliminary analysis. Pages 133-143 in: G. Peters & R. Hutterer (editors), *Vertebrates in the Tropics*, Museum Alexander Koenig, Bonn.  
 Gans, C. 1996. An overview of parental care among the Reptilia. *Advances in the Study of Behavior* 25: 145-157.  
 Gans, C. 2005. Checklist and bibliography of the Amphisbaenia of the world. *Bulletin of the American Museum of Natural History* 289: 7-130.  
 Gans, C. and Billeit, F. editors. 1985. *Biology of the Reptilia*. Volume 15. Development B. Wiley interscience, New York.  
 Gans, C. and Fusari, M. 1994. Locomotor analysis of surface propulsion by three species of reduced-limbed fossorial lizards (*Lerista*: Scincidae) From Western Australia. *Journal of Morphology* 222: 309-326.  
 Gans, C. and Huey, R. B. eds. 1988. Ecology B. Defense and life history. *Biology of the Reptilia*. Vol. 16. . Liss, New York.  
 Gans, C. and Kraklau, D. M. 1989. Studies on amphisbaenians (Reptilia) 8. Two genera of small species from East Africa (*Geocalamus* and *Loveridgea*). *American Museum Novitates* 2944: 1-28.  
 Gao, Z-F. and Huo, M. 2002. Description of a new *Japalura* species from western Sichuan Province, China. *Sichuan Journal of Zoology* 21: 3-5.  
 Garcia, M. and Gerber, G. P. 2016. Conservation and management of *Cyclura iguanas* in Puerto Rico. *Herpetological Conservation and Biology*, 11: 61-67.  
 Garcia, J. D. D., Arevalo, J. R. and Fernandez-Palacios, J. M. 2007. Road edge effect on the abundance of the lizard *Gallotia galloti* (Sauria: Lacertidae) in two Canary islands forests. *Biodiversity and Conservation* 16: 2949-2963.  
 Garcia-Bastida, M., Lazcano, D., McBrayer, L. D. and Mercado-Hernandez, R. 2013. Sexual dimorphism in the alligator lizard *Gerrhonotus infernalis* (Sauria: Anguidae): implications for sexual selection. *The Southwestern Naturalist*  
 Garcia-Cobos, D., Gomez-Sanchez, D. A. and Ramirez, J. P. 2018. New records of *Anadia rhombifera* (Gunther, 1859), in the Cordillera Central and Cordillera Oriental of Colombia. *Herpetozoa* 31: 91-94.  
 Garcia-Grajales, J., Buenrostro-Silva, A. and Mata-Silva, V. 2014. Range extension of the least gecko, *Sphaerodactylus glaucus* Cope, 1865 (Squamata: Sphaerodactylidae) in Oaxaca, Mexico. *Check List* 10: 205-206.  
 Garcia-Morales, D., Cervantes-Burgos, R. I., Sanchez-Garcia, J. C. and Garcia-Vazquez, U. O. 2017. *Lepidophyma tuxtlae* Werler and Shannon, 1957. Geographic distribution. *Mesoamerican Herpetology* 4: 460.  
 Garcia-Padilla, E. and Mata-Silva, V. 2014. Noteworthy distributional records for the herpetofauna of Chiapas, Mexico. *Mesoamerican Herpetology* 1: 293-295.  
 Garcia-Padilla, E. and Mata-Silva, V. 2014. Noteworthy distributional records for the herpetofauna of Oaxaca, Mexico. *Herpetological Review* 45: 468-469.  
 Garcia-Padilla, E., Mata-Silva, V., DeSantis, D. L. and Wilson, L. D. 2015. *Ctenosaura similis* Gray, 1830. Distribution Notes. *Mesoamerican Herpetology* 2: 540-541.  
 Garcia-Padilla, E., Rodriguez-Perez, C. and Lopez-Alzina, D. G. 2016. *Abrovia mixteca* Bogert and Porter, 1967. *Mesoamerican Herpetology* 3: 176-177.  
 Garcia-Perez, J. E. and Yustiz, E. E. 1995. Una nueva especie de Proctoporus (Sauria: Gymnophthalmidae) de los Andes de Venezuela. *Revista de Ecología Latinoamericana* 4: 1-5.  
 Garcia-Porta, J. and Ord, T. J. 2013. Key innovations and island colonization as engines of evolutionary diversification: a comparative test with the Australasian diplodactyloid geckos. *Journal of Evolutionary Biology* 26: 2662-2680.  
 Garcia-Porta, J., Smid, J., Sol, D., Fasola, M. and Carranza, S. 2016. Testing the island effect on phenotypic diversification: insights from the Hemidactylidae geckos of the Socotra Archipelago. *Scientific Reports* 6: 23729.  
 Garcia-Porta, J., Irisarri, I., Kirchmer, M., Rodriguez, A., Kirchhoff, S., Brown, J. L., MacLeod, A., Turner, A. P., Ahmadzadeh, F., Albaladejo, G., Crnobrnja-Isailovic, J., De la Riva, I., Fawzi, A., Galan, P., Goemken, B., Harris, D. J., Jimenez-Robles, O., Joger, U., Glavas, O. J., Karis, M., Koziel, G., Kunzel, S., Lyra, M., Miles, D., Nogales, M., Oguz, M. A., Pafilis, P., Rancilhac, L., Concepcion, N. R. B. R., Sanchez, E., Salvi, D., Slimani, T., St'khifa, A., Qashqaei, A. T., Zagar, A., Lemmon, A., Lemmon, E. M., Carretero, M. A., Carranza, S., Philippe, H., Sinervo, B., Muller, J., Vences, M. and Valero, K. C. W. 2019. Environmental temperatures shape thermal physiology as well as diversification and genome-wide substitution rates in lizards. *Nature Communications* 10: 4077.  
 Garcia-Roa, R., Ortega, J., Lopez, P., Civantos, E. and Martin, J. 2014. Revision de la distribucion y abundancia de la herpetofauna en las islas Chafarinhas: datos historicos vs. tendencias poblacionales. *Boletin de la Asociacion Herpetologica Espanola* 25: 1-8.  
 Garcia-Rosales, A., Ramirez-Bautista, A., Stephenson, B. P., Meza-Lazaro, R. N. and de Oca, A. N-M. 2017. Comparative morphology and genetics of two populations of spiny lizards (genus *Sceloporus*) from Central Mexico. *Zoologischer Anzeiger - A Journal of Comparative Zoology* 267: 21-30.  
 Garcia-Rosales, A., Cruz-Elizalde, R., Ramirez-Bautista, A. and Mata-Silva, V. 2019. Feeding ecology of two populations of *Sceloporus minor* (Squamata: Phrynosomatidae) inhabiting contrasting environments in central Mexico.  
 Garcia-Vazquez, U. O. and Bryson, R. W. 2017. *Gerrhonotus infernalis* (Baird, 1859). Distribution. *Mesoamerican Herpetology* 4: 196-197.  
 Garcia-Vazquez, U. and Feria-Ortiz, M. 2006. Skinks of Mexico. *Reptilia* 49: 74-79.  
 Garcia-Vazquez, U. O., Canseco-Marquez, L., Aguilar-Lopez, J. L., Solano-Zavaleta, I. and Maceda-Cruz, R. J. 2009. Noteworthy records of amphibians and reptiles from Puebla, Mexico. *Herpetological Review*, 40: 467-470.  
 Garcia-Vazquez, U. O., Nolasco-Velez, A. L. and Zamorabrego, J. G. 2009. *Xenosaurus phalaroanthereon*. diet. *Herpetological Review* 40: 93.  
 Garcia-Vazquez, U. O., Canseco-Marquez, L. and de Oca, A. N-M. 2010. A new species of *Scincella* (Squamata: Scincidae) from the Cuatro Cienegas Basin, Coahuila, Mexico. *Copeia* 2010: 373-381.  
 Garcia-Vazquez, U. O., Trujano-Ortega, M. and Conteras-Arquiza, A. 2014. *Sceloporus parvus* (blue-bellied lizard). Reproduction. *Herpetological Review* 45: 507.  
 Garda, A. A., Costa, G. C., Franca, F. G. R., Giugliano, L. G., Leite, G. S., Mesquita, D. O., Nogueira, C., Tavares-Bastos, L., Vasconcellos, M. M., Vieira, G. H. C., Vitt, L. J., Werneck, F. P., Wiederhecker, H. C. and Colli, G. R. 2012. Reproduction, body size, and diet of *Polyclorus acutirostris* (Squamata: Polychrotidae) in two contrasting environments in Brazil. *Journal of Herpetology*, 46: 2-8.  
 Garda, A. A., Wiederhecker, H. C., Gainsbury, A. M., Costa, G. C., Pyron, R. A., Vieira, G. H. C., Werneck, F. P. and Colli, G. R. 2013. Microhabitat variation explains local-scale distribution of terrestrial Amazonian lizards in Rondonia, Western Brazil. *Biotropica* 45: 245-252.  
 Garda, A. A., de Medeiros, P. H. S., Lion, M. B., de Brito, M. R. M., Vieira, G. H. C. and Mesquita, D. O. 2014. Autoecology of *Dryadosaura nordestina* (Squamata: Gymnophthalmidae) from Atlantic forest fragments in Northeastern Brazil. *Zooligia* 31: 418-425.  
 Gardner, A. S. 1985. An identification key to the geckos of the Seychelles, with brief notes on their distributions and habits. *Herpetological Journal* 1: 17-19.  
 Gardner, A. S. 2009. Mapping the terrestrial reptile distributions in Oman and the United Arab Emirates. *ZooKeys* 31: 165-177.  
 Gardner, A. S. 2013. The amphibians and reptiles of Oman and the UAE. Edition Chimaira, Frankfurt Am Main.  
 Gardner, C. and Jasper, L. 2012. Cannibalism in *Chalarodon madagascariensis* (Squamata: Iguanidae) from southwest Madagascar. *Herpetology Notes* 5: 127-128.  
 Gardner, C. and Jasper, L. 2012. *Paroedura picta* in southern Madagascar: diet and predation by the introduced *Hemidactylus frenatus*. *Herpetology Notes*, 5: 457-458.  
 Gardner, C. and Jasper, L. 2015. Diet of the endemic Malagasy day gecko *Phelsuma modesta leioaster* Mertens, 1970 in an urban environment. *Herpetology Notes*, 8: 489-492.  
 Gardner, M. G., Bull, C. M., Cooper, S. J. B. and Duffield, G. A. 2001. Genetic evidence for a family structure in stable social aggregations of the Australian lizard *Egernia stokesii*. *Molecular Ecology*, 10: 175-183.  
 Garg, A., Leipe, D. and Uetz, P. 2019. The disconnect between DNA and species names: lessons from reptile species in the NCBI taxonomy database. *Zootaxa* 4706: 401-407.  
 Garland, T. 1994. Phylogenetic analyses of lizard endurance capacity in relation to body size and body temperature. Pages 237-259 in *Lizard Ecology: Historical and Experimental Perspectives*, L. J. Vitt and E. R. Pianka, editors. Princeton University Press, Princeton.  
 Garland, T. 1999. Laboratory endurance capacity predicts variation in field locomotor behaviour among lizard species. *Animal Behaviour*, 58: 77-83.



- Germano and Williams 2005  
 Germano et al. 2003  
 Germano et al. 2007  
 Gerner 2008  
 Gerson 2011  
 Gezova and Jablonski 2018  
 Ghaleb et al. 2017  
 Gharzi and Yari 2013  
 Gherghel et al. 2008  
 Gherghel et al. 2019
- Ghimire and Shah 2014  
 Gholamifard 2011  
 Gholamifard and Rastegar-Pouyani 2011  
 Gholamifard and Rastegar-Pouyani 2015  
 Gholamifard et al. 2009  
 Gholamifard et al. 2010
- Gholamifard et al. 2012  
 Gholamifard et al. 2015
- Gibbons 1981  
 Gibbons 1984  
 Gibbons and Brown 1988  
 Gibbons and Watkins 1982
- Gibbons et al. 2000  
 Gibbs et al. 2007  
 Gibson et al. 2015  
 Gicca 1982  
 Gienger and Beck 2007  
 Giery and Stroud 2019  
 Giese et al. 2014  
 Gifford and Powell 2002a  
 Gifford and Powell 2002b  
 Gifford and Powell 2007  
 Gifford et al. 2000  
 Gifford et al. 2008
- Gil et al. 1993  
 Gil et al. 1994  
 Gilad et al. 2012  
 Gilbert 2002  
 Giles 2000  
 Gill 1993a  
 Gill 1993b  
 Gill 1997  
 Gill 1998  
 Gill and Whitaker 1996  
 Gilman et al. 2012  
 Gilman et al. 2015  
 Girard 2013  
 Giri and Bauer 2008  
 Giri et al. 2019
- Girling et al. 1998  
 Giugliano et al. 2013  
 Giulia et al. 2019  
 Glavas et al. 2016
- Germano, D. J. and Williams, D. F. 2005. Population ecology of blunt-nosed leopard lizards in high elevation foothill habitat. *Journal of Herpetology*, 39: 1-18.  
 Germano, J. M., Sander, J. M., Henderson, R. W. and Powell, R. 2003. Herpetofaunal communities in Grenada: A Comparison of altered sites, with an annotated checklist of Grenadian amphibians and reptiles. *Caribbean Journal of Herpetology*, 35: 1-12.  
 Germano, D. J., Smith, P. T. and Tabor, S. P. 2007. Food habits of the blunt-nosed leopard lizard (*Gambelia sila*). *Southwestern Naturalist*, 52: 318-323.  
 Gerner, T. 2008. Home range, habitat use and social behaviour of the endangered Mauritian gecko *Phelsuma guentheri*. MSc Thesis, University of Zurich.  
 Gerson, M. M. 2011. Population status and habitat affinities of the Blainville's horned lizard (*Phrynosoma blainvillii*) at a site in the northern San Joaquin Valley, California, USA. *Herpetological Conservation and Biology* 6: 228-236.  
 Gezova, S. and Jablonski, D. 2018. *Natrix natrix* (grass snake). Mortality. *Herpetological Review*, 49: 348.  
 Ghaleb, M. R., Rastegar-Pouyani, N., Karamiani, R. and Abbas, R. F. 2017. Sexual dimorphism in *Trapelus ruderatus ruderatus* (Olivier, 1804) (Sauria: Agamidae) in Southern Iraq. *Iranian Journal of Animal Biosystematics* 13: 23-31.  
 Gharzi, A. and Yari, A. 2013. Age determination in the snake-eyed lizard, *Ophisops elegans*, by means of skeletochronology (Reptilia: Lacertidae). *Zoology in the Middle East*, 59: 10-15.  
 Gherghel, I., Strugariu, A., Ghirca, D. and Cicort-Lucaci, A. S. 2008. The herpetofauna from the Bistritsa river basin (Romania): geographical distribution. *North-Western Journal of Zoology* 4: S71-S103.  
 Gherghel, I., Strugariu, A., Tedrow, R. and Romanescu, G. 2019. A regional analysis on the amphibian and reptile communities from the Carpathian Mountains and the abiotic factors that shape their distributions and community assemblages. *Regional Environmental Change*, 19: 2563-2572.  
 Ghimire, H. R. and Shah, K. B. 2014. Status and habitat ecology of the yellow monitor, *Varanus flavescens*, in the southeastern part of Kanchanpur District, Nepal. *Herpetological Conservation and Biology* 9: 387-393.  
 Gholamifard, A. 2011. Endemism in the reptile fauna of Iran. *Iranian Journal of Animal Biosystematics* 7: 13-29.  
 Gholamifard, A. and Rastegar-Pouyani, N. 2011. Distribution of *Hemidactylus* geckos (Reptilia: Gekkonidae) in Fars Province, Southern Iran. *Amphibian and Reptile Conservation* 5: 1-6.  
 Gholamifard, A. and Rastegar-Pouyani, N. 2015. *Microgecko helenae helenae* Nikolsky, 1907 (Sauria: Gekkonidae) extends its range to the Southern Zagros Mountains, south of Iran. *Russian Journal of Herpetology* 22: 1-10.  
 Gholamifard, A., Esmaeili, H. R. and Kami, H. G. 2009. First report of Blanford's semaphore gecko, *Pristurus rupestris* (Blanford 1874) (Sauria: Gekkonidae) in Fars Province, Iran. *Iranian Journal of Animal Biosystematics*, 5: 91-93.  
 Gholamifard, A., Gholamhosseini, A., Rastegar-Pouyani, N., Esmaeili, H. R. and Kami, H-G. 2010. First records of *Tropiocolotes steudneri* Peters, 1869 and *Hemidactylus flaviviridis* Ruppell, 1840 (Sauria: Gekkonidae) from Fars Province, Iran. *Asian Herpetological Research* 1: 61-63.  
 Gholamifard, A., Rastegar Pouyani, N. and Esmaeili, H. R. 2012. Annotated checklist of reptiles of Fars Province, southern Iran. *Iranian Journal of Animal Biosystematics*, 8: 155-167.  
 Gholamifard, A., Rastegar-Pouyani, N. and Rastegar-Pouyani, E. 2015. Rediscovery of *Microgecko helenae fasciatus* (Schmidtler and Schmidler, 1972) from Kermanshah Province, Western Iran with notes on taxonomy, morphology, and habitat. *Asian Herpetological Research* 6: 339-346.  
 Gibbons, J. R. H. 1981. The biogeography of *Brachylophus* (Iguanidae) including the description of a new species, *B. vitiensis*, from Fiji. *Journal of Herpetology*, 15: 255-273.  
 Gibbons, J. R. H. 1984. Iguanas of the South Pacific. *Oryx* 18: 82-92.  
 Gibbons, J. R. H. and Brown, W. C. 1988. A new Lepidodactylus (Gekkonidae) from Eua island, Tonga. *Journal of Herpetology*, 22: 356-360.  
 Gibbons, J. R. H. and Watkins, I. F. 1982. Behavior, ecology, and conservation of South Pacific banded iguanas, *Brachylophus*, including a newly discovered species. Pages 418-441 in G. M. Burghardt and A. S. Rand, editors. *Iguanas of the world: their behavior, ecology and conservation*. Noyes Publications, Park Ridge, New Jersey.  
 Gibbons, J. W., Scott, D. E., Ryan, T. J., Buhmann, K. A., Tuberville, T. D., Metts, B. S., Greene, J. L., Mills, T., Leiden, Y., Poppy, S. and Winne, C. T. 2000. The global decline of reptiles, dej vu amphibians. *BioScience* 50: 653-663.  
 Gibbs, J. P., Breisch, A. R., Ducey, P. K., Johnson, G., Behler, J. L. and Bothner, R. 2007. Amphibians and reptiles of New York State: identification, natural history and conservation. Oxford University Press, New York. 504 pages.  
 Gibson, S., Pennick, S. and Cree, A. 2015. Are viviparous lizards from cool climates ever exclusively nocturnal? Evidence for extensive basking in a New Zealand gecko. *Biological Journal of the Linnean Society* 115: 882-895.  
 Gicca, D. 1982. *Enyaliosaurus clarki*. Catalogue of American Amphibians and Reptiles 301: 1-2.  
 Gienger, C. M. and Beck, D. D. 2007. Heads or tails? Sexual dimorphism in helodermatid lizards. *Canadian Journal of Zoology*, 85: 92-98.  
 Giery, S. T. and Stroud, J. T. 2019. Geographic variation in trophic ecology of the Brown anole (*Anolis sagrei*): species-rich communities are composed of more diverse populations. *Anolis Newsletter* 7: 76-100.  
 Giese, C. L. A., Curry, T. and Platenberg, R. 2014. Petition to list nine species of Caribbean skinks as endangered under the endangered species act.  
 Gifford, M. E. and Powell, R. 2002. *Anolis longitibialis*. Catalogue of American Amphibians and Reptiles, 749: 1-4.  
 Gifford, M. E. and Powell, R. 2002. *Anolis shephani Schwartz*. Catalogue of American Amphibians and Reptiles 750: 1-2.  
 Gifford, M. E. and Powell, R. 2007. Sexual dimorphism and reproductive characteristics in five species of *Leiocephalus* lizards from the Dominican Republic. *Journal of Herpetology*, 41: 521-527.  
 Gifford, M. E., Powell, R. and Steiner, W. E. 2000. Relationship of diet and prey availability in *Aristelliger cochranae*, a gecko from Navassa island, West Indies. *Caribbean Journal of Science*, 36: 323-326.  
 Gifford, M. E., Herrel, A. and Mahler, L. 2008. The evolution of locomotor morphology, performance, and anti-predator behaviour among populations of *Leiocephalus* lizards from the Dominican Republic. *Biological Journal of the Linnean Society*, 93: 445-456.  
 Gil, M. J., Guerrero, F. and Perez-Mellado, V. 1993. Observations on morphometrics and ecology in *Blanus cinereus* (Reptilia: Amphisbaenia). *Journal of Herpetology*, 27: 205-209.  
 Gil, M. J., Guerrero, F. and Perez-Mellado, V. 1994. Diel variation in preferred body temperatures of the Moorish gecko *Tarentola mauritanica* during summer. *Herpetological Journal* 4: 56-59.  
 Gilad, A., Klass, K. and Werner, Y. L. 2012. New methods and old pictures illuminate the status of *Acanthodactylus boskianus asper* (Audouin, 1827) (Reptilia: Lacertidae). *North-Western Journal of Zoology* 8: 154-163.  
 Gilbert, E. 2002. *Lepidodactylus lugubris*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.  
 Giles, S. 2000. *Gnypetoscincus queenslandiae*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.  
 Gill, B. I. 1993. The land reptiles of Western Samoa. *Journal of the Royal Society of New Zealand* 23: 79-89.  
 Gill, B. I. 1993. The lizards of the Pitcairn Island Group, South Pacific. *New Zealand Journal of Zoology* 20: 161-164.  
 Gill, E. V. S. 1997. *Cyrtodactylus aravallensis*, a new Gekkonidae from the Delhi Ridge. *Journal of the Bombay Natural History Society* 94: 121-123.  
 Gill, B. I. 1998. Records of Cook Islands lizards. *Tuhinga* 10: 151-157.  
 Gill, T. and Whitaker, T. 1996. New Zealand frogs and reptiles. David Bateman Ltd, Auckland, 112 pp.  
 Gilman, C. A., Bartlett, M. D., Gillis, G. B. and Irshick, D. J. 2012. Total recoil: perch compliance alters jumping performance and kinematics in green anole lizards (*Anolis carolinensis*). *Journal of Experimental Biology* 215: 220-226.  
 Gilman, C. A., Imburgia, M. J., Bartlett, M. D., King, D. R., Crosby, A. J. and Irshick, D. J. 2015. Geckos as springs: Mechanics explain across-species scaling of adhesion. *PloS one*, 10: e0134604.  
 Girard, F. 2013. *Pachydactylus vansonii FitzSimons*, 1933, Van Son's thick-toed gecko. *Captive breeding*. African Herp News 60: 19-20.  
 Giri, V. B. and Bauer, A. M. 2008. A new ground-dwelling Hemidactylus (Squamata: Gekkonidae) from Maharashtra, with a key to the Hemidactylus of India. *Zootaxa* 1700: 21-34.  
 Giri, V. B., Chaitanya, R., Mahony, S., Lalrunga, S., Lalrinchhana, C., Das, A., Sarkar, V., Karanth, P. and Deepak, V. 2019. On the systematic status of the genus *Oriocelotes* Gunther, 1864 (Squamata: Agamidae: Draconinae) with the description of a new species from Mizoram state, Northeast India. *Zootaxa* 4638: 451-484.  
 Girling, J. E., Cree, A. and Guillette, L. J. 1998. Oviducal structure in four species of gekkonid lizard differing in parity mode and eggshell structure. *Reproduction, Fertility and Development* 10: 139-154.  
 Giugliano, L. G., Nogueira, C., Valdujo, P. H., Collevatti, R. G., Colli, G. R. 2013. Cryptic diversity in South American Teiinae (Squamata, Teiidae) lizards. *Zoologica Scripta*, 42 : 473-487.  
 Giulia, S., Luca, L. and Leonardo, V. 2019. Lizards and the city: A community study of Lacertidae and Gekkonidae from an archaeological park in Rome. *Zoologischer Anzeiger* 283: 20-26.  
 Glavas, O. J., Vilaj, I., Laus, B., Dvorski, P., Koren, T., Kolaric, A., Grbac, I. and Safarek, G. 2016. Contribution to the knowledge on amphibians and reptiles of North-western Croatia. *Acta Zoologica Bulgarica* 68: 519-527.

Glavas et al. 2018

Glaw 2015

Glaw and Vences 1994

Glaw and Vences 1996

Glaw and Vences 2007

Glaw et al. 2001

Glaw et al. 2009a

Glaw et al. 2009b

Glaw et al. 2012

Glaw et al. 2013

Glaw et al. 2018

Glor et al. 1998

Glor et al. 2000

Glor et al. 2003

Glowacinski and Rafinski 2003

Gocmen et al. 1996

Gocmen et al. 2002

Gocmen et al. 2003

Gocmen et al. 2008

Godoy and Pincheira-Donoso 2009

Goessling et al. 2015

Gogliath et al. 2010

Gogo et al. 2018

Goicoechea et al. 2013

Gojo-Cruz et al. 2018

Goldberg 1983

Goldberg 1987

Goldberg 2005

Goldberg 2006a

Goldberg 2006b

Goldberg 2006c

Goldberg 2006d

Goldberg 2006e

Goldberg 2006f

Goldberg 2006g

Goldberg 2006h

Goldberg 2007a

Goldberg 2007b

Goldberg 2008a

Goldberg 2008b

Goldberg 2008c

Goldberg 2008d

Goldberg 2008e

Goldberg 2009a

Goldberg 2009b

Goldberg 2009c

Goldberg 2009d

Goldberg 2009e

Goldberg 2010a

Goldberg 2010b

Goldberg 2010c

Goldberg 2010d

Goldberg 2010e

Goldberg 2010f

Glavas, O. J., Kolaric, A., Eross, M. and Jelic, D. 2018. Morphology and reproduction of the snake-eyed skink (*Ablepharus kitaibelii* Bibron & Bory De Saint-Vincent, 1833) in western most parts of its range. North-Western Journal of Zoology 14: 185-192.

Glaw, F. 2015. Taxonomic checklist of chameleons (Squamata: Chamaeleonidae). Vertebrate Zoology 65: 167-246.

Glaw, F. and Vences, M. 1994. A field guide to the amphibians and reptiles of Madagascar. Second edition, Serpents Tale.

Glaw, F. and Vences, M. 1996. Bemerkungen zur Fortpflanzung des Waldskinks *Amphiglossus melanopleura* aus Madagaskar (Sauria: Scincidae), mit einer Übersicht über die Fortpflanzungsperioden Madagassischer Reptilien. Salamandra 32(1): 1-12.

Glaw, F. and Vences, M. 2007. A field guide to the amphibians and reptiles of Madagascar. Third edition, Vences & Glaw Verlag, Cologne.

Glaw, F., Vences, M. and Schmidt, K. 2001. A new species of *Paroedura* Gunther from northern Madagascar (Reptilia, Squamata, Gekkonidae). Spixiana 24: 249-256.

Glaw, F., Kohler, J. and Vences, M. 2009. A distinctive new species of chameleon of the genus *Furcifer* (Squamata: Chamaeleonidae) from the Montagne d'Ambre rainforest of northern Madagascar. Zootaxa 2269: 32-42.

Glaw, F., Kohler, J. and Vences, M. 2009. A new species of cryptically coloured day gecko (*Phelsuma*) from the Tsingy de Bemaraha National Park in western Madagascar. Zootaxa 2195: 61-68.

Glaw, F., Kohler, J., Townsend, T. M. and Vences, M. 2012. Rivaling the world's smallest reptiles: discovery of miniaturized and microendemic new species of leaf chameleons (Brookesia) from Northern Madagascar. PLoS ONE 7(2): e33220.

Glaw, F., Hawlitschek, O. and Ruthensteiner, B. 2013. A new genus name for an ancient Malagasy chameleon clade and a PDF-embedded 3D model of its skeleton. Salamandra 49: 237-238.

Glaw, F., Kohler, J. and Vences, M. 2018. Three new species of nocturnal geckos of the *Paroedura* *oviceps* clade from xeric environments of Madagascar (Squamata: Gekkonidae). Zootaxa 4433: 305-324.

Glor, R. E., Powell, R. and Parmerlee, J. S. 1998. *Cyclura ricordii*. Catalogue of American Amphibians and Reptiles 657: 1-3.

Glor, R. E., Powell, R. and Parmerlee, J. S. 2000. *Cyclura cornuta*. Catalogue of American Amphibians and Reptiles, 709: 1-6.

Glor, R. E., Kolbe, J. J., Powell, R., Larson, A. and Losos, J. B. 2003. Phylogenetic analysis of ecological and morphological diversification in Hispaniolan trunk-ground anoles (Anolis cybotes group). Evolution 57: 2383-2397.

Glowacinski, Z. and Rafinski, J. 2003. Atlas of the amphibians and reptiles of Poland. Biblioteka Monitorów Środowiska, Warszawa-Krakow.

Gocmen, B., Kumluatas, Y. and Tosunoglu, M. 1996. A new subspecies, *Ablepharus kitaibelii* (Bibron & Bory, 1833) budaki n. sp. (Sauria: Scincidae) from the Turkish Republic of Northern Cyprus. Turkish Journal of Zoology 20: 19-22.

Gocmen, B., Senol, A. and Mermer, A. 2002. A new record of Schneider's Skink, *Eumececs schneideri* Daudin, 1802 (Sauria: Scincidae) from Cyprus. Zoology in the Middle East 25: 19-22.

Gocmen, B., Tosunoglu, M. and Taskavak, E. 2003. A taxonomic comparison of the Hardun, Laudakia stellio (Reptilia, Agamidae), populations of southern Turkey (Hatay) and Cyprus. Zoology of the Middle East 28: 25-32.

Gocmen, B., Disi, A. M. and Yildiz, M. Z. 2008. On the occurrence of *Blanus strauchi aporus* Werner, 1898 and *Chalcides guentheri* Boulonger, 1887 (Reptilia) in the Mediterranean ecozone of Syria. Zoology in the Middle East 43: 69-72.

Godoy, M. and Pincheira-Donoso, D. 2009. Multi-maternal nesting behaviour and a potential adaptive signal for its evolution in the Argentinean geckonid lizard *Homonota borelli*. Journal of Biological Research-Thessaloniki 12: 221-226.

Goessling, J. M., Lutterschmidt, W. I., Reinert, H. K., Bushar, L. M. and Odum, R. A. 2015. Multiyear sampling reveals an increased population density of an endemic lizard after the establishment of an invasive snake on Aruba. Journal of Herpetology 49: 358-363.

Gogliath, M., Ribeiro, L. B. and Freire, E. M. X. 2010. Reptilia, Squamata, Leiosauridae, *Enyalius bibronii* Boulenger, 1885: Distribution extension and geographic distribution map. Check List 6: 652-654.

Gogoi, M., Kundu, S., Goswami, J., Saikia, D. and Pandey, N. 2018. First record of tail bifurcation in Tokey Gecko (Gekko gecko) from the Kaziranga, Assam, India: a field observation. International Journal of Experimental Research and Review 15: 5-8.

Goicoechea, N., Padias, J. M., Chaparro, J. C., Castroviejo-Fisher, S. and De la Riva, I. 2013. A taxonomic revision of *Proctoporus boliviensis* Werner (Squamata: Gymnophthalmidae) with the description of three new species and resurrection of *Proctoporus lacertus* Stejneger. American Museum Novitates 3786: 1-32.

Gojo-Cruz, P. H. P., Afuang, L. E., González, J. C. T. and Gruzo, W. S. 2018. Amphibians and reptiles of Luzon Island, Philippines: the herpetofauna of Pantabangan-Carranglan Watershed, Nueva Ecija Province, Caraballo Mountain Range. Asian Herpetological Research 9: 201-223.

Goldberg, S. R. 1983. Reproduction of the coast horned lizard, *Phrynosoma coronatum*, in southern California. The Southwestern Naturalist, 28: 478-479.

Goldberg, S. R. 1987. Reproductive cycle of the giant spotted whiptail, *Cnemidophorus burti* stictogrammus, in Arizona. The Southwestern Naturalist 32: 510-511.

Goldberg, S. R. 2005. Reproductive cycle of the Western skink, *Eumececs skiltonianus*. Texas Journal of Science 57: 295-301.

Goldberg, S. R. 2006. Notes on the reproductive biology of the variegated skink, *Trachylepis variegata* (Squamata: Scincidae), from Southern Africa. 41: 168-169.

Goldberg, S. R. 2006. Reproductive cycle of bushveld lizard *Heliobolus lugubris* (Squamata: Lacertidae) from southern Africa. Salamandra 42: 151-154.

Goldberg, S. R. 2006. Reproductive cycle of the Kalahari tree skink, *Trachylepis spilogaster* (Squamata: Scincidae) from southern Africa. Texas Journal of Science 58: 291-298.

Goldberg, S. R. 2006. Reproductive cycle of the Namaqua sand lizard, *Pedioplanis namaquensis* (Squamata: Lacertidae), from southern Africa. African Zoology 41: 147-149.

Goldberg, S. R. 2006. Reproductive cycle of the Namib giant ground gecko, *Chondrodactylus angulifer* (Squamata: Gekkonidae). African Zoology 41: 308-311.

Goldberg, S. R. 2006. Reproductive cycle of the spotted sand lizard, *Meroles suborbitalis* (Squamata: Lacertidae), from South Africa. Texas Journal of Science 58: 255-262.

Goldberg, S. R. 2006. Reproductive cycle of the spotted sand lizard, *Pedioplanis lineoocellata* (Squamata: Lacertidae) from southern Africa. Texas Journal of Science 58: 291-298.

Goldberg, S. R. 2006. Reproductive cycle of the striped legless skink, *Typhlosaurus lineatus* (Squamata: Scincidae) from Southern Africa. The Herpetological Bulletin 98: 26-28.

Goldberg, S. R. 2007. Notes on reproduction of Peters' leaf-toed gecko, *Phyllodactylus reissii* (Squamata: Gekkonidae), from Peru. Phyllomedusa 6: 147-150.

Goldberg, S. R. 2007. Reproductive cycle of the Namibian striped skink, *Trachylepis sparsa* (Squamata: Scincidae) from Southern Africa. African Zoology 42: 289-293.

Goldberg, S. R. 2008. Notes on the reproductive biology of the Costa Rica scaly-eyed gecko, *Lepidoblepharis xanthostigma* (Squamata: Gekkonidae), from Costa Rica. Bulletin of the Chicago Herpetological Society 43: 130-131.

Goldberg, S. R. 2008. Reproduction in the Siamese leaf-toed gecko, *Dixonius siamensis* (Squamata, Gekkonidae) from Thailand. Texas Journal of Science 60: 233-238.

Goldberg, S. R. 2008. Reproductive cycle of the brown forest skink, *Sphenomorphus cherriei*, from Costa Rica. Texas Journal of Science 60: 317-321.

Goldberg, S. R. 2008. Reproductive cycle of the common barking gecko, *Phenops gerrulus* from southern Africa. Texas Journal of Science 60: 151-156.

Goldberg, S. R. 2008. Reproductive cycle of the common rough-scaled lizard, *Ichnotropis squamulosa* (Squamata: Lacertidae) from southern Africa. Texas Journal of Science 60: 163-170.

Goldberg, S. R. 2009. Note on Reproduction of the Sonoran spiny-tailed iguana, *Ctenosaura macrolopha* (Squamata: Iguanidae). Bulletin of the Chicago Herpetological Society 44: 42-43.

Goldberg, S. R. 2009. Notes on reproduction of the knob-scaled lizard, *Xenosaurus grandis* (Squamata: Xenosauridae), from Veracruz, Mexico. Texas Journal of Science 61: 317-322.

Goldberg, S. R. 2009. Reproduction in Smith's green-eyed gecko, *Gekko smithii* (Squamata: Gekkonidae). Texas Journal of Science 61: 225-228.

Goldberg, S. R. 2009. Reproduction in the yellow-spotted night lizard, *Lepidophyma flavimaculatum* (Squamata: Xantusiidae), from Costa Rica. Phyllomedusa 8: 59-62.

Goldberg, S. R. 2009. Reproductive cycle of the Central American mabuya, *Mabuya unimarginata* (Squamata: scincidae) from Costa Rica. Texas Journal of Science 61: 147-151.

Goldberg, S. R. 2010. *Aphanotis acutirostris* (Indonesia Earless Agama). Reproduction. Herpetological Review 41: 490.

Goldberg, S. R. 2010. *Barisia levicollis* (Chihuahuan alligator lizard) reproduction. Herpetological Review 41: 74.

Goldberg, S. R. 2010. *Phyllodactylus unctus* (San Lucan gecko) reproduction. Herpetological Review 41: 84.

Goldberg, S. R. 2010. *Stenocercus guentheri* (Gunther's whorltail iguana). Reproduction. Herpetological Review 41: 497.

Goldberg, S. R. 2010. *Trachylepis planifrons*: reproduction. Herpetological Review 41: 30.

Goldberg, S. R. 2010. *Trachylepis sulcata* (western rock skink). Reproduction. Herpetological Review 41: 30.

- Goldberg 2011a Goldberg, S. R. 2011. *Carlia ailanpalai*. Hermaproditism. *Herpetological Review* 42: 92-93.
- Goldberg 2011b Goldberg, S. R. 2011. *Mesaspis gadoVII* (Gadow's alligator lizard). Reproduction. *Herpetological Review* 42: 606.
- Goldberg 2011c Goldberg, S. R. 2011. Notes on Reproduction of the Chinese Short-limbed Skink, *Ateuchosaurus chinensis* (Squamata: Scincidae), from Hong Kong, China. *Bulletin of the Chicago Herpetological Society* 46: 106-107.
- Goldberg 2011d Goldberg, S. R. 2011. Notes on reproduction of the flat-tailed horned lizard, *Phrynosoma mcallii* (Squamata: Phrynosomatidae). *Bulletin of the Chicago Herpetological Society* 46: 30-31.
- Goldberg 2011e Goldberg, S. R. 2011. Notes on reproduction of the Mexican-Plateau horned lizard, *Phrynosoma orbiculare* (Squamata: Phrynosomatidae). *Bulletin of the Chicago Herpetological Society* 46: 61-62.
- Goldberg 2011f Goldberg, S. R. 2011. *Phoxophrys nigrolabris* (black-lipped eyebrow lizard). Reproduction. *Herpetological Review* 42: 431.
- Goldberg 2011g Goldberg, S. R. 2011. Reproduction in Brook's keeled skink, *Tropidophorus brookei* (Squamata: Scincidae), from Borneo. *Texas Journal of Science* 62: 63-67.
- Goldberg 2011h Goldberg, S. R. 2011. Reproduction in the Great Basin collard lizard, *Crotaphytus bicinctores* (Squamata: Crotaphytidae). *Bulletin of the Southern California Academy of Sciences* 110: 189-192.
- Goldberg 2011i Goldberg, S. R. 2011. Reproduction of the cape horned lizard, *Phrynosoma coronatum* (Squamata: Phrynosomatidae) from Baja California Sur, Mexico. *Bulletin of the Southern California Academy of Sciences* 110: 56-58.
- Goldberg 2012a Goldberg, S. R. 2012. *Aspidoscelis labialis* (Baja California whiptail). Reproduction. *Herpetological Review* 43: 649.
- Goldberg 2012b Goldberg, S. R. 2012. *Chalcides guentheri* (Guenther's Cylindrical Skink). Reproduction. *Herpetological Review* 43: 482-483.
- Goldberg 2012c Goldberg, S. R. 2012. *Lepidophyma micropholis* (cave tropical night lizard). Reproduction. *Herpetological Review* 43: 649.
- Goldberg 2012d Goldberg, S. R. 2012. Notes on reproduction of desert horned lizards, *Phrynosoma platyrhinos* (Squamata: Phrynosomatidae) from Southern California. *Bulletin of the Chicago Herpetological Society* 47
- Goldberg 2012e Goldberg, S. R. 2012. Notes on reproduction of long-tailed brush lizards, *Urosaurus graciosus* (Squamata: Phrynosomatidae), from California. *Bulletin of the Chicago Herpetological Society* 47: 109-111.
- Goldberg 2012f Goldberg, S. R. 2012. Notes on reproduction of the Borneo skink, *Dasia vittata* (Squamata: Scincidae) from Borneo. *Hamadryad* 36: 51-53.
- Goldberg 2012g Goldberg, S. R. 2012. Notes on reproduction of the Cardamon forest gecko, *Cyrtodactylus intermedius* (Squamata: Gekkonidae) from Cambodia and Thailand. *Hamadryad* 36: 58-60.
- Goldberg 2012h Goldberg, S. R. 2012. Notes on reproduction of the Kinabalu bow-fingered gecko, *Cyrtodactylus baluensis* (Squamata: Gekkonidae), from Sabah, Malaysia. *Hamadryad* 36: 42-44.
- Goldberg 2012i Goldberg, S. R. 2012. Notes on reproduction of the snake-eyed skink, *Ablepharus kitaibelii* (Squamata: Scincidae) from Israel. *The Herpetological Bulletin* 122: 33-35.
- Goldberg 2012j Goldberg, S. R. 2012. Reproduction in Kotschy's gecko *Mediodactylus kotschyi* (Squamata: Gekkonidae) from the Greek islands and Israel. *The Herpetological Bulletin* 119: 15-18.
- Goldberg 2012k Goldberg, S. R. 2012. Reproduction in the Desert Lacerata, *Mesalina guttulata*, from Israel (Squamata: Lacertidae). *Zoology in the Middle East* 56: 27-38.
- Goldberg 2012l Goldberg, S. R. 2012. Reproduction in the Yuman fringe-toed lizard, *Uma rufopunctata* (Squamata: Phrynosomatidae). *The Southwestern Naturalist* 57: 456-457.
- Goldberg 2012m Goldberg, S. R. 2012. Reproduction of the many-lined skink, *Plestiodon multivirgatus* (Squamata: Scincidae) from New Mexico. *Sonoran Herpetologist*, 25: 74-76.
- Goldberg 2012n Goldberg, S. R. 2012. Reproduction of the side-blotted lizard, *Uta stansburiana* (Phrynosomatidae) from Baja California Sur, Mexico. *Sonoran Herpetologist* 25: 97-100.
- Goldberg 2012o Goldberg, S. R. 2012. Reproduction of the yellow-backed spiny lizard, *Sceloporus uniformis* (Squamata: Phrynosomatidae) from California. *Bulletin of the Southern California Academy of Sciences* 111: 25-28.
- Goldberg 2013a Goldberg, S. R. 2013. *Mesalina olivieri* (Olivier's sand lizard). Reproduction. *Herpetological Review* 44: 676-677.
- Goldberg 2013b Goldberg, S. R. 2013. Notes on reproduction in long-nosed leopard lizards, *Gambelia wislizenii* (Squamata: Crotaphytidae), from Southern California. *Bulletin of the Chicago Herpetological Society* 48: 79-82.
- Goldberg 2013c Goldberg, S. R. 2013. Notes on reproduction of orange-throated whiptail lizards, *Aspidoscelis hyperythra* (Squamata: Teiidae), from California. *Bulletin of the Chicago Herpetological Society* 48: 107-108.
- Goldberg 2013d Goldberg, S. R. 2013. Notes on reproduction of the skink *Scincella melanosticta* (Squamata: Scincidae) from Thailand. *Hamadryad* 36: 180-182.
- Goldberg 2013e Goldberg, S. R. 2013. *Pseudotrapelus sinaitus* (Sinai agama). Reproduction. *Herpetological Review* 44: 681-682.
- Goldberg 2013f Goldberg, S. R. 2013. Reproduction in Bosk's Fringe-fingered Lizard, *Acanthodactylus boskianus* from Israel (Squamata: Lacertidae). *Zoology in the Middle East*, 59: 16-19.
- Goldberg 2013g Goldberg, S. R. 2013. Reproduction in the granite night lizard, *Xantusia henshawi* (Squamata: Xantusiidae), from Southern California. *Sonoran Herpetologist* 26: 9-11.
- Goldberg 2013h Goldberg, S. R. 2013. Reproduction in the many-lined sun skink, *Eutropis multifasciata* (Squamata: Scincidae) from Sarawak, Malaysia. *Current Herpetology* 32: 61-65.
- Goldberg 2013i Goldberg, S. R. 2013. Reproduction in the ornate tree lizard, *Urosaurus ornatus* (Squamata: Phrynosomatidae), from Sonora, Mexico. *Sonoran Herpetologist* 26: 49-51.
- Goldberg 2013j Goldberg, S. R. 2013. Reproduction of Bowring's supple skink, *Lygosoma bowringii* (Scincidae) from Thailand. *Hamadryad* 36: 168-171.
- Goldberg 2013k Goldberg, S. R. 2013. Reproduction of the Great Plains Skink, *Plestiodon obsoletus* (Squamata: Scincidae) from New Mexico. *Sonoran Herpetologist* 26: 33-35.
- Goldberg 2013l Goldberg, S. R. 2013. Reproduction of the zebra-tailed lizard, *Callisaurus draconoides* (Squamata: Phrynosomatidae) from California. *The Southwestern Naturalist* 26: 74-76.
- Goldberg 2013m Goldberg, S. R. 2013. *Sceloporus grandaevus* (Cerraldo island sator). Reproduction. *Herpetological Review* 44: 683.
- Goldberg 2013n Goldberg, S. R. 2013. *Sphenomorphus maculatus* (spotted forest skink). Reproduction. *Herpetological Review* 44: 684-685.
- Goldberg 2013o Goldberg, S. R. 2013. *Trapelus mutabilis* (Desert Agama). Reproduction. *Herpetological Review* 44: 149-150.
- Goldberg 2013p Goldberg, S. R. 2013. *Trapelus savignii* (Egyptian sand agama). Reproduction. *Herpetological Review* 44: 685-686.
- Goldberg 2014a Goldberg, S. R. 2014. *Gehyra lacerata* (Kanchanaburi four-clawed gecko) Reproduction. *Herpetological Review* 45: 496.
- Goldberg 2014b Goldberg, S. R. 2014. Notes on reproduction in broadhead skinks, *Plestiodon laticeps* (Squamata: Scincidae) from Oklahoma. *Bulletin of the Chicago Herpetological Society* 49: 168-171.
- Goldberg 2014c Goldberg, S. R. 2014. Notes on reproduction in mountain short-horned lizards, *Phrynosoma hernandesi* (Squamata: Phrynosomatidae), from New Mexico. *Bulletin of the Chicago Herpetological Society* 49: 77-79.
- Goldberg 2014d Goldberg, S. R. 2014. Reproduction in the Beer Sheva fringe-fingered lizard, *Acanthodactylus beershebensis* (Squamata: Lacertidae) from Israel. *The Herpetological Bulletin* 128: 20-21.
- Goldberg 2014e Goldberg, S. R. 2014. Reproduction in the ocellated skink, *Chalcides ocellatus* (Squamata: Scincidae) in Israel, already established in Mesa, AZ. *Sonoran Herpetologist* 27: 59-61.
- Goldberg 2014f Goldberg, S. R. 2014. Reproduction in the southern prairie lizard, *Sceloporus consobrinus* (Squamata: Phrynosomatidae), from Oklahoma. *Sonoran Herpetologist* 27: 88-90.
- Goldberg 2014g Goldberg, S. R. 2014. Reproduction of six-lined racerunners, *Aspidoscelis sexlineata* (Squamata: Teiidae), from New Mexico. *Bulletin of the Chicago Herpetological Society* 49: 8-10.
- Goldberg 2014h Goldberg, S. R. 2014. Reproduction of the sagebrush lizard, *Sceloporus graciosus* (Squamata: Phrynosomatidae) from New Mexico. *Sonoran Herpetologist* 27: 36-38.
- Goldberg 2014i Goldberg, S. R. 2014. Reproductive cycles of lizards from western North America. *Sonoran Herpetologist* 27: 20-29.
- Goldberg 2014j Goldberg, S. R. 2014. *Sceloporus angustus* (Santa Cruz island sator). Reproduction. *Herpetological Review* 45: 699.
- Goldberg 2014k Goldberg, S. R. 2014. *Sceloporus zosteromus* (Baja spiny lizard). Reproduction. *Herpetological Review* 45: 135.
- Goldberg 2014l Goldberg, S. R. 2014. *Stenodactylus sthenodactylus* (elegant gecko). Reproduction. *Herpetological Review* 45: 136-137.
- Goldberg 2015a Goldberg, S. R. 2015. *Phyllodactylus muralis*. Reproduction. *Mesoamerican Herpetology* 2: 339-340.
- Goldberg 2015b Goldberg, S. R. 2015. *Plestiodon callicephalus* (mountain skink). Reproduction. *Herpetological Review*, 46: 93-94.
- Goldberg 2015c Goldberg, S. R. 2015. Reproduction in the bronze skink, *Eutropis macularia* (Squamata: Scincidae) from Nakhon Ratchasima Province, Thailand. *Hamadryad* 37: 115-117.
- Goldberg 2015d Goldberg, S. R. 2015. Reproduction in the southwestern fence lizard, *Sceloporus cowlesi* (Squamata: Phrynosomatidae) from New Mexico. *Sonoran Herpetologist* 28: 3-4.
- Goldberg 2015e Goldberg, S. R. 2015. Reproduction of the zebra-tailed lizard, *Callisaurus draconoides* (Squamata: Phrynosomatidae), from Baja California Sur, Mexico. *Mesoamerican Herpetology* 2: 510-514.
- Goldberg 2015f Goldberg, S. R. 2015. *Sphenomorphus multisquamatus*. Reproduction. *Herpetological Review* 46: 438-439.
- Goldberg 2015g Goldberg, S. R. 2015. *Sphenomorphus sabanus* (Sabah slender skink). Reproduction. *Herpetological Review* 46: 635.

- Goldberg 2016a Goldberg, S. R. 2016. *Eumeces schneideri* (Schneider's skink). Reproduction. *Herpetological Review* 47: 464-465.
- Goldberg 2016b Goldberg, S. R. 2016. *Sphenomorphus cyanolaemus* (blue-headed forest skink). Reproduction. *Herpetological Review* 47: 469-470.
- Goldberg 2016c Goldberg, S. R. 2016. *Uta palmeri Stejnegeri*, 1890. Reproduction. *Mesoamerican Herpetology* 3: 151-153.
- Goldberg 2017a Goldberg, S. R. 2017. *Cyrtodactylus yoshii* (Yoshi's bow-fingered gecko). Reproduction. *Herpetological Review* 48: 642.
- Goldberg 2017b Goldberg, S. R. 2017. *Cyrtopodion scabrum* (rough bent-toed gecko). Reproduction. *Herpetological Review* 48: 436-437.
- Goldberg 2017c Goldberg, S. R. 2017. *Draco cornutus* (horned flying lizard). Reproduction. *Herpetological Review* 48: 846.
- Goldberg 2017d Goldberg, S. R. 2017. *Emoia slevini* (Slevin's brown skink). Reproduction. *Herpetological Review* 48: 643-644.
- Goldberg 2017e Goldberg, S. R. 2017. *Europis rufus* (black-banded ground skink). Reproduction. *Herpetological Review* 48: 189-190.
- Goldberg 2017f Goldberg, S. R. 2017. *Lepidodactylus moestus* (Micronesian scaly-toed gecko). Reproduction. *Herpetological Review* 48: 852.
- Goldberg 2017g Goldberg, S. R. 2017. *Parvoscincus steerii* (Steere's sphenomorphus). Reproduction. *Herpetological Review* 48: 852.
- Goldberg 2018a Goldberg, S. R. 2018. *Carlia caesi*. Reproduction. *Herpetological Review*, 49: 326.
- Goldberg 2018b Goldberg, S. R. 2018. *Gehyra brevipalmata* (Palau gecko). Reproduction. *Herpetological Review* 49: 117-118.
- Goldberg 2018c Goldberg, S. R. 2018. *Perochirus atelles* (Micronesian speckle-bellied gecko). Reproduction. *Herpetological Review* 49: 120.
- Goldberg 2019a Goldberg, S. R. 2019. *Carlia bomberai*. Reproduction. *Herpetological Review* 50: 138-139.
- Goldberg 2019b Goldberg, S. R. 2019. *Emoia boettgeri* (Micronesia spotted skink). Reproduction. *Herpetological Review* 50: 373.
- Goldberg 2019c Goldberg, S. R. 2019. *Perochirus scutellatus* (giant Micronesian gecko). Reproduction. *Herpetological Review* 50: 143.
- Goldberg 2019d Goldberg, S. R. 2019. *Trioceros ellioti* (montane side-striped chameleon). Reproduction. *Herpetological Review* 50: 146.
- Goldberg and Beaman 2003 Goldberg, S. R. and Beaman, K. R. 2003. *Elgaria panamintina* (panamint alligator lizard). Reproduction. *Herpetological Review* 34: 14.
- Goldberg and Beaman 2004a Goldberg, S. R. and Beaman, K. R. 2004. Reproduction in the San Lucan alligator lizard, *Elgaria paucicarinata* (Anguidae) from Baja California Sur, Mexico. *Bulletin of the Southern California Academy of Sciences* 103: 144-146.
- Goldberg and Beaman 2004b Goldberg, S. R. and Beaman, K. R. 2004. Reproduction in the San Lucan banded rock lizard, *Petrosaurus thalassinus* (Phrynosomatidae) from Baja California Sur, Mexico. *Bulletin of the Southern California Academy of Sciences* 103: 147-148.
- Goldberg and Beaman 2005 Goldberg, S. R. and Beaman, K. R. 2005. *Ctenosaura hemilophia* (Cape spiny-tailed iguana). Reproduction. *Herpetological Review* 36: 317-318.
- Goldberg and Beaman 2012 Goldberg, S. R. and Beaman, K. R. 2012. Reproduction of the spiny chuckwalla (*Sauromalus hispidus*) and the piebald chuckwalla (*Sauromalus varius*) (Squamata: Iguanidae) from Mexico. *Sonoran Herpetologist* 25: 40-42.
- Goldberg and Bezy 2014a Goldberg, S. R. and Bezy, R. L. 2014. *Xantusia arizonae* (Arizona night lizard). Reproduction. *Herpetological Review* 45: 508-509.
- Goldberg and Bezy 2014b Goldberg, S. R. and Bezy, R. L. 2014. *Xantusia bezyi* (Bezy's night lizard). Reproduction. *Herpetological Review* 45: 509.
- Goldberg and Bezy 2014c Goldberg, S. R. and Bezy, R. L. 2014. *Xantusia bolsonae* (Bolson night lizard). Reproduction. *Herpetological Review* 45: 509-510.
- Goldberg and Bezy 2014d Goldberg, S. R. and Bezy, R. L. 2014. *Xantusia extorris* (Durango night lizard). Reproduction. *Herpetological Review* 45: 510.
- Goldberg and Bezy 2014e Goldberg, S. R. and Bezy, R. L. 2014. *Xantusia sierrae* (Sierra night lizard). Reproduction. *Herpetological Review* 45: 702-703.
- Goldberg and Bezy 2014f Goldberg, S. R. and Bezy, R. L. 2014. *Xantusia wigginsi* (Wiggins' night lizard). Reproduction. *Herpetological Review* 45: 510-511.
- Goldberg and Bursey 2010a Goldberg, S. R. and Bursey, C. R. 2010. Helmints from eight species of African skinks (Trachylepis: Scincidae). *Comparative Parasitology* 77: 236-241.
- Goldberg and Bursey 2010b Goldberg, S. R. and Bursey, C. R. 2010. *Meroles reticulatus* (Bocage, 1867) reticulate sand lizard. *Endoparasites. African Herp News* 50: 36-37.
- Goldberg and Bursey 2012a Goldberg, S. R. and Bursey, C. R. 2012. *Chalcides sepsoides* (Wedge-snouted Skink). *Endoparasites. Herpetological Review* 43: 332.
- Goldberg and Bursey 2012b Goldberg, S. R. and Bursey, C. R. 2012. *Mesalina guttulata* (desert lacerta). *Endoparasites*. 43: 136.
- Goldberg and Bursey 2013 Goldberg, S. R. and Bursey, C. R. 2013. *Mesalina olivieri* (Olivier's sand lizard). *Cestode endoparasites*. *Herpetological Review* 44: 676.
- Goldberg and Bursey 2014 Goldberg, S. R. and Bursey, C. R. 2014. *Stenodactylus stenodactylus* (elegant gecko). *Cestode endoparasites*. *Herpetological Review* 45: 135-136.
- Goldberg and Bursey 2017 Goldberg, S. R. and Bursey, C. R. 2017. *Cyrtodactylus yoshii* (Yoshi's bow-fingered gecko). *Endoparasite*. *Herpetological Review* 48: 436.
- Goldberg and Bursey 2018 Goldberg, S. R. and Bursey, C. R. 2018. *Pinoyscincus jagori* (Jagor's sphenomorphus). *Parasites*. *Herpetological Review* 49: 538.
- Goldberg and Bursey 2019 Goldberg, S. R. and Bursey, C. R. 2019. *Lygisaurus curtus*. *Endoparasites. Herpetological Review* 50: 579-580.
- Goldberg and Camarillo-Rangel 2003 Goldberg, S. R. and Camarillo-Rangel, J. L. 2003. Reproduction in *Gerrhonotus ophiurus* (Sauria: Anguidae), from Veracruz, Mexico. *Texas Journal of Science* 55: 185-189.
- Goldberg and Camarillo-Rangel 2008 Goldberg, S. R. 2008. Reproduction in seven species of *Microlophus* from South America. *Texas Journal of Science* 60: 261-270.
- Goldberg and Grismer 2013 Goldberg, S. R. and Grismer, L. L. 2013. *Gekko monarchus* (spotted house gecko). Reproduction. *Herpetological Review* 44: 672-673.
- Goldberg and Grismer 2014a Goldberg, S. R. and Grismer, L. L. 2014. *Bronchocela cristatella* (green crested lizard). Reproduction. *Herpetological Review* 45: 326-327.
- Goldberg and Grismer 2014b Goldberg, S. R. and Grismer, L. L. 2014. *Cyrtodactylus macrotuberculatus* (tuberculate bent toed gecko). Reproduction. *Herpetological Review* 45: 327.
- Goldberg and Grismer 2014c Goldberg, S. R. and Grismer, L. L. 2014. *Dasia olivacea* (olive tree skink). Reproduction. *Herpetological Review* 45: 328.
- Goldberg and Grismer 2014d Goldberg, S. R. and Grismer, L. L. 2014. *Gonocephalus abbotti* (Abbott's anglehead lizard). Reproduction. *Herpetological Review* 45: 696.
- Goldberg and Grismer 2014e Goldberg, S. R. and Grismer, L. L. 2014. *Gonocephalus grandis* (giant forest dragon). Reproduction. *Herpetological Review* 45: 696.
- Goldberg and Grismer 2014f Goldberg, S. R. and Grismer, L. L. 2014. *Gonocephalus robinsonii* (Robinson's anglehead lizard). Reproduction. *Herpetological Review* 45: 696-697.
- Goldberg and Grismer 2014g Goldberg, S. R. and Grismer, L. L. 2014. *Hemiphyllodactylus titiwangsae* (Titiwangs slender gecko). Reproduction. *Herpetological Review* 45: 500.
- Goldberg and Grismer 2014h Goldberg, S. R. and Grismer, L. L. 2014. *Lipinia vittigera* (yellow-striped tree skink). Reproduction. *Herpetological Review* 45: 697-698.
- Goldberg and Grismer 2014i Goldberg, S. R. and Grismer, L. L. 2014. *Sphenomorphus praesignis* (blotched forest skink). Reproduction. *Herpetological Review* 45: 135.
- Goldberg and Grismer 2014j Goldberg, S. R. and Grismer, L. L. 2014. *Sphenomorphus scotophilus* (spotted forest skink). Reproduction. *Herpetological Review* 45: 508.
- Goldberg and Grismer 2015a Goldberg, S. R. and Grismer, L. L. 2015. Notes on reproduction of seven species of *Draco*: *D. abbreviatus*, *D. blanfordii*, *D. formosus*, *D. maculatus*, *D. maximus*, *D. sumatranaus*, *D. taeniopterus* (Squamata: Agamidae) from South-east Asia. *Hamadryad* 37: 117-121.
- Goldberg and Grismer 2015c Goldberg, S. R. and Grismer, L. L. 2015. Notes on reproduction of the butterfly lizard, *Leiolepis belliana* (Squamata: Agamidae) from South-east Asia. *Hamadryad* 37: 113-115.
- Goldberg and Grismer 2016a Goldberg, S. R. and Grismer, L. L. 2016. *Cyrtodactylus batuicolus* (Besa island bent-toed gecko). Reproduction. *Herpetological Review* 47: 464.
- Goldberg and Grismer 2016b Goldberg, S. R. and Grismer, L. L. 2016. *Cyrtodactylus condorensis* (Condao bent-toed gecko). Reproduction. *Herpetological Review* 47: 135-136.
- Goldberg and Grismer 2016c Goldberg, S. R. and Grismer, L. L. 2016. *Cyrtodactylus consobrinus* (Peter's bent-toed gecko). Reproduction. *Herpetological Review* 47: 136.
- Goldberg and Grismer 2016d Goldberg, S. R. and Grismer, L. L. 2016. *Cyrtodactylus paradoxus*. Reproduction. *Herpetological Review* 47: 136.
- Goldberg and Grismer 2016e Goldberg, S. R. and Grismer, L. L. 2016. *Cyrtodactylus quadrivirgatus* (four-striped forest gecko). Reproduction. *Herpetological Review* 47: 667-668.

- Goldberg and Grismer 2016f  
 Goldberg and Grismer 2016g  
 Goldberg and Grismer 2016h  
 Goldberg and Grismer 2017a  
 Goldberg and Grismer 2017b  
 Goldberg and Grismer 2017c  
 Goldberg and Grismer 2017d
- Goldberg and Grismer 2017e  
 Goldberg and Grismer 2018  
 Goldberg and Grismer 2019  
 Goldberg and Kraus 2009  
 Goldberg and Kraus 2011a  
 Goldberg and Kraus 2011b  
 Goldberg and Kraus 2011c  
 Goldberg and Kraus 2012  
 Goldberg and Kraus 2016  
 Goldberg and Lowe 1997  
 Goldberg and Mahrdt 2010  
 Goldberg and Maza 2014  
 Goldberg and Maza 2017a  
 Goldberg and Maza 2017b  
 Goldberg and Maza 2018  
 Goldberg and Maza 2019  
 Goldberg and Miller 1985  
 Goldberg and Robinson 1979  
 Goldberg and Rodriguez 1986  
 Goldberg et al. 1994
- Goldberg et al. 1995
- Goldberg et al. 2002a  
 Goldberg et al. 2002b  
 Goldberg et al. 2003a  
 Goldberg et al. 2003b  
 Goldberg et al. 2008  
 Goldberg et al. 2009  
 Goldberg et al. 2010a  
 Goldberg et al. 2010b  
 Goldberg et al. 2011  
 Goldberg et al. 2012a  
 Goldberg et al. 2012b  
 Goldberg et al. 2014a  
 Goldberg et al. 2014b  
 Goldberg et al. 2016  
 Goldberg et al. 2018a  
 Goldberg et al. 2018b  
 Goldberg et al. 2019a  
 Goldberg et al. 2019b  
 Goldberg et al. 2019c  
 Goldberg et al. 2019d  
 Goldberg et al. 2019e  
 Goldberg et al. 2019f
- Golubev and Shcherbak 1981  
 Golubev et al. 1994
- Golynsky and Doronin 2014  
 Gomes et al. 2004  
 Gomes et al. 2009
- Goldberg, S. R. and Grismer, L. L. 2016. Cyrtodactylus tiomanensis (Tioman island bent-toed gecko). Reproduction. *Herpetological Review* 47: 668.  
 Goldberg, S. R. and Grismer, L. L. 2016. Draco taeniopterus (barred gliding lizard). Reproduction. *Herpetological Review* 47: 669.  
 Goldberg, S. R. and Grismer, L. L. 2016. Ptychozoon kuhli (Kuhl's parachute gecko). Reproduction. *Herpetological Review* 47: 468-469.  
 Goldberg, S. R. and Grismer, L. L. 2017. Bronchocela shenlong. Reproduction. *Herpetological Review* 48: 186-187.  
 Goldberg, S. R. and Grismer, L. L. 2017. Cyrtodactylus semenanjungensis (peninsular bent-toed gecko). Reproduction. *Herpetological Review* 48: 435.  
 Goldberg, S. R. and Grismer, L. L. 2017. Cyrtodactylus tebuensis (Tebu Mountain bent-toed gecko). Reproduction. *Herpetological Review* 48: 436.  
 Goldberg, S. R. and Grismer, L. L. 2017. Notes on reproduction of McGuire's rock gecko, *Cnemaspis meguirei* (Squamata, Gekkonidae) from Peninsular Malaysia. Notizen zur Fortpflanzung von McGuires felsengecko, *Cnemaspis meguirei* (Squamata, Gekkonidae), von der Malaiischen Halbinsel. *Sauria*, 39: 73-75.  
 Goldberg, S. R. and Grismer, L. L. 2017. Notes on reproduction of the littoral skink, *Emoia atrocostata* (Squamata: Scincidae) from Peninsular Malaysia. *Sauria* 39: 54-57.  
 Goldberg, S. R. and Grismer, L. L. 2018. Notes on reproduction of the Bintang lowland bent-toed gecko, *Cyrtodactylus bintangrendah* (Squamata, Gekkonidae) from Peninsular Malaysia. *Sauria* 40: 84-85.  
 Goldberg, S. R. and Grismer, L. L. 2019. Notes on reproduction of the peninsular rock gecko, *Cnemaspis peninsularis* (Squamata: Gekkonidae) from Peninsular Malaysia. *Sauria* 41: 67-69.  
 Goldberg, S. R. and Kraus, F. 2009. Notes on reproduction of the introduced Madagascar day gecko, *Phelsuma grandis* (Squamata: Gekkonidae) in Hawaii. *Bulletin of the Maryland Herpetological Society* 45: 73-75.  
 Goldberg, S. R. and Kraus, F. 2011. Notes on reproduction of *Cryptoblepharus poecilopleurus* (Squamata: Scincidae) from the northern Mariana islands, Western Pacific. *Current Herpetology* 30: 159-161.  
 Goldberg, S. R. and Kraus, F. 2011. Notes on reproduction of Jackson's chameleon *Chamaeleo jacksonii* (Squamata, Chamaeleonidae), from Hawaii. *The Herpetological Bulletin* 115: 1-3.  
 Goldberg, S. R. and Kraus, F. 2011. Notes on reproduction of the gold dust day gecko, *Phelsuma laticauda* (Gekkonidae) from Hawaii. *Current Herpetology* 30: 79-81.  
 Goldberg, S. R. and Kraus, F. 2012. Notes on reproduction of the moth skink, *Lipinia noctua* (Squamata: Scincidae) from the Pacific islands. *Current Herpetology* 31: 58-60.  
 Goldberg, S. R. and Kraus, F. 2016. Reproduction in the common house gecko, *Hemidactylus frenatus* (Squamata: Gekkonidae) from Hawaii. *The Herpetological Bulletin* 136: 10-12.  
 Goldberg, S. R. and Lowe, C. H. 1997. Reproductive cycle of the gila monster, *Heloderma suspectum*, in Southern Arizona. *Journal of Herpetology*, 31: 161-166.  
 Goldberg, S. R. and Mahrdt, C. R. 2010. Reproduction in the Baja California collared lizard, *Crotaphytus vestigium* (Squamata: Crotaphytidae). *Bulletin of the Southern California Academy of Sciences* 109: 153-156.  
 Goldberg, S. R. and Maza, E. 2014. Trachylepis vittata (bridled mabuya). Reproduction. *Herpetological Review* 45: 137.  
 Goldberg, S. R. and Maza, E. 2017. Ptyodactylus puiseuxi (Israeli fan-fingered gecko). Reproduction. *Herpetological Review* 48: 853-854.  
 Goldberg, S. R. and Maza, E. 2017. Bunopus blanfordii (Blanford's rock gecko). Reproduction. *Herpetological Review* 48: 845.  
 Goldberg, S. R. and Maza, E. 2018. Stenodactylus petrii (Anderson's short-fingered gecko). Reproduction. *Herpetological Review* 49: 121-122.  
 Goldberg, S. R. and Maza, E. 2019. Stenodactylus doriae (dune sand gecko). Reproduction. *Herpetological Review* 50: 792.  
 Goldberg, S. R. and Miller, C. M. 1985. Reproduction of the silvery legless lizard, *Anniella pulchra pulchra* (Anniellidae), in southern California. *The Southwestern Naturalist*, 30: 617-619.  
 Goldberg, S. R. and Robinson, M. D. 1979. Reproduction in two Namib Desert lacertid lizards (*Aporosaura anchietae* and *Meroles cuneirostris*). *Herpetologica*, 35: 169-175.  
 Goldberg, S. R. and Rodriguez, E. 1986. Reproductive cycles of two iguanid lizards from northern Chile, *Tropidurus quadrivertitatus* and *Tropidurus thesrioides*. *Journal of Arid Environments* 10: 147-151.  
 Goldberg, S. R., Bursey, C. R. and Holshuh, H. J. 1994. *Physocephalus* sp. (Spirurida, Spirocercidae) Larvae in Stomach Granulomas of the Blue Spiny Lizard, *Sceloporus serrifer* (Phrynosomatidae) from Texas. *Journal of Wildlife Diseases*, 30: 274-276.  
 Goldberg, S. R., Bursey, C. R. and Cheam, H. 1995. Helminth parasites of three sympatric lizards from Grand Cayman island, *Anolis conspersus*, *Anolis sagrei* (Polychiridae) and *Leiocephalus carinatus* (Tropiduridae). *Caribbean Journal of Science*, 31: 339-340.  
 Goldberg, S. R., Bursey C. R. and Beaman, K. R. 2002. Gastrointestinal nematodes of the isla Cerralvo Spiny Lizard, *Sceloporus granaeaeus* from Baja California Sur, Mexico. *Bulletin of the Southern California Academy of Sciences*  
 Goldberg, S. R., Bursey C. R. and Camarillo-Rangel, J. L. 2002. Gastrointestinal helminths of gaige's tropical night lizard, *Lepidophyma gaigeae* from Hidalgo, Mexico. *Texas Journal of Science* 54: 282-285.  
 Goldberg, S. R., Bursey, C. R. and Camarillo-Rangel, J. L. 2003. Gastrointestinal helminths of seven species of sceloporine lizards from Mexico. *The Southwestern Naturalist* 48: 208-217.  
 Goldberg, S. R., Bursey, C. R. and Telford, S. R. 2003. Metazoan endoparasites of 11 species of lizards from Pakistan. *Comparative Parasitology* 70: 46-54.  
 Goldberg, S. R., Bursey, C. R. and Kraus, F. 2008. Gastrointestinal helminths of eleven species of *Emoia* (Squamata: Scincidae) from Papua New Guinea. *Journal of Natural History* 42: 1923-1935.  
 Goldberg, S. R., Bursey, C. R. and Kraus, F. 2009. Endoparasites in 12 Species of *Sphenomorphus* (Squamata: Scincidae) from Papua New Guinea. *Comparative Parasitology* 76: 58-83.  
 Goldberg, S. R., Bursey, C. R. and Kraus, F. 2010. Helminths of ten species of geckos (Squamata: Gekkonidae) from Papua New Guinea, with comparisons between immigrant and endemic geckos. *Pacific Science* 64: 131-139.  
 Goldberg, S. R., Bursey, C. R. and Kraus, F. 2010. Metazoan endoparasites of 14 species of skinks (Squamata: Scincidae) from Papua New Guinea. *Journal of Natural History*, 44: 447-467.  
 Goldberg, S. R., Bursey, C. R. and Pasachnik, S. A. 2011. *Ctenosaura oedirhina* (Roatan spinytail iguana). Endoparasites. *Herpetological Review* 42: 600-601.  
 Goldberg, S. R., Das, I., de Silva, A. and Austin, C. C. 2012. *Lankascincus fallax* (Peter's litter skink). Reproduction. *Herpetological Review* 43: 134-135.  
 Goldberg, S. R., Mahrdt, C. R. and Beaman, K. R. 2012. Reproduction in Cope's Leopard Lizard, *Gambelia copei* (Squamata: Crotaphytidae). *Bulletin of the Southern California Academy of Sciences* 109: 15-17.  
 Goldberg, S. R., Bursay, C. R. and Arreola, J. 2014. *Uma rufopunctata* (Yuman desert fringe-toed lizard). Endoparasites. *Herpetological Review* 45: 334-335.  
 Goldberg, S. R., Bursay, C. R., Greenbaum, E., Kusamba, C. and Arreola, J. 2014. *Gerhosaurus nigrolineatus* Hallowell, 1857, black-lined plated lizard. Endoparasites. *African Herp News* 61: 20-21.  
 Goldberg, S. R., Bursey, C. R. and Grismer, L. L. 2016. *Acanthosaura armata* (peninsular horned tree lizard). Endoparasites. *Herpetological Review* 47: 458.  
 Goldberg, S. R., Bursey, C. R. and Grismer, L. L. 2018. Endoparasites in the Seribuat bent-toed gecko, *Cyrtodactylus seribuatensis* (Squamata, Gekkonidae) from Peninsular Malaysia. *Sauria* 40: 92-94.  
 Goldberg, S. R., Bursey, C. R. and Grismer, L. L. 2018. Helminth records from *Gekko canaensis* and *Gekko vietnamensis* (Squamata: Gekkonidae) from Vietnam. *Hamadryad*, 38: 38-39.  
 Goldberg, S. R. and Grismer, L. L. 2019. Endoparasite in the Cameron Highlands bent-toed gecko, *Cyrtodactylus trilofotasciatus* (Squamata: Gekkonidae) from Peninsular Malaysia. *Sauria* 41: 69-70.  
 Goldberg, S. R., Bursey, C. R. and Grismer, L. L. 2019. Endoparasite in Reeves' butterfly lizard, *Leiolepis reevesii* (Squamata: Agamidae), from China. *Sauria* 41: 55-56.  
 Goldberg, S. R., Bursey, C. R. and Grismer, L. L. 2019. Endoparasites in the Larut skink, *Larutia larutensis* (Squamata: Scincidae) from Peninsular Malaysia. *Sauria* 41: 61-62.  
 Goldberg, S. R., Bursey, C. R. and Grismer, L. L. 2019. Endoparasites in the marbled bent-toed gecko, *Cyrtodactylus quadrivirgatus* (Squamata: Gekkonidae) from Peninsular Malaysia. *Sauria* 41: 45-47.  
 Goldberg, S. R., Bursey, C. R. and Grismer, L. L. 2019. Notes on reproduction in Huynh's bent toed gecko, *Cyrtodactylus huynhi* (Squamata, Gekkonidae) from Vietnam. *Sauria* 41: 57.  
 Goldberg, S. R., Bursey, C. R. and Kraus, F. 2019. *Carlia bicarinata* (rainbow-skink). Endoparasite. *Herpetological Review* 50: 570.  
 Golubev, M. L. and Shcherbak, N. N. 1981. A new species of the genus *Gymnodactylus* Spix, 1825 (Reptilia, Sauria, Gekkonidae) from Pakistan. *Vestnik Zoologii* 1981: 40-45.  
 Golubev, M. L., Manilo, V. V. and Tokar, A. A. 1994. Geographic variability of *Phrynocephalus rossikowi* Nik. (Reptilia: Agamidae) in Turkmenistan and adjacent regions. Pages 351-364 in V. Fet and K. Atamuradov. *Biogeography and ecology of Turkmenistan*, Springer, New York.  
 Golynsky, E. A. and Doronin, I. V. 2014. *Darevskia brauneri*. Diet. *Herpetological Review* 45: 495.  
 Gomes, F. R., Kohlsdorf, T. and Navas, C. A. 2004. Death-feigning in *Eurolophosaurus divisorius*: temperature and habituation effects. *Amphibia-Reptilia* 25: 321-325.  
 Gomes, J. O., Maciel, A. O., Costa, J. C. L. and Andrade, G. V. 2009. Diet composition in two sympatric amphisbaenian species (*Amphisbaena ibijara* and *Leposternon polystegum*) from the Brazilian Cerrado. *Journal of Herpetology*

- Gomes et al. 2015
- Gomez 2007
- Gomez and Lobo 2006
- Gomez-Hoyos et al. 2015
- Gomides and Garcia 2014
- Goncalves et al. 2012
- Goncalves et al. 2018
- Gontijo et al. 2018
- Gonwouo et al. 2006
- Gonwouo et al. 2007
- Gonzalez and Lourdes 2013
- Gonzalez et al. 2005
- Gonzalez et al. 2014
- Gonzalez-Espinosa et al. 2019
- Gonzalez-Gutierrez 2014
- Gonzalez-Gutierrez 2015
- Gonzalez-Porter et al. 2015
- Gonzalez-Sanchez et al. 2017
- Good 1994
- Good and Wiedenfeld 1995
- Goodman 2004
- Goodman 2006a
- Goodman 2006b
- Goodman 2006c
- Goodman 2006d
- Goodman 2007a
- Goodman 2007b
- Goodman and Isaac 2008
- Goodman et al. 2007
- Goodman et al. 2008
- Goodman et al. 2009
- Goodman et al. 2013
- Goodear and Pianka 2011
- Goonewardene et al. 2003
- Gordon et al. 2010
- Goris and Maeda 2004
- Gorman and Harwood 1977
- Gorman and Stamm 1975
- Gorzula and Senaris 1999
- Gowande et al. 2016
- Goyannes-Araujo et al. 2009
- Graham 1975
- Graham 2012
- Graham and Marais 2007
- Graham and Schwartz 1978
- Granatosky and Krysko 2014
- Grandison 1961
- Grandison 1963
- Grandison 1972
- Grano and Cattaneo 2019a
- Grano and Cattaneo 2019b
- Grano et al. 2015
- Grant 1967
- Grant 2005
- Gomes, F. F. A., Caldas, F. L. S., dos Santos, R. A., da Silva, B. D., Santana, D. O., Rocha, S. M., Santana Ferreira, A. and Faria, R. G. 2015. Patterns of space, time and trophic resource use by *Tropidurus hispidus* and *T. semitaeniatus* in an area of Caatinga, northeastern Brazil. *Herpetological Journal* 25: 27-39.
- Gomez, J. M. D. 2007. Reptilia, Iguania, Liolaeminae, Liolaemus, Puna, Prepuña, and mountain ranges, northwestern Argentina. *Check List* 3: 105-118.
- Gomez, J. M. D. and Lobo, F. 2006. Historical biogeography of a clade of *Liolaemus* (Iguania: Liolaemidae) based on ancestral areas and dispersal-vicariance analysis (DiVA). *Papeis Avulsos de Zoologia* 46: 261-274.
- Gomez-Hoyos, D. A., Escobar-Lasso, S., Suarez-Joaqui, T. and Velasco, J. A. 2015. Predation on the bush anole *Polychrus gutturosus* by the parrot snake *Leptophis ahaetulla*, with a new record of the bush anole for the Gorgona island National Natural Park, Colombia. *Herpetology Notes*, 8: 297-301.
- Gomides, S. C. and Garcia, P. C. A. 2014. Gymnodactylus geckoides (naked toed gecko, lagartixa). Hatchling size/behaviour. *Herpetological Review* 45: 499.
- Goncalves, U., de Brito, P. S., Galdino, J. Y. and Torquato, S. 2012. Squamata, Gymnophthalmidae, Anotosaura vanzolinia Dixon, 1974: New records and geographic distribution map. *Checklist*, 8: 632-633.
- Goncalves, D. V., Pereira, P., Velo-Anton, G., Harris, D. J., Carranza, S. and Brito, J. C. 2018. Assessing the role of aridity-induced vicariance and ecological divergence in species diversification in North-West Africa using Agama lizards. *Biological Journal of the Linnean Society* 124: 363-380.
- Gontijo, A. S. B., Garcia, C. S., Righi, A. F. and Galdino, C. A. B. 2018. To warm on the rocks, to cool in the wind: Thermal relations of a small-sized lizard from a mountain environment. *Journal of Thermal Biology* 76: 52-57.
- Gonwouo, N. L., LeBreton, M., Wild C., Chirio, L., Ngassam, P. and Tchamba, N. M. 2006. Geographic and ecological distribution of the endemic montane chameleons along the Cameroon mountain range. *Salamandra*, 42: 209-226.
- Gonwouo, N. L., LeBreton, M., Chirio, L. Ineich, I. Tchamba, N. M. Ngassam, P. Dzikouk, G. Diffo, J. L. 2007. Biodiversity and conservation of the reptiles of the Mount Cameroon area. *African Journal of Herpetology* 56: 149-161.
- Gonzalez, C. A. and Lourdes, T. R-S. 2013. Breeding in captivity of *Gonatodes albogularis* fuscus Hallowell, 1855 (Squamata: Sphaerodactylidae) in Cuba. *Revista Colombiana de Ciencia Animal* 5: 145-149.
- Gonzalez, M., Lwin, K. S. and Vindum, J. V. 2005. New records for *Scincella victoriana* (Shreve, 1940) from the Chin Hills, Myanmar. *Proceedings of the California Academy of Sciences* 56: 391-392.
- Gonzalez, O. G. R., Brenis, A. E. L. and Arrazola, T. J. M. 2014. New distributional records of amphibians and reptiles from Northern Oaxaca, Mexico. *Check List* 10: 679-681.
- Gonzalez-Espinoza, J. E., Lemos-Espinal, J. A., Manriquez-Moran, N. L. and Woolrich-Pina, G. 2019. Reproductive cycle of the oviparous lizard *Sceloporus jalapae*, from Zapotitlan Salinas, Puebla, Mexico. *Acta Zoologica* 100: 36.
- Gonzalez-Gutierrez, P. A. 2014. Registros de *Liolaemus gravenhurstii* (Gray 1845) en zona urbana de Maipu y El Noviciado, Pudahuel. *Boletin Chileno de Herpetología* 1: 15-16.
- Gonzalez-Gutierrez, P. A. 2015. Distribución área de *Liolemus confusus* Núñez & Pincheira-Donoso 2006, un endémico especie del O'Higgins Region. *Boletin Chileno de Herpetología* 2: 20-21.
- Gonzalez-Porter, G. P., Mendez-De la Cruz, F. R., Vogt, R. C. and Campbell, J. 2015. Reproducción del escorpión verde *Abronia graminea* (Squamata: Anguidae) Cope 1864. *Revista Digital del Departamento El Hombre y su Medioambiente* 10: 1-10.
- Gonzalez-Sanchez, V. H., Johnson, J. D., Garcia-Padilla, E., Mata-Silva, V., DeSantis, D. L. and Wilson, L. D. 2017. The herpetofauna of the Mexican Yucatan Peninsula: composition, distribution, and conservation. *Mesoamerican Herpetology* 4: 264-380.
- Good, D. A. 1994. Species limits in the genus *Gerrhonotus* (Squamata: Anguidae). *Herpetological Monographs* 8: 180-202.
- Good, D. A. and Wiedenfeld, M. G. 1995. The holotype of the Texas alligator lizard, *Gerrhonotus infernalis* Baird (Squamata: Anguidae). *Journal of Herpetology* 29: 628-630.
- Goodman, B. A. 2004. Frugivory in the Black Mountain Rainbow-Skink, *Carlia scirtetis* (ingram and Covacevich 1980). *Memoirs of the Queensland Museum*, 49: 214.
- Goodman, B. A. 2006. Clutch traits in the skink *Carlia vivax*. *Herpetofauna* 36: 27-30.
- Goodman, B. A. 2006. Costs of reproduction in a tropical invariant-clutch producing lizard (*Carlia rubrigularis*). *Journal of Zoology* 270: 236-243.
- Goodman, B. A. 2006. Ctenotus spaldingi Nest site disturbance; hatching. *Herpetological Review* 37: 220-221.
- Goodman, B. A. 2006. The effects of maternal size on clutch traits in a tropical invariant-clutch lizard, *Carlia rubrigularis* (Scincidae). *Amphibia-Reptilia* 27: 505-511.
- Goodman, B. A. 2007. Divergent morphologies, performance and escape behaviour in two tropical rock-using lizards. *Biological Journal of the Linnean Society* 91: 85-98.
- Goodman, B. A. 2007. Microhabitat separation and niche overlap among five assemblages of tropical skinks. *Australian Journal of Zoology* 55: 15-27.
- Goodman, B. A. and Isaac, J. L. 2008. Convergent body flattening in a clade of tropical rock-using lizards (Scincidae: Lygosominae). *Biological Journal of the Linnean Society*, 94: 399-411.
- Goodman, B. A., Krockenberger, A. K. and Schwarzkopf, L. 2007. Master of them all: performance specialisation does not result in trade-offs in tropical lizards. *Evolutionary Ecology Research* 9: 527-546.
- Goodman, B. A., Miles, D. and Schwarzkopf, L. 2008. Life on the rocks: habitat use drives morphological and performance evolution in a clade of tropical lizards. *Ecology* 89: 3462-3471.
- Goodman, B. A., Hudson, S. C., Isaac, J. L. and Schwarzkopf, L. 2009. The evolution of body shape in response to habitat: is reproductive output reduced in flat lizards? *Evolution* 63: 1279-1291.
- Goodman, B. A., Schwarzkopf, L. and Krockenberger, A. K. 2013. Phenotypic integration in response to incubation environment adaptively influences habitat choice in a tropical lizard. *The American Naturalist*, 182: 666-673.
- Goodear, S. E. and Pianka, E. R. 2011. Spatial and temporal variation in diets of sympatric lizards (Genus *Ctenotus*) in the Great Victoria Desert, Western Australia. *Journal of Herpetology*, 45: 265-271.
- Goonewardene, S., Hawke, Z., Vanneck, V., Drion, A., de Silva, A., Jayaratne, R. and Perera, J. 2003. Diversity of Nilgala fire savannah, Sri Lanka: with special reference to its herpetofauna. *Report of Project Hoona – 2003*.
- Gordon, C. E., Dickman, C. R. and Thompson, M. B. 2010. Partitioning of temporal activity among desert lizards in relation to prey availability and temperature. *Austral Ecology* 35: 41-52.
- Goris, R. C. and Maeda, N. 2004. Guide to the amphibians and reptiles of Japan. Krieger Publications, Malabar, FL.
- Gorman, G. C. and Harwood, R. 1977. Notes on population density, vagility, and activity patterns of the Puerto Rican grass lizard, *Anolis pulchellus* (Reptilia, Lacertilia, Iguanidae). *Journal of Herpetology*, 11: 363-368.
- Gorman, G. C. and Stamm, B. 1975. The *Anolis* lizards of Mona, Redonda, and La Blanquilla: chromosomes, relationships, and natural history notes. *Journal of Herpetology* 9: 197-205.
- Gorzula, S. and Senaris, J. C. 1999. Contribution to the herpetofauna of the Venezuelan Guayana i. A data base. *Scientia Guaianae* 8: 1-270.
- Gowande, G., Mishra, A. and Mirza, Z. A. 2016. Neotype designation for *Calotes versicolor* Daudin, 1802 (Sauria: Agamidae) with notes on its systematics. *Zootaxa* 4126: 271-279.
- Goyannes-Araujo, P., Almeida-Gomes, M., Borges-Junior, V. N. T., Albuquerque, H. G., Vrcibradic, D. and Rocha, C. F. D. 2009. Reptilia, Polychrotidae, *Anolis fuscoauratus*: Distribution extension. *Check List* 5: 746-748.
- Graham, J. B. (ed.). 1975. The biological investigation of Malpelo island, Colombia. Smithsonian Contribution to Zoology, 176.
- Graham, S. P. 2012. The top end of down under: the amphibians and reptiles of Northern Territory, Australia. *IRCF Reptiles & Amphibians* 19: 14-41.
- Graham, A. and Marais, J. 2007. A guide to the reptiles of southern Africa. Struik, Cape Town.
- Graham, E. D. and Schwarts, A. 1978. Status of the name *Sphaerodactylus cinereus* Wagler and variation in "Sphaerodactylus stenorhynchus" Cochran. *Florida Scientist* 41: 243-251.
- Granatosky, M. C. and Krysko, K. L. 2014. Morphological variation in the Mediterranean house gecko (*Gekkonidae: Hemidactylus turcicus*) along geographical gradients in the southeastern United States. *Herpetological Conservation and Biology* 9: 535-542.
- Grandison, A. G. C. 1961. Preliminary notes on the taxonomy of *Tarentola annularis* and *T. ephippiata* (Sauria: Gekkonidae). *Zoologische Mededelingen* 38: 1-14.
- Grandison, A. G. C. and Soman, P. W. 1963. Description of a new geckonid lizard from Maharashtra, India. *Journal of Bombay Natural History Society* 60: 322-325.
- Grandison, A. G. C. 1972. The Gunung Benom Expedition 1967. 5. Reptiles and amphibians of Gunung Benom with a description of a new species of *Macrocalamus*. *Bulletin of the British Museum of Natural History (Zoology)* 23:
- Grano, M. and Cattaneo, C. 2019. First evidence for the snake-eyed skink *Ablepharus kitaibelii* (Bibron et Bory de Saint-Vincent, 1833) (Sauria: Scincidae) in Astypalea Island (Dodecanese, Greece). *Biodiversity Journal*, 10: 3-6.
- Grano, M. and Cattaneo, C. 2019. First record of the rough-tailed agama *Stellagama stellio* (Linnaeus, 1758) (Reptilia, Agamidae) from Karpathos Island (Dodecanese, Greece). *Parnassiana Archives* 7: 51-54.
- Grano, M., Cattaneo, C. and Cattaneo, A. 2015. First observations on the herpetological and theriological fauna of Alimia island (Rhodes Archipelago, Aegean Sea). *Biodiversity Journal*, 6: 73-78.
- Grant, P. R. 1967. Unusual feeding of lizards on an island. *Copeia*, 1967: 223-224.
- Grant, T. J. 2005. Flat-tailed horned lizards (*Phrynosoma mcallii*): population size estimation, effects of off-highway vehicles, and natural history. MSc. Thesis, Colorado State University, Fort Collins.

- Gras-Riedel 1993  
 Graves and Duvall 1995  
 Gray et al. 2019a  
 Gray et al. 2019b  
 Greckhamer 1995  
 Greenbaum 2005  
 Greenbaum and Carr 2005  
 Greenbaum et al. 2006  
 Greenbaum et al. 2007  
 Greenbaum et al. 2011  
 Greenbaum et al. 2012  
 Greenbaum et al. 2018  
 Greenberg 1983  
 Greene 1970  
 Greene et al. 2006  
 Greenhawk 2015  
 Greenville and Dickman 2005  
 Greer 1967a  
 Greer 1967b  
 Greer 1967c  
 Greer 1968  
 Greer 1970  
 Greer 1974  
 Greer 1976  
 Greer 1977a  
 Greer 1977b  
 Greer 1979  
 Greer 1980  
 Greer 1982a  
 Greer 1982b  
 Greer 1983  
 Greer 1989  
 Greer 1990  
 Greer 1991a  
 Greer 1991b  
 Greer 1992  
 Greer 1997a  
 Greer 1997b  
 Greer 2001  
 Greer 2002  
 Greer 2005  
 Greer 2007  
 Greer and Biswas 2004  
 Greer and Nussbaum 2000  
 Greer and Parker 1967a  
 Greer and Parker 1967b  
 Greer and Parker 1968a  
 Greer and Parker 1968b  
 Greer and Parker 1974  
 Greer and Parker 1979  
 Greer and Shea 2000  
 Greer and Shea 2003  
 Greer and Shea 2004  
 Greer and Simon 1982  
 Greer and Smith 2000  
 Greer and Wadsworth 2003
- Gras-Riedel, U. 1993. Nachzucht einer selten gehaltenen glasschleiche: *Ophisaurus ventralis* Linnaeus, 1766. *Salamandra*, 28: 161-170.  
 Graves, B. M. and Duval, D. 1995. Aggregation of squamate reptiles associated with gestation, oviposition, and parturition. *Herpetological Monographs*, 9: 102-119.  
 Gray, J. A., Hutchinson, M. N. and Jones, M. E. H. 2019. Exceptional disparity in Australian agamid lizards is a possible result of arrival into vacant niche. *The Anatomical Record* 302: 1536-1543.  
 Gray, J. A., Sherratt, E., Hutchinson, M. N. and Jones, M. E. 2019. Evolution of cranial shape in a continental-scale evolutionary radiation of Australian lizards. *Evolution* 73: 2216-2229.  
 Greckhamer, A. 1995. Bemerkungen zur haltung und zucht sowie zum verhalten von *Phelsuma comorensis* Boettger, 1913. In *Terrarium*. *Herpetofauna* 17: 6-16.  
 Greenbaum, E. 2005. Systematics of West African skinks in the *Chalcides thierryi* group: composition, distribution, and redescription of types. *African Journal of Herpetology* 54: 17-29.  
 Greenbaum, E. and Carr, J. L. 2005. The herpetofauna of Upper Niger National Park, Guinea, West Africa. *Scientific Papers of the Natural History Museum, University of Kansas* 37: 1-21.  
 Greenbaum, E., Campbell, A. C. and Raxworthy, C. J. 2006. A revision of sub-Saharan Chalcides (Squamata: Scincidae), with redescriptions of two East African species. *Herpetologica* 62: 71-89.  
 Greenbaum, E., Bauer, A. M. and Jackman, T. R. 2007. Homopholis and Blaesodactylus (Squamata: Gekkonidae) revisited: new insights from a molecular phylogeny. *African Journal of Herpetology*, 56: 101-114.  
 Greenbaum, E., Villanueva, C. O., Kusamba, C., Aristote, M. M. and Branch, W. R. 2011. A molecular phylogeny of Equatorial African Lacertidae, with the description of a new genus and species from eastern Democratic Republic of the Congo. *Zoological Journal of the Linnean Society*, 163: 913-942.  
 Greenbaum, E., Stanley, E. L., Kusamba, C., Moninga, W. M., Goldberg, S. R. and Bursey, C. R. 2012. A new species of *Cordylus* (Squamata: Cordylidae) from the Marungu Plateau of south-eastern Democratic Republic of the Congo. *African Journal of Herpetology*, 61: 14-39.  
 Greenbaum, E., Beer, S. D., Hughes, D. F., Wagner, P. Anderson, C. G., Villanueva, C. O., Malonza, P. K., Kusamba, C., Muninga, W. M., Aristote, M. M. and Branch, W. R. 2018. Phylogeography of Jackson's forest lizard *Adolfus jacksoni* (Sauria: Lacertidae) reveals cryptic diversity in the highlands of East Africa. *Herpetological Monographs*, 32: 51-68.  
 Greenberg, Z. 1983. Serpent by the roadside. *Hardun* 1: 23-30.  
 Greene, H. W. 1970. Modes of reproduction in lizards and snakes of the Gomez Farias region, Tamaulipas, Mexico. *Copeia* 1970: 565-568.  
 Greene, H. W., Rodriguez, J. J. S. and Powell, B. J. 2006. Parental behavior in anguid lizards. *South American Journal of Herpetology* 1: 9-19.  
 Greenhawk, N. 2015. Testing sustainable forestry methods in Puerto Rico: Does the presence of the introduced timber tree Blue Mahoe, *Talipariti elatum*, affect the abundance of *Anolis gundlachi*? *Herpetology Notes*, 8: 141-148.  
 Greenville, A. C. and Dickman, C. R. 2005. The ecology of *Lerista labialis* (Scincidae) in the Simpson Desert: reproduction and diet. *Journal of Arid Environments* 60: 611-625.  
 Greer, A. E. 1967. A new generic arrangement for some Australian scincid lizards. *Breviora* 267: 1-19.  
 Greer, A. E. 1967. The ecology and behavior of two sympatric *Lygodactylus* geckos. *Breviora* 268: 1-19.  
 Greer, A. E. 1967. The generic relationships of the African scincid genus *Eumecia*. *Breviora* 276: 1-9.  
 Greer, A. E. 1968. Clutch size in the scincid genus *Emoia*. *Copeia* 1968: 417-418.  
 Greer, A. E. 1970. The systematics and evolution of the Subsaharan Africa, Seychelles, and Mauritius scincine scincid lizards. *Bulletin of the Museum of Comparative Zoology* 140: 1-24.  
 Greer, A. E. 1974. The generic relationships of the scincid lizard genus *Leiolopisma* and its relatives. *Australian Journal of Zoology (Supplement)* 31: 1-67.  
 Greer, A. E. 1976. Notes on the systematics of the genus *Carlia* (Lacertilia: Scincidae). II. *Carlia peronii* (Dumeril and Bibron, 1839). *Herpetologica* 32: 371-377.  
 Greer, A. E. 1977. On the adaptive significance of the loss of an oviduct in reptiles. *Proceedings of the Linnean Society of New South Wales* 101: 242-249.  
 Greer, A. E. 1977. The systematics and evolutionary relationships of the scincid lizard genus *Lygosoma*. *Journal of Natural History* 11: 515-540.  
 Greer, A. E. 1979. A new species of *Lerista* (Lacertilia: Scincidae) from northern Queensland, with remarks on the origin of the genus. *Records of the Australian Museum* 32: 383-388.  
 Greer, A. E. 1980. A new species of *Morethia* (Lacertilia: Scincidae) from northern Australia, with comments on the biology and relationships of the genus. *Records of the Australian Museum* 33: 89-122.  
 Greer, A. E. 1982. A new species of *Geomyersia* (Scincidae) from the Admiralty islands, with a summary of the genus. *Journal of Herpetology* 16: 61-66.  
 Greer, A. E. 1982. A new species of *Leiolopisma* (Lacertilia: Scincidae) from Western Australia. *Records of the Australian Museum* 34: 549-573.  
 Greer, A. E. 1983. The Australian scincid lizard genus *Calyptotis* de Vis: resurrection of the name, description of four new species, and discussion of relationships. *Records of the Australian Museum* 35: 29-59.  
 Greer, A. E. 1989. The biology and evolution of Australian lizards. *Surrey Beatty and Sons, Chipping Norton, NSW*  
 Greer, A. E. 1990. The *Glyphyromorphus isolepis* species group (Lacertilia: Scincidae): diagnosis of the taxon and description of a new species from Timor. *Journal of Herpetology* 24: 372-377.  
 Greer, A. E. 1991. *Lankascincus*: a new genus of scincid lizards from Sri Lanka, with descriptions of three new species. *Journal of Herpetology* 25: 59-64.  
 Greer, A. E. 1991. Two new species of *Menetia* from northeastern Queensland, with comments on the generic diagnoses of *Lygisaurus* and *Menetia*. *Journal of Herpetology*, 25: 268-272.  
 Greer, A. E. 1992. Revision of the species previously associated with the Australian scincid lizard *Eulamprurus tenuis*. *Records of the Australian Museum* 44: 7-19.  
 Greer, A. E. 1997. A new species of *Lampropholis* (Squamata: Scincidae) with a restricted, high altitude distribution in eastern Australia. *Australian Zoologist* 30: 360-368.  
 Greer, A. E. 1997. *Leptoseps*: A new genus of scincid lizards from Southeast Asia. *Journal of Herpetology* 31: 393-398.  
 Greer, A. E. 2001. Distribution of maximum snout-vent length among species of scincid lizards. *Journal of Herpetology* 35: 383-395.  
 Greer, A. E. 2002. The loss of the external ear opening in scincid lizards. *Journal of Herpetology*, 36: 544-555.  
 Greer, A. E. 2005. *Encyclopedia of Australian reptiles*. Australian Museum Online <http://www.amonline.net.au/herpetology/research/encyclopedia.pdf> Version date: 5 August 2005.  
 Greer, A. E. 2007. The biology and evolution of scincid lizards. (online) Greer writes to quote as "whatever online source you have found it" - I got it from Academia.edu  
 Greer, A. E. and Biswas, S. 2004. A generic diagnosis for the Southeast Asian scincid lizard genus *Tropidophorus* Dumeril and Bibron, 1839 with some additional comments on its morphology and distribution. *Journal of Herpetology*,  
 Greer, A. E. and Nussbaum, R. A. 2000. New character useful in the systematics of the scincid lizard genus *Mabuya*. *Copeia*, 2000: 615-618.  
 Greer, A. E. and Parker, F. 1967. A second skink with fragmented head scales from Bougainville, Solomon Islands. *Breviora* 279: 1-12.  
 Greer, A. E. and Parker, F. A. 1967. New scincid lizard from the northern Solomon Islands. *Breviora* 275: 1-20.  
 Greer, A. E. and Parker, F. 1968. A new species of *Tribolodonotus* (Lacertilia: Scincidae) from Bougainville and Buka, Solomon Islands, with comments on the biology of the genus. *Breviora* 291: 1-23.  
 Greer, A. E. and Parker, F. 1968. *Geomyersia glabra*, a new genus and species of scincid lizard from Bougainville, Solomon Islands with comments on the relationship of some lygosomine genera. *Breviora* 302: 1-17.  
 Greer, A. E. and Parker, F. A. 1974. The fasciatus species group of *Sphenomorphus* (Lacertilia: Scincidae): notes on eight previously described species and descriptions of three new species. *Papua New Guinea Scientific Society*  
 Greer, A. E. and Parker, F. 1979. On the identity of the New Guinea scincid lizard *Lygosoma fragile* Macleay 1877, with notes on its natural history. *Journal of Herpetology*, 13: 221-225.  
 Greer, A. E. and Shea, G. 2000. A phylogenetically important lygosomine skink resurrected from taxonomic obscurity: *Lygosoma unilineatum* de Rooij, 1915. *Journal of Herpetology* 34: 85-91.  
 Greer, A. E. and Shea, G. 2003. Secondary temporal scale overlap pattern: A character of possible broad systematics importance in spheronimorphine skinks. *Journal of Herpetology*, 37: 545-549.  
 Greer, A. E. and Shea, G. 2004. A new character within the taxonomically difficult *Sphenomorphus* group of lygosomine skinks, with a description of a new species from New Guinea. *Journal of Herpetology* 38: 79-87.  
 Greer, A. E. and Simon, M. 1982. *Fojia bumui*, an unusual new genus and species of scincid lizard from New Guinea. *Journal of Herpetology* 16: 131-139.  
 Greer, A. E. and Smith, S. 2000. Aspects of the morphology and reproductive biology of the Australian earless dragon *Tympanocryptis tetrapora*. *Australian Zoologist*, 31: 55-70.  
 Greer, A. E. and Wadsworth, L. 2003. Body shape in skinks: The relationship between relative hind limb length and relative snout-vent length. *Journal of Herpetology* 37: 554-559.

- Greer and Whitaker 2002  
 Greer and Wilson 2001  
 Greer et al. 1985  
 Greer et al. 1998  
 Greer et al. 2004  
 Greer et al. 2005  
 Greer et al. 2006  
 Griffin 2002  
 Griffing et al. 2017  
 Griffing et al. 2018a  
 Griffing et al. 2018b  
 Griffis-Kyle et al. 2018  
 Griffith 1990  
 Griffith 1991  
 Grigg and Buckley 2013  
 Grillitsch and Cabela 1990  
 Grillitsch and Tiedemann 1984
- Grimm et al. 2014  
 Grimm-Seyfarth et al. 2017  
 Grimm-Seyfarth et al. 2018  
 Grimm-Seyfarth et al. 2019  
 Grimsley et al. 2019  
 Grisales-Martinez and Rendon-Valencia 2014  
 Grisales-Martinez and Rendon-Valencia 2019  
 Grisales-Martinez et al. 2017
- Grismer 1983  
 Grismer 1988  
 Grismer 1990  
 Grismer 1994  
 Grismer 1999a  
 Grismer 1999b  
 Grismer 2000  
 Grismer 2002  
 Grismer 2005  
 Grismer 2006a  
 Grismer 2006b  
 Grismer 2007  
 Grismer 2008a
- Grismer 2008b  
 Grismer 2011a  
 Grismer 2011b  
 Grismer and Ahmed 2008  
 Grismer and Das 2006  
 Grismer and Hollingsworth 2001  
 Grismer and Leong 2005  
 Grismer and McGuire 1996  
 Grismer and Mellink 1994  
 Grismer and Ngo 2007  
 Grismer and Onn 2008  
 Grismer and Onn 2010  
 Grismer and Ottley 1988  
 Grismer and Pan 2008  
 Grismer and Pauwels 2015  
 Grismer and Quah 2015  
 Grismer and Quah 2019
- Greer, A. E. and Whitaker, T. H. 2002. The relationship between mass and snout-vent length in the New Zealand tor- inhabiting skink *Oligosoma grande*. *Herpetological Review* 33: 170-171.  
 Greer, A. E. and Wilson, G. D. F. 2001. Comments on the scincid lizard genus *Ophiomorus* with a cladistic analysis of the species. *Hamadryad* 26: 261-271.  
 Greer, A. E., Grandison, A. G. C. and Barbul, R. 1985. A new species of *Lygosoma* (Lacertilia: Scincidae) from West Africa, with comments on its biology. *Journal of Herpetology* 19: 365-373.  
 Greer, A. E., Caputo, V., Lanza, B. and Palmieri, R. 1998. Observations on limb reduction in the scincid lizard Genus *Chalcides*. *Journal of Herpetology* 32: 244-252.  
 Greer, A. E., Fisher, A. and Horner, P. 2004. A new species of *Probablepharus* (Squamata: Scincidae) from the Northern Territory of Australia. *The Beagle* 20: 199-205.  
 Greer, A. E., Allison, A. and Cogger, H. G. 2005. Four new species of *Lobulia* (Lacertilia: Scincidae) from high altitude in New Guinea. *Herpetological Monographs* 19: 153-179.  
 Greer, A. E., David, P. and Teynie, A. 2006. The southeast Asian scincid lizard *Siaphos tridigitus* Bourret, 1939 (Reptilia, Scincidae): a second specimen. *Zoosystema* 28: 785-790.  
 Griffin, M. 2002. Annotated checklist and provisional conservation status of Namibian reptiles. Technical Reports of Scientific Services Nr. 1, Ministry of Environment and Tourism, Windhoek.  
 Griffing, A. H., Campbell, P. D., Wilson, B. S. and Bauer, A. M. 2017. Aristelliger praesignis (Jamaican croaking lizard). Maximum size. *Herpetological Review* 48: 184-185.  
 Griffing, A. H., Daza, J. D., DeBoer, J. C. and Bauer, A. M. 2018. Developmental osteology of the parfrontal bones of the Sphaerodactylidae. *The Anatomical Record* 301: 581-606.  
 Griffing, A. H., Sanger, T. J., Matamoros, I. C., Nielsen, S. V. and Gamble, T. 2018. Protocols for husbandry and embryo collection of a parthenogenetic gecko, *Lepidodactylus lugubris* (Squamata: Gekkonidae). *Herpetological Griffis-Kyle, K. L., Mougey, K., Vanlandeghem, M., Swain, S. and Drake, J. C. 2018. Comparison of climate vulnerability among desert herpetofauna. *Biological Conservation*, 225: 164-175.*  
 Griffith, H. 1990. Miniaturization and elongation in *Eumeces* (Sauria: Scincidae). *Copeia*, 1990: 751-758.  
 Griffith, H. 1991. Heterochrony and evolution of sexual dimorphism in the fasciatus group of the scincid genus *Eumeces*. *Journal of Herpetology*, 25: 24-30.  
 Grigg, J. W. and Buckley, L. B. 2013. Conservatism of lizard thermal tolerances and body temperatures across evolutionary history and geography. *Biology Letters* 9: 20121056.  
 Grillitsch, H. and Cabela, A. 1990. Zum Systematischen Status der Blindschleichen (Squamata: Anguidae) der Peloponnes und der südlichen ionischen inseln. *Herpetozoa* 2: 131-153.  
 Grillitsch, H. and Tiedemann, F. 1984. Zur Herpetofauna der griechischen inseln Kea, Spanoupoli, Kithnos, Sifnos, Kitriani (Kykladen), Alonissos und Piperi (Nordliche Sporaden). *Annalen des Naturhistorischen Museums in Wien Serie B Botanik und Zoologie* 86: 7-28.  
 Grimm, A., Ramirez, A. M. P., Moullerat, S., Reynaud, J. and Henle, K. 2014. Life-history trait database of European reptile species. *Nature Conservation* 9: 45-67.  
 Grimm-Seyfarth, A., Mihoub, J.-B. and Henle, K. 2017. Too hot to die? The effects of vegetation shading on past, present, and future activity budgets of two diurnal skinks from arid Australia. *Ecology and Evolution* 7: 6803-6813.  
 Grimm-Seyfarth, A., Mihoub, J. B., Gruber, B. and Henle, K. 2018. Some like it hot: from individual to population responses of an arboreal arid-zone gecko to local and distant climate. *Ecological Monographs* 88: 336-352.  
 Grimm-Seyfarth, A., Mihoub, J. B. and Henle, K. 2019. Functional traits determine the different effects of prey, predators, and climatic extremes on desert reptiles. *Ecosphere*, 10: e02865.  
 Grimsley, A. A., Leavitt, D. J. and Ingraldi, M. F. 2019. Range-wide flat-tailed horned lizard population viability analysis. *Arizona Game and Fish Department*, Phoenix, Arizona, USA.  
 Grisales-Martinez, F. and Rendon-Valencia, B. 2014. *Cnemidophorus lemniscatus* (Linnaeus 1758). Catalogo de Anfibios y Reptiles de Colombia 2: 43-50.  
 Grisales-Martinez, F. A. and Rendon-Valencia, B. 2019. Registro del gecko caribenno *Sphaerodactylus homolepis* Cope, 1886 (Squamata: Sphaerodactylidae) en Colombia. *Cuadernos de Herpetología* 33: 41-43.  
 Grisales-Martinez, F. A., Velasco, J. A., Bolivar, W., Williams, E. E. and Daza, J. M. 2017. The taxonomic and phylogenetic status of some poorly known *Anolis* species from the Andes of Colombia with the description of a nomen nudum taxon. *Zootaxa* 4303: 213-230.  
 Grismer, L. L. 1983. A reevaluation of the North American gekkonid genus *Anarbylus* Murphy and its cladistic relationships to *Coleonyx* Gray. *Herpetologica*, 39: 394-399.  
 Grismer, L. L. 1988. Phylogeny, taxonomy, classification, and biogeography of eublepharid geckos. In: Estes, R. & Pregill, G. (Eds.), *Phylogenetic Relationships of the Lizard Families*. Stanford University Press, Stanford, California, Grismer, L. L. 1990. *Coleonyx switaki*. Catalogue of American Amphibians and Reptiles 464: 1-2.  
 Grismer, L. L. 1994. Three new species of intertidal side-blotched lizards (genus *Uta*) from the Gulf of California, Mexico. *Herpetologica* 50: 451-474.  
 Grismer, L. L. 1999. An evolutionary classification of reptiles on islands in the Gulf of California, Mexico. *Herpetologica* 55: 446-469.  
 Grismer, L. L. 1999. Phylogeny, taxonomy, and biogeography of *Cnemidophorus hyperythrus* and *C. ceralbensis* (Squamata: Teiidae) in Baja California, Mexico. *Herpetologica* 55: 28-42.  
 Grismer, L. L. 2000. *Goniurosaurus murphyi* Orlov & Darevsky: a junior synonym of *Goniurosaurus lichtenfelderi* Mocquard. *Journal of Herpetology* 34: 486-488.  
 Grismer, L. L. 2002. Amphibians and reptiles of Baja California including its Pacific islands and the islands in the Sea of Cortes. University of California Press, Berkeley.  
 Grismer, L. L. 2005. New species of bent-toed gecko (*Cyrtodactylus* Gray 1827) from Pulau Aur, Johor, West Malaysia. *Journal of Herpetology*, 39: 424-432.  
 Grismer, L. L. 2006. Slender toes in southern Malaysia. *Iguana* 13: 3-6.  
 Grismer, L. L. 2006. Two new species of skinks (Genus *Sphenomorphus* Fitzinger 1843) from the Seribuat Archipelago. *Herpetological Natural History* 9: 151-162.  
 Grismer, L. L. 2007. A new species of small montane forest floor skink (genus *Sphenomorphus* Fitzinger 1843) from southern peninsular Malaysia. *Herpetologica*, 63: 544-551.  
 Grismer, L. L. 2008. A new species of insular skink (Genus *Sphenomorphus* Fitzinger 1843) from the Langkawi Archipelago, Kedah, West Malaysia with the first report of the herpetofauna of Pulau Singa Besar and an updated checklist of the herpetofauna of Pulau Langkawi. *Zootaxa* 1691: 53-66.  
 Grismer, L. L. 2008. A revised and updated checklist of the lizards of Peninsular Malaysia. *Zootaxa* 1860: 28-34.  
 Grismer, L. L. 2011. Amphibians and reptiles of the Seribuat Archipelago (Peninsular Malaysia) - a field guide. Edition Chimaira, Frankfurt am Main.  
 Grismer, L. L. 2011. Lizards of Peninsular Malaysia, Singapore and their adjacent archipelagos. Edition Chimaira, Frankfurt am Main.  
 Grismer, L. L. and Ahmed, N. 2008. A new insular species of *Cyrtodactylus* (Squamata: Gekkonidae) from the Langkawi Archipelago, Kedah, Peninsular Malaysia. *Zootaxa* 1924: 53-68.  
 Grismer, L. L. and Das, I. 2006. A new species of gekkonid lizard of the genus *Cnemaspis* Strauch 1887 from Pulau Pemanggil, Johor, West Malaysia. *Herpetological Natural History* 10: 1-7.  
 Grismer, L. L. and Hollingsworth, B. D. 2001. A taxonomic review of the endemic alligator lizard *Elgaria paucicarinata* (Anguidae: Squamata) of Baja California, Mexico with a description of a new species. *Herpetologica* 57: 488-496.  
 Grismer, L. L. and Leong, T. M. 2005. New species of *Cyrtodactylus* (Squamata: Gekkonidae) from southern Peninsular Malaysia. *Journal of Herpetology* 39: 584-591.  
 Grismer, L. L. and McGuire, J. A. 1996. The systematics, classification, and biogeography of the *Sceloporus magister* complex. *Herpetologica* 52: 416-427.  
 Grismer, L. L. and Mellink, E. 1994. The addition of *Sceloporus occidentalis* to the herpetofauna of isla de Cedros, Baja California, Mexico and its historical and taxonomic implications. *Journal of Herpetology* 28: 120-126.  
 Grismer, L. L. and Ngo, V. T. 2007. Four new species of the gekkonid genus *Cnemaspis* Strauch 1887 (Reptilia: Squamata) from southern Vietnam. *Herpetologica*, 63: 482-500.  
 Grismer, L. L. and Onn, C. K. 2008. A new species of *Cnemaspis* Strauch 1887 (Squamata: Gekkonidae) from Pulau Perhentian Besar, Terengganu, Peninsular Malaysia. *Zootaxa* 1771: 1-15.  
 Grismer, L. L. and Onn, C. K. 2010. Another new rock gecko (genus *Cnemaspis* Strauch 1887) from Pulau Langkawi, Kedah, Peninsular Malaysia. *Zootaxa*, 2419: 51-62.  
 Grismer, L. L. and Ottley, J. R. 1988. A preliminary analysis of geographic variation in *Coleonyx switaki* (Squamata: Eublepharidae) with a description of an insular subspecies. *Herpetologica*, 44: 143-154.  
 Grismer, L. L. and Pan, K. A. 2008. Diversity, endemism, and conservation of the amphibians and reptiles of southern Peninsular Malaysia and its offshore islands. *Herpetological Review*, 39: 270-281.  
 Grismer, L. L. and Pauwels, O. S. G. 2015. Book review: A field guide to the reptiles of thailand. *Herpetological Review*, 46: 456-459.  
 Grismer, L. L. and Quah, E. S. H. 2015. The rediscovery of *Sphenomorphus malayanus* Doria, 1888 (Squamata: Scincidae) from the Titiwangsa Mountain Range of Peninsular Malaysia and its re-description as *S. senja* sp. nov. *Zootaxa* 3580: 1-12.  
 Grismer, L. L. and Quah, E. S. H. 2019. An updated and annotated checklist of the lizards of Peninsular Malaysia, Singapore, and their adjacent archipelagos. *Zootaxa* 4545: 230-248.

- Grismer et al. 1994 Grismer, L. L., Ota, H. and Tanaka, S. 1994. Phylogeny, classification, and biogeography of *Goniurosaurus kuroiwae* (Squamata: Eublepharidae) from the Ryukyu Archipelago, Japan, with description of a new subspecies. *Zoological Science*, 11: 319-335.
- Grismer et al. 1995 Grismer, L. L., Beaman, K. R. and Lawler, H. E. 1995. *Sauromalus hispidus*. Catalogue of American Amphibians and Reptiles 615: 1-4.
- Grismer et al. 1999 Grismer, L. L., Viets, B. E. and Boyle, L. J. 1999. Two new continental species of *Goniurosaurus* (Squamata: Eublepharidae) with a phylogeny and evolutionary classification of the genus. *Journal of Herpetology*, 33: 382-393.
- Grismer et al. 2001 Grismer, L. L., Grismer, L. L., Marson, K. M., Matteson, A. B., Sihotang, E. J. R., Crane, K. M., Dayov, J., Mayer, T. A., Simpson, A-L. and Kaiser, H. 2001. New herpetological records for the islas de la Bahia, Honduras. *Herpetological Review*, 32: 134-135.
- Grismer et al. 2002 Grismer, L. L., McGuire, J. A., Sosa, R. A. and Kaiser, H. 2002. Revised checklist and comments on the terrestrial herpetofauna of Pulau Tioman, Peninsular Malaysia. *Herpetological Review* 33: 26-29.
- Grismer et al. 2003 Grismer, L. L., Leong, T. M. and Yaakob, N. S. 2003. Two new southeast Asian skinks of the genus *Larutia* and intrageneric phylogenetic relationships. *Herpetologica*: 59: 552-564.
- Grismer et al. 2007 Grismer, L. L., Chav, T., Neang, T., Wood, P. L., Grismer, J. L., Youmans, T. M., Ponce, A., Daltry, J. C. and Kaiser, H. 2007. The herpetofauna of the Phnom Aural Wildlife Sanctuary and checklist of the herpetofauna of the Cardamom Mountains, Cambodia. *Hamadryad*, 31: 216-241.
- Grismer et al. 2008a Grismer, L. L., Grismer, J. L., Wood, P. L. and Onn, C. K. 2008. The distribution, taxonomy, and redescription of the geckos *Cnemaspis affinis* (Stoliczka 1887) and *C. flavolineata* (Nicholls 1949) with descriptions of a new montane species and two new lowland, karst-dwelling species from Peninsular Malaysia. *Zootaxa* 1931: 1-24.
- Grismer et al. 2008b Grismer, L. L., Neang, T., Chav, T., Wood, P. L., Oaks, J. R., Holden, J., Grismer, J. L., Szutz, T. R. and Youmans, T. M. 2008. Additional amphibians and reptiles from the Phnom Samkos Wildlife Sanctuary in Northwestern Cardamom Mountains, Cambodia, with comments on their taxonomy and the discovery of three new species. *Raffles Bulletin of Zoology* 56: 161-175.
- Grismer et al. 2008c Grismer, L. L., Onn, C. K., Grismer, J. L., Wood, P. L. and Belabut, D. 2008. Three new species of *Cyrtodactylus* (Squamata: Gekkonidae) from Peninsular Malaysia. *Zootaxa* 1921: 1-23.
- Grismer et al. 2008d Grismer, L. L., Onn, C. K., Nasir, N. and Sumontha, M. 2008. A new species of karst dwelling gecko (genus *Cnemaspis* Strauch 1887) from the border region of Thailand and Peninsular Malaysia. *Zootaxa*, 1875: 51-68.
- Grismer et al. 2008e Grismer, L. L., Thy, N., Thou, C. and Grismer, J. L. 2008. Checklist of the amphibians and reptiles of the Cardamom region of southwestern Cambodia. *Cambodian Journal of Natural History* 2008: 12-28.
- Grismer et al. 2009a Grismer, L. L., Ahmad, N. and Onn, C. K. 2009. A new, diminutive, upland *Sphenomorphus* Fitzinger 1843 (Squamata: Scincidae) from the Belum-Temengor forest complex, Peninsular Malaysia. *Zootaxa*, 2312: 27-38.
- Grismer et al. 2009b Grismer, L. L., Ahmad, N., Onn, C. K., Belabut, D., Muin, M. A., Wood, P. L. and Grismer, J. L. 2009. Two new diminutive species of *Cnemaspis* Strauch 1887 (Squamata: Gekkonidae) from Peninsular Malaysia. *Zootaxa* 2019: 40-
- Grismer et al. 2009c Grismer, L. L., Wood, P. L. and Grismer, J. L. 2009. A new insular species of skink of the genus *Sphenomorphus* Strauch 1887 (Squamata: Scincidae) from Pulau Perhentian Besar, Terengganu, Peninsular Malaysia. *Tropical Life Sciences Research*, 20: 51-69.
- Grismer et al. 2010a Grismer, L. L., Onn, C. K., Grismer, J. L., Wood, P. L. and Norhayati, A. 2010. A checklist of the herpetofauna of the Banjaran Bintang, Peninsular Malaysia. *Russian Journal of Herpetology* 17: 147-160.
- Grismer et al. 2010b Grismer, L. L., Onn, C. K., Quah, E., Muin, M. A., Savage, A. E., Grismer, J. L., Ahmad, N., Greer, L. F. and Remegio, A-C. 2010. Another new, diminutive rock gecko (*Cnemaspis* Strauch) from Peninsular Malaysia and a discussion of resource partitioning in sympatric species pairs. *Zootaxa* 2569: 55-66.
- Grismer et al. 2010c Grismer, L. L., Sumontha, M., Cota, M., Grismer, J. L., Wood, P. L., Pauwels, O. S. G. and Kunya, K. 2010. A revision and redescription of the rock gecko *Cnemaspis siamensis* (Taylor 1925) (Squamata: Gekkonidae) from Peninsular Thailand with descriptions of seven new species. *Zootaxa* 2576: 1-55.
- Grismer et al. 2010d Grismer, L. L., Tri, N. V. and Grismer, J. L. 2010. A colorful new species of insular rock gecko (*Cnemaspis* Strauch 1887) from southern Vietnam. *Zootaxa* 2352: 46-58.
- Grismer et al. 2011 Grismer, L. L., Grismer, J. L., Wood, P. L., Ngo, V. T., Neang, T. and Chan, K. O. 2011. Herpetology on the fringes of the Sunda Shelf: a discussion of discovery, taxonomy, and biogeography. *Bonner Zoologische Monographien* 57:
- Grismer et al. 2012a Grismer, L. L., Wood, P. L. and Lim, K. K. P. 2012. *Cyrtodactylus majulah*, a new species of bent-toed gecko (Reptilia: Squamata: Gekkonidae) from Singapore and the Riau Archipelago. *Raffles Bulletin of Zoology* 60: 487-499.
- Grismer et al. 2012b Grismer, L. L., Wood, P. L., Quah, E. S. H., Anuar, S., Muin, M. A., Sumontha, M., Ahmad, N., Bauer, A. M., Wangkulangkul, S., Grismer, J. L. and Pauwels, O. S. G. 2012. A phylogeny and taxonomy of the Thai-Malay Peninsula Bent-toed Geckos of the *Cyrtodactylus pulchellus* complex (Squamata: Gekkonidae): combined morphological and molecular analyses with descriptions of seven new species. *Zootaxa* 3520: 1-55.
- Grismer et al. 2013a Grismer, L. L., Anuar, S., Muin, M. A., Quah, E. S. H. and Wood, P. L. 2013. Phylogenetic relationships and description of a new upland species of Bent-toed Gecko (*Cyrtodactylus* Gray, 1827) of the *C. sworderi* complex from northeastern Peninsular Malaysia. *Zootaxa* 3616: 239-252.
- Grismer et al. 2013b Grismer, L. L., Wood, P. L., Anuar, S., Muin, M. A., Quah, E. S. H., McGuire, J. A., Brown, R. M., Tri, N. V. and Thai, P. H. 2013. Integrative taxonomy uncovers high levels of cryptic species diversity in *Hemiphyllodactylus* Bleeker, 1860 (Squamata: Gekkonidae) and the description of a new species from Peninsular Malaysia. *Zoological Journal of the Linnean Society*, 169: 849-880.
- Grismer et al. 2013c Grismer, L. L., Wood, P. L., Mohamed, M., Chan, K. O., Heinz, H. M., Sumarli, A. S.-i., Chan, J. A. and Loredo, A. I. 2013. A new species of karst-adapted *Cnemaspis* Strauch, 1887 (Squamata: Gekkonidae) from a threatened karst region in Pahang, Peninsular Malaysia. *Zootaxa* 3746: 463-472.
- Grismer et al. 2014a Grismer, L. L., Belabut, D. M., Quah, E. S. H., Onn, C. K., Wood, P. L. and Hasim, R. 2014. A new species of karst forest-adapted Bent-toed Gecko (genus *Cyrtodactylus* Gray, 1827) belonging to the *C. sworderi* complex from a threatened karst forest in Perak, Peninsular Malaysia. *Zootaxa* 3755: 434-446.
- Grismer et al. 2014b Grismer, L. L., Wood, P. L. and Cota, M. 2014. A new species of *Hemiphyllodactylus* Bleeker, 1860 (Squamata: Gekkonidae) from northwestern Thailand. *Zootaxa* 3760: 67-78.
- Grismer et al. 2014c Grismer, L. L., Wood, P. L., Ahmad, A. B., Sumarli, A. S.-i., Vazquez, J. J., ismail, L. H. B., Nance, R., Mohd-Amin, M. A. B., Othman, M. N. A. B., Rizajessika, S. A., Kuss, M., Murdoch, M. and Cobos, A. 2014. A new species of insular Rock Gecko (Genus *Cnemaspis* Strauch, 1887) from the Bidong Archipelago, Terengganu, Peninsular Malaysia. *Zootaxa* 3755: 447-456.
- Grismer et al. 2014d Grismer, L. L., Wood, P. L., Anuar, S., Quah, E. S. H., Muin, M. A., Mohamed, M., Onn, C. K., Sumarli, A. X., Loredo, A. I. and Heinz, H. M. 2014. The phylogenetic relationships of three new species of the *Cyrtodactylus pulchellus* complex (Squamata: Gekkonidae) from poorly explored regions in northeastern Peninsular Malaysia. *Zootaxa* 3786: 359-381.
- Grismer et al. 2014e Grismer, L. L., Wood, P. L., Anuar, S., Riyanto, A., Ahmad, N., Muin, M. A., Sumontha, M., Grismer, J. L., Onn, C. K., Quah, E. S. H. and Pauwels, O. S. A. 2014. Systematics and natural history of Southeast Asian Rock Geckos (genus *Cnemaspis* Strauch, 1887) with descriptions of eight new species from Malaysia, Thailand, and Indonesia. *Zootaxa* 3880: 1-147.
- Grismer et al. 2015a Grismer, L. L., Wood, P. L., Anuar, S., Quah, E. S. H., Muin, M. A., Onn, C. K., Sumarli, A. X. and Loredo, A. I. 2015. Repeated evolution of sympatric, palaeoendemic species in closely related, co-distributed lineages of *Hemiphyllodactylus* Bleeker, 1860 (Squamata: Gekkonidae) across a sky-island archipelago in Peninsular Malaysia. *Zoological Journal of the Linnean Society*, 174: 859-876.
- Grismer et al. 2015b Grismer, L. L., Wood, P. L., Lee, C. H., Quah, E. S. H., Anuar, S., Ngadi, E. and Sites, J. W. 2015. An integrative taxonomic review of the agamid genus *Bronchocela* (Kuhl, 1820) from Peninsular Malaysia with descriptions of new montane and insular endemics. *Zootaxa* 3948: 1-23.
- Grismer et al. 2015c Grismer, L. L., Wood, P. L., Quah, E. S. H., Anuar, S., Ngadi, E. and Ahmad, N. 2015. A new insular species of Rock Gecko (*Cnemaspis* Boulenger) from Pulau Langkawi, Kedah, Peninsular Malaysia. *Zootaxa* 3985: 203-218.
- Grismer et al. 2015d Grismer, L. L., Wood, P. L., Tri, N. V. and Murdoch, M. L. 2015. The systematics and independent evolution of cave ecomorphology in distantly related clades of Bent-toed Geckos (Genus *Cyrtodactylus* Gray, 1827) from the Mekong Delta and islands in the Gulf of Thailand. *Zootaxa* 3980: 106-126.
- Grismer et al. 2016a Grismer, L. L., Muin, M. A., Wood, P. L., Anuar, S. and Linkem, C. W. 2016. The transfer of two clades of Malaysian *Sphenomorphus* Fitzinger (Squamata: Scincidae) into the genus *Typhoscincus* Linkem, Diesmos, & Brown and the description of a new Malaysian swamp-dwelling species. *Zootaxa* 4092: 231-242.
- Grismer et al. 2016b Grismer, L. L., Quah, E. S. H., Wood, P. L., Anuar, S., Muin, A., Davis, H. R., Murdoch, M. L., Grismer, J. L., Cota, M. and Cobos, A. J. 2016. Dragons in the mist: three new species of *Pseudocalotes* Fitzinger (Squamata: Agamidae) from the sky island archipelago of Peninsular Malaysia. *Zootaxa* 4136: 461-490.
- Grismer et al. 2016c Grismer, L. L., Wood, P. L., Anuar, S., Davis, H. R., Cobos, A. J. and Murdoch, M. L. 2016. A new species of karst forest Bent-toed Gecko (genus *Cyrtodactylus* Gray) not yet threatened by foreign cement companies and a summary of Peninsular Malaysia's endemic karst forest herpetofauna and the need for its conservation. *Zootaxa* 4061: 1-17.

- Grismer et al. 2016d Grismer, L. L., Wood, P. L., Anuar, S., Grismer, M. S., Quah, E. S. H., Murdoch, M. L., Muin, M. A., Davis, H. R., Aguilar, C., Klabacka, R., Cobos, A. J., Aowphol, A. and Sites, J. W. 2016. Two new Bent-toed Geckos of the Cyrtodactylus pulchellus complex from Peninsular Malaysia and multiple instances of convergent adaptation to limestone forest ecosystems. *Zootaxa* 4105: 401-429.
- Grismer et al. 2016e Grismer, L. L., Wood, P. L., Aowphol, A., Cota, M., Murdoch, M. L., Aguilar, C. and Grismer, M. S. 2016. Taxonomy, phylogeny, and distribution of *Bronchocela rayaensis* (Squamata: Agamidae) on the Thai-Malay Peninsula.
- Grismer et al. 2016f Grismer, L. L., Wood, P. L., Syafiq, M. F., Badli-Sham, B. H., Rizal, S. A., Ahmad, A. B. and Quah, E. S. H. 2016. On the taxonomy and phylogeny of the skinks *Lipinia sekayuensis* Grismer, ismail, Awang, Rizal, & Ahmad and *Lipinia surda* Boulenger from Peninsular Malaysia. *Zootaxa* 4147: 59-66.
- Grismer et al. 2017a Grismer, L. L., Wood, P. L., Quah, E. S. H., Anuar, S., Ngadi, E. B., izam, N. A. M. and Ahmad, N. 2017. Systematics, ecomorphology, cryptic speciation and biogeography of the lizard genus *Typhloscincus Linkem*, Diesmos & Brown (Squamata: Scincidae) from the skyisland archipelago of Peninsular Malaysia. *Zoological Journal of the Linnean Society*, 183: 635-671.
- Grismer et al. 2017b Grismer, L. L., Wood, P. L., Thura, M. K., Zin, T., Quah, E. S. H., Murdoch, M. L., Grismer, M. S., Li, A., Kyaw, H. and Lwin, N. 2017. Phylogenetic taxonomy of *Hemiphyllodactylus Bleeker*, 1860 (Squamata: Gekkonidae) with descriptions of three new species from Myanmar. *Journal of Natural History* 52: 881-915.
- Grismer et al. 2018a Grismer, L. L., Quah, E. S., Duzulkafly, Z. and Yambun, P. 2018. On the taxonomy of *Lygosoma bampfyldi* Bartlett, 1895 (Squamata: Scincidae) with descriptions of new species from Borneo and Peninsular Malaysia and the resurrection of *Lygosoma schneideri* Werner, 1900. *Zootaxa*, 4438: 528-550.
- Grismer et al. 2018b Grismer, L. L., Wood, P. L., Ahmad, A. B., Baizul-Hafsyam, B. S., Afiq-Shuhaimi, M., Rizal, S. A. and Quah, E. S. H. 2018. Two new *Typhloscincus Linkem*, Diesmos, & Brown (Squamata; Scincidae) from Peninsular Malaysia and another case of microsyntopy between ecologically specialized, unrelated, leaf-litter species. *Zootaxa* 4425: 87-107.
- Grismer et al. 2018c Grismer, L. L., Wood, P. L., Quah, E. S. H., Murdoch, M. L., Grismer, M. S., Herr, M. W., Espinoza, R. E., Brown, R. M. and Lin, A. 2018. A phylogenetic taxonomy of the Cyrtodactylus peguensis group (Reptilia: Squamata: Gekkonidae) with descriptions of two new species from Myanmar. *PeerJ* 6: e5575.
- Grismer et al. 2018d Grismer, L. L., Wood, P. L., Thura, M. K., Grismer, M. S., Brown, R. M. and Stuart, B. L. 2018. Geographically structured genetic variation in *Ptychozoon lionotum* (Squamata: Gekkonidae) and a new species from an isolated volcano in Myanmar. *Zootaxa* 4514: 202-214.
- Grismer et al. 2018e Grismer, L. L., Wood, P. L., Thura, M. K., Quah, E. S. H., Grismer, M. S., Murdoch, M. L., Espinoza, R. E. and Lin, A. 2018. A new Cyrtodactylus Gray, 1827 (Squamata: Gekkonidae) from the Shan Hills and the biogeography of Bent-toed Geckos from eastern Myanmar. *Zootaxa* 4446: 477-500.
- Grismer et al. 2018f Grismer, L. L., Wood, P. L., Thura, M. K., Quah, E. S. H., Murdoch, M. L., Grismer, M. S., Herr, M. W., Lin, A. and Kyaw, H. 2018. Three more new species of Cyrtodactylus (Squamata: Gekkonidae) from the Salween Basin of eastern Myanmar underscore the urgent need for the conservation of karst habitats. *Journal of Natural History*, 52: 1243-1294.
- Grismer et al. 2018g Grismer, L. L., Wood, P. L., Thura, M. K., Win, N. M., Grismer, M. S., Trueblood, L. A.. and Quah, E. S. H. 2018. A re-description of Cyrtodactylus chrysopylos Bauer (Squamata: Gekkonidae) with comments on the adaptive significance of orange coloration in hatchlings and descriptions of two new species from eastern Myanmar (Burma). *Zootaxa* 4527: 151-185.
- Grismer et al. 2018h Grismer, L. L., Wood, P. L., Thura, M. K., Zin, T., Quah, E. S. H., Murdoch, M. L., Grismer, M. S., Lin, A., Kyaw, H. and Lwin, N. 2018. Twelve new species of Cyrtodactylus Gray (Squamata: Gekkonidae) from isolated limestone habitats in east-central and southern Myanmar demonstrate high localized diversity and unprecedented microendemism. *Zoological Journal of the Linnean Society* 182: 862-959.
- Grismer et al. 2018i Grismer, L. L., Wood, P. L., Zug, G. R., Thura, M. K., Grismer, M. S., Murdoch, M. L., Quah, E. S. H. and Lin, A. 2018. Two more new species of *Hemiphyllodactylus Bleeker* (Squamata: Gekkonidae) from the Shan Hills of eastern Myanmar (Burma). *Zootaxa* 4483: 295-316.
- Grismer et al. 2019a Grismer, L. L., Dzukafly, Z., Muin, M. A., Quah, E. S. H., Karin, B. K., Anuar, S. and Freitas, E. S. 2019. A new skink of the genus *Subdoluseps* (Hardwicke & Gray, 1828) from Peninsular Malaysia. *Zootaxa* 4609: 358-372.
- Grismer et al. 2019b Grismer, L. L., Quah, E. S., Thura, M. K., Oaks, J. R. and Lin, A. 2019. A new species of bent-toed gecko (Squamata, Gekkonidae, Cyrtodactylus) from the Shan Plateau in eastern Myanmar (Burma). *Zootaxa*, 4624: 301-321.
- Grismer et al. 2019c Grismer, L. L., Wood, P. L., Grismer, J. L., Quah, E. S. H., Thy, N., Phimachak, S., Sivongxay, N., Seateun, S., Stuart, B. L., Siler, C. B., Mulcahy, D. G., Anamiza, T. and Brown, R. M. 2019. Geographic structure of genetic variation in the Parachute Gecko *Ptychozoon lionotum* Annandale, 1905 across Indochina and Sundaland with descriptions of three new species. *Zootaxa* 4638: 151-198.
- Grismer et al. 2019d Grismer, L. L., Wood, P. L., Quah, E. S. H., Anuar, S., Poyarkov, N. A., Thy, N., Orlov, N. L., Thammachoti, P. and Seiha, H. 2019. Integrative taxonomy of the Asian skinks *Sphenomorphus stellatus* (Boulenger, 1900) and *S. praesignis* (Boulenger, 1900) with the resurrection of *S. annamicus* (Boettger, 1901) and the description of a new species from Cambodia. *Zootaxa* 4683: 381-411.
- Grismer et al. 2019e Grismer, L. L., Wood, P. L., Quah, E. S. H., Thura, M. K., Herr, M. W. and Lin, A. K. 2019. A new species of forest-dwelling Cyrtodactylus Gray (Squamata: Gekkonidae) from the Indawgyi Wildlife Sanctuary, Kachin State, Myanmar. *Zootaxa* 4623: 1-25.
- Grismer et al. 2019f Grismer, L. L., Wood, P. L., Thura, M. K., Win, N. M. and Quah, E. S. H. 2019. Two more new species of the Cyrtodactylus peguensis group (Squamata: Gekkonidae) from the fringes of the Ayeyarwady Basin, Myanmar. *Zootaxa*
- Grizante et al. 2010 Grizante, M. B., Navas, C. A., Garland, T. and Kohlsdorf, T. 2010. Morphological evolution in Tropiduridae squamates: an integrated view along a continuum of ecological settings. *Journal of Evolutionary Biology* 23: 98-111.
- Grizante et al. 2012 Grizante, M. B., Brandt, R. and Kohlsdorf, T. 2012. Evolution of body elongation in gymnophthalmid lizards: relationships with climate. *PLoS ONE* 7(11): e49772. doi:10.1371/journal.pone.0049772
- Grossmann 2007 Grossmann, W. 2007. Comments on Harold Young's supple skink, *Lygosoma haroldyoungi* (Taylor, 1962). (Squamata, Scincomorpha, Scincidae). *Mitteilungen aus dem Museum für Naturkunde in Berlin. Zoologische Reihe* 83,
- Grossmann 2019 Grossmann, W. 2019. Observations on a lizard community in the High Atlas, Morocco. *Sauria* 41: 30-38.
- Grossmann and Harbig 2010 Grossmann, W. and Harbig, P. 2010. Pflege und vermehrung des korpulenten schlängenkinks *Lygosoma corpulentum* Smith, 1921 im terrarium – erste ergebnisse. [Husbandry and breeding of the Annam Supple Skink *Lygosoma corpulentum* Smith, 1921 in terrarium]. *Sauria* 32: 35-46.
- Grossmann and Ulber 1990 Grossmann, W. and Ulber, T. 1990. Ein neuer gecko aus Zentral-Thailand: *Gekko siamensis* sp. nov. (Reptilia: Sauria: Gekkonidae). *Sauria* 12: 9-18.
- Grossmann et al. 2012 Grossmann, W., Kowalski, T., Zwanzig, B. M. and Zilger, H.-J. 2012. Ergänzende herpetologische Beobachtungen auf dem Saïq-Plateau und im Jebel al-Akhdr, Sultanat Oman. *Sauria* 34: 3-18.
- Grossmann et al. 2019 Grossmann, W., Kowalski, T., Zwanzig, B. M., Zilger, H. J. and Gebhart, J. 2019. Herpetological observations in Oman: Al Mughsayl and Wadi Ashawq in Dhofar, Part 1. Amphibia: Anura; Reptilia: Squamata: Sauria. *Sauria* 41: 18-
- Grotbeck et al. 2019 Grotbeck, V. L., Garrison, G. E., Eifler, M. A. and Eifler, D. A. 2019. Characteristics of grouping in the Dominican ground lizard, *Pholidoscelis fuscatus* (Fitzinger, 1843). *Herpetology Notes* 12: 273-278.
- Gruber 1974 Gruber, U. 1974. Zur taxonomie und ökologie der reptilien von der Insel Antikythira. *Salamandra* 10: 31-41.
- Gruber and Henle 2004 Gruber, B. and Henle, K. 2004. Linking habitat structure and orientation in an arboreal species *Gehyra variegata* (Gekkonidae). *Oikos* 107: 406-414.
- Grundler et al. 2019 Grundler, M. R., Singhal, S., Cowan, M. A. and Rabosky, D. L. 2019. Is genomic diversity a useful proxy for census population size? Evidence from a species-rich community of desert lizards. *Molecular Ecology*, 28: 1664-1674.
- Grunwald et al. 2016 Grunwald, C., Perez-Rivera, N., Humada-Carrillo, I. T., Franz-Chavez, H. and La Forest, B. T. 2016. New distributional records for the herpetofauna of Mexico. *Herpetological Review* 47: 85-90.
- Guarino 2010 Guarino, F. M. 2010. Structure of the femora and autotomous (postpygal) caudal vertebrae in the three-toed skink *Chalcides chalcides* (Reptilia: Squamata: Scincidae) and its applicability for age and growth rate determination. *Zoologischer Anzeiger* 248: 273-283.
- Gudynas 1979 Gudynas, E. 1979. Notes on the sexual behavior and the reproduction of *Teius teyou* (Lacertilia, Teiidae). *Herpetological Review* 10: 113.
- Gudynas and Skuk 1983 Gudynas, E. and Skuk, G. 1983. A new species of the iguanid lizard genus *Tropidurus* from temperate South America (Lacertilia: Iguanidae). *Centro Educativo Don Orione Contribuciones en Biología* 10: 1-10.
- Guedes et al. 2017 Guedes, J. J. M., Assis, C. L. D., Feio, R. N. and Costa, H. C. 2017. Lizards and amphisbaenians of Cataguases, Minas Gerais, Southeastern Brazil. *Oecologia Australis*, 21: 431-443.
- Guillette 1982 Guillette, L. J. 1982. The evolution of viviparity and placentation in the high elevation, Mexican lizard *Sceloporus aeneus*. *Herpetologica*, 38: 94-103.
- Guillette 1983 Guillette, L. J. 1983. Notes concerning reproduction of the montane skink, *Eumeces copei*. *Journal of Herpetology*, 17: 144-148.
- Guillette and Casas-Andreu 1987 Guillette, L. J. and Casas-Andreu, G. 1987. The reproductive biology of the high elevation Mexican lizard *Barisia imbricata*. *Herpetologica* 43: 29-38.
- Guillette and Smith 1982 Guillette, L. J. and Smith, H. M. 1982. A review of the Mexican lizard *Barisia imbricata*, and the description of a new subspecies. *Transactions of the Kansas Academy of Sciences*, 85: 13-33.

- Guizado-Rodriguez et al. 2011  
 Guizado-Rodriguez et al. 2014  
 Gul and Tosunoglu 2017  
 Gul et al. 2014  
 Gul et al. 2015a  
 Gul et al. 2015b
- Gul et al. 2017  
 Gulsby and McElroy 2018  
 Gunderson and Leal 2015  
 Gunderson et al. 2018  
 Gunther 1994  
 Gunther 2000  
 Gunther et al. 2005  
 Guo et al. 2015  
 Gutierrez et al. 2010  
 Gutierrez et al. 2013  
 Gutsche 2005  
 Gutsche and Streich 2009  
 Gutsche et al. 2004  
 Guyer 1986  
 Guyer 1988a  
 Guyer 1988b  
 Guyer and Donnelly 2005  
 Guyer and Linder 1985  
 Gvozdik 2002  
 Gvozdik and Van Damme 2003  
 Gvozdik et al. 2018  
 Gynther et al. 2009  
 Haacke 1964  
 Haacke 1965  
 Haacke 1966  
 Haacke 1975  
 Haacke 1976a  
 Haacke 1976b  
 Haacke 1976c  
 Haacke 1976d  
 Haacke 1979  
 Haacke 1997  
 Haacke 2002  
 Haacke 2008  
 Haagner and Mccartney 1992  
 Haagner and Morgan 1992  
 Haagner et al. 2000  
 Haas 1943  
 Haas 1951  
 Haas 1952  
 Haas 1957  
 Haas and Battersby 1959  
 Haas and Werner 1969  
 Hagen 2011  
 Hagen and Bull 2011  
 Hagey et al. 2016  
 Hagey et al. 2017  
 Hailey and Elliot 1995  
 Hailey et al. 1987  
 Haitao 2011  
 Hakansson 1981  
 Hall 1976
- Guizado-Rodriguez, A., Garcia-Vazquez, U. O. and Solano-Zavaleta, I. 2011. Thermoregulation by a population of *Sceloporus palaciosi* from Sierra del Ajusco, Distrito Federal, Mexico. The The Southwestern Naturalist 56: 120-124.
- Guizado-Rodriguez, M. A., Reyes-Vaquero, L. and Casas-Andreu, G. 2014. Thermoregulation by a population of *Aspidoscelis calidipes* from Apatzingan, Michoacan, Mexico. The Southwestern Naturalist, 59: 132-135.
- Gul, C. and Tosunoglu, M. 2017. *Podarcis tauricus* (Pallas, 1814), new to the Anatolian part of the province of Canakkale, Turkey. Herpetozoa 30: 78-80.
- Gul, S., Ozdemir, N., Kumlutus, Y. and Ilgaz, C. 2014. Age structure and body size in three populations of *Darevskia rudis* (Bedriaga, 1886) from different altitudes (Squamata: Sauria: lacertidae). Herpetozoa 26: 151-158.
- Gul, S., Ozdemir , N., Avci, A., Kumlutus, Y. and Ilgaz, C. 2015. Altitudinal effects on the life history of the Anatolian lizard (*Apathya cappadocica*, Werner 1902) from southeastern Anatolia, Turkey. Turkish Journal of Zoology 39:
- Gul, S., Ozdemir , N., Kumlutus, Y., Durmus, S. H. and Ilgaz, C. 2015. Age structure and body size variation in populations of *Darevskia bithynica* (Mehely, 1909) (Reptilia: Lacertidae) from Different Altitudes in North-western Turkey. Acta Zoologica Bulgarica 67: 487-491.
- Gul, S., Ilgaz, C., Kumlutus, Y. and Candan, K. 2017. Age structure and growth pattern in an east Anatolian high altitude population of *iranolacerta brandtii* (de Filippi, 1863) (squamata: sauria: lacertidae). Herpetozoa 30: 3-7.
- Gulsby, M. L. and McElroy, T. 2018. *Ophisaurus attenuatus* (slender glass lizard). Geographic distribution. Herpetological Review 49: 715-716.
- Gunderson, A. R. and Leal, M. 2015. Patterns of thermal constraint on ectotherm activity. The American Naturalist 185: 653-664.
- Gunderson, A. R., Mahler, D. L. and Leal, M. 2018. Thermal niche evolution across replicated *Anolis* lizard adaptive radiations. Proceedings of the Royal Society of London B. 285: 20172241.
- Gunther, R. 1994. A new species of the genus *Gekko* (Reptilia, Squamata, Gekkonidae) from southern Vietnam. Zoologischer Anzeiger 233: 57-67.
- Gunther, R. 2000. In alten sammlungen aus Neuguinea entdeckt: Zwei neuearten der gattung *Lipinia* (Squamata: Scincidae). Salamandra 36: 157-174
- Gunther, R., Whiting, A., Bauer, A. 2005. Description of a new species of African skink of the genus *Trachylepis* (Reptilia: Squamata: Scincidae). Herpetozoa 18: 11-24.
- Guo, W., Zhou, K., Yan, J. and Li, P. 2015. A new species of *Hemiphyllodactylus* Bleeker, 1860 (Squamata: Gekkonidae) from western Yunnan, China. Zootaxa 3974: 377-390.
- Gutierrez, J. A., Krenz, J. D. and Ibarguengoytia, N. R. 2010. Effect of altitude on thermal responses of *Liolaemus pictus argentinus* in Argentina. Journal of Thermal Biology, 35: 332-337.
- Gutierrez, J. A., Piantoni, C., and Ibarguengoytia, N. R. 2013. Altitudinal effects on life history parameters in populations of *Liolaemus pictus argentinus* (Sauria: Liolaemidae). Acta Herpetologica 8: 9-17.
- Gutsche, A. 2005. Distribution and habitat utilization of *Ctenosaura bakeri* on Utila. Iguana 12: 142-151.
- Gutsche, A. and Streich, W. J. 2009. Demography and endangerment of the Utila island spiny-tailed iguana, *Ctenosaura bakeri*. Journal of Herpetology, 43: 105-113.
- Gutsche, A., McCranie, J. R. and Nicholson, K. E. 2004. Field observations on a nesting site of *Norops utilisens* Kohler, 1996 (Reptilia, Squamata) with comments about its conservation status. Salamandra, 40: 297-302.
- Guyer, C. 1986. Seasonal patterns of reproduction of *Norops humilis* (Sauria: Iguanidae) in Costa Rica. Revista de Biología Tropical 34: 247-251.
- Guyer, C. 1988. Food supplementation in a tropical mainland anole, *Norops humilis*: demographic effects. Ecology 69: 350-361.
- Guyer, C. 1988. Food supplementation in a tropical mainland anole, *Norops humilis*: effects on individuals. Ecology 69: 362-369.
- Guyer, C. and Donnelly, M. A. 2005. Amphibians and reptiles of La Selva, Costa Rica, and the Caribbean Slope. University of California Press, Berkeley.
- Guyer, C. and Linder, A. D. 1985. Thermal ecology and activity patterns of the short-horned lizard (*Phrynosoma douglassi*) and the sagebrush lizard (*Sceloporus graciosus*) in southeastern Idaho. Great Basin Naturalist 45: 607-614.
- Gvozdik, L. 2002. To heat or to save time? Thermoregulation in the lizard *Zootoca vivipara* (Squamata: Lacertidae) in different thermal environments along an altitudinal gradient. Canadian Journal of Zoology, 80: 479-492.
- Gvozdik, L. and Van Damme, R. 2003. Evolutionary maintenance of sexual dimorphism in head size in the lizard *Zootoca vivipara*: a test of two hypotheses. Journal of Zoology 259: 7-13.
- Gvozdik, V., Dolinay, M., Zassi-Boulou, A-G. and Babangenge, G. B. 2018. New data on *Trachylepis makolowodei* from Central Africa. Herpetology Notes, 11: 515-518.
- Gynther, J., Hines, H., Kutt, A., Vanderduys, E. and Absolon, M. 2009. A vertebrate fauna survey of Cravens Peak Reserve, far western Queensland. Cravens Peak scientific study report. Royal Geographical Society of Queensland.
- Haacke, W. D. 1964. Description of two new species of lizards and notes on *Fitzsimonsia brevipes* (FITZSIMONS) from the central Namib desert. Scientific Papers of the Namib Desert Research Station 25: 1-15.
- Haacke, W. D. 1965. Additional notes on the herpetology of South West Africa with descriptions of two new subspecies of geckos. Cimbebasia, 11: 1-39.
- Haacke, W. D. 1966. A new gekko (Sauria, Gekkonidae) from Bechuanaland. Arnoldia 2: 1-7.
- Haacke, W. D. 1975. The burrowing geckos of southern Africa, 1 (Reptilia: Gekkonidae). Annals of the Transvaal Museum, 30: 13-28.
- Haacke, W. D. 1976. The burrowing geckos of southern Africa, 2 (Reptilia: Gekkonidae). Annals of the Transvaal Museum, 30: 13-28.
- Haacke, W. D. 1976. The burrowing geckos of southern Africa, 3 (Reptilia: Gekkonidae). Annals of the Transvaal Museum, 30: 29-38.
- Haacke, W. D. 1976. The burrowing geckos of southern Africa, 4 (Reptilia: Gekkonidae). Annals of the Transvaal Museum, 30: 59-70.
- Haacke, W. D. 1976. The burrowing geckos of southern Africa, 5 (Reptilia: Gekkonidae). Annals of the Transvaal Museum, 30: 71-89.
- Haacke, W. D. 1979. A second specimen of *Agamodon anguliceps immaculatus calabresi* 1927 (Reptilia Amphisbaenia) from Somalia. Monitore Zoologico Italiano. Supplemento, 12: 59-63.
- Haacke, W. D. 1997. Systematics and biogeography of the southern African scincine genus *Typhlacontias* (Reptilia: Scincidae). Bonner Zoologische Beiträge 47: 139-163.
- Haacke, W. D. 2002. Variation in population size of Bouton's snake-eyed skink (Reptilia: Scincidae) at Black Rock in northern KwaZulu-Natal, South Africa. Koedoe 45: 93-100.
- Haacke, W. D. 2008. A new leaf-toed gecko (Reptilia: Gekkonidae) from south-western Angola. African Journal of Herpetology 57: 85-92.
- Haagner, G. V. and Mccartney, C. J. 1992. *Agama agama aculeata*. Reproduction. Journal of the Herpetological Association of Africa 41: 40-41.
- Haagner, G. V. and Morgan, D. R. 1992. *Acontias meleagris*. Cape legless lizard. Reproduction. Journal of the Herpetological Association of Africa 41: 41.
- Haagner, G. V., Branch, W. R. and Haagner, A. J. F. 2000. Notes on a collection of reptiles from Zambia and adjacent areas of the Democratic Republic of the Congo. Annals of the Eastern Cape Museum 1: 1-25.
- Haas, G. 1943. On a collection of reptiles from Palestine, Transjordan, and Sinai. Copeia, 1943: 10-15.
- Haas, G. 1951. On the present state of our knowledge of the herpetofauna of Palestine. Bulletin of the Research Council of Israel 1: 67-95.
- Haas, G. 1952. Two collections of reptiles from Iraq, with descriptions of two new forms. Copeia, 1952: 20-22.
- Haas, G. 1957. Some amphibians and reptiles from Arabia. Proceedings of the California Academy of Sciences series 4. 29: 47-86.
- Haas, G. and Battersby, J. C. 1959. Amphibians and reptiles from Arabia. Copeia 1959: 196-202.
- Haas, G. and Werner, Y. L. 1969. Lizards and snakes from Southwestern Asia, collected by Henry Field. Bulletin of the Museum of Comparative Zoology, 138: 327-406.
- Hagen, I. J. 2011. Evolution and ecology of the prehensile-tailed skink – *Corucia zebrata*. MSc Thesis, Flinders University.
- Hagen, I. J. and Bull, C. M. 2011. Home ranges in the trees: radiotelemetry of the prehensile tailed skink, *Corucia zebrata*. Journal of Herpetology, 45: 36-39.
- Hagey, T. J., Cole, N., Davidson, D., Henricks, A., Harmon, L. L. and Harmon, L. J. 2016. Temporal variation in structural microhabitat use of *Phelsuma* geckos in Mauritius. Journal of Herpetology, 50: 102-107.
- Hagey, T. J., Uyeda, J. C., Crandell, K. E., Cheney, J. A., Autumn, K. and Harmon, L. J. 2017. Tempo and mode of performance evolution across multiple independent origins of adhesive toe pads in lizards. Evolution 71: 2344-2358.
- Hailey, A. and Elliot, M. 1995. Thermoregulation of the amphisbaenian *Zygaspis quadrifrons*. Herpetological Journal 5: 281-284.
- Hailey, A., Rose, C. A. and Pulford, E. 1987. Food consumption, thermoregulation and ecology of the skink *Chalcides bedriagai*. Herpetological Journal 1: 144-153.
- Haitao, S. 2011. The Amphiaqua and Reptilia fauna of Hainan. Huayu Nature Book Trade Co. Ltd, Beijing.
- Hakansson, N. T. 1981. An annotated checklist of reptiles known to occur in The Gambia. Journal of Herpetology, 15: 155-161.
- Hall, R. J. 1976. *Eumeces obsoletus*. Catalogue of American Amphibians and Reptiles 186: 1-3.

- Hall 2008
- Hall and Smith 1979
- Hall et al. 2019
- Hallermann 2005
- Hallermann and Bohme 2000
- Hallermann and Bohme 2007
- Hallermann and McGuire 2001
- Halliwell et al. 2017
- Hallmann and Griebeler 2015
- Hallmann and Griebeler 2018
- Hallmen and Huy 2012
- Halloy and Halloy 1997
- Halloy et al. 2006
- Halloy et al. 2007
- Hamasaki and Troncoso-Palacios 2011
- Hamdan et al. 2013
- Hamidy and Mulyadi 2007
- Hamilton 2008
- Hamilton et al. 2007
- Hamilton et al. 2008
- Handal et al. 2016
- Hanlon 2000
- Hara and Okada 2004
- Harbig 1988
- Harbig 2000
- Harbig 2001
- Harbig 2006
- Hardeman 2010
- Harding et al. 2016
- Hardy 1966
- Hardy and Cole 1998
- Hardy and McDiarmid 1969
- Hare 2005
- Hare and Cree 2005
- Hare and Cree 2016
- Hare et al. 2006
- Hare et al. 2007a
- Hare et al. 2007b
- Hare et al. 2008
- Hare et al. 2010
- Hare et al. 2012a
- Hare et al. 2012b
- Hare et al. 2016
- Harikrishnan and Vasudevan 2018
- Harikrishnan et al. 2012
- Harikrishnan et al. 2018
- Harlow and Biciloa 2001
- Harlow and Taylor 2000
- Harlow et al. 2007
- Harlow et al. 2010
- Harmon and Gibson 2006
- Harmon et al. 2003
- Harmon et al. 2007
- Harmon et al. 2008
- Harradine et al. 2015
- Harrington and Reeder 2017
- Harris 1994
- Harris and Kluge 1984
- Hall, M. I. 2008. Comparative analysis of the size and shape of the lizard eye. *Zoology*, 111: 62-75.
- Hall, W. P. and Smith, H. M. 1979. Lizards of the *Sceloporus orcutti* complex of the Cape Region of Baja California. *Breviora* 452: 1-26.
- Hall, D. B., Shoemaker, K. T. and Greger, P. D. 2019. Western red-tailed skink (*Plestiodon gilberti rubricaudatus*) distribution and habitat use in southern Nevada, USA. *Herpetological Conservation and Biology* 14: 455-469.
- Hallermann, J. 2005. A taxonomic review of the genus *Bronchocela* (Squamata: Agamidae), with description of a new species from Vietnam. *Russian Journal of Herpetology* 12: 167-182.
- Hallermann, J. and Bohme, W. 2000. A review of the genus *Pseudocalotes* (Squamata: Agamidae), with description of a new species from West Malaysia. *Amphibia-Reptilia* 21: 193-210.
- Hallermann, J. and Bohme, W. 2007. On the validity of two recently described species of the endemic Sri Lankan genus *Cophotis* Peters, 1861 (Squamata: Agamidae) from the Knuckles Forest Range. *Salamandra* 43: 187-190.
- Hallermann, J. and McGuire, J. A. 2001. A new species of *Pseudocalotes* (Squamata: Agamidae) from Bukit Larut, west Malaysia. *Herpetologica* 57: 255-265.
- Halliwell, B., Uller, T., Holland, B. R. and While, G. M. 2017. Live bearing promotes the evolution of sociality in reptiles. *Nature Communications* 8: 2030.
- Hallmann, K. and Griebeler, E. M. 2015. Eggshell types and their evolutionary correlation with life-history strategies in squamates. *PLoS ONE* 10: e0138785. doi:10.1371/journal.pone.0138785.
- Hallmann, K. and Griebeler, E. M. 2018. An exploration of differences in the scaling of life history traits with body mass within reptiles and between amniotes. *Ecology and Evolution* 8: 5480-5494.
- Hallmen, M. and Huy, A. 2012. *Anolis utilensis* (Utile anole). *Habitat. Herpetological Review* 43: 642-643.
- Halloy, M. and Halloy, S. 1997. An indirect form of parental care in a high altitude viviparous lizard, *Liolemaus huacahuasicus* (Tropiduridae). *Bulletin of the Maryland Herpetological Society* 33: 139.
- Halloy, M., Robles, C. and Cuezzo, F. 2006. Diet in two syntopic neotropical lizard species of *Liolemaus* (Liolemaidae): interspecific and intersexual differences. *Revista Espanola de Herpetologia*, 20: 47-56.
- Halloy, M., Boretto, J. M. and Ibaguengoyta, N. R. 2007. Signs of parental behavior in *Liolemaus elongatus* (Sauria: Liolemaidae), of Neuquén, Argentina. *South American Journal of Herpetology* 2: 141-147.
- Hamasaki, K. and Troncoso-Palacios, J. 2011. Nueva localidad para el Lagarto leopardo (*Liolemaus leopardinus*) y comentarios sobre su distribución. *La Chiricoca* 12: 13-17.
- Hamdan, B., Coelho, D. P., D'Angioletta, A. B., Dias, E. J. d. R. and Lira-da-Silva, R. M. 2013. The Reptile Collection of the Museu de Zoologia, Universidade Federal da Bahia, Brazil. *Check List* 9: 257-262.
- Hamidy, A. and Mulyadi. 2007. Herpetofauna di Pulau Waigeo. *Museum Zoologicum Bogoriense Bidang Zoologi, Pusat Penelitian Biologi Lembaga Ilmu Pengetahuan Indonesia LiPi. Cibinong*. 53 p
- Hamilton, A. M. 2008. Species boundaries, biogeography, and intra-archipelago genetic variation within the *Emoia samoensis* species group in the Vanuatu Archipelago and Oceania. *PhD Dissertation, Louisiana State University*.
- Hamilton, A. M., Klein, E. R., Eckstut, M. E. and Hartfield, E. E. 2007. A simple, inexpensive method to capture arboreal lizards. *Herpetological Conservation and Biology* 2: 164-167.
- Hamilton, A. M., Eckstut, M. E., Klein, E. R. and Austin, C. C. 2008. Clutch size in the tropical scincid lizard *Emoia sanfordi*, a species endemic to the Vanuatu Archipelago. *Zoological Science* 25: 843-848.
- Handal, E. N., Amr, Z. S. and Qumsiyeh, M. Q. 2016. Some records of reptiles from the Palestinian Territories. *Russian Journal of Herpetology* 23: 254-260.
- Hanlon, H. 2000. *Diporiphora bilineata*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Hara, T. and Okada, S. 2004. Seasonal changes in nocturnal activity of the Tawa gecko, *Gekko tawaensis* from a Shinto Shrine, Hiroshima Prefecture, Japan. Proceedings of the The 42nd Annual Meeting of Herpetological Society of Harbig, P. 1988. Erste beobachtungen bei der haltung und nachzucht des khoratskinks, *Riopa koratensis* (Smith 1917). *Sauria* 10: 3-6.
- Harbig, P. 2000. Erste erfahrungen bei terrarienhaltung und nachzucht des Laos-keilskinks, *Tropidophorus laotus* Smith. *Sauria* 22: 3-9.
- Harbig, P. 2001. Anmerkungen zur terrarienhaltung und nachzucht des keilskinks, *Sphenomorphus boulengeri* Anderson, 1896. *Sauria* 23: 41-45.
- Harbig, P. 2006. Nachweise von *Gekko petricolus* Taylor, 1962, in der Thailändischen Provinz Si Saket und im nordlichen Kambodscha sowie ergänzende angaben zu seiner biologie. *Sauria* 28: 25-28.
- Hardeman, D. W. 2010. Ecomorphology of lizards in the genus *Dicrodon*. Undergraduate Research Thesis. Texas A&M University.
- Harding, L., Tapley, B., Gill, I., Kane, D., Servini, F., Januszczak, I. S., Capon-Doyle, J.-S. and Michaels, C. J. 2016. Captive husbandry and breeding of the tree-runner lizard (*Plica plica*) at ZSL London Zoo. *The Herpetological Journal* 29: 137-142.
- Hardy, J. D. 1966. Geographic variation in the West Indian lizard, *Anolis angusticeps*, with the description of a new form, *Anolis angusticeps paternus*, subsp. nov., from the Isle of Pines, Cuba (Reptilia: Iguanidae). *Caribbean Journal of Science* 5: 1-10.
- Hardy, L. M. and Cole, C. J. 1998. Morphology of a sterile, tetraploid, hybrid whiptail lizard (Squamata: Teiidae: *Cnemidophorus*). *American Museum Novitates* 3228: 1-16.
- Hardy, L. M. and McDiarmid, R. W. 1969. The amphibians and reptiles of Sinaloa, Mexico. *Publications of the University of Kansas Museum of Natural History* 18: 39-252.
- Hare, K. M. 2005. The paradox of nocturnality in lizards. *PhD Dissertation, Victoria University of Wellington*.
- Hare, K. M. and Cree, A. 2005. Natural history of *Hoplodactylus stephensi* (Reptilia: Gekkonidae) on Stephens island, Cook Strait, New Zealand. *New Zealand Journal of Ecology* 29: 137-142.
- Hare, K. M. and Cree, A. 2016. Thermal and metabolic physiology of New Zealand lizards. Pages 239-267 in Chapple, D. G. Editor. *New Zealand lizards*. Springer, New York.
- Hare, K. M., Pledger, S., Thompson, M. B., Miller, J. H. and Daugherty, C. H. 2006. Daily patterns of metabolic rate among New Zealand lizards (Reptilia: Lacertilia: Diplodactylidae and Scincidae). *Physiological and Biochemical Processes in Reptiles* 3: 311-315.
- Hare, J. R., Whitworth, E. and Cree, A. 2007. Correct orientation of a hand-held infrared thermometer is important for accurate measurement of body temperatures in small lizards and tuatara. *Herpetological Review* 38: 311-315.
- Hare, K. M., Hoare, J. M. and Hitchmough, R. A. 2007. Investigating natural population dynamics of *Naultinus manukanus* to inform conservation management of New Zealand's cryptic diurnal geckos. *Journal of Herpetology* 41: 81-86.
- Hare, K. M., Pledger, S. and Daugherty, C. H. 2008. Low incubation temperatures negatively influence locomotor performance and behavior of the nocturnal lizard *Oligosoma suteri* (Lacertidae: Scincidae). *Copeia* 2008: 16-22.
- Hare, K. M., Pledger, S., Thompson, M. B., Miller, J. H. and Daugherty, C. H. 2010. Nocturnal lizards from a cool-temperate environment have high metabolic rates at low temperatures. *Journal of Comparative Physiology B* 180: 180-186.
- Hare, K. M., Caldwell, A. J. and Cree, A. 2012. Effects of early postnatal environment on phenotype and survival of a lizard. *Oecologia*, 168: 639-649.
- Hare, K. M., Norbury, G., Judd, L. M. and Cree, A. 2012. Survival of captive-bred skinks following reintroduction to the wild is not explained by variation in speed or body condition index. *New Zealand Journal of Zoology*, 39: 319-326.
- Hare, K. M., Chapple, D. G., Towns, D. R. and van Winkel, D. 2016. The ecology of New Zealand's lizards. Pages 133-168 in Chapple, D. G. Editor. *New Zealand lizards*. Springer, New York.
- Harikrishnan, S. and Vasudevan, K. 2018. Niche dissociated assembly drives insular lizard community organization. *Scientific Reports* 8: 11978.
- Harikrishnan, S., Chandramouli, S. R. and Vasudevan, K. 2012. A survey of herpetofauna on Long Island, Andaman and Nicobar islands, India. *The Herpetological Bulletin* 119: 19-28.
- Harikrishnan, S., Mudappa, D. and Shankar Raman, T. R. 2018. Herpetofaunal survey in rainforest remnants of the Western Ghats, India. *The Herpetological Bulletin* 146: 8-17.
- Harlow, P. S. and Biciloa, P. N. 2001. Abundance of the Fijian crested iguana (*Brachylophus vitiensis*) on two islands. *Biological Conservation* 98: 223-231.
- Harlow, P. S. and Taylor, J. E. 2000. Reproductive ecology of the jacky dragon (*Amphibolurus muricatus*): an agamid lizard with temperature-dependent sex determination. *Austral Ecology*, 25: 640-652.
- Harlow, P. S., Fisher, M., Tuiwawa, M., Biciloa, P. N., Palmeirim, J. M., Mersai, C., Naidu, S., Naikatini, A., Thaman, B., Niukula J. and Strand, E. 2007. The decline of the endemic Fijian crested iguana *Brachylophus vitiensis* in the Yasawa and Mamanuca archipelagos, western Fiji. *Oryx* 41: 44-50.
- Harlow, H. J., Purwandana, D., Jessop, T. S. and Phillips, J. A. 2010. Body temperature and thermoregulation of Komodo dragons in the field. *Journal of Thermal Biology*, 35: 338-347.
- Harmon, L. J. and Gibson, R. 2006. Multivariate phenotypic evolution among island and mainland populations of the ornate day gecko, *Phelsuma ornata*. *Evolution*, 60: 2622-2632.
- Harmon, L. J., Schulte, J. A., Larson, A. and Losos, J. B. 2003. Tempo and mode of evolutionary radiation in iguanian lizards. *Science* 301: 961-964.
- Harmon, L. J., Harmon, L. L. and Jones, C. G. 2007. Competition and community structure in diurnal arboreal geckos (genus *Phelsuma*) in the Indian Ocean. *Oikos* 116: 1863-1878.
- Harmon, L. J., Melville, J., Larson, A. and Losos, J. B. 2008. The role of geography and ecological opportunity in the diversification of day geckos (*Phelsuma*). *Systematic Biology* 57: 562-573.
- Harradine, E., How, R. A., Schmitt, L. H. and Spencer, P. B. S. 2015. Island size and remoteness have major conservation significance for how spatial diversity is partitioned in skinks. *Biodiversity Conservation* 24: 2011-2029.
- Harrington, S. and Reeder, T. W. 2017. Rate heterogeneity across Squamata, misleading ancestral state reconstruction and the importance of proper null model specification. *Journal of Evolutionary Biology* 30: 313-325.
- Harris, D. M. 1994. Review of the teiid lizard genus *Ptychoglossus*. *Herpetological Monographs*, 8: 226-275.
- Harris, D. M. and Kluge, A. G. 1984. The *Sphaerodactylus* (Sauria: Gekkonidae) of Middle America. *Occasional Papers of the Museum of Zoology, University Of Michigan* 706: 1-54.

- Harris and Rueda 1985  
Harris et al. 2008  
Harris et al. 2010  
Harris et al. 2017  
Harris et al. 2018  
Harrison et al. 2019  
Hartley et al. 1998  
Hartmann et al. 2009  
Hartmann et al. 2011  
Hartmann et al. 2012  
Hartmann et al. 2013a  
Hartmann et al. 2013b  
Hartmann et al. 2016  
Harvey and Gutberlet 1998  
Harvey et al. 2004  
Harvey et al. 2008  
Harvey et al. 2012  
Harvey et al. 2014  
Harvey et al. 2015  
Harvey et al. 2016  
Harvey et al. 2017  
Harvey et al. 2018  
Hasbun and Kohler 2009  
Hasegawa 1984  
Hasegawa 1990  
Hasegawa 1994  
Hasegawa 1997  
Hasegawa 2003  
Hassan and Abukashawa 2017  
Hassan et al. 2015  
Hatano et al. 2001  
Hauschild 1988  
Hauschild and Gassner 1995  
Havery et al. 2018  
Hawkeswood and Sommung 2016  
Hawkeswood and Sommung 2017a  
Hawkeswood and Sommung 2017b  
Hawkeswood and Sommung 2017c  
Hawkeswood and Sommung 2017d  
Hawkeswood and Sommung 2017e  
Hawlena and Bouskila 2006  
Hawlena and Perez-Mellado 2009  
Hawlena et al. 2010  
Hawlitschek and Glaw 2013  
Hawlitschek et al. 2011  
Hawlitschek et al. 2014  
Hawlitschek et al. 2016  
Hawlitschek et al. 2017a  
Harris, D. M. and Rueda, J. V. 1985. A new microteiid lizard (Sauria: Ptychoglossus) with exceptionally wide scales from southwestern Colombia. *Lozania* 48: 1-6.  
Harris, D. J., Carretero, M. A., Brito, J. C., Kaliotzopoulou, A., Pinho, C., Perera, A., Vasconcelos, R., Barata, M., Barbosa, D., Batista, V., Carvalho, S., Fonseca, M. M., Perez-Lanuza, G. and Rato, C. 2008. Data on the distribution of the terrestrial herpetofauna of Morocco: records from 2001-2006. *The Herpetological Bulletin*, 103: 19-28.  
Harris, D. J., Perera, A., Barata, M., Tarroso, P. and Salvi, D. 2010. New distribution notes for terrestrial herpetofauna from Morocco. *North-Western Journal of Zoology* 6: 309-315.  
Harris, D. J., Rosado, D., Xavier, R. and Salvi, D. 2017. New genetic lineages within Moroccan day geckos *Quedenfeldtia* (Sphaerodactylidae) revealed by mitochondrial and nuclear DNA sequence data. *Amphibia-Reptilia* 38: 97-101.  
Harris, D. J., Belluire, J. and Cuervo, J. J. 2018. Melting pots and hotspots: genetic variation within *Acanthodactylus erythrurus* (Reptilia: Lacertidae) from the Iberian Peninsula. *Amphibia-Reptilia* 40: 245-251.  
Harrison, B. C., Sajdak, R. A., Henderson, R. W. and Powell, R. 2019. Additional evidence of arboreality of the greater Windward skink, *Copeoglossum aurae* (Reptilia: Squamata: Mabuyidae), on Carriacou (Grenada Grenadines). *IRCF Reptiles & Amphibians* 26: 47-48.  
Hartley, L. M., Powell, R. and Palmerlee, J. S. 1998. *Ameiva lineolata*. Catalogue of American Amphibians and Reptiles 654: 1-4.  
Hartmann, T., Chipich, H., Handschuh, M., Truong, N. Q. and Bohme, W. 2009. First record of *Tropidophorus cocincinensis* Duméril and Bibron, 1839 from Cambodia. *Herpetology Notes* 2: 87-89.  
Hartmann, T., Geissler, P. and Bohme, W. 2011. *Leiolepis* (Squamata: Agamidae) farming in southern Vietnam and a new size record in butterfly lizards. *The Herpetological Bulletin* 117: 15-18.  
Hartmann, T., Sothanin, S., Handschuh, M. and Bohme, W. 2012. The taxonomic status of the red-banded butterfly lizard, *Leiolepis rubritaeniata* Mertens, 1961, with distributional and natural history notes. *Russian Journal of Herpetology* 19: 23-30.  
Hartmann, T., Geissler, P., Poyarkov, N. A., Ihlow, F., Galoyan, E. A., Rodder, D. and Bohme, W. 2013. A new species of the genus *Calotes* Cuvier, 1817 (Squamata: Agamidae) from southern Vietnam. *Zootaxa* 3599: 246-260.  
Hartmann, T., Ihlow, F., Edwards, S., Sothanin, S., Handschuh, M. and Bohme, W. 2013. A preliminary annotated checklist of the amphibians and reptiles of the Kulen Promtep Wildlife Sanctuary in northern Cambodia. *Asian Herpetological Research*, 4: 36-55.  
Hartmann, L., Mecke, S., Kieckbusch, M., Mader, F. and Kaiser, H. 2016. A new species of bent-toed gecko, genus *Cyrtodactylus* Gray, 1827 (Reptilia: Squamata: Gekkonidae), from Jawa Timur Province, Java, Indonesia, with taxonomic remarks on *C. fumosus* (Müller, 1895). *Zootaxa* 4067: 552-568.  
Harvey, M. B. and Gutberlet, R. L. J. 1998. Lizards of the genus *Tropidurus* (Iguania: Tropiduridae) from the Serranía de Huanchaca, Bolivia: new species, natural history, and a key to the genus. *Herpetologica* 54: 493-520.  
Harvey, M. B., Rivas, G. A. and Manzanilla, J. 2004. Redescription of *Stenocercus erythrogaster* (Hallowell). *Copeia* 2004: 940-944.  
Harvey, M. B., Aguayo, R. and Mirales, A. 2008. Redescription and biogeography of *Mabuya cohabambae* Dunn with comments on Bolivian congeners (Lacertilia: Scincidae). 1828: 43-56.  
Harvey, M. B., Ugueto, G. N. and Gutberlet, R. L. 2012. Review of teiid morphology with a revised taxonomy and phylogeny of the Teiidae (Lepidosauria: Squamata). *Zootaxa* 3459: 1-156.  
Harvey, M. B., Hamidy, A., Kurniawan, N., Shaney, K. and Smith, E. N. 2014. Three new species of *Pseudocalotes* (Squamata: Agamidae) from southern Sumatra, Indonesia. *Zootaxa* 3841: 211-238.  
Harvey, M. B., O'connell, K. A., Barraza, G., Riyanto, A., Kurniawan, N. and Smith, E. N. 2015. Two new species of *Cyrtodactylus* (Squamata: Gekkonidae) from the Southern Bukit Barisan Range of Sumatra and an estimation of their phylogeny. *Zootaxa* 4020: 495-516.  
Harvey, M. B., O'Connell, K. A., Westol, E., Riyanto, A., Kurniawan, N., Smith, E. N. and Grismer, L. L. 2016. Redescription *Cyrtodactylus lateralis* (Werner) (Squamata: Gekkonidae) and phylogeny of the prehensile-tailed Cyrtodactylus. *Zootaxa* 4107: 517-540.  
Harvey, M. B., Shaney, K., Sidik, I., Kurniawan, N. and Smith, E. N. 2017. Endemic dragons of Sumatra's volcanoes: new species of *Dendragama* (Squamata: Agamidae) and status of *Salea rosaceum* Thomonot. *Herpetological Review*, 48: 11-14.  
Harvey, M. B., Scrivani, J., Shaney, K., Hamidy, A., Kurniawan, N. and Smith, E. N. 2018. Sumatra's endemic crested dragons (agamidae: lophocalotes): a new species from the Bukit Barisan Range, comments on *Lophocalotes ludekingi*, and ecology. *Herpetologica*, 74: 73-88.  
Hasbun, C. R. and Kohler, G. 2009. New species of *Ctenosaura* (Squamata, Iguanidae) from Southeastern Honduras. *Journal of Herpetology*, 43: 192-204.  
Hasegawa, M. 1984. Biennial reproduction in the lizard *Eumeces okadae* on Miyake-Jima, Japan. *Herpetologica*, 40: 194-199.  
Hasegawa, M. 1990. Demography of an island population of the lizard, *Eumeces okadae*, on Miyake-jima, Izu islands. *Researches on Population Ecology*, 32: 119-133.  
Hasegawa, M. 1994. Insular radiation in life history of the lizard *Eumeces okadae* in the Izu islands, Japan. *Copeia*, 1994: 732-747.  
Hasegawa, M. 1997. Density effects on life history traits of an island lizard population. *Ecological Research*, 12: 111-118.  
Hasegawa, M. 2003. Intraspecific variation in sexual dimorphism and mating system in relation to interisland differences in predation pressure. pages 172-189 in S. F. Fox, J. K. McCoy and T. A. Baird (editors), *Lizard social behavior*. John Hopkins University Press, Baltimore.  
Hassan, M. M. and Abukashawa, S. M. 2017. Molecular studies of some herpetofauna of Sudan. *Sudan Journal of Science*, 9: 1-23.  
Hassan, M. M., Abukashawa, S. M. and Papenfuss, T. J. 2015. Investigation of the Herpetofauna of Sudan. *Sudan Journal of Science* 7: 54-61.  
Hatano, F. H., Vrcibradic, D., Galdino, C. A. B., Cunha-Barros, M., Rocha, C. F. D. and Van Sluys, M. 2001. Thermal ecology and activity patterns of the lizard community of the restinga of Jurubatiba, Macae, RJ. *Revista Brasileira de Biologia*, 61: 287-294.  
Hauschild, A. 1988. Bemerkungen zur haltung und zucht des schneckenkinks *Tiliqua gerrardii*. *Salamandra* 24: 248-257.  
Hauschild, A. and Gassner, P. 1995. Skinke im terrarium. *Landbuch Verlag*, Hannover.  
Havery, S., Oppel, S., Cole, N. and Duffield, N. 2018. Density of three skink species on a sub-tropical pacific island estimated with hierarchical distance sampling. *Herpetological Conservation and Biology* 13: 507-516.  
Hawkeswood, T. J. and Sommung, B. 2016. Observations on the reptile fauna of Lat Krabang Park, Bangkok, Thailand. *Calodema*, 440: 1-8.  
Hawkeswood, T. J. and Sommung, B. 2017. A further record of the forest crested lizard, *Calotes emma* Gray, 1835 (Reptilia: Agamidae) from the Doi inthanon National Park, Chiang Mai Province, northern Thailand, with a note on crypsis in the species. *Calodema*, 571: 1-4.  
Hawkeswood, T. J. and Sommung, B. 2017. A record of the long-tailed lizard, *Takydromus sexlineatus* (Daudin, 1802) (Reptilia: Lacertidae) from the farming district of Ubon Ratchathani, Thailand. *Calodema*, 564: 1-3.  
Hawkeswood, T. J. and Sommung, B. 2017. A record of the Long-tailed sun skink, *Eutropis longicauda* (Hallowell, 1856) (Reptilia: Scincidae) from the farming district of Ubon Ratchathani, Thailand. *Calodema* 567: 1-3.  
Hawkeswood, T. J. and Sommung, B. 2017. A record of the Thai water dragon, *Physignathus cocincinus* Cuvier, 1829 (Reptilia: Agamidae) from Chonburi, Chonburi Province, Thailand. *Calodema* 575: 1-3.  
Hawkeswood, T. J. and Sommung, B. 2017. Observations on the reptile fauna of Queen Sirikit Park No. 9, Bangkok, Thailand. *Calodema*, 441: 1-7.  
Hawlena, D. and Bouskila, A. 2006. Land management practices for combating desertification cause species replacement of desert lizards. *Journal of Applied Ecology* 43: 701-709.  
Hawlena, D. and Perez-Mellado, V. 2009. Change your diet or die: predator-induced shifts in insectivorous lizard feeding ecology. *Oecologia* 161: 411-419.  
Hawlena, D., Saltz, D., Abramsky, Z. and Bouskila, A. 2010. Ecological trap for desert lizards caused by anthropogenic changes in habitat structure that favor predator activity. *Conservation Biology* 23: 804-809.  
Hawlitschek, O. and Glaw, F. 2012. The complex colonization history of nocturnal geckos (Paroedura) in the Comoros Archipelago. *Zoologica Scripta* 42: 135-150.  
Hawlitschek, O., Bruckmann, B., Berger, J., Green, K. and Glaw, F. 2011. Integrating field surveys and remote sensing data to study distribution, habitat use and conservation status of the herpetofauna of the Comoro islands. *ZooKeys* 100: 1-22.  
Hawlitschek, O., Verneau, N., Charpentier, N., Decalf, G. and Glaw, F. 2014. New distribution records of the gecko *Paroedura stellata* Hawlitschek & Glaw, 2012, endemic to Mayotte island (Squamata, Gekkonidae). *Spixiana* 37: 60.  
Hawlitschek, O., Scherz, M. D., Straube, N. and Glaw, F. 2016. Resurrection of the Comoran fish scale gecko *Geckolepis humbloti* Vailant, 1887 reveals a disjunct distribution caused by natural overseas dispersal. *Organisms Diversity & Evolution*, 16: 289-298.  
Hawlitschek, O., Bruckmann, B. and Glaw, F. 2017. Causal or spurious relationship? Climate and the distribution of *Phelsuma* geckos on Grand Comoro island. *African Journal of Ecology* 55: 500-508.

- Hawlitschek et al. 2017b
- Hawlitschek et al. 2018a
- Hawlitschek et al. 2018b
- Haxhiu 1998
- Hayes and Carter 2005
- Hayes et al. 2004
- Hays et al. 2004
- Hays et al. 2019
- He et al. 2011
- Head et al. 2009
- Heath 1964
- Heaton 2017
- Heaton and Deboer 2018
- Heaton and Nakanwa 2017
- Heaton et al. 2017
- Heaton et al. 2018
- Heatwole 1968
- Heatwole 1975
- Heatwole and Butler 1981
- Heatwole and Pianka 1993
- Heatwole and Sexton 1966
- Heatwole and Taylor 1987
- Heatwole and Torres 1967
- Heatwole and Veron 1977
- Hebrard et al. 1982
- Hecht et al. 2013
- Hedges 1985
- Hedges 1996
- Hedges 2014
- Hedges and Conn 2012
- Hedges and Garrido 1993
- Hedges and Poling 1999
- Hedges and Thomas 1989
- Hedges et al. 2016
- Hedges et al. 2019a
- Hedges et al. 2019b
- Hedman et al. 2016
- Heger and Heger 2007
- Heidari 2019
- Heidari et al. 2010
- Heidari et al. 2012
- Heideman 1994
- Heideman 1997
- Heideman 2002
- Heideman and Bates 1999
- Heideman et al. 2008
- Heidraai and Kami 2009
- Heidrich et al. 2007
- Heinen 1992
- Heinicke and Bauer 2018
- Heinicke et al. 2011
- Heinicke et al. 2017a
- Hawlitschek, O., Toussaint, E. F. A., Gehring, P.-S., Ratoavina, F. M., Cole, N., Crottini, A., Noppper, J., Lam, A. W., Vences, M. and Glaw, F. 2017. Gecko phylogeography in the Western Indian Ocean region: the oldest clade of *Ebenavia inunguis* lives on the youngest island. *Journal of Biogeography* 44: 409-420.
- Hawlitschek, O., Nagy, Z. T., Berger, J. and Glaw, F. 2013. Reliable DNA barcoding performance proved for species and island populations of Comoran squamate reptiles. *PLoS ONE* 8: e73368.
- Hawlitschek, O., Scherz, M. D., Ruthensteiner, B., Crottini, A. and Glaw, F. 2018. Computational molecular species delimitation and taxonomic revision of the gecko genus *Ebenavia* Boettger, 1878. *The Science of Nature* 105: 49.
- Haxhiu, I. 1998. The Reptilia of Albania: species composition, distribution, habitats. *Bonner Zoologische Beiträge* 48: 35-57.
- Hayes, W. K. and Carter, R. L. 2005. Biology and conservation of *Cyclura rileyi*, an endangered Bahamian rock iguana. Pp. 69-82 in: T. McGrath and S. Buckner (eds.), *Proceedings of the 10th Symposium on the Natural History of the Bahamas*. Gerace Research Center, San Salvador island, Bahamas.
- Hayes, K. W., Carter, R. L., Cyril, S. and Thornton, B. 2004. Conservation of an endangered Bahamian Rock iguana, I. Population assessments, habitat restoration, and behavioral ecology. In Alberts, A. C., R. L. Carter, W. K. Hayes, and E. P. Martins, editors. *Iguanas: Biology and Conservation*. pages 232-257. University of California Press. Berkeley.
- Hays, W. K., Carter, R. L., Cyril, S. and Thornton, B. 2004. Conservation of an endangered Bahamian iguana. I. population assessments, habitat restoration, and behavioral ecology. Pages 232-257 in Alberts, A. (editor). *Iguanas: Biology and Conservation*. University of California Press, Berkeley.
- Hays, B. J., Bidwell, J. R. and Dittmer, D. E. 2019. An assessment of thermal preference of two species of knob-tailed geckos, *Nephrurus levis* and *N. laevissimus*, at Uluru Kata-Tjuta National Park. *Northern Territory Naturalist* 29:
- He, N., Wu, Z. J., Cai, F. J., Wang, Z. X., Yu, H. and Huang C. M. 2011. Sexual dimorphism of *Shinisaurus crocodilurus*. *Chinese Journal of Ecology*, 30: 7-11. (in Chinese)
- Head, J. J., Barrett, P. M. and Rayfield, E. J. 2009. Neurocranial osteology and systematic relationships of *Varanus* (*Megalania*) *prisca* Owen, 1859 (Squamata: Varanidae). *Zoological Journal of the Linnean Society*, 155: 445-457.
- Heath, J. E. 1964. Head-body temperature differences in horned lizards. *Physiological Zoology*, 37: 273-279.
- Heaton, J. S. 2017. *Namazonurus pustulatus* (herero nama lizard). Reproduction. *Herpetological Review* 48: 196.
- Heaton, J. S. and Deboer, J. C. 2018. *Karusasaurus jordani* (Northern Karusa lizard). Reproduction. *Herpetological Review*, 49: 330-331.
- Heaton, J. S. and Nakanwa, J. 2017. *Namazonurus pustulatus* (herero nama lizard). Diet. *Herpetological Review* 48: 195-196.
- Heaton, J. S., Amutenya, K. K., Ndaithwah, C. and Kalinda, M. 2017. *Namazonurus pustulatus* (herero Nama lizard). Elevation and abundance. *Herpetological Review* 48: 652-654.
- Heaton, J. S., Nakanwa, J. and Deboer, J. C. 2018. *Karusasaurus jordani* (Northern Karusa lizard). Diet. *Herpetological Review*, 49: 329.
- Heatwole, H. 1968. Herpetogeography of Puerto Rico. V. Description of a new species of *Sphaerodactylus* from Desechoe island. *Breviora* 292: 1-8.
- Heatwole, H. 1975. Biogeography of reptiles on some of the islands and cays of eastern Papua-New Guinea. *Atoll Research Bulletin* 180: 1-41.
- Heatwole, H. and Butler, H. 1981. Structure of an assemblage of lizards on Barrow island, Western Australia. *Australian Journal of Herpetology*, 1: 37-44.
- Heatwole, H. and Pianka, E. R. 1993. Natural history of the Squamata. *Fauna of Australia* 25: 1-26.
- Heatwole, H. and Sexton, O. J. 1966. Herpetofaunal comparisons between two climatic zones in Panama. *American Midland Naturalist*, 75: 45-60.
- Heatwole, H. and Taylor, J. 1987. Ecology of reptiles. 2nd edition. Surrey Beatty & Sons, Chipping Norton, NSW.
- Heatwole, H. and Torres, F. 1967. Distribution and geographic variation of the ameivas of Puerto Rico and the Virgin islands. *Herpetogeography of Puerto Rico III. Studies of the Fauna of Curacao and other Caribbean islands* 92: 63-
- Heatwole, H. and Veron, J. E. N. 1977. Vital limit and evaporative water loss in lizards (Reptilia, Lacertilia): a critique and new data. *Journal of Herpetology* 11: 341-348.
- Hebrard, J. J., Reilly, S. M. and Guppy, M. 1982. Thermal ecology of *Chamaeleo hohnelii* constraints of heterothermy in an alpine habitat. *Journal of the East African Natural History Society and Museums of Kenya* 176: 1-6.
- Hecht, V. L., Pham, C. T., Nguyen, T. Q., Bonkowski, M. and Ziegler, T. 2013. First report on the herpetofauna of Tay Yen Tu Nature Reserve, northeastern Vietnam. *Biodiversity Journal*, 4: 507-552.
- Hedges, S. B. 1985. The influence of size and phylogeny on life history variation in reptiles: a response to Stearns. *The American Naturalist* 126: 258-260.
- Hedges, S. B. 1996. The origin of West Indian amphibians and reptiles. 95-127. In Powell, R. and R. W. Henderson, editors. *Contributions to West Indian Herpetology: A Tribute to Albert Schwartz*. Society for the Study of Amphibians and Reptiles. Ithaca.
- Hedges, S. B. 2014. The high-level classification of skinks (Reptilia, Squamata, Scincomorpha). *Zootaxa* 3765: 317-338.
- Hedges, S. B. and Conn, C. E. 2012. A new skink fauna from Caribbean islands (Squamata, Mabuyidae, Mabuyinae). *Zootaxa* 3288: 1-244.
- Hedges, S. B. and Garrido, O. H. 1993. A new species of gecko (Sphaerodactylus) from central Cuba. *Journal of Herpetology* 27: 300-306.
- Hedges, S. B. and Poling, L. L. 1999. A molecular phylogeny of reptiles. *Science* 283: 998-1001.
- Hedges, S. B. and Thomas, R. 1989. A new species of *Anolis* (Sauria: Iguanidae) from the Sierra de Neiba, Hispaniola. *Herpetologica* 45: 330-336.
- Hedges, S. B., Lorvelec, O., Barre, N., Berchel, J., Combet, M. D., Vidal, N. and Pavis, C. 2016. A new species of skink from the Guadeloupe Archipelago (Squamata, Mabuyidae, Mabuya). *Caribbean Herpetology* 53: 1-14.
- Hedges, S. B., Lorvelec, O., Barre, N., Vidal, N. and Pavis, C. 2019. On the taxonomic recognition of skinks from the Guadeloupe Archipelago (Squamata, Mabuyidae, Mabuya). *Caribbean Herpetology* 64: 1-7.
- Hedges, S. B., Powell, R., Henderson, R. W., Hanson, S. and Murphy, J. C. 2019. Definition of the Caribbean Islands biogeographic region, with checklist and recommendations for standardized common names of amphibians and reptiles. *Caribbean Herpetology*, 67: 1-53.
- Hedman, H., Kapsalas, G., Karameta, E., Psonis, N., Poulikakos, N., Foufopoulos, J., and Pafilis, P. 2016. First record of *Podarcis peloponnesiacus* (Bibron & Bory, 1833) from outside the Peloponnese. *Herpetozoa*, 29: 190-193.
- Heger, N. A. and Heger, T. G. 2007. Behavior, ecology and thermal physiology of *Varanus giganteus*: a field study of Australia's largest monitor lizard. *Mertensiella* 16: 255-290.
- Heidari, N. 2019. Ecological niche differentiation between *Acanthodactylus micropholis* and *A. khamirensis* (Sauria: Lacertidae) in southern Iran. *Zoologia*, 36: e27357.
- Heidari, N., Cheatsazan, H., Kami, H. G. and Shafiei, S. 2010. Sexual dimorphism of the black rock agama, *Laudakia melanura lirata* (Blanford, 1874). *Zoology in the Middle East*, 49: 49-53.
- Heidari, N., Faizi, H., Rastegar-Pouyani, N., and Rastegar-Pouyani, E. 2012. A new record of *Acanthodactylus cantoris* (Sauria: Lacertidae) and its comparison with closely related *A. blanfordi* in southeastern Iran. *Asian Herpetological Research*, 3: 79-82.
- Heideman, N. J. L. 1994. Reproduction in *Agama aculeata aculeata* and *Agama planiceps planiceps* females from Windhoek, Namibia. *Amphibia-Reptilia* 15: 351-361.
- Heideman, N. J. L. 1997. New distribution records for *Agama etoshae* (McLachlan 1981) in Northern Namibia. *Israel Journal of Zoology* 43: 405-407.
- Heideman, N. J. L. 2002. A comparison of the breeding and nonbreeding season diets of *Agama aculeata* and *Agama planiceps* (Reptilia: Agamidae) in Windhoek, Namibia. *Journal of Herpetology*, 36: 515-520.
- Heideman, N. J. L. and Bates, M. F. 1999. Diet as possible indicator of size-related microhabitat partitioning in *Mabuya striata wahlbergii* (Peter 1869)(Reptilia: Scincidae). *African Journal of Ecology*, 37: 110-112.
- Heideman, N. J. L., Daniels, S. R., Mashinini, P. L., Mokone, M. E., Thibedi, M. L., Hendricks, M. G. J., Wilson, B. A. and Douglas, R. M. 2008. Sexual dimorphism in the African legless skink subfamily Acontiinae. *African Zoology*
- Heidrai, N. and Kami, H. G. 2009. Lizards of the Gando Protected area in Sistan and Baluchestan Province, southeastern Iran. *Iranian Journal of Animal Biosystematics*, 5: 57-64.
- Heidrich, A., Rosler, H., Thanh, V. N., Bohme, W. and Ziegler, T. 2007. Another new *Cyrtodactylus* (Squamata: Gekkonidae) from Phong Nha – Ke Bang National Park, central Truong Son, Vietnam. *Zootaxa* 1445: 35-48.
- Heinen, J. T. 1992. Comparisons of the leaf litter herpetofauna in abandoned cacao plantations and primary rain forest in Costa Rica: some implications for faunal restoration. *Biotropica* 24: 431-439.
- Heinicke, M. P. and Bauer, A. M. 2018. A new provincial record and other noteworthy records of reptiles in the Western Cape, South Africa. *African Herp News* 67: 37-41.
- Heinicke, M. P., Adderly, L. M., Bauer, A. M. and Jackman, T. R. 2011. A long-known new species of gecko allied to *Pachydactylus bicolor* (Squamata: Gekkonidae) from the central Namibian coast. *African Journal of Herpetology*
- Heinicke, M. P., Jackman, T. R. and Bauer, A. M. 2017. The measure of success: geographic isolation promotes diversification in *Pachydactylus* geckos. *BMC Evolutionary Biology* 17: 9.

- Heinicke et al. 2017b  
Heitz et al. 2016
- Henderson 1988a  
Henderson 1988b  
Henderson 2010  
Henderson and Berg 2012  
Henderson and Powell 1999  
Henderson and Powell 2001  
Henderson and Powell 2009  
Henderson and Powell 2018  
Hendrickson 1966  
Henkel 2010  
Henkel and Bohme 2001  
Henkel and Schmidt 1995  
Henkel and Schmidt 2000  
Henle 1989a  
Henle 1989b  
Henle 1989c  
Henle 1990a  
Henle 1990b  
Henle 1990c  
Henle 1991  
Henle 1995  
Henle 1996
- Henle and Ehrl 1991  
Hennessy 2010  
Henry and Henry 2015  
Hensley and Powell 2005  
Hensley et al. 2005  
Herczeg et al. 2007  
Herczeg et al. 2008  
Heredia et al. 2014  
Hernandez and Espinoza 2004  
Hernandez et al. 2000  
Hernandez et al. 2019  
Hernandez-Gallegos et al. 2002
- Hernandez-Ordonez et al. 2014  
Hernandez-Ordonez et al. 2015  
Hernandez-Ruz 2018  
Hernandez-Salinas et al. 2010  
Hernandez-Salinas et al. 2013
- Hernandez-Salinas et al. 2014a  
Hernandez-Salinas et al. 2014b  
Hernandez-Salinas et al. 2016  
Hernandez-Salinas et al. 2019
- Hernandez-Vazquez 2018  
Hernandez-Vazquez 2019  
Herrel 2007  
Herrel and Holanova 2008  
Herrel et al. 1996  
Herrel et al. 1999  
Herrel et al. 2014
- Heinicke, M. P., Turk, D. and Bauer, A. M. 2017. Molecular phylogeny reveals strong biogeographic signal and two new species in a Cape biodiversity hotspot endemic mini-radiation, the pygmy geckos (Gekkonidae: Goggia). *Herpetologica*, 72: 352-361.
- Henderson, R. W. 1988. *Diploglossus anelpis*. Catalogue of American Amphibians and Reptiles 424: 1.
- Henderson, R. W. 1988. *Diploglossus warreni*. Catalogue of American Amphibians and Reptiles 426: 1-2.
- Henderson, C. L. 2010. Mammals, amphibians and reptiles of Costa Rica. A field guide. University of Texas Press.
- Henderson, R. W. and Berg, C. S. 2012. *Ameiva ameiva* (Squamata: Teiidae) and *Coralus grenadensis* (Squamata: Boidae) on Petite Martinique (Grenada Grenadines), West Indies. *Herpetology Notes*, 5: 439-440.
- Henderson, R. W. and Powell, R. 1999. West Indian Herpetology. 7. *Ecology*. Pages 223-268 in Crother, B. L. (editor). Caribbean amphibians and reptiles. Academic Press, San Diego.
- Henderson, R. W. and Powell, R. 2001. Responses by the West Indian herpetofauna to human-influenced resources. *Caribbean Journal of Science*, 37: 41-54.
- Henderson, R. W. and Powell, R. 2009. Natural history of West Indian reptiles and amphibians. University Press of Florida, Gainesville.
- Henderson, R. W. and Powell, R. 2018. Amphibians and reptiles of the St. Vincent and Grenada Banks, West indies. Edition Chimaira, Frankfurt am Main.
- Hendrickson, J. R. 1966. Observations on the Fauna of Pulau Tioman and Pulau Tulai. 5. The reptiles. *Bulletin of the National Museum of Singapore* 34: 53-71.
- Henkel, F. W. 2010. Geckos of Australia. Edition Chimaira, Frankfurt am Main.
- Henkel, F. W. and Bohme, W. 2001. A new carphodactyline gecko of the New Caledonian genus *Eurydactylodes* (Sauria: Gekkonidae). *Salamandra* 37: 149-156.
- Henkel, F. W. and Schmidt, W. 1995. Geckoes. Biology, husbandry, and reproduction. Kreiger, Malabar.
- Henkel, F. W. and Schmidt, W. 2000. Amphibians and reptiles of Madagascar and the Mascarene, Seychelles, and Comoro islands. Kreiger, Malabar, Florida.
- Henle, K. 1989. Ecological segregation in a subterranean reptile assemblage in arid Australia. *Amphibia-Reptilia* 10: 277-295.
- Henle, K. 1989. Ecological segregation in an assemblage of diurnal lizards in arid Australia. *Acta Oecologia Generalis* 10: 19-35.
- Henle, K. 1989. Population ecology and life history of the diurnal skink *Morethia boungengeri* in arid Australia. *Oecologia* 78: 521-532.
- Henle, K. 1990. Notes on the population ecology of the large herbivorous lizard *Trachydosaurus rugosus*, in arid Australia. *Journal of Herpetology* 24: 100-103.
- Henle, K. 1990. Population ecology and life history of the arboreal gecko *Gehyra variegata* in arid Australia. *Herpetological Monographs* 4: 30-60.
- Henle, K. 1990. Population ecology and life history of three terrestrial geckos in arid Australia. *Copeia*, 1990: 759-781.
- Henle, K. 1991. Life history patterns in lizards of the arid and semiarid zone of Australia. *Oecologia* 88: 347-358.
- Henle, K. 1995. A brief review of the origin and use of 'stellio' in herpetology and a comment on the nomenclature and taxonomy of agamids of the genus *Agama* (*sensu lato*) (Squamata: Sauria: Agamidae). *Herpetozoa* 8: 3-9.
- Henle, K. 1996. Survival of lizards in habitat islands in central Europe: introduction and summary conclusion. Pages 237-240 in J. Settele, C. Margules, P. Poschlod, & K. Henle (Editors), *Species survival in fragmented landscapes*. Kluwer, Dordrecht.
- Henle, K. and Ehrl, A. 1991. Zur reptilienfauna Perus nebst beschreibung eines neuen *Anolis* (Iguanidae) und zweier neuer schlangen (Colubridae). *Bonner Zoologische Beiträge* 42: 143-180.
- Hennessy, J. 2010. Parthenogenesis in an ornate Nile monitor, *Varanus ornatus*. *Biawak*, 4: 26-30.
- Henry, T. S. and Henry, G. S. 2015. *Xantusia gracilis* (sandstone night lizard). Diet and foraging behavior. *Herpetological Review*, 46: 98.
- Hensley, R. L. and Powell, R. 2005. *Sphaerodactylus sabanus*. Catalogue of American Amphibians and Reptiles, 809: 1-3.
- Hensley, R. L., Savit, A. Z. and Powell, R. 2005. *Anolis schwartzi*. Catalogue of American Amphibians and Reptiles, 816: 1-5.
- Herczeg, G., Torok, J. and Koros, Z. 2007. Size-dependent heating rates determine the spatial and temporal distribution of small-bodied lizards. *Amphibia-Reptilia* 28: 347-356.
- Herczeg, G., Herrero, A., Saarikivi, J., Gonda, A., Jantti M. and Merila, J. 2008. Experimental support for the cost-benefit model of lizard thermoregulation: the effects of predation risk and food supply. *Oecologia* 155: 1-10.
- Heredia, V. J., Vicente, N., Robles, C. and Halloy, M. 2014. Mites in the Neotropical lizard *Liolemaus pacha* (Iguania: Liolemaidae): relation to body size, sex and season. *South American Journal of Herpetology*, 9: 14-19.
- Hernandez, R. A. and Espinoza, R. E. 2004. Description of the Female of the Enigmatic Lizard, *Liolemaus heliodermis* (Iguania: Liolemaidae). *Herpetological Review*, 35: 227-229.
- Hernandez, E., Nogales, M. and Martin, A. 2000. Discovery of a new lizard in the Canary islands, with a multivariate analysis of *Gallotia* (Reptilia: Lacertidae). *Herpetologica*, 56: 63-76.
- Hernandez, T., Herr, M. W., Stevens, S., Cork, K., Medina-Nava, C., Vialpando, C. J., Warfel, T., Fields, N., Brodie, C. and Graham, S. P. 2019. New distribution records for amphibians and reptiles in eastern Chihuahua, Mexico.
- Hernandez-Gallegos, O., Mendez-de la Cruz, F. R., Villagrán-Santa Cruz, M. and Andrews, R. M. 2002. Continuous spermatogenesis in the lizard *Sceloporus bicanthalis* (Sauria: Phrynosomatidae) from high elevation habitat of central Mexico. *Herpetologica* 58: 415-421.
- Hernandez-Ordonez, O., Martinez-Ramos, M., Arroyo-Rodriguez, V., Gonzalez-Hernandez, A., Gonzalez-Zamora, A., Zarate, D. A. and Reynoso, V. H. 2014. Distribution and conservation status of amphibian and reptile species in the Lacandonia rainforest, Mexico: an update after 20 years of research. *Tropical Conservation Science*, 7: 1-25.
- Hernandez-Ordonez, O., Arroyo-Rodriguez, V., Gonzalez-Hernandez, A., Russildi, G., Luna-Reyes, R., Martinez-Ramos, M. and Reynoso, V. H. 2015. Range extensions of amphibians and reptiles in the southeastern part of the Lacandonia rainforest, Mexico. *Revista Mexicana de Biodiversidad*, 86: 457-468.
- Hernandez-Ruz, E. J. 2018. *Anolis punctatus* (spotted anole, Amazon green anole). New habitat. *Herpetological Review* 49: 740.
- Hernandez-Salinas, U., Ramirez-Bautista, A., Leyte-Manrique, A. and Smith, G. R. 2010. Reproduction and sexual dimorphism in two populations of *Sceloporus grammicus* (Sauria: Phrynosomatidae) from Hidalgo, Mexico.
- Hernandez-Salinas, U., Ramirez-Bautista, A., Berriozabal-islas, C. and Juarez-Escamilla, D. 2013. First records of *Urosaurus bicarinatus* (Dumeril, 1856) (Squamata: Phrynosomatidae) from Cocinas island, Chamela Bay, Jalisco, Mexico. *Check List* 9: 649-650.
- Hernandez-Salinas, U., Ramirez-Bautista, A. and Mata-Silva, V. 2014. Species richness of squamate reptiles from two islands in the Mexican Pacific. *Check List* 10: 1264-1269.
- Hernandez-Salinas, U., Ramirez-Bautista, A., Pavon, N. P. and Pacheco, L. F. R. 2014. Morphometric variation in island and mainland populations of two lizard species from the Pacific Coast of Mexico. *Revista Chilena de Historia Natural* 87: 1-10.
- Hernandez-Salinas, U., Ramirez-Bautista, A. and Cruz-Elizalde, R. 2016. Variation in Feeding Habits of the arboreal lizard *Anolis nebulosus* (Squamata: Dactyloidae) from island and mainland populations in Mexican Pacific. *Copeia*, 2016: 1-10.
- Hernandez-Salinas, U., Ramirez-Bautista, A., Cruz-Elizalde, R., Meiri, S. and Berriozabal-Islands, C. 2019. Ecology of the growth of *Anolis nebulosus* (Squamata: Dactyloidae) in a seasonal tropical environment in the Chamela region, Jalisco, Mexico. *Ecology and Evolution*, 9: 2061-2071. doi: 10.1002/ece3.4899
- Hernandez-Vazquez, M. E. 2018. *Mastigodryas melanolomus* (Cope, 1868). Diet. *Mesoamerican Herpetology* 5: 166-167.
- Hernandez-Vazquez, M. E. 2019. *Sceloporus internasalis* (mail-snouted spiny lizard). Antipredator behavior. *Herpetological Review* 50: 144-145.
- Herrel, A. 2007. Herbivory and foraging mode in lizards. Pages 209-236 in Reilly, S. M., McBrayer, L. B. and Miles, D. B. (editors). *Lizard ecology*. Cambridge University Press, Cambridge.
- Herrel, A. and Holanova, V. 2008. Cranial morphology and bite force in *Chamaeleolis* lizards – adaptations to molluscivory? *Zoology* 111: 467-475.
- Herrel, A., Van Damme, R. and De Vree, F. 1996. Sexual dimorphism of head size in *Podarcis hispanica atrata*: Testing the dietary divergence hypothesis by bite force analysis. *Netherlands Journal of Zoology* 46: 253-262.
- Herrel, A., Spithoven, L., Van Damme, R. and De Vree, F. 1999. Sexual dimorphism of head size in *Gallotia galloti*: testing the niche divergence hypothesis by functional analyses. *Functional Ecology* 13: 289-297.
- Herrel, A., Castilla, A. M., Al-Sulaiti, M. K. and Wessels, J. J. 2014. Does large body size relax constraints on bite-force generation in lizards of the genus *Uromastyx*? *Journal of Zoology* 292: 170-174.

- Herrera and Fernandez-Marin 2016
- Herrera and Robinson 2000
- Herrera et al. 2007
- Herrmann 2017
- Herrmann and Branch 2013
- Herrmann and Herrmann 2003
- Herrmann and Herrmann 2005
- Herrmann et al. 2005
- Herrmann et al. 2009
- Hertz 1976
- Hertz 1979
- Hertz 1980
- Hertz 1981
- Hertz 1983
- Hertz and Nevo 1981
- Hertz et al. 1982
- Hertz et al. 1983
- Hertz et al. 2013
- Hervias-Parejo et al. 2019
- Herzog and Drummond 1984
- Hester et al. 2018
- Hewitt 1938
- Hews 1993
- Hews 1996
- Hews 2012
- Heyer 1972
- Hibbard et al. 2019
- Hibbits 2005
- Hibbits et al. 2005
- Hibbitts and Hibbitts 2015
- Hibbitts et al. 2012
- Hibbitts et al. 2019
- Hicks and Trivers 1983
- Hidalgo-Licona et al. 2016
- Hierlhy et al. 2013
- Higham 2015
- Higham et al. 2017
- Hikida 1988
- Hikida 1989
- Hikida et al. 2002
- Hill 2005
- Hillbrand et al. 2011
- Hillers and Rodel 2007
- Hillers et al. 2006
- Hillis and Simmons 1986
- Hillman 1969
- Hinoue 1989
- Hipsley and Muller 2017
- Hipsley et al. 2014
- Hirth 1963a
- Herrera, Y. C. and Fernandez-Marin, H. 2016. *Ptychoglossus plicatus* (Taylor's large-scaled lizard). Nesting. *Herpetological Review* 47: 673-674.
- Herrera, E. A. and Robinson, M. D. 2000. Reproductive and fat body cycles of the tegu lizard, *Tupinambis teguixin*, in the Llanos de Venezuela. *Journal of Herpetology*, 34: 598-601.
- Herrera, N., Henriquez, V. and Greenbaum, E. 2007. New country and department records for amphibians and reptiles from El Salvador. *Herpetological Review*, 38: 222-226.
- Herrmann, N. C. 2017. Substrate availability and selectivity contribute to microhabitat specialization in two Central American semiaquatic anoles. *Breviora*, 555: 1-13.
- Herrmann, H. -W. and Branch, W. R. 2013. Fifty years of herpetological research in the Namib Desert and Namibia with an updated and annotated species checklist. *Journal of Arid Environments* 93: 94-115.
- Herrmann, P. A. and Herrmann, H-W. 2003. New records and natural history notes for amphibians and reptiles from Southern Morocco. *Herpetological Review*, 34: 76-77.
- Herrmann, P. A. and Herrmann, H-W. 2005. Egg and clutch characteristics of the Mountain Chameleon, *Chamaeleo montium*, in southwestern Cameroon. *Journal of Herpetology* 39: 154-157.
- Herrmann, H. W., Bohme, W., Euskirchen, O., Herrmann, P. A. and Schmitz, A. 2005. African biodiversity hotspots: the reptiles of Mt Nlonako, Cameroon. *Revue suisse de Zoologie*, 112: 1045-1069.
- Herrmann, P., Stadler, M., and Richter, K. 2009. Photographical identification in the Greek legless skink (*Ophiomorus punctatissimus*). *Zeitschrift für Feldherpetologie*, Supplement 15: 417-424.
- Hertz, P. E. 1976. Anolis alumina, new species of grass anole from the Barahona Peninsula of Hispaniola. *Breviora* 437: 1-19.
- Hertz, P. E. 1979. Sensitivity to high temperatures in three west Indian grass anoles. *Comparative Biochemistry and Physiology A*, 63: 217-222.
- Hertz, P. E. 1980. Comparative physiological ecology of the sibling species *Anolis cybotes* and *A. marcanoi*. *Journal of Herpetology*, 14: 92-95.
- Hertz, P. E. 1981. Adaptation to altitude in two West Indian anoles (Reptilia: Iguanidae): Field thermal biology and physiological ecology. *Journal of Zoology* 195: 25-37.
- Hertz, P. E. 1983. Eurythermy and niche breadth in the West Indian *Anolis* lizards: a reappraisal. Pages 472-483 in A. G. J. Rhodin and K. Miyata, eds. *Advances in herpetology and evolutionary biology: essays in honor of Ernest E. Williams*. Museum of Comparative Zoology, Cambridge, Mass.
- Hertz, P. E. and Nevo, E. 1981. Thermal biology of four Israeli agamid lizards in early summer. *Israel Journal of Zoology* 30: 190-210.
- Hertz, P. E., Huey, R. B. and Nevo, E. 1982. Fight versus flight: body temperature influences defensive responses of lizards. *Animal Behaviour* 30: 676-679.
- Hertz, P. E., Huey, R. B. and Nevo, E. 1983. Homage to Santa Anita: thermal sensitivity of sprint speed in agamid lizards. *Evolution*, 37: 1075-1084.
- Hertz, P. E., Arima, Y., Harrison, A., Huey, R. B., Losos, J. B. and Glor, R. E. 2013. Asynchronous evolution of physiology and morphology in *Anolis* lizards. *Evolution* 67: 2101-2113.
- Hervias-Parejo, S., Heleno, R., Rumeu, B., Guzman, B., Vargas, P., Olesen, J. M., Traveset, A., Vera, C., Benavides, E. and Nogales, M. 2019. Small size does not restrain frugivory and seed dispersal across the evolutionary radiation of Galapagos lava lizards. *Current Zoology* 65: 353-361.
- Herzog, H. A. and Drummond, H. 1984. Tail autotomy inhibits tonic immobility in geckos. *Copeia*, 1984: 763-764.
- Hester, E., Schaefer, A. and Bauer, A. M. 2018. Afrogecko porphyreus, (Daudin 1802), marbled african leaf-toed gecko, reproduction. *African Herp News* 67: 20-21.
- Hewitt, J. 1938. Description of new forms of the genus *Acontias*. *Transactions of the Royal Society of South Africa* 26: 39-48.
- Hews, D. K. 1993. Food resources affect female distribution and male mating opportunities in the iguanian lizard *Uta palmeri*. *Animal Behaviour*, 46: 279-291.
- Hews, D. K. 1996. Size and scaling of sexually-selected traits in the lizard, *Uta palmeri*. *Journal of Zoology*, 238: 743-751.
- Hews, D. K. 2012. *Sceloporus cozumelae* (Cozumel spiny lizard). Reproduction and female coloration. *Herpetological Review* 43: 489-490.
- Heyer, W. R. 1972. A new limbless skink (Reptilia: Scincidae) from Thailand with comments on the generic status of the limbless skinks of southeast Asia. *Fieldiana, Zoology*, 58: 109-129.
- Hibbard, T. N., Nenda, S. J. and Lobo, F. 2019. A new species of *Phymaturus* (Squamata: Liolaemidae) from the Auca Mahuida Natural Protected Area, Neuquen, Argentina, based on morphological and DNA evidence. *South American Journal of Herpetology* 14: 123-135.
- Hibbitts, T. J. 2005. Ecology and sexual selection of the common barking gecko (*Ptenopus garrulus*). PhD Dissertation, University of the Witwatersrand.
- Hibbitts, T. J., Pianka, E. R., Huey, R. B. and Whiting, M. J. 2005. Ecology of the common barking gecko (*Ptenopus garrulus*) in Southern Africa. *Journal of Herpetology* 39: 509-515.
- Hibbitts, T. D. and Hibbitts, T. J. 2015. Texas lizards. A field guide. University of Texas Press, Austin.
- Hibbitts, T. J., Cooper, W. E. and Whiting, M. J. 2012. Spatial distribution and activity patterns in African barking geckos: implications for mating system and reproduction. *Journal of Herpetology*, 46: 456-460.
- Hibbitts, T. J., Ryberg, W. A., Harvey, J. A., Voelker, G., Lawing, A. M., Adams, C. S., Neuharth, D. B., Dittmer, D. E., Duran, C. M., Wolaver, B. D. and Pierre, J. P. 2019. Phylogenetic structure of *Holbrookia lacerata* (Cope 1880)(Squamata: Phrynosomatidae): one species or two? *Zootaxa*, 4619: 139-154.
- Hicks, R. A. and Trivers, R. L. 1983. The social behavior of *Anolis valencienni*. Pages 570-595 in A. G. J. Rhodin and K. Miyata, eds. *Advances in herpetology and evolutionary biology: essays in honor of Ernest E. Williams*. Museum of Comparative Zoology, Cambridge, Mass.
- Hidalgo-Licona, F., Cruz-Elizalde, R. and Ramirez-Bautista, A. 2016. *Sceloporus spinosus* Wiegmann, 1828. Diet. *Mesoamerican Herpetology* 3: 487-488.
- Hierlhy, C. A., Garcia-Collazo, R., Tapia, C. B. C. and Mallory, F. F. 2013. Sexual dimorphism in the lizard *Sceloporus siniferus*: support for the intraspecific niche divergence and sexual selection hypotheses. *Salamandra* 49: 1-6.
- Higham, T. E. 2015. Bolting, bouldering, and burrowing: functional morphology and biomechanics of pedal specialisations in desert-dwelling lizards. Pages 279-301 in Bininda-Emonds, O.R.P., Powell, G.L., Jamniczky, H.A., Bauer, A.M. Theodor J. (eds.) (2015). All animals are interesting: a festschrift in honour of Anthony P. Russell. BiS Verlag, Oldenburg, Germany.
- Higham, T. E., Gamble, T. and Russell, A. P. 2017. On the origin of frictional adhesion in geckos: small morphological changes lead to a major biomechanical transition in the genus *Gonatodes*. *Biological Journal of the Linnean Society*, 121: 119-123.
- Hikida, T. 1988. A new white-spotted subspecies of *Eumececs chinensis* (Scincidae: Lacertilia) from Lutao island, Taiwan. *Japanese Journal of Herpetology* 12: 89-94.
- Hikida, T. 1989. A new species of *Eumececs* (Lacertilia: Scincidae) from Fujian Province, China. *Copeia*, 1989: 89-94.
- Hikida, T., Orlov, N. L., Nabhitabhata, J. and Ota, H. 2002. Three new depressed-bodied water skinks of the genus *Tropidophorus* (Lacertilia: Scincidae) from Thailand and Vietnam. *Current Herpetology* 21: 9-23.
- Hill, J. G. 2005. New record of *Ophisaurus gracilis* (Reptilia: Anguidae) from Na Haew National Park, Loei Province, Thailand. *The Natural History Journal of Chulalongkorn University* 5: 91-92.
- Hillbrand, P. A., Sloan, A. T. and Hayes, W. K. 2011. The terrestrial reptiles of San Salvador island, Bahamas. *IRCF Reptiles & Amphibians* 18: 155-166.
- Hillers, A. and Rodel, M-O. 2007. Rapid survey of amphibians and reptiles of North Lorma, Gola and Grebo National Forests, pages 29-33 in: A rapid biological assessment of North Lorma, Gola and Grebo National Forests, Liberia. Conservation international, Washington DC.
- Hillers, A., Bangoura, M. A., Loua, N. S. and Rodel, M-O. 2006. Rapid survey of amphibians and reptiles in the Boke Region, Northwestern Guinea. In: Wright, H. E., McCullough, J. & Diallo, M. S. (eds.) A rapid biological assessment of Boke Prefecture, northwestern Guinea: pp. 131-136, appendices 5-7: pp. 178-181. RAP Bulletin of Biological Assessment 41. Washington D.C. (Conservation international).
- Hillis, D. M. and Simmons, J. E. 1986. Dynamic change of a zone of parapatry between two species of *Pholidobolus* (Sauria: Gymnophthalmidae). *Journal of Herpetology* 20: 85-87.
- Hillman, P. E. 1969. Habitat specificity in three sympatric species of *Ameiva* (Reptilia: Teiidae). *Ecology* 50: 476-481.
- Hinoue, M. 1989. Spermatogenetic cycle of the Japanese skink *Eumececs latiscutatus* with reference to its geographic variation. Pages 358-363 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.
- Hipsley, C. A. and Muller, J. 2017. Developmental dynamics of ecomorphological convergence in a transcontinental lizard radiation. *Evolution* 71: 936-948.
- Hipsley, C. A., Miles, D. B. and Muller, J. 2014. Morphological disparity opposes latitudinal diversity gradient in lacertid lizards. *Biology Letters* 10: 20140101.
- Hirth, H. F. 1963. Food of *Basiliscus plumifrons* on a tropical strand. *Herpetologica*, 18: 276-277.

- Hirth 1963b  
Hirth 1965  
Hitchmough 1977  
Hitchmough 1997  
Hitchmough et al. 2010  
Hite et al. 2007  
Hite et al. 2008  
Hoare et al. 2005  
Hoare et al. 2007  
Hoare et al. 2009  
Hocknull et al. 2009  
Hodar et al. 2006  
Hodge et al. 2003  
Hodges 1995  
Hodges and Perez-Ramos 2001  
Hodges et al. 2018  
Hoehn et al. 2012  
Hofer and Bersier 2001  
Hofer et al. 2003  
Hofmann and Townsend 2017  
Hohl et al. 2014  
Hojati and Savasari 2014  
Hojati et al. 2013a  
Hojati et al. 2013b  
Hojati et al. 2014a  
Hojati et al. 2014b  
Hojati et al. 2016  
Holden et al. 2014  
Hollanders et al. 2018  
Holman 1964  
Holman 1966  
Holman 1971a  
Holman 1971b  
Holman 1971c  
Holman 1971d  
Holmes 2004  
Holmes and Cree 2006  
Honda and Ota 2017
- Honegger 1969  
Honegger 1985  
Hoofien 1962  
Hoofien 1965  
Hoofien 1967  
Hoofien 1968  
Hoofien and Yaron 1964  
Hoofien et al. 1990  
Hoogmoed 1973  
Hoogmoed 1981  
Hoogmoed 1985  
Hoogmoed and Avila-Pires 1992  
Hoogmoed and Avila-Pires 2015  
Hoogmoed and Mott 2003  
Hoops et al. 2017
- Horn and Visser 1997  
Horn et al. 2007a
- Hirth, H. F. 1963. The ecology of two lizards on a tropical beach. *Ecological Monographs*, 33: 83-112.  
Hirth, H. F. 1965. Temperature preferences of five species of Neotropical lizards. *Herpetologica*, 20: 273-276.  
Hitchmough, R. A. 1977. The lizards of the Moturoa island group. *Tane* 23: 37-46.  
Hitchmough, R. A. 1997. A systematic revision of the New Zealand Gekkonidae. PhD Dissertation, Victoria University of Wellington.  
Hitchmough, R. A., Hoare, J. M., Jamieson, H., Newman, D., Tocher, M. D., Anderson, P. J., Lettink, M. and Whitaker, A. H. 2010. Conservation status of New Zealand reptiles, 2009. *New Zealand Journal of Zoology*, 37: 203-224.  
Hite, J. L., Steinberg, D. S. and Powell, R. 2007. *Sphaerodactylus kirbyi*. Catalogue of American Amphibians and Reptiles, 852: 1-2.  
Hite, J. L., Gomez, C. A. R., Larimer, S. C., Diaz-Lameiro, A. M. and Powell, R. 2008. Anoles of St. Vincent (Squamata: Polychrotidae): Population densities and structural habitat use. *Caribbean Journal of Science*, 44: 102-115.  
Hoare, J. M., Stephens, C. L., Daugherty, C. H. and Phillipot, P. M. S. 2005. *Oligosoma lineoocellatum*. Longevity. *Herpetological Review* 36: 181.  
Hoare, J. M., Pledger, S. and Nelson, N. J. 2007. Chemical discrimination of food, conspecifics and predators by apparently visually-oriented diurnal geckos, *Naultinus manukanus*. *Herpetologica*, 63: 184-192.  
Hoare, J. M., O'Donnell, C. F. J., Westbrook, I., Hodapp, D. and Lettink, M. 2009. Optimising the sampling of skinks using artificial retreats based on weather conditions and time of day. *Applied Herpetology* 6: 379-390.  
Hocknull, S. A., Piper, P. J., van den Bergh, G. D., Due, R. A., Morwood, M. J. and Kurniawan, I. 2009. Dragon's paradise lost: palaeobiogeography, evolution and extinction of the largest-ever terrestrial lizards (Varanidae). *PLoS ONE* 4(9): e7241. doi:10.1371/journal.pone.0007241.  
Hodar, J. A., Pleguezuelos, J. M., Villafranca, C. and Fernandez-Cardenete, J. R. 2006. Foraging mode of the Moorish gecko *Tarentola mauritanica* in an arid environment: inferences from abiotic setting, prey availability and dietary composition. *Journal of Arid Environments* 65: 83-93.  
Hodge, K. V. D., Censky, E. J. and Powell, R. 2003. The reptiles and amphibians of Anguilla, British West Indies. *Anguilla National Trust*.  
Hodges, W. L. 1995. *Phrynosoma ditmarsi*. Catalogue of American Amphibians and Reptiles 614: 1-3.  
Hodges, W. L. and Perez-Ramos, E. 2001. New localities and natural history notes on *Bipes canaliculatus* in Guerrero, Mexico. *Herpetological Review* 32: 153-156.  
Hodges, C. W., Amber, E. D. and Stine, C. T. 2018. *Boiga guangxiensis* Wen, 1998 (Squamata: Colubridae) feeding on *Draco blanfordii* in Yunnan, China. *Herpetology Notes*, 11: 981-984.  
Hoehn, M., Gruber, B., Sarre, S. D., Lange, R. and Henle, K. 2012. Can genetic estimators provide robust estimates of the effective number of breeders in small populations? *PLoS ONE* 7(11): e48464.  
Hofer, U. and Bersier, L-F. 2001. Herpetofaunal diversity and abundance in tropical upland forests of Cameroon and Panama. *Biotropica* 33: 142-152.  
Hofer, U., Baur, H. and Bersier, L. F. 2003. Ecology of three sympatric species of the genus *Chamaeleo* in a tropical upland forest in Cameroon. *Journal of Herpetology* 37: 203-207.  
Hofmann, E. P. and Townsend, J. H. 2017. Origins and biogeography of the *Anolis crassulus* subgroup (Squamata: Dactyloidae) in the highlands of Nuclear Central America. *BMC Evolutionary Biology*, 17: 267.  
Hohl, L. S. L., Loguerico, M. F. C., Buedria, R. A., Almeida-Santos, M., Viana, L. A., Barros-Filho, J. D. and Rocha-Barbosa, O. 2014. Fossil record, gait patterns and performance of a shovel-headed amphisbaenian. *Journal of Zoology* 291: 1-10.  
Hojati, V. and Savasari, R. B. 2014. The diet and sexual differences of the Caspian bent-toed gecko, *Tenuidactylus caspius* (Squamata: Gekkonidae), in northern Iran. *International Journal of Zoology* 698216: 1-4.  
Hojati, V., Parivar, K., Rastegar-Pouyani, E. and Shiravi, A. 2013. Observations on the spermatogenic cycle of the Caspian Bent-toed Gecko, *Cyrtopodion caspium*, in Iran (Sauria: Gekkonidae). *Zoology in the Middle East*, 59: 20-29.  
Hojati, V., Parivar, K., Rastegar-Pouyani, E. and Shiravi, A. 2013. The oogenetic cycle of the Caspian bent-toed gecko, *Cyrtopodion caspium* (Squamata: Gekkonidae) in Iran. *Acta Herpetologica* 8: 1-8.  
Hojati, V., Malekmohammadi, M. and Rahmani, S. 2014. A preliminary study on the biology of the black-tailed toad agama, *Phrynocephalus maculatus* maculatus in Iran. *Cibtech Journal of Zoology* 3: 60-67.  
Hojati, V., Mojibi, F. and Haghshenas, N. J. 2014. A preliminary study on the biology of the Bedriaga's plate-tailed Gecko, *Teratoscincus bedriagai* in Iran. *Journal of Entomology and Zoology Studies*, 2, pp.71-76.  
Hojati, V., Keshavarz, S. M., Behniafar, R. and Shiravi, A. 2016. The reproductive biology of the Caspian green lizard, *Lacerta striata* (Sauria: Lacertidae) in Iran. *International Journal of Morphology* 34: 443-450.  
Holden, M., Girard, F. and Ineich, I. 2014. Eggs and hatchlings of *Hemiphyllodactylus typus* Bleeker, 1860 (Gekkonidae) on a small islet in New Caledonia. *Herpetology Notes* 7: 509-513.  
Hollanders, M., Serrano, F., Leerschool, T. and Beukema, W. 2018. New and recent herpetological records from Soria, Spain. *Boletin de la Asociacion Herpetologica Espanola* 29: 105-109.  
Holman, J. A. 1964. New and interesting amphibians and reptiles from Guerrero and Oaxaca, Mexico. *Herpetologica*, 20: 48-54.  
Holman, J. A. 1966. A second specimen of *Ophisaurus ceroni*. *Quarterly Journal of the Florida Academy of Science* 29: 43-46.  
Holman, J. A. 1971. *Ophisaurus attenuatus*. Catalogue of American Amphibians and Reptiles 111: 1-3.  
Holman, J. A. 1971. *Ophisaurus compressus*. Catalogue of American Amphibians and Reptiles 113: 1-2.  
Holman, J. A. 1971. *Ophisaurus ventralis*. Catalogue of American Amphibians and Reptiles 115: 1-2.  
Holman, J. A. 1971. *Ophisaurus*. Catalogue of American Amphibians and Reptiles 110: 1-3.  
Holmes, K. 2004. The female reproductive cycle of a viviparous skink, *Oligosoma maccanni*, in a subalpine environment. MSc. Thesis, University of Otago, Dunedin.  
Holmes, K. M. and Cree, A. 2006. Annual reproduction in females of a viviparous skink (*Oligosoma maccanni*) in a subalpine environment. *Journal of Herpetology*, 40: 141-151.  
Honda, M. and Ota, H. 2017. On the live coloration and partial mitochondrial DNA sequences in the topotypic population of *Goniurosaurus kuroiwae orientalis* (Squamata: Eublepharidae), with description of a new subspecies from Tokashikijima island, Ryukyu Archipelago, Japan. *Asian Herpetological Research* 8: 96-107.  
Honegger, R. E. 1969. Notes on some amphibians and reptiles at Zurich Zoo. *International Zoo Yearbook* 9: 24-28.  
Honegger, R. E. 1985. Additional notes on the breeding and captive management of the prehensile-tailed skink (*Corucia zebrata*). *Herpetological Review* 16: 21-23.  
Hoofien, J. H. 1962. An unusual congregation of the gekkonid lizard *Tarentola annularis* (Geoffroy). *Herpetologica*, 18: 54-56.  
Hoofien, J. H. 1965. On some herpetological records from Sinai and Transjordan. *Israel Journal of Zoology* 14: 122-127.  
Hoofien, J. H. 1967. Contributions to the herpetofauna of Mount Hermon No. I *Cyrtodactylus amictophilis* n. sp. (Sauna, Gekkonidae). *Israel Journal of Zoology*, 16: 205-210.  
Hoofien, J. H. 1968. Contributions to the herpetofauna of Mount Hermon. II. On some lacertids and colubrids. *Israel Journal of Zoology* 17: 199-204.  
Hoofien, J. H. and Yaron, Z. 1964. A collection of reptiles from the Dahlak Archipelago (Red Sea). Israel South Red Sea Expedition, 1962. Reports No 4. *Bulletin of the Sea Fisheries Research Station, Haifa* 35: 1-6.  
Hoofien, J. H., Sivan, N. and Werner, Y. L. 1990. Deletion of *Lacerta danfordi* (Reptilia: Lacertidae) from the herpetofaunal lists of Petra (Jordan) and Mount Hermon, with zoogeographical implications. *Israel Journal of Zoology* 37: 1-10.  
Hoogmoed, M. S. 1973. Notes on the herpetofauna of Surinam iV: the lizards and amphisbaenians of Surinam. W. Junk Publishers, Den Haag.  
Hoogmoed, M. S. 1981. Introduced species of reptiles in Surinam Notes on the herpetofauna of Surinam VIII. *Amphibia-Reptilia* 1: 277-385.  
Hoogmoed, M. S. 1985. *Coleodactylus septentrionalis* Vanzolini, a lizard new for the Surinamese fauna (Sauria: Gekkonidae). Notes on the herpetofauna of Suriname X. *Zoologische Mededelingen* 59: 229-238.  
Hoogmoed, M. S. and Avila-Pires, T. C. S. 1992. Studies on the species of the South American lizard genus *Arthrosaura* Boulenger (Reptilia: Sauria: Teiidae), with the resurrection of two species. *Zoologische Mededelingen* 66: 453-462.  
Hoogmoed, M. S. and Avila-Pires, T. C. S. 2015. *Lepidodactylus lugubris* (Dumeril & Bibron 1836) (Reptilia: Gekkonidae), an introduced lizard new for Brazil, with remarks on and correction of its distribution in the New World.  
Hoogmoed, M. S. and Mott, T. 2003. On the identity of *Amphisbaena hugoi* Vanzolini, 1990 (Reptilia: Squamata: Amphisbaenidae). *Zoologische Mededelingen* 77: 455-457.  
Hoops, D., Vidal-Garcia, M., Ullmann, J. F., Janke, A. L., Stait-Gardner, T., Duchene, D. A., Price, W. S., Whiting, M. J. and Keogh, J. S. 2017. Evidence for concerted and mosaic brain evolution in dragon lizards. *Brain, Behavior and Evolution*, 90: 211-223.  
Horn, H-G. and Visser, G. J. 1997. Review of reproduction of Monitor lizards in captivity II. *International Zoo Yearbook* 35: 227-246.  
Horn, H. G., Sweet, S. S. and Philipp, K. M. 2007. On the distribution of the Papuan monitor (*Varanus salvadorii* Peters & Doria 1878) in New Guinea. *Mertensiella* 16: 25-43.

- Horn et al. 2007b  
 Hornby 1996  
 Horner 1992  
 Horner 1995  
 Horner 2005
- Horner 2007  
 Horner 2009  
 Horner and Adams 2007
- Horrevoit Fitze 2018  
 Horrevoit et al. 2018
- Horrero et al. 2015  
 Horton 1973  
 Horvathova et al. 2013  
 Hoser 2009  
 Hoskin 2013  
 Hoskin 2014  
 Hoskin 2019  
 Hoskin and Couper 2004  
 Hoskin and Couper 2012
- Hoskin and Couper 2014  
 Hoskin and Couper 2015  
 Hoskin and Higgle 2008  
 Hoskin et al. 2003  
 Hoskin et al. 2018  
 Hoskins et al. 2017
- Hosono and Hikida 1999  
 Hosseinzadeh et al. 2014  
 Hosseinzadeh et al. 2016  
 Hosseinzadeh et al. 2018a  
 Hosseinzadeh et al. 2018b  
 Hotchkin et al. 2001  
 How and Kitchener 1983  
 How et al. 1986  
 How et al. 1987  
 How et al. 1990  
 Howard and Hailey 1999  
 Howard et al. 1999  
 Hraoui-Bloquet et al. 2002  
 Hribal and Holanova 2004  
 Hu et al. 1966  
 Hu et al. 2012  
 Hu et al. 2019  
 Huang 1997a  
 Huang 1997b  
 Huang 1998a  
 Huang 1998b  
 Huang 2006a  
 Huang 2006b  
 Huang 2007a  
 Huang 2007b  
 Huang 2010  
 Huang 2011  
 Huang and Tu 2008  
 Huang et al. 1967
- Horn, H-G., Bohme, W. and Krebs, U. (Editors). 2007. Advances in monitor research III. Mertensiella, Reinbach: Deutsche Gesellschaft fur Herpetologie und Terrarienkunde.
- Hornby, R. J. 1996. A checklist of amphibians and reptiles of the United Arab Emirates. *Tribulus* 6: 9-13.
- Horner, P. 1992. Skinks of the Northern Territory. Northern Territory Museum of Arts and Sciences, Darwin.
- Horner, P. 1995. Two new species of *Ctenotus* (Reptilia, Scincidae) from the Northern Territory. *The Beagle* 12, p.75.
- Horner, P. 2005. *Gehyra koira* sp. nov. (Reptilia: Gekkonidae), a new species of lizard with two allopatric subspecies from the Ord-Victoria region of north-western Australia and a key to the *Gehyra australis* species complex. *The Beagle, Records of the Museums and Art Galleries of the Northern Territory*, 21: 165-174.
- Horner, P. 2007. Systematics of the snake-eyed skinks, *Cryptoblepharus* Wiegmann (Reptilia: Squamata: Scincidae) – an Australian-based review. *The Beagle, supplement* 3: 21-198.
- Horner, P. 2009. Three new species of *Ctenotus* (Reptilia: Sauria: Scincidae) from the Kimberley region of Western Australia, with comments on the status of *Ctenotus decaneurus yampiensis*. *Records of the Western Australian Museum* 27: 1-10.
- Horner, P. and Adams, M. 2007. A molecular systematic assessment of species boundaries in Australian *Cryptoblepharus* (Reptilia: Squamata: Scincidae) – a case study for the combined use of allozymes and morphology to explore cryptic biodiversity. *The Beagle, Supplement* 3: 1-19.
- Horrevoit, J. L. and Fitze, P. S. 2018. Postglacial colonization of Northern Europe by reptiles. Pages 197-214 in Pontarotti, P. editor, *Origin and evolution of biodiversity*. Springer, Berlin.
- Horrevoit, J. L., Pelaez, M. L., Suarez, T., Breedveld, M. C., Heulin, B., Surget-Groba, Y., Oksanen, T. A. and Fitze, P. S. 2018. Phylogeography, evolutionary history and effects of glaciations in a species (*Zootoca vivipara*) inhabiting multiple biogeographic regions. *Journal of Biogeography* 45: 1616-1627.
- Horrevoit, J. L., Pelaez, M. L. and Fitze, P. S. 2015. Skin sheds as a useful DNA source for lizard conservation. *Phylomedusa* 14: 73-77.
- Horton, D. R. 1973. A new species of *Mabuya* (Lacertilia: Scincidae) from Venezuela. *Journal of Herpetology* 7: 75-77.
- Horvathova, T., Cooney, C. R., Fitze, P. S., Oksanen, T. A., Jeli, D. s., Ghira, I., Uller, T. and Jandzik, D. 2013. Length of activity season drives geographic variation in body size of a widely distributed lizard. *Ecology and Evolution* 3: 1-10.
- Hoser, R. 2009. A new genus and species of skink from Victoria. *Australasian Journal of Herpetology* 3: 1-6.
- Hoskin, C. J. 2013. A new skink (Scincidae: Saproscincus) from rocky rainforest habitat on Cape Melville, north-east Australia. *Zootaxa* 3722: 385-395.
- Hoskin, C. J. 2014. A new skink (Scincidae: Carlia) from the rainforest uplands of Cape Melville, north-east Australia. *Zootaxa* 3869: 224-236.
- Hoskin, C. J. 2019. Description of three new velvet geckos (Diplodactylidae: Oedura) from inland eastern Australia, and redescription of *Oedura monilis* De Vis. *Zootaxa*, 4683: 242-270.
- Hoskin, C. J. and Couper, P. J. 2004. A new species of *Glyptomyrmopus* (Reptilia: Scincidae) from Mt Elliot, north-east Queensland. *Australian Journal of Zoology* 52: 183-190.
- Hoskin, C. J. and Couper, P. J. 2012. Description of two new *Carlia* species (Reptilia: Scincidae) from north-east Australia, elevation of *Carlia pectoralis* inconnexa Ingram & Covacevich 1989 to full species status, and redescription of *Carlia pectoralis* (de Vis 1884). *Zootaxa* 3546: 1-28.
- Hoskin, C. J. and Couper, P. 2014. Two new skinks (Scincidae: Glyptomyrmopus) from rainforest habitats in north-eastern Australia. *Zootaxa* 3869: 1-16.
- Hoskin, C. J. and Couper, P. 2015. A new skink (Scincidae: Liburnascincus) from rocky habitat on Cape York, northeast Australia. *Zootaxa* 3994: 222-234.
- Hoskin, C. J. and Higgle, M. 2008. A new species of velvet gecko (Diplodactylidae: Oedura) from north-east Queensland, Australia. *Zootaxa* 1788: 21-36.
- Hoskin, C. J., Couper, P. J. and Schneider, C. J. 2003. A new species of *Phyllurus* (Lacertilia: Gekkonidae) and a revised phylogeny and key for the Australian leaf-tailed geckos. *Australian Journal of Zoology* 51: 153-164.
- Hoskin, C. J., Zozaya, S. M. and Vanderduys, E. 2018. A new species of velvet gecko (Diplodactylidae: Oedura) from sandstone habitats of inland north Queensland, Australia. *Zootaxa*, 4486: 101-124.
- Hoskins, A. J., Hare, K. M., Miller, K. A., Schumann, N. and Chapple, D. G. 2017. Repeatability, locomotor performance and trade-offs between performance traits in two lizard species, *Oligosoma alani* and *O. smithi*. *Biological Journal of the Linnean Society*, 122: 850-859.
- Hosono, A. and Hikida, T. 1999. Notes on the captive reproductive behavior of the Asiatic four-lined skink, *Eumeces quadrilineatus*. *Herpetological Review* 30: 35.
- Hosseinzadeh, M. S., Alibadian, M., Rastegar-Pouyani, E. and Rastegar-Pouyani, N. 2014. Morphological study of Hemidactylus geckos (Squamata:Gekkonidae) from Iran. *Iranian Journal of Animal Biosystematics* 10: 175-184.
- Hosseinzadeh, M. S., Qomi, M. F. and Kazemi, S. M. 2016. Distribution of *Ophiomorus nuchalis* Nilson & Andren, 1978: current status of knowledge. *Herpetozoa* 29: 92-95.
- Hosseinzadeh, M. S., Alibadian, M. and Rastegar-pouyani, E. 2018. Deep mitochondrial and morphological differentiation of *Hemidactylus persicus* Anderson, 1872 (Squamata: Gekkonidae) in Iran. *Herpetological Journal* 28: 101-108.
- Hosseinzadeh, M. S., Qomi, M. F., Naimi, B., Rodder, D. and Kazemi, S. M. 2018. Habitat suitability and modelling the potential distribution of *Ophiomorus nuchalis* (Sauria: Scincidae) on the Iranian Plateau. *North-Western Journal of Zoology* 14: 1-10.
- Hotchkin, P. E., Camp, C. D. and Marshall, J. L. 2001. Aspects of the life history and ecology of the coal skink, *Eumeces anthracinus*, in Georgia. *Journal of Herpetology* 35: 145-148.
- How, R. A. and Kitchener, D. J. 1983. The biology of the gecko *Oedura reticulata* Bustard, in a small habitat isolate in the Western Australian wheatbelt. *Australian Wildlife Research* 10: 543-556.
- How, R. A., Dell, J. and Wellington, B. D. 1986. Comparative biology of eight species of *Diplodactylus* gecko in western Australia. *Herpetologica* 42: 471-482.
- How, R. A., Dell, J. and Gordon, S. J. 1987. Reproductive patterns in chromosomally distinct races of *Phyllodactylus marmoratus* (Lacertilia: Gekkonidae) in southwestern Australia. *Records of the Western Australian Museum* 13: 413-424.
- How, R. A., Dell, J. and Wellington, B. D. 1990. Reproductive and dietary biology of *Nephrurus* and *Underwoodisaurus* (Gekkonidae) in Western Australia. *Records of the Western Australian Museum* 14: 449-459.
- Howard, K. E. and Hailey, A. 1999. Microhabitat separation among diurnal saxicolous lizards in Zimbabwe. *Journal of Tropical Ecology*, 15: 367-378.
- Howard, A. K., Powell, R. and Parmerlee, J. S. 1999. *Anolis barbouri*. Catalogue of American Amphibians and Reptiles 692: 1-4.
- Hraoui-Bloquet, S., Sadek, R. A., Sindaco, R. and Venchi, A. 2002. The herpetofauna of Lebanon: new data on distribution. *Zoology in the Middle East* 27: 35-46.
- Hribal, J. and Holanova, V. 2004. *Laemancus serratus*, the casquehead iguana. *Reptilia* 32: 48-52.
- Hu, S.-C., Diao, E.-M. and Liu, C.-C. 1966. A herpetological survey of the Tsinling and Ta-Pa shan region. *Acta zoologica Sinica* 18: 88-89.
- Hu, D., Fu, J., Zou, F. and Qi, Y. 2012. Impact of the Qinghai-Tibet railway on population genetic structure of the toad-headed lizard, *Phrynocephalus vlangalii*. *Asian Herpetological Research*, 3: 280-287.
- Hu, Y. C., Lu, H. L., Cheng, K. M., Luo, L. G. and Zeng, Z. G. 2019. Thermal dependence of feeding performance and resting metabolic expenditure in different altitudinal populations of toad-headed lizards. *Journal of Thermal Biology*, 93: 102-108.
- Huang, W.-S. 1997. Reproductive cycle of the oviparous lizard *Japalura brevipes* (Agamidae: Reptilia) in Taiwan, Republic of China. *Journal of Herpetology*, 31: 22-29.
- Huang, W.-S. 1997. Reproductive cycle of the skink, *Sphenomorphus taiwanensis*, in central Taiwan. *Journal of Herpetology*, 31: 287-290.
- Huang, W.-S. 1998. Reproductive cycles of the grass lizard, *Takydromus hsuehsienensis*, with comments on reproductive patterns of lizards from the central high elevation area of Taiwan. *Copeia* 1998: 866-873.
- Huang, W.-S. 1998. Sexual size dimorphism and microhabitat use of two sympatric lizards, *Sphenomorphus taiwanensis* and *Takydromus hsuehsienensis*, from the central highlands of Taiwan. *Zoological studies*, 37: 302-308.
- Huang, W.-S. 2006. Ecological characteristics of the skink, *Mabuya longicaudata*, on a tropical East Asian island. *Copeia* 2006: 293-300.
- Huang, W.-S. 2006. Ecology and reproductive patterns of the grass lizard, *Takydromus sauteri*, in a tropical rain forest of an east Asian island. *Journal of Herpetology*, 40: 267-273.
- Huang, W.-S. 2007. Costs of egg caring in the skink, *Mabuya longicaudata*. *Ecological Research* 22: 659-664.
- Huang, W.-S. 2007. Ecology and reproductive patterns of the agamid lizard *Japalura swinhonis* on an East Asian island, with comments on the small clutch sizes of island lizards. *Zoological Science*, 24: 181-188.
- Huang, W.-S. 2010. Ecology and reproductive characteristics of the skink *Sphenomorphus incognitus* on an East Asian island, with comments on variations in clutch size with reproductive modes in *Sphenomorphus*. *Zoological Studies* 49: 506-512.
- Huang, S.-P. and Tu, M.-C. 2008. Heat tolerance and altitudinal distribution of a mountainous lizard, *Takydromus hsuehsienensis*, in Taiwan. *Journal of Thermal Biology* 33: 48-56.
- Huang, C. C., Clark, H. F. and Gans, C. 1967. Karyological studies on fifteen forms of amphisbaenians (Amphisbaenia-Reptilia). *Chromosoma* 22: 1-15.

- Huang et al. 2006  
 Huang et al. 2011  
 Huang et al. 2013  
 Huang et al. 2014  
 Hubbard et al. 2016  
 Hudson et al. 2019  
 Huerta 2015  
 Huerta et al. 2015  
 Huey 1974  
 Huey 1979  
 Huey and Bennett 1987  
 Huey and Dunham 1987  
 Huey and Kingsolver 1989  
 Huey and Pianka 1977  
 Huey and Pianka 1981  
 Huey and Pianka 2007  
 Huey and Pianka 2018  
 Huey and Slatkin 1976  
 Huey and Webster 1975  
 Huey and Webster 1976  
 Huey et al. 1974  
 Huey et al. 1983  
 Huey et al. 1989  
 Huey et al. 2001  
 Huey et al. 2009  
 Huey et al. 2010  
 Hughes 1988a  
 Hughes 1988b  
 Hughes and Behangana 2017a  
 Hughes and Behangana 2017b  
 Hughes and Behangana 2017c  
 Hughes et al. 2015  
 Hughes et al. 2017  
 Hughes et al. 2018  
 Hughes et al. 2019  
 Hui 2018  
 Hullinger et al. 2018  
 Hulse 1992  
 Hult and Germano 2015  
 Husnaker 1959  
 Hunt 2007a  
 Hunt 2007b  
 Hunt 2007c  
 Huron et al. 2016  
 Hurston et al. 2009  
 Hurtubia 1973  
 Husak and Ackland 2003  
 Husak and McGuire 2014  
 Husak et al. 2006  
 Hussein and Darwish 2001  
 Hutchinson 1993  
 Hutchinson and Donnellan 1992  
 Hutchinson and Donnellan 1999  
 Hutchinson et al. 2001  
 Hutchinson et al. 2009
- Huang, S-P., Hsu, Y. and Tu, M-C. 2006. Thermal tolerance and altitudinal distribution of two *Sphenomorphus* lizards in Taiwan. *Journal of Thermal Biology* 31: 378-385.  
 Huang, Y., Dai, Q., Chen, Y., Wan, H., Li, J. and Wang, Y. 2011. Lizard species richness patterns in China and its environmental associations. *Biodiversity Conservation* 20: 1399-1414.  
 Huang, W-S., Lin, S-M., Dubey, S. and Pike, D. A. 2013. Predation drives interpopulation differences in parental care expression. *Journal of Animal Ecology* 82: 429-437.  
 Huang, Y., Wu, X., Li, Y. H. and Liao, W. B. 2014. Global warming, body size and conservation in a Qinghai-Tibet Plateau lizard. *Herpetological Journal* 24: 161-166.  
 Hubbard, K. A., Chalfoun, A. D. and Gerow, K. G. 2016. The relative influence of road characteristics and habitat on adjacent lizard populations in arid shrublands. *Journal of Herpetology* 50: 29-36.  
 Hudson, A. A., Silva, M. A., Honorio, N. R. and Sousa, B. M. 2019. *Urostrophus vautieri* (Brazilian steppe iguana). Defensive behavior, predation, and reproduction. *Herpetological Review* 50: 582-583.  
 Huerta, E. G. A. 2015. Análisis multivariado de la morfometría y escutelación del género *Microlophus* dumeril & bibron, 1837 en Chile implicaciones taxonómicas. Doctoral dissertation, Universidad de Concepcion.  
 Huerta, G. E., Toro, J. S. and Ortiz, J. C. 2015. *Liolaemus lonquimayensis* (Squamata: Liolaemidae), a new lizard species for Chile without precloacal pores. *Gayana* 79: 94-101.  
 Huey, R. B. 1974. Winter thermal ecology of the iguanid lizard *Tropidurus peruvianus*. *Copeia*, 1974: 149-155.  
 Huey, R. B. 1979. Parapatry and niche complementarity of Peruvian desert geckos (*Phyllodactylus*): the ambiguous role of competition. *Oecologia*, 38: 249-259.  
 Huey, R. B. and Bennett, A. F. 1987. Phylogenetic studies of coadaptation: preferred temperatures versus optimal performance temperatures of lizards. *Evolution*, 41: 1098-1115.  
 Huey, R. B. and Dunham, A. E. 1987. Repeatability of locomotor performance in natural populations of the lizard *Sceloporus merriami*. *Evolution*, 41: 1116-1120.  
 Huey, R. B. and Kingsolver, J. G. 1989. Evolution of thermal sensitivity of ectotherm performance. *Trends in Ecology and Evolution* 4: 131-135.  
 Huey, R. B. and Pianka, E. R. 1977. Seasonal variation in thermoregulatory behavior and body temperature of diurnal Kalahari lizards. *Ecology* 58: 1066-1075.  
 Huey, R. B. and Pianka, E. R. 1981. Ecological consequences of foraging mode. *Ecology* 62: 991-999.  
 Huey, R. B. and Pianka, E. R. 2007. Lizard thermal biology: do genders differ? *The American Naturalist* 170: 473-478.  
 Huey, R. B. and Pianka, E. R. 2018. Body temperature distributions of active diurnal lizards in three deserts: skewed up or skewed down? *Functional Ecology* 32: 334-344.  
 Huey, R. B. and Slatkin, M. 1976. Cost and benefits of lizard thermoregulation. *Quarterly Review of Biology*, 51: 363-384.  
 Huey, R. B. and Webster, T. P. 1975. Thermal biology of a solitary lizard: *Anolis marmoratus* of Guadeloupe, Lesser Antilles. *Ecology* 56: 445-452.  
 Huey, R. B. and Webster, T. P. 1976. Thermal biology of *Anolis* lizards in a complex fauna: the christatellus group on Puerto Rico. *Ecology*, 57: 985-994.  
 Huey, R. B., Pianka, E. R., Egan, M. E. and Coons, L. W. 1974. Ecological shifts in sympatry: Kalahari fossorial lizards (*Typhlosaurus*). *Ecology* 55: 304-316.  
 Huey, R. B., Pianka, E. R. and Schoener, T. W. (eds). 1983. *Lizard ecology, studies of a model organism*. Harvard University Press, Cambridge, Mass.  
 Huey, R. B., Niewiarowski, P. H., Kaufmann, J. and Herron, J. C. 1989. Thermal biology of nocturnal ectotherms: is sprint performance of geckos maximal at low body temperatures? *Physiological Zoology*, 62: 488-504.  
 Huey, R. B., Pianka, E. R. and Vitt, L. J. 2001. How often do lizards "run on empty"? *Ecology*, 82: 1-7.  
 Huey, R. B., Deutsch, C. A., Tewksbury, J. J., Vitt, L. J., Hertz, P. E., Perez, H. J. A. and Garland, T. 2009. Why tropical forest lizards are vulnerable to climate warming. *Proceedings of the Royal Society of London B.* 276: 1939-1945.  
 Huey, R. B., Losos, J. B. and Moritz, C. 2010. Are lizards toast? *Science* 328: 832-833.  
 Hughes, B. 1988. Herpetology on Ghana (West Africa). *British Herpetological Society Bulletin* 25: 29-38.  
 Hughes, B. 1988. Longevity records of African captive amphibians and reptiles: part 2. Lizards and amphisbaenians. *The Journal of the Herpetological Association of Africa* 34: 20-24.  
 Hughes, D. F. and Behangana, M. 2017. Graceful chameleon in Uganda. Maximum size. *African Herp News* 65: 16-17.  
 Hughes, D. F. and Behangana, M. 2017. *Hemidactylus mabouia* (Moreau De Jonnes, 1818), wood slave in Uganda. Partial leucism. *African Herp News* 64: 33-35.  
 Hughes, D. F. and Behangana, M. 2017. *Trachylepis striata*, (Peters 1844), African striped skink. Predation. *African Herp News* 65: 26-28.  
 Hughes, D. F., Meshaka, W. E. and Van Buurt, G. 2015. The superior colonizing gecko *Hemidactylus mabouia* on Curacao: conservation implications for the native gecko *Phyllodactylus martini*. *Journal of Herpetology*, 49: 60-63.  
 Hughes, D. F., Kusamba, C., Behangana, M. and Greenbaum, E. 2017. Integrative taxonomy of the Central African forest chameleon, *Kinyongia Adolfifridericci* (Sauria: Chamaeleonidae), reveals underestimated species diversity in the Albertine Rift. *Zoological Journal of the Linnean Society* 181: 400-438.  
 Hughes, D. F., Blackburn, D. G., Wilber, L. and Behangana, M. 2018. New distribution records, observations on natural history, and notes on reproduction of the poorly known Sudanese Unicorn Chameleon (Chamaeleonidae: *Trioceros conirostratus*) from Uganda, Africa. *Amphibian & Reptile Conservation* 12: 83-89.  
 Hughes, D. F., Meshaka, W. E., Lieb, C. S. and Pechmann, J. H. 2019. Latitudinal variation in life history reveals a reproductive advantage in the Texas horned lizard (*Phrynosoma cornutum*). *Copeia*, 107: 736-747.  
 Hui, T. H. 2018. Orange-bearded gliding lizard *Draco abbreviatus* at Balikpapan, East Kalimantan. *Southeast Asia Vertebrate Records* 2018: 87-88.  
 Hullinger, A., Cordes, Z., Riedle, D. and Stark, W. 2018. *Plestiodon laticeps* (broad-headed skink). Reproduction. *Herpetological Review* 49: 538-539.  
 Hulse, A. C. 1992. *Dipsosaurus Hallowell* desert iguana. *Catalogue of American Amphibians and Reptiles* 542: 1-6.  
 Hult, S. M. and Germano, D. J. 2015. Population structure, size, and activity patterns of *Phrynosoma blainvillii* in the San Joaquin Desert of California. *Herpetological Conservation and Biology* 10: 839-849.  
 Husnaker, D. 1959. Birth and litter sizes of the blue spiny lizard *Sceloporus cyanogenys*. *Copeia*, 1959: 260-261.  
 Hunt, L. E. 2007. *Anniella geronimensis*. *Catalogue of American Amphibians and Reptiles*, 849: 1-3.  
 Hunt, L. E. 2007. *Anniella pulchra*. *Catalogue of American Amphibians and Reptiles*, 850: 1-14.  
 Hunt, L. E. 2007. *Anniella*. *Catalogue of American Amphibians and Reptiles*, 848: 1-11.  
 Huron, N. A., Realubit, N. D. C., Cobb, K. A., Brown, J. C., Bergmann, P., Morinaga, G., Diesmos, A. C., Diesmos, M. L., Brown, R. M. and Siler, C. D. 2016. Discovery of new island populations of the recently described false geckos (*Pseudogekko pungkaypinit* and *Pseudogekko ditoy*): conservation implications for the eastern Philippines. *Herpetological Review* 47: 24-26.  
 Hurston, H., Voith, L., Bonanno, J., Foufopoulos, J., Pafilis, P., Valakos, E. D. and Anthony, N. 2009. Effects of fragmentation on genetic diversity and parasitism in the Aegean wall lizard *Podarcis erhardii* (Lacertidae, Reptilia). *Molecular Phylogenetics and Evolution* 52: 395-405.  
 Hurtubia, J. 1973. Trophic diversity measurement in sympatric predatory species. *Ecology*, 54: 885-890.  
 Husak, J. F. and Ackland, E. N. 2003. Foraging mode of the reticulate collared lizard, *Crotaphytus reticulatus*. *The Southwestern Naturalist*, 48: 282-286.  
 Husak, J. F. and McGuire, J. A. 2014. Does 'gliding while gravid' explain Rensch's rule in flying lizards? *Biological Journal of the Linnean Society*, 113: 270-282.  
 Husak, J. F., Lappin, A. K., Fox, S. F. and Lemos-Espinal, J. A. 2006. Bite-Force Performance Predicts Dominance in Male Vulnerable Collared Lizards (*Crotaphytus antiquus*). *Copeia* 2006: 301-306.  
 Hussein, H. K. and Darwish, A. D. M. 2001. A survey of the herpetofauna of Bisha district, south of Saudi Arabia. *OnLine Journal of Biological Sciences* 1: 728-730.  
 Hutchinson, M. N. 1993. Family Scincidae. *Fauna of Australia* 31: 1-45.  
 Hutchinson, M. N. and Donnellan, S. C. 1992. Taxonomy and genetic variation in the Australian lizards of the genus *Pseudemoia* (Scincidae: Lygosominae). *Journal of Natural History*, 26: 215-264.  
 Hutchinson, M. N. and Donnellan, S. C. 1999. Genetic variation and taxonomy of the lizards assigned to *Ctenotus* *über orientalis* Storr (Squamata: Scincidae) with description of a new species. *Records of the South Australian Museum*  
 Hutchinson, M., Swain, R. and Driessen, M. 2001. Snakes and lizards of Tasmania. University of Tasmania, Hobart.  
 Hutchinson, M. N., Doughty, P. and Oliver, P. M. 2009. Taxonomic revision of the stone geckos (Squamata: Diplodactylidae: Diplodactylus) of southern Australia. *Zootaxa* 2167: 25-46.

- Hutchinson et al. 2012
- Ibarguengoytia 2004
- Ibarguengoytia 2005
- Ibarguengoytia 2008
- Ibarguengoytia and Casalins 2007
- Ibarguengoytia and Cussac 1996
- Ibarguengoytia and Cussac 1998a
- Ibarguengoytia and Cussac 1998b
- Ibarguengoytia and Cussac 2002
- Ibarguengoytia et al. 2007
- Ibarguengoytia et al. 2008
- Ibarguengoytia et al. 2010
- Ibarguengoytia et al. 2016
- Ibarra-Contreras and Garcia-Padilla 2016
- Ibrahim 2001
- Ibrahim 2004
- Ibrahim 2008a
- Ibrahim 2008b
- Ibrahim 2013a
- Ibrahim 2013b
- Ibrahim 2013c
- Ibrahim and El-Naggar 2013
- Ibrahim and Ineich 2005
- Icochea et al. 2001
- Iezzi 2008
- Iglesias et al. 2012
- Iiyambo et al. 2016
- Ikeuchi 2004
- Ikeuchi et al. 2005
- Ilgaz 2006
- Ilgaz 2009
- Ilgaz 2019
- Ilgaz et al. 2016
- Ilgaz et al. 2019
- In den Bosch 1988
- In den Bosch 1998
- In den Bosch 2000
- In den Bosch 2001a
- In den Bosch 2001b
- In den Bosch 2002
- In den Bosch 2003
- In den Bosch and Bout 1998
- In den Bosch and Zandee 2001
- Ineich 1999
- Ineich 2008
- Ineich 2009
- Ineich 2011
- Ineich 2014
- Ineich and Blanc 1988
- Ineich and Bourgoin 2016
- Ineich and Chirio 2004
- Ineich and Doronin 2019
- Ineich and Fisher 2016
- Ineich and Le Garff 2015
- Cogalniceanu, D., Castilla, A. M., Valdeon, A., Gosa, A., Al-Jaidah, N., Alkuwary, A., Saifelnsar, E. O. H., Mas-Peinado, P., Richer, R. and Al-Hemaidi, A. A. M. 2014. A preliminary report on the distribution of lizards in Qatar. *Ibarguengoytia*, N. R. 2004. Prolonged cycles as a common reproductive pattern in viviparous lizards from Patagonia, Argentina: reproductive cycle of *Phymaturus patagonicus*. *Journal of Herpetology* 38: 73–79.
- Ibarguengoytia*, N. R. 2005. Field, selected bodytemperature and thermal tolerance of the syntopic lizards *Phymaturus patagonicus* and *Liolemaus elongatus* (*Iguania: Liolaemidae*). *Journal of Arid Environments* 62: 435–448.
- Ibarguengoytia*, N. R. 2008. Estrategias reproductivas en reptiles. Pages 391-425 in Vidal, M. A. and Labra, A. (editors), *Herpetología de Chile*. Science Verlag Ediciones, Santiago, Chile.
- Ibarguengoytia*, N. R. and Casalins, L. 2007. Reproductive biology of the southernmost gecko *Homonota darwini*: convergent life-history patterns among southern hemisphere reptiles living in harsh environments. *Journal of Ibarguengoytia*, N. R. and Cussac, V. E. 1996. Reproductive biology of the viviparous lizard *Liolemaus pictus* (*Tropiduridae*): biennial female reproductive cycle? *Herpetological Journal* 6: 137–143.
- Ibarguengoytia*, N. R. and Cussac, V. E. 1998. Reproduction of the viviparous lizard *Liolemaus elongatus* in the highlands of southern South America: plastic cycles in response to climate? *Herpetological Journal* 8: 99–105.
- Ibarguengoytia*, N. R. and Cussac, V. E. 1999. Male response to low frequency female reproduction in the viviparous lizard *Liolemaus* (*Tropiduridae*). *Herpetological Journal* 9: 111–117.
- Ibarguengoytia*, N. R. and Cussac, V. E. 2002. Body temperatures of two viviparous *Liolemaus* lizard species, in Patagonian rain forest. *Herpetological Journal*, 12: 131–134.
- Ibarguengoytia*, N. R., Renner, M. L., Boretto, J. M., Piantoni, C. and Cussac, V. E. 2007. Thermal effects on locomotion in the nocturnal gecko *Homonota darwini* (*Gekkonidae*). *Amphibia-Reptilia* 28: 235–246.
- Ibarguengoytia*, N. R., Ascota, J. C., Boretto, J. M., Villavicencio, H. J., Marinero, J. A. and Krenz, J. D. 2008. Field thermal biology in *Phymaturus* lizards: comparisons from the Andes to the Patagonian steppe in Argentina. *Journal of Arid Environments* 72: 1620–1630.
- Ibarguengoytia*, N. R., Medina, S. M., Fernandez, J. B., Gutierrez, J. A., Tappari, F. and Scolaro, A. 2010. Thermal biology of the southernmost lizards in the world: *Liolemaus sarmientoi* and *Liolemaus magellanicus* from Patagonia, Argentina. *Journal of Thermal Biology* 35: 21–27.
- Ibarguengoytia*, N. R., Cabezas-Cartes, F., Boretto, J. M., Piantoni, C., Kubisch, E. L., Fernandez, M. L., Lara-Resendiz, R. A., Mendez-De La Cruz, F. R., Scolaro, A. and Sinervo, B. 2016. Volcanic ash from Puyehue-Cordón Caulle eruptions affects running performance and body condition of *Phymaturus* lizards in Patagonia, Argentina. *Biological Journal of the Linnean Society* 118: 842–851.
- Ibarra-Conterras, C. A. and García-Padilla, E. 2016. *Abronia mixteca* Bogert and Porter, 1967. *Mesoamerican Herpetology* 3: 177–178.
- Ibrahim, A. A. 2001. The reptile community of the Zarani Protected area, North Sinai, Egypt with special reference to their ecology and conservation. *Egyptian Journal of Natural History*, 3: 81–92.
- Ibrahim, A. A. 2004. Behavioural ecology of the white-spotted gecko, *Tarentola annularis* (Reptilia: Gekkonidae), in ismailia City, Egypt. *Zoology in the Middle East*, 31: 23–38.
- Ibrahim, A. A. 2008. Amphibians and reptiles of the Suez Canal University campuses, Egypt. *Herpetological Bulletin*, 105: 1–9.
- Ibrahim, A. A. 2008. Contribution to the herpetology of southern Libya. *Acta Herpetologica* 3: 35–49.
- Ibrahim, A. A. 2013. Ecology of the rough-tailed gecko, *Cyrtopodion scabrum* (Squamata: Gekkonidae) in the Suez Canal zone, Egypt. *Journal of Herpetology*, 47: 148–155.
- Ibrahim, A. A. 2013. Some aspects of ecology of the common chameleon, *Chamaeleo chamaeleon musae* (Squamata: Chameleonoidea) in northern Sinai, Egypt. *Russian Journal of Herpetology* 20: 203–212.
- Ibrahim, A. A. 2013. The herpetology of the Suez Canal zone, Egypt. *Vertebrate Zoology* 63: 87–110.
- Ibrahim, A. A. and El-Naggar, M. H. 2013. Diet and reproductive biology of the starred agama, *Laudakia stellio* (Linnaeus, 1758) (Squamata: Agamidae), in the northern Sinai, Egypt. *Zoology in the Middle East*, 59: 136–143.
- Ibrahim, A. A., and i. Ineich. 2005. Additional records to the herpetofauna of Nalut Province, Libya. *African Herp News*, 38: 2–9.
- Icochea, J., Quisipitupac, E., Portilla, A. and Poncein, E. 2001. Assessment of amphibians and reptiles of the lower Urubamba region, Peru. Pages 129–142 in A. Alonso, F. Dallmeier and P. Campbell (editors). *Urubamba: the biodiversity of a Peruvian rainforest*. Si/MAB Series #7. Smithsonian institution, Washington, DC.
- Lezzi, A. 2008. Husbandry manual for southern leaf-tailed gecko *Phyllurus platurus* Reptilia: Gekkonidae. Western Sydney institute of TAFE, Richmond, special publication.
- Iglesias, S., Tracy, C., Bedford, G. and Christian, K. 2012. Habitat differences in body size and shape of the Australian agamid lizard, *Lophognathus temporalis*. *Journal of Herpetology*, 46: 297–303.
- Iiyambo, N., Eifler, D., Marais, E. and Kirchhoff, S. 2016. *Meroles anchietae* (Bocage, 1867), shovel-snouted dune lizard: size, growth and longevity. *African Herp News* 63: 12–15.
- Ikeuchi, I. 2004. Male and female reproductive cycles of the Japanese gecko, *Gekko japonicus*, in Kyoto, Japan. *Journal of Herpetology*, 38: 269–274.
- Ikeuchi, I., Mori, A. and Hasegawa, M. 2005. Natural history of *Phelsuma madagascariensis kochi* from a dry forest in Madagascar. *Amphibia-Reptilia* 26: 475–483.
- Ilgaz, C. 2006. On specimens of *Darevskia armeniaca* (Sauria: Lacertidae) collected from Ardahan. *Turkish Journal of Zoology* 30: 47–54.
- Ilgaz, C. 2009. Comparative morphology of *Darevskia parvula* (Lantz-Cyren 1936) (Sauria: Lacertidae) subspecies in Northeastern Anatolia, Turkey. *North-Western Journal of Zoology* 5: 263–280.
- Ilgaz, C. 2019. Endemism status in the reptile fauna of Turkey. *Journal of the Institute of Science and Technology*, 9: 1243–1252.
- Ilgaz, C., Kumlutas, Y. and Candan, K. 2016. A new locality record for *Phoenicolacerta laevis* (Gray, 1838) (Squamata: Lacertidae) in western Anatolia. *Turkish Journal of Zoology* 40: 129–135.
- Ilgaz, C., Akkaya, A. and Hurriyet, H. 2019. Contribution to the distribution and external morphology of *Darevskia pontica* (Lantz et Cyren, 1918), Pontic lizard, from Turkish Thrace (Squamata: Lacertidae). *Russian Journal of Ichthyology* 2019: 1–10.
- In den Bosch, H. A. J. 1988. Erste daten zum fortppflanzungsmodus von *Ophiomorus punctatissimus* (Bibron & Bory, 1833). *Salamandra* 24: 53–58.
- In den Bosch, H. A. J. 1998. Prodromus einer liste der amfibien und reptilien Libanons (Amphibia; Reptilia). *Faunistische Abhandlungen Staatliches Museum für Tierkunde Dresden* 21 supplement 2: 9–17.
- In den Bosch, H. A. J. 2000. A herpetological contribution toward nature conservation in Lebanon. *Podarcis* 2: 109–116.
- In den Bosch, H. A. J. 2001. Male lizards change their genital skin almost every day: squamate pan-epidermal synchrony refuted. *Canadian Journal of Zoology* 79: 512–516.
- In den Bosch, H. A. J. 2001. *Mesalina brevirostris* Blanford, 1874 (Reptilia: Lacertidae) in Lebanon, with data on reproduction. *Zoology in the Middle East* 23: 31–46.
- In den Bosch, H. A. J. 2002. Informal synonymy of the *Lacerta kulzeri* group (Lacertidae, Reptilia). *Podarcis* 3: 2–16.
- In den Bosch, H. A. J. 2003. Iraqi herpetology: an introductory checklist. *Podarcis* 4: 53–72.
- In den Bosch, H. A. J. and Bout, R. G. 1998. Relationships between maternal size, egg size, clutch size and hatchling size in European lacertid lizards. *Journal of Herpetology*, 32: 410–417.
- In den Bosch, H. A. J. and Zandee, M. 2001. Courtship behaviour in lacertid lizards: phylogenetic interpretations of the *Lacerta kulzeri* complex (Reptilia: Lacertidae). *Netherlands Journal of Zoology* 51: 263–284.
- Ineich, I. 1999. Reptiles & amphibiens de la République de Djibouti. Rapport sur la mission herpetologique.
- Ineich, I. 2008. A new arboreal Lepidodactylus (Reptilia: Gekkonidae) from Espiritu Santo island, Vanuatu: from egg to holotype. *Zootaxa* 1918: 26–38.
- Ineich, I. 2009. The terrestrial herpetofauna of Torres and Banks Groups (northern Vanuatu), with report of a new species for Vanuatu. *Zootaxa* 2198: 1–15.
- Ineich, I. 2011. Amphibians and reptiles. Pages 187–236 in P. Bouchet, H. Le Guyader, and O. Pascal, editors, *The natural history of Santo*, Publications Scientifiques du Muséum, Muséum National d'Histoire Naturelle, Paris.
- Ineich, I. 2014. Eggs and nesting of the Mozambique Agama, *Agama mossambica* Peters, 1854, in Mozambique (Agamidae). *Herpetology Notes*, 7: 655–656.
- Ineich, I. and Blanc, C. P. 1988. Distribution des reptiles terrestres en Polynésie Orientale. *Atoll Research Bulletin* 318: 1–75.
- Ineich, I. and Bourgoin, T. 2016. Sex and food in a cave during daytime, a possible way to escape predators for the nocturnal Madagascar gekkonid *Paroedura tanjaka* Nussbaum & Raxworthy, 2000. *Herpetology Notes*, 9: 187–190.
- Ineich, I. and Chirio, L. 2004. L'archipel afro-montagnard et les affinités de son herpetofaune: description d'une espèce nouvelle indiquant des relations phylétiques entre le Cameroun et l'Afrique de l'est (Lacertilia, Scincidae, genre *Trachylepis*). *Bulletin de la Société Zoologique de France* 129: 317–331.
- Ineich, I. and Doronin, I. V. 2019. Additional data on the herpetological collection of Louis Amedee Lantz (1886 – 1953): designation of a lectotype for *Eremias zarudnyi* Lantz, 1928. *Russian Journal of Herpetology* 26: 309–318.
- Ineich, I. and Fisher, R. N. 2016. Rediscovery of the 220-year-old holotype of the banded iguana, *Brachylophus fasciatus* (Bronniart, 1800) in the Paris Natural History Museum. *Zootaxa* 4138: 381–391.
- Ineich, I. and Le Garff, B. 2015. A new lizard species for Gabon, *ichnotropis bivittata* Bocage, 1866 (Squamata, Lacertidae). *Herpetology Notes* 8: 471–478.

- Ineich and Trape 2017  
 Ineich et al. 1997  
 Ineich et al. 2007  
 Ineich et al. 2014  
 Ineich et al. 2015  
 Ineich et al. 2019  
 Inger 1959  
 Inger 1960  
 Inger 1961  
 Inger 1979  
 Inger 1980a  
 Inger 1980b  
 Inger 1983  
 Inger and Brown 1980  
 Inger and Colwell 1977  
 Inger and Greenberg 1966  
 Inger and Lian 1996  
 Inger and Lian 2010  
 Inger et al. 1984a  
 Inger et al. 1984b  
 Inger et al. 1990  
 Inger et al. 2001  
 Ingram 1991  
 Ingram and Covacevich 1980  
 Ingram and Covacevich 1988  
 Ingram and Covacevich 1989  
 Ingram and Czechura 1990  
 Ioannidis and Bousbouras 1997  
 Iraeta et al. 2013  
 Irschick et al. 1996  
 Irschick et al. 1997  
 Irschick et al. 2005  
 Irschick et al. 2006  
 Isada et al. 2010  
 Iskandar 2003  
 Iskandar and Erdelen 2006  
 Iskandar et al. 2017  
 Itescu et al. 2016a  
 Itescu et al. 2016b  
 Itescu et al. 2017a  
 Itescu et al. 2017b  
 Itescu et al. 2017c  
 Itescu et al. 2017d  
 Itescu et al. 2018  
 Itoh and Ito 2015  
 Iturriaga and Marrero 2013  
 IUCN Bangladesh 2015  
 Iverson 1982  
 Iverson et al. 2004a  
 Iverson et al. 2004b  
 Iverson et al. 2005  
 Iverson et al. 2006  
 Izhaki and Haim 1996
- Ineich, I. and Trape, J. F. 2017. *Eupreps chaperi* Vaillant, 1884, a junior subjective synonym of *Mochlus guineensis* (W. Peters, 1879) (Scincidae, Lygosominae). *Zootaxa*, 4232: 585-587.  
 Ineich, I., Dia, A. T., Ly, B., Girard, F. and Colas, F. 1997. *Geckonia chazaliae* (helmeted gecko). Maximum size. *Herpetological Review* 28: 202-203.  
 Ineich, I., Gouni, A., Blanc, L., Durieux, J. and Butaud, J-F. 2007. Lizards of Niau Atoll, Tuamotu Archipelago, French Polynesia. *Herpetological Review*, 38: 491-492.  
 Ineich, I., Chirio, L., Ascani, M., Rabeil, T. and Newby, J. 2014. Herpetofauna of Termit Massif and neighbour areas in Tenere Desert, southeastern Niger, West Africa. *Herpetology Notes* 7: 375-390.  
 Ineich, I., LeBreton, M., Lhermitte-Vallarino, N. and Chirio, L. 2015. The reptiles of the summits of Mont Oku and the Bamenda Highlands, Cameroon. *Ampibian & Reptile Conservation* 9: 15-38.  
 Ineich, I., Doronin, I. V., Cheylan, M. and Campbell, P. D. 2019. Additional data on the herpetological collection of Louis Amedee Lantz (1886-1953), with emphasis on specimens in the Natural History Museum, London. *Zootaxa*  
 Inger, R. F. 1959. Temperature responses and ecological relations of two Bornean lizards. *Ecology* 40: 127-136.  
 Inger, R. F. 1960. A review of the agamid lizards of the genus *Phoxophorus* Hubrecht. *Copeia* 1960: 221- 225.  
 Inger, R. F. 1961. Notes on two New Guinean lizards of the genus *Sphenomorphus*. *Fieldiana* 39: 539-542.  
 Inger, R. F. 1979. Abundance of amphibians and reptiles in tropical forests of south-east Asia. pp. 93-112 in Marshall, A. G. (ed.). *The abundance of Malesian rain forest. Transactions of the sixth Aberdeen-Hull Symposium in Malesian Ecology*. Department of Geography, Hull, Misc. Series No. 22.  
 Inger, R. F. 1980. Densities of floor-dwelling frogs and lizards in lowland forests of southeast Asia and Central America. *The American Naturalist*, 115: 761-772.  
 Inger, R. F. 1980. Relative abundances of frogs and lizards in forests of southeast Asia. *Biotropica* 12: 14-22.  
 Inger, R. F. 1983. Morphological and ecological variation in the flying lizards (genus *Draco*). *Fieldiana: Zoology*, New Series 18: 1-35.  
 Inger, R. F. and Brown, W. C. 1980. Species of the scincid genus *Dasia* Gray. *Fieldiana: Zoology* 3: 1-11.  
 Inger, R. F. and Colwell, R. K. 1977. Organization of contiguous communities of amphibians and reptiles in Thailand. *Ecological Monographs*, 47: 229-253.  
 Inger, R. F. and Greenberg, B. 1966. Annual reproductive patterns of lizards from a Bornean rain forest. *Ecology* 47: 1007-1021.  
 Inger, R. F. and Lian, T. F. 1996. *The natural history of amphibians and reptiles in Sabah*. Natural History Publications, Kota Kinabalu.  
 Inger, R. F. and Lian, T. F. 2010. *The natural history of amphibians and reptiles in Sabah*. Second edition, Natural History Publications, Kota Kinabalu.  
 Inger, R. F., Bradley, S. H., Mammen, K. and Ramesh, B. 1984. A report on a collection of amphibians and reptiles from the Ponmudi, Kerala, South India. *Journal of Bombay Natural History Society* 81: 551-570.  
 Inger, R. F., Marx, H. and Koshy, M. 1984. An undescribed species of gekkonid lizard (*Cnemaspis*) from India with comments on the status of *C. tropidogaster*. *Herpetologica*, 40: 149-154.  
 Inger, R. F., Zhao, E-M., Shaffer, H. B. and Wu, G-F. 1990. Report on a collection of amphibians and reptiles from Sichuan, China. *Fieldiana, Zoology*, New Series 58:1-24.  
 Inger, R. F., Lian, T. F., Lakim, M. and Yambun, P. 2001. New species of the lizard genus *Sphenomorphus*, (Lacertilia: Scincidae), with notes on ecological and geographic distribution of species in Sabah, Malaysia. *Raffles Bulletin of Zoology* 49: 181-189.  
 Ingram, G. J. 1991. Five new skinks from Queensland rainforests. *Memoirs of the Queensland Museum* 30: 443-453.  
 Ingram, G. J. and Covacevich, J. 1980. Two new lygosomine skinks endemic to Cape York Peninsula. Pages 45-48 in: Stevens, N. C. and Bailey, A. editors. 1980. *Contemporary Cape York Peninsula*. Royal Society of Queensland, Ingram, G. J. and Covacevich, J. 1988. Revision of the genus *Lygisaurus de Vis* (Scincidae: Reptilia) in Australia. *Memoirs of the Queensland Museum* 25: 335-354.  
 Ingram, G. J. and Covacevich, J. 1989. Revision of the genus *Carlia* (Reptilia, Scincidae) in Australia with comments on *Carlia bicarinata* of New Guinea. *Memoirs of the Queensland Museum* 27: 443-490.  
 Ingram, G. J. and Czechura, G. V. 1990. Four new species of striped skinks from Queensland. *Memoirs of the Queensland Museum* 29: 407-410.  
 Ioannidis, Y. and Bousbouras, D. 1997. The space utilization by the reptiles in Prespa National Park. *Hydrobiologia* 351: 135-142.  
 Iraeta, P., Salvador, A. and Diaz, J. A. 2013. Life-history traits of two Mediterranean lizard populations: a possible example of countergradient covariation. *Oecologia* 172: 167-176.  
 Irschick, D. J., Austin, C. C., Petren, K., Fisher, R. N., Losos, J. B. and Ellers, O. 1996. A comparative analysis of clinging ability among pad-bearing lizards. *Biological Journal of the Linnean Society* 59: 21-35.  
 Irschick, D. J., Vitt, L. J., Zani, P. A. and Losos, J. B. 1997. A comparison of evolutionary radiations in mainland and Caribbean *Anolis* lizards. *Ecology* 78: 2191-2203.  
 Irschick, D. J., Carlisle, E., Elstrott, J., Ramos, M., Buckley, C., Vanhooydonck, B., Meyers, J. J. and Herrel, A. 2005. A comparison of habitat use, morphology, clinging performance, and escape behavior among two divergent green anole lizard (*Anolis carolinensis*) populations. *Biological Journal of the Linnean Society* 85: 223-234.  
 Irschick, D. J., Herrel, A. and Vanhooydonck, B. 2006. Whole-organism studies of adhesion in pad-bearing lizards: creative evolutionary solutions to functional problems. *Journal of Comparative Physiology A*, 192: 1169-1177.  
 Isada, A. P., Dominguez, M. and Cruz, M. T. 2010. *Diploglossus delasagra* (Cuban pale-necked galliwasp): Reproduction and parental care. *Herpetological Review* 41: 219-220.  
 Iskandar, D. T. 2003. *The amphibians and reptiles of Malinau Region, East Kalimantan: Annotated checklist with notes on ecological preferences of the species and local utilization*. Center for international Forestry Research, Jakarta.  
 Iskandar and Erdelen 2006  
 Iskandar et al. 2017  
 Itescu et al. 2016a  
 Itescu et al. 2016b  
 Itescu et al. 2017a  
 Itescu et al. 2017b  
 Itescu et al. 2017c  
 Itescu et al. 2017d  
 Itescu et al. 2018  
 Itoh and Ito 2015  
 Iturriaga and Marrero 2013  
 IUCN Bangladesh 2015  
 Iverson 1982  
 Iverson et al. 2004a  
 Iverson et al. 2004b  
 Iverson et al. 2005  
 Iverson et al. 2006  
 Izhaki and Haim 1996
- Ineich, I., Dia, A. T., Ly, B., Girard, F. and Colas, F. 1997. *Geckonia chazaliae* (helmeted gecko). Maximum size. *Herpetological Review* 28: 202-203.  
 IUCN Bangladesh. 2015. Red list of Bangladesh Volume 4: Reptiles and amphibians. IUCN, international Union for Conservation of Nature, Bangladesh Country Office, Dhaka, Bangladesh, pp. xvi+320.  
 Iverson, J. B. 1982. Adaptations to herbIvy in iguanine lizards. Pages 60-76 in G. M. Burghardt and A. S. Rand, editors. *Iguanas of the world: their behavior, ecology and conservation*. Noyes Publications, Park Ridge, New Jersey.  
 Iverson, J. B., Hines, K. N. and Valiulis, J. M. 2004. The nesting ecology of the Allen Cays rock iguana, *Cyclura cychlura inornata* in the Bahamas. *Herpetological Monographs*, 18: 1-36.  
 Iverson, J. B., Smith, G. R. and Pieper, L. 2004. Factors affecting long-term growth of the Allen Cays rock iguana in the Bahamas. Pages 176-192 in Alberts, A. (editor). *Iguanas: Biology and Conservation*. University of California  
 Iverson, J. B., Pasachnik, S., Knapp, C. R. and Buckner, S. D. 2005. *Cyclura cychlura*. Catalogue of American Amphibians and Reptiles, 810: 1-8.  
 Iverson, J. I., Converse, S. J., Smith, G. R. and Valiulis, J. M. 2006. Long-term trends in the demography of the Allen Cays rock iguana (*Cyclura cychlura inornata*): human disturbance and density-dependent effects. *Biological Conservation* 132: 300-310.  
 Izhaki, I. and Haim, A. 1996. Adaptive morphometric variations in lizards of the genus *Agama* in Israel. *Israel Journal of Zoology* 42: 385-394.

- Jaafar et al. 2013  
 Jablonski 2011  
 Jablonski 2016  
 Jablonski 2018  
 Jablonski and Lesko 2018  
 Jablonski and Sadek 2019  
 Jablonski and Stloukal 2012  
 Jablonski et al. 2012  
 Jablonski et al. 2016
- Jablonski et al. 2017a  
 Jablonski et al. 2017b  
 Jablonski et al. 2019a  
 Jablonski et al. 2019b  
 Jablonski et al. 2019c  
 Jackman et al. 2008
- Jackson 1973  
 Jackson 1978  
 Jackson 2006  
 Jackson and Blackburn 2007  
 Jackson and Blackburn 2010  
 Jackson and Telford 1974  
 Jackson et al. 2007
- Jacobs 2003  
 Jacobsen 1982  
 Jacobsen 1987  
 Jacobsen 1989  
 Jacobsen 1992  
 Jacobsen 1994  
 Jacobsen and Broadley 2000  
 Jacobsen and Pienaar 1983  
 Jacobsen et al. 2010  
 Jacobsen et al. 2014
- Jaffé et al. 2016a  
 Jaffé et al. 2016b
- Jagnandan and Higham 2018  
 Jahed-Haghshenas and Hojati 2015  
 Jairam 2019  
 Jairam and Jairam-Doerga 2015  
 Jairam and Jairam-Doerga 2016  
 Jaksic and Schwenk 1983  
 Jaksic et al. 1980  
 Jamal et al. 2018
- James 1991a  
 James 1991b  
 James 1991c  
 James 1991d  
 James 1996  
 James and Losos 1991  
 James and Shine 1985  
 James and Shine 1988  
 James and Shine 2000  
 James et al. 1984
- Jaafar, I., Hurzaid, A., Shahrudin, S., Ibrahim, N., Awang, Z., Hui, Y. C., Majid, N. A. and Zaaba, N. H. C. 2013. Additions to the herpetofauna of Jerejak island, Penang, Peninsular Malaysia. *Malayan Nature Journal* 64: 213-232.
- Jablonski, D. 2011. Reptiles and amphibians of Albania with new records and notes on occurrence and distribution. *Acta Societatis Zoologicae Bohemicae* 75: 223-238.
- Jablonski, D. 2016. Tail bifurcation in a desert lidless skink (*Ablepharus deserti*) from Kyrgyzstan. *IRCF Reptiles & Amphibians* 23: 171-172.
- Jablonski, D. 2018. Male-male combat in *Pseudopus apodus* (Reptilia: Anguidae). *Russian Journal of Herpetology* 25: 293-298.
- Jablonski, D. and Lesko, A. J. 2018. New locality record of the Bengal monitor, *Varanus bengalensis* (Daudin, 1802), from Afghanistan. *Herpetology Notes*, 11: 915-917.
- Jablonski, D. and Sadek, R. A. 2019. The species identity and biogeography of *Blanus* (Amphisbaenia: Blanidae) in Lebanon. *Zoology in the Middle East* 65: 208-214.
- Jablonski, D. and Stloukal, E. 2012. Supplementary amphibian and reptilian records from European Turkey. *Herpetozoa* 25: 59-65.
- Jablonski, D., Jandzik, D. and Gvizdik, V. 2012. New records and zoogeographic classification of amphibians and reptiles from Bosnia and Herzegovina. *North-Western Journal of Zoology* 8: 324-337.
- Jablonski, D., Jandzik, D., Mikulicek, P., Dzukic, G., Ljubisavljevic, K., Tzankov, N., Jelic, D., Thanou, E., Moravec, J. and Gvozdik, V. 2016. Contrasting evolutionary histories of the legless lizards slow worms (*Anguis*) shaped by the topography of the Balkan Peninsula. *BMC Evolutionary Biology*, 16: 99.
- Jablonski, D., Najbar, B., Grochowska, R., Gvozdik, V. and Strzala, T. 2017. Phylogeography and postglacial colonization of Central Europe by *Anguis fragilis* and *Anguis colchica*. *Amphibia-Reptilia*, 38: 562-569.
- Jablonski, D., Sion, G., Bursey, C. R. and Goldberg, S. R. 2017. *Ptyodactylus guttatus* (Sinai fan-fingered gecko). *Endoparasite. Herpetological Review* 48: 659.
- Jablonski, D., Bursey, C. R., Milko, D. A. and Goldberg, S. R. 2019. *Eremias nikolskii* (Kirghiz racerunner). *Endoparasites. Herpetological Review* 50: 373-374.
- Jablonski, D., Regan, J. M., Holzheuser, C., Farooqi, J., Basit, A. and Masroor, R. 2019. Additional data to the herpetofauna of Afghanistan. *Herpetozoa* 32: 177-193.
- Jablonski, D., Urosevic, A., Andjelkovic, M. and Dzukic, G. 2019. An unknown collection of lizards from Afghanistan. *ZooKeys* 843: 129-147.
- Jackman, T. R., Bauer, A. M., Greenbaum, E., Glaw, F. and Vences, M. 2008. Molecular phylogenetic relationships among species of the Malagasy-Comoran gecko genus *Paroedura* (Squamata: Gekkonidae). *Molecular Phylogenetics and Evolution* 46: 74-81.
- Jackson, J. F. 1973. Notes on the population biology of *Anolis tropidonotus* in a Honduran highland pine forest. *Journal of Herpetology* 7: 309-311.
- Jackson, J. F. 1978. Differentiation in the genera *Enyalius* and *Strobilurus* (Iguanidae): implications for Pleistocene climatic changes in eastern Brazil. *Arquivos de Zoologia*, 30: 1-79.
- Jackson, C. 2006. Husbandry manual for Gidgee skink *Egernia stokesii* Reptilia: Scincidae. Unpublished manuscript. Western Sydney institute of TAFE, Richmond.
- Jackson, K. and Blackburn, D. C. 2007. The amphibians and reptiles of Nouabale-Ndoki National Park, Republic of Congo (Brazzaville). *Salamandra* 43: 149-164.
- Jackson, K. and Blackburn, D. C. 2010. A survey of amphibians and reptiles at degraded sites near Pointe-Noire, Kouilou Province, Republic Of Congo. *Herpetological Conservation and Biology* 5: 414-429.
- Jackson, J. F. and Telford, S. R. 1974. Reproductive ecology of the Florida scrub lizard, *Sceloporus woodi*. *Copeia*, 1974: 689-694.
- Jackson, K., Zassi-Boulou, A-G., mavoungou, L-B. and Pangou, S. 2007. Amphibians and reptiles of the Lac Tele Community Reserve, Likouala Region, Republic of Congo (Brazzaville). *Herpetological Conservation and Biology* 2: 1-10.
- Jacobs, H. J. 2003. A further new emerald tree monitor lizard of the *Varanus prasinus* species group from Waigeo, West Irian (Squamata: Sauria: Varanidae). *Salamandra* 39: 65-74.
- Jacobsen, N. H. G. 1982. The ecology of the reptiles and amphibians in the Burkea africana - *Eragrostis pallens* savanna of the Nyslvley Nature Reserve. MSc. Thesis, University og Pretoria.
- Jacobsen, N. H. G. 1987. A new subspecies of *Typhlosaurus lineatus* Boulenger 1887 (Reptilia: Scincidae) from Venda, southern Africa. *South African Journal of Zoology*, 22: 318-320.
- Jacobsen, N. H. G. 1989. A herpetological survey of the Transvaal. Ph.D. dissertation. University of Natal, Durban.
- Jacobsen, N. H. G. 1992. The status of *Agama aculeata armata* Peters 1854. (Reptilia: Agamidae). *The Journal of the Herpetological Association of Africa*, 41: 30-34.
- Jacobsen, N. H. G. 1994. The *Platysaurus intermedius* complex (Sauria: Cordylidae) in the Transvaal, South Africa, with descriptions of three new taxa. *South African Journal of Zoology* 29: 132-143.
- Jacobsen, N. H. G. and Broadley, D. G. 2000. A new species of *Panaspis* Cope (Reptilia: Scincidae) from southern Africa. *African Journal of Herpetology* 49: 61-71.
- Jacobsen, N. H. and Pienaar, U. D. V. 1983. New reptile records from the Kruger National Park. *Koedoe*, 26: 135-144.
- Jacobsen, N. H. G., Pietersen, E. W. and Pietersen, D. W. 2010. A preliminary herpetological survey of the Vilanculos Coastal Wildlife Sanctuary on the San Sebastian Peninsula, Vilankulo, Mozambique. *Herpetology Notes* 3: 181-184.
- Jacobsen, N. H. G., Kuhn, A. L., Jackman, T. R. and Bauer, A. M. 2014. A phylogenetic analysis of the southern African gecko genus *Afroedura* Loveridge (Squamata: Gekkonidae), with the description of nine new species from Limpopo and Mpumalanga provinces of South Africa. *Zootaxa* 3846: 451-501.
- Jaffé, A. L., Campbell-Staton, S. C. and Losos, J. B. 2016. Geographical variation in morphology and its environmental correlates in a widespread North American lizard, *Anolis carolinensis* (Squamata: Dactyloidae). *Biological Journal of the Linnean Society* 117: 760-774.
- Jaffé, A. L., Campbell-Staton, S. C. and Losos, J. B. 2016. Geographical variation in morphology and its environmental correlates in a widespread North American lizard, *Anolis carolinensis* (Squamata: Dactyloidae). *Biological Journal of the Linnean Society*, 117: 760-774.
- Jagnandan, K. and Higham, T. E. 2018. How rapid changes in body mass affect the locomotion of terrestrial vertebrates: ecology, evolution and biomechanics of a natural perturbation. *Biological Journal of the Linnean Society* 124: 1-10.
- Jahed-Haghshenas, N. and Hojati, V. 2015. The male reproductive cycle of the Bedriaga's plate-tailed gecko, *Teratoscincus bedriagai* in Iran. *Iranian Journal of Animal Biosystematics*. 11: 7-16.
- Jairam, R. 2019. Checklist of the amphibians and reptiles of the Lely Mountains, eastern Suriname. *Amphibian & Reptile Conservation* 13: 160-171.
- Jairam, R. and Jairam-Doerga, S. 2015. First record of *Amapasaurus tetradactylus* Cunha, 1970 (Squamata: Gymnophthalmidae) in Suriname. *Checklist* 11: 1730-1733.
- Jairam, R. and Jairam-Doerga, S. 2016. Range extension and some morphological characteristics of *Ptychoglossus brevifrontalis*, Boulenger, 1912 (Squamata: Alopoglossidae) in Suriname. *Amphibian & Reptile Conservation* 10: 30-33.
- Jaksic, F. M. and Schwenk, K. 1983. Natural history observations on *Liolemaus magellanicus*, the southernmost lizard in the world. *Herpetologica*, 39: 457-461.
- Jaksic, F. M., Nunez, H. and Ojeda, F. P. 1980. Body proportions, microhabitat selection, and adaptive radiation of *Liolemaus* lizards in central Chile. *Oecologia* 45: 178-181.
- Jamal, Q., Idrees, M., Ullah, S., Adnan, M., Zaidi, F., Zaman, Q. and Rasheed, S. B. 2018. Diversity and altitudinal distribution of Squamata in two distinct ecological zones of Dir, A Himalayan sub-zone of Northern Pakistan. *Pakistan Journal of Zoology*, 50: 1835-1839.
- James, C. D. 1991. Annual variation in reproductive cycles of scincid lizards (*Ctenotus*) in central Australia. *Copeia* 1991: 744-760.
- James, C. D. 1991. Growth rates and ages at maturity of sympatric scincid lizards, *Ctenotus*, in central Australia. *Journal of Herpetology* 25: 284-295.
- James, C. D. 1991. Population dynamics, demography and life history of sympatric scincid lizards (*Ctenotus*) in central Australia. *Herpetologica* 47: 194-210.
- James, C. D. 1991. Temporal variation in diets and trophic partitioning by coexisting lizards (*Ctenotus*: Scincidae) in central Australia. *Oecologia* 85: 553-561.
- James, C. D. 1996. Ecology of the pygmy goanna (*Varanus brevicauda*) in spinifex grasslands of central Australia. *Australian Journal of Zoology* 44: 177-192.
- James, C. D. and Losos, J. B. 1991. Diet and reproductive biology of the Australian sand-swimming lizards, *Eremiascincus* (Scincidae). *Wildlife Research* 18: 641-654.
- James, C. and Shine, R. 1985. The seasonal timing of reproduction: a tropical-temperate comparison in Australian lizards. *Oecologia* 67: 464-474.
- James, C. and Shine, R. 1988. Life-history strategies of Australian lizards: a comparison between the tropics and the temperate zone. *Oecologia* 75: 307-316.
- James, C. D. and Shine, R. 2000. Why are there so many coexisting species of lizards in Australian deserts? *Oecologia*, 125, 127-141.
- James, C. D., Morton, S. R., Braithwaite, R. W. and Wombey, J. C. 1984. Dietary pathways through lizards of the Alligator Rivers region, Northern Territory. Supervising Scientist for the Alligator Rivers Region Technical Memorandum 6. Australian Government Publishing Service, Canberra.

- James et al. 1992  
 James et al. 2001  
 Jamison et al. 2017  
 Jamison, S. 2019  
 Jancuchova-Laskova et al. 2015  
 Jansen and Bopage 2011  
 Jansen and Kohler 2010  
 Janssen and de Silva 2019  
 Janssen and Shepherd 2018  
 Janssen and Shepherd 2019  
 Janssen et al. 2015  
 Janzen 2011  
 Jara et al. 2018  
 Jara et al. 2019  
 Jared et al. 1998  
 Jarnevich et al. 2018  
 Javanmardi et al. 2019  
 Javed et al. 2009  
 Javed et al. 2010  
 Jayakumar and Nameer 2018  
 Jayaneththi and Jablonski 2016  
 Jayaneththi et al. 2015  
 Jee et al. 2016  
 Jelic 2014  
 Jelic et al. 2012a  
 Jelic et al. 2012b  
 Jenkins et al. 2014  
 Jennings 1988  
 Jennings 1990a  
 Jennings 1990b  
 Jennings 1990c  
 Jennings 1995  
 Jennings and Hayes 1994  
 Jennings and Thompson 1999  
 Jensen 1990  
 Jensen and Payne 1996  
 Jensen et al. 2008  
 Jنسن 1973  
 Jenssen and Nunez 1994  
 Jenssen et al. 1989  
 Jepson 2014  
 Jerez and Calderon-Espinosa 2014  
 Jerjomtschenko et al. 1999  
 Jessop et al. 2006  
 Jessop et al. 2009  
 Jessop et al. 2018  
 Jestrzemski et al. 2013  
 Jesu et al. 1999
- James, C. D., Losos, J. B. and King, D. R. 1992. Reproductive biology and diets of goannas (Reptilia: Varanidae) from Australia. *Journal of Herpetology* 26: 128-136.  
 James, B. H., Donnelan, S. C. and Hutchinson, M. N. 2001. Taxonomic revision of the Australian lizard *Pygopus nigriceps* (Squamata: Gekkonidae). *Records of the South Australian Museum* 34: 37-52.  
 Jamison, S., Tamar, K., Slavenko, A. and Meiri, S. 2017. *Tarentola annularis* (Squamata: Phyllodactylidae): a new invasive species in Israel. *Salamandra* 53: 299-303.  
 Jamison, S. 2019. Two species, no legs. The natural history of two little known Israeli reptiles. MSc. Thesis, Tel Aviv University.  
 Jancuchova-Laskova, J., Landova, E. and Frynta, D. 2015. Are genetically distinct lizard species able to hybridize? A review. *Current Zoology* 61: 155-180.  
 Jansen, P. and Bopage, M. 2011. The herpetofauna of a small and unprotected patch of tropical rainforest in Morningside, Sri Lanka. *Amphibian and Reptile Conservation* 5: 1-13.  
 Jansen, M., and Kohler, G. 2010. Reptilia, Squamata, Amphisbaenidae, *Amphisbaena cegei* Monteiro, 1997 and Reptilia, Squamata, Teiidae, *Tupinambis rufescens* (Gunther, 1871): Vertical range extension. *Check List* 6: 503-504.  
 Janssen, J. and de Silva, A. 2019. The presence of protected reptiles from Sri Lanka in international commercial trade. *Traffic Bulletin* 31: 9-15.  
 Janssen, J. and Shepherd, C. R. 2018. Challenges in documenting trade in non CITES-listed species: A case study on crocodile skinks (*Tribolonotus* spp.). *Journal of Asia-Pacific Biodiversity* 11: 476-481.  
 Janssen, J. and Shepherd, C. R. 2019. Trade in endangered and critically endangered Japanese herpetofauna endemic to the Nansei Islands warrants increased protection. *Current Herpetology* 38: 99-109.  
 Janssen, J., Towns, D. R., Duxbury, M. and Heitkonig, I. M. A. 2015. Surviving in a semi-marine habitat: Dietary salt exposure and salt secretion of a New Zealand intertidal skink. *Comparative Biochemistry and Physiology, Part A*  
 Janzen, P. 2011. Morningside, ein abgelegener Hotspot in Sri Lanka. *Iguana Rundschreiben* 24 (1): 5-11.  
 Jara, M., Frias-De-Diego, A., Garcia-Roa, R., Saldarriaga-Cordoba, M., Harvey, L. P., Hickcox, R. P. and Pincheira-Donoso, D. 2018. The macroecology of chemical communication in lizards: do climatic factors drive the evolution of signalling glands? *Evolutionary Biology* 45: 259-267.  
 Jara, M., Garcia-Roa, R., Escobar, L. E., Torres-Carvajal, O. and Pincheira-Donoso, D. 2019. Alternative reproductive adaptations predict asymmetric responses to climate change in lizards. *Scientific Reports*, 9: 5093.  
 Jared, C., Antoniazzi, M. M., Freymüller, E. and Junquerira, L. C. U. 1998. A possible advantage of displaying the tail: a comparison between the tail and body integument structure in *Amphisbaena alba* and *Leposternon microcephalus* (Squamata, Amphisbaenia). *Annales des Sciences Naturelles* 2: 89-97.  
 Jarnevich, C. S., Hayes, M. A., Fitzgerald, L. A., Adams, A. A. Y., Falk, B. G., Collier, M. A., Lea' R. B., Klug, P. E., Naretto, S. and Reed, R. N. 2018. Modeling the distributions of tegu lizards in native and potential invasive ranges. *Scientific Reports*, 8: 10193.  
 Javanmardi, S. 2019. Phylogenetic differentiation and taxonomic consequences in the *Sauromactylus* brosseti species complex (Squamata: Sphaerodactylidae), with description of four new species. *Zootaxa*,  
 Javed, S.M.M., Saravanan, S., Tampal, F. and Srinivasulu, C. 2009. Occurrence and comparison of Jerdon's Gecko *Hemidactylus subtriedrus* Jerdon 1853 with Termite Hill Gecko *Hemidactylus triedrus* (Daudin, 1802) from Ananthagiri Hills, northern Eastern Ghats, India. *Journal of Threatened Taxa* 1: 366-369.  
 Javed, S. M. M., Rao, K. T., Srinivasulu, C. and Tampal, F. 2010. Distribution of *Hemiphyllodactylus aurantiacus* (Beddome, 1870) (Reptilia: Gekkonidae) in Andhra Pradesh, India. *Journal of Threatened Taxa* 2: 639-643.  
 Jayakumar, A. M. and Nameer, P. O. 2018. Species composition and abundance estimates of reptiles in selected agroecosystems in southern Western Ghats, India. *Journal of Threatened Taxa* 10: 12328-12336.  
 Jayaneththi, H. B. and Jablonski, D. 2016. Assessment of historical and current distribution records of the indo-Pacific slender gecko, *Hemiphyllodactylus typus bleeker*, 1860, in Sri Lanka. *Ceylon Journal of Science*, 45: 77-84.  
 Jayaneththi, H. B., Madurapperuma, P. L., Velauthem, V. A., Balasuriya, N. H. and Jablonski, D. 2015. Bewertung der Verbreitung des Schuppenfingergeckos *Lepidodactylus lugubris* (Dumeril & Bibron , 1836) in Sri Lanka. (Assessment of the distribution of the Mourning Gecko, *Lepidodactylus lugubris* (Dumeril & Bibron, 1836), in Sri Lanka.) *Sauria* 37: 17-26.  
 Jee, J., Mohapatra, B. K., Dutta, S. K. and Sahoo, G.. 2016. Sources of calcium for the agamid lizard *Psammophis blanfordianus* during embryonic development. *Acta Herpetologica* 11: 171-178.  
 Jelic, D. 2014. Checklist of Croatian amphibians and reptiles with bibliography of 250 years of research. *Natura Sloveniae* 16: 17-72.  
 Jelic, D., Budinski, I. and Llaus, B. 2012. Distribution and conservation status of the batrachio and herpetofauna of the Croatian island of Mljet. (Anura; Testudines; Squamata: Sauria, Serpentes). *Herpetozoa* 24: 165-178.  
 Jelic, D., Kuljeric, M., Koren, T., Treer, D., Salamon, D., Loncar, M., Podnar Lesic, M., Janev Hutinec, B., Bogdanovic, T. and Mekinic, S. 2012. Red book of amphibians and reptiles in Croatia. Ministry of Environmental Protection and Nature, State institute for Nature Protection, Republic of Croatia, Zagreb, 232 p.  
 Jenkins, R. K. B., Tognelli, M. F., Bowles, P., Cox, N., Brown, J. L., Chan, L., Andreone, F., Andriamazava, A., Andriantsimanarilafy, R. R., Anjerieinaina, M., Bora, P., Brady, L. D., Hantalaaina, E. F., Glaw, F., Griffiths, R. A., Hilton-Taylor, C., Hoffmann, M., Katariya, V., Rabibisoa, N. H., Rafanomezantsoa, J., Rakotomalala, D., Rakotondravony, H., Rakotondrazafy, N. A., Ralamboirainy, J., Ramanamanjato, J-B., Randriamahazo, H., Randrianantoandro, J. C., Randrianasolo, H. H., Randriarinirina, J. E., Randrianizahana, H., Raselimanana, a. P., Rasolohery, A., Ratsoavina, F. M., Raxworthy, C. J., Robsomanitrandrasana, E., Roilande, F., van Dijk, P. P., Yoder, A. D. and Vences, M. 2014. Extinction risks and the conservation of Madagascar's reptiles. *PLoS One* 9(8): e100173. doi:10.1371/journal.pone.0100173  
 Jennings, M. W. 1988. *Phrynosoma coronatum*. Catalogue of American Amphibians and Reptiles 428: 1-5.  
 Jennings, M. R. 1990. *Petrosaurus mearnsi*. Catalogue of American Amphibians and Reptiles 495: 1-2.  
 Jennings, M. R. 1990. *Petrosaurus thalassinus*. Catalogue of American Amphibians and Reptiles 495: 1-3.  
 Jennings, M. R. 1990. *Petrosaurus*. Catalogue of American Amphibians and Reptiles 494: 1-2.  
 Jennings, M. R. 1995. *Gambelia sila*. Catalogue of American Amphibians and Reptiles 612: 1-4.  
 Jennings, M. R. and Hayes, M. P. 1994. Amphibian and reptile species of special concern in California. Final report. Contract 8023. Submitted to the California Department of Fish and Game, Rancho Cordova.  
 Jennings, W. B. and Thompson, G. G. 1999. Territorial behavior in the Australian scincid lizard *Ctenotus fallens*. *Herpetologica*, 55: 352-361.  
 Jenissen, T. A. 1990. *Anolis cooki*. Catalogue of American Amphibians and Reptiles 488: 1-2.  
 Jensen, J. B. and Payne, J. A. 1996. Geographic distribution: *Rhineura floridana* (Florida Worm Lizard). *Herpetological Review* 27: 153.  
 Jensen, J. B., Camp, C. D., Gibbons, W. and Elliot, M. J. 2008. Amphibians and reptiles of Georgia. University of Georgia Press, Athens.  
 Jenissen, T. A. 1973. Shift in the structural habitat of *Anolis opalinus* due to congeneric competition. *Ecology*, 54: 863-869.  
 Jenissen, T. A. and Nunez, S. C. 1994. Male and female reproductive cycles of the Jamaican lizard, *Anolis opalinus*. *Copeia*, 1994: 767-780.  
 Jenissen, T. A., Marcellini, D. L., Buhmann, K. A. and Goforth, P. H. 1989. Differential infanticide by adult curly-tailed lizards, *Leiocephalus schreibersii*. *Animal Behaviour*, 38: 1054-1061.  
 Jepson, L. 2014. Crested gecko. Understanding and caring for your pet. Magnet & Steel.  
 Jerez, A. and Calderon-Espinosa, M. L. 2014. *Anadia bogotensis* (Peters 1862). Catalogo de Anfibios y Reptiles de Colombia 2: 30-35.  
 Jerjomtschenko, V. K., Zarinenko, E. I. and Panfilov, A. M. 1999. Wntriwodowyte otroschenila Cyrtopodion russowii (Strauch) I taksonomitscheskoe poloshenie pupulijazii Tjan-Schanja (Sauria: Gekkonidae). *Iswatjia Natsionalnoy Akademii Nauk Kyrgyzstan, Bishkek* (Proceedings of the National Academy of Sciences of Kyrgyz Republic), Kyrgyzstan, Bishkek, 1999 (3-4): 48-55.  
 Jessop, T. S., Madsen, T., Sumner, J., Rudiharto, H., Phillips, J. A. and Ciofi, C. 2006. Maximum body size among insular Komodo dragon populations covaries with large prey density. *Oikos* 112: 422-429.  
 Jessop, T. S., Chan, R. and Stuart-Fox, D. 2009. Sex steroid correlates of female-specific colouration, behaviour and reproductive state in Lake Eyre dragon lizards, *Ctenophorus maculosus*. *Journal of Comparative Physiology* 195: 619-626.  
 Jessop, T. S., Ariefiandy, A., Purwandana, D., Ciofi, C., Imansyah, J., Benu, Y. J., Fordham, D. A., Forsyth, D. M., Mulder, R. A. and Phillips, B. J. 2018. Exploring mechanisms and origins of reduced dispersal in island Komodo chameleons. *Chameleons, Evolution and Ecology*: 1-12.  
 Jestrzemski, D., Schutz, S., Nguyen, T. Q. and Ziegler, T. 2013. A survey of amphibians and reptiles in Chu Mom Ray National Park, Vietnam, with implications for herpetofaunal conservation. *Asian Journal of Conservation Biology*, 2: 1-10.  
 Jesu, R., Mattioli, F. and Schimmenti, G. 1999. On the discovery of a new large chameleon inhabiting the limestone outcrops of western Madagascar: *Furcifer nicosiai* sp. nov. (Reptilia, Chamaeleonidae). *Doriana (=Annali Del Museo Civico Di Storia Naturale Giacomo Doria)* 7 (or 8), 311: 1-14.

- Jesus 2012  
 Jesus et al. 2003  
 Jewell 2008  
 Jewell 2019  
 Jewell and Leschen 2004  
 Jha and Thapa 2002  
 Ji 2002  
 Ji et al. 2002  
 Ji et al. 2006a  
 Ji et al. 2006b  
 Ji et al. 2009  
 Ji et al. 2017  
 Jiang 2005  
 Jimenez-Arcos et al. 2016  
 Jimenez-Arcos et al. 2017  
 Jimenez-Arcos et al. 2018  
 Jimenez-Cruz et al. 2005  
 Jimenez-Robles and De la Riva 2019  
 Jimenez-Uzcategui et al. 2011
- Jin and Brown 2019  
 Jin and Liao 2015  
 Jin and Liu 2007  
 Jin and Liu 2008  
 Jin et al. 2007  
 Jin et al. 2013a  
 Jin et al. 2013b  
 Jin et al. 2016  
 Joger 1980  
 Joger 1981  
 Joger 1982  
 Joger 1984  
 Joger 1990  
 Joger 1993  
 Joger 2000  
 Joger and Bshaena 2010  
 Joger and Lambert 1996  
 Joger and Lambert 1997  
 Joger and Lambert 2002  
 Joger and Mayer 2002  
 Johansen 2012  
 John et al. 2012a  
 John et al. 2012b  
 John et al. 2012c  
 Johnson and Voigt 1978  
 Johnson et al. 2005  
 Johnson et al. 2008  
 Johnson et al. 2010  
 Johnson et al. 2012  
 Johnson et al. 2015a  
 Johnson et al. 2015b  
 Johnston 1999
- Jesus, J. 2012. Evidence of high longevity in an island lacertid, *Teira dugesii* (Milne-Edwards, 1829). First data on wild specimens. *Acta Herpetologica*, 7: 309-313.  
 Jesus, J., Brehm, A. and Harris, D. J. 2003. The herpetofauna of Annobon island, Gulf of Guinea, West Africa. *The Herpetological Bulletin*, 86: 20-22.  
 Jewell, T. 2008. A photographic guide to reptiles & amphibians of New Zealand. New Holland, Auckland.  
 Jewell, T. R. 2019. New Zealand forest-dwelling skinks of the *Oligosoma oliveri* (McCann) species-complex (Reptilia: Scincidae): reinstatement of *O. pachysomaticum* (Robb) and an assessment of historical distribution ranges.  
 Jewell, T. R. and Leschen, R. A. B. 2004. A new species of Hoplodactylus (Reptilia: Pygopodidae) from the Taitimu Mountains, South island, New Zealand. *Zootaxa* 792: 1-11.  
 Jha, A. and Thapa, K. 2002. Reptiles and amphibians of Sikkim. WWF-India.  
 Ji, D. 2002. *Atlas of reptiles of China*. Hefei, China: Henan Science and Technology Publishing House.  
 Ji, X., Qiu, B., Diong, C. H. 2002. Sexual dimorphism and female reproductive characteristics in the oriental garden lizard, *Calotes versicolor*, from Hainan, southern China. *Journal of Herpetology* 36: 1-8.  
 Ji, X., Lin, L.-H., Lin, C.-X., Qiu, Q.-B. and Du, Y. 2006. Sexual dimorphism and female reproduction in the many-lined sun skink (*Mabuya multifasciata*) from China. *Journal of Herpetology*, 40: 351-357.  
 Ji, X., Lin, L.-H., Luo, L.-G., Gao, J.-F. and Han, J. 2006. Gestation temperature affects sexual phenotype, morphology, locomotor performance, and growth of neonatal brown forest skinks, *Sphenomorphus indicus*. *Biological Journal of the Linnean Society* 88: 453-463.  
 Ji, X., Wang, Y. and Wang, Z. 2009. New species of *Phrynocephalus* (Squamata, Agamidae) from Qinghai, Northwest China. *Zootaxa* 1988: 61-68.  
 Ji, S., Lian, X., Jiang, Z., Li, L., Bi, J. and Li, C. 2017. Effects of sand grain size on habitat selection in steppe toadheaded lizard (*Phrynocephalus frontalis*). *Asian Herpetological Research*, 8: 123-130.  
 Jiang, Y. F. 2005. A study on habit of *Eumeces capito*. *Sichuan Journal of Zoology*, 24: 370-372.  
 Jimenez-Arcos, V. H., Vega-Perez, A. H. D., Lara-Resendiz, R. A., Rabatky, A. and Mendez-de la Cruz, F. R. 2016. *Phyllodactylus xanti*. Thermoregulatory activity. *Mesoamerican Herpetology* 3: 1011-1012.  
 Jimenez-Arcos, V. H., Sanabria-Urban, S. and Cueva del Castillo, R. 2017. The interplay between natural and sexual selection in the evolution of sexual size dimorphism in *Sceloporus* lizards (Squamata: Phrynosomatidae). *Ecology and Evolution*, 7: 905-917.  
 Jimenez-Arcos, V. H., Alfaro-Juantorena, L. A. and Calzada-Arciniega, R. A. 2018. *Salvadora intermedia* (Oaxacan patch-nosed snake). Diet. *Herpetological Review* 49: 556-557.  
 Jimenez-Cruz, E., Ramirez-Bautista, A., Marshall, J. C., Lizana-Avia, M. and De Oca, A. N.-M. 2005. Reproductive cycle of *Sceloporus grammicus* (Squamata: Phrynosomatidae) from Teotihuacan, Mexico. *The Southwestern Jimenez-Robles, O. and De la Riva, I. 2019. Lizards in the mist: Thermal niches constrained by habitat and microclimates in the Andes of southern Bolivia. *Journal of Biogeography* 46: 1676-1686.  
 Jimenez-Uzcategui, G., Marquez, C. and Snell, H. L. 2011. CDF Checklist of Galapagos Reptiles. FCD Lista de especies de Reptiles de Galapagos. In: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jimenez-Uzcategui, G., Ruiz, D., Guezou, A. Ziemecke, F. (eds.). Charles Darwin Foundation Galapagos Species Checklist - Lista de Especies de Galapagos de la Fundacion Charles Darwin. Charles Darwin Foundation / Fundacion Charles Darwin, Puerto Ayora, Galapagos: <http://www.darwinfoundation.org/datazone/checklists/vertebrates/reptilia/> Last updated 07 Jul 2011.  
 Jin, Y. and Brown, R. P. 2019. Morphological species and discordant mtDNA: A genomic analysis of *Phrynocephalus* lizard lineages on the Qinghai-Tibetan Plateau. *Molecular Phylogenetics and Evolution*, 139: 106523.  
 Jin, Y. and Liao, P. 2015. An elevational trend of body size variation in a cold-climate agamid lizard, *Phrynocephalus theobaldi*. *Current Zoology* 61: 444-453.  
 Jin, Y. T. and Liu, N. F. 2007. Altitudinal variation in reproductive strategy of the toad-headed lizard, *Phrynocephalus vlangalii* in North Tibet Plateau (Qinghai). *Amphibia-Reptilia* 28: 509-515.  
 Jin, Y. and Liu, N. 2008. Introgression of mt DNA between two *Phrynocephalus* lizards in Qinghai Plateau. *Acta Zoologica Sinica* 54: 111-121.  
 Jin, Y., Liu, N. and Li, J. 2007. Elevational variation in body size of *Phrynocephalus vlangalii* in the North Qinghai-Xizang (Tibetan) Plateau. *Belgian Journal of Zoology* 137: 197-202.  
 Jin, S. D., Han, S. W., Shin, H. C., Paik, I. H., Paek, W. K., Lee, H. and Kim, I. K. 2013. Phylogeographical analysis of *Eremias argus* in Yoobu-do Island and Sohwang sand dune, Korea. *Journal of Asia-Pacific Biodiversity*, 6: 455-462.  
 Jin, Y. T., Li, J. Q. and Liu, N. F. 2013. Elevation-related variation in life history traits among *Phrynocephalus* lineages on the Tibetan Plateau: do they follow typical squamate ecogeographic patterns? *Journal of Zoology* 290: 293-301.  
 Jin, Y., Tong, H. and Zhang, K. 2016. The impact of phenotypic characteristics on thermoregulation in a cold-climate agamid lizard, *Phrynocephalus guinanensis*. *Asian Herpetological Research* 7: 210-219.  
 Joger, U. 1980. Eine neue art der gattung *Tarentola* (Sauria: Gekkonidae) aus Westafrika. *Amphibia-Reptilia* 1: 137-147.  
 Joger, U. 1981. Zur herpetofaunistik westafrikas. *Bonner Zoologische Beitrage*, 32: 297-340.  
 Joger, U. 1982. Zur herpetofaunistik Kameruns (ii). *Bonner Zoologische Beitrage* 33: 313-342.  
 Joger, U. 1984. Die radiation der gattung *Tarentola* in Makaronesien. *Courier Forschungsinstitut Senckenberg* 71: 91-111.  
 Joger, U. 1990. The herpetofauna of the Central African Republic, with description of a new species of *Rhinotyphlops* (Serpentes: Typhlopidae). Pages 85-102 in: G. Peters & R. Hutterer (editors), *Vertebrates in the Tropics*, Museum Alexander Koenig, Bonn.  
 Joger, U. 1993. On two collections of reptiles and amphibians from the Cape Verde islands, with descriptions of three new taxa. *Courier Forschungsinstitut Senckenberg* 159: 437-444.  
 Joger, U. 2000. The reptile fauna of the Socotra archipelago. Pages 337-350 in G. Rheinwald, ed. *Isolated vertebrate communities in the tropics: Bonner Zoologische Monographien* 46. Zoologisches Forschungsinstitut und Museum A. Koenig, Bonn, Germany.  
 Joger, U. and Bshaena, I. 2010. A new *Tarentola* subspecies (Reptilia: Gekkonidae) endemic to Tunisia. *Bonn Zoological Bulletin* 267-274.  
 Joger, U. and Lambert, M. R. K. 1996. Analysis of the herpetofauna of the Republic of Mali, I. Annotated inventory, with description of a new *Uromastyx* (Sauria: Agamidae). *Journal of African Zoology* 110: 21-51.  
 Joger, U. and Lambert, M. R. K. 1997. Analysis of the herpetofauna of the Republic of Mali, II. Species diversity and biogeographic assemblages. Pp. 189-202. In H. Ulrich (Ed.), *Tropical Biodiversity and Systematics. Proceedings of the international Symposium on Biodiversity and Systematics in Tropical Ecosystems*, Bonn 1974, Bonn, Germany.  
 Joger, U. and Lambert, M. R. K. 2002. Inventory of amphibians and reptiles in SE Senegal, including the Niokola-Koba National Park, with observations on factors influencing diversity. *Tropical Zoology* 15: 165-185.  
 Joger, U. and Mayer, W. 2002. A new species of *Mesalina* from Abd al-Kuri, Socotra archipelago, Yemen, and a preliminary molecular phylogeny for the genus *Mesalina*. *Fauna of Saudi Arabia*, 19: 497-505.  
 Johansen, T. 2012. A field guide to the geckos of the Northern Territory. AuthorHouse, Billomington.  
 John, R. R., Bentz, E. J., Rivera Rodriguez, M. J., Bauer, A. M. and Powell, R. 2012. *Bachia heteropa* (Lichtenstein and von Martens). Earless worm lizard. *Catalogue of American Amphibians and Reptiles* 894: 1-9.  
 John, R. R., Hedman, H. D. and Powell, R. 2012. *Anolis aeneus*. Catalogue of American Amphibians and Reptiles 892: 1-11.  
 John, R. R., Rivera Rodriguez, M. J., Bentz, E. J., Henderson, R. W. and Powell, R. 2012. *Gonatodes daudini* Powell and Henderson Union island gecko. *Catalogue of American Amphibians and Reptiles* 895: 1-2.  
 Johnson, C. R. and Voigt, W. G. 1978. Observations on thermoregulation in the western slender glass lizard, *Ophisaurus attenuatus attenuatus* (Sauria: Anguidae). *Zoological Journal of the Linnean Society* 63 : 305-307.  
 Johnson, J. B., McBrayer, L. D. and Saenz, D. 2005. Allometry, sexual size dimorphism, and niche partitioning in the mediterranean gecko (*Hemidactylus turcicus*). *The Southwestern Naturalist* 50: 435-439.  
 Johnson, M. A., Leal, M., Schettino, L. R., Lara, A. C., Revell, L. J. and Losos, J. B. 2008. A phylogenetic perspective on foraging mode evolution and habitat use in West Indian *Anolis* lizards. *Animal Behaviour* 75: 555-563.  
 Johnson, M. A., Caton, J. L., Cohen, R. E., Vandecar, J. R. and Wade, J. 2010. The burden of motherhood: the effect of reproductive load on female lizard locomotor, foraging, and social behavior. *Ethology* 116: 1217-1225.  
 Johnson, C. B., Quah, E., S. H., Anuar, S., Muin, M. A., Wood, P. L., Grismer, J. L., Greer, L. F., Onn, C. K., Ahmad, N., Bauer, A. M. and Grismer, L. L. 2012. Phylogeography, geographic variation, and taxonomy of the Bent-toed Gecko *Cyrtodactylus quadrivirgatus* Taylor, 1962 from Peninsular Malaysia with the description of a new swamp dwelling species. *Zootaxa* 3406: 39-58.  
 Johnson, J. D., Mata-Silva, V. and Wilson, L. D. 2015. A conservation reassessment of the Central American herpetofauna based on the EVS measure. *Amphibian & Reptile Conservation* 9: 1-94. (e100).  
 Johnson, J. D., Mata-Silva, V., Padilla, E. G. and Wilson, L. D. 2015. The herpetofauna of Chiapas, Mexico: composition, distribution, and conservation. *Mesoamerican Herpetology* 2: 272-329.  
 Johnston, G. 1999. Reproductive biology of the peninsula dragon lizard, *Ctenophorus fionni*. *Journal of Herpetology* 33: 694-698.*

- Johnston 2000  
 Johnston 2005  
 Johnston and Bouskila 2007  
 Johnston et al. 2013  
 Jones 1985  
 Jones 1987  
 Jones 1994  
 Jones 2004  
 Jones and Lovich 2009  
 Jongbloed 2000  
 Jono et al. 2015  
 Jorcin et al. 2019  
 Jordaan and Hanekom 2019  
 Jordaan et al. 2018  
 Jordaan et al. 2019a  
 Jordaan et al. 2019b  
 Jordan et al. 2011  
 Jose et al. 2007  
 Joshi 2018  
 Joshi and Das 2015  
 Joshi and Tantarpale 2016  
 Joshi et al. 2017  
 Judd 1975  
 Judd 1976  
 Judd and Ross 1978  
 Junior et al. 2019  
 Juri et al. 2015  
 Juri et al. 2018  
 Jusufi et al. 2008  
 Kacoliris et al. 2013  
 Kadry and Mohamad 2014  
 Kadry et al. 2017  
 Kafash et al. 2016  
 Kafash et al. 2018  
 Kahrl et al. 2018  
 Kaiser et al. 2011  
 Kaiser et al. 2013a  
 Kaiser et al. 2013b  
 Kaiser et al. 2013c  
 Kalantzis et al. 2018  
 Kalaimani 2015  
 Kalayci et al. 2018  
 Kalboussi and Nouira 2004  
 Kaliontzopoulou 2011  
 Kaliontzopoulou et al. 2008  
 Kaliontzopoulou et al. 2010a  
 Kaliontzopoulou et al. 2010b  
 Kaliontzopoulou et al. 2010c  
 Kaliontzopoulou et al. 2012
- Johnston, G. 2000. Population density and habitat use in the peninsula dragon lizard *Ctenophorus fionni*. *Herpetofauna* 30: 34-36.  
 Johnston, G. 2005. *Ctenophorus fionni* (peninsula dragon lizard) cannibalism. *Herpetological Review* 36: 175.  
 Johnston, G. and Bouskila, A. 2007. Sexual dimorphism and ecology of the gecko, *Ptyodactylus guttatus*. *Journal of Herpetology*, 41: 506-513.  
 Johnston, G. R., Lee, M. S. Y. and Surasinghe, T. D. 2013. Morphology and allometry suggest multiple origins of rostral appendages in Sri Lankan agamid lizards. *Journal of Zoology* 289: 1-9.  
 Jones, K. B. 1985. *Eumeces gilberti*. Catalogue of American Amphibians and Reptiles 372: 1-3.  
 Jones, S. 1987. A report on a reproducible and sustainable system for the captive propagation of the genus *Tiliqua* Gray 1825. Pp.17-25, in J. Coote, ed., *Reptiles. Proceedings of the 1986 U.K. Herpetological Societies Symposium on Captive Breeding*. British Herpetological Society, London; 97 pp.  
 Jones, P. J. 1994. Biodiversity in the Gulf of Guinea: an overview. *Biodiversity and Conservation* 3: 772-784.  
 Jones, D. 2004. *Tymanocryptis cephalus*. Australian Herpetological Directory, *Herpetofauna of North Queensland*, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.  
 Jones, L. and Lovich, R. 2009. *Lizards of the American southwest: a photographic field guide*. Rio Nuevo Publishers, Tuscon.  
 Jongbloed, M. 2000. *Wild about reptiles. Field guide to the reptiles and Amphibians of the UAE.*, Barkers Trident Communications, London.  
 Jono, T., Ding, L., Kaito, T., Tang, Y. and Toda, M. 2015. Reevaluation of the taxonomic status of a poorly known gecko, *Gekko liboensis* (Reptilia: Squamata). *Asian Herpetological Research* 6: 229-236.  
 Jorcin, P., Barthe, L., Berroneau, M., Dore, F., Geniez, P., Grillet, P., Kabouche, B., Movia, A., Naimi, B., Pottier, G., Thirion, J-M. and Cheylan, M. 2019. Modelling the distribution of the ocellated lizard in France: implications for conservation. *Amphibian & Reptile Conservation* 13: 276-298.  
 Jordaan, P. R. and Hanekom, C. C. 2019. Fossilorial reptile density in sand forest, Tshinini Game Reserve. *African Herp News* 70: 16-21.  
 Jordaan, P. R., Els, P. U. and Woolcock, A. B. 2018. *Chamaeleo dilepis* (Leach, 1819) flap-neck chameleon. *Torpor refugia*. *African Herp News* 62: 39-41.  
 Jordaan, P. R., van der Goot, A. C., Muller, H. P. and Steyl, J. C. A. 2019. Fire-induced reptile mortality following a management burn on Lapalala Wilderness (Limpopo Province, South Africa) with notes on the mechanisms of mortality. *Herpetology Notes*, 12: 1173-1177.  
 Jordaan, P. R., Woolcock, A. B. and Els, P. U. 2019. *Cordylus vittifer* common girdled lizard (Reichenow, 1887), fire associated injury. *African Herp News* 70: 22-24.  
 Jordan, J. C., Suarez, J. S. and Sanchez, L. 2011. Ecological notes on the ecology of *Thecadactylus solimensis* (Squamata, Phyllodactylidae) from Peruvian Amazon. *Revista Peruana de Biología* 18: 257-260.  
 Jose, J., Ramachandran, K. K. and Nair, P. V. 2007. A rare and little known lizard, *Otocryptis beddomii*, From the Myristica swamps of southern Kerela, India. *The Herpetological Bulletin* 101: 27-31.  
 Joshi, R. 2018. *Varanus bengalensis* predation by *Ophiophagus hannah* in Rajaji Tiger Reserve, India. *Biawak*, 12: 34-36.  
 Joshi, M. and Das, S. K. 2015. Notes on unusual behavioural ecology of *Acanthodactylus cantoris* feeding on *Bufo niceps laungwalaensis*. *Herpetology Notes*, 8: 563-565.  
 Joshi, P. S. and Tantarpale, V. T. 2016. Diversity of saurian fauna in the Buldhana district, Maharashtra, India. *Journal of Asia-Pacific Biodiversity*, 9(3), pp.306-311.  
 Joshi, P., Mishra, C. and Thorat, O. H. 2016. New record of agamid lizard *Trapelus agilis* (Olivier, 1804)(Squamata: Agamidae) from Gujarat, India. *Russian Journal of Herpetology*, 24(1), pp.78-80.  
 Judd, F. W. 1975. Activity and thermal ecology of the keeled earless lizard, *Holbrookia propinquua*. *Herpetologica*, 31: 137-150.  
 Judd, F. W. 1976. Food and feeding behavior of the keeled earless lizard, *Holbrookia propinquua*. *The Southwestern Naturalist* 21: 17-26.  
 Judd, F. W. and Ross, R. K. 1978. Year-to-year variation in clutch size of island and mainland populations of *Holbrookia propinquua* (Reptilia, Lacertilia, Iguanidae). *Journal of Herpetology* 12: 203-207.  
 Junior, M. T., Dal Vecchio, F., Recoder, R., Cassimiro, J., De Sena, M. A. and Rodrigues, M. T. 2019. Two new highland species of *Amphisbaena* Linnaeus, 1758 (Amphisbaenia, Amphisbaenidae) from Bahia State, Brazil. *South American Journal of Herpetology* 14: 213-232.  
 Juri, G. L., Naretto, S., Mateos, A. C., Chiaravaglio, M. and Cardozo, G. 2015. Influence of life history traits on trophic niche segregation between two similar sympatric  *Tupinambis* lizards. *South American Journal of Herpetology*, 10:  
 Juri, G. L., Chiaravaglio, M. and Cardozo, G. 2018. Macroevolution of sexual size dimorphism and reproduction-related phenotypic traits in lizards of the Chaco Domain. *BMC Evolutionary Biology*, 18: 186.  
 Jusufi, A., Goldman, D. I., Revzen, S. and Full, R. J. 2008. Active tails enhance arboreal acrobatics in geckos. *Proceedings of the National Academy of Sciences, USA* 105: 4215-4219.  
 Kacoliris, F. P., Berkunsky, I. and Velasco, M. A. 2013. Sex and size affect annual survival in a threatened sand lizard. *Herpetological Journal*, 23: 59-62.  
 Kadry, M. A. and Mohamad, H. R. 2014. Genetic and metabolic variability between two subspecies of *Chamaeleo chamaeleon* (Reptilia: Chamaeleonidae) in Egypt. *Advances in Bioscience and Biotechnology*, 5: 699-703.  
 Kadry, M. A., Mohamed, H. R. and Hosney, M. 2017. Ecological and biological studies on five-lined skink, *Trachylepis (= Mabuya) quinquevittata* inhabiting two different habitats in Egypt. *Cellular and Molecular Biology* 63: 28-36.  
 Kafash, A., Kaboli, M., Kochler, G., Yousefi, M. and Asadi, A. 2016. Ensemble distribution modeling of the Mesopotamian spiny-tailed lizard, *Saara loricata* (Blanford, 1874), in Iran: an insight into the impact of climate change. *Turkish Journal of Zoology*, 40: 262-271.  
 Kafash, A., Malakoutikhah, S., Yousefi, M., Ataei, F., Heidari, H. and Rastegar-Pouyani, E. 2018. The gray toad-headed agama, *Phrynocephalus scutellatus*, on the Iranian Plateau: The degree of niche overlap depends on the phylogenetic distance. *Zoology in the Middle East*, 64: 47-54.  
 Kahrl, A. F., Ivanov, B. M., Valero, K. C. W. and Johnson, M. A. 2018. Ecomorphological variation in three species of cybotoid anoles. *Herpetologica*, 74: 29-37.  
 Kaiser, H., Carvalho, V. L., Ceballos, J., Freed, P., Heaco, S., Lester, B., Richards, S. J., Trainor, C. R., Sanchez, C. and O'Shea, M. 2011. The herpetofauna of Timor-Leste: a first report. *ZooKeys* 109: 19-86.  
 Kaiser, H., Crother, B. I., Kelly, C. M. R., Luiselli, L., O'shea, M., Ota, H., Passos, P., Schleip, W. D. and Wuster, W. 2013. Best practices: in the 21st century, taxonomic decisions in herpetology are acceptable only when supported by a body of evidence and published via peer-review. *Herpetological Review*, 44: 8-23.  
 Kaiser, H., Sanchez, C., Heaco, S., Kathriner, A., Ribeiro, A. V., Soares, Z. A., de Araujo, L. L., Mecke, S. and O'Shea, M. 2013. First report on the herpetofauna of Atauro island, Timor-Leste. *Check List* 9: 752-762.  
 Kaiser, H., Taylor, D., Heaco, S., Landry, P., Sanchez, C., Ribeiro, A., de Araujo, L. L., Kathriner, A. and O'Shea, M. 2013. Conservation education in a post-conflict country: five herpetological case studies in Timor-Leste.  
 Kalantzis, K., Strachinis, I., Katsiyianis, P., Oefinger, P. and Kazilas, C. 2018. New records and an updated list of the herpetofauna of Kastellorizo and the adjacent islet Psomi (Dodecanese, SE Greece). *Herpetology Notes* 11: 1009-  
 Kalaimani, A. 2015. Notes on egg laying sites of *Calodactylodes aureus* (Beddoe, 1870) in Tirupattur Forest Division, Southern India. *The Herpetological Bulletin* 131: 24-25.  
 Kalayci, T. E., Gul, C., Tosunoglu, M. and Ozdemir, N. 2018. On the age structure of two samples of *Lacerta trilineata* Bedriaga, 1886, from different altitudes in Turkey (Squamata: Sauria: Lacertidae). *Herpetozoa* 31: 3-9.  
 Kalboussi, M. and Nouira, S. 2004. Comparative diet of northern and southern Tunisian populations of *Chalcides ocellatus* (Forskal, 1775). *Revista Espanola de Herpetologia* 18: 29-39.  
 Kaliontzopoulou, A. 2011. Geometric morphometrics in herpetology: modern tools for enhancing the study of morphological variation in amphibians and reptiles. *Basic and Applied Herpetology* 25: 5-32.  
 Kaliontzopoulou, A., Carretero, M. A. and Llorente, G. A. 2008. Head shape allometry and proximate causes of head sexual dimorphism in *Podarcis* lizards: joining linear and geometric morphometrics. *Biological Journal of the Linnean Society*, 93: 111-124.  
 Kaliontzopoulou, A., Carretero, M. A. and Llorente, G. A. 2010. Intraspecific ecomorphological variation: linear and geometric morphometrics reveal habitat-related patterns within *Podarcis bocagei* wall lizards. *Journal of Evolutionary Biology*, 23: 1234-1244.  
 Kaliontzopoulou, A., Carretero, M. A. and Llorente, G. A. 2010. Sexual dimorphism in traits related to locomotion: ontogenetic patterns of variation in *Podarcis* wall lizards. *Biological Journal of the Linnean Society*, 99: 530-543.  
 Kaliontzopoulou, A., Carretero, M. A. and Sillero, N. 2010. Geographic patterns of morphological variation in the lizard *Podarcis carbonelli*, a species with fragmented distribution. *Herpetological Journal* 20: 41-50.  
 Kaliontzopoulou, A., Carretero, M. A. and Llorente, G. A. 2012. Morphology of the *Podarcis* wall lizards (Squamata: Lacertidae) from the Iberian Peninsula and North Africa: patterns of variation in a putative cryptic species complex. *Zoological Journal of the Linnean Society*, 164: 173-193.

- Kalontzopoulou et al. 2015  
 Kalontzopoulou et al. 2018  
 Kamath 2016  
 Kamath and Losos 2017  
 Kamel and Gatten 1983  
 Kami and Babaei 2018  
 Kane et al. 2019  
 Kapsalas et al. 2016  
 Kapsalas et al. 2018  
 Karameta and Pafilis 2017  
 Karameta et al. 2015  
 Karameta et al. 2017a  
 Karameta et al. 2017b  
 Karamani and Rastegar-Pouyani 2012  
 Karamani et al. 2013  
 Karamani et al. 2015  
 Karamani et al. 2017  
 Karamani et al. 2018  
 Karasov et al. 1986  
 Kargas and Wright 1987  
 Karin et al. 2016 2016  
 Karin et al. 2018  
 Karina and Lourdes 2011  
 Karis and Gocmen 2014  
 Karki et al. 2018  
 Karl 1994  
 Karmishhev and Yargin 2013  
 Karsen et al. 1986  
 Karsen et al. 1998  
 Karsten et al. 2008  
 Karsten et al. 2009a  
 Karsten et al. 2009b  
 Karthik 2017  
 Karthik et al. 2018a  
 Karthik et al. 2018b  
 Karthik et al. 2019  
 Karunaratna and Amarasinghe 2008  
 Karunaratna and Amarasinghe 2011  
 Karunaratna and Amarasinghe 2012  
 Karunaratna and Amarasinghe 2013  
 Karunaratna and Kumarasinghe 2011  
 Karunaratna et al. 2008  
 Karunaratna et al. 2015  
 Karunaratna et al. 2016  
 Karunaratna et al. 2019a  
 Karunaratna et al. 2019b  
 Karunaratna et al. 2019c
- Kalontzopoulou, A., Carretero, M. A. and Adams, D. C. 2015. Ecomorphological variation in male and female wall lizards and the macroevolution of sexual dimorphism in relation to habitat use. *Journal of Evolutionary Biology*, 28: 1-10.
- Kalontzopoulou, A., Pinho, C. and Martinez-Freiria, F. 2018. Where does diversity come from? Linking geographical patterns of morphological, genetic, and environmental variation in wall lizards. *BMC Evolutionary Biology*, 18: 1-10.
- Kamath, A. 2016. Variation in display behavior, ornament morphology, sexual size dimorphism, and habitat structure in the fan-throated lizard (*Sitan*, Agamidae). *Journal of Herpetology* 50: 394-403.
- Kamath, A. and Losos, J. B. 2017. Does ecological specialization transcend scale? Habitat partitioning among individuals and species of *Anolis* lizards. *Evolution* 71: 541-549.
- Kamel, S. and Gatten, R. E. 1983. Aerobic and anaerobic activity metabolism of limbless and fossorial reptiles. *Physiological Zoology*, 56: 419-429.
- Kami, H. and Babaei, S. R. 2018. New records of the Turkmenian fat-tailed gecko, *Eublepharis turcmenicus* Darevsky, 1978, from Khorasan Razavi Province, Iran (Squamata: Eublepharidae). *Iranian Journal of Animal Biosystematics*, 16: 1-6.
- Kane, D., Goodwin, S., Verspui, G. J., Tump, A. and Marin, G. M. M. 2019. Reptile diversity of southern Morocco: range extensions and the role of the Djebel Ouarlkiz as a biogeographical barrier. *Herpetology Notes*, 12: 787-793.
- Kapsalas, G., Gavrilidi, I., Adamopoulou, C., Foufopoulos, J. and Pafilis, P. 2016. Effective thermoregulation in a newly established population of *Podarcis siculus* in Greece: a possible advantage for a successful invader. *Acta Herpetologica*, 61: 1-10.
- Kapsalas, G., Deimezis-Tsikoutas, A., Georgakopoulos, T., Gkourtsouli-Antoniadou, I., Papadaki, K., Vassaki, K. and Pafilis, P. 2018. How effectively do European skinks thermoregulate? Evidence from *Chalcides ocellatus*, a common but overlooked Mediterranean lizard. *Acta Herpetologica* 13: 75-82.
- Karameta, E. and Pafilis, P. 2017. First record of *Podarcis muralis* (Laurenti, 1768), from athens, Greece. *Herpetozoa* 30: 87-88.
- Karameta, E., Papadopoulos, V. V. and Pafilis, P. 2015. First record of ophiophagy in the roughtail rock agama (*Stellagama stellio*): one of the most rare feeding behaviors among European lizards. *Herpetology Notes*, 8: 111-113.
- Karameta, E., Gourgoulian, N., Kouvari-Gaglia, D., Litsi-Mizan, V., Halle, S., Meiri, S., Sfenthourakis, S. and Pafilis, P. 2017. Environment shapes the digestive performance in a Mediterranean lizard. *Biological Journal of the Linnean Society*, 121: 883-893. doi: <https://doi.org/10.1093/biolinnean/blx034>.
- Karameta, E., Mizan, V. L., Sagonas, K., Sfenthourakis, S., Valakos, E. D. and Pafilis, P. 2017. Ontogenetic shifts in the digestive efficiency of an insectivorous lizard (Squamata: Agamidae). *Salamandra* 53: 321-326.
- Karamani, R. and Rastegar-Pouyani, N. 2012. Westernmost record of Khuzestan dwarf gecko *Tropiocolotes heleneae* heleneae (Nikolsky, 1907) (Sauria: Gekkonidae) from Kermanshah province, western Iran. *Russian Journal of Herpetology* 19: 212-216.
- Karamani, R., Rastegar-Pouyani, N., Fattahi, R. and Fathinia, B. 2013. Sexual dimorphism in leaf-toed gecko *Asaccus elisae* (Werner, 1895) (Sauria: Gekkonidae) from western Iran. *Hamadryad*, 36: 157-161.
- Karamani, R., Rastegar-Pouyani, N., Rastegar-Pouyani, E., Akbarpour, M. and Damadi, E. 2015. Verification of the minor snake-eyed skink, *Ablepharus grayanus* (Stoliczka, 1872) (Sauria: Scincidae), from Iran. *Zoology in the Karakhanian Republic*, 12: 883-893. doi: <https://doi.org/10.1093/zoolinnean/blx034>.
- Karamani, R., Rastegar-Pouyani, N., Rastegar-Pouyani, E., Dehghani, A., Banan-Khojasteh, S. M. and Mahmoodi, M. 2017. Phenotypical variation and distribution of the snake-eyed skink, *Ablepharus bivittatus* (Sauria: Scincidae), Iran. *Iranian Journal of Animal Biosystematics*, 13: 289-294.
- Karamani, R., Rastegar-Pouyani, N., Rastegar-Pouyani, E., Shishvani, M. M. and Nilson, G. 2018. First record of *Ablepharus chernovi* Darevsky, 1953, from Iran. *Herpetozoa* 31: 94-97.
- Karasov, W. H., Petrossian, E., Rosenberg, L. and Diamond, J. M. 1986. How do food passage rate and assimilation differ between herbivorous lizards and nonruminant mammals? *Journal of Comparative Physiology B*, 156: 599-609.
- Kargas, J. P. and Wright, J. W. 1987. A new species of *Barisia* (Sauria, Anguidae) from Oaxaca, Mexico. *Contributions in Science of the Natural History Museum of Los Angeles County* 381: 1-11.
- Karin, B. R., Das, I and Bauer, A. M. 2016. Two new species of diminutive leaf-litter skinks (Squamata: Scincidae: *Typhloscincus*) from Gunung Penrisen, Sarawak, Malaysia (northern Borneo). *Zootaxa* 4093: 407-423.
- Karin, B. R., Stubbs, A. L., Arifin, U., Bloch, L. M., Ramadhan, G., Iskandar, D. T., Arida, E., Reilly, S. B., Kusnadi, A. and McGuire, J. A. 2018. The herpetofauna of the Kei Islands (Maluku, Indonesia): Comprehensive report on new and historical collections, biogeographic patterns, conservation concerns, and an annotated checklist of species from Kei Kecil, Kei Besar, Tam, and Kur. *Raffles Bulletin of Zoology* 66: 704-738.
- Karina, V.-P. and Lourdes, R.-S. 2011. List and bibliography of the geckos (Gekkota: Gekkonidae, Phyllodactylidae, Sphaerodactylidae) of Cuba. *Revista Colombiana de Ciencia Animal* 3: 35-46.
- Karlis, M. and Gocmen, B. 2014. A new data on the distribution of the Hatay Lizard, *Phoenicolacerta laevis* (Gray, 1838) (Squamata: Lacertidae) from the western Anatolia. *Biharean Biologist* 8: 56-59.
- Karki, A., Karki, D., Jnawali, S. R., Paudel, S., Adhikari, S. and Panthi, S. 2018. *Varanus flavescens*: Status, distribution and potential threats – a case from Nepal. *Biawak*, 12: 37-41.
- Karl, H. V. 1994. Zur verbreitung tertiarer und quartarer Reptilien und Amphibien Europas. Nordost- und Mittel-Deutschland (NBL). *Courier Forschungsanstalt Senckenberg* 173: 325-340.
- Karmishhev, Y. and Yargin, O. 2013. Reproductive features of several Ukrainian true lizards (Lacertidae). *Biological bulletin* 2013: 59-64.
- Karsen, S. J., Lau, M. W. N. and Bogadek, A. 1986. Hong Kong amphibians and reptiles. The Provisional Urban Council, Hong Kong SAR.
- Karsen, S. J., Lau, M. W. N. and Bogadek, A. 1998. Hong Kong amphibians and reptiles. 2nd edition. The Provisional Urban Council, Hong Kong SAR.
- Karsten, K. B., Andriamananjara, L. N., Fox, S. F. and Raxworthy, C. J. 2008. A unique life history among tetrapods: An annual chameleon living mostly as an egg. *Proceedings of the National Academy of Sciences, USA* 105: 111-115.
- Karsten, K. B., Andriamananjara, L. N., Fox, S. F. and Raxworthy, C. J. 2009. Sexual selection on body size and secondary sexual characters in 2 closely related, sympatric chameleons in Madagascar. *Behavioral Ecology* 20: 111-115.
- Karsten, K. B., Andriamananjara, L. N., Fox, S. F. and Raxworthy, C. J. 2009. Population densities and conservation assessments for three species of chameleons in the Toliara region of south-western Madagascar. *Amphibia-Reptilia* 30 (2009): 341-350.
- Karthik, P. 2017. Status of the herpetofauna in the Cauvery Delta Region, Mannampandal, Tamil Nadu, India. *IRCF Reptiles & Amphibians* 24: 180-186.
- Karthik, P., Nagarajan, R. and Kalaimani, A. 2018. Leschenault's snake-eye lizard: Ecology of *Ophisops leschenaultii* in Pakkam Hills, Gingee, Eastern Ghats, Southern India. *Reptile Rap*, 33: 6-9.
- Karthik, P., Sharma, P. and Nazareth, O. J. 2018. Deccan ground gecko: An unusual body pattern of *Cyrtodactylus deccanensis* (Günther, 1864) from Sahyadri Tiger Reserve, northern Western Ghats, India. *Zoo's Print* 33: 12-14.
- Karthik, P., Nazareth, O. J., Baskaran, N. and Ishwar, N. M. 2019. Notes on the cryptic gecko *Hemidactylus gleadowi* Murray, 1884 from the Sahyadri Tiger Reserve, northern Western Ghats, India. *Sauria* 41: 70-76.
- Karunaratna, D. M. S. S. and Amarasinghe, A. A. T. 2008. An observation of the jungle crow (Aves: Corvidae) feeding on Ceylon pygmy lizards, *Cophotis ceylanica* (Reptilia: Agamidae) at Horton Plains NP in Sri Lanka. *Sauria*, 30: 111-115.
- Karunaratna, D. M. S. S. and Amarasinghe, A. A. T. 2011. *Hemidactylus maculatus* humae (Reptilia: Gekkonidae) preys on *Bandicota bengalensis* (Mammalia: Rodentia) in the Galoya National Park, Sri Lanka. *Herpetotropicos* 5: 111-115.
- Karunaratna, D. M. S. S. and Amarasinghe, A. A. T. 2012. Reptile diversity in Beraliya mukalana proposed forest reserve, Galle district, Sri Lanka. *Taprobanica* 4: 20-26.
- Karunaratna, D. M. S. S. and Amarasinghe, A. A. T. 2013. Behavioral ecology and microhabitat use by *Lyriocephalus scutatus* (Linnaeus, 1758): a monotypic genus in Sri Lanka (Reptilia: Agamidae: Draconinae) with notes on the taxonomy. *Russian Journal of Herpetology* 20: 1-15.
- Karunaratna, S. and Kumarasinghe, A. 2011. Rediscovery of *Hemidactylus humae* Deraniyagala, 1937 (Reptilia: Gekkonidae) from type locality and some additional field observations from Sri Lanka. *Tigerpaper* 38: 1-7.
- Karunaratna, D. M. S. S., Wickramasinghe, L. J. M., Samarakkrama, V. A. P. and Munindradasa, D. A. I. 2008. The range extension of genus *Chalcides* Laurenti, 1768 (Reptilia: Scincidae) to Sri Lanka. *Russian Journal of Herpetology*, 15: 1-6.
- Karunaratna, D. M. S. S., Surasinghe, T. D., Madawala, M. B., Wellapulli-Arachchi, S. M., Kandambi, H. K. D., Kusuminda, T. G. T., Priyadarshana, T. M. T. S. and Perera, B. N. H. 2015. Distribution, natural history and the conservation status of *Hemiphyllodactylus typus* and *Lepidodactylus lugubris* (Reptilia: Gekkonidae) in Sri Lanka. *Sri Lanka Naturalist* 8: 13-22.
- Karunaratna, S., Surasinghe, T., Madawala, M., Kandambi, D., Priyadarshana, T. and De Silva, A. 2016. Natural history and conservation of Haly's tree skink (*Dasia haliana*) in dry zone forests of Sri Lanka. *Herpetological Conservation and Biology* 11: 272-279.
- Karunaratna, S., Bauer, A. M., Da Silva, A., Surasinghe, T., Somaratne, L., Madawala, M., Gabadage, D., Botejue, M., Henkanaththegedara, S. and Ukuwela, K. D. B. 2019. Description of a new species of the genus *Cnemaspis* Strauch, 1887 (Reptilia: Squamata: Gekkonidae) from the Nilgala Savannah forest, Uva Province of Sri Lanka. *Zootaxa* 4545: 389-407.
- Karunaratna, S., de Silva, A., Botejue, M., Gabadage, D., Somaratne, L., Hettige, A., Aberathna, N., Madawala, M., Edirisinghe, G., Perera, N., Wickramarachchi, S., Surasinghe, T., Karunaratna, N., Wickramasinghe, M., Ukuwela, K. D. B. and Bauer, A. M. 2019. Three new species of day geckos (Reptilia: Gekkonidae: Cnemaspis Strauch, 1887) from isolated granite cave habitats in Sri Lanka. *Amphibian & Reptile Conservation* 13: 323-354.
- Karunaratna, S., Poyarkov, N. A., de Silva, A., Madawala, M., Botejue, M., Gorin, V. A., Surasinghe, T., Gabadage, D., Ukuwela, K. D. B. and Bauer, A. M. 2019. Integrative taxonomy reveals six new species of day geckos of the genus *Cnemaspis* Strauch, 1887 (Reptilia: Squamata: Gekkonidae) from geographically-isolated hill forests in Sri Lanka. *Vertebrate Zoology* 69: 247-298.

- Kasperoviczus et al. 2011  
 Kasperoviczus et al. 2015  
 Kastle 1998  
 Kastle and Schleich 1998a  
 Kastle and Schleich 1998b  
 Kastle et al. 2013  
 Kathriner et al. 2014
- Katz et al. 2013  
 Kaufmann and Bennett 1989  
 Kavaliers et al. 1984  
 Kawai 2016  
 Kawashita-Ribeiro and Avila 2008  
 Kawashita-Ribeiro et al. 2011
- Kawauchi et al. 2018  
 Kay and Keogh 2012
- Kay et al. 2013
- Kazemi et al. 2011  
 Kazilas et al. 2018  
 Kazy and Hipsley 2018  
 Kealley et al. 2018
- Kearney 2001  
 Kearney 2002a  
 Kearney 2002b  
 Kearney 2003a  
 Kearney 2003b  
 Kearney and Porter 2004  
 Kearney and Predavec 2000  
 Kearney and Shine 2005  
 Kearney et al. 2009  
 Kechnebbou et al. 2019  
 Keehn et al. 2013
- Kemp and Hadly 2015  
 Kennedy 1968  
 Kennedy 1973  
 Kennedy et al. 2012  
 Kenny et al. 2017  
 Keogh et al. 2008
- Kerr 2013  
 Kerr et al. 2005  
 Kerr et al. 2006  
 Khan 1988  
 Khan 1991  
 Khan 1993a  
 Khan 1993b  
 Khan 2001  
 Khan 2002  
 Khan 2003a  
 Khan 2003b  
 Khan 2004  
 Khan 2005  
 Khan 2006  
 Khan 2008
- Kasperoviczus, K. N., dos Santos, L. C. and Almeida-Santos, S. M. 2011. First report of hemiclitores in a female of the amphisbaenian *Amphisbaena microcephala* (Wagler, 1824). *Herpetology Notes*, 4: 41-43.  
 Kasperoviczus, K. N., Kruger, A. C. and Marques, O. A. V. 2015. An elongated meal: the tegu lizard *Salvator merianae* eats snakes and amphisbaenians. *Herpetology Notes*, 8: 21-23.  
 Kastle, W. 1998. Studies on the ecology and behaviour of *Sitana sivalensis* sp. nov. Pages 121-206 in Schleich, HH & W. Kästle (eds.). Contributions to the Herpetology of South Asia. Fuhlrott-Museum, Wuppertal.  
 Kastle, W. and Schleich, H. H. 1998. Contributions to the biology of *Japalura kumaonensis* (Annandale, 1907). Pages 247-268 in Schleich, HH & W. Kästle (eds.). Contributions to the Herpetology of South Asia. Fuhlrott-Museum,  
 Kastle, W. and Schleich, H. H. 1998. Notes on comparative ethology and taxonomy of the genus *Japalura*. Pages 233-246 in Schleich, HH & W. Kästle (eds.). Contributions to the Herpetology of South Asia. Fuhlrott-Museum,  
 Kastle, W., Rai, W. and Schleich, H. 2013. Field guide to amphibians and reptiles of Nepal. ARCO-Nepal, Kathmandu.  
 Kathriner, A., O'shea, M. and Kaiser, H. 2014. Re-examination of *Hemidactylus tenkatei* van Lidth de Jeude, 1895: Populations from Timor provide insight into the taxonomy of the *H. brookii* Gray, 1845 complex (Squamata: Gekkonidae). *Zootaxa* 3887: 583-599.  
 Katz, E. M., Tolley, K. A. and Altweig, R. 2013. Survival and abundance of Cape dwarf chameleons, *Bradypodion pumilum*, inhabiting a transformed, semi-urban wetland. *Herpetological Journal* 23: 179-186.  
 Kaufmann, J. S. and Bennett, A. F. 1989. The effect of temperature and thermal acclimation on locomotor performance in *Xantusia vigilis*, the desert night lizard. *Physiological Zoology*, 62: 1047-1058.  
 Kavaliers, M., Courtenay, S. and Hirst, M. 1984. Opiates influence behavioral thermoregulation in the curly-tailed lizard, *Leiocephalus carinatus*. *Physiology & Behavior* 32: 221-224.  
 Kawai, U. 2016. *Oplurus cuvieri* (Madagascar spiny-tailed iguana). Diet. *Herpetological Review* 47: 300-301.  
 Kawashita-Ribeiro, R. A. and Avila, R. W. 2008. Reptilia, Squamata, Polychrus spp.: New record, range extensions, and distribution map in the state of Mato Grosso, Brazil. *Check List* 4: 362-365.  
 Kawashita-Ribeiro, R. A., Arruda, L. A. G., Carvalho, M. A., Silva, a. F., Silva, J. P., Avila, R. W., Morais, D. H. and Mott, T. 2011. *Leposoma osvaldoi* Avila-Pires, 1995 (Squamata: Gymnophthalmidae): New records and distribution map in the state of Mato Grosso, Brazil. *Check List* 7: 852-853.  
 Kawauchi, N., Nakamura, Y. and Watanabe, T. 2018. Predation of the endangered miyako grass lizard *Takydromus toyamai* by the introduced Japanese weasel *Mustela itatsi*. *Mammalian Science*, 58: 73-77.  
 Kay, G. M. and Keogh, J. S. 2012. Molecular phylogeny and morphological revision of the *Ctenotus labillardieri* (Reptilia: Squamata: Scincidae) species group and a new species of immediate conservation concern in the southwestern Australian biodiversity hotspot. *Zootaxa* 3390: 1-18.  
 Kay, G. M., Michael, D. R., Crane, M., Okada, S., MacGregor, C., Florance, D., Trengove, D., McBurney, L., Blair, D. and Lindenmayer, D. B. 2013. A list of reptiles and amphibians from Box Gum Grassy Woodlands in south-eastern Australia. *Check List* 9: 476-481.  
 Kazemi, S. M., Qomi, M. F., Kami, H. G. and Anderson, S. C. 2011. A new species of *Ophiomorus* (Squamata: Scincidae) from Maranjab Desert, isfahan Province, iran, with a revised key to the genus. *Amphibian and Reptile Kazilas, C., Kalaentzis, K. and Strachinis, I. 2018. A case of piebaldism in the Anatolian worm lizard, *Blanus strauchi* (Bedriaga, 1884), from Kastellorizo island, Greece (Squamata: Blanidae). *Herpetology Notes*, 11: 527-529.  
 Kazy, S. and Hipsley, C. A. 2018. Conservation evolution of skull shape in Caribbean headfirst burrowing worm lizards (Squamata: Amphisbaenia). *Biological Journal of the Linnean Society*, 125: 14-29.  
 Kealley, L., Doughty, P., Pepper, M., Keogh, J. S., Hillyer, M. and Huey, J. 2018. Conspicuously concealed: revision of the arid clade of the *Gehyra variegata* (Gekkonidae) group in Western Australia using an integrative molecular and morphological approach, with the description of five cryptic species. *PeerJ* 6: e5334.  
 Kearney, M. 2001. Postural thermoregulatory behavior in the nocturnal lizards *Christinus marmoratus* and *Nephrurus milii* (Gekkonidae). *Herpetological Review*, 32(1), p.11.  
 Kearney, M. 2002. Appendicular skeleton in amphisbaenians (Reptilia: Squamata). *Copeia*, 2002: 719-738.  
 Kearney, M. 2002. Hot rocks and much-too-hot rocks: seasonal patterns of retreat-site selection by a nocturnal ectotherm. *Journal of Thermal Biology*, 27: 205-218.  
 Kearney, M. 2003. Diet in the Amphisbaenian *Bipes bipes*. *Journal of Herpetology*, 37: 404-408.  
 Kearney, M. 2003. Systematics of the Amphisbaenia (Lepidosauria: Squamata) based on morphological evidence from recent and fossil forms. *Herpetological Monographs*, 17: 1-74.  
 Kearney, M. and Porter, W. P. 2004. Mapping the fundamental niche: physiology, climate, and the distribution of a nocturnal lizard. *Ecology*, 85: 3119-3131.  
 Kearney, M. and Predavec, M. 2000. Do nocturnal ectotherms thermoregulate? A study of the temperate gecko *Christinus marmoratus*. *Ecology*, 81: 2984-2996.  
 Kearney, M. and Shine, R. 2005. Lower fecundity in parthenogenetic geckos than sexual relatives in the Australian arid zone. *Journal of Evolutionary Biology*, 18: 609-618.  
 Kearney, M., Shine, R. and Porter, W. P. 2009. The potential for behavioral thermoregulation to buffer 'cold-blooded' animals against climate warming. *Proceedings of the National Academy of Sciences, USA* 106: 3835-3840.  
 Kechnebbou, M., Chammem, M., Belliure, J., Abdelli, F. and Nouira, S. 2019. Body Size, food habits, and burrow distribution and orientation in the North African spiny-tailed lizard *Uromastyx acanthinura* in Tunisia. *Herpetological Keehn, J. E., Nieto, N. C., Tracy, C. R., Gienger, C. M. and Feldman, C. R. 2013. Evolution on a desert island: body size divergence between the reptiles of Nevada's Anaho island and the mainland around Pyramid Lake. *Journal of Zoology* 291: 269-278.**
- Kemp, M. E. and Hadly, E. H. 2015. Extinction biases in Quaternary Caribbean lizards. *Global Ecology and Biogeography* 24: 1281-1289.  
 Kennedy, J. P. 1968. Observations on the ecology and behavior of *Cnemidophorus guttatus* and *Cnemidophorus deppei* (Sauria, Teiidae) in Southern Veracruz. *Journal of Herpetology*, 2: 87-96.  
 Kennedy, J. P. 1973. *Sceloporus olivaceus*. Catalogue of American Amphibians and Reptiles 143: 1-4.  
 Kennedy, A. M., Marais, J., Bauer, A. M., Lewis, P. J. and Thies, M. L. 2012. Effect of fire on the herpetofauna of the Koanaka Hills, Ngamiland, Botswana. *Check List*, 8(4), pp.666-674.  
 Kenny, H. V., Wright, A. N., Piovia-Scott, J., Yang, L. H., Spiller, D. A. and Schoener, T. W. 2017. Marine subsidies change short-term foraging activity and habitat utilization of terrestrial lizards. *Ecology and Evolution* 7: 10701-Keogh, J. S., Edwards, D. L., Fisher, R. N. and Harlow, P. S. 2008. Molecular and morphological analysis of the critically endangered Fijian iguanas reveals cryptic diversity and a complex biogeographic history. *Philosophical Transactions of the Royal Society of London B*, 363: 3413-3426.  
 Kerr, A. M. 2013. Illustrated guide to the reptiles and amphibians of the Mariana islands, Micronesia. University of Guam Marine Laboratory Technical Report 150: 1-46.  
 Kerr, A. M., Powell, R. and Parmerlee, J. S. 2005. *Ameiva erythrocephala* (Teiidae) on Saint Eustatius, Netherlands Antilles: baseline data on a small population in a severely altered habitat. *Caribbean Journal of Science*, 41: 162-169.  
 Kerr, A. M., Zero, V. H. and Powell, R. 2006. *Ameiva erythrocephala*. Catalogue of American Amphibians and Reptiles, 817: 1-4.  
 Khan, M. S. 1988. A new cyrtodactylid gecko from northwestern Punjab, Pakistan. *Journal of Herpetology*, 22: 241-243.  
 Khan, M. S. 1991. A new Tenuidactylid gecko from the Sulaiman Range, Punjab, Pakistan. *Journal of Herpetology*, 25: 199-204.  
 Khan, M. S. 1993. A new angular-toed gecko from Pakistan, with remarks on the taxonomy and a key to the species belonging to genus *Cyrtodactylus* (Reptilia: Sauria: Gekkonidae). *Pakistan Journal of Zoology* 25: 67-73.  
 Khan, M. S. 1993. A new sandstone gecko from Fort Munro, Dera Ghazi Khan District, Punjab, Pakistan. *Pakistan Journal of Zoology*, 25: 217-221.  
 Khan, M. S. 2001. Taxonomic notes on angular-toed Gekkota of Pakistan, with description of a new species of genus *Cyrtodactylus*. *Pakistan Journal of Zoology* 31: 13-24.  
 Khan, M. S. 2002. Key and checklist to the lizards of Pakistan (Reptilia: Squamata: Sauria). *Herpetozoa* 15: 99-119.  
 Khan, M. S. 2003. Notes on circum indicus geckos of the genus *Cyrtodactylus* (Squamata: Gekkonidae). *Gekkota* 4: 43-59.  
 Khan, M. S. 2003. Questions of generic designation of angular-toed geckos of Pakistan with descriptions of three new genera (Reptilia: Gekkonidae). *Pakistan Journal of Zoology*, 24: 273-277.  
 Khan, M. S. 2004. Annotated checklist of amphibians and reptiles of Pakistan. *Asiatic Herpetological Research* 10: 191-201.  
 Khan, M. S. 2005. Notes on geckos of the genus *Siwaligecko* Khan 2003 (Reptilia: Gekkonidae) in Pakistan. *Bulletin of the Chicago Herpetological Society*, 40: 54-57.  
 Khan, M. S. 2006. The amphibians and reptiles of Pakistan. Krieger Publishing Company, Malabar.  
 Khan, M. S. 2008. Review of the morphology, ecology, and distribution of geckos of the genus *Cyrtodactylus*, with a note on generic placement of *Cyrtodactylus brachykolon* Krysko et. al., 2007. *Caspian Journal of Environmental*

- Khan 2015  
 Khan and Rosler 2000  
 Khan and Tasnim 1990  
 Khan et al. 2012  
 Khandekar et al. 2019a  
 Khandekar et al. 2019b  
 Khani et al. 2013
- Khosravani et al. 2011  
 Khosravani et al. 2014  
 Khosravani et al. 2017
- Kidov 2018  
 Kidov and Timoshina 2017  
 Kidov et al. 2012
- Kidov et al. 2017
- Kidov et al. 2019  
 Kiefer et al. 2005  
 Kiefer et al. 2008  
 Kiester 1971  
 Kiester 1982  
 Kiester 1983
- Kilunda et al. 2019
- Kim 2010  
 Kim et al. 2011  
 Kim et al. 2012  
 Kim et al. 2019
- King 1996  
 King 2000  
 King and Green 1993  
 King and Horner 1993  
 King and Lee 2015a  
 King and Lee 2015b  
 King et al. 1989  
 Kingsbury 1995  
 Kircher et al. 2014  
 Kirchhof et al. 2010a  
 Kirchhof et al. 2010b
- Kirchhof et al. 2012  
 Kirchhof et al. 2014a  
 Kirchhof et al. 2014b  
 Kirchhof et al. 2017a
- Kirchhof et al. 2017b  
 Kirchhof et al. 2018  
 Kirshner 2007  
 Kissling et al. 2016  
 Kitchener et al. 1988  
 Kizirian 1995  
 Kizirian 1996  
 Kizirian and Coloma 1991  
 Kizirian and McDiarmid 1998
- Khan, M. S. 2015. External morphological changes in desert reptiles of pakistan. Published on Researchgate.net  
 Khan, M. S. and Rosler, H. 2000. Redescription and generic redesignation of the Ladakhan gecko *Gymnodactylus stoliczkai* Steindachner, 1969. *Asiatic Herpetological Research* 8: 60-68.  
 Khan, M. S. and Tasnim, R. 1990. A new gecko of the genus *Tenuidactylus* from northeastern Punjab, Pakistan, and southwestern Azad Kashmir. *Herpetologica* 46: 142-148.  
 Khan, B., Ahmed, W., Ablimit, A., Fakhr, S. and Ali, H. 2012. Range extension of four highland agamid lizards in Shimshal Pamir, Pakistan. *Journal of Arid Land*, 4: 77-84.  
 Khandekar, A., Gaitonde, N. and Agarwal, I. 2019. Two new *Cnemaspis* Strauch, 1887 (Squamata: Gekkonidae) from the Shevaroy massif, Tamil Nadu, India, with a preliminary ND2 phylogeny of Indian *Cnemaspis*. *Zootaxa* 4609: 1-10.  
 Khandekar, A., Thackeray, T. and Agarwal, I. 2019. Two more new species of *Cnemaspis* Strauch, 1887 (Squamata: Gekkonidae) from the northern Western Ghats, Maharashtra, India. *Zootaxa* 4656: 43-70.  
 Khani, A., Yousefi, M., Sheykhi, S., Sheykhi, A., Yousefkhani, S. S. H. and Rastegar-Pouyani, E. 2013. New record of the gecko *Crossobamon eversmanni* lumsdeni (Boulenger, 1887) from Parvand Protected Area, Khorasan Razavi province, in eastern Iran. *Herpetology Notes*, 6: 101-102.  
 Khosravani, A., Rastegar-Pouyani, N. and Oraie, H. 2011. Comparative skull osteology of the lacertid lizards *Eremias persica* and *Mesalina watsonana* (Sauria: Lacertidae). *Iranian Journal of Animal Biosystematics* 7: 99-117.  
 Khosravani, A., Khani, A., Oraie, H. and Rastegar-Pouyani, E. 2014. A new locality record of *Phrynocephalus raddei* Boettger, 1890 (Squamata: Agamidae) in Iran. *Herpetology Notes*, 7: 603-604.  
 Khosravani, A., Rastegar-Pouyani, E., Rastegar-Pouyani, N., Oraie, H. and Papenfuss, T. J. 2017. Resolving species delimitation within the genus *Bunopus* Blanford, 1874 (Squamata: Gekkonidae) in Iran using DNA barcoding approach. *Zootaxa* 4365: 467-479.  
 Kidov, A. A. 2018. On the reproductive biology of the Hyrcanian meadow lizard, *Darevskia praticola hyrcanica* (Lacertidae, Reptilia). *Current Studies in Herpetology*, 18: 118-124. (in Russian).  
 Kidov, A. and Timoshina, A. 2017. Reproduction of the Black Sea lizard *Darevskia pontica* (Lantz and Cyren, 1919) on the north-east of the area. *Bulletin of Moscow Region State University. Series: Natural sciences*, 2017: 12-20.  
 Kidov, A. A. Matushkina, K. A. and Timoshina, A. L. 2012. On the habitat expansion of Caspian bent-toed gecko (*Cyrtopodion caspius* (Eichwald, 1831)) and Caucasian cat snake (*Telescopus fallax* (Fleischmann, 1831)) in the southeastern Azerbaijan. *Current Studies in Herpetology* 12: 56-60.  
 Kidov, A. A., Timoshina, A. L., Hayrutdinov, I. Z. and Matushkina, K. A. 2017. Age, growth and reproduction of the Derjugin's lizards, *Darevskia derjugini* (Nikolsky, 1898) on the northeastern periphery of the area. *Bulletin of the Chuvash State Pedagogical University named after i.Ya. Yakovleva* 1: 18-24.  
 Kidov, A. A., Doronin, I. V., Pykhow, S. G. and Doronina, M. A. 2019. A new record of *Lacerta media* Lantz et Cyren, 1920 (Reptilia, Lacertidae) in Talysh. *Current Studies in Herpetology*, 19: 68-73. (in Russian).  
 Kiefer, M. C., Van Sluys, M. and Rocha, C. F. D. 2005. Body temperatures of *Tropidurus torquatus* (Squamata, Tropiduridae) from coastal populations: do body temperatures vary along their geographic range? *Journal of Thermal Biology*, 30: 137-142.  
 Kiefer, M. C., Van Sluys, M. and Rocha, C. F. D. 2008. Clutch and egg size of the tropical lizard *Tropidurus torquatus* (Tropiduridae) along its geographic range in coastal eastern Brazil. *Canadian Journal of Zoology* 86: 1376-1388.  
 Kiester, A. R. 1971. Species density of North American amphibians and reptiles. *Systematic Zoology*, 20: 127-137.  
 Kiester, A. R. 1982. A new forest skink from Ponape. *Breviora* 468: 1-10.  
 Kiester, A. R. 1983. Zoogeography of the skinks (Sauria: Scincidae) of Arno Atoll, Marshall islands. Pages 360-364 in A. G. J. Rhodin and K. Miyata, eds. *Advances in herpetology and evolutionary biology: essays in honor of Ernest E. Williams*. Museum of Comparative Zoology, Cambridge, Mass.  
 Kilunda, F. K., Conradi, W., Wasonga, D. V., Jin, J. Q., Peng, M. S., Murphy, R. W., Malonza, P. K. and Che, J. 2019. Revalidation and resurrection of *Panaspis massaiensis* (Angel, 1924) and the description of a new species of *Panaspis* Cope (Squamata: Scincidae) from south-eastern Kenya. *Zootaxa*, 4706: 255-274.  
 Kim, J.-B. 2010. Reptiles, amphibians of Korea. World Science, Seoul. ISBN 9788958811596  
 Kim, J. B., Min, M. S., Park, D. S. and Song, J. Y. 2011. Red data book of endangered amphibians and reptiles in Korea. National institute of Biological Resources, incheon, South Korea.  
 Kim, i-H., Ra, N-Y. and Park, D. 2012. Habitat use, home range, and hibernaculum of the Mongolian racerunner, *Eremias argus* (Lacertidae, Reptilia) in a coastal sand dune in South Korea. *Asian Herpetological Research*, 3: 133-140.  
 Kim, D-I., Park, I-K., Kim, J-S., Ota, H., Choi, W-J., Kim, I-H. and Park, D. 2019. Spring and summer microhabitat use by Schlegel's Japanese gecko, *Gekko japonicus* (Reptilia: Squamata: Gekkonidae), in urban areas. *Animal Cells and Systems* 23: 64-70.  
 King, G. M. 1996. Reptiles and herbivory. Chapman and Hall, London.  
 King, R. B. 2000. Analyzing the relationship between clutch size and female body size in reptiles. *Journal of Herpetology* 34: 148-150.  
 King, D. and Green, B. 1993. Family Varanidae. *Fauna of Australia* 30: 1-19.  
 King, M. and Horner, P. 1993. Family Gekkonidae. *Fauna of Australia* 27: 1-33.  
 King, B. and Lee, M. S. Y. 2015. Ancestral state reconstruction, rate heterogeneity, and the evolution of reptile viviparity. *Systematic Biology* 64: 532-544.  
 King, B. and Lee, M. S. Y. 2015. Epoch-based likelihood models reveal no evidence for accelerated evolution of viviparity in squamate reptiles in response to Cenozoic climate change. *Journal of Experimental Zoology* 324: 525-531.  
 King, D., Green, B. and Butler, H. 1989. The activity pattern, temperature regulation and diet of *Varanus giganteus* on Barrow island, Western Australia. *Australian Wildlife Research* 16: 41-47.  
 Kingsbury, B. A. 1995. Field metabolic rates of a eurythermic lizard. *Herpetologica*, 51: 155-159.  
 Kircher, B. K., Robinson, C. D. and Johnson, M. A. 2014. Herbivory in the Northern curly-tailed lizard (*Leiocephalus carinatus*). *Caribbean Herpetology* 50: 1-2.  
 Kirchhof, S., Kramer, M., Linden, J. and Richter, K. 2010. The reptile species assemblage of the Soutpansberg (Limpopo Province, South Africa) and its characteristics. *Salamandra*, 46: 147-166.  
 Kirchhof, S., Linden, J., Rodder, D. and Richter, K. 2010. Daily activity patterns of *Australolacerta rupicola* (FitzSimons, 1933) (Sauria: Lacertidae) with comments on niche segregation within a syntopic lizard community. *North-Western Journal of Zoology* 6: 172-181.  
 Kirchhof, S., Jacobsen, N. and Richter, K. 2012. Intraspecific variation of morphology, colouration, pholidosis, and tail loss rate in a relic lacertid of South Africa, *Australolacerta rupicola* (Sauria: Lacertidae). *Salamandra* 48: 125-132.  
 Kirchhof, S., Hipsley, C. A., Corl, A., Dell'mour, H. and Muller, J. 2014. *Pedioplanis lineoocellata lineoocellata* (Dumeril & Bibron 1839) spotted sand lizard. Geographical distribution. *African Herp News* 61: 28-30.  
 Kirchhof, S., Hipsley, C. A., Corl, A., Dell'mour, H. and Muller, J. 2014. *Pedioplanis undata* (A. Smith, 1838) Western sand lizard. Geographical distribution. *African Herp News* 61: 28-30.  
 Kirchhof, S., Hetem, R. S., Lease, H. M., Miles, D. B., Mitchell, D., Muller, J., Rodel, M. O., Sinervo, B., Wassenaar, T. and Murray, I. W. 2017. Thermoregulatory behavior and high thermal preference buffer impact of climate change in a Namib Desert lizard. *Ecosphere*, 8: e02033.  
 Kirchhof, S., Penner, J., Rodel, M. O. and Muller, J. 2017. Resolution of the types, diagnostic features, and distribution of two easily confused Sand Lizards, *Pedioplanis laticeps* (Smith, 1845) and *P. burchelli* (Dumeril & Bibron, 1839) (Squamata: Lacertidae). *Zootaxa*, 4318: 82-109.  
 Kirchhof, S., Losogo, L. B., Goosh, C. S. and Malonza , P. K. 2018. *Latastia longicaudata*, (Reuss, 1834), common long-tailed lizard, diet. *African Herp News* 67: 21-25.  
 Kirshner, D. S. 2007. Multiclutching in captive lace monitors (*Varanus varius*). *Mertensiella*, 16: 403-421.  
 Kissling, W. D., Blach-Overgaard, A., Zwaan, R. E. and Wagner, P. 2016. Historical colonization and dispersal limitation supplement climate and topography in shaping species richness of African lizards (Reptilia: Agaminae).  
 Kitchener, D. J., How R. A. and Dell, J. 1988. Biology of *Oedura reticulata* and *Gehyra variegata* (Gekkonidae) in an isolated woodland of Western Australia. *Journal of Herpetology*, 22: 401-412.  
 Kizirian, D. A. 1995. A new species of *Proctoporus* (Squamata: Gymnophthalmidae) from the Andean Cordillera Oriental of northeastern Ecuador. *Journal of Herpetology* 29: 66-72.  
 Kizirian, D. A. 1996. A review of Ecuadorian *Proctoporus* (Squamata: Gymnophthalmidae) with descriptions of nine new species. *Herpetological Monographs* 10: 85-155.  
 Kizirian, D. A. and Coloma, L. A. 1991. A new species of *Proctoporus* (Squamata: Gymnophthalmidae) from Ecuador. *Herpetologica* 47: 420-429.  
 Kizirian, D. A. and McDiarmid, R. W. 1998. A new species of *Bachia* (Squamata: Gymnophthalmidae) with plesiomorph limb morphology. *Herpetologica* 54: 245-253.

- Klauber 1931  
 Klauber 1936  
 Klauber 1938  
 Klauber 1940  
 Klausewitz 1954a  
 Klausewitz 1954b  
 Klaver 2008  
 Klaver and Bohme 1988  
 Klaver and Bohme 1992  
 Klein et al. 2005  
 Klemmer and Gaulke 1993  
 Klomp 2016  
 Kluge 1963  
 Kluge 1964  
 Kluge 2001  
 Klutsch et al. 2007
- Knapp et al. 2006  
 Knapp, C. R., Iverson, J. B., Buckner, S. D. and Cant, S. V. 2011  
 Knight and Scudday 1985  
 Knowlton 1934  
 Knox 2010  
 Kober 2004  
 Koc et al. 2018  
 Koch 2011  
 Koch 2012  
 Koch 2013  
 Koch and Acciaioli 2007  
 Koch and Arida 2017  
 Koch and Beraun 2011  
 Koch and Bohme 2010  
 Koch and Eidenmuller 2019  
 Koch and Schultz 2014  
 Koch et al. 2006  
 Koch et al. 2007  
 Koch et al. 2009a  
 Koch et al. 2009b  
 Koch et al. 2009c  
 Koch et al. 2010a  
 Koch et al. 2010b  
 Koch et al. 2010c  
 Koch et al. 2011  
 Koch et al. 2013a  
 Koch et al. 2013b  
 Koch et al. 2014  
 Koch et al. 2016  
 Koenig et al. 2001
- Klauber, L. M. 1931. A new species of Xantusia from Arizona, with a synopsis of the genus. *Transactions of the San Diego Society of Natural History* 7: 1-16.  
 Klauber, L. M. 1936. The horned toads of the coronatum Group. *Copeia*, 1936: 103-110.  
 Klauber, L. M. 1938. Notes from a herpetological diary i. *Copeia*, 1938: 191-197.  
 Klauber, L. M. 1940 Notes from a herpetological diary II. *Copeia*, 1940: 15-18.  
 Klausewitz, W. 1954. Eidonomische untersuchungen ueber die rassenkreise Agama cyanogaster und Agama atricollis. 1. Der rassenkreis der Agama cyanogaster. *Senckenbergiana Biologica* 35: 137-146.  
 Klausewitz, W. 1954. Eidonomische, taxonomische und tiergeographische untersuchungen ueber den rassenkreis der scinciden Chalcides chalcides und Ch. striatus. *Senckenbergiana Biologica* 35: 187-203.  
 Klaver, C. 2008. *Furcifer polleni* Peters, 1873 (Reptilia, Chamaeleonidae): its nomenclature and types. *Zoosystematics and Evolution* 84: 45-48.  
 Klaver, C. and Bohme, W. 1988. Systematics of *Brachypodium tenue* (Matschie, 1892) (Sauria: Chamaeleonidae) with a description of a new species from the Uluguru and Uzungwe Mountains, Tanzania. *Bonn Zoologische Beitrage* 39: 1-12.  
 Klaver, C. and Bohme, W. 1992. The species of *Chamaeleo cristatus* group from Cameroons and adjacent countries, West Africa. *Bonn Zoologische Beitrage* 43: 433-476.  
 Klein, W., Reuter, C., Bohme, W. and Perry, S. F. 2005. Lungs and mesopneumonia of scincomorph lizards. *Organisms Diversity and Evolution* 5: 47-57.  
 Klemmer, K. and Gaulke, M. 1993. Zur Kenntnis von *Brachymeles* und *Tropidophorus* (Sauria: Scincidae). *Salamandra* 29: 55-64.  
 Klomp, D. A., Ord, T. J., Das, I., Diesmos, A., Ahmad, N. and Stuart-Fox, D. 2016. Ornament size and colour as alternative strategies for effective communication in gliding lizards. *Journal of Evolutionary Biology*, 29: 1689-1700.  
 Kluge, A. G. 1963. A new species of gekkonid lizard, genus *Diplodactylus* Gray, from eastern Australia. *Proceedings of the Linnean Society of New South Wales*, 88: 230-234.  
 Kluge, A. G. 1964. A revision of the South American gekkonid lizard genus *Homonota* Gray. *American Museum Novitates* 2193: 1-42.  
 Kluge, A. G. 2001. Gekkonid lizard taxonomy. *Hamadryad* 26: 1-209.  
 Klutsch, C. F. C., Misof, B., Grosse, W.-R. and Moritz, R. F. A. 2007. Genetic and morphometric differentiation among island populations of two *Norops* lizards (Reptilia: Sauria: Polychrotidae) on independently colonized islands of the islas de Bahia (Honduras). *Journal of Biogeography* 34: 1124-1135.  
 Knapp, C. R., Iverson, J. B. and Owens, A. K. 2006. Geographic variation in nesting behavior and reproductive biology of an insular iguana (*Cyclura cychlura*). *Canadian Journal of Zoology* 84: 1566-1575.  
 Knapp, C. R., Iverson, J. B., Buckner, S. D. and Cant, S. V. 2011. Conservation of amphibians and reptiles in The Bahamas. Pages 53-87 in A. Hailey, B. S. Wilson, and J. A. Horrock. *Conservation of Caribbean island herpetofaunas volume 2: regional accounts of the West Indies*.  
 Knight, R. A. and Scudday, J. F. 1985. A new *Gerrhonotus* (Lacertilia: Anguidae) from the Sierra Madre Oriental, Nuevo Leon, Mexico. *The Southwestern Naturalist*, 30: 89-94.  
 Knowlton, G. F. 1934. Lizards as a factor in the control of range insects. *Journal of Economic Entomology*, 27: 998-1004.  
 Knox, C. D. 2010. Habitat requirements of the jewelled gecko (*Naultinus gemmeus*): effects of grazing, predation and habitat fragmentation. MSc Thesis, University of Otago.  
 Kober, I. 2004. Haltung und kontinuierliche nachzucht des marmorgeckos, *Gekko grossmanni* Gunther 1994. *Salamandra* 40: 261-280.  
 Koc, H., Bulbul, U. and Kutrup, B. 2018. Is the spiny-tailed lizard *Darevskia rudis* (Bedriaga, 1886) active all year?. *Ecologia Balkanica*, 10: 47-51.  
 Koch, A. 2011. The amphibians and reptiles of Sulawesi: underestimated diversity in a dynamic environment. Pages 383-404 in Zachos, F. E. and Habel, J. C. eds., 2011. *Biodiversity hotspots: distribution and protection of conservation priority areas*. Springer, Berlin.  
 Koch, A. 2012. Discovery, diversity and distribution of the amphibians and reptiles of Sulawesi and its offshore islands. Edition Chimaira, Frankfurt am Main.  
 Koch, C. 2013. The herpetofauna of the Peruvian dry forest along the Andean valley of the Maranon River and its tributaries, with a focus on endemic iguanians, geckos and tegus. PhD Dissertation, Rheinischen Friedrich-Wilhelms-Universität Bonn, Germany.  
 Koch, A. and Acciaioli, G. 2007. The monitor twins: a Bugis and Makassarese tradition from SW Sulawesi, Indonesia. *Biawak* 1: 77-82.  
 Koch, A. and Arida, E. 2017. A coconut-eating monitor lizard? On an unusual case of frugivory in the melanistic Sulawesi water monitor (*Varanus togianus*). *The Herpetological Bulletin*, 139: 41-42.  
 Koch, C. and Beraun, A. M. 2011. Squamata, Phyllodactylidae, *Phyllodactylus thompsoni* Venegas, Townsend, Koch and Bohme, 2008 and *Phyllodactylus delsolari* Venegas, Townsend, Koch and Bohme, 2008: Latitudinal and altitudinal distribution extension and geographic distribution map. *Check List* 7: 272-275.  
 Koch, A. and Bohme, W. 2010. Heading east: a new subspecies of *Varanus salvator* from Obi island, Maluku Province, Indonesia, with a discussion about the easternmost natural occurrence of southeast Asian water monitor lizards. *Russian Journal of Herpetology* 17: 299-309.  
 Koch, A. and Eidenmüller, B. 2019. Is the New Guinea emerald tree monitor lizard (*Varanus prasinus*) native to mainland Australia? *Biawak*, 13: 32-42.  
 Koch, A. and Schultz, S. 2014. First record of the gekkonid genus *Cnemaspis* Strauch, 1887 from Gunung Mulu National Park, northern Sarawak, East Malaysia may represent an undescribed species. *Asian Herpetological Research*, 5: 1-10.  
 Koch, C., Venegas, P. J. and Bohme, W. 2006. A remarkable discovery: description of a big-growing new gecko (Squamata: Gekkonidae: *Phyllopezus*) from northwestern Peru. *Salamandra* 42: 145-150.  
 Koch, A., Auliya, M., Schmitz, A., Kuch, U. and Bohme, W. 2007. Morphological studies on the systematics of south east Asian water monitors (*Varanus salvator* Complex): nominotypic populations and taxonomic overview.  
 Koch, A., Arida, E., Riyanto, A. and Bohme, W. 2009. Islands between the realms: A revised checklist of the herpetofauna of the Talaud Archipelago, Indonesia, with a discussion about its biogeographic affinities. *Bonner Zoologische Beiträge* 56: 107-129.  
 Koch, A., Arida, E., Schmitz, A., Bohme, W. and Ziegler, T. 2009. Refining the polytypic species concept of mangrove monitors (Squamata: *Varanus indicus* group): a new cryptic species from the Talaud islands, Indonesia, reveals the underestimated diversity of indo-Australian monitor lizards. *Australian Journal of Zoology* 57: 29-40.  
 Koch, A., McGuire, J. A., Arida, E., Riyanto, A. and Hamidy, A. 2009. First record of *Gekko smithii* Gray, 1842 (Reptilia: Gekkonidae) from Sulawesi, Indonesia. *Salamandra* 45: 172-176.  
 Koch, A., Auliya, M. and Ziegler, T. 2010. Updated checklist of the living monitor lizards of the world (Squamata: Varanidae). *Bonn Zoological Bulletin* 57: 127-136.  
 Koch, A., Gaulke, M. and Bohme, W. 2010. Unravelling the underestimated diversity of Philippine water monitor lizards (Squamata: *Varanus salvator* complex), with the description of two new species and a new subspecies. *Zootaxa* 2582: 1-12.  
 Koch, A., Philipp, K. and Ziegler, T. 2010. The monitor man: a story of stunning discoveries and charismatic creatures. *Biawak* 4: 132-152.  
 Koch, C., Venegas, P. J., Garcia-Bravo, A. and Bohme, W. 2011. A new bush anole (Iguanidae, Polychrotinae, *Polychrus*) from the upper Maranon basin, Peru, with a redescription of *Polychrus peruvianus* (Noble, 1924) and additional information on *P. gutturosus* Berthold, 1845. *ZooKeys* 141: 79-107.  
 Koch, A., Ziegler, T., Bohme, W. and Auliya, M. 2013. Distribution, threats, and conservation status of the monitor lizards (Varanidae: *Varanus* spp.) of Southeast Asia and the indo-Australian Archipelago. *Herpetological Conservation & Biology* 8: 1-62.  
 Koch, C., Venegas, P. J., Rodder, D., Flecks, M. and Bohme, W. 2013. Two new endemic species of *Ameiva* (Squamata: Teiidae) from the dry forest of northwestern Peru and additional information on *Ameiva concolor* Ruthven, 1924. *Zootaxa* 3745: 263-295.  
 Koch, A., Ernst, N., Eidenmüller, B. and Kraus, F. 2014. New data on the rare *Varanus bogerti* Mertens, 1950 and *V. telenesetes* Sprackland, 1991 (Squamata: Varanidae), two endemic monitor lizard taxa from island groups off southeastern New Guinea. *Herpetological Journal* 24: 111-122.  
 Koch, C., Flecks, M., Venegas, P. J., Bialke, P., Valverde, S. and Rodder, D. 2016. Applying n-dimensional hypervolumes for species delimitation: unexpected molecular, morphological, and ecological diversity in the leaf-toed gecko *Phyllodactylus reissii* Peters, 1862 (Squamata: Phyllodactylidae) from northern Peru. *Zootaxa* 4161: 41-80.  
 Koenig, J., Shine, R. and Shea, G. 2001. The ecology of an Australian reptile icon: how do blue-tongued lizards (*Tiliqua scincoides*) survive in suburbia? *Wildlife Research*, 28: 215-227.

- Koetz 2004  
Kohl et al. 2016
- Kohler 1995  
Kohler 1996a  
Kohler 1996b  
Kohler 1997  
Kohler 2001  
Kohler 2003a  
Kohler 2003b  
Kohler 2005  
Kohler 2008  
Kohler 2009  
Kohler 2010  
Kohler 2011  
Kohler 2012  
Kohler 2014  
Kohler and Hedges 2016  
Kohler and Klemmer 1994  
Kohler and Lehr 2004  
Kohler and Lehr 2015  
Kohler and McCranie 2001  
Kohler and Smith 2008  
Kohler and Sunyer 2008  
Kohler and Vargas 2019  
Kohler and Vesely 2010  
Kohler and Vesely 2011  
Kohler et al. 1997
- Kohler et al. 2004  
Kohler et al. 2006a  
Kohler et al. 2006b  
Kohler et al. 2007  
Kohler et al. 2009  
Kohler et al. 2010a  
Kohler et al. 2010b
- Kohler et al. 2012a  
Kohler et al. 2012b  
Kohler et al. 2012c  
Kohler et al. 2013a  
Kohler et al. 2013b  
Kohler et al. 2013c  
Kohler et al. 2013d  
Kohler et al. 2014
- Kohler et al. 2016
- Kohler et al. 2019
- Kohlsdorf and Navas 2006  
Kohlsdorf and Navas 2012  
Kohlsdorf et al. 2001
- Kok 2008  
Kok 2009  
Kok and Rivas 2011  
Kok et al. 2018
- Kolbe et al. 2008  
Koleska 2018
- Koetz, A. 2000. *Hemisphaeriodon gerrardii*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Kohl, K. D., Brun, A., Magallanes, M., Brinkerhoff, J., Lasiipi, A., Acosta, J. C., Bordenstein, S. R. and Caviedes-Vidal, E. 2016. Physiological and microbial adjustments to diet quality permit facultative herbivory in an omnivorous lizard. *Journal of Experimental Biology* 219: 1903-1912.
- Kohler, G. 1995. Eine neue art der gattung *Ctenosaura* (Sauria: Iguanidae) aus dem sudlichen Campeche, Mexico. *Salamandra* 31: 1-14.
- Kohler, G. 1996. A new species of anole of the *Norops pentaprion* group from isla de Utila, Honduras. (Reptilia: Sauria: Iguanidae). *Senckenbergiana Biologica*, 75: 23-31.
- Kohler, G. 1996. Additions to the known herpetofauna of the isla de Utila (islas de la Bahia, Honduras) with description of a new species of the genus *Norops* (Reptilia: Iguanidae). *Senckenbergiana Biologica* 76: 19-28.
- Kohler, G. 1997. A new subspecies of the prehensile-tailed skink *Corucia zebrata* from Bougainville, Papua New Guinea. *Salamandra*, 33: 61-68.
- Kohler, G. 2001. Type material and use of the name *Anolis bourgeaei* Bocourt (Sauria: Polychrotidae). *Copeia*, 2001: 274-275.
- Kohler, G. 2003. Reptiles of Central America. Herpeton Verlag, Offenbach.
- Kohler, G. 2003. Two new species of *Euspondylus* (Squamata: Gymnophthalmidae) from Peru. *Salamandra* 39: 5-20.
- Kohler, G. 2005. Incubation of reptile eggs. Krieger Publishing Company, Malabar.
- Kohler, G. 2008. Reptiles of Central America. 2nd edition. Herpeton Verlag, Offenbach.
- Kohler, G. 2009. New species of *Anolis* formerly referred to as *Anolis altae* from Monteverde, Costa Rica (Squamata: Polychrotidae). *Journal of Herpetology*, 43: 11-20.
- Kohler, G. 2010. A revision of the Central American species related to *Anolis pentaprion* with the resurrection of *A. beckleri* and the description of a new species (Squamata: Polychrotidae). *Zootaxa* 2354: 1-18.
- Kohler, G. 2011. Taxonomic status of *Anolis baccatus* Bocourt 1873 (Reptilia, Squamata, Polychrotidae). *Zootaxa* 3015: 61-65.
- Kohler, G. 2012. Taxonomic status of two enigmatic Mexican anoles: *Anolis cumingii* Peters 1863 and *Anolis guentherii* Bocourt 1873 (Reptilia, Squamata, Dactyloidae). *Zootaxa* 3551: 82-88.
- Kohler, G. 2014. Characters of external morphology used in *Anolis* taxonomy—Definition of terms, advice on usage, and illustrated examples. *Zootaxa* 3774: 201-257.
- Kohler, G. and Hedges, S. B. 2016. A revision of the green anoles of Hispaniola with description of eight new species (Reptilia, Squamata, Dactyloidae). *Novitates Caribaea* 9: 1-135.
- Kohler, G. and Klemmer, K. 1994. Eine neue schwarzleguanart der gattung *Ctenosaura* aus La Paz, Honduras. *Salamandra* 30: 197-208.
- Kohler, G. and Lehr, E. 2004. Comments on *Euspondylus* and *Proctoporus* (Squamata: Gymnophthalmidae) from Peru, with the description of three new species and a key to the Peruvian species. *Herpetologica* 60: 501-518.
- Kohler, G. and Lehr, E. 2015. Two new species of lizards of the genus *Stenocercus* (Iguania, Tropiduridae) from central Peru. *Zootaxa* 3956: 413-427.
- Kohler, G. and McCranie, J. R. 2001. Two new species of anoles from northern Honduras (Squamata: Polychrotidae). *Senckenbergiana Biologica* 81: 235-245.
- Kohler, G. and Smith, E. N. 2008. A new species of anole of the *Norops scheidei* group from western Guatemala (Squamata, Polychrotidae). *Herpetologica*, 64: 216-223.
- Kohler, G. and Sunyer, J. 2008. Two new species of anoles formerly referred to as *Anolis limifrons* (Squamata, Polychrotidae). *Herpetologica*, 64: 92-108.
- Kohler, G. and Vargas, J. 2019. A new species of anole from Parque Nacional Volcan Arenal, Costa Rica (Reptilia, Squamata, Dactyloidae: Norops). *Zootaxa* 4608: 261-278.
- Kohler, G. and Vesely, M. 2010. A revision of the *Anolis sericeus* complex with the resurrection of *A. wellbornae* and the description of a new species (Squamata: Polychrotidae). *Herpetologica*, 66: 207-228.
- Kohler, G. and Vesely, M. 2011. A new species of *Thecadactylus* from Saint Maarten, Lesser Antilles (Reptilia, Squamata, Gekkonidae). *ZooKeys* 118: 97-107.
- Kohler, G., Glaw, F. and Vences, M. 1997. First record of *Mabuya comorensis* (Reptilia: Scincidae) for the Madagascan fauna, with notes on the reptile fauna of the offshore island Nosy Tanikely. *Bollettino del Museo Regionale di Scienze Naturali*, Torino 15: 75-82.
- Kohler, G., Bohme, W. and Schmitz, A. 2004. A new species of *Echinosauria* (Squamata: Gymnophthalmidae) from Ecuador. *Journal of Herpetology*, 38: 52-60.
- Kohler, G., Vesely, M. and Greenbaum, E. 2006. The amphibians and reptiles of El Salvador. Kreiger, Malabar.
- Kohler, G., Alt, S., Grunfelder, C., Dehling, M. and Sunyer, J. 2006. Morphological variation in Central American leaf-litter anoles: *Norops humilis*, *N. quaggulus*, and *N. uniformis*. *Salamandra* 42: 239-254.
- Kohler, G., Ponce, M., Sunyer, J. and Batista, A. 2007. Four new species of anoles (genus *Anolis*) from the Serrania de Tabasara, West-Central Panama (Squamata: Polychrotidae). *Herpetologica*, 63: 375-391.
- Kohler, G., Dietheirt, H.-H., Nussbaum, R. A. and Raworth, C. J. 2009. A revision of the fish scale geckos, genus *Geckolepis* Granddidier (Squamata, Gekkonidae) from Madagascar and the Comoros. *Herpetologica*, 65: 419-435.
- Kohler, G., Dehling, D. M. and Kohler, J. 2010. Cryptic species and hybridization in the *Anolis polylepis* complex, with the description of a new species from the Osa Peninsula, Costa Rica (Squamata: Polychrotidae). *Zootaxa* 2718:
- Kohler, J., Vences, M., Erbacher, M. and Glaw, F. 2010. Systematics of limbless scincid lizards from northern Madagascar: morphology, phylogenetic relationships and implications for classification (Squamata: Scincidae). *Organisms Diversity and Evolution* 10: 147-159.
- Kohler, G., Batista, A., Vesely, M., Ponce, M., Carrizo, A. and Lotzkat, S. 2012. Evidence for the recognition of two species of *Anolis* formerly referred to as *A. tropidogaster* (Squamata: Dactyloidae). *Zootaxa* 3348: 1-23.
- Kohler, G., Dietheirt, H.-H. and Vesely, M. 2012. A contribution to the knowledge of the lizard genus *Alopoglossus* (Squamata: Gymnophthalmidae). *Herpetological Monographs*, 26: 173-188.
- Kohler, J., Hahn, M. and Kohler, G. 2012. Divergent evolution of hemipenial morphology in two cryptic species of mainland anoles related to *Anolis polylepis*. *Salamandra* 48: 1-11.
- Kohler, G., Perez, R. G. T., Pareja, M. G., Petersen, C. B. P and Mendez de la Cruz, F. R. 2013. Notes on *Anolis omiltemanus* Davis, 1954 (Reptilia: Squamata: Dactyloidae). *Herpetology Notes*, 6: 401-412.
- Kohler, G., Perez, R. G. T., Pareja, M. G., Petersen, C. B. P. and De La Cruz, F. R. M. 2013. A contribution to the knowledge of *Anolis macrinii* Smith, 1968 (Reptilia: Squamata: Dactyloidae). *Breviora* 537: 1-14.
- Kohler, G., Saavedra, M. S., Martinez, J., Lopez, G. and Sunyer, J. 2013. First record of *Aspidoscelis motaguae* (Sackett, 1941) (Reptilia: Squamata: Teiidae) from Nicaragua. *Check List* 9: 475.
- Kohler, G., Vargas, J., Kohler, J. J. and Vesely, M. 2013. Noteworthy distributional records of amphibians and reptiles from Costa Rica. *Herpetological Review*, 44: 280-283.
- Kohler, G., Perez, R. G. T., Petersen, C. B. P. and De la Cruz, F. R. M. 2014. A revision of the Mexican *Anolis* (Reptilia, Squamata, Dactyloidae) from the Pacific versant west of the isthmus de Tehuantepec in the states of Oaxaca, Guerrero, and Puebla, with the description of six new species. *Zootaxa* 3862: 1-210.
- Kohler, G., Townsend, J. H. and Petersen, C. B. 2016. A taxonomic revision of the *Norops tropidonotus* complex (Squamata, Dactyloidae), with the resurrection of *N. spilorhipis* (Alvarez del Toro and Smith, 1956) and the description of two new species. *Mesoamerican Herpetology* 3: 8-41.
- Kohler, G., Zimmer, C., McGrath, K. and Hedges, S. B. 2019. A revision of the genus *Audantia* of Hispaniola with description of four new species (Reptilia: Squamata: Dactyloidae). *Novitates Caribaea*, 14: 1-104.
- Kohlsdorf, T. and Navas, C. A. 2006. Ecological constraints on the evolutionary association between field and preferred temperatures in Tropidurinae lizards. *Evolutionary Ecology* 20: 549-564.
- Kohlsdorf, T. and Navas, C. A. 2012. Evolution of form and function: morphophysiological relationships and locomotor performance in tropidurine lizards. *Journal of Zoology* 288: 41-49.
- Kohlsdorf, T., Garland, T. and Navas, C. A. 2001. Limb and tail lengths in relation to substrate usage in Tropidurus lizards. *Journal of Morphology*, 248: 151-164.
- Kok, P. J. R. 2008. A new highland species of *Arthrosaura* Boulenger, 1885 (Squamata: Gymnophthalmidae) from Maringma tepui on the border of Guyana and Brazil. *Zootaxa* 1909: 1-15.
- Kok, P. J. R. 2009. Lizard in the clouds: a new highland genus and species of Gymnophthalmidae (Reptilia: Squamata) from Maringma tepui, western Guyana. *Zootaxa* 1992: 53-67.
- Kok, P. J. R. and Rivas, G. A. 2011. A new species of *Anadia* (Reptilia, Squamata) from the Venezuelan 'Lost World', northern South America. *European Journal of Taxonomy* 3: 1-18.
- Kok, P. J. R., Bittenbinder, M. A., van den Berg, J. K., Marques-Souza, S., Nunes, P. M. S., Laking, A. E., Teixeira, M., Fouquet, A., Means, D. B., MacCulloch, R. D. and Rodrigues, M. T. 2018. Integrative taxonomy of the gymnophthalmid lizard *Neusticurus rufidus* Boulenger, 1900 identifies a new species in the eastern Pantepui region, north-eastern South America. *Journal of Natural History*, 52: 1029-1066.
- Kolbe, J. J., Colbert, P. L. and Smith, B. E. 2008. Niche relationships and interspecific interactions in Antiguan lizard communities. *Copeia* 2008: 261-272.
- Koleska, D. 2018. First record of tail bifurcation in *Asaccus gallagheri* from the United Arabian Emirates. *Herpetology Notes*, 11: 115-116.

- Koleska and Jablonski 2018  
 Koloduk et al. 2010  
 Konlek and Lauhachinda 2008  
 Kopan and Yom-Tov 1982  
 Kopecky et al. 2019
- Koppitz 2014  
 Koppitz 2018  
 Korff and McHenry 2011  
 Kornilios and Thanou 2016  
 Kornilios et al. 2018
- Korsos 1986  
 Kosemen 2017  
 Koski et al. 2018  
 Kotenko 1986  
 Koul and Duda 1977  
 Kovach and Goodman 2015  
 Kovacs and Kiss 2016  
 Kowalski 2018  
 Kowalski et al. 2011  
 Kowalski et al. 2018  
 Koynova et al. 2017  
 Kozyariski et al. 2011  
 Krakauer et al. 1968  
 Krasylenko and Kukushkin 2017  
 Kratochvil and Frynta 2002  
 Kratochvil and Frynta 2006a
- Kratochvil and Frynta 2006b  
 Kratochvil and Frynta 2007
- Kratochvil and Kubicka 2007  
 Kratochvil et al. 2003  
 Kratochvil et al. 2018
- Kraus 2005  
 Kraus 2007  
 Kraus 2008  
 Kraus 2009  
 Kraus 2010  
 Kraus 2013  
 Kraus 2015  
 Kraus 2018  
 Kraus 2019  
 Kraus and Allison 2004  
 Kraus and Allison 2006  
 Kraus and Shea 2005  
 Kraus and Weijola 2019  
 Krause and Bohme 2010  
 Krekorian 1983  
 Kreulen 1979  
 Krishnan 2008  
 Krishnan et al. 2019  
 Kroniger and Zawadzki 2005  
 Kruger 1996  
 Kruger 1999  
 Kruger 2001
- Koleska, D. and Jablonski, D. 2018. A four-tailed iguana delicatissima (Squamata: Iguanidae) on Petite Terre, Guadeloupe (Lesser Antilles, Caribbean Region). *Phyllomedusa* 17: 157-159.
- Koloduk, M. F., Ribeiro, L. B. and Freire, E. M. X. 2010. Diet and foraging behavior of two species of *Tropidurus* (Squamata, Tropiduridae) in the Caatinga of northeastern Brazil. *South American Journal of Herpetology*, 5: 35-44.
- Konlek, K. and Lauhachinda, V. 2008. Species of reptile in limestone forest and religious territory, Khao Wong Subdistrict, Phra Phutthabat District, Saraburi Province. *Journal of Wildlife in Thailand*, 15: 54-67.
- Kopan, R. and Yom-Tov, Y. 1982. Agama stellio (Reptilia: Sauria) feeding on avian eggs and chicks. *Israel Journal of Zoology*, 31: 159-160.
- Kopecky, O., Bilkova, A., Hamatova, V., Knazovic, D., Konradova, L., Kunzova, B., Slamenikova, J., Slanina, O., Smidova, T. and Zemancova, T. 2019. Potential invasion risk of pet traded lizards, snakes, crocodiles, and tuatara in the EU on the basis of a risk assessment model (RAM) and aquatic species invasiveness screening kit (AS-ISK). *Diversity*, 11: 164.
- Koppitz, C. 2014. Review of the herpetofauna in the Basin of Feneos in the Chelmos Mountains of the northern Peloponnese (Greece). Bachelor Thesis, University of Bonn.
- Koppitz, C. 2018. Are *Anguis graeca* (Bedriaga, 1881) and *Anguis cephalonica* Werner, 1894, sympatric in the lowlands of southern Laconia? *Herpetozoa* 30: 223-225.
- Korff, W. L. and McHenry, M. J. 2011. Environmental differences in substrate mechanics do not affect sprinting performance in sand lizards (*Uma scoparia* and *Callisaurus draconoides*). *Journal of Experimental Biology* 214: 122-130.
- Kornilios, P. and Thanou, E. 2016. Two additions to the herpetofauna of Kasos (Aegean Sea, Greece) and the role of human-mediated dispersals. *Herpetological Review* 47: 633-635.
- Kornilios, P., Kumlutus, Y., Lymberakis, P. and Ilgaz, C. 2018. Cryptic diversity and molecular systematics of the Aegean *Ophiomorus* skinks (Reptilia: Squamata), with the description of a new species. *Journal of Zoological Systematics and Evolutionary Research* 56: 364-381.
- Korsos, Z. 1986. Ecological comparison of *Lacerta viridis* and *L. agilis*. Pages 455-458 in Rocek, Z. Editor. *Studies in herpetology: proceedings of the 3rd European herpetological meeting, Prague, 1985*. Charles University, Prague.
- Kosemen, C. M. 2017. A novel form of crypsis in *Mediodactylus kotschyi* in Antalya, Turkey. *Sauria* 39: 59-62.
- Koski, D. A., Valadares, R. T. and Barreto-Lima, A. F. 2018. Fruits in the lizard's menu: consumption of *Coleocephalocereus fluminensis* (Cactaceae) by *Tropidurus torquatus* (Tropiduridae). *Herpetology Notes* 11: 853-855.
- Kotenko, T. 1986. *Eremias arguta deserti* (Reptilia: Sauria) in the Ukraine. Pages 479-482 in Rocek, Z. Editor. *Studies in herpetology: proceedings of the 3rd European herpetological meeting, Prague, 1985*. Charles University, Prague.
- Koul, O. and Duda, P. L. 1977. Ovarian cycle in high altitude lizards from Kashmir. *Copeia*, 1977: 751-754.
- Kovach, C. and Goodman, B. A. 2015. *Lerista arenicola* (bight slider). Viviparity. *Herpetological Review*, 46: 92-93.
- Kovacs, D. and Kiss, I. 2016. Microhabitat use of different age groups of snake-eyed skink and Eastern green lizard. *Amphibia-Reptilia* 37: 191-198.
- Kowalski, T. 2018. Unusual regeneration capabilities in *Hemidactylus alkijumii* Carranza & Arnold, 2012. *Sauria* 40: 71-74.
- Kowalski, T., Grossmann, W., Zilger, H.-J. and Zwanzig, B. M. 2011. Herpetologische Beobachtungen im Sultanat Oman: Das Saiq-Plateau im Jebel al-Akhdar. *Sauria* 33: 29-50.
- Kowalski, T., Seuer, H., Zilger, H.-J., Grossmann, W. and Zwanzig, B. 2018. The overlooked spiny-tailed lizards east of Sur, Sultanate of Oman. *Sauria* 40: 20-28.
- Koynova, T., Tzankov, N., Popgeorgiev, G., Naumov, B. and Natchev, N. 2017. A new distribution record of the Kotschy's gecko (*Mediodactylus kotschyi*) from inland north-eastern Bulgaria. *Herpetology Notes*, 10: 1-2.
- Kozyariski, M. L., Belver, L. C. and Avila, L. J. 2011. Diet of the desert lizard *Liolaemus pseudoanomalus* (Iguania: Liolaemini) in northern La Rioja Province, Argentina. *Journal of Arid Environments* 75: 1237-1239.
- Krakauer, T., Gans, C. and Paganelli, C. V. 1968. Ecological correlation of water loss in burrowing reptiles. *Nature* 218: 659-660.
- Krasylenko, Y. A. and Kukushkin, O. V. 2017. An update of thin-toed gecko *Tenuidactylus bogdanovi* (Reptilia, Gekkonidae) population status in Odessa City, Ukraine. *Works of the Zoological Museum (Kiev)* 48: 3-12.
- Kratochvil, L. and Frynta, D. 2002. Body size, male combat and the evolution of sexual dimorphism in eublepharid geckos (Squamata: Eublepharidae). *Biological Journal of the Linnean Society* 76: 303-314.
- Kratochvil, L. and Frynta, D. 2006. Body-size effect on egg size in eublepharid geckos (Squamata: Eublepharidae), lizards with invariant clutch size: negative allometry for egg size in ectotherms is not universal. *Biological Journal of the Linnean Society* 88: 527-532.
- Kratochvil, L. and Frynta, D. 2006. Egg shape and size allometry in geckos (Squamata: Gekkota), lizards with contrasting eggshell structure: why lay spherical eggs? *Journal of Zoological Systematics and Evolutionary Research*, 44: 1-10.
- Kratochvil, L. and Frynta, D. 2007. Phylogenetic analysis of sexual dimorphism in eye-lid geckos (Eublepharidae): the effects of male combat, courtship behaviour, egg size and body size. pages 154-162 in Fairbairn, D. J., Blanckenhorn, W. U. and Szekey, T. Sex, size and gender roles: evolutionary studies of sexual size dimorphism. Oxford University Press, Oxford.
- Kratochvil, L. and Kubicka, L. 2007. Why reduce clutch size to one or two eggs? Reproductive allometries reveal different evolutionary causes of invariant clutch size in lizards. *Functional Ecology* 21: 171-177.
- Kratochvil, L., Folt, M., Rehak, I. and Frynta, D. 2003. Misinterpretation of character scaling: A tale of sexual dimorphism in body shape of common lizards. *Canadian Journal of Zoology* 81: 1112-1117.
- Kratochvil, L., Kubicka, L., Vohralik, M. and Starostova, Z. 2018. Variability in vertebral numbers does not contribute to sexual size dimorphism, interspecific variability, or phenotypic plasticity in body size in geckos (Squamata: Gekkota: Paroedura). *Journal of Experimental Zoology Part A: Ecological and Integrative Physiology* 329: 185-190.
- Kraus, F. 2005. The genus *Nactus* (Lacertilia : Gekkonidae): a phylogenetic analysis and description of two new species from the Papuan Region. *Zootaxa* 1061: 1-28.
- Kraus, F. 2007. Taxonomic partitioning within Papuan members of the *Carlia novaeguineae* complex (Squamata: Scincidae). *Journal of Herpetology*, 41: 410-423.
- Kraus, F. 2008. Taxonomic partitioning of *Cyrtodactylus louisiadensis* (Lacertilia: Gekkonidae) from Papua New Guinea. *Zootaxa* 1883: 1-27.
- Kraus, F. 2009. Alien reptiles and amphibians. A scientific compendium and analysis. Springer Verlag, Berlin.
- Kraus, F. 2010. More range extensions for Papuan reptiles and amphibians. *Herpetological Review*, 41: 246-248.
- Kraus, F. 2013. Further range extensions for reptiles and amphibians from Papua New Guinea. *Herpetological Review*, 44: 277-280.
- Kraus, F. 2015. Impacts from invasive reptiles and amphibians. *Annual Review of Ecology, Evolution, and Systematics*, 46: 75-97.
- Kraus, F. 2018. A new species of *Emoia* (Squamata: Scincidae) from Papua New Guinea. *Journal of Herpetology*, 52: 431-437.
- Kraus, F. 2019. New species of *Lepidodactylus* (Squamata: Gekkonidae) from New Guinea and adjacent islands. *Zootaxa* 4651: 305-329.
- Kraus, F. and Allison, A. 2004. New records for reptiles and amphibians from Milne Bay Province, Papua New Guinea. *Herpetological Review* 35: 413-418.
- Kraus, F. and Allison, A. 2006. Range extensions for reptiles and amphibians along the northern versant of Papua New Guinea. *Herpetological Review*, 37: 364-368.
- Kraus, F. and Shea, G. 2005. Additional reptile and amphibian range extensions for Milne Bay Province, Papua New Guinea. *Herpetological Review*, 36: 471-473.
- Kraus, F. and Weijola, V. 2019. New species of *Cyrtodactylus* (Squamata: Gekkonidae) from Karkar Island, Papua New Guinea. *Zootaxa* 4695: 529-540.
- Krause, P. and Bohme, W. 2010. A new chameleon of the *Trioceros betaeniatus* complex from Mt. Hanang, Tanzania, East Africa (Squamata: Chamaeleonidae). *Bonn Zoological Bulletin* 57: 19-29.
- Krekorian, C. O. 1983. Population density of the desert iguana, *Dipsosaurus dorsalis* (Reptilia: Iguanidae), in Southern California. *Copeia*, 1983: 268-271.
- Kreulen, D. A. 1979. Factors affecting reptile biomass in African grasslands. *The American Naturalist* 114: 157-165.
- Krishnan, S. 2008. New species of *Calotes* (Reptilia: Agamidae) from the southern Western Ghats, India. *Journal of Herpetology*, 42: 530-535.
- Krishnan, S., Ofori-Boateng, C., Fujita, M. K. and Leache, A. D. 2019. Geographic variation in West African *Agama picticauda*: insights from genetics, morphology and ecology. *African Journal of Herpetology*, 68: 33-49.
- Kroniger, M. and Zawadzki, M. 2005. Eidechsen im Terrarium. *Draco* 5: 28-37.
- Kruger, J. 1996. Beschreibung einer neuen Art aus der Gattung *Phelsuma* aus dem Süd-Osten Madagaskars. *Herpetofauna* 18: 14-18.
- Kruger, J. 1999. Neue Erkenntnisse zur Faunistik einiger Reptilien Madagaskars. *Salamandra* 35: 65-76.
- Kruger, J. 2001. Die madagassischen Gekkoniden. Teil II: Die Geckos der Gattung *Lygodactylus* Gray 1864 (Reptilia: Sauria: Gekkonidae). *Gekkota* 3: 3-28.

- Krvavac et al. 2015 Krvavac, M., Bopage, M., Wewalwala, K., Bjelic-Cabril, O., Popovic, E. and Jovanovic, O. 2015. Reproductive behavior of the vulnerable rough nose horned lizard, *Ceratophora aspera* (Sauria, Agamidae) from Sri Lanka. *Russian Journal of Herpetology* 22: 145-148.
- Krysko and Daniel 2005 Krysko, K. L. and Daniel, K. J. 2005. A key to the geckos (Sauria: Gekkonidae) of Florida. *Caribbean Journal of Science*, 41: 28-36.
- Krysko et al. 2003 Krysko, K. L. Sheehy C. M. and Hooper, A. N. 2003. Interspecific communal oviposition and reproduction of four species of lizards (Sauria: Gekkonidae) in the lower Florida Keys. *Amphibia-Reptilia* 24: 390-396.
- Krysko et al. 2007 Krysko, K. L., Rehman, H. and Auffenberg, K. 2007. A new species of Cyrtopodion (Gekkonidae: Gekkoninae) from Pakistan. *Herpetologica*, 63: 100-113.
- Krysko et al. 2016 Krysko, K. L., Somma, L. A., Smith, D. C., Gillette, C. R., Cueva, D., Wasilewski, J. E., Enge, K. M., Johnson, S. A., Campbell, T. S., Edwards, J. R., Rochford, M. R., Tompkins, R., Fobb, J. L., Mullin, S., Lechowicz, C. J., Hazelton, D. and Warren, A. 2016. New verified nonindigenous amphibians and reptiles in Florida through 2015, with a summary of over 152 years of introductions. *IRCF Reptiles & Amphibians* 23: 110-143.
- Kubicka and Kratochvil 2009 Kubicka, L. and Kratochvil, L. 2009. First grow, then breed and finally get fat: hierarchical allocation to life-history traits in a lizard with invariant clutch size. *Functional Ecology*, 23: 595-601.
- Kubicka et al. 2012 Kubicka, L., Starostova, Z. and Kratochvil, L. 2012. Temperature-dependent rate of clutch production in a tropical lizard (*Paroedura picta*: Gekkonidae): intraspecific test of the metabolic theory of ecology. *Journal of Thermal Biology*
- Kubicka et al. 2013 Kubicka, L., Golinski, A., John-Alder, H. and Kratochvil, L. 2013. Ontogeny of pronounced female-biased sexual size dimorphism in the Malaysian cat gecko (*Aeluroscalabotes felinus*: Squamata: Eublepharidae): A test of the role of testosterone in growth regulation. *General and Comparative Endocrinology* 188: 183-188.
- Kubisch et al. 2012 Kubisch, E., Piantoni, C., Williams, J., Scolaro, A., Navas, C. A. and Ibarguengoytia, N. R. 2012. Do higher temperatures increase growth in the nocturnal gecko *Homonota darwini* (Gekkota: Phyllodactylidae)? A skeletochronological assessment analyzed at temporal and geographic scales. *Journal of Herpetology*, 46: 587-595.
- Kubisch et al. 2017 Kubisch, E., Ippi, S., Karlanian, J. and Ojeda, V. 2017. Distribution extension of a rare Phymaturus lizard (Squamata: Liolaemidae) reaching Nahuel Huapi National Park (Argentina). *Herpetology Notes*, 10: 59-62.
- Kucharzewski 2016 Kucharzewski, C. 2016. Weiterer Beitrag zur Herpetologie der Sudwest-Turkei. *Sauria* 38: 37-56.
- Kuhneli 1982 Kuhneli, W. 1982. A-remarkable case of longevity in *Palmatogecko rangei* Andersson. *The Journal of the Herpetological Association of Africa*, 27: 7-8.
- Kukushkin 2018 Kukushkin, O. V. 2018. On anomalies of the caudal regeneration and autotomy in *Mediodactylus danilewskii* (Reptilia: Sauria: Gekkonidae). *Current Studies in Herpetology*, 18: 180-187. (in Russian)
- Kukushkin and Dovgal 2018 Kukushkin, O. V. and Dovgal, I. V. 2018. Sexual dimorphism in *Pseudopus apodus* (Reptilia: Sauria: Anguidae) from the Steppe Crimea. *Ecologica Montenegrina* 19: 1-21.
- Kulyomina et al. 2019 Kulyomina, Y., Moen, D. S. and Irschick, D. J. 2019. The relationship between habitat use and body shape in geckos. *Journal of Morphology*, 280: 722-730.
- Kumar et al. 2011 Kumar, S. K., Vivek, S. and Neha, S. 2011. New locality records and distribution extension of *Hemidactylus triedrus* Daudin, 1802 (Squamata, Gekkonidae) at the North-East parts of Aravalli ranges, Rajasthan, India. *Herpetology*
- Kumar et al. 2014 Kumar, D. T., Kumar, S. S., and Prasad, M. R. 2014. Current status and possible causes of reptile's decline. *International Research Journal of Environment Sciences* 3: 75-79.
- Kumar et al. 2017 Kumar, G. C., Srinivasulu, C. and Prasad, K. K. 2017. New locality records of Leschenault's snake eye, *Ophisops leschenaultii* (Sauria: Lacertidae) (Milne-Edwards, 1829) from Telangana State, with notes on the species' natural history. *IRCF Reptiles & Amphibians* 24: 51-54.
- Kumas and Ayaz 2014 Kumas, M. and Ayaz, D. 2014. Age determination and long bone histology in *Stellagama stellio* (Linnaeus, 1758) (Squamata: Sauria: Agamidae) populations in Turkey. *Vertebrate Zoology* 64: 113-126.
- Kumlutas et al. 2004a Kumlutas, Y., Durmu, S. H., Kaska, Y., Oz, M. and Tunc, M. R. 2004. A morphological and taxonomic study on *Lacerta parva* Boulenger, 1887 (Sauria: Lacertidae) from West Taurus, Turkey. *Asiatic Herpetological Research* 10: 202-
- Kumlutas et al. 2004b Kumlutas, Y., Oz, M., Durmus, H., Tunc, M. R., Ozdemir, A. and Dusen, S. 2004. On some lizard species of the Western Taurus range. *Turkish Journal of Zoology* 28: 225-236.
- Kumlutas et al. 2015a Kumlutas, Y., Candan, K., Ilgaz, C. 2015. A new locality record of *Trachylepis vittata* (Olivier, 1804) (Reptilia: Scincidae) in northeastern Anatolia, Turkey. *Russian Journal of Herpetology* 22: 310-314.
- Kumlutas et al. 2015b Kumlutas, Y., Ugurlu, I. H., Koyun, M. and Ilgaz, C. 2015. A new locality records of *Stellagama stellio* (Linnaeus, 1758) (Sauria: Agamidae) in Anatolia. *Russian Journal of Herpetology* 22: 149-153.
- Kun et al. 2014 Kun, M. E., Piantoni, C., Krenz, J. D. and Ibarguengoytia, N. R. 2010. Dietary analysis of *Homonota darwini* (Squamata: Gekkonidae) in Northern Patagonia. *Current Zoology* 56: 406-410.
- Kunya et al. 2011 Kunya, K., Pauwels, O. S. G., Sairum, P. and Taokratok, A. 2011. Squamata, Gekkonidae, Pytchozoon trinotata Brown, 1999: Rediscovery in Thailand. *Check List* 7: 820-822.
- Kunya et al. 2015 Kunya, K., Sumontha, M., Panitvong, N., Dongkumfu, W., Sirisamphan, T. and Pauwels, O. S. G. 2015. A new forest-dwelling bent-toed gecko (Squamata: Gekkonidae: Cyrtodactylus) from Doi inthanon, Chiang Mai Province, northern Thailand. *Zootaxa* 3905: 573-584.
- Kunz et al. 2011 Kunz, T. S., Ghizoni, I. R. and Graipel, M. E. 2011. Reptilia, Squamata, Gymnophthalmidae, *Eublepharis gaudichaudii* Dumeril and Bibron, 1839: Distribution extension in the state of Santa Catarina, Brazil. *Check List* 7: 11-12.
- Kuo et al. 2009 Kuo, C-Y., Lin, Y-T. and Yao-Sung Lin, Y-S. 2009. Sexual size and shape dimorphism in an agamid lizard, *Japalura swinhonis* (Squamata: Laceriliida: Agamidae). *Zoological Studies* 48: 351-361.
- Kupriyanova et al. 2017 Kupriyanova, L., Kirschev, T. and Bohme, W. 2017. Distribution of the common or viviparous lizard, *Zootoca vivipara* (Lichtenstein, 1823) (Squamata: Lacertidae) in Central Europe and re-colonization of the Baltic Sea basin: new karyological evidence. *Russian Journal of Herpetology* 24: 311-317.
- Kuranova et al. 2005 Kuranova, V. N., Patrakov, S. V., Bulakhova, N. A. and Krechetova, O. A. 2005. The study of the ecological niche segregation for sympatric species of lizards *Lacerta agilis* and *Zootoca vivipara*. *HERPETOLOGiA PETROPOLiTANA* Proceedings of the 12th Ordinary General Meeting of the Societas Europaea Herpetologica
- Kurita and Toda 2013 Kurita, T. and Toda, M. 2013. Validation and application of skeletochronology for age determination of the Ryukyu ground gecko, *Goniuurosaurus kuroiwae* (Squamata: Eublepharidae). *Asian Herpetological Research*, 4: 233-241.
- Kurita et al. 2017a Kurita, K., Nakamura, Y., Okamoto, T., Lin, S-M. and Hikida, T. 2017. Taxonomic reassessment of two subspecies of Chinese skink in Taiwan based on morphological and molecular investigations (Squamata, Scincidae). *ZooKeys*
- Kurita et al. 2017b Kurita, K., Ota, H. and Hikida, T. 2017. A new species of *Plestiodon* (Squamata: Scincidae) from the Senkaku Group, Ryukyu Archipelago, Japan. *Zootaxa* 4254: 520-536.
- Kurita et al. 2017c Kurita, T., Nishikawa, K., Matsui, M. and Hikida, T. 2017. A new species of rock gecko genus *Cnemaspis* (Squamata: Gekkonidae) from Western Sarawak, Malaysia. *Zootaxa*, 4258: 525-538.
- Kurita et al. 2019 Kurita, T., Nakanishi, A., Komada, N., Shimano, S., Satria, R., Shimizu-kaya, U., Shinoda, M., Iku, A., Itioka, T., Hossmann, M.Y. and Nishikawa, K. 2019. Observation of the eggs of parachute gecko, genus *Ptychozoon* (Squamata: Gekkonidae), on an epiphytic fern growing in the forest canopy. *Herpetology Notes*, 12:1077-1081.
- Kurnaz et al. 2016 Kurnaz, M., Gul, S., Bulbul, U. and Kutrup, B. 2016. The potential distribution of *Darevskia derjugini* (Nikolsky, 1898) with new locality records from Turkey. Pages 189-195 in R., Matchavariani, Yaldir, A., Levai, L., (Eds.). *Developments in science and engineering*. St. Kliment Ohridski University Press, Sofia.
- Kurnaz et al. 2017a Kurnaz, M., Bulbul, U., Eroolu, A. Y., Koc, H. and Kutrup, B. 2017. Morphological reevaluation on the subspecific position of *Darevskia derjugini* in Turkey. *Russian Journal of Herpetology* 24: 209-216.
- Kurnaz et al. 2017b Kurnaz, M., Eroglu, A. I., Bulbul, U., Koc, H. and Kutrup, B. 2017. The life-history traits in a breeding population of *Darevskia valentini* from Turkey. *Acta Herpetologica*, 12: 167-173.
- Kurnaz et al. 2018 Kurnaz, M., Bulbul, U., Eroglu, A. I., Uzun, F., Koc, H. and Kutrup, B. 2018. Age and growth of the artrivin Lizard, *Darevskia derjugini* (Nikolsky, 1898), in Turkey. (Squamata: Sauria: Lacertidae). *Herpetozoa* 30: 147-158.
- Kurnaz et al. 2019 Kurnaz, M., Kutrup, B., Yousefkhan, S. S. H., Koc, H., Bulbul, U. and Eroglu, A. I. 2019. Phylogeography of the red-bellied lizard, *Darevskia parvula* in Turkey. *Mitochondrial DNA Part A* 30: 556-566.
- Kurniati 2005 Kurniati, H. 2005. Species richness and habitat preferences of herpetofauna in Gunung Halimun National Park, West Java. *Berita Biologi* 7: 263-271.
- Kurniati 2007a Kurniati, H. 2007. Biodiversity and natural history of amphibians and reptiles in Kerinci Seblat National Park, Sumatra, Indonesia (2005, 2006, 2007). Special publication, Research Center for Biology - LiPi.
- Kurniati 2007b Kurniati, H. 2007. The herpetofauna of the gold mining project area in North Sumatra: Species richness before exploitation activities. *Zoo Indonesia* 16: 1-11.
- Kurniati 2008 Kurniati, H. 2008. Biodiversity and natural history of amphibians and reptiles in Kerinci Seblat National Park, Sumatra, Indonesia (2005, 2006, 2007, 2008). Species account: Squamata. Research Center for Biology - LiPi. Cibinong.
- Kurniati 2009 Kurniati, H. 2009. Herpetofauna diversity in Kerinci Seblat National Park, Sumatra, Indonesia. *Zoo Indonesia* 18: 45-68.
- Kutt 1993 Kutt, A. 1993. A preliminary evaluation of the use of fluorescent pigments to track the movements of the striped legless lizards *Delma impar* (Reptilia: Pygopodidae). Pages 179-183 in D. Lunney, D. Ayers, editors. *Herpetology in Australia: A Diverse Discipline*. Chipping Norton, NSW, Australia: Royal Zoological Society of New South Wales.
- Kutt et al. 2009 Kutt, A., Vanderduys, E., Hines, H., Gynther, I. and Absolon, M. 2009. Assemblage pattern in the vertebrate fauna of Cravens Peak Reserve, far western Queensland. *Cravens Peak Scientific Study Report* 11: 235-252.
- Kutt et al. 2011 Kutt, A. S., Bateman, B. L. and Vanderduys, E. P. 2011. Lizard diversity on a rainforest-savanna altitude gradient in north-eastern Australia. *Australian Journal of Zoology*, 59: 86-94.

- Kwet 2009  
 Kwet 2015  
 La Marca and Garcia Perez 1990  
 La Marca and Garcia-Perez 1990  
 La Marca and Soriano 2004  
 Labanowski and Lowin 2011
- Labra 1995  
 Labra and Bozinovic 2002  
 Labra and Rosemann 1994  
 Labra et al. 2008  
 Laburn et al. 1981  
 Lachman et al. 2006  
 Laguna et al. 2010
- Lahony et al. 2002  
 Lahti and Beck 2008  
 Lai-Gao et al. 2010  
 Lailvaux et al. 2003
- Laird et al. 2019  
 Lais 1976a  
 Lais 1976b  
 Lais 1976c  
 Lais 1976d  
 Lajmi et al. 2019  
 Lalremsanga et al. 2010  
 Lalrinchhana and Solanki 2015  
 Lalrinchhana et al. 2015  
 Lamar et al. 2015  
 Lamb and Bauer 2006  
 Lamberson 1987
- Lambert and Wiens 2013  
 Lambert et al. 2012  
 Lambiris 1992  
 Lamborot and Diaz 1987  
 Lamborot and Ortiz 1990  
 Lancini 1963  
 Lancini 1968  
 Landestoy and Reyes 2018  
 Lando and Williams 1969  
 Lanfri et al. 2013  
 Lang 2013  
 Langerwerf 2006  
 Langner 2017
- Langstroth 2005  
 Langstroth 2011
- Lanna et al. 2018  
 Lanza 1972  
 Lanza 1978a  
 Lanza 1978b  
 Lanza 1979  
 Lanza 1982  
 Lanza 1983
- Kwet, A. 2009. New Holland European reptile and amphibian guide. New Holland, London.  
 Kwet, A. 2015. Reptilien und amphibien Europas. Franckh-Kosmos, Stuttgart.  
 La Marca, E. and Garcia Perez, J. E. 1990. A new species of high Andean Anadia (Sauria: Teiidae) from Paramo el Rieciro, Estado Trujillo, Venezuela. *Herpetologica* 46: 275-282.  
 La Marca, E. and Garcia-Perez, J. E. 1990. Prionodactylus ampuedai (Sauria: Teiidae): a new lizard record for Colombia, with taxonomic comments on the species. *Bulletin of the Maryland Herpetological Society*, 26: 111-115.  
 La Marca, E. and Soriano, P. J. 2004. Reptiles de los Andes de Venezuela (Vol. 2). BIOGEOS.  
 Labanowski, R. J. and Lowin, A. J. 2011. A reptile survey in a dry deciduous forest fragment in northern Madagascar showing new records for the little-known snake Pararhadinaea melanogaster and a range extension for the skink Amphiglossus tanyssoma. *Herpetology Notes*, 4: 113-121.  
 Labra, A. 1995. Thermoregulation in Pristidactylus lizards (Polycrididae): effects of group size. *Journal of Herpetology*, 29: 260-264.  
 Labra, A. and Bozinovic, F. 2002. Interplay between pregnancy and physiological thermoregulation in *Liolemaus* lizards. *Ecoscience*, 9: 421-426.  
 Labra, M. A. and Rosemann, M. 1994. Energy metabolism and evaporative water loss of Pristidactylus lizards. *Comparative Biochemistry and Physiology Part A: Physiology*, 109: 369-376.  
 Labra, A., Vidal, M. A., Solis, R. and Penna, M. 2008. Ecología de anfibios y reptiles. Pages 483-516 in Vidal, M. A. and Labra, A. (editors). *Herpetología de Chile*. Science Verlag Ediciones. Santiago, Chile.  
 Laburn, H., Mitchell, D., Kenedi, E. and Louw, G. N. 1981. Pyrogens fail to produce fever in a cordylid lizard. *American Journal of Physiology* 241: R198-R202.  
 Lachman, E., Carmely, H. and Werner, Y. L. 2006. Subspeciation befooled by the "Seligmann effect": the case of *Laudakia stellio* (Reptilia: Sauria: Agamidae) in southern Sinai, Egypt. *Journal of Natural History*, 40: 1259-1284.  
 Laguna, M. M., Rodrigues, M. T., dos Santos, R. M. L., Yonenaga-Yassuda, Y., Avila-Pires, T. C. S., Hoogmoed, M. S. and Pellegrino, K. C. M. 2010. Karyotypes of a cryptic diploid form of the unisexual *Leposoma percarinatum* (Squamata: Gymnophthalmidae) and the bisexual *Leposoma ferreiaria* from the Lower Rio Negro, Amazonian Brazil. *Journal of Herpetology* 44: 153-157.  
 Lahony, S. R., Khleifat, K., Al-Tarawneh, K. A., Abboud, M. M., Al-Oran, R.M., Al-Tarawneh, A. A. and Homady, M. H. 2002. Variations in five species of Jordanian reptiles with new record on the land tortoises *Testudo floweri* (Testudinidae: Chelonia). *Pakistan Journal of Zoology* 34: 43-50.  
 Lahti, M. E. and Beck, D. D. 2008. Ecology and ontogenetic variation of diet in the pygmy short-horned lizard (*Phrynosoma douglasii*). *American Midland Naturalist* 159: 327-339.  
 Lai-Gao, L., Guo-Hua, D. and Xiang, J. 2010. Income breeding and temperature-induced plasticity in reproductive traits in lizards. *Journal of Experimental Biology* 213: 2073-2078.  
 Lailvaux, S. P., Alexander, G. J. and Whiting, M. J. 2003. Sex-based differences and similarities in locomotor performance, thermal preferences, and escape behavior in the lizard *Platysaurus intermedius wilhelmi*. *Physiological and Biochemical Zoology* 76: 511-521.  
 Laird, M. K., Thompson, M. B. and Whittington, C. M. 2019. Facultative oviparity in a viviparous skink (*Saiphos equalis*). *Biology Letters* 15: 20180827.  
 Lais, P. M. 1976. *Gerrhonotus multicarinatus*. Catalogue of American Amphibians and Reptiles 187: 1-4.  
 Lais, P. M. 1976. *Gerrhonotus paucicarinatus*. Catalogue of American Amphibians and Reptiles 188: 1-2.  
 Lais, P. M.. 1976. *Gerrhonotus cedrosensis*. Catalogue of American Amphibians and Reptiles 177: 1.  
 Lais, P. M.. 1976. *Gerrhonotus coeruleus*. Catalogue of American Amphibians and Reptiles 178: 1-4.  
 Lajmi, A., Verma, A. and Praveen Karanth, K. 2019. Repeated evolution of terrestrial lineages in a continental lizard radiation. *Journal of Evolutionary Biology* 33: 57-66.  
 Lalremsanga, H. T., Khawhring, L. and Lalroutunga. 2010. Three additional lizard (Squamata: Sauria) records for Mizoram, India. *Journal of Threatened Taxa* 2: 718-720.  
 Lalrinchhana, C. and Solanki, G. S. 2015. Lizard (Reptilia: Sauria) diversity of Dampa Tiger Reserve, Mizoram, India. *Science Vision* 15: 19-28.  
 Lalrinchhana, C., Solanki, G.S. and Lalremsanga, H.T. 2015. Diversity of saurian in Mizoram Northeast, India. *Advances in Environmental Chemistry*, 64: 106-108.  
 Lamar, W. W., Barrio-Amoros, C. L., Dwyer, Q., Abarca, J. G. and De Plecker, R. 2015. The gerrhonotine genus *Coloptychon* (Sauria: Anguidae). *Mesoamerican Herpetology* 2: 88-104.  
 Lamb, T. and Bauer, A. M. 2006. Footprints in the sand: independent reduction of subdigital lamellae in the Namib-Kalahari burrowing geckos. *Proceedings of the Royal Society of London B*, 273: 855-864.  
 Lamberson, J. O. 1987. Reptiles of Enewetak Atoll. Pp. 325-329 in D. M. Devaney, E. S. Reese, B. L. Burch and P. Helfrich(Editors), *The natural history of Enewetak Atoll*, Vol. 2. Biogeography and systematics. U.S. Dept. Energy, Oak Ridge, Tennessee, U.S.A.  
 Lambert, S. M. and Wiens, J. J. 2013. Evolution of viviparity: a phylogenetic test of the cold-climate hypothesis in phrynosomatid lizards. *Evolution* 67: 2614-2630.  
 Lambert, M. R., Yasuda,C. M. and Todd, B. D. 2012. Evaluation of a photographic technique for estimating body size in lizards from a distance. *Herpetological Conservation and Biology* 7: 83-88.  
 Lambiris, A. J. L. 1992. Preliminary remarks on the use of osteoderms as an adjunct to the taxonomy of southern African lizards. *The Journal of the Herpetological Association of Africa*, 40: 14-18.  
 Lamborot, M. and Diaz, N. F. 1987. A new species of Pristidactylus (Sauria: Iguanidae) from central Chile and comments on the speciation in the genus. *Journal of Herpetology*, 21: 29-37.  
 Lamborot, M. and Ortiz, J. C. 1990. *Liolemaus pseudolemniscatus*, a new species of lizard from north Chico Chile (Sauria: Tropiduridae). *Gayana Zoológica* 54: 135-142.  
 Lancini, A. R. 1963. Una nuova especie del genero *Anadia* (Sauria: Teiidae) di Venezuela. *Publicaciones Ocasionales del Museo de Ciencias Naturales de Caracas, Zoológica*, 4: 1-2.  
 Lancini, A. R. 1968. El genero *Euspondylus* (Sauria: Teiidae) en Venezuela. *Publicaciones Ocasionales del Museo de Ciencias Naturales de Caracas* 12: 1-8.  
 Landestoy, T. M. A. and Reyes, F. O. 2018. Distribution of two species of curly-tailed lizards, genus *Leiocephalus*, in a metropolitan park, and the rediscovery of a nominate subspecies. *IRCF Reptiles & Amphibians* 25: 1-12.  
 Lando, R. V. and Williams, E. E. 1969. Notes on the herpetology of the US Naval Base at Guantanamo Bay, Cuba. *Studies on the Fauna of Curacao and other Caribbean Islands*, 31: 159-201.  
 Lanfri, S., Di Cola, V., Naretto, S., Chiavaglio, M. and Cardozo, G. 2013. Understanding the ecological niches to elucidate spatial strategies of the southernmost *Tupinambis* lizards. *Amphibia-Reptilia* 34: 551-565.  
 Lang, E. 2013. Skinks lizards as pets. Skinks and blue tongued lizards care. IMB Publishing  
 Langerwerf, B. 2006. Water dragons. A complete guide to *Physignathus* and more. T.F.H. Publications, Neptune City.  
 Langner, C. G. 2017. Hidden in the heart of Borneo-shedding light on some mysteries of an enigmatic lizard: first records of habitat use, behavior, and food items of *Lanthanotus borneensis* Steindachner, 1878 in its natural habitat. *Russian Journal of Herpetology*, 24: 1-10.  
 Langstroth, R. P. 2005. Adiciones probables y confirmadas para la saurofauna boliviana. *Kempffiana* 1: 101-128.  
 Langstroth, R. P. 2011. On the species identities of a complex *Liolemaus* fauna from the Altiplano and Atacama Desert: insights on *Liolemaus stolzmanni*, *L. reichei*, *L. jamesi pachecoi*, and *L. poconchilensis* (Squamata: Liolemaidae). *Zootaxa* 2809: 20-32.  
 Lanna, F. M., Werneck, F. P., Gehara, M., Fonseca, E. M., Colli, G. R., Sites, J. W., Rodrigues, M. T. and Garda, A. A. 2018. The evolutionary history of Lygodactylus lizards in the South American open diagonal. *Molecular Phylogenetics and Evolution* 127: 638-645.  
 Lanza, B. 1972. The reptiles of the Awash National Park (Shoa, Ethiopia). *Monitore Zoologico Italiano*, Supplemento, 4: 159-184.  
 Lanza, B. 1978. *Mabuya ferrarii*, a new scincoid lizard from Somalia. *Monitore Zoologico Italiano* Supplemento 11: 271-280.  
 Lanza, B. 1978. On some new or interesting east African amphibians and reptiles. *Monitore Zoologico Italiano* Supplemento 10: 229-297.  
 Lanza, B. 1979. *Lygosoma simonettai*, a new black-headed skink from Somalia (Reptilia Scincidae). *Monitore Zoologico Italiano* (supplemento) 12: 25-32.  
 Lanza, B. 1982. On some Phyllodactylus from the Galapagos islands (Reptilia Gekkonidae). *Cura del Museo Zoológico dell'Università di Firenze*, 4: 149-182.  
 Lanza, B. 1983. A list of the Somali amphibians and reptiles. *Monitore Zoologico Italiano*, New Series, Supplement 18: 193-247.

- Lanza 1990
- Lanza and Carfi 1966
- Lanza and Carfi 1968
- Lanza and Vanni 1976
- Lappin and Husak 2005
- Lappin and Swinney 1999
- Lara-Gongora 1983
- Lara-Resendiz 2017
- Lara-Resendiz et al. 2013
- Lara-Resendiz et al. 2014
- Lara-Resendiz et al. 2015
- Lara-Resendiz et al. 2017a
- Lara-Resendiz et al. 2017b
- Lara-Tufino et al. 2013
- Lara-Tufino et al. 2016
- Lardner et al. 2010
- Lardner et al. 2015
- Lares et al. 2013
- Largen 1995
- Largen 1997
- Largen and Spawls 2006
- Largen and Spawls 2010
- Lasso et al. 2002a
- Lasso et al. 2002b
- Laube and Porter 2004
- Laurent 1952a
- Laurent 1952b
- Laurent 1964
- Laurent 1965
- Laurent 1982
- Laurent 1983
- Laurent 1990
- Laurent 1992
- Laurent 1998
- Laver et al. 2012
- Laver et al. 2018
- Lavin and Papenfuss 2012
- Law and Thomas 2017
- Lawalata 2011
- Lawler et al. 1995
- Lazcano and Banda-Leal 2017
- Lazcano et al. 2006a
- Lazcano et al. 2006b
- Lazcano et al. 2011
- Lazcano et al. 2017
- Lazcano et al. 2019
- Lazcano-Barrero and Gongora-Ariones 1993
- Lazcano-Berrero and Gongora-Ariones 1993
- Lazell 1964a
- Lazell 1964b
- Lazell 1972
- Lazell 1973
- Lazell 1983
- Lanza, B. 1990. Amphibians and reptiles of the Somali Democratic Republic: checklist and biogeography. *Biogeographia* 14 [1988]: 407-465.
- Lanza, B. and Carfi, S. 1966. Note su alcuni Scincidae della Somalia e descrizione di una nuova specie di *Mochlus* (Reptilia, Squamata). *Monitore Zoologico Italiano Supplemento* 74: 34-43.
- Lanza, B. and Carfi, S. 1968. Gli scincidi della Somalia (Reptilia, Squamata). *Monitore Zoologico Italiano* 2: 207-260.
- Lanza, B. and Vanni, S. 1976. On a small collection of reptiles from north Zaire. *Monitore Zoologico Italiano* 8: 129-160.
- Lappin, A. K. and Husak, J. F. 2005. Weapon performance, not size, determines mating success and potential reproductive output in the collared lizard (*Crotaphytus collaris*). *The American Naturalist* 166: 426-436.
- Lappin, A. K. and Swinney, E. J. 1999. Sexual dimorphism as it relates to natural history of leopard lizards (Crotaphytidae: *Gambelia*). *Copeia* 1999: 649-660.
- Lara-Gongora, G. 1983. Two new species of the lizard genus *Sceloporus* (Reptilia, Sauria, Iguanidae) from the Ajusco and Ocuilan Sierras, Mexico. *Bulletin of the Maryland Herpetological Society* 19: 1-14.
- Lara-Resendiz, R. A. 2017. A quantitative analysis of the state of knowledge of the thermal physiology of reptiles in Mexico. *Arido Ciencia* 1: 36-47.
- Lara-Resendiz, R. A., Vega-Perez, A. H. D. L. A. and Charruau, P. 2013. *Anolis uniformis* (Lesser Scaly Anole). Selected body temperature. *Herpetological Review* 44: 662.
- Lara-Resendiz, R. A., Jezkova, T., Rosen, P. C. and Mendez-de La Cruz, F. R. 2014. Thermoregulation during the summer season in the Goode's horned lizard *Phrynosoma goodei* (Iguania: Phrynosomatidae) in Sonoran Desert. *Amphibia-Reptilia* 35: 161-172.
- Lara-Resendiz, R. A., Gadsden, H., P. C., Sinervo, B. and Mendez-Dela Cruz, F. R. 2015. Thermoregulation of two sympatric species of horned lizards in the Chihuahuan Desert and their local extinction risk. *Journal of Thermal Biology* 90: 1-6.
- Lara-Resendiz, R. A., Jimenez-Arcos, V. H., Palacios, R., Santos-Bibiano, R., Vega-Perez, A. H. D. and Larraín-Barrios, B. C. 2017. New records, distributional range, and notes on *Marisora brachypoda* (Squamata: Mabuyidae) in Mexico. *Mesoamerican Herpetology* 4: 224-231.
- Lara-Resendiz, R. A., Ramirez-Enriquez, Y., Valle-Jimenez, I., Valdez-Villavicencio, J. H., Mendez-De La Cruz, F. R. and Galina-Tessaro, P. 2017. *Elgaria multicarinata* (Blainville, 1835). Diet. *Mesoamerican Herpetology* 4: 417-418.
- Lara-Tufino, D., Ramirez-Bautista, A., Hernandez-Austria, R., Wilson, L. D. and Berrioabal-islas, C. 2013. *Xenosaurus newmanorum* Taylor, 1949 (Squamata: Xenosauridae): Occurrence in the state of Hidalgo, Mexico. *Check List* 9: 1-10.
- Lara-Tufino, J. D., Nieto-Montes de Oca, A., Ramirez-Bautista, A. and Gray, L. N. 2016. Resurrection of *Anolis ustus* Cope, 1864 from synonymy with *Anolis sericeus* Hallowell, 1856 (Squamata, Dactyloidae). *ZooKeys* 619: 147-162.
- Lardner, B., Chin, S. Y. and Manthey, U. 2010. Notes on *Harpesaurus borneensis* (Mertens 1924), a live bearing agamid lizard from the lowlands of Borneo. *Russian Journal of Herpetology* 17: 231-235.
- Lardner, B., Rodda, G. H., Adams, A. A. Y., Savidge, J. A. and Reed, R. N. 2015. Detection rates of geckos in visual surveys: turning confounding variables into useful knowledge. *Journal of Herpetology* 49: 522-532.
- Lares, R. V., Martinez, R. M., Gadsden, H., Leon, G. A., Gaytan, G. C. and Trapaga, R. G. 2013. Checklist of amphibians and reptiles of the state of Durango, Mexico. *Check List* 9: 714-724.
- Largen, M. J. 1995. A new species of chameleon (Reptilia Sauria Chamaeleonidae) from montane forest in Ethiopia. *Tropical Zoology* 8: 333-339.
- Largen, M. J. 1997. An annotated checklist of the amphibians and reptiles of Eritrea, with keys for their identification. *Tropical Zoology* 10: 63-115.
- Largen, M. J. and Spawls, S. 2006. Lizards of Ethiopia (Reptilia Sauria): an annotated checklist, bibliography, gazetteer and identification key. *Tropical Zoology* 19: 21-109.
- Largen, M. and Spawls, S. 2010. Amphibians and reptiles of Ethiopia and Eritrea. Edition Chimaira, Frankfurt Am Main.
- Lasso, C. A., Rial, A. I., Castroviejo, J. and De la Riva, I. 2002. Herpetofauna del Parque Nacional de Monte Aten (Rio Muni, Guinea Ecuatorial). *Graellsia*, 58: 21-34.
- Lasso, C. A., Rial, A. I., Castroviejo, J. and De la Riva, I. 2002. Herpetofauna del Parque Nacional de Monte Aten (Rio Muni, Guinea Ecuatorial). *Graellsia*, 58: 21-34.
- Laube, A. and Porter, R. 2004. Captive maintenance and breeding of some ground dwelling Australian geckos part IV: *Underwoodisaurus milii* (Bory de Saint-Vincent, 1823) and *Underwoodisaurus sphyrurus* (Ogilby, 1892). *Gekko* 4: 1-10.
- Laurent, R. F. 1952. Batraciens et reptiles recemment acquis par le Musée du Congo Belge. *Revue de Zoologie et de Botanique Africaine* 44: 198-203.
- Laurent, R. F. 1952. Reptiles et batraciens nouveaux du massif du Mont Kabobo et du plateau des Marungu. *Revue de Zoologie et de Botanique Africaine* 46: 18-34.
- Laurent, R. F. 1964. Reptiles et amphibiens de l'Angola (Troisième contribution). Companhia de Diamantes de Angola (Diamang), Servicos Culturais, Museu do Dundo (Angola), 67: 1-165.
- Laurent, R.-F. 1965. Contribution à l'histoire de l'herpétologie congolaise et bibliographie générale. *Mémoires de la Classe des Sciences naturelles et Médicales*.
- Laurent, R. F. 1982. Description de trois espèces nouvelles du genre *Liolaemus* (Sauria, Iguanidae). *Spiixiana* (Munich) 5: 139-147.
- Laurent, R. F. 1983. About the herpetofauna of central African montane forest. Pages 350-358 in A. G. J. Rhodin and K. Miyata, eds. *Advances in herpetology and evolutionary biology: essays in honor of Ernest E. Williams*. Museum of Comparative Zoology, Cambridge, Mass.
- Laurent, R. F. 1990. An isolated species of the genus *Liolaemus* Wiegmann Iguanidae Lacertilia. *Acta Zoologica Lilloana* 39: 79-84.
- Laurent, R. F. 1992. On some overlooked species of the genus *Liolaemus* Wiegmann (Reptilia Tropiduridae) from Peru. *Breviora* 494: 1-33.
- Laurent, R. F. 1998. New forms of lizards of the subgenus *Eulaemus* of the genus *Liolaemus* (Reptilia: Squamata: Tropiduridae) from Peru and Northern Chile. *Acta Zoologica Lilloana* 44: 1-26.
- Laver, R. J., Purwandana, D., Ariefiandy, A., imansyah, J., Forsyth, D., Ciofi, C. and Jessop, T. S. 2012. Life-history and spatial determinants of somatic growth dynamics in Komodo dragon populations. *PLoS ONE* 7(9): e45398. doi:10.1371/journal.pone.0045398
- Laver, R. J., Doughty, P. and Oliver, P. M. 2017. Origins and patterns of endemic diversity in two specialized lizard lineages from the Australian Monsoonal Tropics (*Oedura* spp.). *Journal of Biogeography* 45: 142-153.
- Lavin, B. R. and Papenfuss, T. J. 2012. The phylogenetic position of *Chalcides ocellatus* (Squamata: Scincidae) from Yemen and Somalia. *Zootaxa* 3221: 26-36.
- Law, I. S. and Thomas, N. 2017. Fringed gliding lizard *Draco fimbriatus* on Pulau Bintan, Riau Islands, Indonesia. *Southeast Asia Vertebrate Records* 2017: 27-28.
- Lawalata, S. Z. S. 2011. Historical biogeography of Sumatra and Western Archipelago, Indonesia: insights from the flying lizards in the genus *Draco* (iguania: Agamidae). PhD Dissertation, University of California, Berkeley.
- Lawler, H. E., Beaman, K. R. and Grismer, L. L. 1995. *Sauromalus varius*. Catalogue of American Amphibians and Reptiles 616: 1-4.
- Lazcano, D. and Banda-Leal, J. 2017. Comments on the biology of *Gerrhonotus parvus* (Reptilia: Squamata: Anguidae). *Mesoamerican Herpetology* 4: 926-929.
- Lazcano, D., Contreras-Lozano, J. A., Contrerasbalderas, A. J., Castañeda, G. and La Pena Garcia, C. D. L. P. 2006. *Sceloporus couchi* (Couch's spiny lizard). *Saurophagy*. *Herpetological Review* 37: 227.
- Lazcano, D., De La Pena, C. G. and Castañeda, G. 2006. *Gerrhonotus liocephalus* (Texas alligator lizard). *Mortality*. *Herpetological Review* 37: 222.
- Lazcano, D., Arnaud, G., Cruz, O. and Garcia-Padilla, E. 2011. Notes on the herpetofauna of the Northwest of Mexico: herpetofauna of isla El Muerto, Ensenada, Baja California, Mexico. *Bulletin of the Chicago Herpetological Society* 46: 632-635.
- Lazcano, D., Banda-Leal, J. and Alvarado-Moreno, N. 2017. *Gerrhonotus parvus* Knight and Scudder, 1985. *Malformation*. *Mesoamerican Herpetology* 4: 632-635.
- Lazcano, D., los Reyes, M. N., Garcia-Padilla, E., Johnson, J. D., Mata-Silva, V., DeSantis, D. L. and Wilson, L. D. 2019. The herpetofauna of Coahuila, Mexico: composition, distribution, and conservation status. *Amphibian & Reptile Conservation* 13: 31-94.
- Lazcano-Barrero, M. A. and Gongora-Ariones, E. 1993. Observation and review of the nesting and egg-laying of *Corytophanes cristatus* (Iguanidae). *Bulletin of the Maryland Herpetological Society* 29: 67-75.
- Lazcano-Berrero, M. A. and Gongora-Ariones, E. 1993. Observation and review of the nesting and egg laying of *Corytophanes cristatus* (Iguanidae). *Bulletin of the Maryland Herpetological Society* 29: 67-75.
- Lazell, J. D. 1964. The anoles (Sauria: Iguanidae) of the Guadeloupean Archipelago. *Bulletin of the Museum of Comparative Zoology* 131: 359-401.
- Lazell, J. D. 1964. The reptiles of Sombroero, West Indies. *Copeia*, 1964: 716-718.
- Lazell, J. D. 1972. The anoles (Sauria: Iguanidae) of the Lesser Antilles. *Bulletin of the Museum of Comparative Zoology* 143: 1-115.
- Lazell, J. D. 1973. The lizard genus *iguana* in the Lesser Antilles. *Bulletin of the Museum of Comparative Zoology*, 145: 1-28.
- Lazell, J. D. 1983. Biogeography of the herpetofauna of the British Virgin Islands, with description of a new anole (Sauria: Iguanidae). Pages 100-117 in Rhodin, A. and K. Miyata, editors. *Advances in Herpetology and Evolutionary Biology*. Museum of Comparative Zoology, Cambridge, MA.

- Lazell 1987  
Lazell 1992  
Lazell 1994  
Lazell 2002  
Lazell 2004  
Lazell and Williams 1962  
Le 1999  
Le Berre 1989  
Le et al. 2016  
Leache 2005  
Leache and Fujita 2010  
Leache et al. 2006  
Leache et al. 2017
- Leal and Gunderson 2012  
Leal and Losos 2000  
Leal et al. 2002  
Leavitt and Acre 2014  
Leavitt and Hibbitts 2012  
Leavitt et al. 2017  
LeBerre 2009  
LeBerre et al. 2000  
Leclair and Leclair 2011  
LeClerc 2013  
Ledo and Colli 2016  
Lee 1975  
Lee 1976  
Lee 1980a  
Lee 1980b  
Lee 1983  
Lee 2000  
Lee and Funderburg 1977  
Lee and Shine 1998  
Lee et al. 2009  
Lee et al. 2013  
Lee et al. 2019  
Leenders and Watkins-Colwell 2004  
Lefcourt and Blaustein 1991  
Lehr 2001  
Lehr 2002  
Lehr et al. 2018
- Lemay and Marsiglia 1952  
Lemm 2006  
Lemm et al. 2005  
Lemos Espinal 2003a  
Lemos Espinal 2003b  
Lemos Espinal 2003c  
Lemos-Espinal 2015  
Lemos-Espinal 2017  
Lemos-Espinal and Ballinger 1995  
Lemos-Espinal and Dixon 2013  
Lemos-Espinal and Smith 2005  
Lemos-Espinal and Smith 2007a  
Lemos-Espinal and Smith 2007b  
Lemos-Espinal and Smith 2016
- Lazell, J. D. 1987. A new flying lizard from the Sangihe Archipelago, Indonesia. *Breviora* 488: 1-9.  
Lazell, J. D. 1992. New flying lizards and predictive biogeography of two Asian archipelagos. *Bulletin of the Museum of Comparative Zoology* 152: 475-505.  
Lazell, J. D. 1994. A new Sphaerodactylus (Sauria: Gekkonidae) from Bequia, Grenada Bank, Lesser Antilles. *Breviora* 496: 1-20.  
Lazell, J. D. 2002. The herpetofauna of Shek Kwu Chau, South China Sea, with description of two new colubrid snakes. *Memoirs of the Hong Kong Natural History Society* 25: 1-82.  
Lazell, J. D. 2004. Austro-boreal disjunctions: a remarkable biogeographical pattern illustrated by Nan Ao island, Guangdong, China. *Journal of Biogeography* 31: 1261-1265.  
Lazell, J. D. and Williams, E. E. 1962. The anoles of the Eastern Caribbean (Sauria, Iguanidae): Parts iV-VI. *Bulletin of the Museum of Comparative Zoology* 127: 451-478.  
Le, M. D. 1999. Distribution patterns of reptiles and amphibians in Puerto Rico. MSc Thesis, Oregon State University.  
Le Berre, M. 1989. Faune du Sahara 1. Poissons, amphibiens, reptiles. Lechevalier, R. Chabaud, Paris.  
Le, D. T., Nguyen, T. Q., Le, M. D. and Ziegler, T. 2016. A new species of Cyrtodactylus (Squamata: Gekkonidae) from Ninh Binh Province, Vietnam. *Zootaxa* 4162: 268-282.  
Leache, A. D. 2005. Results of a herpetological survey in Ghana and a new country record. *Herpetological Review*, 36: 16-19.  
Leache, A. D. and Fujita, M. K. 2010. Bayesian species delimitation in West African forest geckos (*Hemidactylus fasciatus*). *Proceedings of the Royal Society of London B*, 277: 3071-3077.  
Leache, A. D., Rodel, M. O., Linkem, C. W., Diaz, R. E., Hillers, A. and Fujita, M. K. 2006. Biodiversity in a forest island: reptiles and amphibians of the West African Togo Hills. *Amphibian and Reptile Conservation* 4: 22-45.  
Leache, A. D., Grummer, J. A., Miller, M., Krishnan, S., Fujita, M. K., Bohme, W., Schmitz, A., Lebreton, M., Ineich, I., Chirio, L., Ofori-boateng, C., Eniang, E. A., Greenbaum, E., Rodel, M-O. and Wagner, P. 2016. Bayesian inference of species diffusion in the West African Agama agama species group (Reptilia, Agamidae). *Systematics and Biodiversity*, 15: 192-203.  
Leal, M. and Gunderson, A. R. 2012. Rapid change in the thermal tolerance of a tropical lizard. *The American Naturalist*, 180: 815-822.  
Leal, M. and Losos, J. B. 2000. Behavior and ecology of the Cuban "Chipojos Bobos" *Chamaeleolis barbatus* and *C. porcus*. *Journal of Herpetology*, 34: 318-322.  
Leal, M., Knox, A. K. and Losos, J. B. 2002. Lack of convergence in aquatic Anolis lizards. *Evolution* 56: 785-791.  
Leavitt, D. J. and Acre, M. R. 2014. *Sceloporus arenicolus* (dunes sagebrush lizard). Activity patterns and foraging mode. *Herpetological Review* 45: 699-700.  
Leavitt, D. J. and Hibbitts, T. J. 2012. *Lepidophyma gaigeae* Mosauer Gaige's tropical night lizard. *Catalogue of American Amphibians and Reptiles* 896: 1-4.  
Leavitt, D. J., Crumbo, W. L., Myrand, J. M. and Masters, E. H. 2017. The geographic range of *Uma scoparia* Cope, 1894 (Squamata: Phrynosomatidae) in Arizona. *Check List* 13: 2090.  
LeBerre, F. 2009. The chameleon handbook. Barron's, Hauppauge.  
LeBerre, F., Bartlett, R. D. and Bartlett, P. P. 2000. The chameleon handbook. Barron's, New York.  
Leclair, R. and Leclair, M. H. 2011. Life-history traits in a population of the dwarf gecko, *Sphaerodactylus vincenti ronaldi*, from a xerophytic habitat in Martinique, West Indies. *Copeia* 2011: 566-576.  
LeClerc, J. B. 2013. The field guide to the amphibians and reptiles of Iowa. ECO Herpetological Publishing & Distribution, Rodeo, New Mexico.  
Ledo, R. M. D. and Colli, G. R. 2016. Silent death: the new Brazilian forest code does not protect lizard assemblages in cerrado riparian forests. *South American Journal of Herpetology*, 11: 98-109.  
Lee, J. C. 1975. The autecology of *Xantusia henshawi* (Sauria: Xantusiidae). *Transactions of the San Diego Society of Natural History* 17: 259-278.  
Lee, J. C. 1976. *Xantusia henshawi*. Catalogue of American Amphibians and Reptiles 189: 1-2.  
Lee, J. C. 1980. An ecogeographic analysis of the herpetofauna of the Yucatan Peninsula. *University of Kansas Museum of Natural History Miscellaneous Publications* 67: 1-75.  
Lee, J. C. 1980. Variation and systematics of the *Anolis sericeus* complex (Sauria: Iguanidae). *Copeia*, 1980: 310-320.  
Lee, J. C. 1983. *Anolis sericeus*. Catalogue of American Amphibians and Reptiles 340: 1-2.  
Lee, J. C. 2000. A field guide to the amphibians and reptiles of the Maya world: The lowlands of Mexico, northern Guatemala, and Belize. Cornell University Press.  
Lee, D. S. and Funderburg, J. B. 1977. *Sceloporus woodi*. Catalogue of American Amphibians and Reptiles 196: 1-2.  
Lee, M. S. Y. and Shine, R. 1998. Reptilian viviparity and Dollo's Law. *Evolution* 52: 1441-1450.  
Lee, M. S. Y., Hutchinson, M. N., Worth, T. H., Archer, M., Tennyson, A. J. D., Worth, J. P. and Scofield, R. P. 2009. Miocene skinks and geckos reveal long-term conservatism of New Zealand's lizard fauna. *Biology Letters* 5: 1290-1293.  
Lee, M. S. Y., Skinner, A. and Camacho, A. 2013. The relationship between limb reduction, body elongation and geographical range in lizards (Lerista, Scincidae). *Journal of Biogeography* 40: 1290-1297.  
Lee, J. L., Miller, A. H., Zug, G. R. and Mulcahy, D. G. 2019. The discovery of rock geckos *Cnemaspis Strauch, 1887* (Squamata: Gekkonidae) in the Tanintharyi Region, Myanmar with the description of two new species. *Zootaxa*  
Leenders, T. A. M. and Watkins-Colwell, G. J. 2004. Notes on a collection of amphibians and reptiles from El Salvador. *Postilla* 231: 1-31.  
Lefcourt, H. and Blaustein, A. R. 1991. Parasite load and brightness in lizards: an interspecific test of the Hamilton and Zuk hypothesis. *Journal of Zoology* 224: 491-499.  
Lehr, E. 2001. New records for amphibians and reptiles from Departamentos Pasco and Ucayali, Peru. *Herpetological Review* 32: 130-132.  
Lehr, E. 2002. Amphibien und Reptilien in Peru. Natur und Tier-Verlag.  
Lehr, E., Moravec, J., Whitworth, A., Villacampa, J., Cusi, J. C. and von May, R. 2018. New distribution records for *Euspondylus excelsum* Chavez, Catenazzi & Venegas, 2017 (Reptilia, Gymnophthalmidae, Cercosaurinae) in Peru. *Check List* 14: 1141-1149.  
Lemay, L. and Marsiglia, A. G. 1952. The coal skink, *Eumeces anthracinus* (Baird), in Maryland. *Copeia* 1952: 193.  
Lemm, J. M. 2006. Field guide to amphibians and reptiles of the San Diego region. University of California Press, Berkeley.  
Lemm, J. M., Steward, S. W. and Schmidt, T. F. 2005. Reproduction of the critically endangered Aneghada island iguana *Cyclura pinguis* at San Diego Zoo. *International Zoo Yearbook* 39: 141-152.  
Lemos-Espinal, J. A. 2003. *Xenosaurus grandis*. Fichas diagnosticas para 10 especies de anfibios y reptiles mexicanos. Facultad de Estudios Superiores Iztacala, Universidad Nacional Autonoma de Mexico. Bases de datos SNIB-CONABIO, Proyecto W002. Mexico. D.F.  
Lemos-Espinal, J. A. 2003. *Xenosaurus newmanorum*. Fichas diagnosticas para 10 especies de anfibios y reptiles mexicanos. Facultad de Estudios Superiores Iztacala, Universidad Nacional Autonoma de Mexico. Bases de datos SNIB-CONABIO, Proyecto W002. Mexico. D.F.  
Lemos-Espinal, J. A. 2003. *Xenosaurus platyceps*. Fichas diagnosticas para 10 especies de anfibios y reptiles mexicanos. Facultad de Estudios Superiores Iztacala, Universidad Nacional Autonoma de Mexico. Bases de datos SNIB-CONABIO, Proyecto W002. Mexico. D.F.  
Lemos-Espinal, J. editor. 2015. Amphibians and reptiles of the US-Mexico border states. Texas A&M University Press, College Station.  
Lemos-Espinal, J. A., Smith, G. R., Woolrich-Pina, G. A. and Cruz, A. 2017. Amphibians and reptiles of the state of Chihuahua, Mexico, with comparisons with adjoining states. *ZooKeys* 658: 105-130.  
Lemos-Espinal, J. A. and Ballinger, R. E. 1995. Comparative thermal ecology of the high-altitude lizard *Sceloporus grammicus* on the eastern slope of the Iztaccihuatl volcano, Puebla, Mexico. *Canadian Journal of Zoology*, 73: 2184-2192.  
Lemos-Espinal, J. A. and Dixon, J. R. 2013. Amphibians and reptiles of San Luis Potosi. Eagle Mountain Publishing. Eagle Mountain, Utah.  
Lemos-Espinal, J. A. and Smith, G. R. 2005. Natural history of *Xenosaurus phalaroanthereon* (Squamata, Xenosauridae), a knob-scaled lizard from Oaxaca, Mexico. *Phyllomedusa* 4: 133-137.  
Lemos-Espinal, J. A. and Smith, H. M. 2007. Anfibios y reptiles del estado de Chihuahua, Mexico. Amphibians and reptiles of the state of Chihuahua, Mexico. UNAM, Tlalnepantla.  
Lemos-Espinal, J. A. and Smith, H. M. 2007. Amphibians and reptiles of the state of Coahuila, Mexico. Anfibios y reptiles del estado de Coahuila, Mexico. UNAM, Tlalnepantla.  
Lemos-Espinal, J. A. and Smith, G. R. 2016. Amphibians and reptiles of the state of Coahuila, Mexico, with comparison with adjoining states. *ZooKeys* 593: 117-137.

- Lemos-Espinal et al. 1993
- Lemos-Espinal et al. 1996
- Lemos-Espinal et al. 1997a
- Lemos-Espinal et al. 1997b
- Lemos-Espinal et al. 1997c
- Lemos-Espinal et al. 1997d
- Lemos-Espinal et al. 1998
- Lemos-Espinal et al. 1999
- Lemos-Espinal et al. 2000a
- Lemos-Espinal et al. 2000b
- Lemos-Espinal et al. 2001
- Lemos-Espinal et al. 2002
- Lemos-Espinal et al. 2003a
- Lemos-Espinal et al. 2003b
- Lemos-Espinal et al. 2003c
- Lemos-Espinal et al. 2004a
- Lemos-Espinal et al. 2004b
- Lemos-Espinal et al. 2004c
- Lemos-Espinal et al. 2012
- Lemos-Espinal et al. 2013
- Lemos-Espinal et al. 2015
- Lemos-Espinal et al. 2016
- Lemos-Espinal et al. 2017a
- Lemos-Espinal et al. 2017b
- Lemos-Espinal et al. 2018a
- Lemos-Espinal et al. 2018b
- Lemos-Espinal et al. 2019
- Lenart et al. 1994
- Lenart et al. 1995
- Leptien and Bohme 1994
- Leptien and Lui 1997
- Les and Powell 2014
- Lescure and de Massary 2012
- Lettink and Hare 2016
- Lettink and Monks 2016
- Lettink and Whitaker 2006
- Lettink et al. 2011
- Leung and Koprivnikar 2019
- Levins and Heatwole 1973
- Leviton 1959
- Leviton and Anderson 1967
- Leviton and Anderson 1970
- Leviton and Anderson 1984
- Leviton and Anderson 2010
- Leviton and Banta 1964
- Leviton et al. 1992
- Lewbart et al. 2017
- Lewinsohn and Fishelson 1967
- Lewis et al. 2000
- Lewis et al. 2008
- Leynaud and Bucher 2005
- Leyte-Manrique and Ramirez-Bautista 2010
- Leyte-Manrique et al. 2011
- Leyte-Manrique et al. 2018
- Leyte-Manrique et al. 2019
- Lemos-Espinal, J. A., Ballinger, R. E. and Javelly-Gurria, J. M. 1993. Observations on the sensitivity to high temperatures in two lizard species (*Ameiva undulata* and *Sceloporus horridus*) from Záratepec, Morelos, Mexico. Bulletin of the Maryland Herpetological Society, 29: 24-29.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 1996. Natural history of the Mexican knob-scaled lizard, *Xenosaurus rectocollaris*. Herpetological Natural History 4: 151-154.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 1997. Body temperatures of *Sceloporus ochoterenae* from two populations in Guerrero, Mexico. Herpetological Journal 7: 74-76.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 1997. Neonate-female associations in *Xenosaurus newmanorum*: A case of parental care in a lizard? Herpetological Review 28: 22-23.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 1997. Observations on the body temperatures and natural history of some Mexican reptiles. Bulletin of the Maryland Herpetological Society 33: 159-164.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 1997. Thermal ecology of the lizard, *Sceloporus gadoviae*, in an arid tropical scrub forest. Journal of Arid Environments 35: 311-319.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 1998. Thermal ecology of the crevice-dwelling lizard, *Xenosaurus newmanorum*. Journal of Herpetology, 32: 141-144.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 1999. Reproduction in Gadow's spiny lizard, *Sceloporus gadoviae* (Phrynosomatidae), from arid tropical Mexico. The Southwestern Naturalist 44: 57-63.
- Lemos-Espinal, J. A., Ballinger, R. E. and Smith, G. R. 2000. *Xenosaurus newmanorum*. Catalogue of American Amphibians and Reptiles, 714: 1-2.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2000. *Xenosaurus rectocollaris*. Catalogue of American Amphibians and Reptiles, 716: 1.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2001. Sexual dimorphism and body temperatures of *Sceloporus siniferus* from Guerrero Mexico. Western North The American Naturalist 61: 498-500.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2002. Body temperature and sexual dimorphism of *Sceloporus aeneus* and *Sceloporus palaciosi* from Mexico. Amphibia-Reptilia 23: 114-119.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2003. Diets of three species of knob-scaled lizards (genus *Xenosaurus*) from Mexico. The Southwestern Naturalist 48: 119-122.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2003. Ecology of *Xenosaurus grandis agrenon*, a Knob-Scaled Lizard from Oaxaca, Mexico. Journal of Herpetology, 37: 192-196.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2003. Variation in growth and demography of a knob-scaled lizard (*Xenosaurus newmanorum*: Xenosauridae) from a seasonal tropical environment in Mexico. Biotropica 35: 240-243.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2004. Aspects of the ecology of a distinct population of *Xenosaurus platyceps* from Queretaro, Mexico. Amphibia-Reptilia 25: 204-210.
- Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2004. Diets of four species of horned lizards (genus *Phrynosoma*) from Mexico. Herpetological Review 35: 131-134.
- Lemos-Espinal, J. A., Smith, H. M. and Chiszar, D. 2004. Introduction to the amphibians and reptiles of the state of Chihuahua, Mexico. Universidad Nacional Autonoma de Mexico.
- Lemos-Espinal, J. A., Smith, G. R. and Woolrich-Pina, G. A. 2012. The family Xenosauridae in Mexico. Herpetological Publishing and Distribution, Rodeo, NM.
- Lemos-Espinal, J. A., Smith, H. M. and Cruz, A. 2013. Amphibians & reptiles of the Sierra Tarahumara of Chihuahua, Mexico. ECO herpetological Publishing & Distribution, NM.
- Lemos-Espinal, J. A., Smith, H. M., Dixon, J. R. and Cruz, A. 2015. Amphibians and reptiles of Sonora, Chihuahua and Coahuila, Mexico. CONABIO, Mexico City.
- Lemos-Espinal, J. A., Smith, G. R. and Cruz, A. 2016. Amphibians and reptiles of the state of Nuevo Leon, Mexico. ZooKeys 594: 123-141.
- Lemos-Espinal, J. A., Walker, J. M. and Smith, H. M. 2017. *Aspidoscelis uniparens* (desert grassland whiptail). Reproduction. Herpetological Review 48: 639.
- Lemos-Espinal, J. A., Wylie, D. B. and Smith, G. R. 2017. New distributional records for reptiles from Nuevo Leon, Mexico. Herpetology Notes, 10: 639-641.
- Lemos-Espinal, J. A., Smith, G. R., Gadsden-Esparza, H., Valdez-Lares, R. and Woolrich-Pina, G. A. 2018. Amphibians and reptiles of the state of Durango, Mexico, with comparisons with adjoining states. ZooKeys 748: 65-87.
- Lemos-Espinal, J. A., Smith, G. R., Woolrich-Pina, G. A. 2018. Amphibians and reptiles of the state of San Luis Potosi, Mexico, with comparisons with adjoining states. ZooKeys 753: 83-106.
- Lemos-Espinal, J. A., Smith, G. R. and Rorabaugh, J. C. 2019. A conservation checklist of the amphibians and reptiles of Sonora, Mexico, with updated species lists. ZooKeys 829: 131-160.
- Lenart, L., Powell, R., Parmerlee, J. S., Smith, D. and Lathrop, A. 1994. The diet and a gastric parasite of *Anolis armouri*, a cytoid anole from montane pine forests in southern Hispaniola. Herpetol. Herpetological Natural History
- Lenart, L. A., Parmerlee, J. S. and Powell, R. 1995. *Anolis armouri*. Catalogue of American Amphibians and Reptiles 607: 1-3.
- Leptien, R. and Bohme, W. 1994. First captive breeding of *Lacerta (Omanosaura) cyanura* Arnold, 1972, with comments on systematic implications posed by the reproductive pattern and the juvenile dress (Squamata: Sauria: Lacertidae). Herpetozoa, 7: 3-9.
- Leptien, R. and Lui, W. 1997. Ein Gecko von der alten Seidenstrasse im Nordwesten Chinas, *Teratoscincus roborowskii* Von Bedriaga, 1906. Sauria 19: 3-6.
- Les, A. M. and Powell, R. 2014. *Anolis smaragdinus*. Catalogue of American Amphibians and Reptiles 902: 1-14.
- Lescure, J. and de Massary, J-C. (coordinators) 2012. Atlas des amphibiens et reptiles de France. Biotope - Museum National d'Histoire Naturelle, Paris.
- Lettink, M. and Hare, K. M. 2016. Sampling techniques for New Zealand lizards. Pages 269-291 in Chapple, D. G. Editor. New Zealand lizards. Springer, New York.
- Lettink, M. and Monks, J. M. 2016. Survey and monitoring methods for New Zealand lizards. Journal of the Royal Society of New Zealand 46: 16-28.
- Lettink, M. and Whitaker, T. 2006. Hoplodactylus maculatus. Longevity. Herpetological Review 37: 223-224.
- Lettink, M., O'Donnell, C. F. J. and Hoare, J. M. 2011. Accuracy and precision of skink counts from artificial retreats. New Zealand Journal of Ecology 35: 236-246.
- Leung, T. L. F. and Koprivnikar, J. 2019. Your infections are what you eat: how host ecology shapes the helminth parasite communities of lizards. Journal of Animal Ecology 88: 416-426.
- Levins, R. and Heatwole, H. 1973. Biogeography of the Puerto Rican Bank: introduction of species onto Palominitos island. Ecology, 54: 1056-1064.
- Leviton, A. E. 1959. Report on a collection of reptiles from Afghanistan. Proceedings of the California Academy of Sciences 29: 445-463.
- Leviton, A. E. and Anderson, S. C. 1967. Survey of the reptiles of the Sheikdom of Abu Dhabi, Arabian Peninsula. Part II. Systematic account of the collection of reptiles made in the Sheikdom of Abu Dhabi by John Gasperetti. Proceedings of the California Academy of Sciences, 35: 157-192.
- Leviton, A. E. and Anderson, S. C. 1970. The amphibians and reptiles of Afghanistan, a checklist and key to the herpetofauna. Proceedings of the California Academy of Sciences 38: 163-206.
- Leviton, A. E. and Anderson, S. C. 1984. Description of a new species of *Cyrtodactylus* from Afghanistan with remarks on the status of *Gymnodactylus longipes* and *Cyrtodactylus fedtschenkoi*. Journal of Herpetology 18: 270-276.
- Leviton, A. E. and Anderson, S. C. 2010. The herpetological literature for Southwestern Asia. Occasional papers of the California Academy of Sciences 157: 1-622.
- Leviton, A. E. and Banta, B. H. 1964. Midwinter reconnaissance of the herpetofauna of the Cape Region of Baja California, Mexico. Proceedings of the California Academy of Sciences 30: 127-156.
- Leviton, A. E., Anderson, S. C., Adler, K. and Minton, S. A. 1992. Handbook to Middle East Amphibians and Reptiles. Society for the Study of Amphibians and Reptiles, St. Louis.
- Lewbart, G. A., Valle, C. A. and Munoz-Perez, J. P. 2017. *Microlophus indefatigabilis* (lava lizard). Diet. Herpetological Review 48: 851-852.
- Lewinsohn, C. and Fishelson, L. 1967. The second Israel South Red Sea Expedition 1965. (general report). Israel Journal of Zoology, 16: 59-68.
- Lewis, A. R., Tirado, G. and Sepulveda, J. 2000. Body size and paternity in a Teiid lizard (*Ameiva exsul*). Journal of Herpetology, 34: 110-120.
- Lewis, D. S., Vogel, P. and Wilson, B. S. 2008. Survival, dispersal, and home range of headstarted Jamaican iguanas, *Cyclura collei*. Caribbean Journal of Science, 44: 423-425.
- Leynaud, G. C. and Bucher, E. H. 2005. Restoration of degraded Chaco woodlands: Effects on reptile assemblages. Forest Ecology and Management, 213: 384-390.
- Leyte-Manrique, A. and Ramirez-Bautista, A. 2010. Diet of two populations of *Sceloporus grammicus* (Squamata: Phrynosomatidae) from Hidalgo, Mexico. Southwestern Naturalist 55: 98-103.
- Leyte-Manrique, A., Barrera-Hernandez, O., Serrano-Munoz, C. and Ramirez-Bautista, A. 2011. *Sceloporus minor* (minor spiny lizard). Herbivory. Herpetological Review 42: 608-609.
- Leyte-Manrique, A., Berriozabal-islas, C., Mata-Silva, V. and Morales-Castorena, J. P. 2018. Herpetofaunal diversity in Area Natural Protegida Las Musas, Guanajuato, Mexico. Mesoamerican Herpetology 5: 122-136.
- Leyte-Manrique, A., Abel Antonio, B. C., Miguel Alejandro, T. D., Berriozabal-Islands, C. and Maciel-Mata, C. A. 2019. A Comparison of Amphibian and Reptile Diversity Between Disturbed and Undisturbed Environments of Salvatierra, Guanajuato, Mexico. Tropical Conservation Science, 12: 1-12.

- Li 2007
- Li et al. 2009a
- Li et al. 2009b
- Li et al. 2010a
- Li et al. 2010b
- Li et al. 2011
- Li et al. 2012
- Li et al. 2013a
- Li et al. 2013b
- Li et al. 2014a
- Li et al. 2014b
- Li et al. 2017
- Lian et al. 2012
- Liang and Shi 2017
- Liang and Shi 2018
- Liang et al. 2017
- Liang et al. 2018a
- Liang et al. 2018b
- Licht and Gorman 1970
- Licht et al. 1966
- Lieb 1990
- Light et al. 1966
- Lillywhite 2016
- Lim and Lim 1997
- Lima and da Rocha 2006
- Lima and de Sousa 2006
- Lima et al. 2001
- Lima et al. 2012
- Lima et al. 2014a
- Lima et al. 2014b
- Lin and Cheng 1981
- Lin and Cheng 1990
- Lin and Nelson 1980
- Lin and Wiens 2017
- Lin et al. 2003
- Lin et al. 2007
- Lin et al. 2017
- Lin et al. 2019
- Linares and Eterovick 2013
- Lindenmayer and Scheele 2017
- Liner 2007
- Liner and Dixon 1992
- Liner and Dixon 1994
- Liniewski et al. 2016
- Linkem and Brown 2013
- Linkem et al. 2008
- Linkem et al. 2010a
- Linkem et al. 2010b
- Linsdale 1932
- Lisboa and Freire 2012
- Li, P.-P. 2007. Description of a new subspecies of *Cyrtodactylus khasiensis* from China. *Acta Zootaxonomica Sinica*, 32: 733-737.
- Li, H., Qu, Y.-F., Hu, R.-B. and Ji, X. 2009. Evolution of viviparity in cold-climate lizards: testing the maternal manipulation hypothesis. *Evolutionary Ecology* 23: 777-790.
- Li, H., Wang, Z., Mei, W.-B. and Ji, X. 2009. Temperature acclimation affects thermal preference and tolerance in three *Eremias* lizards (Lacertidae). *Current Zoology* 55: 258-265.
- Li, P., Zhao, E. and Dong, B. 2010. Amphibians and reptiles of Tibet. Science Press, Beijing.
- Li, W.-R., Song, Y.-C. and Shi, L. 2010. Age determination of *Teratoscincus roborowskii* (Gekkonidae) by skeletochronology. *Chinese Journal of Zoology* 45: 79-86.
- Li, H., Qu, Y.-F., Ding, G.-H. and Ji, X. 2011. Life-history variation with respect to experienced thermal environments in the lizard, *Eremias multiocellata* (Lacertidae). *Zoological Science* 28: 332-338.
- Li, H., Wang, Z., Chen, C. and Ji, X. 2012. Does the variance of incubation temperatures always constitute a significant selective force for origin of reptilian viviparity? *Current Zoology* 58: 812-819.
- Li, C., Lian, X., Tang, S., Bi, J. and Jiang, Z. 2013. Diet, food intake of *Phrynocephalus frontalis* (Agamidae) and its potential role in desert habitat. *Asian Herpetological Research*, 4: 248-253.
- Li, W. R., Song, Y. C. and Shi, L. 2013. The home range of *Teratoscincus roborowskii* (Gekkonidae): influence of sex, season, and body size. *Acta Ecologica Sinica*, 33: 395-401.
- Li, B., Belasen, A., Pafilis, P., Bednekoff, P. and Foufopoulos, J. 2014. Effects of feral cats on the evolution of anti-predator behaviours in island reptiles: insights from an ancient introduction. *Proceedings of the Royal Society of London B*: 281: 20140339.
- Li, J., Zhou, R. and Liu, N. 2014. Life-history variation among three populations of the toad-headed lizard *Phrynocephalus vlangalii* along an elevation gradient on the northeastern Tibetan Plateau. *Herpetological Journal* 24: 17-23.
- Li, S. R., Wang, Y., Ma, L., Zeng, Z. G., Bi, J. H. and Du, W. G. 2017. Thermal ecology of three coexistent desert lizards: implications for habitat divergence and thermal vulnerability. *Journal of Comparative Physiology B*, 187: 1009-1019.
- Lian, X., Jiang, Z., Ping, X., Tang, S., Bi, J. and Li, C. 2012. Spatial distribution pattern of the steppe toad-headed lizard (*Phrynocephalus frontalis*) and its influencing factors. *Asian Herpetological Research* 3: 46-51.
- Liang, T. and Shi, L. 2017. Sexual dimorphism and morphological variation of three populations of *Phrynocephalus helioscopus*: test of Bergmann's rule, Allen's rules and Rensch's rule. *Sichuan Journal of Zoology* 36: 249-257.
- Liang, T. and Shi, L. 2018. Egg shape allometry and egg size number trade-off in the steppe racerunner (*Eremias arguta*). *Chinese Journal of Ecology*, 37: 2761-2767.
- Liang, S., Li, W., Zhang, Y., Tang, X., He, J., Bai, Y., Li, D., Wang, Y. and Chen, Q. 2017. Seasonal variation of metabolism in lizard *Phrynocephalus vlangalii* at high altitude. *Comparative Biochemistry and Physiology A: Molecular & Integrative Physiology*, 203: 341-347.
- Liang, T., Li, Y., Zheng, P. and Shi, L. 2018. Sexual dimorphism and female reproduction of *Eremias arguta*. *Arid Zone Research* 35: 1160-1166.
- Liang, T., Zhou, L., He, W., Xiao, L. and Shi, L. 2018. Variations in the reproductive strategies of three populations of *Phrynocephalus helioscopus* in China. *PeerJ*, 6: e5705.
- Licht, P. and Gorman, G. C. 1970. Reproductive and fat cycles in Caribbean Anolis lizards. *University of California Publications in Zoology* 35: 1-52.
- Licht, P., Dawson, W. R. and Shoemaker, V. R. 1966. Heat resistance of some Australian lizards. *Copeia*, 1966: 162-169.
- Lieb, C. S. 1990. Eumeces tetragrammus. *Catalogue of American Amphibians and Reptiles* 492: 1-4.
- Light, P., Dawson, W. R., Shoemaker, V. H. and Main, A. R. 1966. Observations on the thermal relations of Western Australian lizards. *Copeia*, 1966: 97-110.
- Lillywhite, H. B. 2016. Behavior and physiology: An ecological and evolutionary viewpoint on the energy and water relations of ectothermic amphibians and reptiles. pages 1-39 in *Amphibian and Reptile Adaptations to the Environment: interplay Between Physiology and Behavior* (edited by D. V. de Andrade, C. R. Bevier, and J. E. de Carvalho). CRC Press, London.
- Lim, K. K. P. and Lim, L. J. 1999. The terrestrial herpetofauna of Pulau Tioman, Peninsular Malaysia. *Raffles Bulletin of Zoology, Supplement* 6: 131-155.
- Lima, A. F. B. and da Rocha, P. L. B. 2006. Ontogenetic change in plant consumption by *Tropidurus psammomastes*, Rodrigues, Kasahara & Yonenaga-Yassuda, 1988 (Tropiduridae), a lizard endemic to the dunes of the Sao Francisco River, Bahia, Brazil. *Revista Brasileira de Zoociencias* 8: 67-75.
- Lima, A. F. B. and de Sousa, B. M. 2006. Court and copulation behaviors of *Enyalius perditus* Jackson, 1978 (Squamata, Leiosauridae) in captivity conditions. *Revista Brasileira de Zoociencias* 8: 193-197.
- Lima, A. P., Suarez, F. I. O. and Higuchi, N. 2001. The effects of selective logging on the lizards *Kentropyx calcarata*, *Ameiva ameiva* and *Mabuya nigropunctata*. *Amphibia-Reptilia* 22: 209-216.
- Lima, D. C., Passos, D. C. and Borges-Nojosa, D. M. 2012. Communal nests of *Phyllodactylus periosus*, an endemic gecko of the Caatinga of northeastern Brazil. *Salamandra* 47: 227-228.
- Lima, A., Miralles, A., Glaw, F., Ahlborg, J., Börner, M., Hoven, J. F., Kruse, B., Kussner, F., Ludwig, M., Molde, F., Michel, A.-M., Müller, K., Panpeng, S., Schneider, C., Worm, J. and Vences, M. 2014. A preliminary assessment of morphological differentiation between two common Malagasy skink species, *Trachylepis elegans* and *T. gravenhorstii*. *Herpetology Notes*, 7: 247-260.
- Lima, F. A. N. S., Gasparini, J. L., Almeida, A. P., Vital, M. V. C. and Mott, T. 2014. Sexual dimorphism in *Amphisbaena nigricauda* (Reptilia, Squamata, Amphisbaenidae) from Southeastern Brazil. *Iheringia, Serie Zoologia* 104: 299-304.
- Lin, J.-Y. and Cheng, H.-Y. 1981. A new species of *Takydromus* (Sauria: Lacertidae) from Taiwan. *Bulletin of the Institute of Zoology Academia Sinica (Taipei)* 20: 43-47.
- Lin, C.-i. and Cheng, H.-Y. 1990. Tai-wan hsi I chih [A synopsis of the lizards of Taiwan]. [Taiwan Museum], T'ai-peh. 176 pp.
- Lin, J.-Y. and Nelson, C. 1980. Comparative reproductive biology of two sympatric tropical lizards *Chamaeleo jacksonii* Boulenger and *Chamaeleo hoehnelii* Steindachner (Sauria: Chamaeleonidae). *Amphibia-Reptilia* 1: 287-311.
- Lin, L. H. and Wiens, J. J. 2017. Comparing macroecological patterns across continents: evolution of climatic niche breadth in varanid lizards. *Ecography*, 40: 960-970.
- Lin, S.-M., Chang, W.-S., Chen, S.-L., Shang, G. and Lue, K.-Y. 2003. Taxonomic status of the legless lizard *Ophisaurus* (Squamata: Anguidae) in Taiwan: molecular data, morphology, and literature review. *Zoological Studies* 42: 411-418.
- Lin, C.-X., Du, Y., Qiu, Q.-B. and Ji, X. 2007. Relatively high but narrow incubation temperatures in lizards depositing eggs in warm and thermally stable nests. *Acta Zoologica Sinica* 53: 437-445.
- Lin, J.-W., Chen, Y.-R., Wang, Y.-H., Hung, K.-C. and Lin, S.-M. 2017. Tail regeneration after autotomy revives survival: a case from a long-term monitored lizard population under avian predation. *Proceedings of the Royal Society of London B*: 284: 20162538.
- Lin, T. E., Chen, T. Y., Wei, H. L., Richard, R. and Huang, S. P. 2019. Low cold tolerance of the invasive lizard *Eutropis multifasciata* constrains its potential elevation distribution in Taiwan. *Journal of Thermal Biology* 82: 115-122.
- Linares, A. M. and Eterovick, P. C. 2013. Herpetofaunal surveys support successful reconciliation ecology in secondary and human modified habitats at the inhotim institute, southeastern Brazil. *Herpetologica*, 69: 237-256.
- Lindenmayer, D. and Scheele, B. 2017. Do not publish. *Science* 356: 800-802.
- Liner, E. A. 2007. A checklist of the amphibians and reptiles of Mexico. *Occasional Papers of the Museum of Natural Science, Louisiana State University*, 80: 1-60.
- Liner, E. A. and Dixon, J. R. 1992. A new species of the *Sceloporus scalaris* group from Cerro Pena Nevada, Nuevo Leon, Mexico (Sauria: Iguanidae). *Texas Journal of Science* 44: 421-427.
- Liner, E. A. and Dixon, J. R. 1994. *Sceloporus chaneyi*. *Catalogue of American Amphibians and Reptiles* 588: 1.
- Liniewski, R., Stanley, S., Andrade, J. and Senter, P. 2016. Vestigial appendicular skeletons in the African and Malagasy skink species *Feylinia grandisquamis*, *Melanoseps ater*, *Grandidierina lineata* and *Voeltzkowia mira*. *African Journal of Herpetology*, 65: 39-46.
- Linkem, C. W. and Brown, R. M. 2013. Systematic revision of the *Parvoscincus decipiens* (Boulenger, 1894) complex of Philippine forest skinks (Squamata: Scincidae: Lygosominae) with descriptions of seven new species. *Zootaxa* 3680: 1-22.
- Linkem, C. W., McGuire, J. A., Hayden, C. J., iqbal, M., Setiadi, Bickford, D. P. and Brown, R. M. 2008. A new species of bent-toe gecko (Gekkonidae: Cyrtodactylus) from Sulawesi island, eastern Indonesia. *Herpetologica*, 64: 224-232.
- Linkem, C. A., Diesmos, A. C. and Brown, R. M. 2010. A new scincid lizard (Genus *Sphenomorphus*) from Palawan island, Philippines. *Herpetologica* 66: 67-79.
- Linkem, C. A., Hesed, K., Diesmos, A. C. and Brown, R. M. 2010. Species boundaries and cryptic lineage diversity in a Philippine forest skink complex (Reptilia: Squamata: Scincidae: Lygosominae). *Molecular Phylogenetics and Evolution*, 55: 345-356.
- Linsdale, J. M. 1932. Amphibians and reptiles from lower California. *University of California Publications in Zoology* 38: 345-386.
- Lisboa, C. M. C. A. and Freire, E. M. X. 2012. Population density, habitat selection and conservation of *Coleodactylus natalensis* (Squamata: Sphaerodactylidae) in an urban fragment of Atlantic Forest in Northeastern Brazil. *South American Journal of Herpetology*, 7: 181-190.

- Lisboa et al. 2016
- Lissone 1999
- Litmer and Murray 2019
- Litvinchuk and Skorinov 2018
- Litvinov 2007
- Litvinov and Ganschuk 2005
- Liu et al. 2010
- Liu et al. 2012
- Liu et al. 2019a
- Liu et al. 2019b
- Ljubisavljevic et al. 2006
- Ljubisavljevic et al. 2007a
- Ljubisavljevic et al. 2007b
- Ljubisavljevic et al. 2008
- Ljubisavljevic et al. 2012
- Ljubisavljevic ET AL. 2015
- Ljubisavljevic et al. 2016
- Ljubisavljevic et al. 2017
- Ljubisavljevic et al. 2018
- Ljungstrom et al. 2016
- Llanqui et al. 2019
- Lloyd et al. 1968
- Lo Cascio and Corti 2005
- Lo Cascio and Riviere 2016
- Lo Cascio et al. 2006
- Loader et al. 2004
- Lobo and Abdala 2007
- Lobo and Espinoza 1999
- Lobo and Espinoza 2004
- Lobo and Etheridge 2013
- Lobo and Nenda 2015
- Lobo and Quinteros 2005a
- Lobo and Quinteros 2005b
- Lobo et al. 2007
- Lobo et al. 2010a
- Lobo et al. 2010b
- Lobo et al. 2010c
- Lobo et al. 2012
- Lobo et al. 2013
- Lobo et al. 2018
- Lobon-Rovira et al. 2019
- Loc-Barragan et al. 2016
- Loehr 2010
- Logan et al. 2013
- Lokasola et al. 2017
- Londono-Guarnizo et al. 2017
- Lisboa, C. M. C. A., Sales, R. F. D., de Macedo, B. R. M. and Freire, E. M. X. 2016. Diet of *Amphisbaena heathi* Schmidt, 1936 (Squamata: Amphisbaenidae) from remnants of the Atlantic Forest, Northeastern Brazil, with notes on distribution, diagnosis and conservation. *South American Journal of Herpetology*, 11: 12-17.
- Lisstone, I. 1999. *Tiliqua scincoides*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Litmer, A. R. and Murray, C. M. 2019. Critical thermal tolerance of invasion: Comparative niche breadth of two invasive lizards. *Journal of Thermal Biology*, 86: 102432.
- Litvinchuk, S. N. and Skorinov, D. V. 2018. The northernmost record of the western meadow lizard, *Darevskia pontica* (Lantz et Cyren, 1918). *Russian Journal of Herpetology* 25: 25-30.
- Litvinov, N. A. 2007. Microclimatic conditions of habitat and body temperature of *Alsophylax pipiens* (Reptilia, Sauria). *Zoologiceskij Zurnal* 86: 236-241.
- Litvinov, N. and Ganschuk, S. 2005. Environment and body temperatures of reptiles in Volga-Ural Region. *Herpetologia Petropolitana: Proceedings of the 12th Ordinary General Meeting of the Societas Europaea Herpetologica*, 179.
- Liu, Y., Song, Y. C., Li, W. R. and Shi, L. 2010. Sexual dimorphism in head and body size of *Teratoscincus roborowskii* and its food habits in different seasons. *Chinese Journal of Ecology* 29: 333-338.
- Liu, Y., Song, Y., Li, W. and Shi, L. 2012. Reproductive strategy and cycle of the toad-headed agama *Phrynocephalus grumgrzimailoi* (Agamidae) in Xinjiang, China. *Asian Herpetological Research* 3: 198-204.
- Liu, E. F., Buchanan, C. A., Eifler, M. A. and Eifler, D. A. 2019. *Meroles anchietae* (Anchieta's shovel-snouted lizard). Cannibalism. *Herpetological Review* 50: 580.
- Liu, J., Guo, X., Chen, D., Li, J., Yue, B. and Zeng, X. 2019. Diversification and historical demography of the rapid racerunner (*Eremias velox*) in relation to geological history and Pleistocene climatic oscillations in arid Central Asia. *Molecular Phylogenetics and Evolution* 130: 244-258.
- Ljubisavljevic, K., Orlova, V. F., Dzukic, G., and Kalezic, M. L. 2006. Geographic patterns in morphological variation of the meadow lizard, *Darevskia praticola* (Lacertidae): taxonomical and biogeographical implications. *Periodicum Biologorum* 108: 47-56.
- Ljubisavljevic, K., Arribas, O., Dzukic, G. and Carranza, S. 2007. Genetic and morphological differentiation of Mosor rock lizards, *Dinarolacerta mosorensis* (Kolombatović, 1886), with the description of a new species from the Prokletije Mountain Massif (Montenegro) (Squamata: Lacertidae). *Zootaxa* 1613: 1-22.
- Ljubisavljevic, K., Polovci, L., Kolarov, N. T., Dzuki, G. and Kalezi, M. L. 2007. Female life history characteristics of the Mosor rock lizard, *Dinarolacerta mosorensis* (Kolombatović, 1886) from Montenegro (Squamata: Lacertidae). *Journal of Natural History*, 41: 2979-2993.
- Ljubisavljevic, K., Dzukic, G. and Kalezic, M. L. 2008. Female reproductive life history traits of the meadow lizard, *Darevskia praticola* (Eversmann, 1834) (Squamata: Lacertidae) from the westernmost boundary of the species range. *Polish Journal of Ecology* 56: 289-297.
- Ljubisavljevic, K., Glasnovic, P., Kalan, K. and Krystufek, B. 2012. Female reproductive characteristics of the Horvath's rock lizard (*Iberolacerta horvathi*) from Slovenia. *Archives of Biological Science Belgrade*, 64: 639-645.
- Ljubisavljevic, K., Tomovic, L., Simovic, A., Krizmanic, I., Ajtic, R., Jovic, D., Urosevic, A., Labus, N., Dordevic, S., Golubovic, A., Andelkovic, M. and Dzukic, G. 2015. Filling in the gaps in distribution data of the Snake-eyed skink *Ablepharus kitaibelii* Bibron and Bory, 1833 (Scincidae) in Serbia. *Ecologica Montenegrina*, 2: 247-254.
- Ljubisavljevic, K., Polovic, L., ikovic, V., Vuksanovic, S., Zagora, V., Urosevic, A. and Tomovic, L. 2016. New records and updated distribution of the endemic Balkan rock lizards *Dinarolacerta* spp. In Montenegro. *Ecologica Montenegrina*, 2: 247-254.
- Ljubisavljevic, K., Polovic, L., ikovic, V., Vuksanovic, S. and Vukov, T. D. 2017. Habitat use of endemic Balkan rock lizards (*Dinarolacerta* spp.). *Salamandra* 53: 279-284.
- Ljubisavljevic, K., Tomovic, L., Urosevic, A., Gvozdenovic, S., ikovic, V., Zagora, V. and Labus, N. 2018. Species diversity and distribution of lizards in Montenegro. *Acta Herpetologica* 13: 3-11.
- Ljungstrom, G., Stjernstedt, M., Wapstra, E. and Olson, M. 2016. Selection and constraints on offspring size-number trade-offs in sand lizards (*Lacerta agilis*). *Journal of Evolutionary Biology* 29: 979-990.
- Llanqui, I. B., Salas, C. Y. and Oblitas, M. P. 2019. A preliminary checklist of amphibians and reptiles from the vicinity of La Nube Biological Station, Bahuaja-Sonene National Park, Peru. *Check List* 15): 773-796.
- Lloyd, M., Inger, R. F. and King, F. W. 1968. On the diversity of reptile and amphibian species in a Bornean rain forest. *The American Naturalist*, 102: 497-515.
- Lo Cascio, P. and Corti, C. 2006. The micro-insular distribution of the genus *Podarcis* within the Aeolian Archipelago: historical vs. palaeogeographical interpretation. Pages 91-102 in C. Corti, P. Lo Cascio, and M. Biaggini, editors. *Mainland and insular lacertid lizards: a mediterranean perspective*. Firenze University Press, Firenze.
- Lo Cascio, P. and Riviere, V. 2016. An updated herpetofaunal inventory for some islets of South-Eastern Tunisia. *Biodiversity Journal*, 7: 325-330.
- Lo Cascio, P., Luiselli, L. and Corti, C. 2006. Preliminary data on the ecology of *Podarcis filfolensis* of Lampione islet (Pelagian islands, Channel of Sicily, Italy). Pages 103-110 in C. Corti, P. Lo Cascio, and M. Biaggini, editors. *Mainland and insular lacertid lizards: a Mediterranean perspective*. Firenze University Press, Florence.
- Loader, S. P., Poynton, J. C. and Mariaux, J. 2004. Herpetofauna of Mahenge Mountain, Tanzania: a window on African biogeography. *African Zoology*, 39: 71-76.
- Lobo, F. and Abdala, C. S. 2007. Descripcion de una nueva especie de *Phymaturus* del grupo de *P. palluma* de la Provincia de Mendoza, Argentina. *Cuadernos de Herpetología*, 21: 103-113.
- Lobo, F. and Espinoza, R. E. 1999. Two new cryptic species of *Liolaemus* (Iguania: Tropiduridae) from northwestern Argentina: resolution of the purported reproductive bimodality of *Liolaemus alticolor*. *Copeia* 1999: 122-140.
- Lobo, F. and Espinoza, R. E. 2004. Two new *Liolaemus* from the Puna region of Argentina and Chile: further resolution of purported reproductive bimodality in *Liolaemus alticolor* (Iguania: Liolaemidae). *Copeia* 2004: 850-866.
- Lobo, F. and Etheridge, R. 2013. The type locality of *Phymaturus palluma* (Molina, 1782) (Reptilia: Iguania: Liolaemidae) and the status of *Phymaturus adrianae* Pereyra, 1992 and other unnamed populations. *South American Journal of Herpetology* 8: 89-101.
- Lobo, F. and Nenda, S. J. 2015. Discovery of two new species of *Phymaturus* (Iguania: Liolaemidae) from Patagonia, Argentina, and occurrence of melanism in the patagonicus group. *Cuadernos de Herpetología* 29: 5-25.
- Lobo, F. and Quinteros, S. 2005. A morphology-based phylogeny of *Phymaturus* (Iguania: Liolaemidae) with the description of four new species from Argentina. *Papeis Avulsos de Zoologia* 45: 143-177.
- Lobo, F. and Quinteros, S. 2005. Taxonomic studies of the genus *Phymaturus* (Iguania: Liolaemidae): redescription of *Phymaturus patagonicus* Koslowsky 1898, and revalidation and redescription of *Phymaturus spurus* Barbour 1921. *Journal of Herpetology* 39: 533-540.
- Lobo, F., Quinteros, S. and Diaz, J. M. 2007. Description of a new species of the *Liolaemus alticolor* group (Iguania: Liolaemidae) from Cuzco, Peru. *Herpetologica*, 63: 537-543.
- Lobo, F., Abdala, S. and Valdecantos, S. 2010. Taxonomic studies of the genus *Phymaturus* (Iguania: Liolaemidae): description of four new species. *South American Journal of Herpetology* 5: 102-126.
- Lobo, F., Espinoza, R. E. and Quinteros, S. 2010. A critical review and systematic discussion of recent classification proposals for liolaemid lizards. *Zootaxa* 2549: 1-30.
- Lobo, F., Slodki, D. and Valdecantos, S. 2010. Two new species of lizards of the *Liolaemus montanus* group (Iguania: Liolaemidae) from the northwestern uplands of Argentina. *Journal of Herpetology*, 4: 279-293.
- Lobo, F., Abdala, C. and Valdecantos, S. 2012. Morphological diversity and phylogenetic relationships within a South-American clade of iguanian lizards (Liolaemidae: Phymaturus). *Zootaxa* 3315: 1-41.
- Lobo, F., Lasiuri, A. and Acosta, J. C. 2013. Description of new andean species of the genus *Phymaturus* (Iguania: Liolaemidae) from Northwestern Argentina. *Zootaxa* 3683: 117-132.
- Lobo, F., Barrasco, D. A., Paz, M. and Bassio, N. G. 2018. Phylogenetic relationships within a patagonian clade of reptiles (Liolaemidae: Phymaturus) based on DNA sequences and morphology. *Journal of Zoological Systematics and Evolutionary Research*, 56: 549-569.
- Lobon-Rovira, J., Belluardo, F., Crottini, A. and Rosa, G. M. 2019. Territorial behaviour in *Oplurus grandidieri* (Mocquard, 1900), a rock dwelling lizard from Madagascar. *Herpetology Notes*, 12: 783-786.
- Loc-Barragan, J. A., Ramirez-Silva, J. P. and Woolrich-Pina, G. 2016. Distribution Notes. *Heloderma horridum* (Weigmann, 1829). *Mesoamerican Herpetology* 3: 766-767.
- Loehr, V. C. T. 2010. Der rooiberg-gurtelschweif, *Cordylus imkeae* Mouton & Van Wyk, 1994: freilandbeobachtungen, pflege und zucht. *Sauria* 32: 53-60.
- Logan, M. L., Huynh, R. K., Precious, R. A. and Calsbeek, R. G. 2013. The impact of climate change measured at relevant spatial scales: new hope for tropical lizards. *Global Change Biology*, 19: 3093-3102.
- Lokasola, A. L., Lotana, C. B., Babangenge, G. B. and Gembu, C. 2017. Distributional data of the lizard fauna (Sauria) of the Maringa-Lopori-Wamba Landscape, Democratic Republic of the Congo. *Journal of Environmental Science and Engineering B*: 151-159.
- Londono-Guarnizo, C. A., Vanegas-Guerrero, J. and Gomez-Hoyos, D. A. 2017. *Stenocercus boliviensis* Castro y Ayala 1982. Catalogo de Anfibios y Reptiles de Colombia 3: 56-60.

- Loos et al. 2011
- Loos et al. 2012
- Lopes et al. 2019
- Lopez 2009
- Lopez and Gonzalez 1997
- Lopez et al. 1998
- Lopez et al. 2002
- Lopez-Alcaide et al. 2017
- Lopez-Moreno et al. 2016
- Lopez-Ortiz and Lewis 2002
- Lopez-Victoria 2006
- Lopez-Victoria et al. 2011
- Lorvelec et al. 2007
- Lorvelec et al. 2017
- Losos 1990
- Losos 1992
- Losos 1994
- Losos 1995
- Losos 2008
- Losos 2009
- Losos and de Queiroz 1997
- Losos and Greene 1988
- Losos and Parent 2010
- Losos and Spiller 1999
- Losos et al. 1994
- Losos et al. 1998
- Losos et al. 2006
- Losos et al. 2012
- Lotiev and Doronin 2011
- Lotti et al. 2012
- Lotzkat 2007a
- Lotzkat 2007b
- Lotzkat 2014
- Lotzkat et al. 2010
- Lotzkat et al. 2012
- Lotzkat et al. 2013
- Loubser et al. 2001
- Louette et al. 2004
- Loureiro et al. 2008
- Loveridge 1920
- Loveridge 1923
- Loveridge 1928
- Loveridge 1932a
- Loveridge 1932b
- Loveridge 1933a
- Loveridge 1933b
- Loveridge 1935a
- Loveridge 1935b
- Loveridge 1936a
- Loveridge 1936b
- Loveridge 1936c
- Loveridge 1938
- Loos, J., Dayan, T., Drescher, N., Levanony, T., Maza, E., Shacham, B., Talbi, R. and Assmann, T. 2011. Habitat preferences of the Levant Green Lizard, *Lacerta media Israelica* (Peters, 1964) (Reptilia: Lacertidae). *Zoology in the Middle East* 52: 17-28.
- Loos, J., Von Wehrden, H., Dang, K. N. and Ziegler, T. 2012. Niche segregation in microhabitat use of three sympatric Cyrtodactylus in the Phong Nha-Ke Bang National Park, central Vietnam. *Herpetological Conservation and Biology* 7: 1-6.
- Lopes, R. J., Pinho, C. J., Santos, B., Seguro, M., Mata, V. A., Egeter, B. and Vasconcelos, R. 2019. Intricate trophic links between threatened vertebrates confined to a small island in the Atlantic Ocean. *Ecology and Evolution* 9: 4994-5006.
- Lopez, P. 2009. *Culebrilla ciega - Blanus cinereus* (Vandelli, 1797), Version 10-05-2007. Enciclopedia virtual de los vertebrados Espanoles.
- Lopez, C. A. and Gonzalez, A. 1997. The lizard community from Cozumel island, Quintana Roo, Mexico. *Acta Zoologica Mexicana, Nueva Serie*, 72: 27-38.
- Lopez, P., Salvador, A. and Martin, J. 1998. Soil temperature, rock selection, and the thermal ecology of the amphisbaenian reptile *Blanus cinereus*. *Canadian Journal of Zoology* 76: 673-679.
- Lopez, P., Civantos, E. and Martin, J. 2002. Body temperature regulation in the amphisbaenian *Trogonophis wiegmanni*. *Canadian Journal of Zoology* 80: 42-47.
- Lopez-Alcaide, S., Nakamura, M., Smith, E.N. and Martinez-Meyer, E. 2017. Would behavioral thermoregulation enables pregnant viviparous tropical lizards to cope with a warmer world?. *Integrative Zoology* 12: 379-395.
- Lopez-Moreno, A. E., Rheubert, J. L., Perez-Almazan, C., Granados-Gonzalez, G., Hernandez-Hernandez, L. E., Gribbins, K. M. and Hernandez-Gallegos, O. 2016. Female reproductive cycle and clutch size of *Aspidoscelis costata* (Squamata: Teiidae) from Tonatico, Estado de Mexico. *Revista Mexicana de Biodiversidad*, 87: 1336-1341.
- Lopez-Ortiz, R. and Lewis, A. R. 2002. Seasonal abundance of hatchlings and gravid females of *Sphaerodactylus nicholsi* in Cabo Rojo, Puerto Rico. *Journal of Herpetology*, 36: 276-280.
- Lopez-Victoria, M. 2006. The lizards of Malpelo (Colombia): some topics on their ecology and threats. *Caldasia* 28: 129-134.
- Lopez-Victoria, M., Herron, P. E. and Botello, J. C. 2011. Notes on the ecology of the lizards from Malpelo island, Colombia. *Colombia Boletin de investigaciones Marinas y Costeras* 40: 79-89.
- Lorvelec, O., Pascal, M., Pavie, C. and Feldmann, P. 2007. Amphibians and reptiles of the French West Indies: inventory, threats and conservation. *Applied Herpetology* 4: 131-161.
- Lorvelec, O., Barre, N., Chalifour, J., Teynie, A., Pisani, B. and Hedges S. B. 2017. Discovery of a population of *Spondylurus powelli* (Squamata: Mabuyidae) on ile Tintamarre (Saint-Martin, French Antilles) and comments on relationships among skinks of the Anguilla Bank. *Caribbean Herpetology* 59: 1-8.
- Losos, J. B. 1990. Ecomorphology, performance capability, and scaling of West Indian Anolis lizards: an evolutionary analysis. *Ecological Monographs*, 60: 369-388.
- Losos, J. B. 1992. The evolution of convergent structure in Caribbean Anolis communities. *Systematic Biology*, 41: 403-420.
- Losos, J. B. 1994. Integrative approaches to evolutionary ecology: Anolis lizards as a model system. *Annual Review of Ecology and Systematics* 25: 467-493.
- Losos, J. B. 1995. Community evolution in Greater Antillean Anolis lizards: phylogenetic patterns and experimental tests. *Philosophical Transactions of the Royal Society of London B*, 349: 69-75.
- Losos, J. B. 2009. Lizards in an evolutionary tree: ecology and adaptive radiation of island anoles. *Proceedings of the Symposium on the Lacertids of the Mediterranean Basin*, 6: 36.
- Losos, J. B. 2009. Lizards in an evolutionary tree: ecology and adaptive radiation of Anoles. University of California Press, Berkeley.
- Losos, J. B. and de Queiroz, K. 1997. Evolutionary consequences of ecological release in Caribbean Anolis lizards. *Biological Journal of the Linnean Society* 61: 459-483.
- Losos, J. B. and Greene, H. W. 1988. Ecological and evolutionary implications of diet in monitor lizards. *Biological Journal of the Linnean Society* 35: 379-407.
- Losos, J. B. and Parent, C. E. 2010. The speciation-area relationship. Pages 415-438 in Losos, J. B. and Ricklefs, R. E., editors, *The theory of island biogeography revisited*. Princeton University Press, Princeton.
- Losos, J. B. and Spiller, D. A. 1999. Differential colonization success and assymmetrical interactions between two lizard species. *Ecology* 80: 252-258.
- Losos, J. B., Irschick, D. J. and Schoener, T. W. 1994. Adaptation and constraint in the evolution of specialization of Bahamian Anolis lizards. *Evolution* 48: 1786-1798.
- Losos, J. B., Jackman, T. R., Larson, A., de Queiroz, K. and Schettino, L. R. 1998. Contingency and determinism in replicated adaptive radiations of island lizards. *Science* 279: 2115-2118.
- Losos, J. B., Glor, R. E., Kolbe, J. J. and Nicholson, K. 2006. Adaptation, speciation, and convergence: a hierarchical analysis of adaptive radiation in Caribbean Anolis lizards. *Annals of the Missouri Botanical Garden* 93: 24-33.
- Losos, J. B., Woolley, M. L., Mahler, D. L., Torres-Carvajal, O., Crandell, K. E., Schaad, E. W., Narvaez, A. E., Ayala-Varela, F. and Herrel, A. 2012. Notes on the natural history of the little known Ecuadorian horned anole, *Anolis Proboscis*. *Breviora*, 531:1-17 .
- Lotiev, K. J. and Doronin, I. V. 2011. *Vedenskaya lizard, Darevskia caucasica vedenica* (Darevsky and Roitberg, 1999): its study history, taxonomy and distribution. *Current Studies in Herpetology* 11: 48-54.
- Lotti, S., Catelani, T. and Lanza, B. 2012. Amphibia and Reptilia donated by Benedetto Lanza to the Museo di Storia Naturale, University of Florence, plus updating of and corrections to the previous catalogues. 3. Reptilia Eublepharidae and Gekkonidae. *Atti del Museo Civico di Storia Naturale di Trieste*, 55: 25-68.
- Lotzkat, S. 2007. Taxonomia y zoogeografia de la herpetofauna del Macizo de Nirgua, Venezuela. MSc. Thesis, Johann Wolfgang Goethe-Universität Frankfurt am Main.
- Lotzkat, S. 2007. Taxonomie und zoogeographie der herpetofauna des Nirgua-Massivs, Venezuela. MSc Thesis, Johann Wolfgang Goethe-Universität, Frankfurt am Main.
- Lotzkat, S. 2014. Diversity, taxonomy, and biogeography of the reptiles inhabiting the highlands of the Cordillera Central (Serrania de Talamanca and Serrania de Tabasara) in western Panama. PhD Dissertation, Goethe-Universität in Frankfurt am Main.
- Lotzkat, S., Hertz, A., Stadler, L., Hamad, N., Carrizo, A. and Kohler, G. 2010. Noteworthy distribution records of reptiles from Western Panama. *Herpetological Review*, 41: 520-523.
- Lotzkat, S., Batista, A., Vargas, J., Hertz, A. and Kohler, G. 2012. Reptilia, Squamata, Gymnophthalmidae, Potamites apodemus (Uzzell, 1966): Distribution extension and first records from Panama. *Check List* 8: 302-306.
- Lotzkat, S., Hertz, A., Bienentreu, J.-F. and Kohler, G. 2013. Distribution and variation of the giant alpha anoles (Squamata: Dactyloidae) of the genus *Dactyloa* in the highlands of western Panama, with the description of a new species formerly referred to as *D. microtus*. *Zootaxa* 3626: 1-54.
- Loubser, G. J. J., Mouton, P. L. F. and Nel, J. A. J. 2001. The ecotourism potential of herpetofauna in the Namaqua National Park, South Africa. *South African Journal of Wildlife Research*, 31: 13-23.
- Louette, M., Meirte, D. and Jocque, R. 2004. La faune terrestre de l'archipel des Comores. MRAC, Tervuren.
- Loureiro, A., de Almeida, N. F., Carretero, M. A. and Paulo, O. S. editors. 2008. *Atlas dos anfíbios e répteis de Portugal*. Instituto da Conservação da Natureza e da Biodiversidade, Lisboa.
- Loveridge, A. 1920. Notes on East African lizards collected 1915-1919, with description of a new genus and species of skink and new subspecies of gecko. *Proceedings of the Zoological Society of London* 1920: 131-167.
- Loveridge, A. 1923. Notes on East African lizards collected 1920-1923 with the description of two new races of *Agama lionotus* Blgr. *Proceedings of the Zoological Society of London* 1923: 935-969.
- Loveridge, A. 1928. Description of a new species of gecko from Tanganyika Territory, Africa. *Proceedings of the United States National Museum*, Washington 72: 1-2.
- Loveridge, A. 1932. New races of a skink (*Siaphos*) and frog (*Xenopus*) from the Uganda Protectorate. *Proceedings of the Biological Society of Washington* 45: 113-115.
- Loveridge, A. 1932. New reptiles and amphibians from Tanganyika Territory and Kenya Colony. *Bulletin of the Museum of Comparative Zoology* 72: 375-387.
- Loveridge, A. 1933. New agamid lizards of the genera *Amphibolurus* and *Physignathus* from Australia. *Proceedings of the New England Zoological Club* 13: 69-72.
- Loveridge, A. 1933. New agamid lizards of the genera *Amphibolurus* and *Physignathus* from Australia. *Proceedings of the New England Zoological Club* 13: 69-72.
- Loveridge, A. 1935. New geckos of the genus *Lygodactylus* from Somaliland, Sudan, Kenya, and Tanganyika. *Proceedings of the Biological Society of Washington* 48: 195-200.
- Loveridge, A. 1935. Scientific results of an expedition to rain forest regions in Eastern Africa. I. New reptiles and amphibians from East Africa. *Bulletin of the Museum of Comparative Zoology*, 79: 1-19.
- Loveridge, A. 1936. African reptiles and amphibians in Field Museum of Natural History. *Publications of the Field Museum of Natural History, Zoology* 22: 1-111.
- Loveridge, A. 1936. Revision of the African geckos of the genus *Cnemaspis*, with the description of a new race. *Proceedings of the Zoological Society of London* 1935: 817-822.
- Loveridge, A. 1936. Scientific results of an expedition to rain forest regions in Eastern Africa. V. Reptiles. *Bulletin of the Museum of Comparative Zoology* 79: 209-337.
- Loveridge, A. 1938. On a collection of reptiles and amphibians from Liberia. *Proceedings of the New England Zoological Club* 17: 49-74.

- Loveridge 1941a Loveridge, A. 1941. Bogertia lutzae - A new genus and species of gecko from Bahia, Brazil. Proceedings of the Biological Society of Washington 54: 195-196.
- Loveridge 1941b Loveridge, A. 1941. Certain Afro-American geckos of the genus *Hemidactylus*. Copeia, 1941: 245-248.
- Loveridge 1941c Loveridge, A. 1941. Report on the Smithsonian-Firestone expedition's collection of reptiles and amphibians from Liberia. Proceedings of the United States National Museum 91: 113-140.
- Loveridge 1941d Loveridge, A. 1941. Revision of the African lizards of the family Amphisbaenidae. Bulletin of the Museum of Comparative Zoology 87: 353-451.
- Loveridge 1942a Loveridge, A. 1942. Revision of the African lizards of the family Gerrhosauridae. Bulletin of the Museum of Comparative Zoology 89: 483-543.
- Loveridge 1942b Loveridge, A. 1942. Revision of the Afro-Oriental geckos of the Genus *Phelsuma*. Bulletin of the Museum of Comparative Zoology 89: 439-482.
- Loveridge 1942c Loveridge, A. 1942. Scientific results of a fourth expedition to forested areas in east and central Africa. IV. Reptiles. Bulletin of the Museum of Comparative Zoology 91: 237-373.
- Loveridge 1944a Loveridge, A. 1944. New geckos of the genera *Afroedura*, new genus, and *Pachydactylus* from Angola. American Museum Novitates 1254: 1-4.
- Loveridge 1944b Loveridge, A. 1944. Revision of the African lizards of the family Cordylidae. Bulletin of the Museum of Comparative Zoology 95: 1-118.
- Loveridge 1947 Loveridge, A. 1947. Revision of the African lizards of the family Gekkonidae. Bulletin of the Museum of Comparative Zoology 98: 1-469.
- Loveridge 1948 Loveridge, A. 1948. New Guinean reptiles and amphibians in the Museum of Comparative Zoology and the United States National Museum. Bulletin of the Museum of Comparative Zoology 101: 305-430.
- Loveridge 1951 Loveridge, A. 1951. A new gecko of the genus *Gymnodactylus* from Serpent island. Proceedings of the Biological Society of Washington 64: 91-92.
- Loveridge 1952 Loveridge, A. 1952. A startlingly turquoise-blue gecko from Tanganyika. Journal of the East African Natural History Society, 20: 446.
- Loveridge 1953 Loveridge, A. 1953. Zoological Results of a fifth expedition to East Africa. III. Reptiles from Nyasaland and Tete. Bulletin of the Museum of Comparative Zoology 110: 142-322.
- Loveridge 1955 Loveridge, A. 1955. On a second collection of reptiles and amphibians taken in Tanganyika Territory by C. J. P. Ionides. Journal of the East African Natural History Society 22: 169-198.
- Loveridge 1956 Loveridge, A. 1956. A new subgenus of *Chamaeleo* from Rhodesia and a new race of *Mabuya* from Kenya colony. Breviora 59: 1-4.
- Loveridge 1959a Loveridge, A. 1959. Notes on the present herpetofauna of Ascension island. Copeia, 1959: 69-70.
- Loveridge 1959b Loveridge, A. 1959. On a fourth collection of reptiles, mostly taken in Tanganyika territory by Mr.C. J. P. Ionides. Proceedings of the Zoological Society of London 133: 29-44.
- Loveridge 1962 Loveridge, A. 1962. New worm-lizards (*Ancylorhynchus* and *Amphisbaena*) from southeastern Tanganyika Territory. Breviora 163: 1-6.
- Loveridge 1974 Loveridge, A. 1974. Reptiles of the Pacific world. Society for the Study of Amphibians and Reptiles, St. Louis.
- Lovich 2001 Lovich, R. 2001. Phylogeography of the night lizard, *Xantusia henshawi*, in southern California: evolution across fault zones. Herpetologica 57: 470-487.
- Lovich and Grismer 2001 Lovich, R. E. and Grismer, J. L. 2001. *Xantusia gracilis*. Catalogue of American Amphibians and Reptiles, 772: 1-2.
- Lovich et al. 2009 Lovich, R. E., Grismer, L. L. and Danemann, G. 2009. Conservation status of the herpetofauna of Baja California, Mexico and associated islands in the Sea of Cortez and Pacific Ocean. Herpetological Conservation and Biology 4: 358-
- Lovich et al. 2010 Lovich, R. E., Akre, T., Ryan, M., Nunez, S., Cruz, G., Borjas, G., Scott, N. J., Flores, S., Del Cid, W., Flores, A., Rodriguez, C., Luque-Montes, I. R. and Ford, R. 2010. New herpetofaunal records from southern Honduras. Herpetological Review, 41: 112-115.
- Lowe 1953 Lowe, C. H. 1953. A new species of whiptailed lizard (Genus *Cnemidophorus*) from the Colorado Plateau of Arizona, New Mexico, Colorado, and Utah. Breviora 47: 1-7.
- Lowe 1993 Lowe, C. H. 1993. Introduction to the biology of whiptail lizards (genus *Cnemidophorus*). pages 1-25 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards* (Genus *Cnemidophorus*). Oklahoma Museum of Natural
- Lowe and Howard 1975 Lowe, C. H. and Howard, C. W. 1975. Viviparity and reproductive pattern in *Phrynosoma ditmarsi* in Sonora, Mexico. The Southwestern Naturalist, 20: 265-270.
- Lowe and Norris 1955 Lowe, C. H. and Norris, K. S. 1955. Analysis of the herpetofauna of Baja California, Mexico. III: New and revived reptilian subspecies of *isla de san Esteban*, Gulf of California, Sonora, Mexico, with notes on other satellite islands of *isla Tiburon*. Herpetologica, 11: 89-96.
- Lowin 2012 Lowin, A. J. 2012. Chameleon species composition and density estimates of three unprotected dry deciduous forests between Montagne d'Ambre Parc National and Ankarana Reserve Speciale in northern Madagascar. 5: 107-113.
- Lu et al. 2014 Lu, H.-L., Lin, Z.-H., Li, H. and Ji, X. 2014. Geographic variation in hatchling size in an oviparous skink: effects of maternal investment and incubation thermal environment. Biological Journal of the Linnean Society, 113: 283-296.
- Lucas et al. 2016 Lucas, P. S., Novelli, I. A. and de Sousa, B. M. 2016. Assemblage of squamate reptiles in a natural remnant of Cerrado in southern Minas Gerais, Brazil. Check List 12: 1866.
- Lucas, P., Frieiro-Costa, F., Vieira, F. M., Sousa, B. M., Gomides, S. C. and Novelli, L. A. 2018. Diet of *Enyalius bilineatus* (Dumeril & Bibron, 1837) (Squamata: Leiosauridae) in a Cerrado remnant in Southeast Brazil. Herpetology
- Lue, K-Y. and Lin, S-M. 2008. Two new cryptic species of *Takydromus* (Squamata: Lacertidae) from Taiwan. Herpetologica, 64: 379-395.
- Luis, C., Rebelo, R., Brito, J. C., Godinho, R., Paulo, O. S. and Crespo, E. G. 2004. Age structure in *Lacerta schreiberi* from Portugal. Amphibia-Reptilia 25: 336-343.
- Luiselli, L. 2007. Community ecology of African reptiles: historical perspective and a meta-analysis using null models. African Journal of Ecology 46: 384-394.
- Luiselli, L. 2007. Nonrandom co-occurrence patterns of rainforest chameleons. African Journal of Ecology 45: 336-346.
- Luiselli, L. and Amori, G. 2016. Diet. Pp 97-109 in C. K. Dodd, editor: *Reptile ecology and conservation. A handbook of techniques*. Oxford University Press, Oxford.
- Luja, V. H. and Grunwald, C. I. 2015. New distributional records of amphibians and reptiles from Nayarit, Mexico. Herpetological Review, 46: 223-225.
- Luna, S. and Font, E. 2013. Use of an infrared thermographic camera to measure field body temperatures of small lacertid lizards. Herpetological Review, 44: 59-62.
- Luo, L., Wu, L., Zhang, Z. and Xu, X. 2013. Sexual size dimorphism and female reproduction in the white-striped grass lizard *Takydromus wolteri*. Current Zoology 58: 236-243.
- Lutzmann, N. 2005. *Chamaeleo (Trioceros) (rudis) sternfeldi* Rand. Sauria 27: 641-644.
- Lutzmann, N. and Necas, P. 2002. Zum status von *Bradypodion tavetanum* (Steindachner 1891) aus den Taita Hills, Kenia, mit Beschreibung einer neuen Unterart (Reptilia: Sauria: Chamaeleonidae). Salamandra 38 : 5-14.
- Lutzmann, N., Stipala, J., Lademann, R., Krause, P., Wilms, T. and Schmitz, A. 2010. Description of a new subspecies of *Kinyongia uthmoelleri* (Muller, 1938) (Squamata: Chamaeleonidae) with notes on its captive propagation. Bonn Zoological Bulletin 57: 281-288.
- Luu 2016 Luu, V. Q. 2016. The taxonomy, zoogeography and ecology of amphibians and reptiles of Hin Nam No National Protected Area (Laos) in comparison with data from Phong Nha – Ke Bang National Park (Vietnam). PhD Dissertation, Universitat zu Koln.
- Luu et al. 2013a Luu, V. Q., Nguyen, T. Q., Pham, C. T., Dang, K. N., Vu, T. N., Miskovic, S., Bonkowski, M. and Ziegler, T. 2013. No end in sight? Further new records of amphibians and reptiles from Phong Nha – Ke Bang National Park, Quang Binh Province, Vietnam. Biodiversity Journal, 4: 285-300.
- Luu et al. 2013b Luu, V., Nguyen, T., Calame, T., Hoang, T., Southchack, S., Bonkowski, M. and Ziegler, T. 2013. New country records of reptiles from Laos. Biodiversity Data Journal 1: e1015. doi: 10.3897/BDJ.1.e1015
- Luu et al. 2015a Luu, V. Q., Calame, H., Nguyen, T. Q., Le, M. D. and Ziegler, T. 2015. Morphological and molecular review of the Gekko diversity of Laos with descriptions of three new species. Zootaxa 3986: 279-306.
- Luu et al. 2015b Luu, V. Q., Calame, T., Nguyen, T. Q., Bonkowski, M. and Ziegler, T. 2015. A new species of *Cyrtodactylus* (Squamata: Gekkonidae) from the limestone forest of Khammouane Province, central Laos. Zootaxa 4058: 388-402.
- Luu et al. 2016 Luu, V. Q., Bonkowski, M., Nguyen, T. Q., Le, M. D., Schneider, N., Ngo, H. T. and Ziegler, T. 2016. Evolution in karst massifs: Cryptic diversity among bent-toed geckos along the Truong Son Range with descriptions of three new species and one new country record from Laos. Zootaxa 4107: 101-140.
- Luu et al. 2017 Luu, V. Q., Nguyen, T. Q., Le, M. D., Bonkowski, M. and Ziegler, T. 2017. A new karst dwelling species of the *Gekko japonicus* group (Squamata: Gekkonidae) from central Laos. Zootaxa 4263: 179-193.
- Luxbacher and Knouft 2009 Luxbacher, A. M. and Knouft, J. H. 2009. Assessing concurrent patterns of environmental niche and morphological evolution among species of horned lizards (Phrynosoma). Journal of Evolutionary Biology, 22: 1669-1678.
- Lymberakis and Kaliontzopoulou 2003 Lymberakis, P. and Kaliontzopoulou, A. 2003. Additions to the herpetofauna of Syria. Zoology in the Middle East 29: 33-39.
- Lymberakis et al. 2008 Lymberakis, P., Poulikakis, N., Kaliontzopoulou, A., Valakos, E. and Mylonas, M. 2008. Two new species of *Podarcis* (Squamata: Lacertidae) from Greece. Systematics and Biodiversity 6: 307-318.

- Lymberakis et al. 2018
- Lynch and Smith 1965a
- Lynch and Smith 1965b
- Lynxwiler and Parmerlee 1993
- Ma et al. 2018a
- Ma et al. 2018b
- Ma et al. 2018c
- Ma et al. 2018d
- Ma et al. 2019
- Macat et al. 2014
- MacCulloch and Lathrop 2001
- MacCulloch and Reynolds 2012
- MacCulloch and Reynolds 2013
- MacCulloch et al. 2007
- Macdonald et al. 2013
- Macedo et al. 2018
- Macedonia et al. 2009
- Macey et al. 1997
- MacGuigan et al. 2017
- Machado et al. 2019
- Maclean et al. 1977
- MacMillen et al. 1989
- Macrini et al. 2003
- Madden and Brock 2018
- Magalhaes et al. 2015
- Magnusson and da Silva 1993
- Magnusson et al. 1985
- Mahler 2010
- Mahler et al. 2010
- Mahler et al. 2013
- Mahmoud 2003
- Mahony 2008
- Mahony 2009a
- Mahony 2009b
- Mahony 2009c
- Mahony 2010
- Mahony 2011
- Mahony and Ali Reza 2008
- Mahony et al. 2009a
- Mahony et al. 2009b
- Mahony et al. 2010
- Mahony et al. 2011
- Mahrdt and Beaman 2002
- Mahrdrdt et al. 2010
- Maia-Carneiro and Rocha 2013
- Maia-Carneiro et al. 2012
- Maia-Carneiro et al. 2016a
- Maia-Carneiro et al. 2016b
- Maia-Carneiro et al. 2017
- Maia-Carneiro et al. 2018
- Maisano 2001
- Maisano 2002a
- Lymberakis, P., Pafilis, P., Poulakakis, N., Sotiropoulos, K. and Valakos, E. D. 2018. Amphibians and reptiles of the Aegean Sea. Pages 169-189 in S. Sfenthourakis, P. Pafilis, A. Parmakelis, N. Poulakakis, and K. A. Triantis, editors, Biogeography and biodiversity of the Aegean. In honour of Prof. Moysis Mylonas. Broken Hill Publishers Ltd, Nicosia, Cyprus.
- Lynch, J. D. and Smith, H. M. 1965. A new species of *Xenosaurus* (Reptilia: Xenosauridae) from the isthmus of Tehuantepec, Mexico. Transactions of the Kansas Academy of Sciences 68: 163-172.
- Lynch, J. D. and Smith, H. M. 1965. New or unusual amphibians and reptiles from Oaxaca, Mexico. I. Herpetologica 24: 168-177.
- Lynxwiler, J. R. and Parmerlee, J. S. 1993. Aristelliger cochranae. Catalogue of American Amphibians and Reptiles 567: 1-3.
- Ma, L., Buckley, L.B., Huey, R. B. and Du, W. G. 2018. A global test of the cold-climate hypothesis for the evolution of viviparity of squamate reptiles. Global Ecology and Biogeography 27: 679-689.
- Ma, L., Lin, Z., Gao, J., Li, H., Ji, X. and Lu, H. 2018. Maternal thermal effects on female reproduction and hatchling phenotype in the Chinese skink (*Plestiodon chinensis*). Asian Herpetological Research 9: 250-257.
- Ma, L., Pei, J., Zhou, C., Du, Y., Ji, X. and Shen, W. 2018. Sexual dimorphism, female reproductive characteristics and egg incubation in an oviparous forest skink (*Sphenomorphus incognitus*) from south China. Asian Herpetological Research 9: 119-128.
- Ma, L., Sun, B. J., Li, S. R., Hao, X., Bi, J. H. and Du, W. G. 2018. The vulnerability of developing embryos to simulated climate warming differs between sympatric desert lizards. Journal of Experimental Zoology Part A: Ecological and integrative Physiology 329: 252-261.
- Ma, L., Liu, P., Su, S., Luo, L. G., Zhao, W. G. and Ji, X. 2019. Life-history consequences of local adaptation in lizards: *Takydromus wolteri* (Lacertidae) as a model organism. Biological Journal of the Linnean Society 127: 88-99.
- Macat, Z., Starcova, M., Cervenka, J., Jablonski, D. and Sandera, M. 2014. A molecular assessment and first record of *Tarentola mauritanica* (Squamata: Phyllodactylidae) on Corfu, Greece. Salamandra 50: 172-176.
- MacCulloch, R. D. and Lathrop, A. 2001. A new species of *Arthrosaura* (Sauria: Teiidae) from the highlands of Guyana. Caribbean Journal of Science 37: 174-181.
- MacCulloch, R. D. and Reynolds, R. P. 2012. Amphibians and reptiles from Paramakatoi and Kato, Guyana. Check List 8: 207-210.
- MacCulloch, R. D. and Reynolds, R. P. 2013. Baseline inventory of amphibians and reptiles in the vicinity of Kurupukari, Guyana. Check List 9: 1378-1382.
- MacCulloch, R. D., Lathrop, A., Reynolds, R. P., Senaris, J. C. and Schneider, G. E. 2007. Herpetofauna of Mount Roraima, Guiana Shield Region, Northeastern South America. Herpetological Review, 38: 24-30.
- Macdonald, S., Borsboom, A., Best, R. and Hoskin, C. 2013. Significant range extensions for *Delma labialis* and a review of its biology. Australian Zoologist, 36: 470-477.
- Macedo, E. F., de Mira-Mendes, C. V. and Le Pendu, Y. 2018. New record of *Psilos paeminosus* (Rodrigues, 1991) (Squamata: Gymnophthalmidae) from south-central Bahia State, Brazil. Herpetology Notes, 11: 495-497.
- Macedonia, J. M., Lappin, A. K., Loew, E. R., McGuire, J. A., Plasman, M., Hamilton, P. S., Brandt, Y., Lemos-Espinal, J. A. and Kemp, D. J. 2009. Conspicuousness of Dickerson's collared lizard (*Crotaphytus dickersonae*) through the eyes of conspecifics and predators. Biological Journal of the Linnean Society 97: 749-765.
- Macey, J. R., Ananjeva, N. B., Wang, Y. and Papenfuss, T. J. 1997. A taxonomic reevaluation of the gekkonid lizard genus *Teratoscincus* in China. Russian Journal of Herpetology 4: 8-17.
- MacGuigan, D. J., Geneva, A. J. and Glor, R. E. 2017. A genomic assessment of species boundaries and hybridization in a group of highly polymorphic anoles (*distichus* species complex). Ecology and Evolution, 7: 3657-3671.
- Machado, L., Smid, J., Mazuch, T., Sindaco, R., Al Shukaili, A. S. and Carranza, S. 2019. Systematics of the Saharo-Arabian clade of the Palearctic naked-toed geckos with the description of a new species of *Tropiocolotes* endemic to Oman. Journal of Zoological Systematics and Evolutionary Research 57: 159-178.
- Maclean, W. P., Kellner, R. and Dennis, H. 1977. Island lists of West Indian amphibians and reptiles. Smithsonian Herpetological Information Service 40: 1-47.
- MacMillen, R. E., Augee, M. L. and Ellis, B. A. 1989. Thermal ecology and diet of some xerophilous lizards from western New South Wales. Journal of Arid Environments, 16: 193-201.
- Macrini, T. E., Irshick, D. J. and Losos, J. B. 2003. Ecomorphological differences in toe pad characteristics between mainland and island anoles. Journal of Herpetology 37: 52-58.
- Madden, I. and Brock, K. M. 2018. An extreme record of cannibalism in *Podarcis erhardii mykoneensis* (Reptilia: Lacertidae) from Siros island, Cyclades, Greece. Herpetology Notes 11: 291-292.
- Magalhaes, F. M., Laranjeiras, D. O., Costa, T. B., Junca, F. A., Mesquita, D. O., Rohr, D. L., da Silva, W. P., Vieira, G. H. C. and Garda, A. N. 2015. Herpetofauna of protected areas in the Caatinga IV: Chapada Diamantina National Park, Bahia, Brazil. Herpetology Notes, 8: 243-261.
- Magnusson, W. E. and da Silva, E. V. 1993. Relative effects of size, season and species on the diets of some Amazonian savanna lizards. Journal of Herpetology 27: 380-385.
- Magnusson, W. E., de Paiva, L. J., da Rocha, R. M., Franke, C. R., Kasper, L. A. and Lima, A. P. 1985. The correlates of foraging mode in a community of Brazilian lizards. Herpetologica, 41: 324-332.
- Mahler, D. L. 2010. Natural history observations for two montane anole species from the Dominican Republic. Anolis Newsletter 6: 115-124.
- Mahler, D. L., Revell, L. J., Glor, R. E. and Losos, J. B. 2010. Ecological opportunity and the rate of morphological evolution in the diversification of Greater Antillean anoles. Evolution 64: 2731-2745.
- Mahler, D. L., Ingram, T., Revell, L. J. and Losos, J. B. 2013. Exceptional convergence on the macroevolutionary landscape in island lizard radiations. Science 431: 292-295.
- Mahmoud, A. D. 2003. Variation in thermal relations between two populations of the sand lizard, *Acanthodactylus boskianus* living in thermally divergent habitats of the same altitude. Pakistan Journal of Biological Sciences, 6: 1830-1834.
- Mahony, S. 2008. *Lipinia vittigera* (Striped Tree Skink). Geographic Distribution. Herpetological review 39: 239.
- Mahony, S. 2009. A new species of gecko of the genus *Hemidactylus* (Reptilia: Gekkonidae) from Andhra Pradesh, India. Russian Journal of Herpetology 16: 27-34.
- Mahony, S. 2009. A new species of *Japalura* (Reptilia: Agamidae) from northeast India with a discussion of the similar species *Japalura sagittifera* Smith, 1940 and *Japalura planidorsata* Jerdon, 1870. Zootaxa 2212: 41-61.
- Mahony, S. 2009. Taxonomic status of *Cyrtodactylus khasiensis tamaiensis* (Smith, 1940) and description of a new species allied to *C. chrysopylos* Bauer, 2003 from Myanmar (Reptilia: Gekkonidae). Hamadryad 34: 62-74.
- Mahony, S. 2010. Systematic and taxonomic revaluation of four little known Asian agamid species, *Calotes kingdonwardi* Smith, 1935, *Japalura kaulbacki* Smith, 1937, *Salea kakhiniensis* Anderson, 1879 and the monotypic genus *Mictopholis* Smith, 1935 (Reptilia: Agamidae). Zootaxa 2514: 1-23.
- Mahony, S. 2011. Taxonomic revision of *Hemidactylus brookii* Gray: a re-examination of the type series and some Asian synonyms, and a discussion of the obscure species *Hemidactylus subtriedrus* Jerdon (Reptilia: Gekkonidae).
- Mahony, S. and Ali Reza, A. H. M. 2008. A herpetofaunal collection from the Chittagong hill tracts, Bangladesh, with two new species records for the country. Hamadryad, 32: 45-56.
- Mahony, S., Ahmed, M., Hossain, M. K., Kabir, M. M. and Hasan, M. K. 2009. *Cyrtodactylus ayeyarwadyensis* Bauer, 2003 (Reptilia: Gekkonidae) in Bangladesh with habitat details of new collection localities and a discussion of morphological variation. Salamandra 45: 245-250.
- Mahony, S., Hasan, M. K., Kabir, M. M., Ahmed, M. and Hossain, M. K. 2009. A catalogue of amphibians and reptiles in the collection of Jahangirnagar University, Dhaka, Bangladesh. Hamadryad 34: 80-94.
- Mahrdrdt, C. R. and Beaman, K. R. 2002. Panamint Alligator Lizard (*Elgaria panamintina*). Species Account, West Mojave Management Plan, Riverside, California.
- Mahrdrdt, C. R., McGuire, J. A. and Beaman, K. R. 2010. *Gambelia copeii*. Catalogue of American Amphibians and Reptiles 871: 1-8.
- Maia-Carneiro, T. and Rocha, C. F. D. 2013. Estimated population density of and sources of disturbance for the endemic and threatened *Liolaemus lutzae* in a remnant area of its narrow habitat in southeastern Brazil. Salamandra 49: 1-10.
- Maia-Carneiro, T., Dorigo, T. A. and Rocha, C. F. D. 2012. Influences of seasonality, thermal environment and wind intensity on the thermal ecology of Brazilian sand lizards in a *Restinga* remnant. South American Journal of Herpetology 1: 1-10.
- Maia-Carneiro, T., Goyannes-Araújo, P. and Rocha, C. F. D. 2016. Predation of *Tropidurus hispidus* (Squamata, Tropiduridae) by *Siphlophis leucocephalus* (Squamata, Dipsadidae). Neotropical Biology and Conservation, 11: 47-50.
- Maia-Carneiro, T., Motta-Tavares, T., Vrcibradic, D., Kiefer, M. C., Dorigo, T. A., Rocha, C. F. D. and Van Sluys, M. 2016. Feeding habits of *Enyalius perditus* (Squamata: Leiosauridae) in an Atlantic Forest remnant in southeastern Brazil. Phylomedusa 15: 21-27.
- Maia-Carneiro, T., Dorigo, T. A. and Rocha, C. F. D. 2017. Seasonal influences of wind intensity on activity rates and thermoregulation of differently sized individuals of *Liolaemus lutzae* (Squamata: Liolaemidae). Salamandra 53: 469-476.
- Maia-Carneiro, T., Winck, G. R., Pereira, M. R. and Rocha, C. F. D. 2018. Body orientation for thermoregulation and daily activity cycle of *Mabuya macrorhyncha* (Squamata: Scincidae). Zoologia, 35: e24575.
- Maisano, J. A. 2001. A survey of state of ossification in neonatal squamates. Herpetological Monographs, 15: 135-157.
- Maisano, J. A. 2002. Postnatal skeletal ontogeny in five Xantusiids (Squamata: Scleroglossa). Journal of Morphology 254: 1-38.

- Maisano 2002b  
 Maisano et al. 2002  
 Majumder and Agarwala 2015  
 Malakhov and Chirikova 2018  
 Malakova et al. 2018  
 Malhotra and Thorpe 1992  
 Malhotra and Thorpe 1995  
 Malhotra and Thorpe 1999  
 Mali et al. 2019
- Malkmus 2004  
 Malkmus et al. 2002  
 Mallery 2017  
 Malone et al. 2017  
 Malonza and Bauer 2014  
 Malonza and Bwong 2009  
 Malonza et al. 2006  
 Malonza et al. 2019  
 Mamou et al. 2016  
 Mamou et al. 2017  
 Mamou et al. 2019a  
 Mamou et al. 2019b  
 Manamendra-Arachchi et al. 2006  
 Manamendra-Arachchi et al. 2007  
 Mane and Trape 2015  
 Manes et al. 2007  
 Manhas et al. 2018a  
 Manhas et al. 2018b  
 Manhas et al. 2018c  
 Manicom 2010  
 Manicom and Schwarzkopf 2010  
 Manicom et al. 2014  
 Mann and Meek 2004
- Manolev et al. 2019  
 Manriquez-Moran et al. 2005  
 Manthey 2008  
 Manthey 2010  
 Manthey and Denzer 1991  
 Manthey and Denzer 2000
- Manthey and Denzer 2006  
 Manthey and Denzer 2012  
 Manthey and Denzer 2016  
 Manthey and Denzer 2019  
 Manthey and Grossmann 1997  
 Manthey and Manthey 2017  
 Manthey and Schuster 1992  
 Manthey and Schuster 1996  
 Manthey et al. 2012  
 Mantilla and Castano 2015  
 Manuel and Rodrigo 2016  
 Manzani and Abe 2002  
 Manzoor et al. 2019  
 Maragou et al. 1996  
 Maragou et al. 1997  
 Maragou et al. 1999
- Maisano, J. A. 2002. Terminal fusions of skeletal elements as indicators of maturity in squamates. *Journal of Vertebrate Paleontology* 22: 268-275.  
 Maisano, J. A., Bell, C. J., Gauthier, J. A. and Rowe, T. 2002. The Osteoderms and Palpebral in *Lanthanotus borneensis* (Squamata: Anguimorpha). *Journal of Herpetology* 36: 678-682.  
 Majumder, J. and Agarwala, B. K. 2015. *Calotes emma* Gray, 1845 (Squamata: Agamidae): range extension and new addition to the reptilian fauna of Tripura, northeast India. *Check List* 11: 1562-1564.  
 Malakhov, D. V. and Chirikova, M. A. 2018. Species distribution model of *Varanus griseus caspius* (Eichwald, 1831) in Central Asia: an insight to the species' biology. *Russian Journal of Herpetology* 25: 195-206.  
 Malakova, N., Sakelarieva, L. and Pulev, A. 2018. Species composition of the amphibians and reptiles in the Natura 2000 Site „Oranovski Prolov-Leshko”, Bulgaria. *ZooNotes* 124: 1-4.  
 Malhotra, A. and Thorpe, R. S. 1992. *Anolis oculatus*. Catalogue of American Amphibians and Reptiles 540: 1-4.  
 Malhotra, A. and Thorpe, R. S. 1995. *Ameiva fuscata*. Catalogue of American Amphibians and Reptiles 606: 1-3.  
 Malhotra, A. and Thorpe, R. S. 1999. Reptiles and amphibians of the Eastern Caribbean. Macmillan Caribbean.  
 Mali, F. M. M., Kusamba, Z. C., Mlungu, A. M., Mizani, C. D., Banda, P. K. G., Mbalitini, S. G., Ewango, C., Tungaluna, G. C. G. and Akaibe, B. D. 2019. Note on the amphibians and reptiles of the Mungbwalu (Ituri Province) and Mutwanga (Province of North-Kivu) in DRC. *American Journal of Zoology* 2: 18-27.  
 Malkmus, R. 2004. The amphibians and reptiles of Portugal, Madeira and the Azores Archipelago. Distribution, ecology, threats and conservation. Gantner Verlag, Ruggell.  
 Malkmus, R., Manthey, U., Vogel, G., Hoffmann, P. and Kosuch, J. 2002. Amphibians and reptiles of Mount Kinabalu (North Borneo). A.R.G. Gantner Verlag Kommanditgesellschaft. Ruggell (Liechtenstein).  
 Mallery, C. S. 2017. *Sceloporus olivaceus* (Texas spiny lizard). Record clutch size, nesting, incubation, and hatchlings. *Herpetological Review* 48: 855-856.  
 Malone, C. L., Reynoso, V. H. and Buckley, L. 2017. Never judge an iguana by its spines: Systematics of the Yucatan spiny tailed iguana, *Ctenosaura defensor* (Cope, 1866). *Molecular Phylogenetics and Evolution*, 115: 27-39.  
 Malonza, P. K. and Bauer, A. M. 2014. A new species of arboreal forest-dwelling gecko (*Hemidactylus*: Squamata: Gekkonidae) from coastal Kenya, East Africa. *Zootaxa* 3786: 192-200.  
 Malonza, P. K. and Bwong, B. A. 2009. Life history notes on loveridge's limbless skink *Melanoseps loveridgei* Brygoo & Roux-Esteve, 1981 (Sauria: Scincidae: Feyliniinae). *Herpetotropicos* 5: 115-117.  
 Malonza, P. K., Wasonga, V. D., Muchai, V., Rotich, D., Bwong, B. A. and Bauer, A. M. 2006. Diversity and biogeography of herpetofauna of the Tana River Primate National Reserve, Kenya. *Journal of East African Natural History*, 105: 1-12.  
 Malonza, P. K., Bauer, A. M., Granthom, C., Williams, D. A. and Wojnowski, D. 2019. A new species of gecko of the genus *Lygodactylus* (Sauria: Gekkonidae) from southeastern Kenya. *Zootaxa* 4609: 308-320.  
 Mamou, R., Marniche, F., Amroun, M. and Herrel, A. 2016. Trophic ecology of two sympatric lizard species: the Algerian sand lizard and the wall lizard in Djurdjura, northern Algeria. *Zoology and Ecology*, 26: 256-264.  
 Mamou, R., Moudilou, E., Amroun, M. and Exbrayat, J.-M. 2017. Reproductive cycle of male wall lizard, *Podarcis vaucheri* (Reptilia: Sauria: Lacertidae), in Djurdjura, Northern Algeria. *Basic and Applied Herpetology* 31: 77-89.  
 Mamou, R., Marniche, F., Amroun, M., Exbrayat, J. M. and Herrel, A. 2019. Seasonal variation in diet and prey availability in the wall lizard *Podarcis vaucheri* (Boulenger, 1905) from the Djurdjura Mountains, northern Algeria. *African Journal of Herpetology* 68: 18-32.  
 Mamou, R., Moudilou, E. N., Ghoul, A. and Exbrayat, J. M. 2019. Cycle de reproduction des femelles de *Podarcis vaucheri* (Reptilia: Lacertidae) du Djurdjura, nord Algérie. *Bulletin de la Societe Herpetologique de France*, 169: 11-26.  
 Manamendra-Arachchi, K., de Silva, A. and Amarasinghe, T. 2006. Description of a second species of *Cophotis* (Reptilia: Agamidae) from the highlands of Sri Lanka. *Lyriocephalus* 6, Supplement: 1-8.  
 Manamendra-Arachchi, K., Batuwita, S. and Pethiyagoda, R. 2007. A taxonomic revision of the Sri Lankan day-geckos (Reptilia: Gekkonidae: Cnemaspis), with description of new species from Sri Lanka and southern India. *Zeylanica* 1: 1-12.  
 Mane, Y. and Trape, J. F. 2015. Note sur une collection d'amphisbenes (Squamata, Amphisbaenidae) d'Afrique occidentale. *Bulletin de la Societe Herpetologique de France*, 154: 35-60.  
 Manes, M. E., Parry, H. V. and Manlla, A. 2007. Growth and feeding conversion responses to different protein and energy supplies in *Tupinambis merianae* (Squamata: Teiidae). *Applied Herpetology* 4: 279-285.  
 Manhas, A., Raina, R. and Wanganeo, A. 2018. Observations of Agror Agamas, *Laudakia agrorensis* (Stoliczka 1872) (Sauria: Agamidae), in the Doda District, Jammu and Kashmir, India. *IRCF Reptiles & Amphibians* 25: 52-54.  
 Manhas, A., Raina, R. and Wanganeo, A. 2018. Reptilian diversity and distributions in the Doda District of Jammu and Kashmir, India. *IRCF Reptiles & Amphibians* 25: 164-169.  
 Manhas, A., Raina, R. and Wanganeo, A. 2018. Reptilian diversity of the Bhopal Region in the State of Madhya Pradesh in Central India. *IRCF Reptiles & Amphibians* 25: 104-114.  
 Manicom, C. 2010. Beyond abundance: The direct and indirect effects of predation in a terrestrial trophic web. Dissertation. James Cook University, Townsville, Australia.  
 Manicom, C. and Schwarzkopf, L. 2011. Diet and prey selection of sympatric tropical skinks. *Austral Ecology* 6: 485-496.  
 Manicom, C., Alford, R., Schoener, T. W. and Schwarzkopf, L. 2014. Mechanisms causing variation in sexual size dimorphism in three sympatric, congeneric lizards. *Ecology*, 95: 1531-1544.  
 Mann, S. L. and Meek, R. 2004. Understanding the relationship between body temperature and activity patterns in the giant Solomon island skink, *Corucia zebra*, as a contribution to the effectiveness of captive breeding programmes. *Applied Herpetology*, 1: 287-298.  
 Manolev, G. N., Philipova, L. V., Pulev, A. N. and Sakelarieva, L. G. 2019. A checklist of the herpetofauna in the Bulgarian part of Hadzhidimovo Gorge (South-Western Bulgaria). *Ecologia Balkanica*, 11: 17-26.  
 Manriquez-Moran, N. L., VillagraN-Santa Cruz, M. and Mendez de la Cruz, F. R. 2008. Reproductive biology of the parthenogenetic lizard, *Aspidoscelis cozumela*. *Herpetologica*, 61: 435-439.  
 Manthey, U. 2008. Agamid Lizards of southern Asia. Volume 1. *Draconinae*. Edition Chimaira, Frankfurt am Main.  
 Manthey, U. 2010. Agamid lizards of southern Asia. *Draconinae 2 - Leiolepidinae*. *Terralog 7b*. Edition Chimaira, Frankfurt am Main.  
 Manthey, U. and Denzer, W. 1991. Die echten winkelkopfagamen der gattung *Gonocephalus* Kaup (Sauria: Agamidae). I. Die megalepis-gruppe mit *Gonocephalus lacunosus* sp. n. aus Nord-Sumatra. *Sauria* 13: 3-10.  
 Manthey, U. and Denzer, W. 2000. Description of a new Genus, *Hypsicalotes* Gen. Nov. (Sauria: Agamidae) from Mount Kinabalu, North Borneo, with remarks on the generic identity of *Gonocephalus schultzevestrumi* Urban, 1999. *Hamadryad* 25: 13-20.  
 Manthey, U. and Denzer, W. 2006. A revision of the Melanesia-Australian angel head lizards of the genus *Hypsileirus* (Sauria: Agamidae: Amphibolurinae), with description of four new species and one new subspecies. *Hamadryad*, 30: 1-12.  
 Manthey, U. and Denzer, W. 2012. Bemerkungen zur verbreitung von *Japalura yunnanensis* Anderson, 1878 (Squamata: Agamidae: Draconinae). *Sauria* 34: 35-40.  
 Manthey, U. and Denzer, W. 2016. Melanesian anglehead lizards of the genus *Hypsileirus* Peters, 1867 – Part 1: Species from New Guinea. *Sauria* 38: 11-36.  
 Manthey, U. and Denzer, W. 2019. Rare mountain agamas of the Kinabalu Park (Sabah, North Borneo) above 900 m a.s.l. *Sauria* 41: 1-12.  
 Manthey, U. and Grossmann, W. 1997. Amphibien & Reptiliens Sudostasiens. Munster: Natur und Tier-Verlag.  
 Manthey, U. and Manthey, S. 2017. Amphibien und reptilien von Laos – ein reisebericht teil 2: Lao Pako & Luang Namtha mit einem abstecher nach Xishuangbanna, China (Feb./Marz 2003). *Sauria* 39: 3-24.  
 Manthey, U. and Schuster, N. 1992. Agann, Terrarien Bibliothek, Munster.  
 Manthey, U. and Schuster, N. 1996. Agamid lizards. TFH Publications, Muenster.  
 Manthey, U., Denzer, W., Mian, H. and Xiaohe, W. 2012. Discovered in historical collections: Two new Japalura species (Squamata: Sauria: Agamidae) from Yulong Snow Mountains, Lijiang Prefecture, Yunnan, PR China. *Zootaxa* 3000: 1-12.  
 Mantilla, J. C. and Castano, J. H. 2015. Distribution extension and ecology notes of endemic lizard *Stenocercus boliviarensis* Castro & Ayala, 1982 (Squamata: Tropiduridae). *Herpetology Notes*, 8: 575-577.  
 Manuel, F-O. and Rodrigo, S-G. J. 2016. *Celestus enneagrammus* (Huaxteca lesser galliwasp). Reproduction. *Herpetological Review* 47: 295-296.  
 Manzani, P. R. and Abe, A. S. 2002. A new species of *Tupinambis* Daudin, 1803 from Southeastern Brazil (Squamata: Teiidae). *Arquivos do Museu Nacional Rio de Janeiro* 60: 295-302.  
 Manzoor, U., Khan, M. Z. and Iqbal, M. A. 2019. Distribution, status and conservation of reptilian fauna in the coastal areas of Karachi with special reference to marine turtles. *The Journal of Animal & Plant Sciences*, 29: 1748-1760.  
 Maragou, P., Valakos, E. D., Gianopoulos, Z., Stavropoulou, A. and Chondropoulos, B. 1996. Aspects on the feeding ecology of *Podarcis peloponnesiacus* (Sauria- Lacertidae) during spring. *Herpetozoa* 9: 105-110.  
 Maragou, P., Valakos, E. D. and Chondropoulos, B. P. 1997. Comparative ecology of two sympatric lizard species, *Lacerta graeca* and *Podarcis peloponnesiacus* endemic to Peloponnissos (Greece). Pages 265-272 in: Bochme W., Bischoff, W. & T. Ziegler (editors): *Herpetologica Bonnensis*, Bonn.  
 Maragou, P., Chondropoulos, B. and Valakos, E. D. 1999. Comparative data on reproduction in *Podarcis erhardii*, *Podarcis peloponnesiacus* and *Podarcis taurica* (Reptilia, Sauria, Lacertidae). *Israel Journal of Zoology* 45: 487-496.

- Marchioro et al. 2005  
 Marco 2008  
 Mariaux and Tilbury 2006  
 Mariaux et al. 2008  
 Marin et al. 2017
- Maritz and Alexander 2009  
 Markezich 2002  
 Markezich and Taphorn 1994  
 Markezich et al. 1997
- Marques et al. 2018
- Marques et al. 2019a  
 Marques et al. 2019b
- Marquet et al. 1990  
 Marquez and Marquez 2009  
 Marquez et al. 1989  
 Marrero et al. 2015  
 Marshall et al. 2015a  
 Marshall et al. 2015b  
 Marshall et al. 2016  
 Marshall et al. 2018
- Martens 1997  
 Martin 2008a  
 Martin 2008b  
 Martin 2009  
 Martin and Lopez 2010  
 Martin and Salvador 1997  
 Martin et al. 1990  
 Martin et al. 2011a  
 Martin et al. 2011b  
 Martin et al. 2013  
 Martin et al. 2015a
- Martin et al. 2015b  
 Martin et al. 2017a  
 Martin et al. 2017b
- Martin et al. 2017c  
 Martina and Roca 2004  
 Martinez 1996  
 Martinez et al. 2011
- Martinez et al. 2017  
 Martinez-Fonseca et al. 2016  
 Martinez-Mendez and Mendez-de la Cruz 2007  
 Martinez-Torres et al. 2003
- Martins 1991  
 Martins 1993  
 Martins 2006  
 Martins et al. 2017  
 Martori and Acosta 1990  
 Martori and Aun 1993  
 Martori and Aun 2010  
 Maruyama and Langkilde 1999
- Marchioro, M., Nunes, J.-M. D. A. M., Ramalho, A. M. R., Molowny, A., Perez-Martinez, E., Ponsoda, X. and Lopez-Garcia, C. 2005. Postnatal neurogenesis in the medial cortex of the tropical lizard *Tropidurus hispidus*.  
 Marco, A. 2008. Lagarto verdinegro – *Lacerta schreiberi* Bedriaga, 1878. Version 23-01-2008. Enciclopedia virtual de los vertebrados Espanoles.  
 Mariaux, J. and Tilbury, C. R. 2006. The pygmy chameleons of the eastern Arc range (Tanzania): Evolutionary relationships and the description of three new species of *Rhampholeon* (Sauria: Chamaeleonidae). Herpetological Journal 15: 367-391.  
 Mariaux, J., Lutzmann, N. and Stipala, J. 2008. The two-horned chameleons of East Africa. Zoological Journal of the Linnean Society, 152: 367-391.  
 Marin, C. M., Vasquez-Restrepo, J. D., Sepulveda, J. D. and Daza, J. M. 2017. On geographic distribution and morphological variation of the poorly known lizard *Anolis anoriensis* Velasco, Gutierrez-Cardenas & Quintero-Angel, 2010 (Squamata: Dactyloidae). Herpetology Notes 10: 643-645.  
 Maritz, B. and Alexander, G. J. 2009. Breaking ground: Quantitative fossorial herpetofaunal ecology in South Africa. African Journal of Herpetology, 58: 1-14.  
 Markezich, A. L. 2002. New distribution records of reptiles from Western Venezuela. Herpetological Review 33: 69-74.  
 Markezich, A. L. and Taphorn, D. C. 1994. A new Lepidoblepharis (Squamata: Gekkonidae) from the Paraguana Peninsula, Venezuela, with comments on its conservation status. Herpetologica 50: 7-14.  
 Markezich, A. L., Cole, C. J. and Dessauer, H. C. 1997. The blue and green whiptail lizards (Squamata, Teiidae, Cnemidophorus) of the Peninsula de Paraguana, Venezuela : systematics, ecology, descriptions of two new taxa, and relationships to whiptails of the Guianas. American Museum Novitates 3207: 1-60.  
 Marques, M. P., Ceriaco, L. M. P., Blackburn, D. C. and Bauer, A. M. 2018. Diversity and distribution of the amphibians and terrestrial reptiles of Angola atlas of historical and bibliographic records. Proceedings of the California Academy of Sciences (Series 4) 65 (Supplement II): 1-501.  
 Marques, M. P., Ceriaco, L. M. P., Bandeira, S., Pauwels, O. S. G. and Bauer, A. M. 2019. Description of a new long-tailed skink (Scincidae: Trachylepis) from Angola and the Democratic Republic of the Congo. Zootaxa 4568: 51-68.  
 Marques, M. P., Ceriaco, L. M. P., Stanley, E. L., Bandeira, S. A., Agarwal, I. and Bauer, A. M. 2019. A new species of girdled lizard (Squamata: Cordylidae) from the Serra da Neve Inselberg, Namibe Province, southwestern Angola. Zootaxa 4668: 503-524.  
 Marquet, P. A., Bozinovic, F., Medel, R. G., Werner, Y. L. and Jaksic, F. M. 1990. Ecology of *Garthia gaudichaudii*, a gecko endemic to the semiarid region of Chile. Journal of Herpetology, 24: 431-434.  
 Marquez, C. M. B. and Marquez, L. D. R. 2009. Reproductive biology in the wild and in captivity of *Anolis aquaticus* (Sauria: Polychrotidae) in Costa Rica. Laboratorios iASA Sangolqui, Ecuador, Boletin Tecnico 8, Serie Zoologica 4-1.  
 Marquet, P. A., Ortiz, J. C., Bozinovic, F. and Jaksic, F. M. 1989. Ecological aspects of thermoregulation at high altitudes: the case of Andean *Liolemaus* lizards in northern Chile. Oecologia 81 : 16-20.  
 Marrero, R., Rodriguez-Cabrera, T. M. and Torres, J. 2015. *Anolis lucius* (Cave Anole). Maximum elevation. Herpetological Review, 46: 87.  
 Marshall, K. L. A., Philpot, K. E. and Stevens, M. 2015. Conspicuous male coloration impairs survival against avian predators in Aegean wall lizards, *Podarcis erhardii*. Ecology and Evolution 5: 4115-4131.  
 Marshall, K. L. A., Philpot, K. E., Damas-Moreira, I. and Stevens, M. 2015. Intraspecific colour variation among lizards in distinct island environments enhances local camouflage. PLOS ONE 10: e0135241.  
 Marshall, K. L. A., Philpot, K. E. and Stevens, M. 2016. Microhabitat choice in island lizards enhances camouflage against avian predators. Scientific Reports 6: 19815, DOI: 10.1038/srep19815.  
 Marshall, J. C., Bastiaans, E., Caccone, A., Camargo, A., Morando, M. L., Pabijan, M., Russell, M. A., Sinervo, B., Sites, J. W., Vences, M., Werneck, F. P., Valero, K. C. W. and Steinartz, S. 2018. Mechanisms of speciation in reptiles and amphibians: A synopsis. PeerJ Preprints 6: e27279v1 <https://doi.org/10.7287/peerj.preprints.27279v1>  
 Martens, H. 1997. A review of "Zoogeography of amphibians and reptiles of Syria, with additional new records" (Herpetozoa 9 (1/2), 1996). Herpetozoa 10: 99-106.  
 Martin, J. 2008. Lagartija carpetana – *Iberolacerta cyreni* Muller y Hellmich, 1937. Version 17-02-2008. Enciclopedia virtual de los vertebrados Espanoles.  
 Martin, J. 2008. Lagartija serrana – *Iberolacerta monticola* Boulonger, 1905. Version 25-03-2008. Enciclopedia virtual de los vertebrados Espanoles.  
 Martin, A. 2009. The Loch Ness monster and La Palma giant lizard *Gallotia australis*: are they really extant? Oryx, 43: 17.  
 Martin, J. and Lopez, P. 2010. Thermal constraints of refuge use by Schreiber's green lizards, *Lacerta schreiberi*. Behaviour 147: 275-284.  
 Martin, J. and Salvador, A. 1997. Microhabitat selection by the iberian rock-lizard *Lacerta monticola*: effects on density and spatial distribution of individuals. Biological Conservation, 79: 303-307.  
 Martin, J., Lopez, P. and Salvador, A. 1990. Field body temperatures of the amphisbaenid lizard *Blanus cinereus*. Amphibia-Reptilia 11: 87-96.  
 Martin, J., Polo-Cavia, N., Gonzalo, A., Lopez, P. and Civantos, E. 2011. Social aggregation behaviour in the North African amphisbaenian *Trogonophis wiegmanni*. African Journal of Herpetology 60: 171-176.  
 Martin, J., Polo-Cavia, N., Gonzalo, A., Lopez, P. and Civantos, E. 2011. Structure of a population of the amphisbaenian *Trogonophis wiegmanni* in North Africa. Herpetologica, 67: 250-257.  
 Martin, J., Ortega, J., Lopez, P., Perez-Cembranos, A. and Perez-Mellado, V. 2013. Fossorial life does not constrain diet selection in the amphisbaenian *Trogonophis wiegmanni*. Journal of Zoology 291: 226-233.  
 Martin, J., Garcia-Roa, R., Ortega, J., Lopez, P., Perez-Cembranos, A., Leon, A., Garcia, L. V. and Perez-Mellado, V. 2015. Occurrence and ecological aspects of the two-fingered skink *Chalcides mauritanicus* in the Chafarinas islands in North Africa. African Journal of Herpetology, 64: 67-79.  
 Martin, J., Lopez, P., Gutierrez, E. and Garcia, L. V. 2015. Natural and anthropogenic alterations of the soil affect body condition of the fossorial amphisbaenian *Trogonophis wiegmanni* in North Africa. Journal of Arid Environments 113: 1-6.  
 Martin, J., Gutierrez, E. and Garcia, L. V. 2017. Alteration effects of ornamental whitewashing of rocks on the soil properties and body condition of fossorial amphisbaenians that live under them. Herpetological Conservation and Biology 12: 1-6.  
 Martin, N., Martinez, S., Pujol-Buxo, E., Vinolas, A., Llorente, G. A., Sanpera, C., Vasconcelos, R., Carranza, S. and Santos, X. 2017. Stable isotopes and diet uncover trophic-niche divergence and ecological diversification processes of endemic reptiles on Socotra island. Zoologischer Anzeiger-A Journal of Comparative Zoology, 267: 69-81.  
 Martin, T., Guillemin, M., Nivet-Mazerolle, V., Landsmann, C., Dubos, J., Eudeline, R. and Stroud, J. 2017. The herpetofauna of central Uzbekistan. Amphibian & Reptile Conservation 11: 93-107.  
 Martina, J. E. and Roca, V. 2004. Helminth infracommunities of a population of the Gran Canaria giant lizard *Gallotia galloti stehlini*. Journal of Helminthology, 78: 319-322.  
 Martinez, Y. J-J. 1996. Ecomorphology of the hardunes of Israel and Sinai. MSc. Thesis, Tel-Aviv University.  
 Martinez, L. E., Avila, L. J., Perez, C. H. F., Perez, D. R., Sites, J. W. and Morando, M. 2011. A new species of *Liolemus* (Squamata, Iguanidae, Liolaemini) endemic to the Auca Mahuida volcano, northwestern Patagonia, Argentina. Zootaxa 3010: 31-46.  
 Martinez, N., Tedesco, M. E. and Motte, M. 2017. First record of ectrodactyly in the family Mabuyidae: aphalangia on the posterior extremities of *Notomabuya frenata* (Cope, 1862) from Guaira Department, Paraguay. Herpetology 23: 1-6.  
 Martinez-Fonseca, J. G., Reid, F. and Sunyer, J. 2016. *Aspidoscelis deppei* (Weigmann, 1834). Diet. Mesoamerican Herpetology 3: 480-481.  
 Martinez-Mendez, N. and Mendez-de la Cruz, F. R. 2007. Molecular phylogeny of the *Sceloporus torquatus* species-group (Squamata: Phrynosomatidae). Zootaxa 1609: 53-68.  
 Martinez-Torres, M., Hernandez-Caballero, M. E., Alvarez-Rodriguez, C., Luis-Diaz, J. A. and Ortizz-Lopez, G. 2003. Luteal development and progesterone levels during pregnancy of the viviparous temperate lizard *Barisia imbricata* (Reptilia: Anguidae). General and Comparative Endocrinology 132: 55-65.  
 Martins, M. 1991. The lizards of Balbina, Central Amazonia, Brazil: a qualitative analysis of resource utilization. Studies on Neotropical Fauna and Environment 26: 179-190.  
 Martins, E. P. 1993. A comparative study of the evolution of *Sceloporus* push-up displays. American Naturalist 142: 994-1018.  
 Martins, M. 2006. Life in the water: ecology of the jacareana lizard, *Crocodylus amazonicus*. Herpetological Journal, 16: 171-177.  
 Martins, L. F., Guimaraes, M. and Verrastro, L. 2017. Population estimates for the sand lizard, *Liolemus arambarensis*: Contributions to the conservation of an endemic species of Southern Brazil. Herpetologica, 73: 55-62.  
 Martori, R. and Acosta, J. 1990. Ecología de una población de *Teius oculatus* (Sauria: Teiidae) de Rio Cuarto (Cordoba) 1 - estructura poblacional y crecimiento individual. Cuadernos de Herpetología 5: 15-18.  
 Martori, R. A. and Aun, L. 1993. Reproductive cycle of the parthenogenetic lizard *Teius suquiensis*. Amphibia-reptilia 14: 389-393.  
 Martori, R. and Aun, L. 2010. Reproducción y variación de grupos de tamaño en una población de *Liolemus koslowskyi* (Squamata: Liolaemini). Cuadernos de Herpetología, 24: 39-55.  
 Maruyama, K. and Langkilde, T. 1999. *Physignathus lesuerii*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/biol/zoo/herp/NQherplist.shtml>. 1pp. Downloaded February 2018.

- Maryan and Browne-Cooper 1995  
 Maryan and Bush 2007  
 Maryan and Turpin 2012  
 Maryan et al. 2013  
 Maryan et al. 2014  
 Maryan et al. 2015a  
 Maryan et al. 2015b  
 Maryan et al. 2015c  
 Maschio et al. 2009  
 Maslin and Walker 1973  
 Maslova et al. 2018
- Maso and Pijoan 2011  
**Masood and Asiry 2012**  
 Masroor 2008  
 Masroor 2009  
 Masroor 2011  
 Masroor 2012  
 Massary et al. 2000  
 Massary et al. 2017
- Massetti et al. 2017  
 Massetti et al. 2019
- Massot et al. 2017  
 Master 2019  
 Mata 2013  
 Mata et al. 2016
- Mata-Silva and Ramirez-Bautista 2005  
 Mata-Silva et al. 2010
- Mata-Silva et al. 2012  
 Mata-Silva et al. 2013
- Mata-Silva et al. 2015a  
 Mata-Silva et al. 2015b  
 Mata-Silva et al. 2016a  
 Mata-Silva et al. 2016b  
 Mata-Silva et al. 2016c  
 Mata-Silva et al. 2017a
- Mata-Silva et al. 2017b  
 Mata-Silva et al. 2019a  
 Mata-Silva et al. 2019b
- Mateo 2008  
 Mateo 2009  
 Mateo and Cuadrado 2012  
 Mateo et al. 1998
- Mateo et al. 2004  
 Mateo et al. 2011
- Maryan, B. and Browne-Cooper, R. 1995. Discovery of the Lancelin island skink (*Ctenotus lancelini*) on the mainland. *Western Australian Naturalist*, 20: 13-14.
- Maryan, B. and Bush, B. 2007. Rediscovery of *Aprasia rostrata* on the Montebello islands, Western Australia. *Western Australian Naturalist* 25: 247-251.
- Maryan, B. and Turpin, J. 2012. Natural history notes on two Pilbara endemic lizards, *Diporiphora valens* and *Varanus bushi*, with brief comments on survey methodology. *The Western Australian Naturalist*, 2: 274-279.
- Maryan, B., Bush, B. G. and Adams, M. 2013. Morphological and molecular assessment of *Aprasia fusca* and *A. rostrata* (Squamata: Pygopodidae), with a description of a new species from the Lake MacLeod region, Western Australia. *Records of the Western Australian Museum* 28: 144-163.
- Maryan, B., Oliver, P. M., Fitch, A. J. and O'connell, M. 2014. Molecular and morphological assessment of *Varanus pilbarensis* (Squamata: Varanidae), with a description of a new species from the southern Pilbara, Western Australia. *Zootaxa* 3768: 139-158.
- Maryan, B., Adams, M. and Aplin, K. P. 2015. Taxonomic resolution of the *Aprasia repens* species-group (Squamata: Pygopodidae) from the Geraldton Sandplains: a description of a new species and additional mainland records of *A. claireae*. *Records of the Western Australian Museum* 30: 12-32.
- Maryan, B., Brennan, I. G., Adams, M. and Aplin, K. P. 2015. Molecular and morphological assessment of *Delma australis* Kluge (Squamata: Pygopodidae), with a description of a new species from the biodiversity 'hotspot' of southwestern Western Australia. *Zootaxa* 3946: 301-330.
- Maryan, B., Gaikhorst, G., O'Connell, M. and Callan, S. 2015. Notes on the distribution and conservation status of the Perth lined skink, *Lerista lineata*: A small lizard in a big city. *Western Australian Naturalist* 30: 12-29.
- Maschio, G. F., da C. Prudente, A. L. and Mott, T. 2009. Water dispersal of *Amphisbaena alba* and *Amphisbaena amazonica* (Squamata: Amphisbaenia: Amphisbaenidae) in Brazilian Amazonia. *Zoologia* 26: 567-570.
- Maslin, T. P. and Walker, J. M. 1973. Variation, distribution and behavior of the lizard, *Cheniodophorus parvisocius* Zweifel (Lacertilia: Teiidae). *Herpetologica*, 29: 128-143.
- Maslova, I. V., Portnyagina, E. Y., Sokolova, D. A., Vorobieva, P. A., Akulenko, M. V., Portnyagin, A. S. and Somov, A. A. 2018. Distribution of rare and endangered amphibians and reptiles in Primorsky Krai (Far East, Russia). *Nature Conservation Research* 3, Supplement 1, 61-72.
- Maso, A. and Pijoan, M. 2011. Nuevas Guías de campo. Anfibios y reptiles de la península ibérica, Baleares y Canarias. Ediciones Omega, Barcelona.
- Masood, M. F. and Asiry, A. A. 2012. Ecological studies on diversity of herpetofauna in Asir region, Kingdom of Saudi Arabia. Egyptian Academic Journal of Biological Sciences** 4: 143-163.
- Masroor, R. 2008. A new species of *Cyrtopodion* (Sauria: Gekkonidae) from the northern areas of Pakistan. *Zootaxa* 1857: 33-43.
- Masroor, R. 2009. A new arboreal species of *Cyrtopodion* (Squamata: Gekkonidae) from Deh Akro-ii Wetlands Complex, Sindh, Pakistan. *Zootaxa* 2243: 57-67.
- Masroor, R. 2011. An annotated checklist of amphibians and reptiles of Margalla Hills National Park, Pakistan. *Pakistan Journal of Zoology*, 43: 1041-1048.
- Masroor, R. 2012. A contribution to the herpetology of northern Pakistan. The amphibians and reptiles of Margalla Hills National Park and surrounding regions. Society for the Study of Amphibians and Reptiles, St. Louis.
- Massary, J.-C. de Hoogmoed, M. S. and Blanc, M. 2000. Comments on the type specimen of *Dracaena guianensis* Daudin, 1801 (Reptilia: Sauria: Teiidae), and rediscovery of the species in French Guiana. *Zoologische Mededelingen* 74: 1-10.
- Massary, J.-C., Bour, R., Dewynter, M., Ineich, I., Vidal, N. and Lescure, J. 2017. Liste taxinomique du herpetofaune dans l'outre-mer français : i. collectivité de Saint-Martin. Taxonomic list of the herpetofauna in the overseas territories of France: i. Collectivity of Saint Martin. *Bulletin de la Société Herpetologique de France* 164: 37-54.
- Massetti, F., Gomes, V., Perera, A., Rato, C. and Kalontzopoulou, A. 2017. Morphological and functional implications of sexual size dimorphism in the Moorish gecko, *Tarentola mauritanica*. *Biological Journal of the Linnean Society*, 121: 103-114.
- Massetti, F., Gomes, V., Rato, C. and Kalontzopoulou, A. 2019. Variation in morphology and functional performance across distinct evolutionary lineages of the Moorish gecko (*Tarentola mauritanica*) from the Iberian Peninsula. *Journal of Zoological Systematics and Evolutionary Research* 57: 431-444.
- Massot, M., Legende, S., Federici, P. and Clober, J. 2017. Climate warming: a loss of variation in populations can accompany reproductive shifts. *Ecology Letters* 20: 1140-1147.
- Master, M. H. 2019. *Cnemidophorus ruatanus*. Mating behavior. *Herpetological Review* 50: 139.
- Mata, M. C. 2013. Análisis de la diversidad taxonómica de la familia Anguidae (Squamata: Sauria) en México, con base en modelos de distribución especial. Doctoral dissertation, Universidad Autónoma del Estado de Hidalgo.
- Mata, E. S. G., Cruz-Saenz, D., Guzman, A. R. R. and Lazcano, D. 2016. Notes on the herpetofauna of western Mexico 14: Herpetofauna of a dry oak forest in a portion of Sierra del Cuale on the Pacific Coast of Jalisco. *Bulletin of the Chicago Herpetological Society* 51: 89-93.
- Mata-Silva, V. and Ramirez-Bautista, A. 2005. Reproductive characteristics of two syntopic, widely foraging lizards, *Aspidoscelis deppii* and *Aspidoscelis guttata* from Oaxaca, Mexico. *The Southwestern Naturalist* 50: 262-267.
- Mata-Silva, V., Ramirez-Bautista, A. and Johnson, J. D. 2010. Reproductive characteristics of two syntopic whiptail lizards, *Aspidoscelis marmorata* and *Aspidoscelis tesselata*, from the northern Chihuahuan Desert. *The Southwestern Naturalist* 55: 125-129.
- Mata-Silva, V., Johnson, J. D., Ramirez-Bautista, A. and Hernandez-Salinas, U. 2012. *Sceloporus smithi* Hartweg and Oliver, 1937 (Squamata: Phrynosomatidae): Distributional range extension and a new elevation record from Oaxaca, Mexico. *Checklist* 8: 731-732.
- Mata-Silva, V., Johnson, J. D. and Ramirez-Bautista, A. 2013. Comparison of diets of two syntopic lizards, *Aspidoscelis marmorata* and *Aspidoscelis tesselata* (Teiidae), from the northern Chihuahuan Desert of Texas. *The Southwestern Naturalist*, 58: 209-215.
- Mata-Silva, V., DeSantis, D. L., Garcia-Padilla, E. and Wilson, L. D. 2015. *Aspidoscelis motaguae* (Sackett, 1941). Distribution Notes. *Mesoamerican Herpetology* 2: 541-541.
- Mata-Silva, V., Johnson, J. D., Wilson, L. D. and Garcia-Padilla, E. 2015. The herpetofauna of Oaxaca, Mexico: composition, physiographic distribution, and conservation status. *Mesoamerican Herpetology* 2: 6-62.
- Mata-Silva, V., Garcia-Padilla, E., De Santis, D. L., Rocha, A. and Wilson, L. D. 2016. Distribution Notes. *Ctenosaura pectinata* (Wiegmann, 1834). *Mesoamerican Herpetology* 3: 767-768.
- Mata-Silva, V., Rocha, A., Garcia-Padilla, E., De Santis, D. L. and Wilson, L. D. 2016. Distribution Notes. *Aspidoscelis deppii* (Wiegmann, 1834). *Mesoamerican Herpetology* 3: 770.
- Mata-Silva, V., Rocha, A., Garcia-Padilla, E., De Santis, D. L. and Wilson, L. D. 2016. Distribution Notes. *Ctenosaura pectinata* (Wiegmann, 1834). *Mesoamerican Herpetology* 3: 767-768.
- Mata-Silva, V., Garcia-Padilla, E., De Santis, D. L., Rocha, A., Wilson, L. D., Simon-Salvador, P. R., Mayoral-Halla, C. R., Montiel-Altamirano, B. F. and Ramirez-Bautista, A. 2017. New herpetofaunal distribution records for the state of Oaxaca, Mexico. *Mesoamerican Herpetology* 4: 679-683.
- Mata-Silva, V., Garcia-Padilla, E., De Santis, D. L., Wilson, L. D. and Ramirez-Bautista, A. 2017. *Norops macrinii* (Smith, 1968). Geographic distribution. *Mesoamerican Herpetology* 4: 449-450.
- Mata-Silva, V., De Santis, D. L., Garcia-Padilla, E., Johnson, J. D. and Wilson, L. D. 2019. The endemic herpetofauna of Central America: a casualty of anthropocentrism. *Amphibian & Reptile Conservation* 13: 1-64.
- Mata-Silva, V., Rocha, A., Mata-Gonzalez, S., Ramirez-Bautista, A., Berriozabal-Islas, C., Garcia-Padilla, E., Johnson, J. D. and Wilson, L. D. 2019. First municipality records and additional information on the herpetofauna of Oaxaca, Mexico. *Herpetological Review* 50: 533-536.
- Mateo, J. A. 2008. Lagarto ocelado – *Timon lepidus* (Daudin, 1802). Version 23-01-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Mateo, J. A. 2009. Lagarto gigante de La Palma – *Gallotia avaritiae*. In: Enciclopedia Virtual de los Vertebrados Espanoles. Carrascal, L. M., Salvador, A. (Eds.). Museo Nacional de Ciencias Naturales, Madrid.
- Mateo, J. A. and Cuadrado, M. 2012. Communal nesting and parental care in Oudri's fan-footed gecko (*Ptyodactylus oudrii*): field and experimental evidence of an adaptive behavior. *Journal of Herpetology*, 46: 209-212.
- Mateo, J. A., Geniez, P., Lopez-Jurado, L. F. and Bons, J. 1998. Chorological analysis and morphological variations of Saurians of the genus *Uromastyx* (Reptilia: Agamidae) in western Sahara. Description of two new taxa. *Revista Espanola de Herpetología* 12: 97-109.
- Mateo, J. A., Santana, A. and Geniez, P. 2004. Moroccan ocellated lizard in Western Sahara; answer to an old enigma. *Herpetozoa* 17: 187-189.
- Mateo, J. A., Crochet, P.-A. and Afonso, O. M. 2011. The species diversity of the genus *Gallotia* (Sauria: Lacertidae) during the Holocene on La Gomera (Canary islands) and the Latin names of Gomeran giant lizards. *Zootaxa* 2755: 66-78.

Mateo et al. 2016

- Mather and Sites 1985  
Matsui et al. 1989  
Mattioli et al. 2006  
Mattison 2004  
Maura et al. 2011  
Maure and Rodriguez-Cabrera 2018
- Maurer et al. 2019  
Mausfeld and Bohme 2002  
Mausfeld and Lötters 2001  
Mausfeld and Vrcibradic 2002  
Mautz 1979  
Mautz 1982  
Mautz and Lopez-Forment 1978  
Mautz and Nagy 2000  
Mayer and Lazell 2000  
Mayes 2006  
Mayes et al. 2005  
Mayes et al. 2007  
Mayhew 1963a  
Mayhew 1963b  
Mayhew 1966  
Mays 2007  
Maza 2008  
Mazanava and Ananjeva 2016  
Mazuch et al. 2016  
McAlpin et al. 2011  
McBryer and Anderson 2007  
McCallum and McCallum 2006  
McCoid et al. 1995  
McCoid et al. 1997  
McConkey 1954  
McConkey 1955  
McConnachie 2006  
McConnachie 2014  
McConnachie et al. 2009  
McCoy 1968  
McCoy 1970a  
McCoy 1970b  
McCoy 1980  
McCoy 2006  
McCoy 2015  
McCoy and Fox 1992  
McCoy and Fox 1996  
McCoy and Webber 1984  
McCoy et al. 2004  
McCranie 1992  
McCranie 2014  
McCranie 2015  
McCranie 2018  
McCranie and Castaneda 2005  
McCranie and Gutsche 2016  
McCranie and Hedges 2012
- McCranie and Hedges 2013a  
McCranie and Hedges 2013b  
McCranie and Hedges 2013c
- Mateo, J. A., Geniez, P., Hernandez-Acosta, C. N. and Lopez-Jurado, L. F. 2016. Realmente importa tanto el tamano?: la dieta de las dos especies del genero Tarentola de la Isla de Raso (Cabo Verde). Boletin de la Asociacion Herpetologica Espanola 27: 19-23.
- Mather, C. M. and Sites, J. W. 1985. *Sceloporus variabilis*. Catalogue of American Amphibians and Reptiles 373: 1-3.
- Matsui, M., Hikida, T. and Goris, R. C. editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.
- Mattioli, F., Gili, C. and Andreone, F. 2006. Economics of captive breeding applied to the conservation of selected amphibian and reptile species from Madagascar. *Natura* 95: 67-80.
- Mattison, C. 2004. Lizards of the world. Facts on File, New York.
- Maura, M., Vignoli, L., Bologna, M. A., Rugiero, L. and Luiselli, L. 2011. Population density of syntopic, differently sized lizards in three fragmented woodlands from Mediterranean Central Italy. *Community Ecology* 12: 249-258.
- Maure, A. I. C. and Rodriguez-Cabrera, T. M. 2018. First record of vertebrate predation by the Cuban whiptail, *Pholidoscelis auberri zugii* (Squamata: Teiidae), with a summary of reptilian and amphibian prey of West Indian whiptails. *IRCF Reptiles & Amphibians* 25: 188-191.
- Maurer, A. S., Thawley, C. J., Fireman, A. L., Giery, S. T. and Stroud, J. 2019. Nocturnal activity of Antiguan lizards under artificial light. *Herpetological Conservation and Biology* 14: 105-110.
- Mausfeld, P. and Bohme, W. 2002. A new *Mabuya* from Java, Indonesia. *Salamandra* 38: 135-144.
- Mausfeld, P. and Lötters, S. 2001. Systematics of *Mabuya frenata* cohabambae Dunn, 1935 (Reptilia, Sauria, Scincidae) from inner-Andean dry valleys of Bolivia. *Studies on Neotropical Fauna and Environment* 36: 49-55.
- Mausfeld, P. and Vrcibradic, D. 2002. On the Nomenclature of the skink (*Mabuya*) endemic to the western Atlantic Archipelago of Fernando de Noronha, Brazil. *Journal of Herpetology*, 36: 292-295.
- Mautz, W. J. 1979. The metabolism of reclusive lizards, the Xantusiidae. *Copeia*, 1979: 577-584.
- Mautz, W. J. 1982. Use of cave resources by a lizard community. Pages 129-134 in N. J. Scott, editor. *Herpetological Communities*, U.S. Fish and Wildlife Service Research Report No. 13.
- Mautz, W. J. and Lopez-Forment, W. 1978. Observations on the activity and diet of the cavernicolous lizard *Lepidophyma smithii* (Sauria: Xantusiidae). *Herpetologica*, 34: 311-313.
- Mautz, W. J. and Nagy, K. A. 2000. Xantusiid lizards have low energy, water, and food requirements. *Physiological and Biochemical Zoology* 73: 480-487.
- Mayer, G. C. and Lazell, J. 2000. A new species of *Mabuya* (Sauria: Scincidae) from the British Virgin islands. *Proceedings of the Biological Society of Washington* 113: 871-886.
- Mayes, P. J. 2006. The ecology and behaviour of *Varanus mertensi* (Reptilia: Varanidae). PhD Dissertation, Edith Cowan University.
- Mayes, P. J., Thompson, G. G. and Withers, P. C. 2005. Diet and foraging behaviour of the semi-aquatic *Varanus mertensi* (Reptilia: Varanidae). *Wildlife Research* 32: 67-74.
- Mayes, P. J., Bradshaw, S. D. and Bradshaw, F. J. 2007. Reproductive seasonality in the semi-aquatic monitor *Varanus mertensi* (Reptilia: Varanidae). *Mertensiella* 16: 322-335.
- Mayhew, W. W. 1963. Biology of the granite spiny lizard, *Sceloporus orcutti*. *American Midland Naturalist*, 69: 310-327.
- Mayhew, W. W. 1963. Reproduction in the granite spiny lizard, *Sceloporus orcutti*. *Copeia*, 1963: 144-152.
- Mayhew, W. W. 1966. Reproduction in the psammophilous lizard *Uma scoparia*. *Copeia* 1966: 114-122.
- Mays, S. 2007. Husbandry and captive propagation of the Crocodile Monitor, *Varanus salvadorii*, at the Houston Zoo. *Mertensiella* 16: 422-429.
- Maza, E. 2008. Reptile diversity in three habitats: planted pine forest, maquis and Mediterranean batha in the Meron mountain range. MSc Thesis, Tel Aviv University.
- Mazanava, L. and Ananjeva, N. 2016. New data on habitats and distribution of the Caucasian agama, *Paralaudakia caucasia* (Eichwald, 1831) in Dagestan. *Russian Journal of Herpetology* 23: 293-304.
- Mazuch, T., Smid, J. and Bauer, A. M. 2016. Rediscovery and a new record of *Hemidactylus laevis* (Reptilia: Gekkonidae) from Somaliland, with notes on and resurrection of *Hemidactylus fragilis*. *Zootaxa* 4117: 529-542.
- McAlpin, S., Duckett, P. and Stow, A. 2011. Lizards cooperatively tunnel to construct a long-term home for family members. *PLoS ONE* 6: e19041. doi:10.1371/journal.pone.0019041
- McBryer, L. D. and Anderson, R. A. 2007. Sexual size dimorphisms and bite force in the northern alligator lizard, *Elgaria coerulea*. *Journal of Herpetology*, 41: 554-559.
- McCallum, M. L. and McCallum, J. L. 2006. Publication trends of natural history and field studies in herpetology. *Herpetological Conservation and Biology* 1: 62-67.
- McCoid, M. J., Rodda, G. H. and Fritts, T. H. 1995. Distribution and abundance of *Emoia slevini* (Scincidae) in the Mariana islands. *Herpetological Review* 26: 70-72.
- McCoid, M. J., Henke, S. E., Hensley, R. A. and Clark, C. 1997. *Emoia caeruleoocauda* (Pacific Blue-tailed Skink). Captive reproduction. *Herpetological Review* 28: 202.
- McConkey, E. H. 1954. A systematic study of the North American lizards of the genus *Ophisaurus*. *American Midland Naturalist* 51: 133-171.
- McConkey, E. H. 1955. A new lizard of the genus *Ophisaurus* from Mexico. *Natural History Miscellanea of the Chicago Academy of Sciences* 145: 1-2.
- McConnachie, S. 2006. An energy budget for the lizard *Pseudocordylus melanotus melanotus*, an extreme sit-and-wait forager. PhD Dissertation, University of the Witwatersrand, Johannesburg.
- McConnachie, S. 2014. The effects of temperature on oxygen consumption in the lizard *Pseudocordylus melanotus* from Suikerbosrand Nature Reserve. *African Journal of Herpetology*, 63: 57-69.
- McConnachie, S., Alexander, G. J. and Whiting, M. J. 2009. Selected body temperature and thermoregulatory behavior in the sit-and-wait foraging lizard *Pseudocordylus melanotus melanotus*. *Herpetological Monographs*, 23: 108-122.
- McCoy, C. J. 1968. Reproductive cycles and viviparity in Guatemalan *Corythophanes percarinatus* (Reptilia:Iguanidae). *Herpetologica*, 24: 175-178.
- McCoy, C. J. 1970. A new alligator lizard from the Cuatro Cienegas basin, Coahuila, Mexico. *The Southwestern Naturalist* 15: 37-44.
- McCoy, C. J. 1970. A systematic review of *Ameiva auberti* Cocteau (Reptilia, Teiidae) in Cuba and the Bahamas. II: The Bahamian subspecies. *Annals of the Carnegie Museum* 41: 118-151.
- McCoy, M. 1980. Reptiles of the Solomon islands. Wau Ecology Institute, Wau, Papua New Guinea.
- McCoy, M. 2006. Reptiles of the Solomon islands. 2nd edition. Pensoft, Sofia.
- McCoy, M. 2015. A field guide to the reptiles of the Solomon islands (pdf). Michael McCoy, Kuranda
- McCoy, J. K. and Fox, S. F. 1992. Redescription of the Mexican Lizard *Barisia rudicollis* (Weigmann) (Sauria: Anguidae). *Copeia*, 1992: 1114-1117.
- McCoy, J. K. and Fox, S. F. 1996. Is *Barisia rudicollis* (Sauria: Anguidae) arboreal? A morphological analysis. *The Southwestern Naturalist* 41: 359-364.
- McCoy, M. and Webber, P. 1984. Two new species of scincid lizards of the genus *Emoia* from Santa Cruz and Duff islands, Solomon islands. *Copeia*, 1984: 571-578.
- McCoy, E. D., Hartmann, P. P. and Mushinsky, H. R. 2004. Population biology of the rare Florida scrub lizard in fragmented habitat. *Herpetologica* 60: 54-61.
- McCranie, J. R. 1992. Rediscovery of the Honduran giant anole—*Norops loveridgei* (Sauria: Polychrotidae). *Caribbean Journal of Science*, 28: 233-234.
- McCranie, J. R. 2014. First departmental records of amphibians and reptiles from intibuca, Lempira, and Ocotépeque in Southwestern Honduras. *Herpetological Review*, 45: 291-293.
- McCranie, J. R. 2015. A checklist of the amphibians and reptiles of Honduras, with additions, comments on taxonomy, some recent taxonomic decisions, and areas of further studies needed. *Zootaxa* 3931: 352-386.
- McCranie, J. R. 2018. The lizards, crocodiles, and turtles of Honduras. Systematics, distribution, and conservation. *Bulletin of the Museum of Comparative Zoology, Special Publication* 2: 1-666.
- McCranie, J. R. and Castaneda, F. E. 2005. The herpetofauna of Parque Nacional Pico Bonito, Honduras. *Phyllomedusa* 4: 3-16.
- McCranie, J. R. and Gutsche, A. 2016. The herpetofauna of islands in the Golfo de Fonseca and adjacent waters, Honduras. *Mesoamerican Herpetology* 3: 842-899.
- McCranie, J. R. and Hedges, S. B. 2012. Two new species of geckos from Honduras and resurrection of *Sphaerodactylus continentalis* Werner from the synonymy of *Sphaerodactylus millepunctatus* Hallowell (Reptilia, Squamata, Gekkonidea, Sphaerodactylidae). *Zootaxa* 3492: 65-76.
- McCranie, J. R. and Hedges, S. B. 2013. A new species of *Phyllodactylus* (Reptilia, Squamata, Gekkonidea, Phyllodactylidae) from isla de Guanaja in the Honduran Bay Islands. *Zootaxa* 3694: 51-58.
- McCranie, J. R. and Hedges, S. B. 2013. A review of the *Cnemidophorus lemniscatus* group in Central America (Squamata: Teiidae), with comments on other species in the group. *Zootaxa* 3722: 301-316.
- McCranie, J. R. and Hedges, S. B. 2013. Two additional new species of *Sphaerodactylus* (Reptilia, Squamata, Gekkonidea, Sphaerodactylidae) from the Honduran Bay Islands. *Zootaxa* 3694: 40-50.

- McCranie and Kohler 2015  
 McCranie and Orellana 2014  
 McCranie and Wilson 1996  
 McCranie and Wilson 2001  
 McCranie et al. 1992  
 McCranie et al. 1993a  
 McCranie et al. 1993b  
 McCranie et al. 2001  
 McCranie et al. 2004  
 McCranie et al. 2005  
 McCranie et al. 2013  
 McCranie et al. 2017  
 McCrystal and Behler 1982  
 McCrystal and Dixon 1987  
 McCue 2008  
 McDiarmid 1963  
 McDiarmid and Paolillo 1988  
 McDiarmid et al. 1976  
 McDiarmid et al. 1988  
 Mcdiarmid et al. 2012  
 McElroy 2007  
 McElroy et al. 2008  
 McFadden and Harlow 2007  
 McFadden and Purcell 2015  
 McGill 2015  
 McGovern et al. 1984  
 McGrann et al. 2006  
 McGuire 1994  
 McGuire 1998  
 McGuire and Alcala 2000  
 McGuire and Dudley 2005  
 McGuire et al. 2007  
 Mcinerny 2016  
 McKay 2006  
 Mckay and Lilley 2012  
 McKay and Phillips 2012  
 McKinley 2004  
 McKinney et al. 1973  
 Mcknight et al. 2015  
 McLean et al. 2013  
 McLeod et al. 2011  
 McMahan and Zug 2007  
 McNab and Auffenberg 1976  
 Mcnair and Lombard 2004  
 McTaggart et al. 2011  
 Meang 2012  
 Measey et al. 2009  
 Measey et al. 2014  
 Mecham 1980  
 Mecke et al. 2009  
 Mecke et al. 2013  
 Mecke et al. 2016a
- McCranie, J. R. and Kohler, G. 2015. The anoles (Reptilia: Squamata: Dactyloidae: Anolis: Norops) of Honduras. systematics, distribution, and conservation. Bulletin of the Museum of Comparative Zoology, Special Publications  
 McCranie, J. R. and Orellana, L. V. 2014. New island records and updated nomenclature of amphibians and reptiles from the islas de la Bahia, Honduras. Herpetology Notes, 7: 41-49.  
 McCranie, J. R. and Wilson, L. D. 1996. A new arboreal lizard of the genus Celestus (Squamata: Anguidae) from northern Honduras. Revista de Biología Tropical, 44: 259-264.  
 McCranie, J. R. and Wilson, L. D. 2001. Herpetofauna of the Mexican state of Aguascalientes. Courier Forschungsinstitut Senckenberg, 230: 1-57.  
 McCranie, J. R., Wilson, L. D. and Williams, K. L. 1992. A new species of anole of the Norops crassulus group (Sauria: Polychrididae) from northwestern Honduras. Caribbean Journal of Science, 28: 208-215.  
 McCranie, J. R., Crus, G. A. and Holm, P. A. 1993. A new species of cloud forest lizard of the Norops schiedei group (Sauria: Polychrotidae) from northern Honduras. Journal of Herpetology, 27: 386-392.  
 McCranie, J. R., Wilson, L. D. and Williams, K. L. 1993. Another new species of lizard of the Norops schiedei group (Sauria: Polychrotidae) from northern Honduras. Journal of Herpetology, 27: 393-399.  
 McCranie, J. R., Nicholson, K. E. and Kohler, G. 2001. A new species of Norops (Squamata: Polychrotidae) from northwestern Honduras. Amphibia-Reptilia 22: 465-473.  
 McCranie, J. R., Townsend, J. H. and Wilson, L. D. 2004. Corytophanes hernandesii. Catalogue of American Amphibians and Reptiles, 790: 1-6.  
 McCranie, J. R., Wilson, L. D. and Kohler, G. 2005. Amphibians and reptiles of the Bay islands and Cayos Cochinos, Honduras. Bibliomania.  
 McCranie, J. R., Orellana, L. V. and Gutsche, A. 2013. New departmental records for amphibians and reptiles in Honduras. Herpetological Review, 44: 288-289.  
 McCranie, J. R., Harrison, A. and Orellana, L. V. 2017. Updated Population and Habitat Comments About the Reptiles of the Swan islands, Honduras. Bulletin of the Museum of Comparative Zoology, 161: 265-284.  
 McCrystal, H. K. and Behler, J. L. 1982. Husbandry and reproduction of captive Giant ameiva lizards at the New York Zoological Park. International Zoo Yearbook, 22: 159-163.  
 McCrystal, H. K. and Dixon, J. R. 1987. A new species of Cnemidophorus (Sauria, Teiidae) from the Llanos of Colombia and Venezuela. Journal of Herpetology 21: 245-254.  
 McCue, M. D. 2008. Fatty acid analyses may provide insight into the progression of starvation among squamate reptiles. Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology, 151: 239-246.  
 McDiarmid, R. W. 1963. A collection of reptiles and amphibians from the highland faunal assemblage of western Mexico. Los Angeles County Museum Contributions in Science 68: 1-15.  
 McDiarmid, R. W. and Paolillo, A. 1988. Herpetological collections: Cerro de la Neblina. In: C. Brewer-Carias (Ed.), Cerro de la Neblina. Resultados de la expedicion 1983-1987, pp. 667-670. FUDECi, Caracas, Venezuela.  
 McDiarmid, R. W., Copp, J. F. and Breedlove, D. E. 1976. Notes on the herpetofauna of western Mexico: new records from Sinaloa and the Tres Marias islands. Contributions in Science, Natural History Museum of Los Angeles  
 McDiarmid, R. W., Crocott, R. B. and Paolillo, A. 1988. Preliminary field report. Herpetology collections - Cerro de la Neblina. Pages 665-670. In C. Brewer-Carias (ed.). Cerro de la Neblina. Resultados de la Expedicion 1983-1987. Caracas, Venezuela. 922 pp.  
 Mcdiarmid, R., Foster, M., Guyer, C., Gibbons, W. and Chernoff, N. 2012. Reptile biodiversity: standard methods for inventory and monitoring. University of California Press, Berkeley.  
 McElroy, M. T. 2007. Thermal ecology and habitat selection of two cryptic skinks (Scincidae: Emoia cyanura, E. Impar) on Mo'orea, French Polynesia. Student research paper, University of California, Berkeley.  
 McElroy, E. J., Hickey, K. L. and Reilly, S. M. 2008. The correlated evolution of biomechanics, gait and foraging mode in lizards. Journal of Experimental Biology 211: 1029-1040.  
 McFadden, M. and Harlow, P. S. 2007. Captive reproduction and longevity in tawny crevice (Ctenophorus decresii) and central netted dragons (C. nuchalis). Herpetofauna, 37: 22-26.  
 McFadden, M. S. and Purcell, D. 2015. Ctenophorus mirrityana (Barrier Range dragon). Longevity. Herpetological Review 46: 372.  
 McGill, B. 2015. Captive husbandry and breeding of the banded knob-tailed gecko (*Nephrurus wheeleri cinctus*) at Perth Zoo. The Herpetological Bulletin 134: 6-9.  
 McGovern, G. M., Mitchell, J. C. and Knisley, C. B. 1984. Field Experiments on Prey Selection by the Whiptail Lizard, *Cnemidophorus inornatus*, in Arizona. Journal of Herpetology, 18: 347-349.  
 McGrann, M. C., Wright, G. R., Dial, R. J. and McGrann, A. M. 2006. Off-highway vehicle impact on the flat-tailed horned lizard, *Phrynosoma mcallii*, in the Colorado Desert of southern California. California Fish and Game 92: 67-80.  
 McGuire, J. A. 1994. A new species of collared lizard (Iguania: Crotaphytidae) from northeastern Baja California, Mexico. Herpetologica, 50: 438-450.  
 McGuire, J. A. 1998. Phylogenetic systematics, scaling relationships, and the evolution of gliding performance in flying lizards (genus *Draco*). PhD Dissertation University of Texas at Austin.  
 McGuire, J. A. and Alcala, A. C. 2000. A taxonomic revision of the flying lizards of the Philippine islands (Iguania: Agamidae: *Draco*), with a description of a new species. Herpetological Monographs 14: 81-138.  
 McGuire, J. A. and Dudley, R. 2005. The cost of living large: comparative gliding performance in flying lizards (Agamidae: *Draco*). The American Naturalist 166: 93-106.  
 McGuire, J. A., Brown, R. M., Mumpuni, Riyanto, A. and Andayani, N. 2007. The flying lizards of the *Draco lineatus* group (Squamata: Iguania: Agamidae): a taxonomic revision with descriptions of two new species. Herpetological Monographs, 21: 179-212.  
 Mcinerny, C. J. 2016. Observations on co-existing populations of adders, slow-worms and common lizards at Loch Lomond, Scotland: implications for conservation. The Glasgow Naturalist 26: 1-10.  
 McKay, L. J. 2006. A field guide to the amphibians and reptiles of Bali. Krieger.  
 Mckay, J. L. and Lilley, R. 2012. New distributional records from the Lesser Sundas, Indonesia. Herpetological Review, 43: 109-111.  
 McKay, J. L. and Phillips, B. L. 2012. Climatic determinants of the reproductive timing in the Asian house gecko, *Hemidactylus frenatus* Dumeril and Bibron (Gekkonidae). Raffles Bulletin of Zoology 60: 583-588.  
 McKinley, R. 2004. Oedura coggeri. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/bthol/zoology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.  
 McKinney, C. O., Kay, F. R. and Anderson, R. A. 1973. A new all-female species of the genus *Cnemidophorus*. Herpetologica 29: 361-366.  
 Mcknight, D. T., Harmon, J. R., Mcknight, J. L. and Ligon, D. B. 2015. Taxonomic biases of seven methods used to survey a diverse herpetofaunal community. Herpetological Conservation and Biology 10: 666-678.  
 McLean, C. A., Moussalli, A., Sass, S. and Stuart-Fox, D. 2013. Taxonomic assessment of *Ctenophorus decresii* (Lacertilia: Agamidae) reveals a new species of dragon lizard from western New South Wales. Records of the Australian Museum, 65: 51-63.  
 McLeod, D. S., Siler, C. D., Diesmos, A. C., Diesmos, M. L., Garcia, V. S., Arkoneco, A. O., Balaquit, K. L., Uy, C. C., Villaseran, M. m., Yarra, E. C. and Brown, R. M. 2011. Amphibians and reptiles of Luzon island, V: The herpetofauna of Angat Dam watershed, Bulacan Province, Luzon island, Philippines. Asian Herpetological Research 2: 177-198.  
 McMahan, C. D. and Zug, G. R. 2007. Burmese Hemidactylus (Reptilia, Squamata, Gekkonidae): geographic variation in the morphology of *Hemidactylus bowringii* in Myanmar and Yunnan, China. Proceedings of the California Academy of Sciences 58: 485-509.  
 McNab, B. K. and Auffenberg, W. 1976. The effect of large body size on the temperature regulation of the Komodo dragon, *Varanus komodoensis*. Comparative Biochemistry and Physiology, 55A: 345-350.  
 Mcnair, D. B. and Lombard, C. D. 2004. Population estimates, habitat Associations, and management of Ameiva polops (Cope) at Green Cay, United States Virgin Islands. Caribbean Journal of Science, 40: 353-361.  
 McTaggart, A. L., Quinn, D. P., Parmerlee, J. S., Henderson, R. W. and Powell, R. 2011. A rapid assessment of reptilian diversity on Union island, St. Vincent and the Grenadines. South American Journal of Herpetology, 6: 59-65.  
 Meang, M. 2012. A systematic review of reptiles in Phnom Samkos Wildlife Sanctuary, Southwest Cambodia. Cambodian Journal of Natural History 2012: 164-170.  
 Measey, G. J., Armstrong, A. J. and Hanekom, C. 2009. Subterranean herpetofauna show a decline after 34 years in Ndumu Game Reserve, South Africa. Oryx, 43: 284-287  
 Measey, G. J., Raselimanana, A. and Herrel, A. 2014. Ecology and life history of chameleons. Pages 85-113 in Tolley, K. A. and Herrel, A. 2014. editors. The biology of chameleons. University of California Press, Berkeley.  
 Mecham, J. S. 1980. *Eumeces multivirgatus*. Catalogue of American Amphibians and Reptiles 241: 1-2.  
 Mecke, S., Doughty, P. and Donnellan, S. C. 2009. A new species of *Eremiascincus* (Reptilia: Squamata: Scincidae) from the Great Sandy Desert and Pilbara Coast, Western Australia and reassignment of eight species from *Glyphromorphus* to *Eremiascincus*. Zootaxa 2246: 1-20.  
 Mecke, S., Doughty, P. and Donnellan, S. C. 2013. Redescription of *Eremiascincus fasciolatus* (Gunther, 1867) (Reptilia: Squamata: Scincidae) with clarification of its synonyms and the description of a new species. Zootaxa 3701: 473-  
 Mecke, S., Hartmann, L., Mader, F., Kieckbusch, M. and Kaiser, H. 2016. Redescription of *Cyrtodactylus fumosus* (Muller, 1895) (Reptilia: Squamata: Gekkonidae), with a revised identification key to the benttoed geckos of Sulawesi. Acta Herpetologica 11: 151-160.

- Mecke et al. 2016b Mecke, S., Kieckbusch, M., Graf, T., Beck, L. A., O'Shea, M. and Kaiser, H. 2016. First captive breeding of a night skink (Scincidae: *Eremiascincus*) from Timor-Leste, Lesser Sunda islands, with remarks on the reproductive biology of the genus. *Salamandra* 52: 178-188.
- Mecke et al. 2016c Mecke, S., Kieckbusch, M., Hartmann, L. and Kaiser, H. 2016. Historical considerations and comments on the type series of *Cyrtodactylus marmoratus* Gray, 1831, with an updated comparative table for the bent-toed geckos of the Sunda islands and Sulawesi. *Zootaxa* 4175: 353-365.
- Mecke et al. 2016d Mecke, S., Kieckbusch, M., O'shea, M. and Kaiser, H. 2016. First record of the poorly known skink *Sphenomorphus oligolepis* (Boulenger, 1914) (Reptilia: Squamata: Scincidae) from Seram island, Maluku Province, Indonesia. *Asian Herpetological Research* 2016, 7: 64-68.
- Medeiros et al. 2019 Mediani, M. and Chevalier 2016 Mediani et al. 2015 Mediannikov et al. 2012 Medeiros, V. M. C., Lima, J. H. H. and Kokubum, M. N. C. 2019. *Colobosauroides cearensis* (litter lizard). *Diet. Herpetological Review* 50: 571.
- Mediani, M. and Chevalier, F. 2016. *Agama boueti* Chabanaud, 1917: new to the herpetofauna of Morocco and the northwesternmost record of the species. *Herpetozoa* 28: 187-191.
- Mediani, M., Brito, J. C. and Fahd, S. 2015. Atlas of the amphibians and reptiles of northern Morocco: updated distribution and patterns of habitat selection. *Basic and Applied Herpetology* 29: 81-107.
- Mediannikov, O., Trape, S. and Trape, J-F. 2012. Molecular study of the genus *Agama* (Squamata: Agamidae) in West Africa, with description of two new species and a review of the taxonomy, geographic distribution, and ecology of currently recognized species. *Russian Journal of Herpetology* 19: 115-142.
- Medica 1967 Medica and Turner 1984 Medina and Ibarguengoytia 2010 Medina et al. 2009 Medina et al. 2011 Medina et al. 2012 Medina et al. 2016 Medina-Rangel 2011 Medina-Rangel 2013a Medina-Rangel 2013b Medina-Rangel 2013c Medina-Rangel and Cardenas-Arevalo 2015 Medina-Rangel and Lopez-Perilla 2014a Medina-Rangel and Lopez-Perilla 2014b Medina-Rangel et al. 2018 Meek 1986 Meek 1999 Meek 2005 Meek and Avery 2008 Meek et al. 2005 Medina, P. A. 1967. Food habits, habitat preference, reproduction, and diurnal activity in four sympatric species of whiptail lizards (*Cnemidophorus*) in south central New Mexico. *Bulletin of the Southern California Academy of Sciences* 65: 1-10.
- Medica, P. A. and Turner, F. B. 1984. Natural longevity of iguanid lizards in southern Nevada. *Herpetological Review* 15: 34-35.
- Medina, M. and Ibarguengoytia, N. R. 2010. How do viviparous and oviparous lizards reproduce in Patagonia? A comparative study of three species of *Lioleamus*. *Journal of Arid Environments* 74: 1024-1032.
- Medina, M., Gutierrez, J., Scolaro, A. and Ibarguengoytia, N. 2009. Thermal responses to environmental constraints in two populations of the oviparous lizard *Lioleamus bibronii* in Patagonia, Argentina. *Journal of Thermal Biology* 34: 301-306.
- Medina, M., Scolaro, A., Mendez-De la Cruz, F., Sinervo, B. and Ibarguengoytia, N. 2011. Thermal relationships between body temperature and environment conditions set upper distributional limits on oviparous species. *Journal of Thermal Biology*, 36: 527-534.
- Medina, M., Scolaro, A., Mendez-De la Cruz, F., Sinervo, B., Miles, D. B. and Ibarguengoytia, N. 2012. Thermal biology of genus *Lioleamus*: a phylogenetic approach reveals advantages of the genus to survive climate change. *Journal of Thermal Biology*, 37: 579-586.
- Medina, M., Fernandez, J. B., Charrau, P., de la Cruz, F. M. and Ibarguengoytia, N. 2016. Vulnerability to climate change of *Anolis allisoni* in the mangrove habitats of Banco Chinchorro islands, Mexico. *Journal of Thermal Biology* 59: 10-16.
- Medina-Rangel, G. F. 2011. Diversidad alfa y beta de la comunidad de reptiles en el complejo cenagoso de Zapatosa, Colombia. *Revista de Biología Tropical* 59: 935-968.
- Medina-Rangel, G. F. 2013. *Anadia bogotensis* (Bogota anadia lizard). Nesting. *Herpetological Review* 44: 312-313.
- Medina-Rangel, G. F. 2013. Cambio estacional en el uso de los recursos de la comunidad de reptiles en el complejo cenagoso de Zapatosa, departamento del Cesar (Colombia). Seasonal change in the use of resources of the reptilian assemblages in the Zapatosa's Wetland Complex, Departamento del Cesar (Colombia). *Caldasia*, 35: 103-122.
- Medina-Rangel, G. F. 2013. Seasonal change in the use of resources of the Reptilian assemblages in the Zapatosa's Wetland Complex, Departamento del Cesar (Colombia). *Caldasia* 35: 103-122.
- Medina-Rangel, G. F. and Cardenas-Arevalo, G. 2015. Relaciones espaciales y alimenticias del ensamblaje de Reptiles del complejo Cenagoso De Zapatosa, Departamento Del Cesar (Colombia). *Papeis Avulsos de Zoologia* 55: 1-10.
- Medina-Rangel, G. F. and Lopez-Perilla, Y. R. 2014. Diversidad de anfibios y reptiles en la Alta Montaña del Suroriental de la sabana de Bogota, Colombia. *Herpetotropicos* 10: 17-30.
- Medina-Rangel, G. F. and Lopez-Perilla, Y. R. 2014. *Ptychoglossus festae* (Peracca's largescale lizard). Nesting. *Herpetological Review* 45: 504.
- Medina-Rangel, G. F., Pinto-E, M. A. and Calderon-Espinosa, M. L. 2018. First record of the Veronica's *Anolis festae* Peracca, 1904 (Squamata, Dactyloidae) in Colombia. *Herpetology Notes*, 11: 725-728.
- Meek, R. 1986. Field body temperature of the glass lizard *Ophisaurus apodus* in Yugoslavia. *Amphibia-Reptilia*, 7: 43-49.
- Meek, R. 1999. Thermoregulation and activity patterns in captive water dragons, *Physignathus cocincinus*, in a naturalistic environment. *Herpetological Journal* 9: 137-146.
- Meek, R. 2005. Null models and the thermal biology of the anguid lizard *Anguis fragilis*; evidence for thermoregulation? *Amphibia-Reptilia* 26: 445-450.
- Meek, R. and Avery, R. A. 2008. Basking in the Australian water dragon *Physignathus lesuerii*; why do alpha males not respond to operative temperatures in the same way as adults and sub-adults? *Amphibia-Reptilia* 29: 257-262.
- Meek, R., Jolley, E., de Silva, A., Goonewardene, S., Drake, I., Chalachan, H. M. N., Liyanage, P. L. C. L., Abeysekera, T. S., Mayadunna, M. D. I. P. K., Somathilaka, S. A. U. S. and Chandrarathna, W. P. R. 2005. Altitudinal differences in thermoregulatory behaviour in *Calotes versicolor* in the Knuckles region, Sri Lanka. *Lyriocephalus* 6: 83-93.
- Meerman, J. 1984. *Mabuya brauni hildae* Loveridge 1953. considered a synonym of *M. brauni* Tornier 1902. (Sauria: Scincidae). *Amphibia-Reptilia* 5: 173-175.
- Megson, S., Mitchell, P., Kohler, J., Marsh, C., Franzen, M., Glaw, F. and D'Cruze, N. 2010. A comprehensive survey of amphibians and reptiles in the extreme north of Madagascar. *Herpetology Notes* 2: 31-44.
- Meier, H. 1979. Herpetologische beobachtungen auf Neokaledonien. *Salamandra* 15: 113-139.
- Meier, H. 1980. Zur taxonomie und okologie der gattung *Phelsuma* (Reptilia: Sauria: Gekkonidae) auf den Komoren, mit beschreibung einer neuen art. *Bonner Zoologische Beiträge* 31: 323-332.
- Meier, H. 1982. Ergebnisse zur taxonomie und okologie einiger arten und unterarten der gattung *Phelsuma* auf Madagaskar, gesammelt in den jahren 1972 bis 1981, mit beschreibung einer neuen form (Reptilia: Sauria: Gekkonidae). *Salamandra* 18: 168-190.
- Meier, H. 1982. Zur taxonomie und okologie der gattung *Phelsuma* auf den Seychellen, mit Nachtragen zu dieser Gattung auf den Komoren. *Salamandra* 18: 49-55.
- Meier, H. 1984. Zwei neue formen der gattung *Phelsuma* von den Komoren (Sauria: Gekkonidae). *Salamandra* 20: 32-38.
- Meier, H. 1995. Neue nachweise von *Phelsuma borbonica* auf Reunion, Maskarenen, mit dem versuch einer taxonomischen einordnung. *Salamandra* 31: 33-40.
- Meier, A. J. and Noble, R. E. 1990. Notes on the status and habits of the Desechoeo gecko, *Sphaerodactylus levensi*. *Journal of Herpetology*, 24: 426-428.
- Meier, A. J., Noble, R. E. and Rathbun, S. L. 1993. Population status and notes on the biology and behavior of the St. Croix Ground Lizard on Green Cay (St. Croix, US Virgin islands). *Caribbean Journal of Science* 29: 147-152.
- Meik, J. M., Jeo, R. M., Mendelson, J. R. and Jenks, K. E. 2002. Effects of bush encroachment on an assemblage of diurnal lizard species in central Namibia. *Biological Conservation* 106: 29-36.
- Meilink, W., Clegg, J., Mayerl, C., Pinto, J. S., Grasso, D., Stegen, G., Segal, M. and Kok, P. J. R. 2013. Confirmation of the presence of the sphaerodactylid lizard *Gonatodes vittatus* in Guyana, and an indication of a reproductively active population in Georgetown. *Salamandra* 49: 59-62.
- Meiri, S. 2008. Evolution and ecology of lizard body sizes. *Global Ecology and Biogeography* 17: 724-734.
- Meiri, S. 2008. Global aspects of lizard body size. *Proceedings of the Symposium on the Lacertids of the Mediterranean Basin*, 6: 38.
- Meiri, S. 2010. Length-weight allometries in lizards. *Journal of Zoology* 281: 218-226.
- Meiri, S. 2016. Small, rare and trendy: traits and biogeography of lizards described in the 21st century. *Journal of Zoology* 299: 251-261. doi:10.1111/jzo.12356.
- Meiri, S. 2018. Traits of lizards of the world – variation around a successful evolutionary design. *Global Ecology and Biogeography* 27: 1168-1172.
- Meiri, S. and Chapple, D. G. 2016. Biases in the current knowledge of threat status in lizards, and bridging the 'assessment gap'. *Biological Conservation*, 204: 6-15. http://dx.doi.org/10.1016/j.biocon.2016.03.009
- Meiri, S., Raia, P. and Phillimore, A. B. 2011. Slaying dragons: limited evidence for unusual body size evolution on islands. *Journal of Biogeography* 38: 89-100. DOI: 10.1111/j.1365-2699.2010.02390.x
- Meiri, S., Brown, J. H. and Sibly, R. M. 2012. The ecology of lizard reproductive output. *Global Ecology and Biogeography* 21: 592-602. DOI: 10.1111/j.1466-8238.2011.00700.x.
- Meiri, S., Bauer, A. M., Chirio, L., Colli, G. R., Das, I., Doan, T. M., Feldman, A., Herrera, F-C., Novosolov, M., Pafilis, P., Pincheira-Donoso, D., Powney, G., Torres-Carvajal, O., Uetz, P. and Van Damme, R. 2013. Are lizards feeling the heat? A tale of ecology and evolution under two temperatures. *Global Ecology and Biogeography* 22: 834-845.

- Meiri et al. 2014  
 Meiri et al. 2015  
 Meiri et al. 2018
- Meirte 2004  
 Mella et al. 2010  
 Mellado and Olmedo 1990  
 Melnikov et al. 2012  
 Melnikov et al. 2013a  
 Melnikov et al. 2013b  
 Melnikov et al. 2014  
 Melnikov et al. 2015  
 Melo et al. 2018
- Melville and Schlute 2001  
 Melville and Swain 1999  
 Melville and Swain 2000  
 Melville and Wilson 2019  
 Melville et al. 2006  
 Melville et al. 2014
- Melville et al. 2018
- Melville et al. 2019a
- Melville et al. 2019b
- Melville et al. 2019c  
 Melzer et al. 2017  
 Melzer et al. 2019
- Mencia et al. 2017  
 Mendes et al. 2018
- Mendez de la Cruz et al. 2003  
 Mendez de la Cruz et al. 2003  
 Mendez de la Cruz et al. 2003b  
 Mendez de la Cruz et al. 2003c  
 Mendez de la Cruz et al. 2003d  
 Mendez-de la Cruz et al. 1992  
 Mendez-de la Cruz et al. 1998  
 Mendez-De la Cruz et al. 1999
- Mendez-Galeano and Pinto-Erazo 2018  
 Mendoza and Rodriguez-Barbosa 2017  
 Mendoza et al. 2015  
 Mendoza-Paz and Fernandez-Badillo 2018  
 Mendoza-Quijano 2012  
 MENDYK 2008  
 MENDYK 2011  
 MENDYK 2015
- Meiri, S., Kadison, A. E., Novosolov, M., Pafilis, P., Foufopoulos, J., Itescu, Y., Raia, P. and Pincheira-Donoso, D. 2014. The number of competitor species is unlinked to sexual dimorphism. *Journal of Animal Ecology*, 83: 1302-1307.
- Meiri, S., Feldman, A. and Kratochvil, L. 2015. Squamate hatching size and the evolutionary causes of negative offspring size allometry. *Journal of Evolutionary Biology* 28: 438-446. DOI: 10.1111/jeb.12580.
- Meiri, S., Bauer, A. M., Allison, A., Castro-Herrera, F., Chirio, L., Colli, G. R., Das, I., Doan, T. M., Glaw, F., Grismar, L. L., Hoogmoed, M., Kraus, F., LeBreton, M., Meirte, D., Nagy, Z. T., Nogueira, C. C., Oliver, P., Pauwels, O. S., Pincheira-Donoso, D., Shea, G., Sindaco, R., Tallowin, O. J. S., Torres-Carvalho, O., Trape, J.-F., Uetz, P., Wagner, P., Wang, Y., Ziegler, T. and Roll, U. 2018. Extinct, obscure or imaginary: the lizard species with the smallest ranges. *Diversity & Distributions* 24: 262-273. doi: 10.1111/ddi.12678.
- Meirte, D. 2004. Reptiles. Pages 201-220 in M. Louette, D. Meirte and R. Jocque. 2004. La faune terrestre de l'archipel des Comores. MRAC, Tervuren.
- Mella, J., Tirado, C., Cortes, A. and Carretero, M. A. 2010. Seasonal variation of prey consumption by *Liolemaus barbarea*, a highland lizard endemic to Northern Chile. *Animal Biology*, 60: 413-421.
- Mellado, J. and Olmedo, G. 1990. El genero *Acanthodactylus* en Marruecos: problemas de identificacion en los grupos de especies *A. pardalis* y *A. scutellatus*. *Amphibia-Reptilia* 11: 131-146.
- Melnikov, D., Nazarov, R., Ananjeva, N. and Disi, A. 2012. A new species of *Pseudotrapelus* (Agamidae, Sauria) from Aqaba, southern Jordan. *Russian Journal of Herpetology* 19: 143-154.
- Melnikov, D. A., Ananjeva, N. B. and Papenfuss, T. J. 2013. A new species of *Pseudotrapelus* (Agamidae, Sauria) from Nizwa, Oman. *Russian Journal of Herpetology* 20: 79-84.
- Melnikov, D., Melnikova, E., Bondarenko, D. and Amr, Z. S. 2013. Taxonomy and distribution of *Pseudotrapelus* (Agamidae, Sauria) in Jordan. *Russian Journal of Herpetology* 20: 213-216.
- Melnikov, D., Melnikova, E., Nazarov, R., Rajabizadeh, M., Al-Johany, A., Amr, Z. S. and Ananjeva, N. B. 2014. Taxonomic revision of *Phrynocephalus arabicus* Anderson, 1984 complex with description of a new species from Ahvaz, south-western Iran. *Russian Journal of Herpetology* 21: 149-159.
- Melnikov, D., Smielowski, J., Melnikova, E., Nazarov, R. and Ananjeva, N. B. 2015. Red'n'blues: A new species of *Pseudotrapelus* (Agamidae, Sauria) from Sudan, Africa. *Russian Journal of Herpetology* 22: 53-60.
- Melo, I. V., de Moura, G. J. B., de Freitas, M. A., de Andrade, E. V. E., Casal, C., Abegg, A. D. and Kokubum, M. N. C. 2018. New additions to the herpetofauna of the Dois Irmãos State Park, an urban Atlantic Rainforest fragment in northeastern Brazil. *Herpetology Notes* 11: 245-254.
- Melville, J. and Schlute, J. A. 2001. Correlates of active body temperatures and microhabitat occupation in nine species of central Australian agamid lizards. *Austral Ecology* 26: 660-669.
- Melville, J. and Swain, R. 1999. Habitat associations and natural history of the Tasmanian "snow skinks" (*Niveoscincus* spp.). *Papers and Proceedings of the Royal Society of Tasmania*, 133: 57-64.
- Melville, J. and Swain, R. 2000. Evolutionary relationships between morphology, performance and habitat openness in the lizard genus *Niveoscincus* (Scincidae: Lygosominae). *Biological Journal of the Linnean Society* 70: 667-683.
- Melville, J. and Wilson, S. K. 2019. Dragon lizards of Australia. Evolution, ecology and comprehensive field guide. Museums Victoria Publishing, Melbourne.
- Melville, J., Harmon, L. J. and Losos, J. B. 2006. Intercontinental community convergence of ecology and morphology in desert lizards. *Proceedings of the Royal Society of London B*, 273: 557-563.
- Melville, J., Smith, K., Hobson, R., Hunjan, S. and Shoo, L. 2014. The role of integrative taxonomy in the conservation management of cryptic species: the taxonomic status of endangered earless dragons (Agamidae: *Tympanocryptis*) in the grasslands of Queensland, Australia. *PLoS ONE* 9: e101847. doi: 10.1371/journal.pone.0101847.
- Melville, J., Ritchie, E. G., Chapple, S. N. J., Glor, R. E. and Schulte, J. A. 2018. Diversity in Australia's tropical savannas: An integrative taxonomic revision of agamid lizards from the genera *Amphibolurus* and *Lophognathus* (Lacertilia: Agamidae). *Memoirs of Museum Victoria* 77: 41-61.
- Melville, J., Chaplin, K., Hipsley, C. A., Sarre, S. D., Sumner, J. and Hutchinson, M. 2019. Integrating phylogeography and high-resolution X-ray CT reveals five new cryptic species and multiple hybrid zones among Australian earless dragons. *Royal Society Open Science*, 6: 191166.
- Melville, J., Chaplin, K., Hutchinson, M., Sumner, J., Gruber, B., MacDonald, A. J., Sarre, S. D. 2019. Taxonomy and conservation of grassland earless dragons: new species and an assessment of the first possible extinction of a reptile on mainland Australia. *Royal Society Open Science* 6: 190233.
- Melville, J., Smith Date, K. L., Horner, P., and Doughty, P. 2019. Taxonomic revision of dragon lizards in the genus *Diporiphora* (Reptilia: Agamidae) from the Australian monsoonal tropics. *Memoirs of Museum Victoria* 78: 23-55.
- Melzer, S., Bell, T. and Patterson, G. B. 2017. Hidden conservation vulnerability within a cryptic species complex: taxonomic revision of the spotted skink (*Oligosoma lineoocellatum*; Reptilia: Scincidae) from New Zealand. *Zootaxa*
- Melzer, S., Hitchmough, R. A., Bell, T., Chapple, D. G. and Patterson, G. B. 2019. Lost and found: Taxonomic revision of the speckled skink (*Oligosoma infrapunctatum*; Reptilia: Scincidae) species complex from New Zealand reveals a potential cryptic extinction, resurrection of two species, and description of three new species. *Zootaxa*, 4623: 441-484.
- Mencia, A., Ortega, Z. and Perez-Mellado, V. 2017. From timeness to wariness: chemical recognition of snake predators by lizards in a Mediterranean island. *PeerJ*, 5: e2828.
- Mendes, J., Salvi, D., Harris, D. J., Els, J. and Carranza, S. 2018. Hidden in the Arabian mountains: multilocus phylogeny reveals cryptic diversity in the endemic *Omanosaura* lizards. *Journal of Zoological Systematics and Evolutionary Research* 56: 395-407.
- Mendez de la Cruz et al. 2003
- Mendez de la Cruz et al. 2003
- Mendez de la Cruz et al. 2003b
- Mendez de la Cruz et al. 2003c
- Mendez de la Cruz et al. 2003d
- Mendez-de la Cruz et al. 1992
- Mendez-de la Cruz et al. 1998
- Mendez-De la Cruz et al. 1999
- Mendez-Galeano and Pinto-Erazo 2018
- Mendoza and Rodriguez-Barbosa 2017
- Mendoza et al. 2015
- Mendoza-Paz and Fernandez-Badillo 2018
- Mendoza-Quijano 2012
- MENDYK 2008
- MENDYK 2011
- MENDYK 2015
- Mendoza, J. S. R. and Rodriguez-Barbosa, C. A. 2017. *Anadia bogotensis* (bogota anadia). Communal nesting and ant invasion. *Herpetological Review* 48: 632-633.
- Mendoza, P. M., Rivas, L. R. T. and Munoz, A. S. 2015. *Homonota fasciata* Dumeril & Bibron, 1836 (Squamata: Phyllodactylidae): Nuevo registro para el noreste del departamento de Potosí, Bolivia. *Cuadernos de Herpetología* 29: Mendoza-Paz, C. A. and Fernandez-Badillo, L. 2018. *Abronia taeniata*: Distribution notes. *Mesoamerican Herpetology* 5: 176-177.
- Mendoza-Quijano, F. 2012. *Aspidoscelis tesselata* (common checkered whiptail). Southern life history. *Herpetological Review* 43: 479-480.
- MENDYK, R. W. 2008. Remarks on osteological deformities in a captive-bred emerald tree monitor, *Varanus prasinus*. *Biawak*, 2: 72-79.
- MENDYK, R. W. 2011. Reproduction of varanid lizards (Reptilia: Squamata: Varanidae) at the Bronx Zoo. *Zoo Biology* 30: 1-16.
- MENDYK, R. W. 2015. Life expectancy and longevity of varanid lizards (Reptilia: Squamata: Varanidae) in North American zoos. *Zoo Biology*, 34: 139-152.

- Mendyk 2016  
 Mendyk 2017  
 Mendyk 2018  
 Menegon et al. 2002  
 Menegon et al. 2006  
 Menegon et al. 2008  
 Meneken et al. 2005  
 Menezes and Rocha 2011  
 Menezes et al. 2004  
 Menezes et al. 2013  
 Meng et al. 2016
- Mertens 1928  
 Mertens 1931  
 Mertens 1938  
 Mertens 1942  
 Mertens 1950  
 Mertens 1963a  
 Mertens 1963b  
 Mertens 1964a  
 Mertens 1964b  
 Mertens 1966a  
 Mertens 1966b  
 Mertens 1968  
 Mertens 1975  
 Meshaka et al. 1994  
 Mesquita and Colli 2003  
 Mesquita et al. 2000  
 Mesquita et al. 2006a  
 Mesquita et al. 2006b  
 Mesquita et al. 2006c  
 Mesquita et al. 2015a  
 Mesquita et al. 2015b  
 Mesquita et al. 2016a  
 Mesquita et al. 2016b  
 Mesquita et al. 2018a
- Mesquita et al. 2018b  
 Metallinou and Carranza 2013  
 Metallinou and Crochet 2013  
 Metallinou et al. 2014
- Metzger and Herrel 2005  
 Metzger and Herrel 2006  
 Meyer and Mouton 2007  
 Meyer and Wilson 1971  
 Meza-Joya and Ramos-Pallares 2015  
 Meza-Joya et al. 2014  
 Micco et al. 1997
- Michael and Lindenmayer 2010  
 Michael et al. 2010  
 Michael et al. 2011a  
 Michael et al. 2011b  
 Michael et al. 2014
- Michaud and Echternacht 1995
- Mendyk, R. W. 2016. An annotated bibliography of captive reproduction in monitor lizards (Varanidae: Varanus). Part I. *Odatria*. Biawak, 10: 54-71.  
 Mendyk, R. W. 2017. An annotated bibliography of captive reproduction in monitor lizards (Varanidae: Varanus). Part II. *Empagusia* and *Philippinosaurus*. Biawak, 11: 40-49.  
 Mendyk, R. W. 2018. An annotated bibliography of captive reproduction in monitor lizards (Varanidae: Varanus). Part III. *Soterosaurus*. Biawak, 12: 54-61.  
 Menegon, M., Salvadio, S. and Tilbury, C. 2002. A new dwarf forest chameleon from the Udzungwa mountains of Tanzania, East Africa. (Squamata: Rhampholeon Gunther, 1874). Journal of Herpetology 36: 51-57.  
 Menegon, M., Salvadio, S. and Moyer, D. 2006. Reptiles and amphibians from a montane grassland: Gendawaki Valley, Udzungwa Mountains, Tanzania. African Herp News, 40: 8-14.  
 Menegon, M., Doggart, N. and Owen, N. 2008. The Nguru mountains of Tanzania, an outstanding hotspot of herpetofaunal diversity. Acta Herpetologica 3: 107-127.  
 Meneken, B. M., Knipps, A. C. S., Layne, J. N. and Ashton, K. G. 2005. *Neoseps reynoldsi*. Longevity. Herpetological Review 36: 180-181.  
 Menezes, V. A. and Rocha, C. F. D. 2011. Thermal ecology of five Cnemidophorus species (Squamata: Teiidae) in east coast of Brazil. Journal of Thermal Biology, 36: 232-238.  
 Menezes, V. F., Rocha, C. F. D. and Dutra, G. F. 2004. Reproductive ecology of the parthenogenetic whiptail lizard *Cnemidophorus* native in a Brazilian restinga habitat. Journal of Herpetology, 38: 280-282.  
 Menezes, V. G., Dos Santos, N. M., Bezerra, R. D. S., Gogliath, M. and Ribeiro, L. B. 2013. *Hemidactylus brasiliensis* (Amaral's Brazilian gecko). Diet. Herpetological Review 44: 143-144.  
 Meng, H., Carr, J., Beraducci, J., Bowles, P., Branch, W. R., Capitani, C., Chenga, J., Cox, N., Howell, K., Malonza, P., Marchant, R., Mbilinyi, B., Mukama, K., Msuya, C., Platts, P. J., Safari, I., Spawls, S., Shennan-Farpon, Y., Wagner, P. and Burgess, N. D. 2016. Tanzania's reptile biodiversity: Distribution, threats and climate change vulnerability. Biological Conservation 204: 72-82.  
 Mertens, R. 1928. Neue inselrassen von *Cryptoblepharus boutonii* (Desjardin). Zoologischer Anzeiger 78: 82-89.  
 Mertens, R. 1931. Ablepharus boutonii (Desjardin) und seine geographische Variation. Zoologische Jahrbücher, Abteilung für Systematik, Geographie und Biologie der Tiere 61: 63-210.  
 Mertens, R. 1938. Über eine herpetologische sammlung aus dem Gebiete des Njarasa-Grabens Ost-Afrika. Sonderdruck aus den Veröffentlichungen aus dem Deutschen Kolonial- u. Übersee-Museum in Bremen 2: 1-9.  
 Mertens, R. 1942. Die familie der warane (Varanidae). Dritter teil: taxonomie. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 466: 235-391.  
 Mertens, R. 1950. Notes on some indo-Australian monitors (Sauria, Varanidae). American Museum Novitates 1456: 1-7.  
 Mertens, R. 1963. Studien über die reptilienfauna Madagaskars. IV. Zwei neue arten der geckonengattung *Phelsuma*. Senckenbergiana Biologica 44: 349-356.  
 Mertens, R. 1963. The geckos of the genus *Phelsuma* on Mauritius and adjacent islands. Mauritius institute Bulletin, 5: 299-305.  
 Mertens, R. 1964. Das chamaleon der insel Pemba. Senckenbergiana Biologica, 45: 99-116.  
 Mertens, R. 1964. Studien über die reptilienfauna Madagaskars V. Funf neue rassen der geckonengattung *Phelsuma*. Senckenbergiana Biologica, 45: 99-112.  
 Mertens, R. 1966. Die nichtmadagassischen arten und unterarten der geckonengattung *Phelsuma*. Senckenbergiana Biologica 47: 85-110.  
 Mertens, R. 1966. Liste der rezenten amphibien und reptilien: Chamaeleonidae. Das Tierreich 83: 1-37.  
 Mertens, R. 1968. Zur kenntnis der herpetofauna von Kamerun und Fernando Poo. Bonn Zoologische Beiträge 19: 69-84.  
 Mertens, R. 1975. Skine mit greifschwanz. Salamandra 11: 33-38.  
 Meshaka, W. E., Butterfield, B. P. and Hauge, J. B. 1994. Reproductive notes on the introduced gecko *Hemidactylus mabouia* in southern Florida. Herpetological Natural History 2: 109-110.  
 Mesquita, D. O. and Colli, G. R. 2003. Geographical variation in the ecology of populations of some Brazilian species of Cnemidophorus (Squamata, Teiidae). Copeia, 2003: 285-298.  
 Mesquita, D. O., Peres, A. K., Vieira, G. H. C. and Colli, G. R. 2000. *Mabuya guaporicola* (Calango-Liso). Natural history. Herpetological Review 31: 240-241.  
 Mesquita, D. O., Colli, G. R., Costa, G. C., Franca, F. G. R., Garda, A. A. and Peres, A. K. 2006. At the water's edge: ecology of semiaquatic teiids in Brazilian Amazon. Journal of Herpetology 40: 221-229.  
 Mesquita, D. O., Colli, G. R., Franca, F. G. R. and Vitt, L. J. 2006. Ecology of a cerrado lizard assemblage in the Jalapao region of Brazil. Copeia 2006: 460-471.  
 Mesquita, D. O., Costa, G. C. and Colli, G. R. 2006. Ecology of an Amazonian savanna lizard assemblage in Monte Algre, Para State, Brazil. South American Journal of Herpetology, 1: 61-71.  
 Mesquita, D. O., Colli, G. R., Costa, G. C., Costa, T. B., Shepard, D. B., Vitt, L. J. and Pianka, E. R. 2015. Life history data of lizards of the world. Ecology, 96: 594.  
 Mesquita, D. O., Costa, G. C., Figueiredo, A. S., Franca, F. G. R., Garda, A. A., Soares, A. H. B., Bastos, L., Vasconcellos, M. M., Vieira, G. H. C., Vitt, L. J., Werneck, F. P., Wiederhecker, H. C., Colli, G. R. 2015. The autecology of *Anolis brasiliensis* (Squamata, Dactyloidae) in a Neotropical Savanna. Herpetological Journal 25: 233-244.  
 Mesquita, D. O., Costa, G. C., Colli, G. R., Costa, T. B., Shepard, D. B., Vitt, L. J. and Pianka, E. R. 2016. Life-history patterns of lizards of the world. The American Naturalist 187: 689-705.  
 Mesquita, D. O., Faria, R. G., Colli, G. R., Vitt, L. J. and Pianka, E. R. 2016. Lizard life-history strategies. Austral Ecology 41: 1-5.  
 Mesquita, D. O., Alves, B. C. F., Pedro, C. K. B., Laranjeiras, D. O., Caldas, F. L. S., Pedrosa, I. M. M. C., Rodrigues, J. B., Drummond, L. O., Cavalcanti, L. B. Q., Wachlevski, M., Nogueira-Costa, P., Franca, R. C. and Franca, F. G. R. 2018. Herpetofauna in two habitat types (tabuleiros and Stational Semideciduous Forest) in the Reserva Biológica Guaribas, northeastern Brazil. Herpetology Notes, 11: 455-474.  
 Mesquita, G. S., Ferraz, D., Ramalho, W. P., Machado, I. F. and Vaz-Silva, W. 2018. Death-feigning as defensive behaviour in blue-tailed microteiid lizard *Microblepharus atticolus* Rodrigues, 1996. Herpetology Notes, 11: 1065-1067.  
 Metallinou, M. and Carranza, S. 2013. New species of *Stenodactylus* (Squamata: Gekkonidae) from the Sharqiyah Sands in northeastern Oman. Zootaxa 3745: 449-468.  
 Metallinou, M. and Crochet, P.-A. 2013. Nomenclature of African species of the genus *Stenodactylus* (Squamata: Gekkonidae). Zootaxa 3691: 365-376.  
 Metallinou, M., Vasconcelos, R., Smid, J., Sindaco, R. and Carranza, S. 2014. Filling in the gap: two new records and an updated distribution map for the Gulf Sand gecko *Pseudoceramodactylus khobarensis* Haas, 1957. Biodiversity Data Journal 2: e4011.  
 Metzger, K. A. and Herrel, A. 2005. Correlations between lizard cranial shape and diet: a quantitative, phylogenetically informed analysis. Biological Journal of the Linnean Society 86: 433-466.  
 Metzger, K. A. and Herrel, A. 2006. Utility of skeletal mass as a measure of body size in lizards. Journal of Herpetology, 40: 381-384.  
 Meyer and Mouton, P. Le F. N. 2007. Aggregation in Bibron's gecko, *Chondrodactylus bibronii*. African Journal of Herpetology, 56: 137-147.  
 Meyer, J. R. and Wilson, L. D. 1971. Taxonomic studies and notes on some Honduran amphibians and reptiles. Bulletin of the Southern California Academy of Sciences 70: 106-114.  
 Meza-Joya, F. L. and Ramos-Pallares, E. 2015. New records, range extensions and updated distribution of two gymnophthalmid lizards from the Caribbean Region, Colombia. Check List 11: 1735-1741.  
 Meza-Joya, F. L., Ramos-Pallares, E., Hernandez-Jaimes, C. 2017. *Ptychoglossus bicolor* (Werner 1916). Catalogo de Anfibios y Reptiles de Colombia 2: 24-29.  
 Micco, S. M., Lahey, G. J., Sosa, R. A., Powell, R., Censky, E. J. and Parmerlee, J. S. 1997. Natural history of *Leiocephalus barahonensis* (Tropiduridae) on the Peninsula de Barahona, Hispaniola: an examination of two populations. Herpetological Natural History 5: 147-156.  
 Michael, D. and Lindenmayer, D. 2010. Reptiles of the NSW Murray catchment. A guide to their identification, ecology and conservation. CSIRO Publishing, Collingwood, Victoria.  
 Michael, D. R., Cunningham, R. B. and Lindenmayer, D. B. 2010. Microhabitat relationships among five lizard species associated with granite outcrops in fragmented agricultural landscapes of south-eastern Australia. Austral Ecology 35: 407-415.  
 Michael, D. R., Cunningham, R. B. and Lindenmayer, D. B. 2011. Regrowth and revegetation in temperate Australia presents a conservation challenge for reptile fauna in agricultural landscapes. Biological Conservation 144: 407-415.  
 Michael, D. R., Lindenmayer, D. B., Crane, M., MacGregor, C., Montague-Drake, R. and McBurney, L. 2011. Reptilia, Murray catchment, New South Wales, southeastern Australia. Check List 7: 25-29.  
 Michael, D. R., Banks, S. C., Piggott, M. P., Cunningham, R. B., Crane, M., MacGregor, C., McBurney, L. and Lindenmayer, D. B. 2014. Geographical variation in body size and sexual size dimorphism in an Australian lizard, Boulenger's skink (*Morethia boulengeri*). PLoS ONE 9(10): e109830.  
 Michaud, E. J. and Echternacht, A. C. 1995. Geographic variation in the life history of the lizard *Anolis carolinensis* and support for the pelvic constraint model. Journal of Herpetology, 29: 86-97.

- Middendorf and Reynolds 2000
- Middendorf, G. and Reynolds, R. 2000. Herpetofauna of the Beni Biological Station Biosphere Reserve, Amazonian Bolivia: additional information, and current knowledge in context. Pages 151-169. In Herrera-MacBryde, O., F. Dallmeier , B. MacBryde , J. A. Comiskey , and C. Miranda . Biodiversity, Conservation and Management in the Region of the Beni Biological Station Biosphere Reserve, Bolivia. Smithsonian Institution. Washington, D.C., U.S.A.
- Migliore and Barreto-Lima 2016
- Migliore, S. N. and Barreto-Lima, A. F. 2016. *Enyalius iheringii* (Ihering's Fat-headed Anole). Diet. Herpetological Review 47: 297-298.
- Migliore, S. N., Braz, H. B. and Almeida-Santos, S. M. 2014. Reproductive aspects of two *Enyalius* lizards from the Atlantic forest in Southeastern Brazil. Herpetology Notes, 7: 273-276.
- Migliore, S. N., Braz, H. B., Barreto-Lima, A. F. and Almeida-Santos, S. M. 2017. Reproductive timing and fecundity in the Neotropical lizard *Enyalius perditus* (Squamata: Leiosauridae). Acta Herpetologica, 12: 187-191.
- Mijares-Urrutia 2000
- Mijares-Urrutia, A. 2000. Taxonomy of some microteids from Venezuela (Squamata), ii: Nomenclature condition of *Prionodactylus ampuedai* and *Prionodactylus phelpsorum*. Revista de Biología Tropical 48: 681-688.
- Mijares-Urrutia, A. and Arends, R. A. 1997. A new *Mabuya* (Squamata: Scincidae) from the semiarid coast of northwestern Venezuela. Revista Brasileira de Biología 57: 595-601.
- Mijares-Urrutia, A. and Arends, R. A. 1999. Additional new regional and local records of amphibians and reptiles from the state of Falcon, Venezuela. Herpetological Review, 30: 115.
- Mijares-Urrutia, A., Senaris, J. C. and Arends, A. 2000. Taxonomy of some microteids from Venezuela (Squamata), i: Variation and geographic distribution of *Euspondylus acutirostris* and description of a new *Euspondylus* from northeast Venezuela. Revista de Biología Tropical 48: 671-680.
- Mikaili and Shayegh 2011
- Mikaili, P. and Shayegh, J. 2011. The lizards of Iran: An etymological review of families Gekkonidae, Eublepharidae, Anguidae, Agamidae. Annals of Biological Research, 2: 22-37.
- Mikulicek et al. 2018
- Mikulicek, P., Jablonski, D., Palenik, M., Gvozdik, V. and Jandzik, D. 2018. Characterization of microsatellite markers in the genera *Anguis* and *Pseudopus* (Reptilia: Anguidae). Salamandra 54: 158-162.
- Miles and Dunham 1992
- Miles, D. B. and Dunham, A. E. 1992. Comparative analyses of phylogenetic effects in the life-history patterns of iguanid reptiles. The American Naturalist 139: 848-869.
- Miles et al. 2007
- Miles, D. B., Losos, J. B. and Irschick, D. J. 2007. Morphology, performance, and foraging mode. Pages 49-93 in Reilly, S. M., McBrayer, L. B. and Miles, D. B. (editors) . Lizard ecology. Cambridge University Press, Cambridge.
- Miller 1999
- Miller, Z. 1999. *Egernia striolata*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/biol/zoology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Miller 2017
- Miller, C. 2017. Morphological and roosting variation in the dwarf chameleon *Brookesia stumpffi* between primary, secondary, and degraded habitats Nosy Be, Madagascar. Herpetological Conservation and Biology 12: 599-605.
- Miller, A. H. and Zug, G. R. 2016. An enigmatic *Lygosoma* (Reptilia: Scincidae) from Northern Myanmar. Herpetological Review 47: 373-374.
- Miller, E. C., Sellas, A. B. and Drewes, R. C. 2012. A new species of *Hemidactylus* (Squamata: Gekkonidae) from Principe island, Gulf of Guinea, West Africa with comments on the African-Atlantic clade of *Hemidactylus* geckos. African Journal of Herpetology, 61: 40-57.
- Milne and Bull 2000
- Milne, T. and Bull, C. M. 2000. Burrow choice by individuals of different sizes in the endangered pygmy blue tongue lizard *Tiliqua adelaidensis*. Biological Conservation 95: 295-301.
- Milne et al. 2002
- Milne, T., Bull, C. M. and Hutchinson, M. N. 2002. Characteristics of litters and juvenile dispersal in the endangered Australian skink *Tiliqua adelaidensis*. Journal of Herpetology, 36: 110-112.
- Milstead 1957
- Milstead, W. W. 1957. Observations on the natural history of four species of whiptail lizard, *Cnemidophorus* (Sauria, Teiidae) in Trans-Pecos Texas. The Southwestern Naturalist, 2: 105-121.
- Milstead 1961
- Milstead, W. W. 1961. Notes on teiid lizards in southern Brazil. Copeia, 1961: 493-495.
- Milto 2014
- Milto, K. D. 2014. First report of the herpetofauna of Phi Phi Archipelago, Andaman Sea, Thailand. Russian Journal of Herpetology 21: 269-273.
- Milto 2016
- Milto, K. D. 2016. New records of reptiles on the Red Sea Coast, Egypt, with notes on zoogeography. Russian Journal of Herpetology, 24(1), pp.11-21.
- Milto and Barabanov 2012
- Milto, K. D. and Barabanov, A. V. 2012. A catalogue of the agamid and chamaeleonid types in the collection of the Zoological Institute, Russian Academy of Sciences, St. Petersburg. Russian Journal of Herpetology 19: 155-170.
- Milto et al. 2019
- Milto, K. D., Saber, S. A., Nagy, A. M., Nazarov, R. A., Melnikov, D. A. and Ananjeva, N. B. 2019. First report on the reptile diversity of Wadi El Gemal National Park, Eastern Desert, Egypt. Russian Journal of Herpetology, 26: 175.
- Milton 1987
- Milton, D. A. 1987. Reproduction of 2 closely related skinks, *Egernia modesta* and *Egernia whitii* (Lacertilia, Scincidae) in southeast Queensland, Australia. Journal of Zoology, 35: 35-41.
- Min and Das 2012
- Min, P. Y. and Das, I. 2012. A significant range extension for the Kinabalu Parachute Gecko, *Ptychozoon rhaeophorus* (Boulenger, 1899) (Squamata: Gekkonidae) and a new state record from Sarawak, northwestern Borneo. Herpetology Notes, 5: 177-179.
- Minoli and Avila 2017
- Minoli, I. and Avila, L. J. 2017. Conservation assessments in climate change scenarios: spatial perspectives for present and future in two *Pristidactylus* (Squamata: Leiosauridae) lizards from Argentina. Zootaxa, 4237: 91-111.
- Minoli et al. 2010
- Minoli, I., Kozykariski, M.L. and Avila, L. J. 2010. Observations on parturition in two *Liolaemus* species of the archeforus group (Iguania: Squamata: Liolaemidae). Herpetology Notes, 3: 333-336.
- Minoli et al. 2014
- Minoli, I., Morando, M. and Avila, L. J. 2014. Integrative taxonomy in the *Liolaemus fitzingerii* complex (Squamata: Liolaemini) based on morphological analyses and niche modeling. Zootaxa 3856: 501-528.
- Minoli et al. 2015
- Minoli, I., Morando, M. and Avila, L. J. 2015. Reptiles of Chubut province, Argentina: richness, diversity, conservation status and geographic distribution maps. ZooKeys 498: 103-126.
- Minoli et al. 2016
- Minoli, I., Morando, M. and Avila, L. J. 2016. Sexual dimorphism and interspecific head variation in the *Liolaemus melanops* complex (Squamata: Liolaemini) based on geometric morphometrics. Herpetological Journal 26: 225-235.
- Minoli et al. 2019
- Minoli, I., Cacciali, P., Morando, M. and Avila, L. J. 2019. Predicting the spatial and temporal effects of climate change on the south american lizard genus *Teius* (Squamata: Teiidae). Amphibia-Reptilia 40: 313-326.
- Minton 1966
- Minton, S. A. 1966. A contribution to the herpetology of West Pakistan. Bulletin of the American Museum of Natural History 134: 31-184.
- Minton 2004
- Minton, S. A. 2004. Amphibians and reptiles of Indiana. 2nd edition. Indiana Academy of Science, Indianapolis.
- Minton and Anderson 1965
- Minton, S. A. and Anderson, J. A. 1965. A new dwarf gecko (Tropiocolotes) from Baluchistan. Herpetologica 21: 59-61.
- Minton et al. 1970
- Minton, S. A., Anderson, S. C. and Anderson, J. A. 1970. Remarks on some geckos from southwest Asia, with descriptions of three new forms and a key to the genus *Tropiocolotes*. Proceedings of the California Academy of Sciences
- Miralles 2005
- Miralles, A. 2005. The identity of *lacertus mabouya* Lapepede, 1788, with description of a neotype: an approach toward the taxonomy of New World *Mabuya*. Herpetologica, 61: 46-53.
- Miralles 2006
- Miralles, A. 2006. A new species of *Mabuya* (Reptilia, Squamata, Scincidae) from the Caribbean island of San Andres, with a new interpretation of nuchal scales: a character of taxonomic importance. Herpetological Journal, 16: 1-7.
- Miralles et al. 2005a
- Miralles, A., Fuenmayor, G. R. and Barrio-Amoros, C. L. 2005. Taxonomy of the genus *Mabuya* (Reptilia, Squamata, Scincidae) in Venezuela. Zoosystema 27: 825-837.
- Miralles et al. 2005b
- Miralles, A., Rivas, G. and Schargel, W. E. 2005. A new species of *Mabuya* (Squamata, Scincidae) from the Venezuelan Andes. Zootaxa 895: 1-11.
- Miralles et al. 2006
- Miralles, A., Barrio-Amoros, C. L., Rivas, G. and Chaparro-Azu, J. C. 2006. Speciation in the "Varzea" flooded forest: a new *Mabuya* (Squamata, Scincidae) from Western Amazonia. Zootaxa 1188: 1-22.
- Miralles et al. 2009a
- Miralles, A., Chaparro, J. C. and Harvey, M. B. 2009. Three rare and enigmatic South American skinks. Zootaxa 2012: 47-68.
- Miralles et al. 2009b
- Miralles, A., Fuenmayor, G. R., Bonillo, C., Schargel, W. E., Barros, T., Garcia-Perez, J. E. and Barrio-Amoros, C. L. 2009. Molecular systematics of Caribbean skinks of the genus *Mabuya* (Reptilia, Scincidae), with descriptions of two new species from Venezuela. Zoological Journal of the Linnean Society, 156: 598-616.
- Miralles et al. 2011a
- Miralles, A., Kohler, J., Glaw, F. and Vences, M. 2011. A molecular phylogeny of the "Madascincus polleni" species complex", with description of a new species of scincid lizard from the coastal dune area of northern Madagascar.
- Miralles et al. 2011b
- Miralles, A., Raselimanana, A. P., Rakotomalala, D., Vences, M. and Vieites, D. R. 2011. A new large and colorful skink of the genus *Amphiglossus* from Madagascar revealed by morphology and multilocus molecular study. Zootaxa
- Miralles et al. 2012
- Miralles, A., Anjerinaaina, M., Hipsley, C. A., Muller, J., Glaw, F. and Vences, M. 2012. Variations on a bauplan: description of a new Malagasy "mermaid skink" with flipper-like forelimbs only (Scincidae, *Sirenoscincus* Sakata & Hikida, 2003). Zoosystema 34: 701-719.
- Miralles et al. 2015a
- Miralles, A., Glaw, F., Ratsoavina, F. M. and Vences, M. 2015. A likely microendemic new species of terrestrial iguana, genus *Chalarodon*, from Madagascar. Zootaxa 3946: 201-220.
- Miralles et al. 2015b
- Miralles, A., Hipsley, C. A., Erens, J., Gehara, M., Rakotoarison, A., Glaw, F., Muller, J. and Vences, M. 2015. Distinct patterns of desynchronized limb regression in Malagasy scincine lizards (Squamata, Scincidae). PLoS ONE 10(6): e0126074. doi:10.1371/journal.pone.0126074
- Miralles et al. 2016a
- Miralles, A., Jono, T., Mori, A., Gandola, R., Erens, J., Kohler, J., Glaw, F. and Vences, M. 2016. A new perspective on the reduction of cephalic scales in fossorial legless skinks (Squamata, Scincidae). Zoologica Scripta 45: 380-393.
- Miralles et al. 2016b
- Miralles, A., Kohler, J., Glaw, F. and Vences, M. 2016. Species delimitation methods put into taxonomic practice: two new *Madascincus* species formerly allocated to historical species names (Squamata, Scincidae). Zoosystematics and Evolution 92: 257-275.
- Miralles et al. 2017a
- Miralles, A., Gomes, R., Angin, B. and Ibene, B. 2017. Etude systematique des scinques *Mabuya* de l'archipel guadeloupeen (Squamata, Scincidae). Bulletin de la Societe Herpetologique de France, 163: 67-84.

- Miralles et al. 2017b
- Miranda 2017
- Miranda and Andrade 2003
- Miranda et al. 2010
- Miranda et al. 2012
- Miranda et al. 2018
- Mirza 2010
- Mirza 2018
- Mirza and Raju 2017
- Mirza and Sanap 2012
- Mirza et al. 2013
- Mirza et al. 2014
- Mirza et al. 2018
- Mishagina 2007
- Mitchell 1965
- Mitchell 1973
- Mitchell 1999
- Mittleman 1942
- Mittleman 1952
- Miyata 1982
- Miyata 1983
- Miyata 2013
- Mizerakis and Strachinis 2017
- Mizsei et al. 2017
- Mmoon 1995
- Mo 2019
- Moazen et al. 2009
- Moch and Senter 2011
- Mochida et al. 2018
- Modry et al. 2004
- Modry et al. 2013
- Mohammad 2016
- Mohammed et al. 2015a
- Mohammed et al. 2015b
- Mohammed et al. 2017
- Mohan et al. 2019
- Mohanty et al. 2016
- Mojibi and Hojati 2014
- Mojica et al. 2003
- Molavi et al. 2014
- Molavi et al. 2017
- Moldovan 2008
- Molina and Senaris 2003
- Molina et al. 2002
- Molina et al. 2004
- Molina et al. 2015
- Molina-Borja 2003
- Molina-Borja and Rodriguez-Dominguez 2004
- Molina-Borja et al. 2010
- Molina-Zuluaga et al. 2013
- Mollov and Boyadzhiev 2018
- Mollov and Petrova 2013
- Molnar 2004
- Miralles, A., Macleod, A., Rodriguez, A., ibanez, A., Jimenez-Uzcategui, G., Quezada, G., Vences, M. and Steinfartz, S. 2017. Shedding light on the imps of darkness: an integrative taxonomic revision of the Galapagos marine iguanas (genus *Amblyrhynchus*). *Zoological Journal of the Linnean Society* 181: 678-710.
- Miranda, E. B. 2017. The plight of reptiles as ecological actors in the tropics. *Frontiers in Ecology & Evolution* 5: 1-16.
- Miranda, J. P. and Andrade, G. V. 2003. Seasonality in diet, perch use, and reproduction of the gecko *Gonatodes humeralis* from eastern Brazilian Amazon. *Journal of Herpetology*, 37: 433-438.
- Miranda, J. P., Ricci-Lobao, a and Rocha, C. F. D. 2010. Influence of structural habitat use on the thermal ecology of *Gonatodes humeralis* (Squamata: Gekkonidae) from a transitional forest in Maranhao, Brazil. *Zoologia* 27: 35-39.
- Miranda, J. P., Costa, J. C. L. and Rocha, C. F. D. 2012. Reptiles from Lencois Maranhenses National Park, Maranhao, northeastern Brazil. *ZooKeys* 246: 51-68.
- Miranda, B., Aparicio, J. and Mendez-De La Cruz, F. 2018. *Liolestes chaltein*. Preferred and critical thermal temperatures. *Herpetological Review* 49: 489-490.
- Mirza, Z. A. 2010. Comments on "An updated and annotated list of lizards (Reptilia: Sauria) based on a review of distribution records and checklist of Indian reptiles by P.D. Venugopal". *Journal of Threatened Taxa* 2: 898.
- Mirza, Z. A. 2018. A new cryptic species of ground-dwelling Hemidactylus (Squamata: Gekkonidae) from southern India. *Phyllomedusa*, 17: 169-180.
- Mirza, Z. A. and Raju, D. 2017. A new rupicolous species of gecko of the genus *Hemidactylus* Oken, 1817 from the Sapura Hills, Central India. *Amphibian & Reptile Conservation* 11: 51-71.
- Mirza, Z. A. and Sanap, R. V. 2012. Notes on the natural history of *Hemidactylus albofasciatus* Grandison and Soman, 1963 (Reptilia: Gekkonidae). *Hamadryad* 36: 56-58.
- Mirza, Z. A., Bhosale, H. and Sanap, R. 2013. First description of male *Hemidactylus saraeansis* Giri & Bauer 2008 (Sauria: Gekkonidae) with notes on its natural history, distribution and conservation status. *Hamadryad* 36: 177-180.
- Mirza, Z. A., Sanap, R. V., Raju, D., Gawai, A. and Ghadekar, P. 2014. A new species of lizard of the genus *Eublepharis* (Squamata: Eublepharidae) from India. *Phyllomedusa* 13: 75-90.
- Mirza, Z. A., Gowande, G. G., Patil, R., Ambekar, M. and Patel, H. 2018. First appearance deceives many: disentangling the *Hemidactylus triedrus* species complex using an integrated approach. *PeerJ* 6: e5341.
- Mishagina, J. V. 2007. On food habits of sand racerunner, *Eremias scripta* (Strauch, 1867) (squamata, Lacertidae) from Barchan Sands of eastern Kara Kum (Repeteck Reserve). *Russian Journal of Herpetology* 14: 50-56.
- Mitchell, F. J. 1965. Australian geckos assigned to the genus *Gehyra* Gray (Reptilia, Gekkonidae). *Senckenbergiana Biologica* 46: 287-319.
- Mitchell, F. J. 1973. Studies on the ecology of the agamid lizard *Amphibolurus maculosus*. *Transactions of the Royal Society of South Australia* 97: 47-76.
- Mitchell, N. C. 1999. Effect of introduced ungulates on density, dietary preferences, home range, and physical condition of the iguana (*Cyclura pinguis*) on Anegada. *Herpetologica*, 55: 7-17.
- Mittleman, M. B. 1942. A summary of the iguanid genus *Urosaurus*. *Bulletin of the Museum of Comparative Zoology* 91: 103-181.
- Mittleman, M. B. 1952. A generic synopsis of the lizards of the subfamily *Lygosominae*. *Smithsonian Miscellaneous Collections* 117: 1-35.
- Miyata, K. 1982. A checklist of the amphibians and reptiles of Ecuador with a bibliography of Ecuadorian herpetology. *Smithsonian Herpetological Information Service* 54: 1-70.
- Miyata, K. 1983. Notes on *Phenacosaurus heterodermus* in the Sabana de Bogota, Colombia. *Journal of Herpetology*, 17: 102-105.
- Miyata, K. I. 2013. Studies on the ecology and population biology of little known Ecuadorian anoles. *Bulletin of the Museum of Comparative Zoology*, 161: 45-78.
- Mizerakis, V. and Strachinis, I. 2017. New record of *Tarentola mauritanica* (Squamata: Phyllodactylidae) from Lesvos island, Greece. *Herpetology Notes*, 10: 157-159.
- Mizsei, E., Jablonski, D., Vegvari, Z., Lengyel, S. and Szabolcs, M. 2017. Distribution and diversity of reptiles in Albania: a novel database from a Mediterranean hotspot. *Amphibia-Reptilia* 38: 157-173.
- Zug, G. R. and Moon, B. R. 1995. Systematics of the Pacific slender-toed geckos, *Nactus pelagicus* complex: Oceania, Vanuatu, and Solomon islands populations. *Herpetologica*, 51: 77-90.
- Mo, M. 2019. Seasonality and frequency of snake and goanna incursions on an Australian agricultural institute and the attitudes of staff regarding coexistence. *IRCF Reptiles & Amphibians* 26: 16-20.
- Moazen, M., Curtis, N., O'Higgins, P., Evans, S. E. and Fagan, M. J. 2009. Biomechanical assessment of evolutionary changes in the lepidosaurian skull. *Proceedings of the National Academy of Sciences, USA*, 106: 8273-8277.
- Moch, J. G. and Senter, P. 2011. Vestigial structures in the appendicular skeletons of eight African skink species (Squamata, Scincidae). *Journal of Zoology* 285: 274-280.
- Mochida, K., Sasai, T., Kadota, Y., Nishikawa, M., Itou, M. M. and Toda, M. 2018. Thermal reaction norms of locomotor performance in lacertid lizards of the genus *Takydromus*. *Current Herpetology*, 37: 114-123.
- Modry, D., Rifai, L., Abu Baker, M. and Amr, Z. S. 2004. Amphibians and reptiles of the Hashemite Kingdom of Jordan. *Denisia*, 14: 407-420.
- Modry, D., Necas, P., Rifai, L., Bischoff, W., Hamidan, N. and Amr, Z. 2013. Revision of the Levantine "Lacerta" laevis / kulzeri-complex: 3. The rock lizard of Wadi Ramm, *Phoenicolacerta kulzeri khazaliensis* ssp. n. *Vertebrate Mohammad, R. G. 2016. Study of the lizard fauna of Central and Southern Iraq with special reference on *Trapelus ruderatus* (Sauria: Agamidae). MSc. Thesis*
- Mohammed, R. G., Rastegar-Pouyani, N., Karmiani, R. and Rhadi, F. A. 2015. The lizard fauna of Al-Najaf Province, Southern Iraq. *Cumhuriyet University Faculty of Science Science Journal*, 36: 1252-1261.
- Mohammed, R. G., Rastegar-Pouyani, N., Karmiani, R. and Rhadi, F. A. 2015. Systematics and distribution of geckos in Iraq, systematics and distribution of the Gekkonidae in some provinces of central and southern Iraq. *Indian Journal of Natural Sciences* 5: 976-997.
- Mohammed, R. G., Rhadi, F. A., Rastegar-Pouyani, N., Rastegar-Pouyani, E. and Yousefkhani, S. S. H. 2017. Zoogeography of Lizards Fauna from central and southern Iraq with a checklist of Iraqi lizard's fauna. *Russian Journal of Herpetology*, 24: 193-201.
- Mohan, A. V., Gehring, P.-S., Scherz, M. D., Glaw, F., Ratsoavina, F. M. and Vences, M. 2019. Comparative phylogeography and patterns of deep genetic differentiation of two gecko species, *Paroedura gracilis* and *Phelsuma guttata*, across north-eastern Madagascar. *Salamandra* 55: 211-220.
- Mohanty, N. P., Harikrishnan, S. and Vasudevan, K. 2016. Watch out where you sleep: nocturnal sleeping behaviour of Bay Island lizards. *PeerJ*, 4: e1856.
- Mojibi, F. and Hojati, V. 2014. The female reproductive cycle of the Bedriaga plate-tailed gecko, *Teratoscincus bedriagai* (Sauria: Gekkonidae) in Iran. *International Journal of Zoology* 2014: 1-6.
- Mojica, B. H., Rey, B. H., Serrano, V. H., Ramirez-Pinilla, M. P. 2003. Annual reproductive activity of a population of *Cnemidophorus lemniscatus* (Squamata : Teiidae). *Journal of Herpetology* 37: 35-42.
- Molavi, F., Mohammadian-kalat, T., Kiabi, B. H., Kami, H. G. and Yazdanpanahi, M. 2014. New distribution Record of *Phrynocephalus mystaceus* Pallas 1776 (Sauria: Agamidae) from Iran. *Check List* 10: 450-452.
- Molavi, F., Kalat, T. M., Yazdanpanah, M. and Bahram, H. 2017. *Eremias intermedia* or *Eremias nigrocellata*? is morphology sufficient? *Journal of Wildlife and Biodiversity*, 1(2). pp.56-59.
- Moldovan, D. 2008. Husbandry and captive reproduction of *Varanus* (Odatria) similis. *Mertens*, 1958. *Biawak* 2: 89-94.
- Molina, C. and Senaris, J. C. 2003. Una nueva especie del género *Riolama* (Reptilia: Gymnophthalmidae) de las tierras altas del Estado Amazonas, Venezuela. *Memoria de la Fundacion La Salle de Ciencias Naturales*, 61: 5-19.
- Molina, C., Senaris, J. C. and Ayarzagüena, J. 2002. Contribution to the knowledge of the taxonomy, Distribution, and natural history of *Leposoma hexalepis* (Reptilia: Gymnophthalmidae) in Venezuela. *Herpetologica*, 58: 485-491.
- Molina, C., Senaris, J. C. and Rivas, G. 2004. Los reptiles del Delta del Orinoco, Venezuela. *Memoria de la Fundacion La Salle de Ciencias Naturales* 159-160: 235-264.
- Molina, C., Rojas-Runjaic, F. J. M., Camargo, E. and Rivas, G. A. 2015. Tuqueque de Monte Cano, *Lepidoblepharis montecanoensis*. En: J.P. Rodriguez, A. Garcia-Rawlins y F. Rojas-Suarez (eds.) *Libro Rojo de la Fauna Venezolana. Cuarta edicion*. Provita y Fundacion Empresas Polar, Caracas, Venezuela. Recuperado de: [animalesamenazados.provita.org.ve/content/tuqueque-de-monte-cano](http://animalesamenazados.provita.org.ve/content/tuqueque-de-monte-cano) Mie, 17/08/2016.
- Molina-Borja, M. 2003. Sexual dimorphism of *Gallotia atlantica* atlantica and *Gallotia atlantica* mahoratae (Lacertidae) from the eastern Canary islands. *Journal of Herpetology* 37: 769-772.
- Molina-Borja, M. and Rodriguez-Dominguez, M. A. 2004. Evolution of biometric and life-history traits in lizards (*Gallotia*) from the Canary islands. *Journal of Zoological Systematics and Evolutionary Research* 42: 44-53.
- Molina-Borja, M., Rodriguez-Dominguez, M. A., Gonzalez-Ortega, C. and Bohorquez-Alonso, M. L. 2010. Sexual size and shape dimorphism variation in Caesar's lizard (*Gallotia caesaris*, Lacertidae) from different habitats. *Journal of Herpetology* 44: 1-12.
- Molina-Zuluaga, C., Doherty, P. F., Zuniga-Vega, J. J. and Zamora-Abrego, J. G. 2013. Survivorship, growth, and detection of a knob-scaled lizard in Queretaro, Mexico. *Journal of Herpetology*, 47: 156-161.
- Mollov, I. A. and Boyadzhiev, P. S. 2018. Diet of the Kotschy's gecko *Mediodactylus kotschyi rumelicus* (Müller, 1940)(Reptilia: Gekkonidae) from the City of Plovdiv (Bulgaria). *Ecologia Balkanica*, 10: 25-37.
- Mollov, I. and Petrova, S. 2013. A contribution to the knowledge of the trophic spectrum of three lacertid lizards from Bulgaria. *Journal of BioScience and Biotechnology* 2: 57-62.
- Molnar, R. E. 2004. *Dragons in the dust: the paleobiology of the giant monitor lizard Megalania*. Bloomington: Indiana University Press.

- Monard 1940  
 Monard 1949  
 Monasterio et al. 2009  
 Monasterio et al. 2013
- Monasterio et al. 2016a  
 Monasterio et al. 2016b  
 Mondal et al. 2019  
 Montanelli and Chebez 1997  
 Montano et al. 2013
- Montanucci 1971  
 Montanucci 1973  
 Montanucci 1976  
 Montanucci 1983  
 Montanucci 1989  
 Montanucci 2004  
 Montanucci 2015  
 Montecchiaro et al. 2011  
 Montero 2016  
 Montero and Cespedez 2002  
 Montero and Terol 1999  
 Montero et al. 1995  
 Montero-Mendieta et al. 2017
- Montgomery et al. 2003  
 Montgomery et al. 2007
- Montgomery et al. 2011
- Monti et al. 2013  
 Montiel-Canales et al. 2019
- Moody 1988  
 Moore et al. 2018  
 Mora et al. 2012  
 Mora et al. 2019  
 Moradi and Shafiei 2011  
 Moradi et al. 2011  
 Moraes et al. 2016
- Moraes et al. 2017
- Morafka 1977  
 Morais et al. 2014
- Morales-Castilla et al. 2011
- Moravec 1998  
 Moravec 2002  
 Moravec 2004
- Moravec and Bohme 1997  
 Moravec and Bohme 2008  
 Moravec and Modry 1994a  
 Moravec and Modry 1994b  
 Moravec et al. 1999  
 Moravec et al. 2006
- Moravec et al. 2011
- Monard, A. 1940. Resultats de la mission du Dr. Monard en Guinee Portugaise 1937–1938. Arquivos do Museu Bocage, Lisbon 11: 147-182.  
 Monard, A. 1949. Vertebres nouveaux du Cameroun. Revue Suisse de Zoologie 56: 731-745.  
 Monasterio, C., Salvador, A., iraeta, P. and Diaz, J. A. 2009. The effects of thermal biology and refuge availability on the restricted distribution of an alpine lizard. Journal of Biogeography 36: 1673-1684.  
 Monasterio, C., Shoo, L. P., Salvador, A., iraeta, P. and Diaz, J. A. 2013. High temperature constrains reproductive success in a temperate lizard: implications for distribution range limits and the impacts of climate change. Journal of Zoology 291: 136-145.  
 Monasterio, C., Alvarez, P., Trape, J-F. and Rodel, M-O. 2016. The herpetofauna of the Dindefelo Natural Community Reserve, Senegal. Herpetology Notes, 9: 1-6.  
 Monasterio, C., Verdu-Ricoy, J., Salvador, A. and Diaz, J. A. 2016. Living at the edge: lower success of eggs and hatchlings at lower elevation may shape range limits in an alpine lizard. Biological Journal of the Linnean Society 118: 1-10.  
 Mondal, A. C., Ahmed, F. and Ahmed, T. 2019. *Eutropis carinata* (keeled Indian mabuya / common grass skink). Diet. Herpetological Review 50: 140.  
 Montanelli, S. B. and Chebez, J. C. 1997. Geographic distribution. *Ophiosaurus yacoupoi*. Herpetological Review 28: 50.  
 Montano, R. R., Cuellar, R. L., Fitzgerald, L. A., Mendoza, F., Soria, F., Fiorello, C. V., Deem, S. L. and Noss, A. J. 2013. Activity and ranging behavior of the red tegu lizard *Tupinambis rufescens* in the Bolivian Chaco. South American Journal of Herpetology 8: 81-88.  
 Montanucci, R. R. 1971. Ecological and distributional data on *Crotaphytus reticulatus* (Sauria: Iguanidae). Herpetologica 27: 183-197.  
 Montanucci, R. R. 1973. Systematics and evolution of the Andean lizard genus *Pholidobolus* (Sauria: Teiidae). University of Kansas Museum of Natural History Miscellaneous Publications 59: 1-52.  
 Montanucci, R. R. 1976. *Crotaphytus reticulatus* Baird. Catalogue of American Amphibians and Reptiles, 185: 1-2.  
 Montanucci, R. R. 1983. Breeding, captive care and longevity of the Short-horned lizard *Phrynosoma douglassi*. International Zoo Yearbook 23: 148-156.  
 Montanucci, R. R. 1989. The reproduction and growth of *Phrynosoma ditmarsi* (Sauria: Iguanidae) in captivity. Zoo Biology 8: 139-149.  
 Montanucci, R. R. 2004. Geographic variation in *Phrynosoma coronatum* (Lacertilia, Phrynosomatidae): further evidence for a peninsular archipelago. Herpetologica 60: 117-139.  
 Montanucci, R. R. 2015. A taxonomic revision of the *Phrynosoma douglassii* species complex (Squamata: Phrynosomatidae). Zootaxa 4015: 1-177.  
 Montecchiaro, L., Kaefer, I. L., Quadros, F. C. and Cechin, S. 2011. Feeding habits and reproductive biology of the glass lizard *Ophiodes cf. striatus* from subtropical Brazil. North-Western Journal of Zoology 7: 63-71.  
 Montero, R. 2016. On the validity of several Argentinian species of *Amphisbaena* (Squamata: Amphisbaenidae). Journal of Herpetology, 50: 642-653.  
 Montero, R. and Cespedez, J. 2002. New two-pored *Amphisbaena* (Squamata: Amphisbaenidae) from Argentina. Copeia, 2002: 792-797.  
 Montero, R. and Terol, G. J. 1999. Los Amphisbaenidae en Paraguay, listado geográfico. Cuadernos de Herpetología 13: 89-95.  
 Montero, R., Scrocchi, G., Montano, M. E. and Fernandez, S. I. M. 1995. Nuevas citas de saurios, anfibios y ofidios para Bolivia. Cuadernos de Herpetología 9: 7-13.  
 Montero-Mendieta, S., Ferrer, J., Hammou, M. A., Dahmani, W., Sanuy, D. and Camarasas, S. 2017. Another record or a new taxon? A candidate species of *Chalcides Laurenti*, 1768, in north Africa (Squamata: Sauria: Scincidae). Herpetozoa 29: 155-161.  
 Montgomery, C. E., Mackessy, S. P. and Moore, J. C. 2003. Body size variation in the Texas horned lizard, *Phrynosoma cornutum*, from central Mexico to Colorado. Journal of Herpetology 37: 550-553.  
 Montgomery, C. E., Reed, R. N., Shaw, H. J., Boback, S. M. and Walker, J. M. 2007. Distribution, habitat, size, and color pattern of *Cnemidophorus lemniscatus* (Sauria: Teiidae) on Cayo Cochino Pequeno, Honduras. The Southwestern Naturalist 52: 38-45.  
 Montgomery, C. E., Boback, S. M., Green, S. E. W., Paulissen, M. A. and Walker, J. M. 2011. *Cnemidophorus lemniscatus* (Squamata: Teiidae) on Cayo Cochino Pequeno, Honduras: extent of island occupancy, natural history, and conservation status. Herpetological Conservation and Biology 6: 10-24.  
 Monti, D. M., Raia, P., Vroonen, J., Maselli, V., Van Damme, R. and Fulgione, D. 2013. Physiological change in an insular lizard population confirms the reversed island syndrome. Biological Journal of the Linnean Society 108: 144-152.  
 Montiel-Canales, G., Castillo-Ceron, J. M. and Goyenechea, I. 2019. Conserving endemic lizards in Mexico through areas of endemism and temporal strata. South American Journal of Herpetology, 14: 177-187.  
 Moody, S. M. 1988. Rediscovery and taxonomic identity of *Oreoderia gracilipes* Girard 1857 (Lacertilia, Agamidae). Herpetologica 44: 108-113.  
 Moore, D., Stow, A. and Kearny, M. R. 2018. Under the weather?—The direct effects of climate warming on a threatened desert lizard are mediated by their activity phase and burrow system. Journal of Animal Ecology, 87: 660-671.  
 Mora, J. M., Toral, D. and Calderon, J. C. 2012. *Anolis capito* (pug-nosed anole). Diet. Herpetological Review 43: 129-130.  
 Mora, J. M., Espinal, M. R., Chaves, G. and Lopez, L. I. 2019. Distributional records for *Loxopholis rugiceps* Cope, 1869 (Squamata, Gymnophthalmidae) in Central America. Check List 15: 363-368.  
 Moradi, N. and Shafiei, S. 2011. New record of the Western leopard gecko, *Eublepharis angramainyu* Anderson & Leviton, 1966 (Sauria: Eublepharidae) from southeastern Iran. Amphibian and Reptile Conservation 5: 88-91.  
 Moradi, N., Shafiei, S., Fahimi, H. and Bromand, S. 2011. Additional information on *Misonne's swollen-nose gecko*, *Rhinogeckozonifer* de Witte, 1973 (Squamata, Geckonidae) in Iran. Amphibian and Reptile Conservation 5: 54-56.  
 Moraes, L. J., Pavan, D., Barros, M. C. and Ribas, C. C. 2016. The combined influence of riverine barriers and flooding gradients on biogeographical patterns for amphibians and squamates in south-eastern Amazonia. Journal of Biogeography, 43: 2113-2124.  
 Moraes, L. J., de Almeida, A. P., de Fraga, R., Zamora, R. R., Pirani, R. M., Silva, A. A., de Carvalho, V. T., Gordo, M. and Werneck, F. P. 2017. Integrative overview of the herpetofauna from Serra da Mocidade, a granitic mountain range in northern Brazil. ZooKeys, 715: 103-159.  
 Morafka, D. J. 1977. A biogeographical analysis of the Chihuahuan desert through its herpetofauna. Junk Publishers, The Hague.  
 Morais, C. J. S., Barreto-Lima, A. F., Dantas, P. T., Domingos, F. M. C. B., Ledo, R. M. D., Pantoja, D. L., de Sousa, H. C. and Colli, C. R. 2014. First records of *Tropidurus callathelys* and *T. chromatops* (Reptilia: Squamata: Tropiduridae) in Brazil. Check List 10: 1213-1217.  
 Morales-Castilla, I., Olalla-Tarraga, M. A., Bini, L. M., de Marco, P., Hawkins, B. A. and Rodriguez, M. A. 2011. Niche conservatism and species richness patterns of squamate reptiles in eastern and southern Africa. Austral Ecology 36: 100-108.  
 Moravec, J. 1998. Taxonomic and faunistic notes on the herpetofauna of Syria (Reptilia). Faunistische Abhandlungen des Museums für Tierkunde Dresden 21: 99-106.  
 Moravec, J. 2002. A new subspecies of the Sinai agama *Pseudotrapelus sinaitus* from Southern Syria and northern Jordan (Reptilia: Squamata: Sauria: Agamidae). Faunistische Abhandlungen, Staatliches Museum für Tierkunde, 10: 1-10.  
 Moravec, J. 2004. Distribution and morphological variation of the lizard *Mesalina brevirostris* in Syria, pages 245-257 in Perez-Mellado, V., Riera, N. and Perera, A. (editors). The Biology of Lacertid lizards. Evolutionary and Ecological Perspectives. Institut Menorquí d'Estudis. Recerca.  
 Moravec, J. and Bohme, W. 1997. A new subspecies of the Mediterranean gecko, *Hemidactylus turcicus* from the Syrian lava desert (Squamata: Sauria: Gekkonidae). Herpetozoa 10: 121-128.  
 Moravec, J. and Bohme, W. 2008. First record of *Riopa haroldyoungi* from Laos. Herpetology Notes, 1: 9-10.  
 Moravec, J. and Modry, D. 1994. New herpetological records for Syria. Acta Universitatis Carolinae Biologica 38: 59-64.  
 Moravec, J. and Modry, D. 1994. On the occurrence of *Cyrtopodion heterocercus mardinensis* and *Pseudocerastes persicus fieldi* in Syria. Zoology in the Middle East, 10: 53-56.  
 Moravec, J., El, Din, S. B., Seligmann, H., Sivan, N. and Werner, Y. L. 1999. Systematics and distribution of the Acanthodactylus pardalis group (Lacertidae) in Egypt and Israel. Zoology in the Middle East, 17: 21-50.  
 Moravec, J., Franzen, M. and Bohme, W. 2006. Notes on the taxonomy, nomenclature and distribution of the Trachylepis (formerly *Mabuya*) aurata (*Linnaeus*, 1758) complex. Proceedings of the 13th Congress of the Societas Europaea Herpetologica 13: 89-93.  
 Moravec, J., Kratochvil, L., Amr, Z. S., Jandzik, D., Smid, J. and Gvozdik, V. 2011. High genetic differentiation within the *Hemidactylus turcicus* complex (Reptilia: Gekkonidae) in the Levant, with comments on the phylogeny and systematics of the genus. Zootaxa 2894: 21-38.

- Moravec et al. 2016  
Morelli 2000  
Moreno Azocar et al. 2013  
Moreno Azocar et al. 2014
- Moreno Azocar et al. 2016  
Moreno et al. 2001  
Moreno et al. 2008
- Moreno-Arias et al. 2009
- Moreno-Rueda et al. 2018  
Morgan-Richards et al. 2016
- Mori and Hikida 1993  
Mori and Hikida 1994  
Morinaga and Bergmann 2017  
Moritz et al. 2012
- Moritz et al. 2018
- Moro and MacAulay 2010  
Morris 1974  
Morrison 2003  
Morrison 2005  
Morrison et al. 2008
- Morrison et al. 2013
- Morton and Emmott 2014  
Morton et al. 2012  
Mosauer 1936  
Mosher and Bateman 2014  
Moster et al. 1995  
Mott et al. 2008  
Mott et al. 2011
- Motte et al. 2015
- Mouane et al. 2014  
Moule et al. 2016  
Mount 1961  
Mount 1963  
Mount 1968  
Moura et al. 2010  
Mouton 1998  
Mouton 2011  
Mouton and Herselman 1994  
Mouton and Van Wyk 1994  
Mouton and Van Wyk 1995  
Mouton and VanWyk 1993  
Mouton et al. 2000a  
Mouton et al. 2000b  
Mouton et al. 2010  
Mouton et al. 2012  
Moynot and Moynot 2007  
Mozaffari et al. 2011  
Muchlinski et al. 1995  
Mukherjee and Parida 2014
- Moravec, J., Tuanama, I. A., Urrutia, G. G. and Gvozdik, V. 2016. Amphibians and reptiles recorded in the Conservation Area imiria in the Ucayali region in Peru. *Acta Societatis Zoologicae Bohemicae* 80: 317-341.
- Morelli, M. 2000. *Carlia rostralis*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/biol/zoo/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Moreno Azocar, D. L., Vanhooydonck, B., Bonino, M. F., Perotti, M. G., Abdala, C. S., Schulte, J. A. and Cruz, F. B. 2013. Chasing the Patagonian sun: comparative thermal biology of Liolaemus lizards. *Oecologia* 171: 773-788.
- Moreno Azocar, D. L., Perotti, M. G., Bonino, M. F., Schulte, J. A., Abdala, C. S. and Cruz, F. B. 2015. Variation in body size and degree of melanism within a lizards clade: is it driven by latitudinal and climatic gradients? *Journal of Zoology* 295: 243-253.
- Moreno Azocar, D. L., Bonino, M. F., Perotti, M. G., Schulte, J. A., Abdala, C. S. and Cruz, F. B. 2016. Effect of body mass and melanism on heat balance in Liolaemus lizards of the goetschi clade. *Journal of Experimental Biology*
- Moreno, M. R., Moreno, J., Torres-Perez, F., Ortiz, J. C. and Breskovic, A. 2001. Catalogo Herpetologico Del Museo Del Mar De La Universidad Arturo Prat De iquique, Chile. *Gayana* 65: 149-153.
- Moreno, K., Wroe, S., Clausen, P., McHenry, C., D'Amore, D. C., Rayfield, E. J. and Cunningham, E. 2008. Cranial performance in the Komodo dragon (*Varanus komodoensis*) as revealed by high-resolution 3-D finite element analysis. *Journal of Anatomy* 212: 736-746.
- Moreno-Arias, R. A., Medina-Rangel, G. F., Carvajal-Cogollo, J. E. and Castano-Mora, O. V. 2009. Herpetofauna de la Serranía de Perija. Pages 449-470 in J. O. Rangel, editor, *Colombia Diversidad Biotica VIII: Media y Baja Montaña de la Serranía de Perija*, Edition: 8, instituto de Ciencias Naturales, Bogota.
- Moreno-Rueda, G., Melero, E., Reguera, S., Zamora-Camacho, F. J. and Alvarez-Benito, I. 2018. Prey availability, prey selection, and trophic niche width in the lizard *Psammmodromus algirus* along an elevational gradient. *Current Morgan-Richards, M., Rheyda Hinlo, M., Smuts-Kennedy, C., innes, J., Ji, W., Barry, M., Brunton, D. and Hitchmough, R. A. 2016. Identification of a rare gecko from North island New Zealand, and genetic assessment of its probable origin: a novel mainland conservation priority?* *Journal of Herpetology* 50: 77-86.
- Mori, A. and Hikida, T. 1993. Natural history observations of the flying lizard, *Draco volans sumatranaus* (Agamidae, Squamata) from Sarawak Malaysia. *Raffles Bulletin of Zoology* 41: 83-94.
- Mori, A. and Hikida, T. 1994. Field observations on the social behavior of the flying lizard, *Draco volans sumatranaus*, in Borneo. *Copeia*, 1994: 124-130.
- Morinaga, G. and Bergmann, P. J. 2017. Convergent body shapes have evolved via deterministic and historically contingent pathways in *Lerista* lizards. *Biological Journal of the Linnean Society* 121: 858-875.
- Moritz, C., Langham, G., Kearney, M., Krockenburger, A., VanDerWal, J. and Williams, S. 2012. Intergrating phylegography and physiology reveals divergence of thermal traits between central and peripheral lineages of tropical rainforest lizards. *Philosophical Transactions of the Royal Society B*, 367: 1680-1687.
- Moritz, C. C., Pratt, R. C., Bank, S., Bourke, G., Bragg, J. G., Doughty, P., Keogh, J. S., Laver, R. J., Potter, S., Teasdale, L. C. and Tedeschi, L. G. 2018. Cryptic lineage diversity, body size divergence, and sympatry in a species complex of Australian lizards (*Gehyra*). *Evolution* 72: 54-66.
- Moro, D. and MacAulay, I. 2010. A guide to the reptiles and amphibians of Barrow island. Chevron Australia, Perth.
- Morris, R. W. 1974. Some aspects of the thermophysiology of the skink *Leiolopisma zelandica*. Ph.D. Thesis, University of Canterbury, Christchurch, New Zealand.
- Morrison, C. 2003. A field guide to the herpetofauna of Fiji. Institute of Applied Sciences, University of the South Pacific, Suva, Fiji.
- Morrison, C. 2005. Distribution and diversity of Fiji's terrestrial herpetofauna: implications for forest conservation. *Pacific Science* 59: 481-489.
- Morrison, C., Osborne, T., Harlow, P. S., Thomas, N., Biciloa, P. and Niukula, J. 2008. Diet and habitat preferences of the Fijian crested iguana (*Brachylophus vitiensis*) on Yadua Taba, Fiji: implications for conservation. *Australian Journal of Zoology*, 55: 341-350.
- Morrison, S. F., Biciloa, P., Harlow, P.S. and Keogh, J. S. 2013. Spatial ecology of the critically endangered Fijian crested iguana, *Brachylophus vitiensis*, in an extremely dense population: implications for conservation. *PLoS ONE* 8(9): e73127. doi:10.1371/journal.pone.0073127
- Morton, S. R. and Emmott, A. J. 2014. Lizards of the Australian deserts: Uncovering an extraordinary ecological story. *Historical Records of Australian Science*, 25: 217-226.
- Morton, G. F., Frieiro-Costa, F. A. and Novelli, I. A. 2012. *Heterodactylus imbricatus*. Diet. *Herpetological Review* 43: 487.
- Mosauer, W. 1936. Description of a new *Phyllodactylus* from Mexico, with remarks on the status of *P. tuberculatus*. *Copeia*, 1936: 141-146.
- Mosher, K. R. and Bateman, H. L. 2014. *Sceloporus uniformis* (yellow-backed spiny lizard). Life history. *Herpetological Review* 45: 700-701.
- Moster, J. A., Parmerlee, J. S. and Powell, R. 1995. *Anolis brevirostris*. Catalogue of American Amphibians and Reptiles 610: 1-3.
- Mott, T., Morais, D. H. and Kawashita-Ribeiro, R. A. 2008. Reptilia, Squamata, Amphisbaenidae, *Anops bilabialis*: distribution extension, meristic data, and conservation. *Check List* 4: 146-150.
- Mott, T., Arruda, L. A. G., Silva, A. F., Silva, J. P., Kawashita-Ribeiro, R. A. and Carvalho, M. A. 2011. Reptilia, Squamata, Gymnophthalmidae, *Arthrosaura reticulata* (O'Shaughnessy, 1881): Distribution extension and new state record. *Check List* 7: 7-8.
- Motte, M., Tedesco, M. E., Cespedez, J. A., Martinez, N., Zaracho, V. and Yanosky, A. 2015. Contribucion al conocimiento de la herpetofauna de Bahia Negra y Sus Alrededores, Departamento Alto Paraguay, Paraguay. *Boletin de la Sociedad Zoológica del Uruguay* 24: 11-21.
- Mouane, A., Si Bachir, A., Ghennoum, I. and Harrouchi, A. 2014. Premières données sur la diversité de l'Herpetofaune de l'Erg oriental (Région du Souf - Algérie). *Bulletin de la Société herpetologique de France* 148: 491-502.
- Moule, H., Michelangeli, M., Thompson, M. B. and Chapple, D. G. 2016. The influence of urbanization on the behaviour of an Australian lizard and the presence of an activity-exploratory behavioural syndrome. *Journal of Zoology*
- Mount, R. H. 1961. The natural history of the red-tailed skink, *Eumeces Egregius Baird*. PhD Dissertation, University of Florida
- Mount, R. H. 1963. The natural history of the red-tailed skink, *Eumeces egrégius* Baird. *American Midland Naturalist* 70: 356-385.
- Mount, R. H. 1968. *Eumeces egrégius*. Catalogue of American Amphibians and Reptiles 73: 1-2.
- Moura, M. R., Dayrell, J. S. and Sao-Pedro, V. A. 2010. Reptilia, Gymnophthalmidae, *Micrablepharus maximiliani* (Reinhardt and Lutken, 1861): Distribution extension, new state record and geographic distribution map. *Check List* 6: Mouton, P. Le F. N. 1998. Active generation glands present in neonates of some cordylid lizards: a case study of *Cordylus macropholis* (Sauria: Cordylidae). *Journal of Morphology* 235: 177-182.
- Mouton, P. Le F. N. 2011. Aggregation behaviour of lizards in the arid western regions of South Africa. *African Journal of Herpetology* 60: 155-170.
- Mouton, P. Le F. N. and Herselman, Y. M. 1994. Paradoxical reproduction and body size in the rock lizard, *Agama atra atra*, in Namaqualand, South Africa. *South African Journal of Zoology*, 29: 199-203.
- Mouton, P. Le F. N. and Van Wyk, J. H. 1994. Taxonomic status of geographical isolates in the *Cordylus minor* complex (Reptilia: Cordylidae): A description of three new species. *Journal of the Herpetological Association of Africa*
- Mouton, P. Le F. N. and Van Wyk, J. H. 1995. A new crag lizard from the Cape Folded Mountains in South Africa. *Amphibia-Reptilia* 16: 389-399.
- Mouton, P. Le F. N. and Van Wyk, J. H. 1993. Sexual dimorphism in cordylid lizards - a case-study of the drakensberg crag lizard, *Pseudocordylus melanotus*. *Canadian Journal of Zoology* 71: 1715-1723.
- Mouton, P. Le F. N., Fourie, D. and Flemming, A. F. 2000. Oxygen consumption in two cordylid lizards, *Cordylus cataphractus* and *Cordylus polyzonus*. *Amphibia-Reptilia* 21: 502-507.
- Mouton, P. Le F. N., Flemming, A. F., and Nieuwoudt, C. J. 2000. Sexual dimorphism and sex ratio in a terrestrial girdled lizard, *Cordylus macropholis*. *Journal of Herpetology*, 34: 379-386.
- Mouton, P. Le F. N., Van Rensburg, D. A. J. and Van Wyk, J. H. 2010. Epidermal glands in cordylid lizards, with special reference to generation glands. *Zoological Journal of the Linnean Society*, 158: 312-324.
- Mouton, P. Le F. N., Flemming, A. F. and Stanley, E. 2012. Synchronized versus asynchronous breeding in cordylid lizards: an evolutionary perspective. *Journal of Zoology* 288: 191-198.
- Moynot, G. and Moynot, A. 2007. Guide des chameleons de Madagascar / A Field Guide to the Chameleons of Madagascar. Editions AIZA.
- Mozaffari, O., Ghaffari, H., Kamali, K. and Safaei, B. 2011. New record of plateau snake skink, *Ophiomorus nuchalis* (Squamata: Scincidae), from Iran. *Russian Journal of Herpetology* 18: 36-38.
- Muchlinski, A. E., Estany, A. and Don, M. T. 1995. The response of *Anolis equestris* and *Oplurus cyclurus* (Reptilia: Iguanidae) to bacterial endotoxin. *Journal of Thermal Biology* 20: 315-320.
- Mukherjee, R. K. and Parida, P. 2014. Behavioral ecology, breeding period, sexual dimorphism and ovipositional behavior of *Psammophilus blanfordianus* (Family: Agamidae): case study. *Indian Journal of Applied Research*, 4: 28-32.

- Mulargia et al. 2018
- Mulcahy et al. 2018
- Mulder 2016
- Mulder 2019
- Mules 2012
- Muller and Hellmich 1939
- Muller and Wettstein 1932
- Muller and Wettstein 1933
- Mulroy and Wiseman 2012
- Mumpuni 2001
- Mundo-Hernandez et al. 2017
- Munger 1984
- Munoz and Hewlett 2011
- Munoz and Losos 2018
- Munoz et al. 2014a
- Munoz et al. 2014b
- Munoz et al. 2016a
- Munoz et al. 2016b
- Munoz-Alonso and Flores-Villela 1990
- Munoz-Mendoza et al. 2017
- Munoz-Nolasco et al. 2015
- Munoz-Nolasco et al. 2019
- Murali and Kodandaramaiah 2018
- Murali et al. 2018
- Murdoch et al. 2019
- Murphy 1997
- Murphy and Jowers 2013
- Murphy and Myers 1996
- Murphy and Papenfuss 1980
- Murphy et al. 1997
- Murphy et al. 2003
- Murphy et al. 2006a
- Murphy et al. 2006b
- Murphy et al. 2009
- Murphy et al. 2016
- Murphy et al. 2017
- Murphy et al. 2018
- Murphy et al. 2019a
- Murphy et al. 2019b
- Murray 2014
- Murray and Lease 2014
- Murray et al. 2014
- Murray et al. 2015
- Murray et al. 2016
- Murray et al. 2019
- Mulargia, M., Corti, C. and Lunghi, E. 2018. The herpetofauna of the Monte Albo, Sardinia (Italy). *Russian Journal of Herpetology*, 25: 172-176.
- Mulcahy, D. G., Lee, J. L., Miller, A. H., Chand, M., Thura, M. K. and Zug, G. R. 2018. Filling the BiNs of life: Report of an amphibian and reptile survey of the Tanintharyi (Tenasserim) Region of Myanmar, with DNA barcode data. *ZooKeys* 757: 85-152.
- Mulder, J. 2016. Northern distribution limits of *Trachylepis vittata* and the locally apparent lack of polymorphism. *Iranian Journal of Animal Biosystematics* 12: 249-254.
- Mulder, J. 2019. Annotated checklist of the herpetofauna (Amphibia, Reptilia) of Mount Ararat and surroundings. *Amphibian & Reptile Conservation* 13: 162-172.
- Mules, R. D. 2012. Oligosoma chloronotum (green skink). Longevity, site fidelity. *Herpetological Review* 43: 488-489.
- Muller, L. and Hellmich, W. 1939. Liolaemus-Arten aus dem westlichen Argentinien. I. Liolaemus darwini (Bell) und Liolaemus goetschi n. sp. *Zool. Anz.* 128: 1-17.
- Muller, L. and Hellmich, W. 1932. Über eine neue Lacerta-Form aus dem Libanon. *Zoologischer Anzeiger* 98: 218-223.
- Muller, L. and Wettstein, O. 1933. Amphibien und Reptilien vom Libanon. Akademie der Wissenschaften Wien Mathematisch-naturwissenschaftliche Klasse Sitzungsberichte Abteilung i. 142: 135-144.
- Mulroy, M. D. and Wiseman, K. D. 2012. *Elgaria multicarinata* (southern alligator lizard). Oviposition site and egg attendance. *Herpetological Review* 43: 483-484.
- Mumpuni. 2001. Keanekaragaman herpetofauna di Taman Nasional Gunung Halimun, Jawa Barat. *Berita Biologi* 5: 711-720.
- Mundo-Hernandez, V., Balderas-Plata, M. A., Antonio-Nemiga, X. and Manjarrez, J. 2017. Seasonal activity and use of shelters in a population of *Aspidoscelis costata* (Squamata: Teiidae) in central Mexico. *Mesoamerican Munger*, J. C. 1984. Home ranges of horned lizards (Phrynosomidae): circumscribed and exclusive? *Oecologia* 62: 351-360.
- Munoz, M. M. and Hewlett, J. 2011. Ecological consequences of continual volcanic activity on the lizard, *Anolis lavidus*, from Montserrat. *Herpetological Review*, 42: 160-165.
- Munoz, M. M. and Losos, J. B. 2018. Thermoregulatory behavior simultaneously promotes and foretells evolution in a tropical lizard. *The American Naturalist*, 191: E15-E26.
- Munoz, M. M., Stimola, M. A., Algar, A. C., Conover, A., Rodriguez, A. J., Landestoy, M. A., Bakken, G. S. and Losos, J. B. 2014. Evolutionary stasis and lability in thermal physiology in a group of tropical lizards. *Proceedings of the Royal Society of London B*, 281: 20132433.
- Munoz, M. M., Wegener, J. E. and Algar, A. C. 2014. Untangling intra- and interspecific effects on body size clines reveals divergent processes structuring convergent patterns in *Anolis* lizards. *The American Naturalist*, 184: 636-646.
- Munoz, M. M., Crandell, K. E., Campbell-Staton, S. C., Fenstermacher, K., Frank, H. K., Van Middlesworth, P., Sasa, M., Losos, J. B. and Herrel, A. 2015. Multiple paths to aquatic specialisation in four species of Central American *Anolis* lizards. *Journal of Natural History* 49: 27-28.
- Munoz, M. M., Langham, G. M., Brandle, M. C., Rosauer, D. F., Williams, S. E. and Moritz, C. 2016. Basking behavior predicts the evolution of heat tolerance in Australian rainforest lizards. *Evolution* 70: 2537-2549.
- Munoz-Alonso, A. and Flores-Villela, O. 1990. *Anolis liogaster*. Catalogue of American Amphibians and Reptiles 489: 1-2.
- Munoz-Mendoza, C., D'Elia, G., Panzera, A., Villalobos-Leiva, A., Sites, J. W. and Victoriano, P. F. 2017. Geography and past climate changes have shaped the evolution of a widespread lizard from the Chilean hotspot. *Molecular Phylogenetics and Evolution* 116: 157-171.
- Munoz-Nolasco, F. J., Cruz-Saenz, D., Rodriguez-Ruvalcaba, O. J. and Terrones-Ferreiro, I. E. 2015. Notes on the herpetofauna of western Mexico 12: Herpetofauna of a temperate forest in Mazamitla, Southeastern Jalisco, Mexico. *Bulletin of the Chicago Herpetological Society* 50: 45-50.
- Munoz-Nolasco, F. J., Arenas-Moreno, D. M., Santos-Bibiano, R., Moral, A. B-D., Gandarilla-Aizpuro, F. J., Brindis-Badillo, D. A. and Mendez-De La Cruz, F. R. 2019. Evaporative water loss of some habitat-restricted Mexican lizard species. *Herpetological Conservation and Biology* 14: 51-66.
- Murali, G. and Kodandaramaiah, U. 2018. Body size and evolution of motion dazzle coloration in lizards. *Behavioral Ecology*, 29: 79-86.
- Murali, G., Merilahti, S. and Kodandaramaiah, U. 2018. Grab my tail: Evolution of dazzle stripes and colourful tails in lizards. *Journal of Evolutionary Biology* 31: 1675-1688.
- Murdoch, M. L., Grismer, L. L., Wood, P. L., Neang, T., Poyarkov, N. A., Tri, N. V., Nazarov, R. A., Aowphol, A., Pauwels, O. S. G., Nguyen, H. N. and Grismer, J. L. 2019. Six new species of the *Cyrtodactylus intermedius* complex (Squamata: Gekkonidae) from the Cardamom Mountains and associated highlands of Southeast Asia. *Zootaxa* 4554: 1-62.
- Murphy, J. C. 1997. Amphibians and reptiles of Trinidad and Tobago. Krieger, Malabar.
- Murphy, J. C. and Jowers, M. J. 2013. Treerunners, cryptic lizards of the *Plica plica* group (Squamata, Sauria, Tropiduridae) of northern South America. *ZooKeys* 355: 49-77.
- Murphy, T. J. and Myers, A. A. 1996. The behavioral ecology of *Phelsuma astriata* semicarinata on Aride island Nature Reserve, Seychelles. *Journal of Herpetology*, 30: 117-123.
- Murphy, R. W. and Papenfuss, T. J. 1980. Biochemical variation of *Phyllodactylus unctus* and *P. paucituberculatus*. *Biochemical Systematics and Ecology*, 8: 97-100.
- Murphy, R. W., Darevsky, I. S., MacCulloch, R. D., Fu, J., Kupriyanova, L. A., Upton, D. E. and Danielyan, F. 1997. Old age, multiple formations or genetic plasticity, clonal diversity in the uniparental Caucasian rock lizard, *Lacerta dahlia*. *Genetica*, 101: 125-130.
- Murphy, J. B., Schlager, N., Trumper, J. E. and Hutchins, M. 2003. *Grzimek's Animal Life Encyclopedia*, 2nd edition, Volume 7: Reptiles. Thomson-Gale, Detroit.
- Murphy, K., Hudson, S. and Shea, G. 2006. Reproductive seasonality of three cold-temperate viviparous skinks from southeastern Australia. *Journal of Herpetology* 40: 454-464.
- Murphy, R. W., Trepanier, T. L. and Morafka, D. J. 2006. Conservation genetics, evolution and distinct population segments of the Mojave fringe-toed lizard, *Uma scoparia*. *Journal of Arid Environments* 67: 226-247.
- Murphy, R. W., Blair, C. and Mendez De La Cruz, F. R. 2009. A new species of leaf-toed gecko, genus *Phyllodactylus* (Squamata: Phyllodactylidae) from Guerrero, Mexico. *South American Journal of Herpetology*, 4: 17-24.
- Murphy, J. C., Jowers, M. J., Lehtinen, R. M., Charles, S. P., Colli, G. R., Peres, A. K., Hendry, C. R. and Pyron, R. A. 2016. Cryptic, sympatric diversity in tegu lizards of the *Tupinambis teguixin* group (Squamata, Sauria, Teiidae) and the description of three new species. *PLoS ONE* 11(8): e0158542.
- Murphy, J. C., Lehtinen, R. M., Charles, S. P., Wasserman, D., Anton, T. and Brennan, P. J. 2017. Cryptic multicolored lizards in the *Polychrus marmoratus* group (Squamata: Sauria: Polychrotidae) and the status of *Leiolepis auduboni* Hallowell. *Amphibian & Reptile Conservation* 11: 1-16.
- Murphy, J. C., Downie, J. R., Smith, J. M., Livingstone, S. R., Mohammed, R. S., Lehtinen, R. M., Eyre, M., Sewlal, J., Noriega, N., Caspar, G. S., Rutherford, M. G., Braswell, A. L. and Jowers, M. J. 2018. A field guide to the amphibians and reptiles of Trinidad and Tobago. Trinidad and Tobago Field Naturalists' Club, Port of Spain. 300p.
- Murphy, C., Burnett, S., Conroy, G. C., Howland, B. W., Lamont, R. W., Sumner, J. and Ogbourne, S. M. 2019. Genetic diversity and structure of the threatened striped legless lizard, *Delma impar*: management implications for the species and a translocated population. *Conservation Genetics*, 20: 245-257.
- Murphy, J. C., Salvi, D., Santos, J. L., Braswell, A. L., Charles, S. P., Borzee, A. and Jowers, M. J. 2019. The reduced limbed lizards of the genus *Bachia* (Reptilia, Squamata, Gymnophthalmidae): biogeography, cryptic diversity, and morphological convergence in the eastern Caribbean. *Organisms Diversity & Evolution* 19: 321-340.
- Murray, I. W. 2014. An index of spring diet in the common flat lizard, *Platysaurus intermedius wilhelmi*. *African Journal of Herpetology*, 63: 98-108.
- Murray, I. W. and Lease, H. M. 2014. Agama agamiae. Diet. *Herpetological Review* 45: 489.
- Murray, I. W., Fuller, A., Lease, H. M., Mitchell, D., Wolf, B. O. and Hetem, R. S. 2014. The actively foraging desert lizard *Pedioplanis husabensis* (Husab Sand Lizard) behaviorally optimizes its energetic economy. *Canadian Journal of Zoology*, 92: 905-913.
- Murray, I. W., Fuller, A., Lease, H. M., Mitchell, D., Wolf, B. O. and Hetem, R. S. 2015. Low field metabolic rates for geckos of the genus *Rhoptropus* may not be surprising. *Journal of Arid Environments*, 113: 35-42.
- Murray, I. W., Fuller, A., Lease, H. M., Mitchell, D. and Hetem, R. S. 2016. Ecological niche separation of two sympatric insectivorous lizard species in the Namib Desert. *Journal of Arid Environments*, 124: 225-232.
- Murray, C., Litmer, A., Grisnik, M., Sconyers, M. L. and Guyer, C. 2019. Head shape variation among cryptic populations of ground skinks (*Scincella lateralis*). *Journal of Zoological Systematics and Evolutionary Research* 57: 877-

- Murthy 1990  
 Murthy 1995  
 Murthy 2010  
 Murthy et al. 2015  
 Murthy et al. 2019
- Musah et al. 2019  
 Mushinsky 1985  
 Mushinsky 1992  
 Muslim 2017  
 Musters 1983  
 Myers 1971  
 Myers 1973  
 Myers and Donnelly 1996  
 Myers and Donnelly 2001
- Myers and Donnelly 2008  
 Myers et al. 1993  
 Myers et al. 2009
- Mys 1988  
 Nabhitabhata and Chanard 2005  
 Nader and Jawdat 1976  
 Naelga et al. 2018
- Nagy 1982  
 Nagy et al. 1984  
 Nagy et al. 2012  
 Nagy et al. 2013  
 Najafov and Hashimov 2019  
 Najbar and Skawinski 2018  
 Nakamura et al. 2013  
 Nakamura et al. 2014
- Namburg 2005  
 Nanhoe and Ouboter 1987  
 Narayana et al. 2014  
 Narayana et al. 2016  
 Naretto et al. 2016  
 Nascimento et al. 2015  
 Nasrabiadi et al. 2016  
 Nasrabiadi et al. 2017a  
 Nasrabiadi et al. 2017b  
 Nasrabiadi et al. 2018a
- Nasrabiadi et al. 2018b
- Nasri et al. 2015  
 Nassar and Hraoui-Bloquet 2014  
 Nassar et al. 2013  
 Nassar et al. 2017  
 Nation 2004  
 Nava 2006  
 Nava et al. 2001  
 Nava et al. 2002  
 Navarrete 2018  
 Navarro-Garcia et al. 2008
- Navas 2003
- Murthy, T. S. N. 1990. A field book of the lizards of India. Records of the Zoological Survey of India, Occasional Paper No. 115.
- Murthy, T. S. N. 1995. Illustrated encyclopaedia of the reptiles of India. D.K. Publishers Distributors.
- Murthy, T. S. N. 2010. The reptile fauna of India. A source book. B. R. Publishing Corporation, New Delhi.
- Murthy, B. H. C. K., Bauer, A. M., Lajmi, A., Agarwal, I. and Giri, V. B. 2015. A new rock dwelling Hemidactylus (Squamata: Gekkonidae) from Chhattisgarh, India. *Zootaxa* 4021: 334-350.
- Murthy, B. C., Nitesh, A., Sengupta, S. and Deepak, P. 2019. A new species of day gecko of the genus *Cnemaspis* Strauch, 1887 (Squamata: Gekkonidae) from the Nilgiri Hills, Tamil Nadu, India. *Records of the Zoological Survey of India*, 119: 211-226.
- Musah, Y., Ofori, B. Y. and Attuquayefio, D. K. 2019. Herpetofauna community diversity and composition of a changing coastal wetland in Ghana. *West African Journal of Applied Ecology*, 27: 52-65.
- Mushinsky, H. R. 1985. Fire and the Florida Sandhill herpetofaunal community: with special attention to responses of *Cnemidophorus sexlineatus*. *Herpetologica* 41: 333-342.
- Mushinsky, H. R. 1992. Natural history and abundance of southeastern five-lined skinks, *Eumeces inexpectatus*, on a periodically burned sandhill in Florida. *Herpetologica* 48: 307-312.
- Muslim T. 2017. Herpetofauna community establishment on the microhabitat as a result of land mines fragmentation in East Kalimantan, Indonesia. *Biodiversitas* 18: 709-714.
- Musters, C. J. M. 1983. Taxonomy of the genus *Draco* L. (Agamidae, Lacertilia, Reptilia). *Zoologische Verhandelingen*, Leiden 199: 1-120.
- Myers, C. W. 1971. Central American lizards related to *Anolis pentaprion*: two new species from the Cordillera de Talamanca. *American Museum Novitates* 2471: 1-40.
- Myers, C. W. 1973. Anguid lizards of the genus *Diploglossus* in Panama, with the description of a new species. *American Museum Novitates* 2523: 1-20.
- Myers, C. W. and Donnelly, M. A. 1996. A new herpetofauna from Cerro Yavi, Venezuela: first results of the Robert G. Goellet American Museum-Terramar expedition to the northwestern Tepuis. *American Museum Novitates* 3172: 1-15.
- Myers, C. W. and Donnelly, M. A. 2001. Herpetofauna of the Yutaje -Corocoro Massif, Venezuela: second report from the Robert G. Goellet American Museum-Terramar expedition to the northwestern Tepuis. *Bulletin of the American Museum of Natural History* 261: 1-85.
- Myers, C. W. and Donnelly, M. A. 2008. The summit herpetofauna of Auyantepui, Venezuela: report from the Robert G. Goellet American Museum-Terramar Expedition. *Bulletin of the American Museum of Natural History* 308: 1-15.
- Myers, C. W., Williams, E. E. and McDermid, R. W. 1993. A new anolinc lizard (*Phenacosaurus*) from the highland of Cerro de la Neblina, southern Venezuela. *American Museum Novitates* 3070: 1-15.
- Myers, C. W., Fuenmayor, G. R. and Jadin, R. C. 2009. New species of lizards from Auyantepui and La Escalera in the Venezuelan Guayana, with notes on "microteiid" hemipenes (Squamata: Gymnophthalmidae). *American Museum Novitates* 3660: 1-32.
- Mys, B. 1988. The zoogeography of the scincid lizards from North Papua New Guinea (Reptilia: Scincidae). I. The distribution of the species. *Bulletin de l'institut Royal des Sciences Naturelles de Belgique, Biologie*, 58: 127-183.
- Nabhitabhata, J. and Chanard, T. 2005. Thailand red data: mammals, reptiles and amphibians. Office of Natural Resources and Environmental Policy and Planning, Bangkok, Thailand.
- Nader, I. A. and Jawdat, S. Z. 1976. Taxonomic study of the geckos of Iraq (Reptilia: Gekkonidae). Publications of the Biological Research Centre Bagdad No. 5. Bagdad, Biological Research Centre Bagdad. 5: 41 pp.
- Naelga, J. C., Tayag, D. R. P., Yanez, H. L. and Sincio, A. L. 2018. Diversity of squamates (scaled reptiles) in selected urban areas of Cagayan de Oro City, Misamis Oriental. *Research Journal of Pharmaceutical Biological and Chemical Sciences*, 9: 1348-1361.
- Nagy, K. A. 1982. Energy requirements of free-living iguanid lizards. Pages 49-59 in G. M. Burghardt and A. S. Rand, editors. *Iguanas of the world: their behavior, ecology and conservation*. Noyes Publications, Park Ridge, New Jersey.
- Nagy, K. A., Huey, R. B. and Bennett, A. F. 1984. Field energetics and foraging mode of Kalahari lacertid lizards. *Ecology*, 65: 588-596.
- Nagy, Z. T., Sonet, G., Glaw, F. and Vences, M. 2012. First large-scale DNA barcoding assessment of reptiles in the biodiversity hotspot of Madagascar, based on newly designed COI primers. *PLoS ONE* 7(3): e34506.
- Nagy, Z. T., Kusamba, C., Collet, M. and Gvozdik, V. 2013. Notes on the herpetofauna of western Bas-Congo, Democratic Republic of the Congo. *Herpetology Notes*, 6: 413-419.
- Najafov, N. and Hashimov, R. T. 2019. Distribution of lizards of the Absheron Peninsula. *International Journal of Zoology and Animal Biology* 2: 000147.
- Najbar, A. and Skawinski, T. 2018. *Anolis bimaculatus* (panther anole). Tail bifurcation. *Herpetological Review*, 49: 325.
- Nakamura, Y., Takahashi, A. and Ota, H. 2013. Recent cryptic extinction of squamate reptiles on Yoronjima island of the Ryukyu Archipelago, Japan, inferred from garbage dump remains. *Acta Herpetologica* 8: 19-34.
- Nakamura, Y., Takahashi, A. and Ota, H. 2014. A new, recently extinct subspecies of the Kuroiwa's Leopard Gecko, *Goniurosaurus kuroiwae* (Squamata: Eublepharidae), from Yoronjima island of the Ryukyu Archipelago, Japan. *Acta Herpetologica* 9: 61-73.
- Namburg, M. 2005. *Phelsuma robertmertensi*, Meier 1980. *Sauria* 27: 667-672.
- Nanhoe, L. M. R. and Ouboter, P. E. 1987. The distribution of reptiles and amphibians in the Annapurna-Dhaulagiri Region (Nepal). *Zoologische Verhandelingen* 240: 1-105.
- Narayana, B. L., Surender, G. and Rao, V. V. 2014. *Hemidactylus treutleri* from Eastern Ghats, Andhra Pradesh, India. *Tropibana*, 6: 55.
- Narayana, B. L., Baburao, G. and Rao, V. V. 2016. Distribution of Treutler's Gecko (*Hemidactylus treutleri* Mahony, 2009) in Telangana and Andhra Pradesh, southern India - a general information. *Reptile Rap* 18: 25-28.
- Naretto, S., Blengini, C. S., Cardozo, G. and Chiavaglio, M. 2016. Pre- and postcopulatory traits of *Salvator* male lizards in allopatry and sympatry. *Scientifica* 2016: 8176267.
- Nascimento, B. T. M., Moya, G. M. and Maffei, F. 2015. Report of reproduction in *Ameiva cf. jacuba* (Squamata: Teiidae) in Brazilian Cerrado. *Cuadernos de Herpetología* 29: 85-86.
- Nasrabiadi, R., Rastegar-Pouyani, E., Yousefkhani, H. S. S. and Khani, A. 2016. Reptiles fauna of Sabzevar, Northeastern Iran. *Iranian Journal of Animal Biosystematics*, 12: 255-259.
- Nasrabiadi, R., Rastegar-Pouyani, E., Yousefkhani, S. S. H. and Khani, A. 2017. A checklist of herpetofauna from Sabzevar, Northeastern Iran. *Iranian Journal of Animal Biosystematics* 12: 255-259.
- Nasrabiadi, R., Rastegar-Pouyani, N., Rastegar-Pouyani, E. and Gharzi, A. 2017. A revised key to the lizards of Iran (Reptilia: Squamata: Lacertilia). *Zootaxa* 4227: 431-443.
- Nasrabiadi, R., Rastegar-Pouyani, N., Pouyani, E. R., Kami, H. G., Gharzi, A. and Yousefkhani, S. H. 2018. The effects of climate change on the distribution of European glass lizard *Pseudopus apodus* (Pallas, 1775) in Eurasia. *Ecological Research*, 33: 199-204.
- Nasrabiadi, R., Rastegar-Pouyani, N., Rastegar-Pouyani, E., Kami, H. G., Gharzi, A. and Yousefkhani, S. S. H. 2018. Distribution and environmental suitability of the European glass lizard *Pseudopus apodus* (Pallas, 1775) in the Iranian Plateau. *Russian Journal of Herpetology* 25: 6-10.
- Nasri, I., Hammouda, A., Hamza, F. and Selmi, S. 2015. Sexual size dimorphism in a Tunisian population of Bosk's fringe-toed lizards *Acanthodactylus boskianus asper*. *African Journal of Herpetology*, 64: 103-115.
- Nassar, F. and Hraoui-Bloquet, S. 2014. Distribution and male reproductive system of the bridled mabuya, *Trachylepis vittata* (Olivier, 1804) (Reptilia: Scincidae), in Lebanon. *Zoology in the Middle East*, 60: 314-319.
- Nassar, F., Challita, M., Sadek, R. and Hraoui-Bloquet, S. 2013. Sexual dimorphism and female reproductive cycle in the scincid lizard *Trachylepis vittata* (Olivier, 1804) in Lebanon (Reptilia: Scincidae). *Zoology in the Middle East*, 60: 314-319.
- Nassar, F., Sadek, R. and Hraoui-Bloquet, S. 2017. Male reproductive seasonality of the snake-eyed lizard, *Ophisops elegans* Menetries, 1832, from Lebanon (Reptilia: Lacertidae). *Zoology in the Middle East* 63: 17-23.
- Nation, Y. 2004. *Varanus varius*. Australian Herpetological Directory. Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Nava, S. S. 2006. Size does matter. *Iguana* 13: 17-21.
- Nava, S. S., Lindsay, C. R., Henderson, R. W. and Powell, R. 2001. Microhabitat, activity, and density of a dwarf gecko (*Sphaerodactylus parvus*) on Anguilla, West Indies. *Amphibia-Reptilia* 22: 455-464.
- Nava, S. S., Lindsay, C. R., Powell, R. and Henderson, R. W. 2002. *Sphaerodactylus parvus* King Anguilla Bank dwarf gecko. Catalogue of American Amphibians and Reptiles, 752: 1-2.
- Navarrete, D. H. 2018. Edad y crecimiento corporal de *Phrynosoma orbiculare* (Squamata: Phrynosomatidae). MSc. Thesis, Universidad Autónoma del Estado de México.
- Navarro-Garcia, J. C., Garcia, A. and Mendez de la Cruz, F. R. 2008. Seasonality, thermoregulation effectiveness of *Aspidoscelis lineatissima* (Sauria: Teiidae) and the thermal quality of a seasonally dry tropical forest in Chamela, Jalisco, Mexico. *Revista Mexicana de Biodiversidad* 79: 413-419.
- Navas, C. A. 2003. Herpetological diversity along Andean elevational gradients: links with physiological ecology and evolutionary physiology. *Comparative Biochemistry and Physiology A* 133: 469-485.

- Navas et al. 2004
- Naya and Bozinovic 2006
- Naya et al. 2008
- Naya et al. 2009
- Naylor and Higham 2019
- Nazari-Serenjeh and Torki 2017
- Nazarov and Poyarkov 2013
- Nazarov et al. 2010
- Nazarov et al. 2012
- Nazarov et al. 2013
- Nazarov et al. 2014
- Nazarov et al. 2017
- Neal 2007
- Neang and Poyarkov 2016
- Neang et al. 2010
- Neang et al. 2011
- Neang et al. 2015a
- Neang et al. 2015b
- Neang et al. 2018
- Necas 1994
- Necas 1999
- Necas 2018
- Necas and Schmidt 2004a
- Necas and Schmidt 2004b
- Necas et al. 1997
- Necas et al. 2003
- Necas et al. 2005
- Neill 1951
- Neill 1957
- Nelson and Powell 2002
- Nelson et al. 2001
- Nelson-Tunley et al. 2016
- Nemes et al. 2013
- Nemtzov 2008
- Neta and Avila 2018
- Neta et al. 2019
- Nettmann and Rykena 1984a
- Nettmann and Rykena 1984b
- Neves et al. 2019
- Nevo 1981
- Nevo et al. 1996
- Newman 1994
- Newton 2000
- Ng et al. 2016
- Ngo 2008
- Ngo 2011
- Ngo and Bauer 2008
- Ngo and Chan 2010
- Ngo and Gamble 2010
- Ngo and Gamble 2011
- Ngo and Grismer 2012
- Navas, C. A., Antoniazzi, M. M., Carvalho, J. E., Chauí-Berlink, J. G., James, R. S., Jared, C., Kohlsdorf, T., Pai-Silva, M. D. and Wilson, R. S. 2004. Morphological and physiological specialization for digging in amphisbaenians, an ancient lineage of fossorial vertebrates. *Journal of Experimental Biology* 207: 2433-2441.
- Naya, D. E. and Bozinovic, F. 2006. The role of ecological interactions on the physiological flexibility of lizards. *Functional Ecology* 20: 601-608.
- Naya, D. E., Veloso, C. and Bozinovic, F. 2008. Physiological flexibility in the Andean lizard *Liolemaus bellii*: seasonal changes in energy acquisition, storage and expenditure. *Journal of Comparative Physiology B*. 178: 1007-1015.
- Naya, D. E., Veloso, C., Sabat, P. and Bozinovic, F. 2009. Seasonal flexibility of organ mass and intestinal function for the Andean lizard *Liolemaus nigroviridis*. *Journal of Experimental Zoology*, 311A: 270-277.
- Naylor, E. R. and Higham, T. E. 2019. Attachment beyond the adhesive system: the contribution of claws to gecko clinging and locomotion. *Integrative and Comparative Biology* 59: 168-181.
- Nazari-Serenjeh, F. and Torki, F. 2017. Geographical distribution and conservation biology of the Mesopotamian spiny-tailed lizard *Saara loricata* in Bushehr Province, southern Iran. *The Herpetological Bulletin* 139: 28-30.
- Nazarov, R. A. and Poyarkov, N. A. 2013. A taxonomic revision of the genus *Tenuidactylus* Szczerbak et Golubev 1984 (Reptilia, Squamata, Gekkonidae) with a description of a new species from Central Asia. *Zoologicheskii Journal* 92: 1312-1332. [in Russian]
- Nazarov, R., Ananjeva, N. and Radjabizadeh, M. 2010. Two new species of angular-toed geckoes (Squamata: Gekkonidae) from South Iran. *Russian Journal of Herpetology*, 16: 311-324.
- Nazarov, R., Poyarkov, N. A., Orlov, N. L., Phung, T. M., Nguyen, T. T., Hoang, D. M. and Ziegler, T. 2012. Two new cryptic species of the *Cyrtodactylus irregularis* complex (Squamata: Gekkonidae) from southern Vietnam. *Zootaxa*
- Nazarov, R., Melnikov, D. and Melnikova, E. 2013. Three new species of *Ptyodactylus* (Reptilia; Squamata; Phyllodactylidae) from the Middle East. *Russian Journal of Herpetology* 20: 147-162.
- Nazarov, R. A., Poyarkov, N. A., Orlov, N. L., Nguyen, S. N., Milton, K. D., Martynov, A. A., Konstantinov, E. L. and Chulisov, A. S. 2014. A review of genus *Cyrtodactylus* (Reptilia: Sauria: Gekkonidae) in fauna of Laos with description of four new species. *Proceedings of the Zoological Institute RAS*, 318: 391-423.
- Nazarov, R. A., Radjabizadeh, M., Poyarkov, N. A., Ananjeva, N. B., Melnikov, D. A. and Pouyani, E. R. 2017. A new species of frog-eyed gecko, genus *Teratoscincus* Strauch, 1863 (Squamata: Sauria: Sphaerodactylidae), from central Iran. *Russian Journal of Herpetology* 24: 291-310.
- Neal, S. 2007. An assessment of the Herpetofaunal biological diversity of the Hydrological Reserve on isla Del Rey, Las Perlas Archipelago, Panama. MSc. Thesis, University College London.
- Neang, T. and Poyarkov, N. A. 2016. First record of the Buonluoi forest skink *Sphenomorphus buenloicus* Darevsky & Nguyen, 1983 (Squamata: Scincidae) from Cambodia. *Cambodian Journal of Natural History*, 2016: 114-118.
- Neang, T., Grismer, L. L., Onn, C. K., Grismer, J. L., Wood, P. L. and Youmans, T. M. 2010. First report on the herpetofauna of Dalai mountain in Phnom Samkos Wildlife Sanctuary, southwestern Cardamom Mountains, Cambodia. *Cambodian Journal of Natural History* 2010: 127-143.
- Neang, T., Chhin, S., Meanrith, K. and Seiha, H. 2011. First records of two reptile species (Gekkonidae: Hemidactylus garnotii Dumeril & Bibron, 1836; Viperidae: *Ovophis convictus* Stoliczka, 1870) from Cambodia. *Cambodian Journal of Natural History* 2011: 86-92.
- Neang, T., Grismer, L. L., Hun, S. and Phan, C. 2015. New herpetofauna records and range extensions for *Daboia siamensis* (Smith, 1917) and *Gekko petricolus* Taylor, 1962 from Cambodia. *Cambodian Journal of Natural History*
- Neang, T., Morawska, D. and Nut, M. 2015. First record of *Lygosoma angeli* (Smith, 1937) (Squamata: Scincidae) from eastern Cambodia. *Herpetology Notes*, 8: 321-322.
- Neang, T., Chan, S. and Poyarkov, N. A. 2018. A new species of smooth skink (Squamata: Scincidae: Scincella) from Cambodia. *Zoological Research*, 39: 220-240.
- Necas, P. 1994. Bemerkungen zur Chamaleon-Sammlung des Naturhistorischen Museums in Wien, mit vorläufiger Beschreibung eines neuen Chamaleons aus Kenia (Squamata: Chamaeleonidae). *Herpetozoa* 7: 95-108.
- Necas, P. 1999. Chameleons. Nature's hidden jewels. Edition Chimaira, Frankfurt am Main.
- Necas, P. 2018. A new world record: *Hemidactylus platyurus* (Schneider, 1797) with nine equally developed, full-length tails from Laos. *Sauria* 40: 81-84.
- Necas, P. and Schmidt, W. 2004. Mysterious mini-dragons: the stump-tailed chameleons *Brookesia* and *Rhampholeon*. *Reptilia* 35: 10-21.
- Necas, P. and Schmidt, W. 2004. Stump-tailed chameleons: miniature dragons of the rainforest. The genera *Brookesia* and *Rhampholeon*. Edition Chimaira
- Necas, P., Modry, D. and Zavadil, V. 1997. Czech recent and fossil amphibians and reptiles. An atlas and field guide. Edition Chimaira, Frankfurt am Main.
- Necas, P., Modry, D. and Slapeta, J. R. 2003. *Chamaeleo (Trioceros) narraioca* n. sp. (Reptilia: Chamaeleonidae), a new chameleon species from a relict montane forest of Mount Kulal, northern Kenya. *Tropical Zoology*, 16: 1-12.
- Necas, P., Modry, D. and Slapeta, J. R. 2005. *Chamaeleo (Trioceros) ntutie* sp. n., a new chameleon species from Mt. Nyiru, northern Kenya. *Herpetozoa* 18: 125-132.
- Neill, W. T. 1951. The eyes of the worm lizard, and notes on the habits of the species. *Copeia*, 1951: 177-178.
- Neill, W. T. 1957. Notes on the pygopodid lizards, *Lialis burtoni* and *L. jicari*. *Copeia* 1957: 230-232.
- Nelson, S. E. and Powell, R. 2002. *Leiocephalus semilineatus* Dunn. Catalogue of American Amphibians and Reptiles, 751: 1-2.
- Nelson, S. E., Banbury, B. L., Sosa, R. A., Powell, R. and Parmerlee, J. S. 2001. Natural history of *Leiocephalus semilineatus* in association with sympatric *Leiocephalus schreibersii* and *Ameiva Lineolata*. *Contemporary Herpetology* 1: <http://www.cnah.org/CH/ch/2001/1/index.htm>.
- Nelson-Tunley, M., Morgan-Richards, M. and Trewick, S. A. 2016. Genetic diversity and gene flow in a rare New Zealand skink despite fragmented habitat in a volcanic landscape. *Biological Journal of the Linnean Society* 119: 37-51.
- Nemes, L., Babb, R., Van Devender, W., Nguyen, K. V., Le, Q. K., Vu, T. N., Rauhaus, A., Nguyen, T. Q. and Ziegler, T. 2013. First contribution to the reptile fauna of Quang Ngai Province, central Vietnam. *Biodiversity Journal*, 4:
- Nemtzov, S. C. 2008. Uromastyx lizards in Israel. NDF workshop case studies, WG 7 – reptiles and amphibians, case study 5.
- Neta, A. F. S. and Avila, R. W. 2018. Helminths of the lizard *Colobosauroides cearensis* (Squamata, Gymnophthalmidae) in an area of Caatinga, Northeastern Brazil. *Acta Herpetologica* 13: 95-100.
- Neta, A. F. S., Quirino, T. F. and Matias, C. S. L. 2019. *Colobosauroides cearensis* Cunha, Lima-Verde and Lima, 1991 (Squamata, Gymnophthalmidae): new record for the northeast of Brazil. *Cuadernos de Herpetología*, 33: 49-50.
- Nettmann, H-K. and Rykena, S. 1984. *Lacerta trilineata* Bedriaga 1886 - Riesensmaragdeidechse. Pages 83-128 in W. Bohme, editor. *Handbuch der reptiliens und amphibiens Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Nettmann, H-K. and Rykena, S. 1984. *Lacerta viridis* (Laurenti, 1768) - Smaragdeidechse. Pages 129-180 in W. Bohme, editor. *Handbuch der reptiliens und amphibiens Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Neves, M. O., Yves, A., Pereira, E. A., Alves, L., Vasques, J. B., Coelho, J. F. T. and Silva, P. 2019. Herpetofauna in a highly endangered area: the Triangulo Mineiro region, in Minas Gerais State, Brazil. *Herpetozoa*, 32: 113-123.
- Nevo, E. 1981. Genetic variation and climatic selection in the lizard *Agama stellio* in Israel and Sinai. *Theoretical and Applied Genetics* 60: 369-380.
- Nevo, E., Raz, S. and Beiles, A. 1996. Biodiversity of reptiles at "Evolution Canyon", Lower Nahal Oren, Mount Carmel, Israel. *Israel Journal of Zoology* 42: 395-402.
- Newman, D. 1994. Effects of a mouse, *Mus musculus*, eradication programme and habitat change on lizard populations of Mana island, New Zealand, with special reference to McGregor's skink, *Cyclodina maegregori*. *New Zealand Journal of Zoology* 21: 443-456.
- Newton, K. 2000. *Carlia pectoralis*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Ng, J., Ossip-Klein, A. G. and Glor, R. E. 2016. Adaptive signal coloration maintained in the face of gene flow in a Hispaniolan *Anolis* Lizard. *BMC Evolutionary Biology*, 16: 193.
- Ngo, V. T. 2008. Two new cave-dwelling species of *Cyrtodactylus* Gray (Squamata: Gekkonidae) from Southwestern Vietnam. *Zootaxa* 1909: 37-51.
- Ngo, V. T. 2011. *Cyrtodactylus martini*, another new karst-dwelling *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) from Northwestern Vietnam. *Zootaxa* 2834: 33-46.
- Ngo, V. T. and Bauer, A. M. 2008. Descriptions of two new species of *Cyrtodactylus* Gray 1827 (Squamata: Gekkonidae) endemic to southern Vietnam. *Zootaxa* 1715: 27-42.
- Ngo, V. T. and Chan, K. O. 2010. A new species of *Cyrtodactylus* Gray, 1826 (Squamata: Gekkonidae) from Khanh Hoa province, Southern Vietnam. *Zootaxa* 2504: 47-60.
- Ngo, V. T. and Gamble, T. 2010. A new species of *Gekko* (Squamata: Gekkonidae) from Ta Kou Nature Reserve, Binh Thuan Province, Southern Vietnam. *Zootaxa* 2346: 17-28.
- Ngo, V. T. and Gamble, T. 2011. *Gekko canaensis* sp. nov. (Squamata: Gekkonidae), a new gecko from Southern Vietnam. *Zootaxa* 2890: 53-64.
- Ngo, V. T. and Grismer, L. L. 2012. A new endemic species of *Cyrtodactylus* Gray (Squamata: Gekkonidae) from Tho Chu island, southwestern Vietnam. *Zootaxa* 3228: 48-60.

- Ngo et al. 2000  
 Ngo et al. 2009  
 Ngo et al. 2014a  
 Ngo et al. 2014b  
 Ngo et al. 2015  
 Ngo et al. 2016a  
 Ngo et al. 2016b  
 Ngo et al. 2018  
 Ngo et al. 2019a  
 Ngo et al. 2019b  
 Nguyen et al. 2009  
 Nguyen et al. 2010a  
 Nguyen et al. 2010b  
 Nguyen et al. 2010c  
 Nguyen et al. 2011a  
 Nguyen et al. 2011b  
 Nguyen et al. 2011c  
 Nguyen et al. 2012  
 Nguyen et al. 2013  
 Nguyen et al. 2014a  
 Nguyen et al. 2014b  
 Nguyen et al. 2014c  
 Nguyen et al. 2015  
 Nguyen et al. 2017  
 Nguyen et al. 2018a  
 Nguyen et al. 2018b  
 Nicholson and Kohler 2014  
 Nicholson et al. 2012  
 Nicholson et al. 2018  
 Nicolau and Lynch 2019  
 Nicolau et al. 2018  
 Niejalke 2006  
 Nielsen and Oliver 2017  
 Nielsen et al. 2016  
 Nieuwoudt et al. 2003  
 Niewiarowski and Dunham 1994  
 Niewiarowski and Waldschmidt 1992  
 Nijman and Bergin 2017  
 Nilson and Andren 1978  
 Nilson et al. 2003  
 Nistri and Vanni 2014  
 Nkosi et al. 2004  
 Nneji et al. 2018
- Ngo, A., Murphy, R. W., Orlov, N., Darevsky, I. and Sang, N. V. 2000. A redescription of the Ba Vi water skink *Tropidophorus baviensis* Bourret, 1939. Russian Journal of Herpetology 7: 155-158.  
 Ngo, V. T., Bauer, A. M., Wood, P. L. and Grismer, J. L. 2009. A new species of *Gekko* Laurenti, 1768 (Squamata: Gekkonidae) from Dong Nai Province, Southeastern Vietnam. Zootaxa 2238: 33-42.  
 Ngo, C. D., Ngo, B. V., Truong, P. B. and Duong, L. D. 2014. Sexual size dimorphism and feeding ecology of *Eutropis multifasciata* (Reptilia: Squamata: Scincidae) in the central highlands of Vietnam. Herpetological Conservation and Biology 9: 322-333.  
 Ngo, V. T., Grismer, L. L., Thai, P. H. and Wood, P. L. 2014. A new species of *Hemiphyllodactylus* Bleeker, 1860 (Squamata: Gekkonidae) from Ba Na-Nui Chua Nature Reserve, Central Vietnam. Zootaxa 3760: 539-552.  
 Ngo, V. T., Thai, P. H., Phimvohan, A., David, P. and Teynie, A. 2015. *Gekko aaronbaueri*, a new gecko (Squamata: Gekkonidae) from central Laos. Zootaxa 3914: 144-156.  
 Ngo, H. N., Nguyen, T. Q., Nguyen, T. V., Barsch, F., Ziegler, T., and van Schingen, M. 2016. First population assessment of the endemic insular Psychedelic Rock Gecko (*Cnemaspis psychedelica*) in southern Vietnam with implications for conservation. Amphibian & Reptile Conservation 10: 18-26.  
 Ngo, H. N., Ziegler, T., Nguyen, T. Q., Pham, C. T., Nguyen, T. T., Le, M. D. and van Schingen, M. 2016. First population assessment of two cryptic tiger geckos (*Goniurosaurus*) from northern Vietnam: implications for conservation. Amphibian & Reptile Conservation 10: 34-45.  
 Ngo, H. N., Nguyen, T. Q., Nguyen, T. V., van Schingen, M. and Ziegler, T. 2018. Microhabitat selection and communal nesting in the insular psychedelic rock gecko, *Cnemaspis psychedelica*, in Southern Vietnam with updated information on trade. Nature Conservation 31: 1-16.  
 Ngo, H. N., Le, T. Q., Pham, M. L., Nguyen, T. Q., Le, M. D., van Schingen, M. and Ziegler, T. 2019. First record of the Cat Ba Tiger Gecko, *Goniurosaurus catbaensis*, from Ha Long Bay, Quang Ninh Province, Vietnam: microhabitat selection, potential distribution, and evidence of threats. Amphibian & Reptile Conservation 13: 1-13.  
 Ngo, H. N., Nguyen, T. Q., Phan, T. Q., van Schingen, M. and Ziegler, T. 2019. A case study on trade in threatened tiger geckos (*Goniurosaurus*) in Vietnam including updated information on the abundance of the endangered *G. catbaensis*. Nature Conservation 33: 1-19.  
 Nguyen, V. S., Ho, T. C. and Nguyen, Q. T. 2009. Herpetofauna of Vietnam. Edition Chimaira, Frankfurt am Main.  
 Nguyen, Q. T., Schmitz, A. and Bohme, W. 2010. *Gekko ulikovskii* Darevsky & Orlov, 1994: a junior synonym of *Gekko badenii* Szczzerbak & Nekrasova, 1994. Bonn Zoological Bulletin 57: 15-17.  
 Nguyen, T. Q., Ananjeva, N. B., Orlov, N. L., Rybaltovsky, E. and Bohme, W. 2010. A new species of the genus *Scincella* Mittlemann, 1950 (Squamata: Scincidae) from Vietnam. Russian Journal of Herpetology 17: 269-274.  
 Nguyen, T. Q., Kingsada, P., Rosler, H., Auer, M. and Ziegler, Z. 2010. A new species of *Cyrtodactylus* (Squamata: Gekkonidae) from northern Laos. Zootaxa 2652: 1-16.  
 Nguyen, T. Q., Bohme, W., Nguyen, T. T., Le, Q. K., Pahl, K. R., Haus, T. and Ziegler, T. 2011. Review of the genus *Dopasia* Gray, 1853 (Squamata: Anguidae) in the indochina subregion. Zootaxa 2894: 58-68.  
 Nguyen, T. Q., Schmitz, A., Nguyen, T. T., Orlov, N. L., Bohme, W. and Ziegler, T. 2011. Review of the genus *Sphenomorphus* Fitzinger, 1843 (Squamata: Sauria: Scincidae) in Vietnam, with description of a new species from northern Vietnam and southern China and the first record of *Sphenomorphus mimicus* Taylor, 1962 from Vietnam. Journal of Herpetology 45: 145-154.  
 Nguyen, T. Q., Stenke, R., Nguyen, H. X. and Ziegler, T. 2011. The terrestrial reptile fauna of the Biosphere Reserve Cat Ba Archipelago, Hai Phong, Vietnam. Bonner Zoologische Monographien 57: 99-115.  
 Nguyen, T. Q., Tran, T. T., Nguyen, T. T., Bohme, W. and Ziegler, T. 2012. First record of *Sphenomorphus incognitus* (Thompson, 1912) (Squamata: Scincidae) from Vietnam with some notes on natural history. Asian Herpetological Research, 3: 147-150.  
 Nguyen, S. N., Le, T. N. T., Tran, T. A. D., Orlov, N. L., Lathrop, A., Macculloch, R. D., Le, T.-D. T., Jin, J.-Q., Nguyen, L. T., Hoang, D. D., Che, J., Murphy, R. W. and Zhang, Y.-P. 2013. Phylogeny of the Cyrtodactylus irregularis species complex (Squamata: Gekkonidae) from Vietnam with the description of two new species. Zootaxa 3737: 399-414.  
 Nguyen, T. Q., An, H. T., Nguyen, T. T., Liu, V. Q., Tran, T. T. and Ziegler, T. 2014. New records of reptiles from northern Vietnam. Abhandlungen des Naturwissenschaftlichen Vereins zu Bremen 47: 247-254.  
 Nguyen, T. Q., Botov, A., Le, M. D., Nophaseud, L., Zug, G., Bonkowski, M. and Ziegler, T. 2014. A new species of *Hemiphyllodactylus* (Reptilia: Gekkonidae) from northern Laos. Zootaxa 3827: 45-56.  
 Nguyen, T. Q., Phung, T. M., Schneider, N., Botov, A., Tran, D. T. A. and Ziegler, T. 2014. New records of amphibians and reptiles from southern Vietnam. Bonn zoological Bulletin 63: 148-156.  
 Nguyen, T. Q., Le, M. D., Pham, A. V., Ngo, H. N., Hoang, C. V., Pham, C. T. and Ziegler, T. 2015. Two new species of *Cyrtodactylus* (Squamata: Gekkonidae) from the karst forest of Hoa Binh Province, Vietnam. Zootaxa 3985: 1-10.  
 Nguyen, T. Q., Van Pham, A. N. H., Ziegler, T., Ngo, H. T. and Le, M. D. 2017. A new species of *Cyrtodactylus* (Squamata: Gekkonidae) and the first record of *C. otai* from Son La Province, Vietnam. Zootaxa, 4341: 25-40.  
 Nguyen, T. Q., Ngo, H. N., Pham, C. T., Van, H. N., Ngo, C. D., van Schingen, M. and Ziegler, T. 2018. First population assessment of the Asian water dragon (*Physignathus cocincinus* Cuvier, 1829) in Thua Thien Hue Province, Vietnam. Nature Conservation 26: 1-14.  
 Nguyen, V. H., Ngo, V. B., Ngo, D. C. and Nguyen, Q. T. 2018. Diet of the Indochinese water dragon *Physignathus cocincinus* Cuvier, 1829 (Squamata: Sauria: Agamidae) from Thua Thien Hue Province, Vietnam. Russian Journal of Herpetology 25: 189-194.  
 Nicholson, K. E. and Kohler, G. 2014. A new species of the genus *Norops* from Darien, Panama, with comments on *N. sulcifrons* (Cope 1899) (Reptilia, Squamata, Dactyloidae). Zootaxa 3895: 225-237.  
 Nicholson, K. E., Crother, B. I., Guyer, C. and Savage, J. M. 2012. It is time for a new classification of anoles (Squamata: Dactyloidae). Zootaxa 3477: 1-108.  
 Nicholson, K. E., Crother, B. I., Guyer, C. and Savage, J. M. 2018. Translating a clade based classification into one that is valid under the international code of zoological nomenclature: the case of the lizards of the family Dactyloidae (Order Squamata). Zootaxa, 4461: 573-586.  
 Nicolau, G. K. and Lynch, K. M. J. 2019. Gekkonidae, *Pachydactylus purcelli* Boulenger, 1910, Purcell's gecko. Geographical distribution. African Herp News 70: 33-35.  
 Nicolau, G. K., Kemp, L. and Conradie, W. 2018. *Panaspis wahlbergi* Smith, 1849. Geographical distribution. African Herp News: 69: 26-30.  
 Niejalke, D. P. 2006. Reproduction by a small agamid lizard, *Ctenophorus pictus*, during contrasting seasons. Herpetologica 62: 409-420.  
 Nielsen, S. V. and Oliver, P. M. 2017. Morphological and genetic evidence for a new karst specialist lizard from New Guinea (Cyrtodactylus: Gekkonidae). Royal Society Open science 4: 170781.  
 Nielsen, S. V., Oliver, P. M., Laver, R., Bauer, A. M. and Noonan, B. P. 2016. Stripes, jewels and spines: further investigations into the evolution of defensive strategies in a chemically defended gecko radiation (Strophurus, Diplodactylidae). Zooligica Scripta, 45: 481-493.  
 Nieuwoudt, C. J., Mouton, P. Le F. N. and Flemming, A. F. 2003. Aggregation behaviour and movement patterns in the large-scaled girdled lizard, *Cordylus macropholis*. Amphibia-Reptilia 24: 345-357.  
 Niewiarowski, P. H. and Dunham, A. E. 1994. The evolution of reproductive effort in squamate reptiles: costs, trade-offs, and assumptions reconsidered. Evolution 48: 137-145.  
 Niewiarowski, P. H., and Waldschmidt, S. R. 1992. Variation in metabolic rates of a lizard; use of SMR in ecological contexts. Functional Ecology 6: 15-22.  
 Nijman, V. and Bergin, D. 2017. Reptiles traded in markets for medicinal purposes in contemporary Morocco. Contributions to Zoology, 86: 39-50.  
 Nilson, G. and Andren, C. 1978. A new species of *Ophiomorus* (Sauria: Scincidae) from Kavir Desert, Iran. Copeia, 1978: 559-564.  
 Nilson, G., Rastegar-Pouyani, N., Rastegar-Pouyani, E. and Andren, C. 2003. Lacertas of South and Central Zagros Mountains, Iran, with descriptions of two new taxa. Russian Journal of Herpetology 10: 11-24.  
 Nistri, A. and Vanni, S. 2014. Contribution to the knowledge of Djibouti herpetofauna. Scripta Herpetologica. Scripta Herpetologica. Studies on Amphibians and Reptiles in honour of Benedetto Lanza. Capula M. & Corti C.(eds.). Societas Herpetologica Italica/Editioni Belvedere, Latina, pp pp. 117-128.  
 Nkosi, W. T., Heidman, J. L. and van Wyk, J. H. 2004. Reproduction and sexual size dimorphism in the lacertid lizard *Pedioplanis burchelli* (Sauria: Lacertidae) in South Africa. Journal of Herpetology, 38: 473-480.  
 Nneji, L. M., Adeola, A. C., Yan, F., Okeyoyin, A. O., Oladipo, O. C., Olagunju, T. E., Omotoso, O., Oladipo, S. O., Iyiola, O. A., Auta, T. and Usman, A. D. 2018. Cryptic lineages of Nigerian Agama (Squamata: Agamidae) within the West African radiation. Russian Journal of Herpetology, 25: 97-112.

- Nneji et al. 2019a Nneji, L. M., Adeola, A. C., Okeyoyin, A. O., Oladipo, O. C., Saidu, Y., Usongo, J. Y. and Ugwumba, A. A. 2019. Assessing the effectiveness of molecular data for species identification and diversity studies of Nigerian herpetofauna. *Mitochondrial DNA Part B*, 4: 589-593.
- Nneji et al. 2019b Nneji, L. M., Adeola, A. C., Okeyoyin, A., Oladipo, O. C., Saidu, Y., Samuel, D., Usongo, J. Y., Adedeji, B., Omotoso, O., Adeyi, A. O., Ugwumba, O. A. and Ugwumba, A. A. A. 2019. Diversity and distribution of amphibians and reptiles in Gashaka Gunti National Park, Nigeria. *Herpetology Notes*, 12: 543-559.
- Noble 1921 Noble, G. K. 1921. Some new lizards from northwestern Peru. *Annals of the New York Academy of Sciences* 29: 133-139.
- Noble 1924 Noble, G. K. 1924. New lizards from northwestern Peru. *Occasional Papers of the Boston Society of Natural History* 5: 107-113.
- Noble and Klingel 1932 Noble, G. K. and Klingel, G. C. 1932. The reptiles of Great inagua island, British West Indies. *American Museum Novitates* 549: 1-25.
- Noble et al. 2011 Noble, T., Bunbury, N., Kaiser-Bunbury, C. N. and Bell, D. J. 2011. Ecology and co-existence of two endemic day gecko (*Phelsuma*) species in Seychelles native palm forest. *Journal of Zoology* 283: 73-80.
- Nogales et al. 1998 Nogales, M., Leon, L.D. and Gomez, R. 1998. On the presence of the endemic skink *Halcides simonyi Steind.*, 1891 in Lanzarote (Canary Islands). *Amphibia-Reptilia* 19: 427-430.
- Nogales et al. 2001 Nogales, M., Rando, J. C., Valido, A. and Martin, A. 2001. Discovery of a living giant lizard, genus *Gallotia* (Reptilia: Lacertidae), from la Gomera, Canary islands. *Herpetologica*, 57: 169-179.
- Nogueira 2006 Nogueira, C. D. 2006. Diversidade e padroes de distribuicao da fauna de lagartos do cerrado. PhD Dissertation, USP-instituto de Biociencias, Universidade de Sao Paulo.
- Nogueira and Rodrigues 2006 Nogueira, C. and Rodrigues, M. T. 2006. The genus *Stenocercus* (Squamata: Tropiduridae) in extra-Amazonian Brazil, with the description of two new species. *South American Journal of Herpetology* 1: 149-165.
- Nogueira et al. 2005 Nogueira, C., Valdujo, P. H. and Franca, F. G. R. 2005. Habitat variation and lizard diversity in a Cerrado area of Central Brazil. *Studies on Neotropical Fauna and Environment*, 40: 105-112.
- Nogueira et al. 2009 Nogueira, C., Colli, G. R. and Martins, M. 2009. Local richness and distribution of the lizard fauna in natural habitat mosaics of the Brazilian Cerrado. *Austral Ecology*, 34: 83-96.
- Nogueira-Costa et al. 2013 Nogueira-Costa, P., Aguiar, F. V. O., da Silva, G. R., Afonso, M. C., Baldine, J. T. B. and Venancio, M. F. 2013. *Reptilia, Squamata, Amphisbaenidae, Amphisbaena fuliginosa wiedi Vanzolini, 1951: Distribution extension*. Check Nordberg, E. J. and Schwarzkopf, L. 2015. Arboreal cover boards: using artificial bark to sample cryptic arboreal lizards. *Herpetologica* 71: 268-273.
- Nordberg and Schwarzkopf 2015 Nordberg, E. J. and Schwarzkopf, L. 2019. Heat seekers: A tropical nocturnal lizard uses behavioral thermoregulation to exploit rare microclimates at night. *Journal of Thermal Biology* 82: 107-114.
- Nordberg and Schwarzkopf 2019 Nordberg, E. J., Murray, P., Alford, R. and Schwarzkopf, L. 2018. Abundance, diet and prey selection of arboreal lizards in a grazed tropical woodland. *Austral Ecology*, 43: 328-338.
- Nordberg et al. 2018 Norhayati, A., Farah, A. D., Chan, K. O., Daicus, B. and Muin, M. A. 2011. An update of herpetofaunal records from Bukit Fraser, Pahang, Peninsular Malaysia. *Malaysian Applied Biology* 40: 9-17.
- Nori et al. 2010a Nori, J., Abdala, C. S. and Scrocchi, G. J. 2010. *Liolaemus goetschi* (Iguania: Liolaemidae): redescription and phylogenetic relationships within the *L. boulengeri* group. *Zootaxa* 2440: 49-59.
- Nori et al. 2010b Nori, J., Abdala, C. S. and Scrocchi, G. J. 2010. Reptilia, Iguania, Liolaemidae, Liolaemus goetschi Muller and Hellmich, 1938: Distribution extension. *Check List* 6: 3-4.
- Norrie and Langerwerf 1987 Norrie, S. and Langerwerf, B. 1987. *Lacerta schreiberi* in Spain, Portugal, and in captivity. Pages 31-37 in J. Coote, ed., *Reptiles. Proceedings of the 1986 U.K. Herpetological Societies Symposium on Captive Breeding*. British Herpetological Society, London; 97 pp.
- North et al. 1994 North, S. G., Bullock, D. J. and Dulloo, M. E. 1994. Changes in the vegetation and reptile populations on Round island, Mauritius, following eradication of rabbits. *Biological Conservation*, 67: 21-28.
- Norval and Mao 2006 Norval, G. and Mao, J. J. 2006. A Kuhne's grass lizard (*Takydromus kuehnei*) clutch from a secondary forest in Chiayi County, Taiwan. *Sauria* 28: 51-53.
- Norval et al. 2007 Norval, G., Huang, S. C. and Mao, J. J. 2007. A description of Formosan grass lizard (*Takydromus formosanus*) clutches from a Betelnut Palm plantation in Chiayi County, Taiwan. *Sauria* 29: 46-48.
- Norval et al. 2011 Norval, G., Mao, J.-J. and Slater, K. 2011. Notes on the reproduction of the Swinhoe's tree lizard, *Japalura swinhonis* Gunther, 1864, (Squamata: Agamidae) from southwestern Taiwan. *Herpetology Notes*, 4: 319-324.
- Norval et al. 2012a Norval, G., Huang, S.-C., Mao, J.-J., Goldberg, S. R. and Slater, K. 2012. Additional notes on the diet of *Japalura swinhonis* (Agamidae) from southwestern Taiwan, with comments about its dietary overlap with the sympatric *Anolis sagei* (Polychrotidae). *Basic and Applied Herpetology*, 26: 87-97.
- Norval et al. 2012b Norval, G., Huang, S.-C., Mao, J.-J. and Goldberg, S. R. 2012. Notes on some dietary items of *Eutropis longicaudata* (Hallowell, 1857), *Japalura polygonata xanthostoma* Ota, 1991, *Plestiodon elegans* (Boulenger, 1887), and *Sphenomorphus indicus* (Gray, 1853) from Taiwan. *Herpetology Notes*, 5: 453-456.
- Norval et al. 2012c Norval, G., Mao, J.-J. and Goldberg, S. R. 2012. Filling the gaps: additional notes on the reproduction of the Kuhne's grass lizard (*Takydromus kuehnei* van Denburgh, 1909; Squamata: Lacertidae) from southwestern Taiwan. *Herpetological Conservation and Biology* 7: 383-390.
- Norval et al. 2016 Norval, G., Mao, J.-J., Goldberg, S. R. and Huang, S.-C. 2016. Additional notes on the reproduction of the Formosan grass lizard, *Takydromus formosanus* (Boulenger 1894) (Squamata: Lacertidae), from Southwestern Taiwan. *IRCF Reptiles & Amphibians* 23: 28-31.
- Norval et al. 2018 Norval, G., Clayton, J., Sharrad, R. D. and Gardner, M. G. 2018. Notes on the stomach contents of a juvenile sleepy lizard, *Tiliqua rugosa* (Gray 1825), killed by an eastern brown snake, *Pseudonaja textilis* (Dumeril, Bibron, and Duméril 1854) in South Australia. *IRCF Reptiles & Amphibians* 25: 200-203.
- Novelli et al. 2011 Novelli, I. A., Lucas, P. S. and Santos, R. C. 2011. *Reptilia, Squamata, Gymnophthalmidae, Heterodactylus imbricatus Spix, 1825: Filling gaps in the state of Minas Gerais*. Check List 7: 30-31.
- Novoa et al. 2019 Novoa, F. J., Altamirano, T. A. and Ibarra, J. T. 2019. *Liolaemus chilensis* (Chilean tree iguana) and *Liolaemus tenuis* (thin tree iguana). Habitat use. *Herpetological Review* 50: 142.
- Novosolov and Meiri 2013 Novosolov, M. and Meiri, S. 2013. The effect of island type on lizard reproductive traits. *Journal of Biogeography*, 40: 2385-2395.
- Novosolov et al. 2013 Novosolov, M., Raia, P. and Meiri, S. 2013. The island syndrome in lizards. *Global Ecology and Biogeography*, 22: 184-191.
- Novosolov et al. 2017a Novosolov, M., Rodda, G. H., Gainsbury, A. M. and Meiri, S. 2018. Dietary niche variation and its relationship to lizard population density. *Journal of Animal Ecology* 87: 285-292. doi: 10.1111/1365-2656.12762.
- Novosolov et al. 2017b Novosolov, M., Rodda, G. H., North, A. C., Butchart, S. H. M., Tallowin, O. J. S., Gainsbury, A. M. and Meiri, S. 2017. Population density-range size relationship revisited. *Global Ecology and Biogeography* 26: 1088-1097. DOI: 10.1111/1365-2656.12762.
- Nowakowski et al. 2018 Nowakowski, A. J., Watling, J. I., Thompson, M. E., Brusch, G. A., Catenazzi, A., Whiffield, S. M., Kurz, D. J., Suarez-Mayorga, A., Aponte-Gutierrez, A., Donnelly, M. A. and Todd, B. D. 2018. Thermal biology mediates responses of amphibians and reptiles to habitat modification. *Ecology Letters*, 21: 345-355.
- Nunes 2009 Nunes, V. D. 2009. Dieta e estrategia alimentar de *Homonota uruguaiensis* Vaz-Ferreira & Sierra de Soriano, 1961 (Squamata, Gekkota, Phyllodactylidae) nos Pampas do Rio Grande do Sul, Brasil. Thesis, Universidad Federal do Rio Grande do Sul.
- Nunez 1996 Nunez, H. 1996. Autoecologia comparada de dos especies de lagartijas de Chile Central. Publicacion Ocasional Museo Nacional de Historia Natural, Santiago (Chile) 50: 1-60.
- Nunez 2007 Nunez, H. 2007. *Liolaemus frasinetii*, nueva especie de lagartija para los altos de Cantillana, Region Metropolitana (Reptilia: Sauria). Boletin del Museo Nacional de Historia Natural, Chile, 56: 81-87.
- Nunez and Fox 1989 Nunez, H. and Fox, S. F. 1989. *Liolaemus puritamensis*, a new species of iguanid lizard previously confused with *Liolaemus multiformis* (Squamata: Iguanidae). *Copeia*, 1989: 456-460.
- Nunez and Labra 1985 Nunez, H. and Labra, A. M. 1985. *Liolaemus curis*, a new lizard from the Los Andes range, central Chile. *Copeia* 1985: 556-559.
- Nunez and Navarro 1992 Nunez, H. and Navarro, J. 1992. *Liolaemus rosenmanni*, una nueva especie Chilena de lagartija relacionada al grupo 'ruibali'. Boletin del Museo Nacional de Historia Natural, Chile 43: 55-62.
- Nunez and Pincheira-Donoso 2006 Nunez, H. and Pincheira-Donoso, D. 2006. *Liolaemus confusus*, nueva especie de lagartija de la Cordillera de la Costa de Chile Central (Sauria, Liolaeminae): evidencia fenetica y citogenetica. Boletin del Museo Nacional de Historia Natural, Chile 55: 75-86.
- Nunez and Torres-Mura 1992 Nunez, H. and Torres-Mura, J. C. 1992. Adiciones a la herpetofauna de Chile. *Noticiario Mensual del Museo Nacional de Historia Natural Chile* 322: 3-8.
- Nunez and Veloso 2001 Nunez, H. and Veloso, A. 2001. Distribucion geografica de las especies de lagartos de la region de Antofagasta, Chile. *Boletin del Museo Nacional de Historia Natural, Chile* 50: 109-120.
- Nunez and Yanez 1983 Nunez, H. and Yanez, J. 1983. *Ctenoblepharis auditovelatus* new species, a lizard from northern Chile (Reptilia Iguanidae). *Copeia* 1983: 454-457.
- Nunez et al. 1992 Nunez, H., Sufan, J., Torres, H., Carothers, J. H. and Jaksic, F. M. 1992. Autecological observations on the endemic Central Chilean lizard *Pristidactylus volcanensis*. *Journal of Herpetology*, 26: 228-230.
- Nunez et al. 2001 Nunez, H., Schulte, J. A. and Garin, C. 2001. *Liolaemus josephorum*, nueva especie de lagartija para el Norte de Chile. *Boletin del Museo Nacional de Historia Natural (Chile)* 50: 91-107.

- Nunez et al. 2003 Nunez, H., Navarro, J., Garin, C., Pincheira-Donoso D. and Meriggio, V. 2003. Phrynosaura manueli y Phrynosaura torresi, nuevas especies de lagartijas para el norte de Chile (Squamata: Sauria). Boletin del Museo Nacional de Historia Natural, Chile, 52: 67-88.
- Nunez et al. 2010 Nunez, H., Veloso, A., Espejo, P., Veloso, C., Cortes, A. and Araya, S. 2010. Nuevas especies de phymaturus grupo "palluma" para la zona Cordillerana Central De Chile Reptilia, Sauria, Liolaemidae. Boletin del Museo Nacional de Historia Natural, Chile, 59: 41-74.
- Nussbaum and Raxworthy 1994a Nussbaum, R. A. and Raxworthy, C. J. 1994. A new rainforest gecko of the genus Paroedura Gunther from Madagascar. Herpetological Natural History 2 : 43-49.
- Nussbaum and Raxworthy 1994b Nussbaum, R. A. and Raxworthy, C. J. 1994. The genus Paragehyra (Reptilia, Sauria, Gekkonidae) in southern Madagascar. Journal of Zoology 232: 37-59.
- Nussbaum and Raxworthy 1995a Nussbaum, R. A. and Raxworthy, C. J. 1995. A new Mabuya (Reptilia: Squamata: Scincidae) of the aureopunctata-group from Southern Madagascar. Journal of Herpetology, 29: 28-38.
- Nussbaum and Raxworthy 1995b Nussbaum, R. A. and Raxworthy, C. J. 1995. Review of the scincine genus Pseudoacontias Barboza-Du-Bocage (Reptilia, Squamata, Scincidae) of Madagascar. Herpetologica 51: 91-99
- Nussbaum and Raxworthy 1998a Nussbaum, R. A. and Raxworthy, C. J. 1998. A new species of Mabuya Fitzinger (Reptilia: Squamata: Scincidae) from the high Plateau (isalo National Park) of south-central Madagascar. Herpetologica 54: 336-343.
- Nussbaum and Raxworthy 1998b Nussbaum, R. A. and Raxworthy, C. J. 1998. New long-tailed Mabuya Fitzinger from Lokobe Reserve, Nosy Be, Madagascar (Reptilia: Squamata: Scincidae). Copeia 1998: 114-119.
- Nussbaum and Raxworthy 1998c Nussbaum, R. A. and Raxworthy, C. J. 1998. Revision of the genus Ebenavia Boettger (Reptilia : Squamata : Gekkonidae). Herpetologica 54: 18-34.
- Nussbaum and Raxworthy 2000 Nussbaum, R. A. and Raxworthy, C. J. 2000. Systematic revision of the genus Paroedura Gunther (Reptilia: Squamata: Gekkonidae), with description of five new species. Miscellaneous Publications of the Museum of Zoology University of Michigan 189: 1-26.
- Nussbaum et al. 1999 Nussbaum, R. A., Raxworthy, C. J. and Ramanamanjato, J. B. 1999. Additional species of Mabuya Fitzinger (Reptilia: Squamata : Scincidae) from western Madagascar. Journal of Herpetology 33: 264-280.
- Nussbaum et al. 2000 Nussbaum, R. A., Raxworthy, C. J., Raselimanana, A. P. and Ramanamanjato, J. B. 2000. New species of day gecko, Phelsuma Gray (Reptilia: Squamata: Gekkonidae), from the Reserve Naturelle integrale d'Andohahela, southern Madagascar. Copeia, 2000: 763-770.
- Nyhagen et al. 2001 Nyhagen, D. F., Kragelund, C., Olesen, J. M. and Jones, C. G. 2001. Insular interactions between lizards and flowers: flower visitation by an endemic Mauritian gecko. Journal of Tropical Ecology 17: 755-761.
- O'Shea et al. 2012 O'Shea, M., Sanchez, C., Heacox, S., Kathriner, A., Carvalho, V. L., Ribeiro, A. V., Soares, Z. A., De Araujo, L. L. and Kaiser, H. 2012. First update to herpetofaunal records from Timor-Leste. Asian Herpetological Research, 3: 114-116.
- O'Shea et al. 2015 O'Shea, M., Sanchez, C., Kathriner, A., Mecke, S., Carvalho, V. L., Ribeiro, A. V., Soares, Z. A., De Araujo, L. L. and Kaiser, H. 2015. Herpetological diversity of Timor-Leste: Updates and a review of species distributions. Asian Herpetological Research 6: 73-131.
- O'Shea et al. 2018 O'Shea, M., Kusuma, K. I. and Kaiser, H. 2018. First record of the island wolfsnake, *Lycodon capucinus* (H. Boie in F. Boie 1827), from New Guinea, with comments on its widespread distribution and confused taxonomy, and a new record for the common sun skink, *Eutropis multifasciata* (Kuhl 1820). IRCCF Reptiles & Amphibians 25: 70-84.
- Obando and Sunyer 2017 Obando, L. A. and Sunyer, J. 2017. *Lepidophyma flavimaculatum* Duméril, 1851. Geographic distribution. Mesoamerican Herpetology 4: 668-669.
- Obando et al. 2010 Obando, M., Lorena, D., Criollo, M. A. A., Egas, C. P. and Leyton, J. J. C. 2010. Variacion poblacional de *Riamia columbiana* (Sauria: Gymnophthalmidae) de los alrededores de San Juan de Pasto, Narino (Colombia). Revista Novedades Colombianas 10: 17-32.
- Ober 1968 Ober, L. D. 1968. Reproduction and growth rate in the Hispaniolan anguid *Diploglossus stenurus* Cope. Herpetologica, 24: 326-327.
- Ober 1970 Ober, L. D. 1970. Reproduction in the anguid lizard, *Diploglossus curtissi aporus* Schwartz. Herpetologica, 26: 275.
- Obst 1978 Obst, F. J. 1978. Zur geographischen variabilitat des scheltopusik, *Ophisaurus apodus* (Pallas). Zoologische Abhandlungen aus dem Staatlichen Museum für Tierkunde in Dresden, 35: 129-140.
- Ochotorena et al. 2004 Ochotorena, A. S., Uribe, M. C. and Dominguez, M. 2004. Dos indices morfológicos en machos de tres especies del genero Anolis. Revista Biología 18: 96-102.
- Odabas et al. 2019 Odabas, Y., Bulbul, U., Eroglu, A. I., Koc, H., Kurnaz, M. and Kutrup, B. 2019. Age structure and growth in a Turkish population of the Balkan green lizard, *Lacerta trilineata* Bedriaga, 1886 (Squamata: Sauria: Lacertidae).
- Ofori et al. 2018a Ofori, B. Y., Martey, P. and Attuquayefio, D. 2018. Observations of the West African rainbow lizard, *Agama picticauda* Peters, 1877, from Ghana feedin on bread. Herpetology Notes 11: 955-957.
- Ofori et al. 2018b Ofori, B. Y., Martey, P., Musah, Y. and Attuquayefio, D. 2018. Tail bifurcation in the African Rainbow lizard (*Agama picticauda* Peters 1877) from Ghana, West Africa. Herpetology Notes, 11: 843-845.
- Oftedal 1974 Oftedal, O. T. 1974. A revision of the genus *Anadia* (Sauria, Teiidae). Arquivos de Zoologia (Sao Paulo) 25: 203-265.
- Oitaven et al. 2019 Oitaven, L. P. C., Ribeiro, F. S., Ribeiro, L. B. and De Moura, G. J. B. 2019. *Gymnodactylus darwini* (Darwin's gecko). Eggs and hatchlings. Herpetological Review 50: 140-141.
- Okada 1936 Okada, Y. 1936. A new cave-gecko, *Gymnodactylus yamashinae* from Kumejima, Okinawa group. Proceedings of the imperial Academy [of Japan], 12: 53-54.
- Okamoto and Hikida 2012 Okamoto, T. and Hikida, T. 2012. A new cryptic species allied to *Plestiodon japonicus* (Peters, 1864) (Squamata: Scincidae) from eastern Japan, and diagnoses of the new species and two parapatric congeners based on morphology and DNA barcode. Zootaxa 3436 : 1-23.
- Okamoto et al. 2006 Okamoto, T., Motokawa, J., Toda, M. and Hikida, T. 2006. Parapatric distribution of the lizards *Plestiodon* (formerly *Eumeces*) *latiscutatus* and *P. japonicus* (Reptilia: Scincidae) around the izu Peninsula, Central Japan, and its biogeographic implications. Zoological Science 23: 419-425.
- Okstein 2016 Okstein, I. L. 2016. The thermal biology of the *Phrynocephalus guttatus* (Gmelin, 1789) in the Astrakhan region. Biological Communications 3: 107-112.
- Olave et al. 2018 Olave, M., Avila, L. J., Sites, J. W. and Morando, M. 2018. Hybridization could be a common phenomenon within the highly diverse lizard genus *Liolaemus*. Journal of Evolutionary Biology 31: 893-903.
- Olberding et al. 2016 Olberding, J. P., Herrel, A., Higham, T. E. and Garland, T. 2016. Limb segment contributions to the evolution of hind limb length in phrynosomatid lizards. Biological Journal of the Linnean Society 117: 775-795.
- Olesen et al. 2003 Olesen, J. M. and Valido, A. 2003. Lizards as pollinators and seed dispersers: an island phenomenon. Trends in Ecology and Evolution 18: 177-181.
- Oliveira and Gomes 2017 Oliveira, A. S. Q. A. and Gomes, F. B. R. 2017. *Amphisbaena brasiliensis*. Reproduction. Herpetological Review 48: 432-433.
- Oliveira et al. 2014 Oliveira, B. H. S., Queiroz, R. N. M. and Mesquita, D. O. 2014. Communal nests and hatching size of *Coleodactylus meridionalis* (Squamata: Sphaerodactylidae) in a Caatinga area, northeastern Brazil. Herpetology Notes, 8: 125-128.
- Oliveira et al. 2018a Oliveira, B. H. S., De Queiroz, R. N. M., Cavalcanti, L. B. Q. and Mesquita, D. O. 2018. Autecology of neotropical lizard species *Anotosaura vanzolinia* (Squamata, Gymnophthalmidae) in a Caatinga region, north-eastern Brazil. Herpetological Journal 28: 19-26.
- Oliveira et al. 2018b Oliveira, J. C. F., Pereira-Ribeiro, J., Winck, G. R. and Rocha, C. F. D. 2018. Lizard assemblages on sandy coastal plains in southeastern Brazil: An analysis of occurrence and composition, and the role of habitat structure. Anais da Academia Brasileira de Ciencias 2018: 1-12.
- Oliveira et al. 2018c Oliveira, M. R., Braghirolli, F. M., Verrastro, L. and Oliveira, G. T. 2018. Seasonal and sexual variation of the intermediate metabolism and body condition indexes in the lizard *Tropidurus catalanensis* (Gudynas and Skuk, 1983)(Squamata: Tropiduridae). South American Journal of Herpetology, 13: 85-95.
- Oliveira et al. 2019 Oliveira, C. R., Roberto, I. J., Sousa, J. G. G. and Avila, R. W. 2019. On the Ecology of *Amphisbaena heathi* (Squamata: Amphisbaenidae) from Northeastern Brazil. Herpetological Review 50: 62-66.
- Oliver 1948 Oliver, J. A. 1948. The anoline lizards of Bimini, Bahamas. American Museum Novitates 1383: 1-36.
- Oliver and Doughty 2016 Oliver, P. M. and Doughty, P. 2016. Systematic revision of the marbled velvet geckos (*Oedura marmorata* species complex, Diplodactylidae) from the Australian arid and semi-arid zones. Zootaxa 4088: 151-176.
- Oliver and Lobo 2002 Oliver, I. M. and Lobo, F. 2002. Una nueva especie de *Liolaemus* del grupo alticolor (Iguania: Liolaemidae) de la Puna Saltena, Argentina. Cuadernos de Herpetología 16: 47-64.
- Oliver and McDonald 2016 Oliver, P. M. and McDonald, P. J. 2016. Young relicts and old relicts: a novel palaeoendemic vertebrate from the Australian Central Uplands. Royal Society Open Science 3: 160018.
- Oliver et al. 2007 Oliver, P., Tjaturdai, B. and Richards, S. 2007. *Cyrtodactylus irianjayaensis*. Geographic distribution. Herpetological Review 38: 218.
- Oliver et al. 2008 Oliver, P., Tjaturdai, B., Mumpuni, Krey, K. and Richards, S. 2008. A new species of large *Cyrtodactylus* (Squamata: Gekkonidae) from Melanesia. Zootaxa 1894: 59-68.
- Oliver et al. 2009 Oliver, P., Edgar, P., Mumpuni, Iskandar, D.T. and Liley, R. 2009. A new species of bent-toed gecko (*Cyrtodactylus*: Gekkonidae) from Seram island, Indonesia. Zootaxa, 2115: 47-55.

- Oliver et al. 2010  
 Oliver et al. 2011  
 Oliver et al. 2012  
 Oliver et al. 2014a  
 Oliver et al. 2014b  
 Oliver et al. 2014c  
 Oliver et al. 2015  
 Oliver et al. 2016a  
 Oliver et al. 2016b  
 Oliver et al. 2017  
 Oliver et al. 2018  
 Oliveros et al. 2011  
 Olmedo and Cayot 1994  
 Olson 1979  
 Olson et al. 2018  
 Olsson 1995a  
 Olsson 1995b  
 Olsson and Shine 1996  
 Olsson and Shine 1997  
 Olsson and Shine 1998  
 Olsson and Shine 1999  
 Olsson et al. 2002  
 Olsson et al. 2009  
 Olsson et al. 2011  
 Olsson et al. 2018  
 Onderstall 1984  
 Ong and Sy 2019  
 Onn and Grismer 2008  
 Onn et al. 2009a  
 Onn et al. 2009b  
 Onn et al. 2010a  
 Onn et al. 2010b  
 Oo and Bates 2016  
 Oosthuizen 2018  
 Openshaw and Keogh 2014  
 Oppliger and Clober 1997  
 Oraie et al. 2011  
 Oraie et al. 2013  
 Oraie et al. 2014  
 Oraie et al. 2018  
 Ord and Blumstein 2002  
 Orlov et al. 2006  
 Orlova and Bischoff 1984  
 Orlova et al. 2005  
 Orlova et al. 2017  
 Orr et al. 1979  
 Orrell and Janssen 1998  
 Ortega and Martin-Vallejo 2019  
 Ortega and Martin-Vallejo 2019  
 Ortega and Perez-Mellado 2016
- Oliver, P. M., Couper, P. and Amey, A. 2010. A new species of Pygopus (Pygopodidae; Gekkota; Squamata) from north-eastern Queensland. *Zootaxa* 2578: 47-61.  
 Oliver, P., Krey, K., Mumpuni and Richards, S. 2011. A new species of bent-toed gecko (Cyclodactylus, Gekkonidae) from the North Papuan Mountains. *Zootaxa* 2930: 22-32.  
 Oliver, P. M., Richards, S. J. and Sistrom, M. 2012. Phylogeny and systematics of Melanesia's most diverse gecko lineage (Cyclodactylus, Gekkonidae, Squamata). *Zoologica Scripta* 41: 437-454.  
 Oliver, P. M., Couper, P. J., Pepper, M. 2014. Independent transitions between monsoonal and arid biomes revealed by systematic revision of a complex of Australian geckos (Diplodactylus; Diplodactylidae). *PLoS ONE* 9(12): e111895. doi:10.1371/journal.pone.0111895.
- Oliver, P. M., Laver, R. J., Melville, J. and Doughty, P. 2014. A new species of velvet gecko (Oedura: Diplodactylidae) from the limestone ranges of the southern Kimberley, Western Australia. *Zootaxa* 3873: 49-61.  
 Oliver, P. M., Skipwith, P. and Lee, M. S. Y. 2014. Crossing the line: increasing body size in a trans-Wallacean lizard radiation (Cyclodactylus, Gekkota). *Biology Letters* 10: 20140479.  
 Oliver, P. M., Parker, F. and Tallowin, O. 2015. Further records of reptiles and amphibians utilising ant plant (Rubiaceae) domatia in New Guinea. *Herpetology Notes*, 8: 239-241.  
 Oliver, P. M., Bourke, G., Pratt, R. C., Doughty, P. and Moritz, C. 2016. Systematics of small Gehyra (Squamata: Gekkonidae) of the southern Kimberley, Western Australia: redescription of G. kimberleyi Borner & Schuttler, 1983 and description of a new restricted range species. *Zootaxa* 4107: 47-64.  
 Oliver, P. M., Richards, S. J., Mumpuni, and Rosler, H. 2016. The knight and the king: two new species of giant benttoed gecko (Cyclodactylus, Gekkonidae, Squamata) from northern New Guinea, with comments on endemism in the North Papuan Mountains. *ZooKeys* 562: 105-130.  
 Oliver, P. M., Laver, R. J., Martins, M. F., Pratt, R. C., Hunjan, S. and Moritz, C. C. 2017. A novel hotspot of vertebrate endemism and an evolutionary refugium in tropical Australia. *Diversity and Distributions*, 23: 53-66.  
 Oliver, P. M., Blom, M. P. K., Cogger, H. G., Fisher, R. N., Richmond, J. Q. and Woinarski, J. C. Z. 2018. Insular biogeographic origins and high phylogenetic distinctiveness for a recently depleted lizard fauna from Christmas Island, Australia. *Biology Letters* 14: 20170696.
- Oliveros, C. H., Ota, H., Crombie, R. I. and Brown, R. M. 2011. The Herpetofauna of the Babuyan group of islands, northern Philippines. *Scientific Publications of the Natural History Museum of the University of Kansas* 43: 1-20.  
 Olmedo, J. and Cayot, L. 1994. Gecos introducidos en los pueblos de Santa Cruz, San Cristobal e isabela. *Noticias de Galapagos* 51-53: 15-20.  
 Olson, E. R. 1979. *Sceloporus merriami*. Catalogue of American Amphibians and Reptiles 227: 1-2.  
 Olson, A. R., Farquhar, J. E. and Bettio, M. K. 2018. *Ctenotus regius* (regal striped skink). *Dier Herpetological Review*, 49: 328-329.  
 Olsson, M. 1995. Forced copulation and costly female resistance behavior in the Lake Eyre dragon, *Ctenophorus maculosus*. *Herpetologica*, 51: 19-24.  
 Olsson, M. 1995. Territoriality in Lake Eyre dragons *Ctenophorus maculosus*: are males 'superterritorial'? *Ethology* 101: 222-227.  
 Olsson, M. and Shine, R. 1996. Does reproductive success increase with age or with size in species with indeterminate growth? A case study using sand lizards (*Lacerta agilis*). *Oecologia* 105: 175-178.  
 Olsson, M. and Shine, R. 1997. The limits to reproductive output: offspring size versus number in the sand lizard (*Lacerta agilis*). *The American Naturalist*, 149: 179-188.  
 Olsson, M. and Shine, R. 1998. Timing of parturition as a maternal care tactic in an alpine lizard species. *Evolution*, 52: 1861-1864.  
 Olsson, M. and Shine, R. 1999. Plasticity in frequency of reproduction in an alpine lizard, *Niveoscincus microlepidotus*. *Copeia* 1999: 794-796.  
 Olsson, M., Shine, R., Wapstra, E., Ujvari, B. and Madsen, T. 2002. Sexual dimorphism in lizard body shape: The roles of sexual selection and fecundity selection. *Evolution* 56: 1538-1542.  
 Olsson, M., Wilson, M., isaksson, C. and Uller, T. 2009. Polymorphic ROS scavenging revealed by CCCP in a lizard. *Naturwissenschaften*, 96: 845-849.  
 Olsson, M., Schwartz, T., Wapstra, E., Uller, T., Ujvari, B., Madsen, T. and Shine, R. 2011. Climate change, multiple paternity and offspring survival in lizards. *Evolution* 65: 3323-3326.  
 Olsson, M., Loeb, L., Lindsay, W., Wapstra, E., Fitzpatrick, L. and Shine, R. 2018. Extreme plasticity in reproductive biology of an oviparous lizard. *Ecology and Evolution* 8: 6384-6389.  
 Onderstall, D. 1984. Descriptions of two new subspecies of *Afroedura pondolia* (Hewitt) and a discussion of species groups within the genus (Reptilia: Gekkonidae). *Annals of the Transvaal Museum* 33: 497-509.  
 Ong, B. K. C. and Sy, E. Y. 2019. Predation on a bronzeback snake by a Palawan water monitor lizard *Varanus palawanensis* on Miniloc Island, Philippines. *Southeast Asia Vertebrate Records* 2019: 54-55.  
 Onn, C. K. and Grismer, L. L. 2008. A new species of *Nemaspis* Strauch 1887 (Squamata: Gekkonidae) from Selangor, Peninsular Malaysia. *Zootaxa* 1877: 49-57.  
 Onn, C. K., Grismer, L. L., Sharma, D. S., Belabut, D. and Ahmad, N. 2009. New herpetofaunal records for Perlis State Park and adjacent areas. *Malayan Nature Journal*, 61: 255-262.  
 Onn, C. K., Grismer, L. L., Wood, P. L., Grismer, J. L. and Ahmad, N. 2009. Preliminary checklist of the herpetofauna of Pulau Besar, Melaka, Malaysia. *Tropical Life Sciences Research*, 20: 81-87.  
 Onn, C. K., Grismer, L. L., Anuar, S., Quah, E., Muin, M. A., Savage, A. E., Grismer, J. L., Ahmad, N., Remigio, A-C. and Greer, L. F. 2010. A new endemic rock Gecko *Nemaspis* Strauch 1887 (Squamata: Gekkonidae) from Gunung Jerai, Kedah, northwestern Peninsular Malaysia. *Zootaxa* 2576: 59-68.  
 Onn, C. K., van Rooijen, J., Grismer, L. L., Belabut, D., Akil, M. A. M., Jamaludin, H., Gregory, R. and Ahmad, N. 2010. First report on the Herpetofauna of Pulau Pangkor, Perak, Malaysia. *Russian Journal of Herpetology* 17: 8827-8828.  
 Oo, S. S. L. and Bates, P. J. J. 2016. The rediscovery of the common water monitor lizard *Varanus salvator* (Squamata: Varanidae) in northern Myanmar. *Journal of Threatened Taxa* 8: 8827-8828.  
 Oosthuizen, D. J. 2018. *Nucras livida* (A. Smith, 1838). Geographical distribution. *African Herp News* 69: 24-26.  
 Openshaw, G. H. and Keogh, J. S. 2014. Head shape evolution in monitor lizards (Varanus): interactions between extreme size disparity, phylogeny and ecology. *Journal of Evolutionary Biology* 27: 363-373.  
 Oppliger, A. and Clober, J. 1997. Reduced tail regeneration in the common lizard, *Lacerta vivipara*, parasitized by blood parasites. *Functional Ecology* 11: 652-655.  
 Oraie, H., Khosravani, A., Rastegar-Pouyani, N. and Ghoreishi, S. K. 2011. Analysis of sexual dimorphism in the Persian long-tailed desert lizard, *Mesalina watsonana* (Stoliczka, 1872; Sauria: Lacertidae). *Amphibian and Reptile*  
 Oraie, H., Rahimian, H., Rastegar-Pouyani, N., Khosravani, A. and Rastegar-Pouyani, E. 2013. Sexual size dimorphism in *Ophisops elegans* (Squamata: Lacertidae) in Iran. *Zoology in the Middle East*, 59: 302-307.  
 Oraie, H., Rahimian, H., Rastegar-Pouyani, N., Rastegar-Pouyani, E., Ficetola, G. F., Yousefkhani, S. H. and Khosravani, A. 2014. Distribution pattern of the snake-eyed lizard, *Ophisops elegans* Menetries, 1832 (Squamata: Lacertidae), in Iran. *Zoology in the Middle East*, 60: 125-132.  
 Oraie, H., Sheikh, Y., Rastegar-Pouyani, E. and Moadab, M. 2018. On the morphology of *Teratoscincus microlepis* Nikolsky, 1900, from Iran. *Herpetozoa* 31: 105-107.  
 Ord, T. J. and Blumstein, D. T. 2002. Size constraints and the evolution of display complexity: why do large lizards have simple displays? *Biological Journal of the Linnean Society*, 76: 145-161.  
 Orlov, N. L., Nguyen, T. Q. and Nguyen, S. V. 2006. A new Acanthosaura allied to *A. capra* Gunther, 1861 (Agamidae, Sauria) from Central Vietnam and Southern Laos. *Russian Journal of Herpetology* 13: 61-76.  
 Orlova, W. F. and Bischoff, W. 1984. *Lacerta derjugini* Nikolskij 1898 - Artwiner Eidechse. Pages 239-254 in W. Bohme, editor. *Handbuch der Reptilien und Amphibien Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.  
 Orlova, V. F., Kuranova, V. N. and Bulakhova, N. A. 2005. Some aspects of reproductive biology of *Zootoca vivipara* (Jacquin, 1787) in the Asian part of its area. *Herpetologia Petropolitana: Proceedings of the 12th Ordinary General Meeting of the Societas Europaea Herpetologica*, 201-204.  
 Orlova, V. F., Poyarkov, N. A., Chirikova, M. A., Nazarov, R. A., Munkhbayar, M., Munkhbayar, K. and Terbish, K. 2017. MtDNA differentiation and taxonomy of Central Asian racerunners of *Eremias multiocellata*-E. przewalskii species complex (Squamata, Lacertidae). *Zootaxa* 4282: 1-42.  
 Orr, Y., Shachak, M. and Steinberger, Y. 1979. Ecology of the small spotted lizard (*Eremias guttulata guttulata*) in the Negev desert (Israel). *Journal of Arid Environments*, 2: 151-161.  
 Orrell, K. S. and Janssen, T. A. 1998. Display behavior of *Anolis bahorucoensis*: an anole with a diminutive dewlap. *Caribbean Journal of Science* 34: 113-125.  
 Ortega, Z. and Martin-Vallejo, F. J. 2018. Main factors affecting lacertid lizard thermal ecology. *Integrative Zoology* 14: 293-305.  
 Ortega, Z. and Martin-Vallejo, F. J. 2019. Main factors affecting lacertid lizard thermal ecology. *Integrative zoology*, 14: 293-305.  
 Ortega, Z. and Perez-Mellado, V. 2016. Seasonal patterns of body temperature and microhabitat selection in a lacertid lizard. *Acta Oecologica*, 77: 201-206.

- Ortega and Perez-Mellado 2017
- Ortega et al. 2014
- Ortega et al. 2016a
- Ortega et al. 2016b
- Ortega et al. 2016c
- Ortega et al. 2016d
- Ortega et al. 2016e
- Ortega et al. 2017a
- Ortega et al. 2017b
- Ortega et al. 2017c
- Ortega et al. 2019a
- Ortega et al. 2019b
- Ortega-Andrade 2006
- Ortega-Andrade et al. 2010
- Ortega-Leon et al. 2007
- Ortega-Rubio et al. 1993
- Ortega-Rubio et al. 1995
- Ortiz 1987
- Ortiz 1994
- Ortiz et al. 2001
- Ortiz et al. 2016
- Ortiz et al. 2017
- Ortiz et al. 2019
- Ortiz-Medina et al. 2017
- Ortiz-Yusty et al. 2015
- O'Shea 1991
- O'Shea 1998
- O'Shea 2005
- Osterwalder et al. 2004
- Ostrom 1963
- Ota 1987
- Ota 1989a
- Ota 1989b
- Ota 1989c
- Ota 1991
- Ota 1999
- Ota 2000a
- Ota 2000b
- Ota 2005
- Ota and Hikida 1988
- Ota and Nabhitabhata 1991
- Ota and Weidenhofer 1992
- Ota et al. 1987
- Ota et al. 1989
- Ota et al. 1995
- Ota et al. 1996
- Ota et al. 1998a
- Ota et al. 1998b
- Ota et al. 1999
- Ota et al. 2000
- Ouboter 1986
- Oufiero and Angilletta 2006
- Oufiero et al. 2011
- Owen 1989
- Owens et al. 2016
- Ortega, Z. and Perez-Mellado, V. 2017. The effect of thermal requirements on microhabitat selection and activity of *Podarcis lilfordi* (Squamata: Lacertidae). *Salamandra* 53: 351-358.
- Ortega, Z., Perez-Mellado, V., Garrido, M., Guerra, C., Villa-Garcia, A. and Alonso-Fernandez, T. 2014. Seasonal changes in thermal biology of *Podarcis lilfordi* (Squamata, Lacertidae) consistently depend on habitat traits. *Journal of Thermal Biology* 39: 32-39.
- Ortega, Z., Mencia, A. and Perez-Mellado, V. 2016. Adaptive seasonal shifts in the thermal preferences of the lizard *Iberolacerta galani* (Squamata, Lacertidae). *Journal of Thermal Biology* 62: 1-6.
- Ortega, Z., Mencia, A. and Perez-Mellado, V. 2016. Sexual differences in behavioral thermoregulation of the lizard *Sceloporus perspicillatus*. *Journal of Thermal Biology* 61: 44-49.
- Ortega, Z., Mencia, A. and Perez-Mellado, V. 2016. The peak of thermoregulation effectiveness: Thermal biology of the Pyrenean rock lizard, *Iberolacerta bonnali* (Squamata, Lacertidae). *Journal of Thermal Biology* 56: 77-83.
- Ortega, Z., Mencia, A. and Perez-Mellado, V. 2016. Thermal ecology of *Podarcis siculus* (Rafinesque-Schmalz, 1810) in Menorca (Balearic islands, Spain). *Acta Herpetologica* 11: 127-133.
- Ortega, Z., Mencia, A. and Perez-Mellado, V., 2016. Are mountain habitats becoming more suitable for generalist than cold-adapted lizards thermoregulation? *PeerJ*, 4:, e2085.
- Ortega, Z., Lopez, P. and Martin, J. 2017. Environmental drivers of growth rates in Guadarrama wall lizards: a reciprocal transplant experiment. *Biological Journal of the Linnean Society* 122: 340-350.
- Ortega, Z., Mencia, A. and Perez-Mellado, V. 2017. Aspects of the thermal ecology of the lizard *Iberolacerta monticola* of Serra da Estrela (Portugal). *Herpetological Journal* 27: 239-244.
- Ortega, Z., Mencia, A. and Perez-Mellado, V. 2017. Wind constraints on the thermoregulation of high mountain lizards. *International Journal of Biometeorology*, 61: 565-573.
- Ortega, J., Martin, J., Crochet, P-A, Lopez, P. and Cloebert, J. 2019. Seasonal and interpopulational phenotypic variation in morphology and sexual signals of *Podarcis liolepis* lizards. *PLoS ONE* 14: e0211686.
- Ortega, Z., Mencia, A., Giroux, A. and Perez-Mellado, V. 2019. Broad seasonal changes in thermoregulation of *Podarcis lilfordi* (Squamata, Lacertidae) at Binicodrell islet (Menorca, Spain). *Herpetozoa*, 32: 57-63.
- Ortega-Andrade, H. M. 2006. Reptilia, Squamata, Gymnophthalmidae, *Echinosaura horrida*: distribution extension and new geographic distribution map for Ecuador. *Check List* 2: 2-4.
- Ortega-Andrade, H. M., Bermingham, J., Aulestia, C. and Paukar, C. 2010. Herpetofauna of the Bilsa Biological Station, province of Esmeraldas, Ecuador. *Check List*, 6: 119-154.
- Ortega-Leon, A. M., Smith, E. R., Zuniga-Vega, J. and Mendez-de la Cruz, F. 2007. Growth and population demography of one population of the lizard *Sceloporus mucronatus mucronatus*. *Western North The American Naturalist* 67:
- Ortega-Rubio, A., Khoddadost, M. and Servin, R. 1993. Skeletochronology in the mezquite lizard, *Sceloporus grammicus*. *Proceedings of the Oklahoma Academy of Science* 73: 31-34.
- Ortega-Rubio, A., Gonzalez-Romero, A. and Barbault, R. 1995. Food analysis and resource partitioning. In a lizard guild of the Sonoran Desert, Mexico. *Journal of Arid Environments* 29: 367-382.
- Ortiz, J. C. 1987. Une nouvelle espece de Liolaemus (Sauria, Iguanidae) du Chili. *Bulletin du Museum National D'Histoire Naturelle Section A Zoologie Biologie et Ecologie Animales* 9: 265-270.
- Ortiz, J. C. 1994. Una nueva especie de largo altoandino del genero *Liolaemus* (Sauria, Tropiduridae). *Boletin de la Sociedad de Biología de Concepción* 65: 191-195.
- Ortiz, M. F., de Oca, A. N.-M. and Ugarte, I. H. S. 2001. Diet and reproductive biology of the viviparous lizard *Sceloporus torquatus torquatus* (Squamata: Phrynosomatidae). *Journal of Herpetology*, 35: 104-112.
- Ortiz, M. A., Boretto, J. M. and Ibarguengoytia, N. R. 2016. Reproductive biology of the southernmost Kentropyx lizard from the Wet Chaco of Corrientes, Argentina. *Herpetological Journal* 26: 119-130.
- Ortiz, M. A., Boretto, J. M. and Ibargüengoytia, N. R. 2017. How does a viviparous semifossorial lizard reproduce? *Ophiodes intermedius* (Squamata: Anguidae) from subtropical climate in the Wet Chaco region of Argentina.
- Ortiz, M. A., Boretto, J. M. and Ibarguengoytia, N. R. 2019. Reproductive biology of a viviparous lizard (*Mabuya dorsivittata*) from the subtropical Wet Chaco of Argentina: geographical variations in response to local environmental pressures. *Anais da Academia Brasileira de Ciencias*, 91: e20170817.
- Ortiz-Medina, J. A., Cime-Pool, J. A., Nahuat-Cervera, P. E., Cabrera-Cen, D. I., Meneses-Millan, M. S. and Chan-Espinoza, D. E. 2017. First record of *Corytophanes hernandesii* (Wiegmann, 1831) (Squamata: Corytophanidae) from the state of Yucatan, Mexico. *Mesoamerican Herpetology* 4: 948-949.
- Ortiz-Yusty, C., Daza, J., Paez, V. and Bock, B. 2015. The collection of the herpetological museum of the University of Antioquia (northwestern Colombia). *Biodiversity Data Journal* 3: e1325. doi: 10.3897/BDJ.3.e1325
- O'Shea, M. 1991. The reptiles of Papua New Guinea. *British Herpetological Society Bulletin* 37: 15-32.
- O'Shea, M. 1998. The reptilian herpetofauna of the ilha de Maraca. Pages 231-262. In W. Milliken and J. Ratter Editors. *Maraca. The biodiversity & environment of an Amazonian rainforest*. John Wiley & Sons, New York.
- O'Shea, M. B. 2005. Methods for assessment and techniques for management of Striped Legless Lizard *Delma impar* populations in south-eastern Australia. PhD dissertation, Victoria University of Technology.
- Osterwalder, K., Klingenberg, A. and Shine, R. 2004. Field studies on a social lizard: Home range and social organization in an Australian skink, *Egernia major*. *Austral Ecology* 29: 241-249.
- Ostrom, J. H. 1963. Further comments on herbivorous lizards. *Evolution* 17: 368-369.
- Ota, H. 1987. A new species of *Lepidodactylus* (Gekkonidae: Reptilia) from Lanyu island, Taiwan. *Copeia* 1987: 164-169.
- Ota, H. 1989. A new species of *Japalura* (Agamidae: Lacertilia: Reptilia) from Taiwan. *Copeia* 1989: 569-576.
- Ota, H. 1989. A review of the geckos (Lacertilia: Reptilia) of the Ryukyu Archipelago and Taiwan. Pages 222-261 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. *Current herpetology in East Asia*. Herpetological Society of
- Ota, H. 1989. The status of an Agamid Lizard, *Japalura swinhonis chapaensis* Bourret, 1937, from Vietnam. *Journal of Herpetology* 23: 447-450.
- Ota, H. 1991. Taxonomic redefinition of *Japalura swinhonis* Gunther (Agamidae: Squamata), with a description of a new subspecies of *J. polygonata* from Taiwan. *Herpetologica* 47: 280-294.
- Ota, H. 1999. (editor) *Tropical island herpetofauna: origin, current diversity, and conservation*. Proceedings of the international Symposium, "Diversity of reptiles, amphibians, and other terrestrial animals on tropical islands: origin, current status, and conservation", Elsevier, Amsterdam.
- Ota, H. 2000. Current status of the threatened amphibians and reptiles of Japan. *Population Ecology* 42: 5-9.
- Ota, H. 2000. On the validity of *Japalura yunnanensis* popei Wettsstein, 1938 (Squamata: Agamidae). *Amphibia-Reptilia* 21: 397-403.
- Ota, H. 2005. Book Review: Guide to the amphibians and reptiles of Japan. *Herpetological Review* 36: 212-219.
- Ota, H. and Hikida, T. 1988. A new species of *Lepidodactylus* (Sauria: Gekkonidae) from Sabah, Malaysia. *Copeia*, 1988: 616-621.
- Ota, H. and Nabhitabhata, J. A. 1991. New species of *Gekko* (Gekkonidae: Squamata) from Thailand. *Copeia*, 1991: 503-509.
- Ota, H. and Weidenhofer, T. 1992. The first male specimen of the poorly known agamid lizard *Japalura chapaensis* Bourret, 1937 (Reptilia: Sauria), from Northern Vietnam, with notes on its taxonomic status. *Raffles Bulletin of*
- Ota, H., Hikida, T. and Barcelo, J. 1987. On a small collection of lizards and snakes from Cameroon, West Africa. *African Study Monographs*, 8: 111-123.
- Ota, H., Lue, K. Y., Chen, S. H. and Brown, W. C. 1989. Taxonomic status of the Taiwanese gekko, with comments on the synonymy of *Luperosaurus amissus* Taylor. *Journal of Herpetology* 23: 76-78.
- Ota, H., Fisher, R. N., Ineich, I. C. and Case, T. J. 1995. Geckos of the genus *Lepidodactylus* (Squamata: Reptilia) in Micronesia: description of a new species and reevaluation of the status of *Gecko moestus* Peters, 1867. *Copeia*
- Ota, H., Sengoku, S., and Hikida, T. 1996. Two new species of *Luperosaurus* (Reptilia: Gekkonidae) from Borneo. *Copeia*, 1996: 433-439.
- Ota, H., Chen, S.-L. and Shang, G. 1998. *Japalura luei*: a new agamid lizard from Taiwan (Reptilia: Squamata). *Copeia* 1998: 649-656.
- Ota, H., Fisher, R. N., Ineich, I., Case, T. J., Radtkey, R. R. and Zug, G. R. 1998. A new *Lepidodactylus* (Squamata: Gekkonidae) from Vanuatu. *Herpetologica*, 54: 325-332.
- Ota, H., Miyaguni, H. and Hikida, T. 1999. Geographic variation in the endemic skink, *Ateuchosaurus pellopeurus*, from the Ryukyu Archipelago, Japan. *Journal of Herpetology* 33: 106-118.
- Ota, H., Darevsky, I. S., Ineich, I. and Yamashiro, S. 2000. Reevaluation of the taxonomic status of two *Lepidodactylus* species (Squamata: Gekkonidae) from the Lesser Sunda Archipelago, Indonesia. *Copeia* 2000: 1109-1113.
- Ouboter, P. E. 1986. A revision of the genus *Scincella* (Reptilia: Sauria: Scincidae) of Asia, with some notes on its evolution. *Zoologische Verhandelingen* 229: 1-66.
- Oufiero, C. E. and Angilletta, M. J. 2006. Convergent evolution of embryonic growth and development in the eastern fence lizard (*Sceloporus undulatus*). *Evolution* 60: 1066-1075.
- Oufiero, C. E., Gartner, G. E. A., Adolph, S. C. and Garland, T. 2011. Latitudinal and climatic variation in body size and dorsal scale counts in *Sceloporus* lizards: a phylogenetic perspective. *Evolution* 65: 3590-3607.
- Owen, J. G. 1989. Patterns of herpetofaunal species richness: relation to temperature, precipitation, and variance in elevation. *Journal of Biogeography*, 16: 141-150.
- Owens, J. B., Carter, K. C., Tesucum, C. S. C. and Griffin, R. 2016. Reproductive and parental care notes for *Norops beckeri* (Boulanger, 1891) in northern Guatemala. *Mesoamerican Herpetology* 3: 1007-1010.

- Ozcan and Uzum 2014  
 Packard 1982  
 Packard and Boardman 2009  
 Packard et al. 1977a  
 Packard et al. 1977b  
 Paden 2008  
 Padial 2006  
 Pafilis 2010  
 Pafilis and Maragou 2013  
 Pafilis et al. 2005  
 Pafilis et al. 2007  
 Pafilis et al. 2008a  
 Pafilis et al. 2008b  
 Pafilis et al. 2009a  
 Pafilis et al. 2009b  
 Pafilis et al. 2011  
 Pafilis et al. 2013  
 Pafilis et al. 2015  
 Pafilis et al. 2016  
 Pafilis et al. 2017  
 Pafilis et al. 2019
- Ozcan, S. and Uzum, N. 2014. The herpetofauna of Madran Mountain (Aydin, Turkey). *Turkish Journal of Zoology*, 38: 108-113.
- Packard, M. J. 1982. Structure of eggshells and water relations of reptilian eggs. *Herpetologica*, 38: 136-155.
- Packard, G. C. and Boardman, T. J. 2009. Bias in interspecific allometry: examples from morphological scaling in varanid lizards. *Biological Journal of the Linnean Society*, 96: 296-305.
- Packard, G. C., Tracy, C. R. and Roth, J. J. 1977. The physiological ecology of reptilian eggs and embryos and the evolution of viviparity within the class Reptilia. *Biological Reviews* 52: 71-105.
- Packard, G. C., Tracy, C. R. and Roth, J. J. 1977. The physiological ecology of reptilian eggs and embryos. And the evolution of viviparity within the Class Reptilia. *Biological Reviews*, 52: 71-105.
- Paden, L. 2008. *Varanus panoptes horni* (Argus Monitor) reproduction. *Biawak* 2: 95-96.
- Padial, J. M. 2006. Commented distributional list of the reptiles of Mauritania (West Africa). *Graellsia*, 62: 159-178.
- Pafilis, P. 2010. A brief history of Greek herpetology. *Bonn Zoological Bulletin* 57: 329-345.
- Pafilis, P. and Maragou, P. 2013. One more record of *Lacerta viridis* (Laurenti, 1768), from Macedonia. *Herpetozoa* 26: 101-102.
- Pafilis, P., Valakos, E. D. and Foufopoulos, J. 2005. Comparative postautotomy tail activity in six Mediterranean lacertid lizard species. *Physiological and Biochemical Zoology* 78: 828-838.
- Pafilis, P., Foufopoulos, J., Poulikakis, N., Lymberakis, P. and Valakos, E. 2007. Digestive performance in five Mediterranean lizard species: effects of temperature and insularity. *Journal of Comparative Physiology B*, 177: 49-60.
- Pafilis, P., Perez-Mellado, V. and Valakos, E. 2008. Postautotomy tail activity in the Balearic lizard, *Podarcis lilfordi*. *Naturwissenschaften* 95: 217-221.
- Pafilis, P., Sagonas, K., Runemark, A., Svensson, E. and Valakos, E. D. 2008. Reproductive advantages of gigantism and how intraspecific competition could be involved. *Proceedings of the Symposium on the Lacertids of the Mediterranean Basin*, 6: 43-44.
- Pafilis, P., Foufopoulos, J., Poulikakis, N., Lymberakis, P. and Valakos, E. 2009. Tail shedding in island lizards [Lacertidae, Reptilia]: Decline of antipredator defenses in relaxed predation environments. *Evolution* 63: 1262-1278.
- Pafilis, P., Meiri, S., Foufopoulos, J. and Valakos, E. 2009. Intraspecific competition and high food availability are associated with insular gigantism in a lizard. *Naturwissenschaften* 96: 1107-1113.
- Pafilis, P., Foufopoulos, J., Sagonas, K., Runemark, A., Svensson, E., and Valakos, E. D. 2011. Reproductive biology of insular reptiles: marine subsidies modulate expression of the "island Syndrome". *Copeia*, 2011: 545-552.
- Pafilis, P., Anastasiou, I., Sagonas, K. and Valakos, E. D. 2013. Grazing by goats on islands affects the populations of an endemic Mediterranean lizard. *Journal of Zoology* 290: 255-264.
- Pafilis, P., Kornilios, P., Lymberakis, P., Poirazidis, K., Karris, G. and Dimitriadis, C. 15. Herpetofauna surveys in protected areas: a case study from Zakynthos. *Conference Proceedings, Crete*
- Pafilis, P., Meiri, S., Sagonas, K., Karakasi, D., Kourelou, E. and Valakos, E. D. 2016. Body size affects digestive performance in a Mediterranean lizard. *Herpetological Journal* 26: 201-207.
- Pafilis, P., Sagonas, K., Kapsalas, G., Foufopoulos, J. and Valakos, E. D. 2017. Sex does not affect tail autotomy in lacertid lizards. *Acta Herpetologica* 12: 19-27.
- Pafilis, P., Herrel, A., Kapsalas, G., Vasilopoulou-Kampitsi, M., Fabre, A. C., Foufopoulos, J. and Donihue, C. M. 2019. Habitat shapes the thermoregulation of Mediterranean lizards introduced to replicate experimental islets. *Journal of Thermal Biology* 84: 368-374.
- Pagan et al. 2012  
 Pakenham 1983  
 Pal et al. 2007  
 Pal et al. 2009  
 Pal et al. 2010  
 Pal et al. 2011  
 Pal et al. 2018  
 Palihawadana and Eliya 1998
- Pagan, D. N. M., Gifford, M. E., Parmerlee, J. S. and Powell, R. 2012. Ecological performance in the actively foraging lizard *Ameiva ameiva* (Teiidae). *Journal of Herpetology*, 46: 253-257.
- Pakenham, R. H. W. 1983. The reptiles and amphibians of Zanzibar and Pemba islands (with a note on the freshwater fishes). *Journal of the East Africa Natural History Society and National Museum* 177: 1-40.
- Pal, A., Swain, M. M. and Rath, S. 2007. Seasonal variation in the diet of the fan-throated lizard, *Sitana ponticeriana* (Sauria: Agamidae). *Herpetological Conservation and Biology* 2: 145-148.
- Pal, A., Swain M. M. and Rath, S. 2009. Long bone histology and skeletochronology in a tropical Indian lizard, *Sitana ponticeriana* (Sauria: Agamidae). *Current Herpetology* 28: 13-18.
- Pal, A., Swain, M. M. and Rath, S. 2010. Observations on microhabitat use and activity patterns in *Sitana ponticeriana* (Sauria: Agamidae). *Russian Journal of Herpetology* 17: 22-30.
- Pal, A., Swain, M. M. and Rath, S. 2011. Reproduction and sexual dichromatism in *Sitana ponticeriana* (Reptilia: Draconinae: Agamidae). *Taprobanica*, 3: 31-37.
- Pal, S., Vijayakumar, S. P., Shanker, K., Jayarajan, A. and Deepak, V. 2018. A systematic revision of *Calotes* Cuvier, 1817 (Squamata: Agamidae) from the Western Ghats adds two genera and reveals two new species. *Zootaxa* 4482: 253-260 in de Silva, A. (editor). *Biology and Conservation of the Amphibians, Reptiles and their habitats in South Asia*. Proceedings of the international Conference on the Biology and Conservation of Amphibians and Reptiles of South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka (ARRS).
- Pallares, E. R. and Joya, F. L. M. 2018. Reptile road mortality in a fragmented landscape of the middle Magdalena Valley, Colombia. *Herpetology Notes*, 11: 81-91.
- Palmer, W. M. 1987. A new species of glass lizard (Anguidae: *Ophisaurus*) from the southeastern United States. *Herpetologica*, 43: 415-423.
- Palmer, W. M. 1992. *Ophisaurus mimicus*. Catalogue of American Amphibians and Reptiles 543: 1-2.
- Palmer, R., Pearson, D. J., Cowan, M. A. and Doughty, P. 2013. Islands and scales: a biogeographic survey of reptiles on Kimberley islands, Western Australia. *Records of the Western Australian Museum Supplement* 81: 183-204.
- Paluh, D. J. and Bauer, A. M. 2016. *Nephrurus sheai* (northern knob-tailed gecko). *Diet. Herpetological Review* 47: 466-467.
- Paluh, D. J. and Bauer, A. M. 2017. Comparative skull anatomy of terrestrial and crevice-dwelling *Trachylepis* skinks (Squamata: Scincidae) with a survey of resources in scincid cranial osteology. *PLoS ONE* 12: e0184414.
- Paluh, D. J. and Bauer, A. M. 2018. Phylogenetic history, allometry and disparate functional pressures influence the morphological diversification of the gekkotan quadrato, a keystone cranial element. *Biological Journal of the Linnean Society*, 125: 693-708.
- Pancharatna and Kumbar 2005  
 Pandav et al. 2010  
 Panitvong et al. 2012
- Pancharatna, K. and Kumbar, S. M. 2005. Bone growth marks in tropical wall lizard, *Hemidactylus brooki*. *Russian Journal of Herpetology* 12: 107-110.
- Pandav, B. N., Shanbhag, B. A. and Saiddapur, S. K. 2010. Growth patterns and reproductive strategies in the lizard, *Calotes versicolor* raised in captivity. *Acta Herpetologica* 5: 131-142.
- Panitvong, N., Lauhachinda, V., Saithong, S. and Temchai, T. 2012. Ecology of *Cyrtodactylus sumonthai* Bauer, Pauwels, & Chanhome, 2002 (Reptilia: Squamata: Gekkonidae): a karst dwelling bent-toed gecko from south-eastern Thailand. *Raffles Bulletin of Zoology* 60: 569-582.
- Panov, E. N. and Zykova, L. Y. 1997. Differentiation and interrelations of two representatives of *Laudakia stellio* complex (Reptilia: Agamidae) in Israel. *Russian Journal of Herpetology* 4: 102-114.
- Panov, E. N. and Zykova, L. Y. 2016. Rock agamas of Eurasia. KMK Scientific Press, Moscow.
- Papenfuss, T. J. 1969. Preliminary analysis of the reptiles of arid central West Africa. *The Wasmann Journal of Biology* 27: 249-325.
- Papenfuss, T. J. 1982. The ecology and systematics of the amphisbaenian genus *Bipes*. *Occasional Papers of the California Academy of Sciences* 136: 1-42.
- Papenfuss, T. J. and Parham, J. F. 2013. Four new species of California legless lizards (*Anniella*). *Breviora* 536: 1-17.
- Papenfuss, T. P., Macey, J. R. and Schulte, J. A. 2001. A new species of lizard (genus *Xantusia*) from Arizona. *Scientific Papers of the Natural History Museum, University of Kansas* 23: 1-9.
- Pardeshi, A. and Naik, M. 2017. First record of the southern flying lizard, *Draco dussumieri* (Dumeril and Bibron 1837), from the Western Ghats of Maharashtra, India. *IRCF Reptiles & Amphibians* 24: 191-192.
- Pardeshi, M., Kumar, V. V. and Das, S. K. 2010. Additional records of the keeled rock gecko *Cyrtopodion scabrum* (Heyden, 1827) from Kachchh District, Gujarat, India. *Reptile Rap* 10: 9-10.
- Pareja, M. G., Beltran-Sanchez, E. and Sherbrooke, W. C. 2016. *Phrynosoma asio* (giant horned lizard). Natural longevity (age). *Herpetological Review* 47: 138-139.
- Pareja, M. G., Beltran-Sanchez, E. and Sherbrooke, W. C. 2017. *Phrynosoma asio* (giant horned lizard). Natural longevity. *Herpetological Review* 48: 439-440.
- Parker, H. W. 1929. A new Chamaeleon from Mt. Ruwenzori. *Annals and Magazine of Natural History* 3: 280-281.
- Parker, H. W. 1932. Scientific results of the Cambridge Expedition to the East African Lakes, 1930-1.—5. Reptiles and Amphibians. *Journal of the Linnean Society of London, Zoology*, 38: 213-229.
- Parker, H. W. 1932. The status of two Peruvian lizards. *Copeia*, 1932: 178.
- Parker, H. W. 1932. Two collections of reptiles and amphibians from British Somaliland. *Proceedings of the Zoological Society of London* 1932: 335-367.
- Parker, H. W. 1935. A new melanic lizard from Transjordania, and some speculations concerning melanism. *Proceedings of the Zoological Society of London* 1935: 137-142.

- Parker 1935b Parker, H. W. 1935. Some lizards from Venezuela and the Dutch Leeward islands. Annals and Magazine of Natural History (10) 15: 480-484.
- Parker 1935c Parker, H. W. 1935. The frogs, lizards, and snakes of British Guiana. Proceedings of the Zoological Society of London 1935: 505-530.
- Parker 1936 Parker, H. W. 1936. Dr. Karl Jordan's expedition to South West Africa and Angola: herpetological collections. Novitates Zoologicae 40: 115-146.
- Parker 1942 Parker, H. W. 1942. The lizards of British Somaliland. Bulletin of the Museum of Comparative Zoology 91: 1-101.
- Parker 1956 Parker, H. W. 1956. The lizard genus *Aprasia*; its taxonomy and temperature correlated variation. Bulletin of the British Museum (Natural History), Zoology, 3: 365-385.
- Parker 1971 Parker, W. S. 1971. Ecological observations on the regal horned lizard (*Phrynosoma solare*) in Arizona. Herpetologica, 27: 333-338.
- Parker 1972 Parker, W. S. 1972. Aspects of the ecology of a Sonoran Desert population of the western banded gecko, *Coleonyx variegatus* (Sauria, Eublepharinae). American Midland Naturalist, 88: 209-224.
- Parker 1974 Parker, W. S. 1974. *Phrynosoma solare*. Catalogue of American Amphibians and Reptiles 162: 1-2.
- Parker 1982 Parker, W. S. 1982. *Sceloporus magister*. Catalogue of American Amphibians and Reptiles 290: 1-4.
- Parker 1983 Parker, F. 1983. The prehensile tailed skink (*Corucia zebrata*) on Bougainville island, Papua New Guinea. Pages 435-440 in A. G. J. Rhodin and K. Miyata, eds. Advances in herpetology and evolutionary biology: essays in honor of Ernest E. Williams. Museum of Comparative Zoology, Cambridge, Mass.
- Parker 2001 Parker, B. 2001. *Rhynchoedura ornata*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Parker and Andrews 2007 Parker, S. L. 2014. Physiological ecology of the ground skink, *Scincella lateralis* in South Carolina: thermal biology, metabolism, water loss, and seasonal patterns. Herpetological Conservation and Biology 9: 309-321.
- Parlak and Tok 2013 Parker, S. L. and Andrews, R. M. 2007. Incubation temperature and phenotypic traits of *Sceloporus undulatus*: implications for the northern limits of distribution. Oecologia 151: 218-231.
- Parlak, S. and Tok, C. V. 2013. Arastirma makalesi Gokceada ve Canakkale civarinda yasayan Ophisops elegans Menetries 1832 (Sauria: Lacertidae) Populasyonlarında Yas Tayini. Journal of Anatolian Natural Sciences 4: 79-93.
- Parmar and Tank 2019 Parmar, D. S. and Tank, S. K. 2019. Herpetofauna of Veer Narmad South Gujarat University, Surat, India. IRCP Reptiles & Amphibians 26: 21-34.
- Parrish and Anderson 1999 Parrish, G. R. and Anderson, P. J. 1999. Lizard transfers from Matapia island to Motuopao island, Northland and observations on other fauna. Tane 37: 114.
- Parrish and Gill 2003 Parrish, G. R. and Gill, B. J. 2003. Natural history of the lizards of the Three Kings islands, New Zealand. New Zealand Journal of Zoology 30: 205-220.
- Parra et al. 2009 Parra, H., Oraie, H., Khosravani, A. and Rastegar-Pouyani, N. 2009. Systematics and distribution of the Iranian Plateau leaf-toed geckos of the genus *Asaccus* (Sauria: Gekkonidae). Iranian Journal of Animal Biosystematics 5: 43-55.
- Parusnath 2014 Parusnath, S. 2014. A conservation assessment of the sunsazer (*Smaug giganteus*). MSc. Thesis University of the Witwatersrand, Johannesburg.
- Parusnath et al. 2017 Parusnath, S., Little, I. T., Cunningham, M. J., Jansen, R. and Alexander, G. J. 2017. The desolation of Smaug: The human-driven decline of the Sungazer lizard (*Smaug giganteus*). Journal for Nature Conservation, 36: 48-57.
- Pasachnik 2013 Pasachnik, S. A. 2013. Growth, reproduction and diet of Roatan spiny-tailed iguanas, *Ctenosaura oedirhina*. Herpetological Biology and Conservation 8: 191-198.
- Pasachnik et al. 2005 Pasachnik, S., Breuil, M. and Powell, R. 2005. *Iguana delicatissima*. Catalogue of American Amphibians and Reptiles, 811: 1-14.
- Pasachnik et al. 2012a Pasachnik, S. A., Montgomery, C. E., Martinez, A., Belal, N., Clayton, S. and Faulkner, S. 2012. Body size, demography, and body condition in *utula* spinytailed iguanas, *Ctenosaura bakeri*. Herpetological Conservation and Biology 7:
- Pasachnik et al. 2012b Pasachnik, S. A., Montgomery, C. E., Ruyle, L. E., Corneil, J. P. and Antunez, E. E. 2012. Morphological and demographic analyses of the black-chested spiny-tailed iguana, *Ctenosaura melanosterna*, across their range: implications for population level management. Herpetological Conservation and Biology, 7: 399-406.
- Pasachnik et al. 2012c Pasachnik, S. A., Montgomery, C. E., Ruyle, L. E., Corneil, J. P. and Antunez, E. E. 2012. Morphological and demographic analyses of the blackchested spiny-tailed iguana, *Ctenosaura melanosterna*, across their range: implications for population level Management. Herpetological Conservation and Biology 7: 399-406.
- Pasachnik et al. 2014 Pasachnik, S. A., Danoff-Burg, J. A., Antunez, E. E. and Corneil, J. P. 2014. Local knowledge and use of the Valle de Aguan spinytailed iguana, *Ctenosaura melanosterna*, in Honduras. Herpetological Conservation and Biology 9: 436-
- Pascoe et al. 2019 Pascoe, J. H., Flesch, J. S., Duncan, M. G., Le Pla, M. and Mulley , R. C. 2019. Territoriality and seasonality in the home range of adult male free-ranging lace monitors (*Varanus varius*) in south-eastern Australia. Herpetological Conservation and Biology 14: 97-104.
- Passos et al. 2011 Passos, D. C., Lima, D. C. and Borges-Nojosa, D. M. 2011. A new species of *Tropidurus* (Squamata, Tropiduridae) of the semitaeniatus group from a semiarid area in Northeastern Brazil. Zootaxa 2930: 60-68.
- Passos et al. 2013a Passos, D. C., Cunha, P. H. L. Zanchi, D., and Rocha, C. F. D. 2013. Basking in shadows and climbing in the darkness: microhabitat use, daily activity and thermal ecology of the gecko *Phyllopezus periosus* Rodrigues, 1986.
- Passos et al. 2013b Passos, D. C., Lima, D. C. and Borges-Nojosa, D. M. 2013. Clutch size, incubation time and hatching morphometry of the largest known *Tropidurus* of the semitaeniatus group (Squamata, Tropiduridae), in a semi-arid area from northeastern Brazil. The Herpetological Bulletin, 123: 23-25.
- Passos et al. 2013c Passos, D. C., Lima-Araujo, F., Melo, A. C. B. and Borges-Nojosa, D. M. 2013. New state record and distribution extension of the golden tegu *Tupinambis teguixin* (Linnaeus, 1758) (Squamata: Teiidae) to the Caatinga biome, northeastern Brazil. Check List 9: 1524-1526.
- Passos et al. 2015 Passos, D. C., Galdino, C. A. D. and Rocha, C. F. D. 2015. Challenges and perspectives for studies on home range of lizards from South America. South American Journal of Herpetology, 10: 82-89.
- Pasteur 1960 Pasteur, G. 1960. Redecouverte et validite probable du Gekkonide *Tropiocolotes nattereri* Steindachner. Comptes Rendus des Seances Mensuelles, Societe de Sciences Naturelles et Physique du Maroc 8: 143-144.
- Pasteur 1962 Pasteur, G. 1962. Notes preliminaires sur les lygodactyles (gekkonides). III. Diagnose de *Millotisaurus* gen. nov., de Madagascar. Societe des Sciences Naturelles et Physiques du Maroc, 3: 65-66.
- Pasteur 1964a Pasteur, G. 1964. Notes preliminaires sur les lygodactyles (gekkonides). IV. Bulletin du Museum National d'Histoire Naturelle, Paris, 36: 311-314.
- Pasteur 1964b Pasteur, G. 1964. Recherches sur l'évolution des lygodactyles, lezards Afro-Malagaches actuels. Travaux de l'institut Scientifique Cherifien, Serie Zoologie 29: 1-132.
- Pasteur 1981 Pasteur, G. 1981. A survey of the species groups of the Old World scincid genus *Chalcides*. Journal of Herpetology, 15: 1-16.
- Pasteur and Broadley 1988 Pasteur, G. and Broadley, D. G. 1988. A remote, insular species of the Lygodactylus somalicus superspecies (Sauria: Gekkonidae). Amphibia-Reptilia 9: 237-243.
- Patchell and Shine 1986 Patchell, F. C. and Shine, R. 1986. Food habits and reproductive biology of the Australian legless lizards (Pygopodidae). Copeia, 1986: 30-39.
- Patel and Vyas 2019 Patel, H. and Vyas, R. 2019. Reptiles of Gujarat, India: updated checklist, distribution, and conservation status. Herpetology Notes, 12: 765-777.
- Patel et al. 2016 Patel, H., Naik, V. and Tank, S. K. 2016. Death-feigning behavior in two species of *Lygosoma* (Squamata: Scincidae) from India. Phyllomedusa, 15: 191-194.
- Paterson and Blouin-Demers 2017 Paterson, J. E. and Blouin-Demers, G. 2017. Do ectotherms partition thermal resources? We still do not know. Oecologia 183: 337-345.
- Paterson and Blouin-Demers 2018 Paterson, J. E. and Blouin-Demers, G. 2018. Density-dependent habitat selection predicts fitness and abundance in a small lizard. Oikos 127: 448-459.
- Patnaik 1994 Patnaik, B. K. 1994. Ageing in reptiles. Gerontology. 40: 200-220.
- Patrick et al. 2011 Patrick, D. A., Shirk, P., Vonesh, J. R., Harper, E. B. and Howell, K. M. 2011. Abundance and roosting ecology of chameleons in the East Usambara Mountains of Tanzania and the potential effects of harvesting. Herpetological Conservation and Biology 6: 422-431.
- Patterson 1975 Patterson, R. W. 1975. Notes on the reproduction and captive care of *Acontias plumbeus* Bianconi (Sauria: Scincidae). Journal of the Herpetological Association of Africa 13: 9-10.
- Patterson 1990 Patterson, J. W. 1990. Female reproductive cycles in two subspecies of the tropical lizard *Mabuya striata*. Oecologia 84: 232-237.
- Patterson 1991 Patterson, J. W. 1991. Emergence, basking behaviour, mean selected temperature and critical thermal minimum in high and low altitude subspecies of the tropical lizard *Mabuya striata*. African Journal of Ecology 29: 330-339.
- Patterson 1992 Patterson, J. W. 1992. Seasonal variation in field body temperatures of the lizard *Mabuya striata punctatissima*. Amphibia-Reptilia 13: 243-250.
- Patterson 1997 Patterson, G. B. 1997. South island skinks of the genus *Oligosoma*: description of *O. longipes* n. sp. with redescription of *O. otagense* (McCann) and *O. waimatense* (McCann). Journal of the Royal Society of New Zealand 27: 439-450.
- Patterson and Bell 2009 Patterson, G. B. and Bell, T. 2009. The barrier skink *Oligosoma judgei* n. sp. (Reptilia: Scincidae) from the Daran and Takitimu Mountains, South Island, New Zealand. Zootaxa, 2271: 43-56.
- Patterson and Daugherty 1990 Patterson, G. B. and Daugherty, C. H. 1990. Four new species and one new subspecies of skinks, genus *Leiolopisma* (Reptilia: Lacertilia: Scincidae) from New Zealand. Journal of the Royal Society of New Zealand 20: 65-84.

- Patterson and Daugherty 1994  
 Patterson and Daugherty 1995  
 Patterson et al. 2013  
 Paulissen 1994  
 Paulissen 2000  
 Paulissen and Buchanan 1991  
 Paulissen and Walker 1994  
 Paulissen and Walker 1998  
 Paulissen et al. 1989  
 Paulissen et al. 2016  
 Pauwels and David 2008  
 Pauwels and Kok 2003  
 Pauwels and Meirte 1996  
 Pauwels and Salle 2009  
 Pauwels and Sumontha 2014  
 Pauwels and Vande Weghe 2008  
 Pauwels et al. 2000  
 Pauwels et al. 2003  
 Pauwels et al. 2004a  
 Pauwels et al. 2004b  
 Pauwels et al. 2006a  
 Pauwels et al. 2006b  
 Pauwels et al. 2009  
 Pauwels et al. 2016  
 Pauwels et al. 2017a  
 Pauwels et al. 2017b  
 Pauwels et al. 2017c  
 Pauwels et al. 2017d  
 Pauwels et al. 2017e  
 Pauwels et al. 2018a  
 Pauwels et al. 2018b  
 Pauwels et al. 2018c  
 Pauwels et al. 2018d  
 Pauwels et al. 2019a  
 Pauwels et al. 2019b  
 Pavey et al. 2010  
 Pavon-Vazquez et al. 2014  
 Pavon-Vazquez et al. 2016  
 Pavon-Vazquez et al. 2017  
 Pawar et al. 2004  
 Pawlowski 2018  
 Paz et al. 2013  
 Pearson and Bradford 1976  
 Pearson and Jones 2000  
 Pearson et al. 2014  
 Peattie 2008  
 Peck et al. 2017  
 Pedrosa et al. 2014  
 Pedroza-Banda et al. 2014  
 Pefaur 1992  
 Peixoto et al. 2019
- Patterson, G. B. and Daugherty, C. H. 1994. *Leiolopisma stenotis*, n. sp., (Reptilia: Lacertilia: Scincidae) from Stewart island. New Zealand. Journal of the Royal Society of New Zealand 24: 125-132.  
 Patterson, G. B. and Daugherty, C. H. 1995. Reinstatement of the genus *Oligosoma* (Reptilia: Lacertilia: Scincidae). Journal of The Royal Society of New Zealand 25: 327-331.  
 Patterson, G. B., Hitchmough, R. A. and Chapple, D. G. 2013. Taxonomic revision of the ornate skink (*Oligosoma ornatum*; Reptilia: Scincidae) species complex from northern New Zealand. Zootaxa 3736: 54-68.  
 Paulissen, M. A. 1994. Microhabitat use and escape behavior of syntopic clonal complexes of the parthenogenetic whiptail lizard *Cnemidophorus laredoensis*. American Midland Naturalist 132: 10-18.  
 Paulissen, M. A. 2000. Life history and drought tolerance of the parthenogenetic whiptail lizard *Cnemidophorus laredoensis* (Teiidae). Herpetological Natural History 7: 41-57.  
 Paulissen, M. A. and Buchanan, T. M. 1991. Observations on the natural history of the Mediterranean gecko, *Hemidactylus turcicus* (Sauria: Gekkonidae) in Northwest Arkansas. Journal of the Arkansas Academy of Science, 45: 81-83.  
 Paulissen, M. A. and Walker, J. M. 1994. Diet of the insular whiptail lizard *Cnemidophorus nigricolor* (Teiidae) from Grand Rocques island, Venezuela. Journal of Herpetology, 28: 524-526.  
 Paulissen, M. A. and Walker, J. M. 1998. *Cnemidophorus laredoensis*. Catalogue of American Amphibians and Reptiles 673: 1-5.  
 Paulissen, M. A., Cordes, J. E. and Walker, J. M. 1989. Notes on the thermal biology of the Laredo whiptail *Cnemidophorus laredoensis* (Teiidae). Texas Journal of Science 41: 224-228.  
 Paulissen, M. A., Walker, J. M., Carpenter, G. C., Fitzgerald, A. L. and Kamee, L. K. 2016. *Aspidoscelis exsanguis* (Chihuahuan spotted whiptail). Diet.461.  
 Pauwels, O. S. and David, P. 2008. *Miscellanea herpetologica Gabonica II*. Hamadryad, 32: 19-24.  
 Pauwels, O. S. G. and Kok, P. J. R. 2003. Reptiles of Na Haeo: a preliminary survey. Pages 163 -171 in L. Ampornpan and S. S. Dhillion, editors , The environment of Na Haeo, Thailand: Biodiversity, non-timber products land use  
 Pauwels, O. and Meirte, D. 1996. Contribution to the knowledge of the Gambian herpetofauna. British Herpetological Society Bulletin, 56: 27-34.  
 Pauwels, O. S. G. and Salle, B. 2009. *Miscellanea herpetologica Gabonica III*. Hamadryad, 34: 22-27.  
 Pauwels, O. S. G. and Sumontha. 2014. *Cyrtodactylus samroiyot*, a new limestone-dwelling Bent-toed Gecko (Squamata: Gekkonidae) from Prachuap Khiri Khan Province, peninsular Thailand. Zootaxa 3755: 573-583.  
 Pauwels, O. S. G. and Vande Weghe, J. P. 2008. Les reptiles du Gabon. Smithsonian institution, Tielt.  
 Pauwels, O.S.G., Laohawat, O.-A., David, P., Bour, R., Dangsee, P., Puangjit, C. and Chimsunchart, C. 2000. Herpetological investigations in PhangNga Province, southern Peninsular Thailand, with a list of reptile species and notes on their biology. Dumerilia 4: 123-154.  
 Pauwels, O. S. G., David, P., Chimsunchart, C. and Thirakhupt, K. 2003. Reptiles of Phetchaburi Province, Western Thailand: a list of species, with natural history notes, and a discussion on the biogeography at the isthmus of Kra. The Natural History Journal of Chulalongkorn University 3: 23-53.  
 Pauwels, O. S. G., Bauer, A. M., Sumontha, M. and Chanhome, L. 2004. *Cyrtodactylus thirakhupti* (Squamata: Gekkonidae), a new cave-dwelling gecko from southern Thailand. Zootaxa 772: 1-11.  
 Pauwels, O. S. G., Branch, W. R. and Burger, M. 2004. Reptiles of Loango National Park, Ogooué-Maritime Province, south-western Gabon. Hamadryad 29: 115-127.  
 Pauwels, O. S. G., Burger, M., Branch, W. R., Tobi, E., Yoga, J. and Mikolo, E. N. 2006. Reptiles of the Gamba Complex of Protected Areas, southwestern Gabon. Bulletin of the Biological Society of Washington 12: 309-318.  
 Pauwels, O. S. G., Christy, P. and Honorez, A. 2006. Reptiles and national parks in Gabon, western central Africa. Hamadryad 30: 181-196.  
 Pauwels, O. S. G., Chan-Ard, T., Wancharat, P., Kheowyo, B. and Bauer, A. M. 2009. Reptile diversity of Phetchaburi Province, western Thailand: an update. Hamadryad, 34: 9-21.  
 Pauwels, O. S. G., Le Garff, B., Ineich, I., Carlino, P., Melcore, I., Boundenga, L., Vigna, C., Stevart, T., Jeffery, K., Orbell, C., Squarcini, J.-B., Vande Weghe, J. P. and White, L. J. T. 2016. *Miscellanea herpetologica Gabonica V & VI*. Bulletin of the Chicago Herpetological Society 51: 177-185.  
 Pauwels, O. S. G., Albert, J.-L., Arrowood, H., Mvele, C., Casanova, M., Dodane, J. B., Morgan, J., Primault, L., Thepenier, L. and Fenner, J. N. 2017. *Miscellanea herpetologica Gabonica X*. Bulletin of the Chicago Herpetological Society 772: 1-11.  
 Pauwels, O. S. G., Braun, J.-B., Brun, A., Carlino, P., Chirio, L., Glaziot, O., Meirte, D., Morelle, S. and Royaute, L. 2017. *Miscellanea herpetologica Gabonica XI*. Bulletin of the Chicago Herpetological Society 52: 205-211.  
 Pauwels, O. S. G., Carlino, P., Chirio, L., Meunier, Q., Okouyi, J. V. O., Orbell, C., Rousseaux, D. and Testa, O. 2017. *Miscellanea herpetologica Gabonica IX*. Bulletin of the Chicago Herpetological Society 52: 97-102.  
 Pauwels, O. S. G., Chirio, L., Neil, E. J., Berry, S., Texier, N. and Rosin, C. 2017. *Miscellanea Herpetologica Gabonica VIII*. Bulletin of the Chicago Herpetological Society 52: 41-46.  
 Pauwels, O. S. G., Essono, T. B. B., Carlino, P., Chirio, L., Huijbregts, B., Leuteritz, T., Rousseaux, D., Tobi, E., Vigna, C. and Van Neer, W. 2017. *Miscellanea Herpetologica Gabonica VII*. The Bulletin of the Chicago Herpetological Society, 52(1), pp.1-7.  
 Dewynter, M., Fretey, T., Jongsma, G. F. M., Bamba-Kaya, A. and Pauwels, O. S. G. 2018. L'herpetofaune du site Ramsar des Monts Birougou (Gabon): catalogue illustré des espèces. Les Cahiers de la Fondation Biotope, 18: 1-50.  
 Pauwels, O. S. G., Bahaa-el-din, L., Albert, J.-L., Carlino, P., Giannuzzi, F., Chirio, L., Gillet, J.-F., Poirier, E. and Stevart, T. 2018. *Miscellanea Herpetologica Gabonica XIV*. Bulletin of the Chicago Herpetological Society 53: 185-190.  
 Pauwels, O. S. G., Gillet, J.-F., Sonnet, Y.-G. O. and Chirio, L. 2018 *Miscellanea Herpetologica Gabonica XII*. Bulletin of the Chicago Herpetological Society 53: 105-110.  
 Pauwels, O. S. G., Nazarov, R. A., Bobrov, V. V. and Pavoyarkov, N. A. 2018. Taxonomic status of two populations of bent-toed geckos of the *Cyrtodactylus irregularis* complex (Squamata: Gekkonidae) with description of a new species from Nui Chua National Park, southern Vietnam. Zootaxa, 4403: 307-335.  
 Pauwels, O. S. G., Carlino, P., Chirio, L., Daversa, D. R., Lips, J., Oslisly, R. and Testa, O. 2019. Amphibians and reptiles found in caves in Gabon, western Equatorial Africa. Cave and Karst Science, 46: 3-12.  
 Pauwels, O. S. G., Morelle, S., Albert, J.-L., Carlino, P., Rahola, N. and Trape, J.-F. 2019. New reptil records from Lekedi Park and Haut-Ogooué Province, southeastern Gabon. Amphibian & Reptile Conservation 13: 143-161.  
 Pavey, C. R., Burwell, C. J. and Nano, C. E. M. 2010. Foraging ecology and habitat use of Slater's skink (*Egernia slateri*): an endangered Australian desert lizard. Journal of Herpetology 53: 563-571.  
 Pavon-Vazquez, C. J., Solano-Zavaleta, I. and Gray, L. N. 2014. Morphological variation and natural history of *Anolis duellmani* (Squamata: Dactyloidae). Mesoamerican Herpetology 1: 146-153.  
 Pavon-Vazquez, C. J., Trujano-Ortega, M., Arellano-Covarrubias, A. and Garcia-Vazquez, U. 2016. *Anolis* (*Norops*) *tropidonotus* Peters 1863. Reproduction. Mesoamerican Herpetology 3: 479-480.  
 Pavon-Vazquez, C. J., De Oca, A. N.-M., Mendoza-Hernandez, A. A., Centenero-Alcala, E., Cruz-Padilla, S. A. S. and Jimenez-Arcos, V. H. 2017. Zootaxa 4365: 149-172.  
 Pawar, S. S., Rawat, G. S. and Choudhury, B. C. 2004. Recovery of frog and lizard communities following primary habitat alteration in Mizoram, Northeast India. BMC Ecology, 4(1), p.10.  
 Pawlowski, S. 2018. Introduced reptiles on the inner Seychelles islands and their impact on the endemic herpetofauna. Sauria 40: 29-39.  
 Paz, M. M., Semhan, R. V. and Abdala, C. S. 2013. Ampliacion del area de distribucion de *Liolaemus cazianus* (Lobo, Slodky & Valdecantos, 2010) en la Provincia de Salta (Argentina). Cuadernos de Herpetología 27: 177-178.  
 Pearson, O. P. and Bradford, D. F. 1976. Thermoregulation of lizards and toads at high altitudes in Peru. Copeia 1976: 155-170.  
 Pearson, D. and Jones, B. 2000. Lancefield island skink recovery plan. Department of Conservation and Land Management, Western Australian Wildlife Management Program No. 22.  
 Pearson, R. G., Stanton, J. C., Shoemaker, K. T., Aiello-Lammens, M. E., Ersts, P. J., Horning, N., Fordham, D. A., Raxworthy, C. J., Ryu, H. Y., McNees, J. and Akcakaya, H. R. 2014. Life history and spatial traits predict extinction risk due to climate change. Nature Climate Change 4: 217-221.  
 Peattie, A. 2008. Subdigital setae of narrow-toed Geckos, including a eublepharid (*Aeluroscalabotes felinus*). The Anatomical Record 291: 869-875.  
 Peck, S., Gardner, M. G., Seddon, J. M. and Baxter, G. 2017. Life-history characteristics of the yakka skink, *Egernia rugosa*, indicate long-term social structure. Australian Journal of Zoology, 64: 335-343.  
 Pedrosa, I. M. M. D. C., Costa, T. B., Faria, R. G., Franca, F. G. R., Laranjeiras, D. O., Oliveira, T. C. S. P. D., Palmeira, C. N. S., Torquato, S., Mott, T., Vieira, G. H. C. and Garda, A. A. 2014. Herpetofauna of protected areas in the Caatinga iii: The Catimbau National Park, Pernambuco, Brazil. Biota Neotropica, 14: e20140046.  
 Pedroza-Banda, R., Ospina-Sarria, J. J., Angarita-Sierra, T., Anganoy-Criollo, M. and Lynch, J. D. 2015. Estado del conocimiento de la fauna de anfibios y reptiles del departamento de Casanare, Colombia. Revista de la Academia Colombiana de Ciencias 38: 17-34.  
 Pefaur, J. E. 1992. Checklist and bibliography (1960-85) of the Venezuelan herpetofauna. Smithsonian Herpetological Information Service 89: 1-54.  
 Peixoto, G. M., Leitao, P. H., Kaefer, I. L. and Lima, A. P. 2019. The lizards along the road BR-319 in the Purus-Madeira interfluvium, Brazilian Amazonia (Squamata, Lacertilia). Herpetology Notes, 12: 689-697.

- Pelegrin and Leao 2016  
Pellegrino et al. 2018
- Pellitteri-Rosa et al. 2012
- Pellitteri-Rosa et al. 2015  
Peloso and Avila-Pires 2010  
Peloso and Morales 2017  
Pena et al. 2016  
Peng and GuoYing 2005  
Pengilley 1972  
Pengilley 1981  
Penilla-Juarez et al. 2012  
Penner et al. 2017
- Penniket and Cree 2015  
Pepper et al. 2011
- Pepper et al. 2013  
Percino-Daniel et al. 2012
- Perdomo and La Marca 2016  
Perea-Perez et al. 2019  
Pereira et al. 2019
- Perera 2009  
Perera et al. 2012  
Pereyra 1992  
Perez and Balta 2007  
Perez and Borges-Martins 2019  
Perez and Ribeiro 2008  
Perez et al. 2012  
Perez-Almazan et al. 2017
- Perez-Buitrago et al. 2010  
Perez-Cembranos and Perez-Mellado 2015  
Perez-Cembranos et al. 2016  
Perez-Higareda et al. 2002  
Perez-iglesias et al. 2017  
Perez-Mellado 1981  
Perez-Mellado 1992  
Perez-Mellado and de la Riva 1993  
Perez-Mellado et al. 1993
- Perez-Mellado et al. 2008
- Perez-Mellado et al. 2011  
Perez-Quintero 1988  
Perez-Quintero 1996  
Perez-Quintero et al. 2019  
Perez-Ramos and Saldana de La Riva 2008
- Perez-Ramos et al. 2000  
Pernetta and Black 1983  
Pernetta et al. 2005  
Perret 1973  
Perret 1975a  
Perret 1975b  
Perret 1982
- Pelegrin, N. and Leao, S. M. 2016. Injured *Salvator merianae* (Teiidae) regenerates six tails in central Argentina. *Cuadernos de Herpetología* 30: 21-23.
- Pellegrino, K. C. M., Brunes, T. O., Souza, S. M., Laguna, M. M., Avila-Pires, T. C. S., Hoogmoed, M. S. and Rodrigues, M. T. 2018. On the distinctiveness of *Amapasaurus*, its relationship with *Loxopholis* Cope 1869, and description of a new genus for *L. guianensis* and *L. hoogmoedi*. (*Gymnophthalmoidea/Ecpleopodini*: Squamata). *Zootaxa* 4441: 332-346.
- Pellitteri-Rosa, D., Sacchi, R., Pupin, F., Bellati, A., Cocca, W., Gentilli, A., Galeotti, P. and Fasola, M. 2012. Testing the ability to store sperm: an experimental manipulation of mating opportunities in the common wall lizard, *Podarcis muralis*. *Acta Herpetologica* 7: 111-118.
- Pellitteri-Rosa, D., Liuzzi, C. and Bellati, A. 2015. First report of adult *Podarcis siculus* (Rafinesque-Schmidt, 1810) predation by *Tarentola mauritanica* (Linnaeus, 1758). *Herpetozoa* 28: 89-92.
- Peloso, P. L. V. and Avila-Pires, T. C. S. 2010. Morphological variation in *Ptychoglossus brevifrontalis* Boulenger, 1912 and the status of *Ptychoglossus nicefori* (Loveridge, 1929) (Squamata, Gymnophthalmidae). *Herpetologica*, 66: 1-10.
- Peloso, P. L. and Morales, C. H. 2017. Description of a new species of *Alopoglossus* Boulenger, 1885 from Western Colombia (Gymnophthalmoidea). *South American Journal of Herpetology*, 12: 89-98.
- Pena, C. J., Bartuano, A. S. and Siguenza-Mejia, S. 2016. New herpetofaunal records for Parque Nacional Montecristo, El Salvador. *Mesoamerican Herpetology* 3: 1107-1113.
- Peng, Z. and GuoYing, Y. 2005. *Amphibia-Reptilia* of Xinjiang. Xinjiang Science and Technology Publishing House, Wulumuqi.
- Pengilley, R. 1972. Systematic relationships and ecology of some lygosomine lizards from southeastern Australia. Unpublished ph.D. thesis, Australian National University, Canberra; 313 pp.
- Pengilley, R. 1981. Notes on the biology of *Varanus spenceri* and *V. gouldii*, Barkly Tablelands, Northern Territory. *Australian Journal of Herpetology* 1: 23-26.
- Penilla-Juarez, A., Cruz-Saenz, D. and Lazcano, D. 2012. Notes on the herpetofauna of western Mexico 7: Reproduction of *Plestiodon callicephalus* in Jalisco, Mexico. *Bulletin of the Chicago Herpetological Society* 47: 141-143.
- Penner, J., Doumbia, J., Kouame, N. G., Chirio, L., Sandberger-Loua, L., Bohme, W. and Barej, M. F. 2017. Rediscovery and range extension of the Guinean skink *Trachylepis keroanensis* (Chabanaud, 1921) (Reptilia: Squamata: Scincidae). *Bona Zoological Bulletin* 66: 55-60.
- Penniket, S. and Cree, A. 2015. Adherence to Bergmann's rule by lizards may depend on thermoregulatory mode: support from a nocturnal gecko. *Oecologia*, 178: 427-440.
- Pepper, M., Doughty, P., Hutchinson, M. N. and Keogh, J. S. 2011. Ancient drainages divide cryptic species in Australia's arid zone: Morphological and multi-gene evidence for four new species of beaked geckos (Rhynchoedura). *Molecular Phylogenetics and Evolution* 61: 810-822.
- Pepper, M. R., Doughty, P., Fujita, M. K., Moritz, C. and Keogh, J. S. 2013. Speciation on the rocks: integrated systematics of the *Heteronotia spelea* species complex (Gekkota; Reptilia) from Western and Central Australia. *PLOS ONE* 8: e63700.
- Percino-Daniel, R., Barcenas Arriaga, S. and Sarabia Rangel, A. 2012. Extension of geographical distribution of *Mesoscincus schwartzei* (Squamata: Scincidae) in the state of Chiapas, Mexico. *Acta Zoologica Mexicana* 28: 644-648.
- Percino-Daniel, R., Barcenas Arriaga, S. and Sarabia Rangel, A. 2012. Ampliacion de la distribucion de *Mesoscincus schwartzei* (Squamata: Scincidae) en el Estado de Chiapas, Mexico. *Acta Zoologica Mexicana*, 28: 644-648.
- Perdomo, J. and La Marca, E. 2016. *Anolis jacare* (little Andean chameleon). *Reproduction*. *Herpetological Review* 47: 293.
- Perea-Perez, A., Peralta-Hernandez, R. and Garcia-Vazquez, U-O. 2019. *Scincella gemmingeri* (Cope's forest ground skink). *Reproduction*. *Herpetological Review* 50: 791.
- Pereira, A., Xavier, R., Perera, A., Salvi, D. and Harris, D. J. 2019. DNA metabarcoding to assess diet partitioning and feeding strategies in generalist vertebrate predators: a case study on three syntopic lacertid lizards from Morocco. *Biological Journal of the Linnean Society* 127: 800-809.
- Perera, A. 2009. Lagartija de Marruecos – *Scelarcis perspicillata* (Dumeril y Bibron, 1839). Version 1-09-2009. Enciclopedia virtual de los vertebrados Espanoles.
- Perera, A., Sampaio, F., Costa, S., Salvi, D. and Harris, D. J. 2012. Genetic variability and relationships within the skinks *Eumeces algeriensis* and *Eumeces schneideri* using mitochondrial markers. *African Journal of Herpetology*, 61: 1-10.
- Pereyra, E. A. 1992. Nueva especie de lagarto andino: *Liolemaus vallecurensis* (Tropiduridae, Lioleminiae). *Noticiario Mensual del Museo Nacional de Historia Natural, Santiago* 321: 10-14.
- Perez, J. Z. and Balta, K. 2007. Ecology of the diurnal lizards community in the Reserva Nacional de Paracas, ica, Peru. *Revista Peruana de Biología* 13: 169-176.
- Perez, R. and Borges-Martins, M. 2019. Integrative taxonomy of small worm lizards from Southern South America, with description of three new species (Amphisbaenia: Amphisbaenidae). *Zoologischer Anzeiger* 283: 124-141.
- Perez, R. and Ribeiro, S. L. B. 2008. Reptilia, Squamata, Amphisbaenidae, Leposternon spp.: Distribution extension, new state record, and geographic distribution map. *Check List* 4: 291-294.
- Perez, R., Ribeiro, S. and Borges-Martins, M. 2012. Reappraisal of the taxonomic status of *Amphisbaena prunicolor* (Cope 1885) and *Amphisbaena albocinctula* Boettger 1885 (Amphisbaenia: Amphisbaenidae). *Zootaxa* 3550: 1-25.
- Perez-Almazan, C., Manriquez-Moran, N. L., Balderas-Plata, M. A., Nemiga, X. A. and Lopez-Alcaide, S. 2017. Implicaciones de la precipitacion sobre la evolucion del tamano corporal y distancia interaxilar en el complejo *Aspidoscelis gularis* (Squamata: Teiidae). *Revista de Biología Tropical*, 65: 725-733.
- Perez-Buitrago, N., Sabat, A. M. and McMillan, W. O. 2010. Spatial ecology of the endangered Mona island iguana *Cyclura cornuta stejnegeri*: Does territorial behavior regulate density? *Herpetological Monographs* 24: 86-110.
- Perez-Cembranos, A. and Perez-Mellado, V. 2015. The effect of plant consumption in the overall diet of an omnivorous lizard. *Salamandra* 51: 63-72.
- Perez-Cembranos, A., Leon, A. and Perez-Mellado, V. 2016. Omnivory of an insular lizard: sources of variation in the diet of *Podarcis lilfordi* (Squamata, Lacertidae). *PLoS ONE* 11: e0148947.
- Perez-Higareda, G., Lopez-Luna, M. A., Chiszar, D. and Smith, H. M. 2002. Additions to and Notes on the Herpetofauna of Veracruz, Mexico. *Bulletin of the Chicago Herpetological Society* 37: 67-68.
- Perez-iglesias, J. M., Jofre, L. E. and Rueda, M. P. 2017. Primeros registros de la herpetofauna en dos areas naturales protegidas de la provincia de Santiago del Estero (Argentina). *Cuadernos de Herpetología* 31: 49-57.
- Perez-Mellado, V. 1981. La lagartija de bocage, *Podarcis bocagei* (Seoane, 1884). Primeros datos sobre su distribucion, colorido y ecología. *Amphibia-Reptilia* 1: 253-268.
- Perez-Mellado, V. 1992. Ecology of lacertid lizards in a desert area of eastern Morocco. *Journal of Zoology* 226: 369-386.
- Perez-Mellado, V. and De la Riva, I. 1993. Sexual size dimorphism and ecology: the case of a tropical lizard, *Tropidurus melanopleurus* (Sauria: Tropiduridae). *Copeia*, 1993: 969-976.
- Perez-Mellado, V., Valakos, E. D., Guerrero, F. and Gil Costa, M. J. 1993. Ecological similarity of lacertids lizards in the Mediterranean region. The case of *Ophisops elegans* and *Psammmodromus hispanicus*. pages 231-242 in: E. D. Valakos, V. Perez Mellado (editors). *Lacertids of the Mediterranean Basin A biological approach*.
- Perez-Mellado, V., Hernandez-Estevez, J. A., Garcia-Diez, T., Terrassa, B., Ramon, M. M., Castro, J., Picornell, A., Martin-Vallejo, J. and Brown, R. 2008. Population density in *Podarcis lilfordi* (Squamata, Lacertidae), a lizard species endemic to small islets in the Balearic islands (Spain). *Amphibia-Reptilia* 29: 49-60.
- Perez-Mellado, V., Perez-Cembranos, A., Garrido, M., Luiselli, L. and Corti, C. 2011. Using faecal samples in lizard dietary studies. *Amphibia-Reptilia* 32: 1-7.
- Perez-Quintero, J. C. 1988. Biometria y reproducción del eslizón tridactilo, *Chalcides chalcides striatus* (Cuvier), en las marismas del Odiel (Huelva). *Revista Espanola de Herpetología* 3: 15-27.
- Perez-Quintero, J. C. 1996. Reproductive characteristics of three Mediterranean lizards: *Psammmodromus algirus* (L.), *Psammmodromus hispanicus* Fitzinger and *Acanthodactylus erythrurus* (Schinz). *Amphibia Reptilia* 17: 197-208.
- Perez-Quintero, M. J., Jimenez-Arcos, V. H. and del Castillo, R. C. 2019. The allometry of sexual dimorphism in *Sceloporus formosus* (Squamata: Phrynosomatidae). *Copeia*, 107: 475-480.
- Perez-Ramos, E. and Saldana de La Riva, R. 2008. Morphological revision of lizards of the *formosus* group, genus *Sceloporus* (Squamata: Sauria) of southern Mexico, with description of a new species. *Bulletin of the Maryland Herpetological Society* 44: 77-97.
- Perez-Ramos, E., Saldana de La Riva, L. and Campbell, J. A. 2000. A new allopatric species of *Xenosaurus* (Squamata: Xenosauridae) from Guerrero, Mexico. *Herpetologica* 56: 228-234.
- Pernetta, J. C. and Black, D. 1983. Species of gecko (Lepidodactylus) in the Port Moresby area, with the description of a new species. *Journal of Herpetology* 17: 121-128.
- Pernetta, A. P., Bell, D. J. and Jones, C. G. 2005. Macro- and microhabitat use of Telfair's skink (*Leiolopisma telfairii*) on Round island, Mauritius: implications for their translocation. *Acta Oecologica* 28: 313-323.
- Perret, J. L. 1973. Contribution à l'étude des *Panaspis* (Reptilia, Scincidae) d'Afrique occidentale avec la description de deux espèces nouvelles. *Revue Suisse de Zoologie* 80: 595-630.
- Perret, J. L. 1975. La differentiation dans le genre *Panaspis* Cope (Reptilia, Scincidae). *Bulletin de la Societe Neuchatelloise des Sciences Naturelles*, 98: 5-16.
- Perret, J. L. 1975. Revision critique de quelques types de reptiles et batraciens africains. *Revue suisse de Zoologie* 82: 185-192.
- Perret, J. L. 1982. Le sous-genre *Leptosiaphos* (Lacertilia, Scincidae) et ses implications. *Bulletin de la Societe neuchatelloise des Sciences Naturelles*. 105: 107-121.

- Perret 1986  
 Perry 1989  
 Perry 1990  
 Perry 1996  
 Perry 1999  
 Perry 2007  
 Perry and Brandeis 1992  
 Perry and Dmi'el 1994  
 Perry and Dmi'el 1995  
 Perry and Farmer 2011  
 Perry and Garland 2002  
 Perry and Gerber 2006  
 Perry et al. 1990  
 Perry et al. 1998  
 Perry et al. 2000  
 Perry et al. 2008
- Pesci et al. 2018  
 Petelo and Swierk 2017  
 Peters 1964a  
 Peters 1964b  
 Peters 1967  
 Peters 1984  
 Peters and Donoso-Barros 1970  
 Peters and Orces 1956  
 Peterson and Metcalfe 2015  
 Petford and Van Huysssteen 2017  
 Petford and Van Huysssteen 2018  
 Petford et al. 2019  
 Pethiyagoda and Manamendra-Arachchi 1998  
 Petren et al. 1993  
 Petrosyan et al. 2019a  
 Petrosyan et al. 2019b  
 Petrov 2004  
 Petzold 2008  
 Pham et al. 2015  
 Pham et al. 2017  
 Pham et al. 2018  
 Philipp and Philipp 2007  
 Philipp et al. 1999  
 Philipp et al. 2007
- Phillips 1995  
 Phillips and Millar 1998  
 Phung and Ziegler 2011  
 Pianka 1967  
 Pianka 1969  
 Pianka 1971a  
 Pianka 1971b  
 Pianka 1971c  
 Pianka 1973  
 Pianka 1975  
 Pianka 1977  
 Pianka 1982  
 Pianka 1986  
 Pianka 1989
- Perret, J. L. 1986. Revision des especes africaines du genre *Cnemaspis* Strauch, sous-genre *Ancylodactylus* Muller (Lacertilia, Gekkonidae), avec la description de quatre especes nouvelles. *Revue Suisse de Zoologie* 93: 457-505.
- Perry, G. 1989. Size and mass in five Israeli lizards (Reptilia: Lacertidae). *Israel Journal of Zoology* 36: 129-132.
- Perry, G. 1990. Ecophysiological aspects of reproduction in the fringe-toed lizard, *Acanthodactylus scutellatus*. MSc Thesis, Tel Aviv University.
- Perry, G. 1996. The evolution of sexual dimorphism in the lizard *Anolis polylepis* (Iguania): evidence from intraspecific variation in foraging behavior and diet. *Canadian Journal of Zoology* 74: 1238-1245.
- Perry, G. 1999. The evolution of search modes: ecological versus phylogenetic perspectives. *The American Naturalist* 153: 98-109.
- Perry, G. 2007. Movement patterns in lizards: measurement, modality, and behavioral correlates. Pages 13-48 in Reilly, S. M., McBrayer, L. B. and Miles, D. B. (editors). *Lizard ecology*. Cambridge University Press, Cambridge.
- Perry, G. and Brandeis, M. 1992. Variation in stomach contents of the gecko *Ptyodactylus hasselquistii guttatus* in relation to sex, age, season and locality. *Amphibia-Reptilia* 13: 275-282.
- Perry, G. and Dmi'el, R. 1994. Reproductive and population biology of the fringe-toed lizard, *Acanthodactylus scutellatus*, in Israel. *Journal of Arid Environments* 27: 257-263.
- Perry, G. and Dmi'el, R. 1995. Urbanization and sand dunes in Israel: direct and indirect effects. *Israel Journal of Zoology*, 41: 33-41.
- Perry, G. and Farmer, M. 2011. Reducing the risk of biological invasion by creating incentives for pet sellers and owners to do the right thing. *Journal of Herpetology*, 45: 134-141.
- Perry, G. and Garland, T. 2002. Lizard home ranges revisited: effects of sex, body size, diet, habitat, and phylogeny. *Ecology* 83: 1870-1885.
- Perry, G. and Gerber, G. P. 2006. Conservation of amphibians and reptiles in the British Virgin Islands: status and patterns. *Applied Herpetology* 3: 237-256.
- Perry, G., Lampl, I., Lerner, A., Rothenstein, D., Shani, E., Sivan, N. and Werner, Y. L. 1990. Foraging mode in lacertid lizards: variations and correlates. *Amphibia-Reptilia* 11: 373-384.
- Perry, G., Rodda, G. H., Fritts, T. H. and Sharp, T. R. 1998. The lizard fauna of Guam's fringing islets: island biogeography, phylogenetic history, and conservation implications. *Global Ecology and Biogeography Letters*, 7: 353-365.
- Perry, G., Dmi'el, R. and Lazell, J. 2000. Evaporative water loss in insular populations of *Anolis cristatellus* (Reptilia: Sauria) in the British Virgin Islands. III. Response to the end of drought and a common garden experiment.
- Perry, G., Buchanan, B. W., Fisher, R. N., Salmon, M. and Wise, S. E. 2008. Effects of artificial night lighting on reptiles and amphibians in urban environments. Pp. 239-256 in: R.E. Jung and J.C. Mitchell (eds). *Urban herpetology*. Herpetological Conservation Vol. 3, Society for the Study of Amphibians and Reptiles, Salt Lake, Utah.
- Pesci, G., Sanchez, J. M., Muniz Leao, S. and Pelegrin, N. 2018. Reptiles y anfibios de una localidad del Chaco Húmedo en Formosa, Argentina. *Cuadernos de Herpetología*, 32: 47-54.
- Petelo, M. and Swierk, L. 2017. Trait allometries generate super-honesty in *Anolis* dewlaps and may underlie sexual dimorphism. *Integrative Zoology*, 12: 97-111.
- Peters, G. 1964. Studien zur taxonomie, verbreitung und ökologie der smaragdeidechsen. III. Die orientalischen populationen von *Lacerta trilineata*. *Mitteilungen aus dem Zoologischen Museum in Berlin* 40: 185-250.
- Peters, J. A. 1964. The lizard genus *Ameiva* in Ecuador. *Bulletin of the Southern California Academy of Sciences* 63: 113-127.
- Peters, J. A. 1967. The lizards of Ecuador, a checklist and key. *Proceedings of the United States National Museum* 119: 1-49.
- Peters, G. 1984. Die krotenkopfagamen zentralasiens (Agamidae: Phrynocephalus). *Mitteilungen aus dem Museum für Naturkunde in Berlin* 60: 23-67.
- Peters, J. A. and Donoso-Barros, R. 1970. Catalogue of the Neotropical Squamata. Part 2, Lizards and amphisbaenians. *United States National Museum Bulletin* 297: 1-293.
- Peters, J. A. and Orces, V. G. 1956. A third leaf-nosed species of the lizard genus *Anolis* from South America. *Breviora* 62: 1-8.
- Peterson, M. and Metcalfe, D. C. 2015. *Menetia greyii* (grey's skink). Diet. *Herpetological Review* 46: 631-632.
- Petford, M. and Van Huysssteen, R. 2017. *Homopholis mulleri*, Visser 1987, Müller's velvet gecko. Geographical distribution. *African Herp News* 65: 38-39.
- Petford, M. and Van Huysssteen, R. 2018. Hemirhagerrhis nototaenia (Gunther, 1864), eastern black snake, hunting strategy. *African Herp News* 67: 34-36.
- Petford, M. A. van Huysssteen, R. and Alexander, G. J. 2019. Influences of ecology and climate on the distribution of restricted, rupicolous reptiles in a biodiverse hotspot. *African Journal of Herpetology* 68: 118-133.
- Pethiyagoda, R. and Manamendra-Arachchi, K. 1998. A revision of the endemic Sri Lankan agamid lizard genus *Ceratophora* Gray, 1835, with description of two new species. *Journal of South Asian natural History* 3: 1-50.
- Petren, K., Bolger, D. T. and Case, T. J. 1993. Mechanisms in the competitive success of an invading sexual gecko over an asexual native. *Science*, 259: 354-358.
- Petrosyan, V. G., Osipov, F. A., Bobrov, V. V., Dergunova, N. N., Danielyan, F. D. and Arakelyan, M. S. 2019. New records of *Darevskia armeniaca* (Mehely, 1909) and *Darevskia valentini* (Boettger, 1892) (Squamata, Sauria, Lacertidae) from Armenia and updated geographic distribution maps. *Check List* 15: 21-31.
- Petrosyan, V., Osipov, F., Bobrov, V., Dergunova, N., Nazarenko, E., Omelchenko, A., Danielyan, F. and Arakelyan, M. 2019. Analysis of geographical distribution of the parthenogenetic rock lizard *Darevskia armeniaca* and its parental species (*D. mixta*, *D. valentini*) based on ecological modelling. *Salamandra* 55: 173-190.
- Petrov, B. 2004. The herpetofauna (Amphibia and Reptilia) of the Eastern Rhodopes (Bulgaria and Greece). pages 863-879 in: Beron P., Popov A. (eds). *Biodiversity of Bulgaria. 2. Biodiversity of Eastern Rhodopes (Bulgaria and Greece)*. Pensoft & Natural Museum of Natural History, Sofia.
- Petzold, H-G. 2008. The lives of captive reptiles. Society for the Study of Amphibians & Reptiles, St. Louis.
- Pham, A., Le, D., Nguyen, S., Ziegler, T. and Nguyen, T. 2015. New provincial records of skinks (Squamata: Scincidae) from northwestern Vietnam. *Biodiversity Data Journal* 3: e4284. doi: 10.3897/BDJ.3.e4284
- Pham, A. V., Pham, C. T., Hoang, N. V., Ziegler, T. and Nguyen, T. Q. 2017. New records of amphibians and reptiles from Ha Giang Province, Vietnam. *Herpetology Notes*, 10: 183-191.
- Pham, A. V., Tu, H. V., Nguyen, T. V., Ziegler, T. and Nguyen, T. Q. 2018. New records and an updated list of lizards from Son La Province, Vietnam. *Herpetology Notes*, 11: 209-216.
- Philipp, K. M. and Philipp, D. P. 2007. The monitor lizards of Papua. Pages 617-636 in Marshall, A. J. and Beehler, B. M. editors. *The ecology of Papua. Part one*. Periplus, Singapore.
- Philipp, K. M., Bohme, W. and Ziegler, T. 1999. The identity of *Varanus indicus*: redefinition and description of a sibling species coexisting at the type locality (Sauria: Varanidae: *Varanus indicus* group). *Spixiana*, 22: 273-287.
- Philipp, K. M., Ziegler, T. and Bohme, W. 2007. Preliminary investigations of the natural diet of six monitor lizard species of the *Varanus* (*Euprepiosaurus*) *indicus* group. In: Horn, H.-G., Bohme, W. & U. Krebs (editors): *Advances in monitor research iii: 336-345*. - Mertensiella, Rheinbach 16: 1-447.
- Phillips, J. A. 1995. Movement patterns and density of *Varanus albiginiger*. *Journal of Herpetology*, 29: 407-416.
- Phillips, J. A. and Millar, R. P. 1998. Reproductive biology of the white-throated savanna monitor, *Varanus albiginiger*. *Journal of Herpetology*, 32: 366-377.
- Phung, T. M. and Ziegler, T. 2011. Another new Gekko species (Squamata: Gekkonidae) from southern Vietnam. *Zootaxa* 3129: 51-61.
- Pianka, E. R. 1967. On lizard species diversity, North American flatland deserts. *Ecology*, 48: 333-351.
- Pianka, E. R. 1969. Habitat specificity, speciation, and species density in Australian desert lizards. *Ecology*, 50: 498-502.
- Pianka, E. R. 1971. Comparative ecology of two lizards. *Copeia* 1971: 129-138.
- Pianka, E. R. 1971. Ecology of the agamid lizard *Amphibolurus isolepis* in Western Australia. *Copeia* 1971: 527-536.
- Pianka, E. R. 1971. Lizard species density in the Kalahari Desert. *Ecology* 52: 1024-1029.
- Pianka, E. R. 1973. The structure of lizard communities. *Annual Review of Ecology and Systematics* 4: 53-74.
- Pianka, E. R. 1971. Niche relations of desert lizards. Pages 292-314 in: Cody, M. L. and Diamond, J. M. (editors). *Ecology and evolution of communities*. Harvard University Press, Harvard.
- Pianka, E. R. 1977. Reptilian species diversity. pages 1-34 in C. Gans and D. W. Tinkle (editors.) *Biology of the Reptilia*, Vol. 7. Academic Press, New York.
- Pianka, E. R. 1982. Observations on the ecology of *Varanus* in the Great Victoria desert. *Western Australian Naturalist* 15: 37-44.
- Pianka, E. R. 1986. Ecology and natural history of desert lizards. Princeton University Press, Princeton.
- Pianka, E. R. 1989. Desert lizard diversity: additional comments and some data. *The American Naturalist*, 134: 344-364.

- Pianka 1991  
 Pianka 1994  
 Pianka 1995  
 Pianka 2001  
 Pianka 2007  
 Pianka 2010  
 Pianka 2011a  
 Pianka 2011b  
 Pianka 2013a  
 Pianka 2013b  
 Pianka 2013c  
 Pianka 2013d  
 Pianka 2014a  
 Pianka 2014b  
 Pianka 2014c  
 Pianka 2014d  
 Pianka 2014e  
 Pianka 2016  
 Pianka and Giles 1982  
 Pianka and Harp 2011  
 Pianka and Huey 1978  
 Pianka and King 2004  
 Pianka and Parker 1972  
 Pianka and Parker 1975a  
 Pianka and Parker 1975b  
 Pianka and Pianka 1970  
 Pianka and Pianka 1976  
 Pianka and Sweet 2005  
 Pianka and Vitt 2003  
 Pianka et al. 1998  
 Pianka et al. 2017  
 Piantoni et al. 2006a  
 Piantoni et al. 2006b  
 Piantoni et al. 2016  
 Piantoni et al. 2019  
 Picelli et al. 2019  
 Pickard and Towns 1988  
 Pie et al. 2017  
 Pienaar 1966  
 Pierson 2014  
 Pietersen 2014  
 Pietersen and Haacke 2013  
 Pietersen et al. 2017  
 Pietersen et al. 2018a  
 Pietersen et al. 2018b  
 Pike et al. 2008  
 Pike et al. 2016  
 Pimenta et al. 2019  
 Pincheira-Donoso 2004  
 Pincheira-Donoso 2006  
 Pincheira-Donoso 2008  
 Pincheira-Donoso 2011  
 Pincheira-Donoso 2014  
 Pincheira-Donoso and Meiri 2013  
 Pincheira-Donoso and Nunez 2003
- Pianka, E. R. 1991. *Phrynosoma platyrhinos*. Catalogue of American Amphibians and Reptiles 517: 1-4.  
 Pianka, E. R. 1994. Comparative ecology of *Varanus* in the Great Victoria desert. Australian Journal of Ecology 19: 395-408.  
 Pianka, E. R. 1995. Evolution of body Size: Varanid lizards as a model system. The American Naturalist 146: 298-414.  
 Pianka, E. R. 2001. The role of phylogenetics in evolutionary ecology. Pp. 1-20 in Herpetologia Candiana. P. Lymberakis, E. Valakos, P. Pafilis, and M. Mylonas (eds), Natural History Museum of Crete, Societas Europaea Herpetologica, Iraklio Crete 2001.  
 Pianka, E. R. 2007. An update on the ecology of the pygmy monitor *Varanus eremius* in Western Australia. Mertensiella 16: 346-352.  
 Pianka, E. R. 2010. Notes on the ecology of four species of pygopodid lizards in the Great Victoria Desert. Western Australian Naturalist 27: 175-181.  
 Pianka, E. R. 2011. Notes on the ecology of some uncommon skinks in the Great Victoria Desert. Western Australian Naturalist 28: 50-60.  
 Pianka, E. R. 2011. Notes on the natural history of the tiny skink *Menetia greyi*. Western Australian Naturalist 28: 12-17.  
 Pianka, E. R. 2013. Notes on the ecology and natural history of the rarely recorded gekkonid lizard *Heteronotia binoei* in the Great Victoria desert of Western Australia. Western Australian Naturalist 29: 120-125.  
 Pianka, E. R. 2013. Notes on the ecology and natural history of two uncommon arboreal agamid lizards *Diporiphora paraconvergens* and *Lophognathus longirostris* in the Great Victoria desert of Western Australia. Western Australian Naturalist 29: 77-84.  
 Pianka, E. R. 2013. Notes on the ecology and natural history of two uncommon terrestrial agamid lizards *Ctenophorus clayi* and *C. fordi* in the Great Victoria desert of Western Australia. Western Australian Naturalist 29: 85-93.  
 Pianka, E. R. 2013. Notes on the natural history of the rarely recorded agamid lizard *Caimanops amphibolouroides* in Western Australia. Western Australian Naturalist 29: 99-102.  
 Pianka, E. R. 2014. Notes on a collection of lizards from the Eucla sand dunes in Western Australia. Western Australian Naturalist 30: 155-161.  
 Pianka, E. R. 2014. Notes on the ecology and natural history of two species of *Egernia*(Scincidae) in Western Australia. Western Australian Naturalist 30: 231-236.  
 Pianka, E. R. 2014. Notes on the ecology and natural history of *Ctenophorus caudicinctus* (Agamidae) in Western Australia. Western Australian Naturalist 30: 226-230.  
 Pianka, E. R. 2014. Notes on the ecology and natural history of *Ctenophorus reticulatus* (Agamidae) in Western Australia. Western Australian Naturalist 30: 222-225.  
 Pianka, E. R. 2014. Rarity in Australian desert lizards. Austral Ecology 39: 214-224.  
 Pianka, E. R. 2016. Challenges facing today's lizard ecologists. Journal of Herpetology 51: 2-11.  
 Pianka, E. R. and Giles, W. F. 1982. Notes on the biology of two species of nocturnal skinks, *Egernia inornata* and *Egernia striata*, in the Great Victoria desert. Western Australian Naturalist 15: 44-49.  
 Pianka, E. R. and Harp, C. A. 2011. Notes on the natural history of Buchanan's snake-eyed skink *Cryptoblepharus buchananii* in arid Western Australia. Western Australian Naturalist 28: 43-49.  
 Pianka, E. R. and Huey, R. B. 1978. Comparative ecology, resource utilization and niche segregation among gekkonid lizards the southern Kalahari. Copeia, 1978: 691-701.  
 Pianka, E. R. and King, D. R. editors. 2004. Varanoid lizards of the world. Indiana University Press.  
 Pianka, E. R. and Parker, W. S. 1972. Ecology of the iguanid lizard *Callisaurus draconoides*. Copeia 1972: 493-508.  
 Pianka, E. R. and Parker, W. S. 1975. Age-specific reproductive tactics. The American Naturalist 109: 453-464.  
 Pianka, E. R. and Parker, W. S. 1975. Ecology of horned lizards: a review with special reference to *Phrynosoma platyrhinos*. Copeia, 1975: 141-162.  
 Pianka, E. R. and Pianka, H. D. 1970. The ecology of *Moloch horridus* (Lacertilia: Agamidae) in Western Australia. Copeia, 1970: 90-103.  
 Pianka, E. R. and Pianka, H. D. 1976. Comparative ecology of twelve species of nocturnal lizards (Gekkonidae) in the Western Australian Desert. Copeia 1976: 125-142.  
 Pianka, E. R. and Sweet, S. S. 2005. Integrative biology of sticky feet in geckos. Bioessays 27: 647-652.  
 Pianka, E. R. and Vitt, L. J. 2003. Lizards: windows to the evolution of diversity. University of California Press, Berkeley.  
 Pianka, G. A., Pianka, E. R. and Thompson, G. G. 1998. Natural history of thorny devils *Moloch horridus* (Lacertilia: Agamidae) in the Great Victoria Desert. Journal of the Royal Society of Western Australia, 81: 183-190.  
 Pianka, E. R., Vitt, L. J., Pelegrin, N., Fitzgerald, D. B. and Winemiller, K. O. 2017. Toward a periodic table of niches, or exploring the lizard niche hypervolume. The American Naturalist, 190: 601-616.  
 Piantoni, C., Ibarguengoytia, N. R. and Cussac, V. E. 2006. Age and growth of the Patagonian lizard *Phymaturus patagonicus*. Amphibia-Reptilia 27: 385-392.  
 Piantoni, C., Ibarguengoytia, N. R. and Cussac, V. E. 2006. Growth and age of the southernmost distributed gecko of the world (*Homonota darwini*) studied by skeletochronology. Amphibia-Reptilia 27: 393-400.  
 Piantoni, C., Navas, C. A. and Ibarguengoytia, N. R. 2016. Vulnerability to climate warming of four genera of New World iguanians based on their thermal ecology. Animal Conservation 19: 391-400.  
 Piantoni, C., Navas, C. A. and Ibarguengoytia, N. R. 2019. A real tale of Godzilla: impact of climate warming on the growth of a lizard. Biological Journal of the Linnean Society 126: 768-782.  
 Picelli, A. M., Masseli, G. S. and Kaefer, I. L. 2019. Predation on giant earthworms (Clitellata: Rhinodrilidae) by the Diving Lizard *Uranoscodon superciliosus* (Linnaeus, 1758)(Squamata: Tropiduridae). Herpetology Notes, 12: 1203.  
 Pickard, C. R. and Towns, D. R. 1988. Atlas of the amphibians and reptiles of New Zealand. Department of Conservation Publications.  
 Pie, M. R., Campos, L. L. F., Meyer, A. L. S. and Duran, A. 2017. The evolution of climatic niches in squamate reptiles. Proc. R. Soc. B 284: 20170268.  
 Pienaar, U. de V. 1966. The reptiles of the Kruger National Park. National Parks Board of Trustees, Pretoria.  
 Pierson, T. 2014. Two new distribution records of *Asaccus gallagheri* (Arnold 1977) (Squamata: Gekkonidae) in the Fujairah Emirate, UAE and the Musandam Governorate, Oman. Check List 10: 168-169.  
 Pietersen, D. W. 2014. New distribution records of herpetofauna in Mozambique south of the Zambezi River, including additional records from Parque Nacional de Banhine. Annals of the Ditsong National Museum of Natural History  
 Pietersen, D. W. and Haacke, W. D. 2013. First herpetological appraisal of the Parque Nacional de Banhine, Gaza Province, southern Mozambique. Annals of the Ditsong National Museum of Natural History, 3: 153-163.  
 Pietersen, D. W., Pietersen, E. W. and Conradie, W. 2017. Preliminary herpetological survey of Ngonye Falls and surrounding regions in south-western Zambia. Amphibian & Reptile Conservation 11: 24-43.  
 Pietersen, D. W., Davies, J. P. and Thompson, L. J. 2018. *Chamaeleo anchiaetae*, Bocage 1872, Anchiaeta's (Angolan) chameleon. African Herp News 67: 45-47.  
 Pietersen, D. W., Davies, J. P. and Thompson, L. J. 2018. *Lygodactylus chobiensis*, FitzSimons, 1932, Chobe dwarf gecko. Geographical distribution. African Herp News 67: 43-45.  
 Pike, D. A., Pizzatto, L., Pike, B. A. and Shine, R. 2008. Estimating survival rates of uncatchable animals: the myth of high juvenile mortality in reptiles. Ecology, 89: 607-611.  
 Pike, D. A., Clark, R. W., Manica, A., Tseng, H. Y., Hsu, J. Y. and Huang, W. S. 2016. Surf and turf: predation by egg-eating snakes has led to the evolution of parental care in a terrestrial lizard. Scientific Reports, 6: 22207.  
 Pimenta, M. A., Pereira, K. D. L., Rosa, G. M. V., Nascimento, A. T. C. and Ribeiro, M. V. 2019. Defensive behaviour events of *Ophiodes striatus* (Reptilia: Squamata) during an environmental study in state of Sao Paulo, Brazil. Herpetology Notes 12: 1019-1021.  
 Pincheira-Donoso, D. 2004. Una nueva especie del genero *Phymaturus* (Iguania: Tropiduridae: Liolaemini) del centro-sur de Chile. Mltequina 13: 57-70.  
 Pincheira-Donoso, D. 2006. Geckos of Chile (Scleroglossa, Gekkonidae, Gekkoninae). Part II. Biogeography and ontogenetic shifts in the colour pattern of *Phyllodactylus Gerrhopygus*. Can the evidence support the presence of *Phyllodactylus inaequalis* in Chile? Mltequina 15: 37-48.  
 Pincheira-Donoso, D. 2008. Testing the accuracy of fecal-based analyses in studies of trophic ecology in lizards. Copeia 2008: 322-325.  
 Pincheira-Donoso, D. 2011. Debating Liolaemidae diversity and classification, and a bit more: A response to Lobo et al. Zootaxa 2772: 61-66.  
 Pincheira-Donoso, D. 2014. No evidence for conspecificity between two high Andes Liolaemus lizards (Squamata: Liolaemidae). Acta Herpetologica 9: 249-252.  
 Pincheira-Donoso, D. and Meiri, S. 2013. An intercontinental analysis of climate-driven body size clines in reptiles: no support for patterns, no signals of processes. Evolutionary Biology 40: 562-578. DOI 10.1007/s11692-013-9232-9.  
 Pincheira-Donoso, D. and Nunez, H. 2003. *Liolaemus robertoi* sp. nov. puede distinguirse de cualquier otra especie del grupo ruibal. Mltequina 12: 1-15.

- Pincheira-Donoso and Nunez 2005
- Pincheira-Donoso and Tregenza 2011
- Pincheira-Donoso et al. 2007
- Pincheira-Donoso et al. 2009
- Pincheira-Donoso et al. 2011
- Pincheira-Donoso et al. 2013a
- Pincheira-Donoso et al. 2013b
- Pincheira-Donoso et al. 2015
- Pincheira-Donoso et al. 2017
- Pincheira-Donoso et al. 2018
- Pingeton and Holbrook 2019
- Pinho et al. 2018
- Pinilla 1991
- Pinto et al. 2005
- Pinto et al. 2008
- Pinto et al. 2017
- Pinto et al. 2019a
- Pinto et al. 2019b
- Pinto-Silva and Silva-Soares 2018
- Pinto-Viveros et al. 2015
- Pinya and Carretero 2011
- Pizzatto 2005
- Plasman and Torres 2019
- Plasman et al. 2007
- Plasman et al. 2019a
- Plasman et al. 2019b
- Platt and Rainwater 1998
- Platt et al. 2018
- Pleguezuelos et al. 2017
- Poe 2013
- Poe 2014
- Poe and Armijo 2014
- Poe and Ryan 2017
- Poe and Yanez-Miranda 2008
- Poe et al. 2008
- Poe et al. 2009
- Poe et al. 2012
- Poe et al. 2018
- Poglayen and Smith 1958
- Pokhrel et al. 2012
- Pollo 2008
- Pollo 2017
- Pollo and Perez-Mellado 1989
- Polovic et al. 2013
- Ponce and Kohler 2008
- Pontes-da-Silva et al. 2018
- Pooley et al. 1973
- Pope 1928
- Pope 1929
- Pope 1935
- Pincheira-Donoso, D. and Nunez, H. 2005. Las especies chilenas del genero *Liolemus* (Iguania, Tropiduridae, Lioleminae). Taxonomia, sistematica y evolucion. Publicacion Ocasional del Museo Nacional de Historia Natural de Chile 38: 197-207.
- Pincheira-Donoso, D. and Tregenza, T. 2011. Fecundity selection and the evolution of reproductive output and sex-specific body size in the *Liolemus* lizard adaptive radiation. *Evolutionary Biology* 38: 197-207.
- Pincheira-Donoso, D., Tregenza, T. and Hodgson, D. J. 2007. Body size evolution in South American *Liolemus* lizards of the boulengeri clade: a contrasting reassessment. *Journal of Evolutionary Biology* 20: 2067-2071.
- Pincheira-Donoso, D., Hodgson, D. J., Stipala, J. and Tregenza, T. 2009. A phylogenetic analysis of sex-specific evolution of ecological morphology in *Liolemus* lizards. *Ecological Research* 24: 1223-1231.
- Pincheira-Donoso, D., Fox, S. F., Scolaro, J. A., Ibarguengoytia, N., Acosta, J. C., Corbalan, V., Medina, M., Boretto, J., Villavicencio, H. J. and Hodgson, D. J. 2011. Body size dimensions in lizard ecological and evolutionary research: exploring the predictive power of mass estimation equations in two *Liolemiidae* radiations. *Herpetological Journal* 21: 35-42.
- Pincheira-Donoso, D., Bauer, A. M., Meiri, S. and Uetz, P. 2013. Global taxonomic diversity of living reptiles. *PLoS ONE* 8(3): e59741. doi:10.1371/journal.pone.0059741
- Pincheira-Donoso, D., Tregenza, T., Witt, M. J. and Hodgson, D. J. 2013. The evolution of viviparity opens opportunities for lizard radiation but drives it into a climatic cul-de-sac. *Global Ecology and Biogeography* 22: 857-867.
- Pincheira-Donoso, D., Harvey, L. P. and Ruta, M. 2015. What defines an adaptive radiation? Macroevolutionary diversification dynamics of an exceptionally species-rich continental lizard radiation. *BMC Evolutionary Biology* (2015) 15: 105.
- Pincheira-Donoso, D., Jara, M., Reaney, A., Garcia-Roa, R., Saldarriaga-Cordoba, M. and Hodgson, D. J. 2017. Hypoxia and hypothermia as rival agents of selection driving the evolution of viviparity in lizards. *Global Ecology and Biogeography* 26: 1238-1246.
- Pincheira-Donoso, D., Tregenza, T., Butlin, R. K. and Hodgson, D. J. 2018. Sexes and species as rival units of niche saturation during community assembly. *Global Ecology and Biogeography* 27: 593-603.
- Pingeton, M. and Holbrook, J. 2019. The field herping guide: finding amphibians and reptiles in the wild. University of Georgia Press, Athens, GA.
- Pinho, C. J., Santos, B., Mata, V. A., Seguro, M., Romeiras, M. M., Lopes, R. J. and Vasconcelos R. 2018. What is the giant wall gecko having for dinner? Conservation genetics for guiding reserve management in Cabo Verde. *Gene* 9: 93-100.
- Pinilla, M. P. R. 1991. Reproductive and fat body cycles of the viviparous lizard *Liolemus huacahuasicus*. *Journal of Herpetology*, 25: 205-208.
- Pinto, A. C. S., Wiederhecker, H. C. and Colli, G. R. 2005. Sexual dimorphism in the Neotropical lizard, *Tropidurus torquatus* (Squamata, Tropiduridae). *Amphibia-Reptilia* 26: 127-137.
- Pinto, G., Mahler, D., Harmon, L. and Losos, J. 2008. Testing the island effect in adaptive radiation: rates and patterns of morphological diversification in Caribbean and mainland *Anolis* lizards. *Proceedings of the Royal Society of London B* 275: 2749-2757.
- Pinto, K. C., Cruz, L. S. S., Batista, G. A., Pereira, K. D. L. and Penhacek, M. 2017. Geographic distribution extension of *Notomabuya frenata* (Cope 1862): First record for the State of Maranhao, Brazil. *Herpetology Notes*, 10: 319-322.
- Pinto, B. J., Nielsen, S. V. and Gamble, T. 2019. Transcriptomic data support a nocturnal bottleneck in the ancestor to gecko lizards. *Molecular Phylogenetics and Evolution* 141: 106639.
- Pinto, B. J., Titus-McQuillan, J., Daza, J. D. and Gamble, T. 2019. Persistence of a geographically-stable hybrid zone in Puerto Rican dwarf geckos. *Journal of Heredity* 2019: 523-534.
- Pinto-Silva, K. and Silva-Soares, T. 2018. New records of *Glaucostomix cyanura* and *Ameiva nigrigula* (Arias, De Carvalho, Rodrigues & Zaher, 2011) (Squamata: Teiidae) in the State of Bahia, Northeastern Brazil. *Herpetology Notes* 11: 1-4.
- Pinto-Viveros, M. A., Garcia-Duran, D. M., Mano-Cuellar, K. and Pinto-Ledezma, J. M. 2015. List of amphibians and reptiles of Juan Deriba property, Santa Cruz-Bolivia. *Kempffiana* 11: 70-75.
- Pinya, S. and Carretero, M. A. 2011. The Balearic herpetofauna: a species update and a review on the evidence. *Acta Herpetologica* 6: 59-80.
- Pizzatto, L. 2005. Reproductive biology of the "glass snake" *Ophiodes fragilis* (Squamata, Anguidae) in south-east Brazil. *Herpetological Journal* 15: 9-13.
- Plasman, M. and Torres, R. 2019. Feeling the heat: Extreme temperatures compromise constitutive humoral immunity and skin color in a desert dwelling lizard. *Journal of Thermal Biology* 83: 142-149.
- Plasman, M., Duchateau, M. J. H. M. and Macedonia, J. M. 2007. Anti-predation behaviour of Dickerson's collared lizard, *Crotaphytus dickersonae*. *Animal Biology*, 57: 231-246.
- Plasman, M., McCue, M. D., Reynoso, V. H., Terblanche, J. S. and Clusella-Trullas, S. 2019. Environmental temperature alters the overall digestive energetics and differentially affects dietary protein and lipid use in a lizard. *Journal of Experimental Biology*, 222: 194480.
- Plasman, M., Sandoval-Zapotitla, E. and Torres, R. 2019. Immune response declines with age in a wild lizard. *Biological Journal of the Linnean Society* 128: 936-943.
- Platt, S. G. and Rainwater, T.R. 1998. Distribution records and life history notes for amphibians and reptiles in Belize. *Herpetological Review*, 29: 250-251.
- Platt, S. G., Win, M. M. and Rainwater, T. R. 2018. Additional field records provide further resolution of the distribution of the water monitor *Varanus salvator* (Squamata: Varanidae) in northwestern Myanmar. *Journal of Threatened Taxa* 10: 12425-12428.
- Pleguezuelos, J. M., Garcia-Cardenete, L., Caro, J., Feriche, M., Perez-Garcia, M., Santos, X., Sicilia, M. and Fahd, S. 2017. Barriers for conservation: mitigating the impact on amphibians and reptiles by water cisterns in arid environments. *Amphibia-Reptilia* 38: 113-118.
- Poe, S. 2013. 1986 Redux: new genera of anoles (Squamata: Dactyloidae) are unwarranted. *Zootaxa* 3626: 295-299.
- Poe, S. 2014. The travels of Thomas Barbour on the ship Utowana in 1931 and the taxonomic status of *Anolis utowanae*. *Breviora* 538: 1-9.
- Poe, S. and Armijo, B. 2014. Lack of effect of herpetological collecting on the population structure of a community of *Anolis* (Squamata: Dactyloidae) in a disturbed habitat. *Herpetology Notes*, 7: 153-157.
- Poe, S. and Ryan, M. J. 2017. Description of two new species similar to *Anolis insignis* (Squamata: Iguanidae) and resurrection of *Anolis* (*Diaphoranolis*) brooksi. *Amphibian & Reptile Conservation* 11: 1-16.
- Poe, S. and Yanez-Miranda, C. 2008. Another new species of green *Anolis* (Squamata: iguanidae) from the eastern Andes of Peru. *Journal of Herpetology*, 42: 564-571.
- Poe, S., Yanez-Miranda, C. and Lehr, E. 2008. Notes on variation in *Anolis boettgeri* Boulenger 1911, assessment of the status of *Anolis albimaculatus* Henle and Ehrl 1991, and description of a new species of *Anolis* (Squamata: iguanidae) similar to *Anolis boettgeri*. *Journal of Herpetology*, 42: 251-259.
- Poe, S., Velasco, J., Miyata, K. and Williams, E. E. 2009. Descriptions of two nomen nudum species of *Anolis* lizard from northwestern South America. *Breviora* 516: 1-16.
- Poe, S., Ayala, F., Latella, i.M., Kennedy, T.L., Christensen, J. A., Gray, L. N., Blea, N. J., Armijo, B. M. and Schaad, E. W. 2012. Morphology, phylogeny, and behavior of *Anolis Proboscis*. *Breviora*, 530: 1-11.
- Poe, S., de Oca, A. N. M., Torres-Carvaljal, O., de Queiroz, K., Velasco, J. A., Truett, B., Gray, L. N., Ryan, M. J., Kohler, G., Ayala-Varela, F. and Latella, I. 2018. Comparative evolution of an archetypal adaptive radiation: innovation and opportunity in *Anolis* lizards. *The American Naturalist*, 191: E185-E194.
- Poglayen, I. and Smith, H. M. 1958. Noteworthy herpetiles from Mexico. *Herpetologica* 14: 11-15.
- Pokhrel, G. K., Aryal, P. C., Shah, K. B., Suwal, M. K., Kharel, S. C., Paudel, E. and Dhamala, M. K. 2012. Herpetofaunal diversity in Nagarjun Forest. *Nepal Journal of Science and Technology*, 12: 358-365.
- Pollo, C. J. 2008. *Eslizón ibérico – Chalcides bedriagai Bosca, 1880*. Version 19-03-2008. Enciclopedia virtual de los vertebrados Espanoles
- Pollo, C. J. 2017. Guide of amphibians and reptiles of Sao Tome and Principe. Smashwords, available online: <https://www.smashwords.com/books/view/709582>.
- Pollo, C. M. and Perez-Mellado, V. 1989. Activity and thermoregulation in three mediterranean species of Lacertidae. *Herpetological Journal*, 1: 343-350.
- Polovic, L., Pesic, V., Ljubisavljevic, K. and Cadenovic, N. 2013. Preliminary data on the reproductive characteristics and diet in an insular population of the lacertid lizard *Algyrodes nigropunctatus*. *North-Western Journal of Zoology* 9: 1-6.
- Ponce, M. and Kohler, G. 2008. Morphological variation in anoles related to *Anolis kentropyi* in Panama. *Salamandra* 44: 65-83.
- Pontes-da-Silva, E., Magnusson, W. E., Sinervo, B., Caetano, G. H., Miles, D. B., Colli, G. R., Diele-Viegas, L. M., Fenker, J., Santos, J. C. and Werneck, F. P. 2018. Extinction risks forced by climatic change and intraspecific variation in the thermal physiology of a tropical lizard. *Journal of Thermal Biology*, 73: 50-60.
- Pooley, A. C., Pooley, E., Hadley, W. F. and Gans, C. 1973. Ecological aspects of the distribution of subsoil herpetofauna in Ndumu Game Reserve. *Annals of the Carnegie Museum*, 44: 103-115.
- Pope, C. H. 1928. Four new snakes and a new lizard from South China. *American Museum Novitates* 325: 1-4.
- Pope, C. H. 1929. Notes on reptiles from Fukien and other Chinese provinces. *Bulletin of the American Museum of Natural History* 58: 335-487.
- Pope, C. H. 1935. Natural history of central Asia. Volume X: the reptiles of China, turtles, crocodilians, snakes, lizards. *American Museum of Natural History*, New York.

- Popova et al. 2019  
 Popova, S., Vacheva, E. and Tzankov, N. 2019. Sexual size dimorphism in the Balkan subspecies of the sand lizard *Lacerta agilis bosnica* Schreiber, 1912 (Reptilia: Lacertidae) in Bulgaria. Annual of Sofia University "St. Kliment Ohridski" Faculty of Biology Book 4 - Scientific Sessions of the Faculty of Biology 104: 141-153.
- Porter 2008  
 Porter, R. 2008. Keeping Australian geckos. Australian Reptile Keeper Publications, Adelaide.
- Portik et al. 2011  
 Portik, D. M., Bauer, A. M. and Jackman, T. R. 2011. Bridging the gap: western rock skinks (*Trachylepis sulcata*) have a short history in South Africa. Molecular Ecology 20: 1744-1758.
- Portik et al. 2013a  
 Portik, D. M., Mulungu, E. A., Sequeira, D. and McEntee, J. P. 2013. Herpetological surveys of the Serra Jeci and Namuli Massifs, Mozambique, and an annotated checklist of the southern Afromontane Archipelago. Herpetological Review, 44: 394-406.
- Portik et al. 2013b  
 Portik, D. M., Travers, S. L., Bauer, A. M. and Branch, W. R. 2013. A new species of *Lygodactylus* (Squamata: Gekkonidae) endemic to Mount Namuli, an isolated 'sky island' of northern Mozambique. Zootaxa 3710: 415-435.
- Portik et al. 2016  
 Portik, D. M., Jongasma, G. F. M., Kouette, M. T., Scheinberg, L. A., Freiermuth, B., Tapondjou, W. P. and Blackburn, D. C. 2016. A survey of amphibians and reptiles in the foothills of Mount Kupe, Cameroon. Amphibian & Reptile Conservation 10: 37-67.
- Portniagina et al. 2019  
 Portniagina, E. Y., Maslova, I. V. and Han, S. H. 2018. Habitat and altitudinal distribution of two lizard species of genus *Takydromus* from the Northeast Asia (Far East of Russia, Republic of Korea). Russian Journal of Herpetology, 25: 1-10.
- Porto et al. 2000  
 Porto, M., Soares, M. and Caramaschi, U. 2000. A new species of *Leposternon* (Amphisbaenia, Amphisbaenidae) from Minas Gerais, Brazil, with a key to the species of the genus (Amphisbaenia, Amphisbaenidae). Boletim do Museu Nacional, 412: 1-10.
- Post 2000  
 Post, M. J. 2000. The captive husbandry and reproduction of the Hosmer's Skink *Egernia hosmeri*. Herpetofauna 30: 2-6.
- Pough 1973a  
 Pough, F. H. 1973. Lizard energetics and diet. Ecology 54: 837-844.
- Pough 1973b  
 Pough, F. H. 1973. *Uma inornata*. Catalogue of American Amphibians and Reptiles 126: 1-2.
- Pough 1974  
 Pough, F. H. 1974. *Uma scoparia*. Catalogue of American Amphibians and Reptiles 155: 1-2.
- Pough 1977  
 Pough, F. H. 1977. *Uma notata*. Catalogue of American Amphibians and Reptiles 197: 1-2.
- Pough and Busack 1978  
 Pough, F. H. and Busack, S. J. 1978. Metabolism and activity of the Spanish fringe-toed lizard (Lacertidae: *Acanthodactylus erythrurus*). Journal of Thermal Biology 3: 203-205.
- Pough et al. 1978  
 Pough, F. H., Morafka, D. J. and Hillman, P. E. 1978. The ecology and burrowing behavior of the Chihuahuan fringe-footed lizard, *Uma exsul*. Copeia, 1978: 81-86.
- Pough et al. 1997  
 Pough, F. H., Preest, M. R. and Fusari, M. H. 1997. Prey-handling and the evolutionary ecology of sand-swimming lizards (Lerista : Scincidae). Oecologia 112: 351-361.
- Pough et al. 2001  
 Pough, F. H., Andrews, R. M., Cadle, J. E., Crump, M. L., Savitzky, A. H. and Wells, K. D., 2001. Herpetology: 2nd edition. Prentice Hall, New Jersey.
- Pough et al. 2003  
 Pough, F. H., Andrews, R. M., Cadle, J. E., Crump, M. L., Savitzky, A. H. and Wells, K. D., 2003. Herpetology: 3rd edition. Prentice Hall, New Jersey.
- Pough et al. 2016  
 Pough, F. H., Andrews, R. M., Crump, M. L., Savitzky, A. H., Wells, K. D. and Brändley, M. C. 2016. Herpetology. Fourth edition. Sinauer, Sunderland, MA.
- Pounds 1988  
 Pounds, J. A. 1988. Ecomorphology, locomotion and microhabitat structure: patterns in a tropical mainland Anolis community. Ecological Monographs, 58: 299-320.
- Pour et al. 2016  
 Pour, F. E., Rastegar-Pouyani, E. and Ghorbani, B. 2016. A preliminary study of the reptile's fauna in northwestern Yazd Province, Iran. Russian Journal of Herpetology 23: 243-248.
- Powell 1990  
 Powell, R. 1990. *Hemidactylus palaichthus*. Catalogue of American Amphibians and Reptiles 468: 1.
- Powell 1992  
 Powell, R. 1992. *Anolis porcatus*. Catalogue of American Amphibians and Reptiles 541: 1-5.
- Powell 1999a  
 Powell, R. 1999. *Anolis longiceps*. Catalogue of American Amphibians and Reptiles 693: 1-2.
- Powell 1999b  
 Powell, R. 1999. Herpetology of Navassa island, West Indies. Caribbean Journal of Science 35: 1-13.
- Powell 1999c  
 Powell, R. 1999. *Leiocephalus barahonensis*. Catalogue of American Amphibians and Reptiles 695: 1-4.
- Powell 1999d  
 Powell, R. 1999. *Leiocephalus eremicus*. Catalogue of American Amphibians and Reptiles 696: 1-2.
- Powell 2000  
 Powell, R. 2000. *Cyclura onchiopsis*. Catalogue of American Amphibians and Reptiles, 710: 1-3.
- Powell 2002  
 Powell, R. 2002. *Anolis aliniger* Mertens. Catalogue of American Amphibians and Reptiles, 748: 1-3.
- Powell 2006  
 Powell, R. 2006. Conservation of the herpetofauna on the Dutch Windward Islands: St. Eustatius, Saba, and St. Maarten. Applied Herpetology 3: 293-306.
- Powell 2019  
 Powell, R. 2019. *Leiocephalus personatus*. Catalogue of American Amphibians and Reptiles 922: 1-30.
- Powell and Bauer 2012a  
 Powell, R. and Bauer, A. M. 2012. *Anolis gingivinus*. Catalogue of American Amphibians and Reptiles 893: 1-8.
- Powell and Bauer 2012b  
 Powell, R. and Bauer, A. M. 2012. *Sphaerodactylus sputator* (Sparmann) Leeward banded sphaero, island dwarf gecko. Catalogue of American Amphibians and Reptiles 897: 1-7.
- Powell and Birt 2001  
 Powell, R. and Birt, R. A. 2001. *Anolis barkeri* Schmidt Barker's Anole, Abaniquillo Arroyero. Catalogue of American Amphibians and Reptiles, 727: 1-3.
- Powell and Carr 1990  
 Powell, R. and Carr, D. K. 1990. *Anolis whittemani*. Catalogue of American Amphibians and Reptiles 462: 1-2.
- Powell and Gifford 2010  
 Powell, R. and Gifford, M. E. 2010. *Leiocephalus lunatus*. Catalogue of American Amphibians and Reptiles 872: 1-5.
- Powell and Glor 2000  
 Powell, R. and Glor, R. E. 2000. *Cyclura stejnegeri*. Catalogue of American Amphibians and Reptiles, 711: 1-4.
- Powell and Henderson 2001  
 Powell, R. and Henderson, R. W. 2001. On the taxonomic status of some Lesser Antillean lizards. Caribbean Journal of Science, 37: 288-290.
- Powell and Henderson 2003a  
 Powell, R. and Henderson, R. W. 2003. A second set of addenda to the checklist of West Indian amphibians and reptiles. Herpetological Review, 34: 341-345.
- Powell and Henderson 2003b  
 Powell, R. and Henderson, R. W. 2003. The taxonomic and conservation status of giant Hispaniolan Celestus (Anguidae). Caribbean Journal of Science, 39: 237-240.
- Powell and Henderson 2005  
 Powell, R. and Henderson, R. W. 2005. A new species of *Gonatodes* (Squamata: Gekkonidae) from the West Indies. Caribbean Journal of Science, 41: 709-715.
- Powell and Henderson 2012  
 Powell, R. and Henderson, R. W. Editors. 2012. Island lists of West Indian amphibians and reptiles. Bulletin of the Florida Museum of Natural History 51: 85-166.
- Powell and Henderson 2017  
 Powell, R. and Henderson, R. W. 2017. Notes on the diets of some amphibians and reptiles of the St. Vincent and Grenada Banks (Lesser Antilles). IRCF Reptiles & Amphibians 24: 135-138.
- Powell and inchaustegui 2009  
 Powell, R. and inchaustegui, S. J. 2009. Conservation of the herpetofauna of the Dominican Republic. Applied Herpetology, 6: 103-122.
- Powell and Maxey 1990  
 Powell, R. and Maxey, S. A. 1990. *Hemidactylus brookii*. Catalogue of American Amphibians and Reptiles 493: 1-3.
- Powell and Neland 1998  
 Powell, R. and Neland, J. A. 1998. *Anolis eugenegrahami*. Catalogue of American Amphibians and Reptiles 672: 1-2.
- Powell and Russell 1984  
 Powell, G. L. and Russell, A. P. 1984. The diet of the eastern short-horned lizard (*Phrynosoma douglassi brevirostre*) in Alberta and its relationship to sexual size dimorphism. Canadian Journal of Zoology 62: 428-440.
- Powell et al. 1998  
 Powell, R., Crombie, R. I. and Boos, H. E. A. 1998. *Hemidactylus mabouia*. Catalogue of American Amphibians and Reptiles 674: 1-11.
- Powell et al. 2005  
 Powell, R., Henderson R. W. and Palmerlee, J. S. 2005. The reptiles and amphibians of the Dutch Caribbean St Eustatius, Saba, and St Maarten. International Union for the Conservation of Nature.
- Powell et al. 2006  
 Powell, M. A., Powell, R. and Henderson, R. W. 2006. *Anolis sabanus*. Catalogue of American Amphibians and Reptiles, 815: 1-5.
- Powell et al. 2016  
 Powell, R., Conant, R. and Collins, J. T. 2016. Peterson field guide to reptiles and amphibians of eastern and central North America. 4th edition. Houghton Mifflin Harcourt, New York.
- Powers et al. 2018  
 Powers, S. D., McTernan, M. R., Powers, D. R. and Anderson, R. A. 2018. Energetic consequences for a northern, range-edge lizard population. Copeia, 106: 468-476.
- Poyarkov et al. 2014  
 Poyarkov, N. A., Orlova, V. F. and Chirikova, M. A. 2014. The mitochondrial phylogeography and intraspecific taxonomy of the Steppe Racerunner, *Eremias arguta* (Pallas) (Lacertidae: Sauria, Reptilia), reflects biogeographic patterns in Middle Asia. Zootaxa 3895: 208-224.

- Poyarkov et al. 2019  
 Poyarkov, N. A., Geissler, P., Gorin, V. A., Dunayev, E. A., Hartmann, T. and Suwannapoom, C. 2019. Counting stripes: revision of the *Lipinia vittigera* complex (Reptilia, Squamata, Scincidae) with description of two new species from Indochina. *Zoological Research* 40: 358-393.
- Prasad et al. 2018  
 Prasad, V. K., Verma, A. and Shahabuddin, G. 2018. An annotated checklist of the herpetofauna of the Rashtrapati Bhawan Estates, New Delhi, India. *Journal of Threatened Taxa*, 10: 11295-11302.
- Prates et al. 2017  
 Prates, I., Melo-Sampaio, P. R., de Oliveira Drummond, L., Teixeira, M., Rodrigues, M. T. and Carnaval, A. C. 2017. Biogeographic links between southern Atlantic Forest and western South America: rediscovery, re-description, and phylogenetic relationships of two rare montane anole lizards from Brazil. *Molecular Phylogenetics and Evolution* 113: 49-58.
- Preest 1994  
 Preest, M. R. 1994. Sexual size dimorphism and feeding energetics in *Anolis carolinensis*: why do females take smaller prey than males? *Journal of Herpetology* 28: 292-298.
- Pregill 1984  
 Pregill, G. K. 1984. Durophagous feeding adaptations in an amphisbaenid. *Journal of Herpetology*, 18: 186-191.
- Pregill and Dye 1989  
 Pregill, G. K. and Dye, T. 1989. Prehistoric extinction of giant iguanas in Tonga. *Copeia* 1989: 505-508.
- Pregill and Steadman 2004  
 Pregill, G. K. and Steadman, D. W. 2004. South Pacific iguanas: Human impacts and a new species. *Journal of Herpetology* 38: 15-21.
- Pregill and Weisler 2007  
 Pregill, G. K. and Weisler, M. I. 2007. Lizards from prehistoric sites on Ebon Atoll, Marshall islands. *Micronesica* 39: 109-116.
- Pregill and Worthy 2003  
 Pregill, G. K. and Worthy, T. H. 2003. A new iguanid lizard (Squamata, Iguanidae) from the late Quaternary of Fiji, southwest Pacific. *Herpetologica* 59: 57-67.
- Presch 1973  
 Presch, W. 1973. A review of the tegus, lizard genus *Tupinambis* (Sauria: Teiidae) from South America. *Copeia* 1973: 740-746.
- Price 1986  
 Price, A. H. 1986. *Cnemidophorus tesselatus*. Catalogue of American Amphibians and Reptiles 398: 1-2.
- Price 1990  
 Price, A. H. 1990. *Phrynosoma cornutum*. Catalogue of American Amphibians and Reptiles 469: 1-7.
- Price et al. 1993  
 Price, A. H., Lapointe, J. L. and Atmar, J. W. 1993. The ecology and evolutionary implications of competition and parthenogenesis in *Cnemidophorus*. pages 371-410 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards (Genus Cnemidophorus)*. Oklahoma Museum of Natural History, Norman.
- Price-Rees et al. 2014  
 Price-Rees, S. J., Brown, G. P. and Shine, R. 2014. Activity patterns and movements of free-ranging bluetongue lizards (*Tiliqua scincoides intermedia* and *Tiliqua multifasciata*) in the Australian wet-dry tropics. *Journal of Herpetology*, 48: 1-10.
- Prieto-Ramirez et al. 2018  
 Prieto-Ramirez, A. M., Pe'er, G., Rodder, D. and Henle, K. 2018. Realized niches and microhabitat selection of the eastern green lizard (*Lacerta viridis*) at the core and periphery of its distribution range. *Ecology and Evolution*, 8: 1-10.
- Pringle et al. 2015  
 Pringle, R. M., Kimuyu, D. M., Sensenig, R. L., Palmer, T. M., Riginos, C., Veblen, K. E. and Young, T. P. 2015. Synergistic effects of fire and elephants on arboreal animals in an African savanna. *Journal of Animal Ecology* 84: 1-10.
- Probst 1999  
 Probst, J. M. 1999. Guide préliminaire des reptiles sédentaires de l'île de La Réunion et des îles éparpillées avec une liste des espèces migratrices et erratiques repertoriées depuis 10 ans. *Phaethon*, 10: 57-91.
- Promislow 1992  
 Promislow, D. Clobert, J. and Barbault, R. 1992. Life history allometry in mammals and squamate reptiles: taxon-level effects. *Oikos* 65: 285-294.
- Protzel et al. 2015  
 Protzel, D., Ruthensteiner, B., Scherz, M. D. and Glaw, F. 2015. Systematic revision of the Malagasy chameleons *Calumma boettgeri* and *C. linotum* (Squamata: Chamaeleonidae). *Zootaxa* 4048: 211-231.
- Protzel et al. 2016  
 Protzel, D., Ruthensteiner, B. and Glaw, F. 2016. No longer single! Description of female *Calumma vatosoa* (Squamata, Chamaeleonidae) including a review of the species and its systematic position. *Zoosystematics and Evolution* 92: 1-10.
- Protzel et al. 2017  
 Protzel, D., Vences, M., Scherz, M. D., Vieites, D. R. and Glaw, F. 2017. Splitting and lumping: An integrative taxonomic assessment of Malagasy chameleons in the *Calumma guibei* complex results in the new species *C. gehringi* sp. nov. *Vertebrate Zoology* 67: 231-249.
- Protzel et al. 2018a  
 Protzel, D., Hess, M., Scherz, M. D., Schwager, M., Padje, A. and Glaw, F. 2018. Widespread bone-based fluorescence in chameleons. *Scientific Reports*, 8: 698.
- Protzel et al. 2018b  
 Protzel, D., Vences, M., Hawlitschek, O., Scherz, M. D., Ratsoavina, F. M. and Glaw, F. 2018. Endangered beauties: micro-CT cranial osteology, molecular genetics and external morphology reveal three new species of chameleons in the *Calumma boettgeri* complex (Squamata: Chamaeleonidae). *Zoological Journal of the Linnean Society* 184: 471-498.
- Prudente et al. 2013  
 Prudente, A. L. C., Magalhaes, F., Menks, A. and Sarmento, J. F. d. M. 2013. Checklist of lizards of the Juruti, state of Pará, Brazil. *Check List* 9: 42-50.
- Prudente et al. 2018  
 Prudente, A. L. C., Sarmento, J. F. M., Avila-Pires, T. C. S., Maschio, G. and Sturaro, M. J. 2018. How much do we know about the diversity of Squamata (Reptilia) in the most degraded region of Amazonia. *South American Journal of Herpetology* 13: 117-130.
- Psonis et al. 2017  
 Psonis, N., Antoniou, A., Kukushkin, O., Jablonski, D., Petrov, B., Crnobrnja-isailovic, J., Sotiropoulos, K., Gherghel, I., Lymberakis, P. and Poulakakis, N. 2017. Hidden diversity in the *Podarcis tauricus* (Sauria, Lacertidae) species subgroup in the light of multilocus phylogeny and species delimitation. *Molecular Phylogenetics and Evolution* 106: 6-17.
- Puente et al. 2009  
 Puente, M., Glaw, F., Vieites, D. R. and Vences, M. 2009. Review of the systematics, morphology and distribution of Malagasy dwarf geckos, genera *Lygodactylus* and *Microscalabotes* (Squamata: Gekkonidae). *Zootaxa* 2103: 1-76.
- Pui and Das 2017  
 Pui, Y. M. and Das, I. 2017. Rediscovery and redescription of *Tropidophorus micropus* van Lith de Jeude, 1905 (Squamata: Sauria: Scincidae) from Sarawak, East Malaysia (Borneo). *Asian Herpetological Research* 8: 147-150.
- Pui et al. 2017  
 Pui, Y. M., Karin, B. R., Bauer, A. M. and Das, I. 2017. A new species of *Tropidophorus* Dumeril & Bibron, 1839 (Squamata: Sauria: Scincidae) from Sarawak, East Malaysia (Borneo). *Zootaxa*, 4258: 539-550.
- Punzo 1982  
 Punzo, F. 1982. Clutch and egg size in several species of lizards from the desert Southwest. *Journal of Herpetology*, 16: 414-417.
- Punzo 2001  
 Punzo, F. 2001. Studies on the natural history and ecology of sympatric whiptail lizards (*Cnemidophorus marmoratus* and *C. tesselatus*) from Madera Canyon (Brewster County, Texas). *Texas Journal of Science* 53: 43-54.
- Punzo 2007  
 Punzo, F. 2007. Life history, demography, diet and habitat associations in the southwestern earless lizard, *Cophosaurus texanus* scutulus from northern and southern limits of its geographical range. *Amphibia-Reptilia* 28: 65-76.
- Purwandana et al. 2015  
 Purwandana, D., Ariefiandy, A., imansyah, M. J., Ciofi, C., Forsyth, D. M., Gormley, A. M., Rudiharto, H., Seno, A., Fordham, D. A., Gillespie, G. and Jessop, T. S. 2015. Evaluating environmental, demographic and genetic effects on population-level survival in an island endemic. *Ecography* 38: 1060-1070.
- Pyron and Burbrink 2014  
 Pyron, R. A. and Burbrink, F. T. 2014. Early origin of viviparity and multiple reversions to oviparity in squamate reptiles. *Ecology Letters*, 17: 13-21.
- Pyron and Burbrink 2015  
 Pyron, R. A. and Burbrink, F. T. 2015. Contrasting models of parity mode evolution in squamate reptiles. *Journal of Experimental Biology* 324: 467-472.
- Qashqaei and Ahmadzadeh 2015  
 Qashqaei, A. T. and Ahmadzadeh, F. 2015. Dietary records of yellow-headed agama in Hormozgan Province, Iran. *Russian Journal of Herpetology* 22: 315-317.
- Qi et al. 2014  
 Qi, Y., Noble, D. W. A., Wu, Y. and Whiting, M. J. 2014. Sex- and performance-based escape behaviour in an Asian agamid lizard, *Phrynocephalus vlangalii*. *Behavioral Ecology and Sociobiology* 68: 2035-2042.
- Qi et al. 2019a  
 Qi, Y., Zhao, W., Huang, Y., Wang, X. and Zhao, Y. 2019. Correlation between climatic factors and genetic diversity of *Phrynocephalus forsythii*. *Asian Herpetological Research* 10: 270-275.
- Qi et al. 2019b  
 Qi, Y., Zhao, W., Huang, Y., Wang, X. and Zhao, Y. 2019. Correlation between climatic factors and genetic diversity of *Phrynocephalus forsythii*. *Asian Herpetological Research* 10: 270-275.
- Qing et al. 2015  
 Qing, N., Xiao, Z., Watkins-Colwell, G. J., Hou, M., Lu, W. H., Lazell, J. and Sun, Z. W. 2015. Additions to the reptile and amphibian fauna of Nan Ao island: A Chinese treasure trove of biogeographic patterns. *Bulletin of the Peabody Museum of Natural History*, 56: 107-124.
- Qiu et al. 2018  
 Qiu, X., Fu, J. and Qi, Y. 2018. Tail waving speed affects territorial response in the toad-headed agama *Phrynocephalus vlangalii*. *Asian Herpetological Research* 9: 182-187.
- Qomi et al. 2016  
 Qomi, F.M., Hosseinzadeh, M. S. and Kazemi, S. M. 2016. Studying morphological and environmental characteristics of the plateau snake skink *Ophiomorus nuchalis* Nilson and Andreu, 1978 (Sauria: Scincidae) in Central Plateau of Iran. *Iranian Journal of Animal Biosystematics* 11: 165-171.
- Qu et al. 2011a  
 Qu, Y. F., Gao, J-F., Mao, L-X. and Ji, X. 2011. Sexual dimorphism and female reproduction in two sympatric toad-headed lizards, *Phrynocephalus frontalis* and *P. versicolor* (Agamidae). *Animal Biology* 61: 139-151.
- Qu et al. 2011b  
 Qu, Y. F., Li, H., Gao, J. F., Xu, X. F. and Ji, X. 2011. Thermal preference, thermal tolerance and the thermal dependence of digestive performance in two coexisting *Phrynocephalus* lizards (Agamidae), with a review of species studied. *Current Zoology* 57: 684-700.
- Qu et al. 2011c  
 Qu, Y-F., Li, H., Gao, J-F. and Ji, X. 2011. Embryonic thermosensitivity and hatching morphology differ between two coexisting lizards. *Acta Oecologica* 37: 375-380.
- Qu et al. 2014  
 Qu, Y., Zhao, Q., Lu, H., and Ji, X. 2014. Population dynamics following the last glacial maximum in two sympatric lizards in Northern China. *Asian Herpetological Research*, 5: 213-227.
- Quah et al. 2013  
 Quah, E. S. H., Sah, S. A. M., Muin, M. A., Rahman, N. A. A., Mustafa, F. S. and Grismer, L. L. 2013. Species diversity of herpetofauna of Bukit Panchor State Park, Penang, Peninsular Malaysia. *Malayan Nature Journal*, 64: 193-211.
- Qualls and Shine 1998  
 Qualls, F. J. and Shine, R. 1998. Geographic variation in lizard phenotypes: importance of the incubation environment. *Biological Journal of the Linnean Society*, 64: 477-491.

- Qualls et al. 1994  
 Quatrini et al. 2001  
 Questel and Boggio 2012  
 Quezada-Riera et al. 2019  
 Quinn et al. 2010
- Quintela et al. 2011  
 Quinteros 2012  
 Quinteros et al. 2008a  
 Quinteros et al. 2008b  
 Quispitupac and Perez 2009  
 Qumsiyeh 2016  
 Qureshi et al. 2012  
 Quyet and Ziegler 2003  
 Rabosky and Glor 2010  
 Rabosky et al. 2007
- Rabosky et al. 2017  
 Rabosky et al. 2019  
 Rachid et al. 2016  
 Radachowsky et al. 2003  
 Radder and Shanbhag 2003  
 Radder and Shine 2007  
 Radder et al. 2006  
 Radder et al. 2008  
 Radocaj et al. 2011  
 Radtkey et al. 1997  
 Rage 2012  
 Rahemo and Mohamad 2014
- Rahman 2016  
 Rahman and Rakhimov 2019  
 Rahmi et al. 2012
- Rai and Chettri 2019  
 Raia et al. 2010  
 Raia et al. 2016
- Rais et al. 2012  
 Rais et al. 2014  
 Rajabizadeh and Rastegar-Pouyani 2009  
 Rajabizadeh et al. 2010  
 Rajabizadeh et al. 2018
- Rajapaksha et al. 2006  
 Rakotondravony and Goodman 2011  
 Ramalho et al. 2018  
 Ramanamanjato 2000
- Ramanamanjato et al. 1999a  
 Ramanamanjato et al. 1999b
- Ramesh et al. 2013  
 Ramirez Bautista and Arizmendi 2004  
 Ramirez Bautista and Arizmendi 2004a
- Qualls, C. P., Shine, R., Donnellan, S. and Hutchinson, M. 1995. The evolution of viviparity within the Australian scincid lizard *Lerista bougainvillii*. *Journal of Zoology* 237: 13-26.
- Quatrini, R., Albino, A. and Barg, M. 2001. Morphological variation and diet in two *Liolaemus elongatus* Koslowsky, 1896 (Iguania: Tropiduridae) populations from northwestern Patagonia. *Revista Chilena de Historia Natural* 74: 639-646.
- Questel, K. and Boggio, J. 2012. *Spondylurus powelli* (Anguilla Bank skink). Reproduction. *Caribbean Herpetology* 35: 1.
- Quezada-Riera, A., Alarcon, I. P., Aguirre-Pesantez, J. and Urgiles, V. L. 2019. *Stenocercus festae* (Peracca's whorltail iguana). Reproduction. *Herpetological Review* 50: 791-792.
- Quinn, D. P., McTaggart, A. L., Bellah, T. A., Bentz, E. J., Chambers, L. G., Hedman, H. D., John, R. R., Pagan, D. N. M. and Rodriguez, M. J. R. 2010. The reptiles of Union island, St. Vincent and the Grenadines. *IRCF Reptiles & Amphibians*, 17: 222-233.
- Quintela, F. M., Medvedovsky, I. G., Ibarra, C., Neves, L. F. M. and Figueiredo, M. R. C. 2011. Reptiles recorded in Marinheiros Island, Patos Lagoon estuary, southern Brazil. *Herpetology Notes*, 4: 57-62.
- Quinteros, A. S. 2012. Taxonomy of the *Liolaemus alticlor-bibrionii* group (Iguania: Liolaemidae), with descriptions of two new species. *Herpetologica*, 68: 100-120.
- Quinteros, A. S., Abdala, C. S. and Lobo, F. J. 2008. Redescription of *Liolaemus dorbignyi* Koslowsky, 1898 and description of a new species of *Liolaemus* (Iguania: Liolaemidae). *Zootaxa* 1717: 51-67.
- Quinteros, A. S., Abdala, C. S., Diaz Gomez, J. M. and Scrocchi, G. J. 2008. Two new species of *Liolaemus* (Iguania: Liolaemidae) of Central West Argentina. *South American Journal of Herpetology* 3: 101-111.
- Quispitupac, E. and Perez, J. Z. 2009. Diet of the beach lizard *Microlophus peruvianus* (Reptilia : Tropiduridae) in the Santo Domingo beach, ica, Peru. *Revista Peruana de Biología* 15: 129-130.
- Qumsiyeh, M. 2016. Fauna of Wadi Al-Quff Protected Area: Amphibians, reptiles and mammals. *Jordan Journal of Natural History*, 3: 70-78.
- Qureshi, G., Malik, S. and Dilawar, A. 2012. Effect of experimental variation of temperature on serum triglycerides in *Uromastyx hardwickii*. *Pakistan Journal of Physiology* 8: 13-14.
- Quyet, L. C. and Ziegler, T. 2003. First record of the Chinese crocodile lizard from outside of China: Report on a population of *Shinisaurus crocodilurus* Ahl, 1930 from North-eastern Vietnam. *Hamadryad*, 27: 193-199.
- Rabosky, D. L. and Glor, R. E. 2010. Equilibrium speciation dynamics in a model adaptive radiation of island lizards. *Proceedings of the National Academy of Sciences, USA* 107: 22178-22183.
- Rabosky, D. L., Donnellan, S. C., Talaba, A. L. and Lovette, I. J. 2007. Exceptional among-lineage variation in diversification rates during the radiation of Australia's most diverse vertebrate clade. *Proceedings of the Royal Society of London B*, 274: 2915-2923.
- Rabosky, D. L., Doughty, P. and Huang, H. 2017. Lizards in pinstripes: morphological and genomic evidence for two new species of scincid lizards within *Ctenotus piankai* Storr and *C. duricola* Storr (Reptilia: Scincidae) in the Australian arid zone. *Zootaxa* 4303: 1-26.
- Rabosky, D. L., von May, R., Gründler, M. C. and Davis Rabosky, A. R. 2019. The Western Amazonian richness gradient for squamate reptiles: are there really fewer snakes and lizards in Southwestern Amazonian Lowlands?. *Herpetology Notes*, 9: 167-169.
- Rachid, R., Ramdane, D., Salima, R., Sara, B. and Nadia, Z. 2016First records of the rainbow mabuya *Trachylepis quinquetaeniata* (Lichtenstein, 1823) (Squamata: Scincidae) in Algeria. *Herpetology Notes*, 9: 167-169.
- Radachowsky, J., Anleu, R. G. and Kohler, G. 2003. First record of *Ctenosaura alfredschmidti* Kohler, 1995 in Guatemala. *Salamandra* 40: 11-13.
- Radder, R. S. and Shanbhag, B. A. 2003. Interrelationships among reproductive traits of female lizard, *Sitana ponticeriana* (Cuvier). *Current Science* 85: 89-91.
- Radder, R. and Shine, R. 2007. Germinal bed condition in a polyautochthonous single-clutched lizard, *Bassiana duperreyi* (Scincidae). *Amphibia-Reptilia* 28: 159-162.
- Radder, R. S., Saidapur, S. K. and Shanbhag, B. A. 2006. Big boys on top: effects of body size, sex and reproductive state on perching behaviour in the tropical rock dragon, *Psammophilus dorsalis*. *Animal Biology* 56: 311-321.
- Radder, R. S., Pizzatto, L. and Shine, R. 2008. Morphological correlates of life-history variation: is lizard clutch size related to the number of germinal beds in the ovary? *Biological Journal of the Linnean Society*, 94: 81-88.
- Radocaj, M., Jelic, D., Karaica, D. and Kapelj, S. 2011. Morphological and reproductive traits of the insular population of *Podarcis siculus* (Reptilia: Lacertidae) from Krk island (Croatia). *Hyla* 2: 5-22.
- Radtkey, R. R., Fallon, S. M. and Case, T. J. 1997. Character displacement in some Cnemidophorus lizards revisited: A phylogenetic analysis. *Proceedings of the National Academy of Sciences of the United States of America* 94: 9740-9744.
- Rage, J.-C. 2012. Amphibians and squamates in the Eocene of Europe: what do they tell us? *Palaeobiodiversity and Palaeoenvironments* 92: 445-457.
- Rahemo, Z. I. F. and Mohamad, S. I. 2014. Lizards biodiversity in arid regions of Iraq. Pages 115-123. In: *Biotechnology and Conservation of Species from Arid Regions*, Editors: S. A. Farooq, R. Abed and S. Baqir, Science Publishers, inc. New York, U.S.A.,
- Rahman, M. F. S. B. A. 2016. Species composition and diversity of reptiles in lowland forests of Sekayu, Terengganu. BSc. Thesis, Universiti Malaysia Terengganu.
- Rahman, K. M. M. and Rakhimov, I. I. 2019. Activity patterns and feeding ecology of the semi-aquatic *Varanus flavescens* (Reptilia: Varanidae). *Russian Journal of Herpetology* 26: 91-97.
- Rahmi, Y., Kamsi, M., McGuire, J. A., Bickford, D. P. and Iskandar, D. T. 2012. The distribution of *Gonocephalus* species (Reptilia, Iguania, Agamidae) on Sumatra, Indonesia. Pages 119-128 in the Proceedings of the 2nd international Symposium for Sustainable Humanosphere, Bandung.
- Rai, A. and Chettri, B. 2019. Tokay gecko: note on *Gekko gecko* (Linnaeus, 1758) with its recent sighting in Meghalaya. *Reptile Rap* #192. In: *Zoo's Print* 34: 11-14.
- Raia, P., Guarino, F. M., Turano, M., Polese, G., Rippa, D., Carotenuto, F., Monti, D. M., Cardi, M. and Fulgione, D. 2010. The blue lizard spandrel and the island syndrome. *BMC Evolutionary Biology* 10: 289 doi:10.1186/1471-2148-10-289.
- Raia, P., Ferranti, L., Castiglione, S., Melchionna, M., Saggesse, F., Raimondi, R., Serio, C., Carotenuto, F., Passaro, F. and Antonioli, F. 2016. Predicted sea-level changes and evolutionary estimates for age of isolation in Central Mediterranean insular lizards. *The Holocene* 27: 418-426.
- Rais, M., Baloch, S., Rehman, J., Anwar, M., Hussain, I. and Mahmood, T. 2012. Diversity and conservation of amphibians and reptiles in North Punjab, Pakistan. *The Herpetological Bulletin* 122: 16-25.
- Rais, M., Rehman, J., Baloch, S., Ali, S. M. and Hussain, I. 2014. On the herpetofauna in Loi Bher Wildlife Park, Rawalpindi, Pakistan. *Taprobanica*, 6: 56-58.
- Rajabizadeh, M. and Rastegar-Pouyani, N. 2009. Two new records of reptiles (Reptilia: Squamata) from southeastern Iran. *Turkish Journal of Zoology* 33: 103-104.
- Rajabizadeh, M., Rastegar-Pouyani, N., Khosrovani, A., Barani-Beiranvand, H., Faizi, H. and Oraei, H. 2010. New records of lacertid genera, *iranolacerta* and *Apathya* (*Sauria: Lacertidae*) in Iran. *Iranian Journal of Animal Rajabizadeh, M., Faizi, H., Anderson, S. C., Zarrintab, M. and Nazarov, R. 2018. Taxonomic status of *Tropiocolotes* cf. steudneri with a description of a new species of *Tropiocolotes* (Reptilia: Squamata: Gekkonidae) in southern Iran. *Zootaxa* 4388: 283-291.*
- Rajapaksha, D. R. N. S., Samarawickrama, V. A. M. P. K. and Ranawana, K. B. 2006. Herpetofaunal diversity in Dothalugala man and Biosphere Reserve, of the Knuckles Forest Range, Sri Lanka. *Russian Journal of Herpetology*, 13: 297-311.
- Ramalho, W. P., Silva, J. R., Soares, P. T., Ferraz, D., Arruda, F. V. and Prado, V. H. M. 2018. The anurans and squamates of a peri-urban Cerrado remnant in the State of Goias, Central Brazil. *Herpetology Notes*, 11: 573-583.
- Ramanamanjato, J. B. 2000. Fragmentation effects on the reptile and amphibian diversity in the littoral forest os southeastern Madagascar. Pages 297-308 in G. Rheinwald, ed. *Isolated vertebrate communities in the tropics*: Bonner Zoologische Monographien 46. Zoologisches Forschungsinstitut und Museum A. Koenig, Bonn, Germany.
- Ramanamanjato, J. B., Nussbaum, R. A. and Raxworthy, C. J. 1999. A new species of *Mabuya Fitzinger* (Reptilia: Squamata: Scincidae) from the Onilahy River of south-west Madagascar. *Herpetological Journal* 9: 65-72.
- Ramanamanjato, J. B., Nussbaum, R. A. and Raxworthy, C. J. 1999. A new species of *Mabuya Fitzinger* (Squamata: Scincidae: Lygosominae) from northern Madagascar. *Occasional Papers of the Museum of Zoology*, University of Michigan 728: 1-22.
- Ramesh, T., Hussain, K. J., Satpathy, K. K. and Selvanayagam, M. 2013. Community composition and distribution of herpetofauna at Kalpakkam Nuclear campus, Southern India. *Herpetology Notes*, 6: 343-351.
- Ramirez Bautista, A. and Arizmendi, M. C. 2004. *Crotaphytus collaris*. Sistematica e historia natural de algunos anfibios y reptiles de Mexico. Facultad de Estudios Superiores iztacala, Unidad de Biologia, Tecnologia y Prototipos (UBiPRO), Universidad Nacional Autonoma de Mexico. Bases de datos SNIB-CONABIO. Proyecto W013. Mexico. D.F.
- Ramirez Bautista, A. and Arizmendi, M. C. 2004. *Anolis barkeri*. Sistematica e historia natural de algunos anfibios y reptiles de Mexico. Facultad de Estudios Superiores iztacala, Unidad de Biologia, Tecnologia y Prototipos (UBiPRO), Universidad Nacional Autonoma de Mexico. Bases de datos SNIB-CONABIO. Proyecto W013. Mexico. D.F.



- Ramirez Bautista et al. 2004d Ramirez Bautista, A., Mendoza Quijano, F. and Arizmendi, M. C. 2004. Phrynosoma braconieri. Estatus y conservacion de algunos anfibios y reptiles de Mexico. Facultad de Estudios Superiores iztacala, Unidad de Biologia, Tecnologia y Prototipos (UBiPRO), Universidad Nacional Autonoma de Mexico. Bases de datos SNIb-CONABIO. Proyecto W043. Mexico. D.F.
- Ramirez Bautista et al. 2004e Ramirez Bautista, A., Mendoza Quijano, F. and Arizmendi, M. C. 2004. Phrynosoma ditmarsi. Estatus y conservacion de algunos anfibios y reptiles de Mexico. Facultad de Estudios Superiores iztacala, Unidad de Biologia, Tecnologia y Prototipos (UBiPRO), Universidad Nacional Autonoma de Mexico. Bases de datos SNIb-CONABIO. Proyecto W043. Mexico. D.F.
- Ramirez Bautista et al. 2004f Ramirez Bautista, A., Mendoza Quijano, F. and Arizmendi, M. C. 2004. Phrynosoma mcallii. Estatus y conservacion de algunos anfibios y reptiles de Mexico. Facultad de Estudios Superiores iztacala, Unidad de Biologia, Tecnologia y Prototipos (UBiPRO), Universidad Nacional Autonoma de Mexico. Bases de datos SNIb-CONABIO. Proyecto W043. Mexico. D.F.
- Ramirez Bautista et al. 2004g Ramirez Bautista, A., Mendoza Quijano, F. and Arizmendi, M. C. 2004. Phrynosoma taurus. Estatus y conservacion de algunos anfibios y reptiles de Mexico. Facultad de Estudios Superiores iztacala, Unidad de Biologia, Tecnologia y Prototipos (UBiPRO), Universidad Nacional Autonoma de Mexico. Bases de datos SNIb-CONABIO. Proyecto W043. Mexico. D.F.
- Ramirez Bautista et al. 2004h Ramirez Bautista, A., Mendoza Quijano, F. and Arizmendi, M. C. 2004. Scincella gemmingeri forbesorum. Estatus y conservacion de algunos anfibios y reptiles de Mexico. Facultad de Estudios Superiores iztacala, Unidad de Biologia, Tecnologia y Prototipos (UBiPRO), Universidad Nacional Autonoma de Mexico. Bases de datos SNIb-CONABIO. Proyecto W043. Mexico. D.F.
- Ramirez Leyton and Pincheira-Donoso 2005 Ramirez Leyton, G. M. and Pincheira-Donoso, D. 2005. Fauna del Altiplano y Desierto de Atacama. *Phrynosaura* Ediciones, Chile.
- Ramirez-Alvarez and Troncoso-Palacios 2016 Ramirez-Alvarez, D. and Troncoso-Palacios, J. 2016. *Liolemus septentrionalis* Pincheira-Donoso & Nunez, 2005 (Squamata: Liolemaidae): Primer registro en la Region de O'Higgins, Chile. Cuadernos de Herpetología 30: 41-42.
- Ramirez-Bautista and Davila-Ulloa 2009 Ramirez-Bautista, A. and Davila-Ulloa, E. G. 2009. Reproductive characteristics of a population of *Sceloporus dugesii* (Squamata: Phrynosomatidae) from Michoacan, Mexico. The Southwestern Naturalist 54: 400-408.
- Ramirez-Bautista and Gonzalez-Romero 2002 Ramirez-Bautista, A. and Gonzalez-Romero, A. 2002. Some reproductive and feeding characteristics of the viviparous Mexican lizard *Sceloporus torquatus* (Phrynosomatidae). The Southwestern Naturalist 47: 98-102.
- Ramirez-Bautista and Gutierrez-Mayen 2003 Ramirez-Bautista, A. and Gutierrez-Mayen, G. 2003. Reproductive ecology of *Sceloporus uniformis* (Sauria : Phrynosomatidae) from a tropical dry forest of Mexico. Journal of Herpetology 37: 1-10.
- Ramirez-Bautista and Olivera-Becerril 2004 Ramirez-Bautista, A. and Olivera-Becerril, V. 2004. Reproduction in the boulder spiny lizard, *Sceloporus pyrocephalus* (Sauria: Phrynosomatidae), from a tropical dry forest of Mexico. Journal of Herpetology 38: 225-231.
- Ramirez-Bautista and Pardo-De La Rosa 2002 Ramirez-Bautista, A. and Pardo-De La Rosa, D. 2002. Reproductive cycle and characteristics of the widely-foraging lizard, *Cnemidophorus communis*, from Jalisco, Mexico. The Southwestern Naturalist 47: 205-214.
- Ramirez-Bautista and Vitt 1997 Ramirez-Bautista, A. and Vitt, L. J. 1997. Reproduction in the lizard *Anolis nebulosus* (Polychrotidae) from the Pacific coast of Mexico. Herpetologica 53: 423-431.
- Ramirez-Bautista and Vitt 1998 Ramirez-Bautista, A. and Vitt, L. J. 1998. Reproductive biology of *Urosaurus bicarinatus* (Sauria : Phrynosomatidae) from a tropical dry forest of Mexico. The Southwestern Naturalist 43: 381-390.
- Ramirez-Bautista et al. 1998 Ramirez-Bautista, A., Barba-Torres, J. and Vitt, L. J. 1998. Reproductive cycle and brood size of *Eumeces lynxe* from Pinal de Amoles, Queretaro, Mexico. Journal of Herpetology 32: 18-24.
- Ramirez-Bautista et al. 2000 Ramirez-Bautista, A., Balderas-Valdivia, C. and Vitt, L. J. 2000. Reproductive ecology of the whiptail lizard *Cnemidophorus lineatissimus* (Squamata : Teiidae) in a tropical dry forest. Copeia 2000: 712-722.
- Ramirez-Bautista et al. 2004 Ramirez-Bautista, A., Jimenez-Cruz, E. and Marshall, J. C. 2004. Comparative life history for populations of the *Sceloporus grammicus* complex (Squamata : Phrynosomatidae). Western North The American Naturalist 64: 175-183.
- Ramirez-Bautista et al. 2005 Ramirez-Bautista, A., Ortiz-Cruz, A. L., Arizmendi, M. D. and Campos, J. 2005. Reproductive characteristics of two syntopic lizard species, *Sceloporus gadoviae* and *Sceloporus jalapae* (Squamata : Phrynosomatidae), from Tehuacan Valley, Puebla, Mexico. Western North The American Naturalist 65: 202-209.
- Ramirez-Bautista et al. 2008 Ramirez-Bautista, A., Vitt, L. J., Ramirez-Hernandez, A., Quijano, F. M. and Smith, G. R. 2008. Reproduction and sexual dimorphism of *Lepidophyma sylvaticum* (Squamata: Xantusiidae), a tropical night lizard from Tlanchinol, Hidalgo, Mexico. Amphibia-Reptilia 29: 207-216.
- Ramirez-Bautista et al. 2009 Ramirez-Bautista, A., Smith, G. R. and Hernandez-ibarra, X. 2009. Reproduction and sexual dimorphism in the whiptail lizard *Aspidoscelis gularis* (Squamata: Teiidae) in Guadalcazar, San Luis Potosoi, Mexico. The Southwestern Naturalist 54: 400-408.
- Ramirez-Bautista et al. 2012 Ramirez-Bautista, A., Stephenson, B. P., Hernandez-ibarra, X., Hernandez-Salinas, U., Cruz-Elizalde, R., Lozano, A. and Smith, G. R. 2012. Reproductive strategy of male and female eastern spiny lizards *Sceloporus spinosus* (Squamata: Phrynosomatidae) from a region of the Chihuahuan Desert, Mexico. Acta Herpetologica 7: 239-252.
- Ramirez-Bautista et al. 2014 Ramirez-Bautista, A., Hernandez-Salinas, U., Cruz-Elizalde, R., Berriozabal-islas, C., Lara-Tufino, D., Mayer-Goyenechea, I. G. and Castillo-Ceron, J. M. 2014. Los anfibios y reptiles de Hidalgo, Mexico: diversidad, biogeografia y endemismo. Salamanca 51: 73-82.
- Ramirez-Bautista et al. 2016a Ramirez-Bautista, A., Hernandez-Salinas, U., Cruz-Elizalde, R., Lozano, A. and Rodriguez-Romero, F. J. 2016. Sexual dimorphism and reproductive traits over time in *Sceloporus aeneus* (Squamata: Phrynosomatidae), based on a population in the TransMexican Volcanic Belt, Mexico. Salamanca 52:
- Ramirez-Bautista et al. 2016b Ramirez-Bautista, A., Lozano, A., Hernandez-Salinas, U. and Cruz-Elizalde, R. 2016. Female reproductive characteristics among populations of the oviparous lizard *Sceloporus aeneus* (Squamata: Phrynosomatidae) from Central Mexico. Herpetologica, 72: 196-201.
- Ramirez-Bautista et al. 2017 Ramirez-Bautista, A., Cruz-Elizalde, R., Hernandez-Salinas, U., Lozano, A. and Grummer, J. A. 2017. Reproductive trait variation in the *Sceloporus scalaris* species group (Squamata: Phrynosomatidae) from the Transvolcanic Belt, Mexico. Biological Journal of the Linnean Society 122: 838-849.
- Ramirez-Jaramillo 2018 Ramirez-Jaramillo, S. M. 2018. Primer reporte de cifoescclerosis en *Stenocercus guentheri* (Iguania: Tropiduridae), Andes Norte de Ecuador. Cuadernos de Herpetología 32: 55-57.
- Ramirez-Pinilla 1995 Ramirez-Pinilla, M. P. 1995. Reproductive and fat body cycles of the oviparous lizard *Liolemus bitaeniatus* (Sauria: Tropiduridae). Journal of Herpetology, 29: 256-260.
- Ramirez-Pinilla et al. 2002 Ramirez-Pinilla, M. P., Serrano, V. H. and Galeano, J. C. 2002. Annual reproductive activity of *Mabuya mabouya* (Squamata, Scincidae). Journal of Herpetology, 36: 667-677.
- Ramirez-Pinilla et al. 2009 Ramirez-Pinilla, M. P., Calderon-Espinosa, M. L., Flores-Villela, O., Munoz-Alonso, A. and Mendez de la Cruz, F. R. 2009. Reproductive activity of three sympatric viviparous lizards at Omiltemi, Guerrero, Sierra Madre del Sur, Mexico. Journal of Herpetology, 43: 409-420.
- Ramirez-Reyes and Flores-Villela 2018 Ramirez-Reyes, T. and Flores-Villela, O. 2018. Taxonomic changes and description of two new species for the *Phyllodactylus lanei* complex (Gekkota: Phyllodactylidae) in Mexico. Zootaxa 4407: 151-190.
- Ramirez-Sandoval et al. 2006 Ramirez-Sandoval, E., Ramirez-Bautista, A. and Vitt, L. J. 2006. Reproduction in the lizard *Phyllodactylus lanei* (Squamata: Gekkonidae) from the Pacific coast of Mexico. Copeia 2006: 1-9.
- Ramiro et al. 2017 Ramiro, C. N., Junior, M. T. and Rodrigues, M. T. 2017. Reproductive biology of three sympatric species of gymnophthalmid lizards from the sand dunes of the Middle Sao Francisco River, Bahia, Brazil. South American Journal of Herpetology, 12: 76-88.
- Ramiro et al. 2019 Ramiro, C. N., Recoder, R. S. and Rodrigues, M. T. 2019. Geographic variation in the morphology of the sand-dwelling lizard *Nothobachia ablephara* (Squamata: Gymnophthalmidae). Phylomedusa: 18: 195-207.
- Ramos and Powell 2001a Ramos, Y. M. and Powell, R. 2001. *Anolis chlorocyanus* Dumeril and Bibron. Catalogue of American Amphibians and Reptiles, 728: 1-6.
- Ramos and Powell 2001b Ramos, Y. M. and Powell, R. 2001. *Anolis coelestinus* Cope. Catalogue of American Amphibians and Reptiles, 729: 1-5.
- Ramos-Pallares et al. 2010 Ramos-Pallares, E., Serrano-Cardozo, V. H. and Ramirez-Pinilla, M. P. 2010. Reproduction of *Ptychoglossus bicolor* (Squamata: Gymnophthalmidae) in an Andean coffee shade plantation in Colombia. South American Journal of Herpetology 5: 143-150.
- Ramos-Pallares et al. 2015 Ramos-Pallares, E., Anaya-Rojas, J. M., Serrano-Cardozo, V. H. and Ramirez-Pinilla, M. P. 2015. Feeding and reproductive ecology of *Bachia bicolor* (Squamata: Gymnophthalmidae) in urban ecosystems from Colombia. Journal of Herpetology 49: 108-117.
- Ramos-Pallares et al. 2017 Ramos-Pallares, E., Meza-Joya, F. L. and Hernandez-Jaimes, C. 2017. *Bachia bicolor* (Cope 1896). Catalogo de Anfibios y Reptiles de Colombia 3: 43-51.
- Ramsey 2000 Ramsey, D. 2000. Diporiphora australis. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/biol/zooiology/herp/NQherplist.shtml>. 3pp. Downloaded February 4th, 2009.
- Ranawana and Bambaradenyia 1998 Ranawana, K. B. and Bambaradenyia, C. N. B. 1998. Agamid lizards in three montane zone protected areas in Sri Lanka. pages 261-267 in de Silva, A. (editor). Biology and Conservation of the Amphibians, Reptiles and their habitats in South Asia. Proceedings of the international Conference on the Biology and Conservation of Amphibians and Reptiles of South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka (ARROS).
- Rand 1957 Rand, A. S. 1957. Notes on amphibians and reptiles from El Salvador. Fieldiana Zoology, 34: 505-534.

- Rand 1962
- Rand 1963
- Rand 1964
- Rand 1967a
- Rand 1967b
- Rand 1968
- Rand 1982
- Rand and Myers 1990
- Rand and Williams 1969
- Rand et al. 1975
- Randriamahazo 2002
- Randriamahazo and Mori 2001
- Randriamahazo and Mori 2004
- Rangasamy et al. 2014
- Rankin and Gillam 1979
- Rao 1998
- Rao et al. 2017
- Rappeport 1974
- Raselimanana 2004
- Raselimanana and Rakotomalala 2004a
- Raselimanana and Rakotomalala 2004b
- Raselimanana et al. 2000
- Raselimanana et al. 2006
- Rasilla 2008
- Rasmussen et al. 2011
- Rastegar-Pouyani 2000
- Rastegar-Pouyani 2005
- Rastegar-Pouyani 2006
- Rastegar-Pouyani and Fattahi 2015
- Rastegar-Pouyani and Rastegar-Pouyani 2001
- Rastegar-Pouyani and Torki 2007
- Rastegar-Pouyani et al. 2008
- Rastegar-Pouyani et al. 2011a
- Rastegar-Pouyani et al. 2011b
- Rastegar-Pouyani et al. 2013
- Rastegar-Pouyani et al. 2015
- Rastegar-Pouyani, N., Amidi, A. and Torki, F. Rathnayake et al. 2003
- Rato et al. 2015
- Ratsoavina et al. 2013
- Ratsoavina et al. 2017
- Ratsoavina et al. 2019
- Rauhala 1993
- Rautenberg and Laps 2010
- Raw and Brothers 2008
- Rawat et al. 2019
- Rawlinson 1974
- Raxworthy 1991
- Raxworthy 2004
- Rand, A. S. 1962. Notes on Hispaniolan herpetology 5. the natural history of three sympatric species of *Anolis*. *Breviora* 154: 1-15.
- Rand, A. S. 1963. Notes on the *Chamaeleo betaeniatius* complex. *Bulletin of the Museum of Comparative Zoology* 130: 1-29.
- Rand, A. S. 1964. Ecological distribution in anoline lizards of Puerto Rico. *Ecology*, 45: 745-752.
- Rand, A. S. 1967. Ecology and social organization in the iguanid lizard *Anolis lineatopus*. *Proceedings of the U.S. National Museum* 122: 1-79.
- Rand, A. S. 1967. The ecological distribution of the anoline lizards around Kingston, Jamaica. *Breviora* 272: 1-18.
- Rand, A. S. 1968. The ecological distribution of anoline lizards around Kingston, Jamaica. *Breviora* 272: 1-18.
- Rand, A. S. 1982. Clutch and egg size in Brazilian iguanid lizards. *Herpetologica*, 38: 171-178.
- Rand, A. S. and Myers, C. W. 1990. The Herpetofauna of Barro Colorado island, Panama: an ecological summary. Pages 386-409 in A. H. Gentry 1990. (editor). *Four Neotropical rainforests*. Yale University Press, New Haven.
- Rand, A. S. and Williams, E. E. 1969. The anoles of La Palma: aspects of their ecological relationships. *Breviora* 327: 1-19.
- Rand, A. S., Gorman, G. C. and Rand, W. M. 1975. Natural history, behavior, and ecology of *Anolis agassizii*. *Smithsonian Contributions to Zoology* 176: 27-38.
- Randriamahazo, H. J. A. R. 2002. Sexual size dimorphism in the lizard *Oplurus cuvieri cuvieri* (Squamata, Opluridae) from Madagascar. *African Zoology* 35: 287-293.
- Randriamahazo, H. J. A. R. and Mori, A. 2001. Egg-laying activities and reproductive traits in females of *Oplurus cuvieri cuvieri*. *Journal of Herpetology*, 35: 209-217.
- Randriamahazo, H. J. A. R. and Mori, A. 2004. Thermal biology of an iguanian lizard, *Oplurus cuvieri cuvieri*, in a tropical dry forest of Madagascar. *Current Herpetology* 23: 53-62.
- Rangasamy, V., Chandra, K. Raghunathan, C. and Venkataraman, K. 2014. Amphibians and reptiles in Andaman and Nicobar islands: Diversity and distribution. *Uttar Pradesh State Biodiversity Board*. 22nd May 2014, international Day for Biological Diversity: island Biodiversity: 124-130.
- Rankin, P. R. and Gillam, M. W. 1979. A new lizard in the genus *Ctenotus* (Lacertilia: Scincidae) from the Northern Territory with notes on its biology. *Records of the Australian Museum* 32: 501-511.
- Rao, M. V. S. 1998. Some observations on the thermoregulatory and feeding behaviour of a fan throated lizard, *Sitana ponticeriana* Cuvier. page 269 in de Silva, A. (editor). *Biology and Conservation of the Amphibians, Reptiles and their habitats in South Asia*. Proceedings of the international Conference on the Biology and Conservation of Amphibians and Reptiles of South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka (ARROS).
- Rao, D., Vindum, J. V., Ma, X., Fu, M. and Wilkinson, J. A. 2017. A new species of *Japalura* (Squamata, Agamidae) from the Nu river valley in southern Hengduan Mountains, Yunnan, China. *Asian Herpetological Research* 8: 86-95.
- Rappeport, D. 1974. Effects of temperature on energetic cost of locomotion in the dabb lizard, *Uromastyx aegyptius*. MSc. Thesis, Tel Aviv University.
- Raselimanana, A. P. 2004. *Gerrhosauridae*, plated lizards. pages 978-983 in Goodman, S. M. and Benstead, J. P. editors. *The natural history of Madagascar*. University of Chicago Press, Chicago.
- Raselimanana, A. P. and Rakotomalala, D. 2004. *Chamaeleonidae*, chameleons. pages 960-969 in Goodman, S. M. and Benstead, J. P. editors. *The natural history of Madagascar*. University of Chicago Press, Chicago.
- Raselimanana, A. P. and Rakotomalala, D. 2004. *Scincidae*, skinks. pages 983-986 in Goodman, S. M. and Benstead, J. P. editors. *The natural history of Madagascar*. University of Chicago Press, Chicago.
- Raselimanana, A. P., Raxworthy, C. J. and Nussbaum, R. A. 2000. A revision of the dwarf *Zonosaurus* Boulenger (Reptilia: Squamata: Cordylidae) from Madagascar including the description of three new species. *Scientific Papers of the Natural History Museum, University of Kansas* 18: 1-16.
- Raselimanana, A. P., Nussbaum, R. A. and Raxworthy, C. J. 2006. Observations and re-description of *Zonosaurus boettgeri* Steindachner 1891 and description of a second new species of long-tailed *Zonosaurus* from western Madagascar. *Occasional Papers of the Museum of Zoology, University of Michigan* 739: 1-16.
- Rasilla, F. J. D. 2008. *Lagartija roquera – Podarcis muralis Laurenti*, 1768. Version 4-02-2008. Enciclopedia virtual de los vertebrados Espanoles
- Rasmussen, A. R., Murphy, J. C., Ompr, M., Gibbons, J. W. and Uetz, P. 2011. Marine reptiles. *PLoS ONE* 6: e27373. doi:10.1371/journal.pone.0027373
- Rastegar-Pouyani, N. 2000. Taxonomic status of *Trapelus ruderatus* (Olivier) and *T. persicus* (Blanford), and validity of *T. lessonae* (De Filippi). *Amphibia-Reptilia* 21: 91-102.
- Rastegar-Pouyani, N. 2005. A multivariate analysis of geographic variation in the *Trapelus agilis* complex (Sauria: Agamidae). *Amphibia-Reptilia* 26: 159-173.
- Rastegar-Pouyani, N. 2006. Systematics of the genus *Asaccus* (Sauria: Gekkonidae) on the Zagros Mountains, Iran. *Herpetologica Bonnensis* ii: 117-119.
- Rastegar-Pouyani, N. and Fattahi, R. 2015. Sexual dimorphism in *Trachylepis vittata* (Olivier, 1804) (Sauria: Scincidae) in the Zagros Mountains, western Iran. *Turkish Journal of Zoology* 39: 59-65.
- Rastegar-Pouyani, N. and Rastegar-Pouyani, E. 2001. A new species of *Eremias* (Sauria: Lacertidae) from highlands of Kermanshah Province, western Iran. *Asiatic Herpetological Research* 9: 107-112.
- Rastegar-Pouyani, N. and Torki, F. 2007. Spermatogenesis without spermiogenesis in *Laudakia caucasia* (Reptilia: Agamidae): the role of hibernation. *Iranian Journal of Animal Biosystematics* 3: 37-42.
- Rastegar-Pouyani, N., Kami, H. G., Rajabzadeh, M., Shafie, S. and Anderson, S. C. 2008. Annotated checklist of amphibians and reptiles of Iran. *Iranian Journal of Animal Biosystematics* 4: 7-30.
- Rastegar-Pouyani, N., Heydari, N. and Faizi, H. 2011. Analysis of geographic variation in four populations of *Acanthodactylus blanfordi* Boulenger, 1918 (Sauria: Lacertidae) from southern and southeastern Iran. *Russian Journal of Herpetology* 18: 228-234.
- Rastegar-Pouyani, N., Karamiani, R., Oraei, H., Khosrawani, A. and Rastegar-Pouyani, E. 2011. A new subspecies of *Darevskia raddei* (Boettger, 1892) (Sauria: Lacertidae) from the West Azerbaijan Province, Iran. *Asian Herpetological Research* 2: 216-222.
- Rastegar-Pouyani, E., Avci, A., Kumluçtas, Y., İlgaz, C. and Hosseiniyan Yousefkhan, S. S. 2013. New country record and range extension of *Eremias suphani* Basoglu & Hellmich, 1968 from Iran. *Amphibian & Reptile Conservation* 6: Rastegar-Pouyani, E., Yousefkhan, S. S. H. and Wink, M. 2015. Taxonomic reevaluation of *Eremias strauchi strauchi* Kessler, 1878 and *Eremias strauchi kopetdagica* Szczerbak, 1972, based on nuclear and mitochondrial DNA sequences (Reptilia: Lacertidae). *Zoology in the Middle East*, 61: 118-124.
- Rastegar-Pouyani, N., Amidi, A. and Torki, F. 2009. Spermatogenesis timing durability in lizards: *Ophisops elegans* (Sauria: Lacertidae) in Iran. *Iranian Journal of Animal Biosystematics* 5: 25-32.
- Rathnayake, N. D., Herath, N. D., Hewamathes, K. K. and Jayalath, S. 2003. The thermal behavior, diurnal activity pattern and body temperature of *Varanus salvator* in central Sri Lanka. *Hamadryad* 27: 179-184.
- Rato, C., Yıldız, M. Z., İgci, N., Olgun, K., İlgaz, C., Avci, A., Ahmadzadeh, F. and Carrtero, M. A. 2015. Phylogenetic relationships of the populations of *iranolacerta brandtii* (de Filippi, 1863) (Squamata: Lacertidae) recently found in Eastern Anatolia, Turkey. *Zoology in the Middle East*, 61: 324-331.
- Ratsoavina, F. M., Raminosoa, N. R., Louis, E. E., Raselimanana, A. P., Glaw, F. and Vences, M. 2013. An overview of Madagascar's leaf tailed geckos (genus *Uroplatus*): species boundaries, candidate species and review of geographical distribution based on molecular data. *Salamandra* 49: 115-148.
- Ratsoavina, F. M., Gehring, P.-S., Scherz, M. D., Vieites, D. R., Glaw, F. and Vences, M. 2017. Two new species of leaf-tailed geckos (*Uroplatus*) from the Tsaratanana mountain massif in northern Madagascar. *Zootaxa* 4347: 446-464.
- Ratsoavina, F. M., Scherz, M. D., Tolley, K. A., Raselimanana, A. P., Glaw, F. and Vences, M. 2019. A new species of *Uroplatus* (Gekkonidae) from Ankarana National Park, Madagascar, of remarkably high genetic divergence.
- Rauhala, M. 1993. Distribution and habitat of the nobby dragon *Amphibolurus nobbi* in the Australian Capital Territory. ACT Parks and Conservation Service, Technical report 5: 1-46.
- Rautenberg, R. and Laps, R. R. 2010. Natural history of the lizard *Enyalius iheringii* (Squamata, Leiosauridae) in southern Brazilian Atlantic forest. *Iheringia, Serie Zoologia*, 100: 287-290.
- Raw, L. and Brothers, D. J. 2008. Redescription of the South African dwarf chameleon, *Bradyopodium nemorale* Raw 1978 (Sauria: Chamaeleonidae), and description of two new species. *ZooNova* 1: 1-7.
- Rawat, Y. B., Thapa, K. B., Bhattacharai, S. and Shah, K. B. 2019. First records of the common leopard gecko, *Eublepharis macularius* (Blyth 1854) (Eublepharidae), in Nepal. *IRCF Reptiles & Amphibians* 26: 58-61.
- Rawlinson, P. A. 1974. Revision of the endemic southeastern Australian lizard genus *Pseudemoia* (Scincidae: Lygosominae). *Memoirs of the National Museum of Victoria* 35: 87-96.
- Raxworthy, C. J. 1991. Field observations on some dwarf chameleons (*Brookesia* spp.) from rain-forest areas of Madagascar, with the description of a new species. *Journal of Zoology* 224: 11-25.
- Raxworthy, C. J. 2004. Introduction to the reptiles, pages 934-949 in Goodman, S. M. and Benstead, J. P. editors. *The natural history of Madagascar*. University of Chicago Press, Chicago.

- Raxworthy and Attuquayefio 2000  
 Raxworthy and Nussbaum 1993a  
 Raxworthy and Nussbaum 1993b  
 Raxworthy and Nussbaum 1994  
 Raxworthy and Nussbaum 1995  
 Raxworthy and Nussbaum 2006
- Raxworthy et al. 2003  
 Raxworthy et al. 2007
- Razafimahatratra et al. 2010  
 Razzetti and Msuya 2002  
 Razzetti et al. 2011
- Read 1998  
 Read 1999  
 Read and Scoleri 2014  
 Reagan 1992  
 Reaney and Whiting 2002  
 Reaney et al. 2012  
 Reaney et al. 2018  
 Reano-Hernandez et al. 2015  
 Reano-Hernandez et al. 2016  
 Rebelo et al. 2018a  
 Rebelo et al. 2018b  
 Reboucas-Spieker 1981  
 Recchio et al. 2014  
 Recknagel and Elmer 2019  
 Recknagel et al. 2018  
 Recoder et al. 2018
- Recoder et al. 2012  
 Recoder et al. 2013  
 Recoder et al. 2014
- Reddy et al. 2013  
 Reed and Boback 2002  
 Reed and Marx 1959  
 Reeder 1996  
 Reedy et al. 2019  
 Reeve 1952  
 Regaldo 2006  
 Regan 2016  
 Regnet et al. 2017
- Rehak and Osborn 1988  
 Reid 1986  
 Reidpath 2006  
 Reilly et al. 2007  
 Reinhardt et al. 2019
- Reis et al. 2017  
 Reiserer et al. 2013  
 Reissig 2013  
 Reissig 2014a  
 Reissig 2014b  
 Reissig 2019  
 Reissig and Boshoff 2013
- Raxworthy, C. J. and Attuquayefio, D. K. 2000. Herpetofaunal communities at Muni Lagoon in Ghana. *Biodiversity and Conservation* 9: 501–510.
- Raxworthy, C. J. and Nussbaum, R. A. 1993. A new Madagascan *Phelsuma*, with a review of *Phelsuma trilineata* and comments on *Phelsuma cepediana* in Madagascar (Squamata: Gekkonidae). *Herpetologica* 49: 342-349.
- Raxworthy, C. J. and Nussbaum, R. A. 1993. Four new species of Amphiglossus from Madagascar (Squamata: Scincidae). *Herpetologica* 49: 326-341.
- Raxworthy, C. J. and Nussbaum, R. A. 1994. A partial systematic revision of the day geckos, *Phelsuma* Gray, of Madagascar (Reptilia, Squamata, Gekkonidae). *Zoological Journal of the Linnean Society* 112: 321-335.
- Raxworthy, C. J. and Nussbaum, R. A. 1995. Systematics, speciation and biogeography of the dwarf chameleons (Brookesia; Reptilia, Squamata, Chamaeleontidae) of northern Madagascar. *Journal of Zoology* 235: 525–558.
- Raxworthy, C. J. and Nussbaum, R. A. 2006. Six new species of occipital-lobed *Calumma* chameleons (Squamata: Chamaeleonidae) from montane regions of Madagascar, with a new description and revision of *Calumma brevicorne*. *Copeia* 2006: 711–734.
- Raxworthy, C. J., Martinez-Meyer, E., Horning, N., Nussbaum, R. A., Schneider, G. E., Ortega-Huerta, M. A. and Peterson, A. T. 2003. Predicting distributions of known and unknown reptile species in Madagascar. *Nature* 426: 837-838.
- Raxworthy, C. J., Ingram, C. M., Rabibisoa, N. and Pearson, R. G. 2007. Applications of ecological niche modeling for species delimitation: A review and empirical evaluation using day geckos (*Phelsuma*) from Madagascar. *Systematic Biology* 56: 907-923.
- Razafimahatratra, B., Razafimanjato, G. and Thorstrom, R. 2010. A new locality for the endangered day gecko *Phelsuma klemmeri* from western Madagascar. *Herpetology Notes* 3: 197-199.
- Razzetti, E. and Msuya, C. A. 2002. Field guide to the amphibians and reptiles of Arusha National Park (Tanzania). Tanzania National Parks
- Razzetti, E., Sindaco, R., Grieco, C., Pella, F., Ziliani, U., Pupin, F., Riservato, E., Pellitteri-Rosa, D., Butikofer, L., Suleiman, A. S., Al-Aseily, B. A., Carugati, C., Boncompagni, E. and Fasola, M. 2011. Annotated checklist and distribution of the Socotran Archipelago Herpetofauna. *Zootaxa* 2826: 1-44.
- Read, J. L. 1998. The ecology of sympatric scincid lizards (*Ctenotus*) in arid South Australia. *Australian Journal of Zoology* 46: 617-629.
- Read, J. L. 1999. Longevity, reproductive effort and movements of three sympatric Australian arid-zone geckos. *Australian Journal of Zoology* 47: 307-316.
- Read, J. L. and Scoleri, V. 2015. Ecological implications of reptile mesopredator release in arid South Australia. *Journal of Herpetology* 49: 64-69.
- Reagan, D. P. 1992. Congeneric species distribution and abundance in a three-dimensional habitat: the rain forest aoles of Puerto Rico. *Copeia*, 1992: 392-403.
- Reaney, L. T. and Whiting, M. J. 2002. Life on a limb: ecology of the tree agama (*Acanthocercus a. atricollis*) in southern Africa. *Journal of Zoology* 257: 439-448.
- Reaney, L. T., Yee, S., Losos, J. B. and Whiting, M. J. 2012. Ecology of the flap-necked chameleon *Chamaeleo dilepis* in southern Africa. *Breviora* 532: 1-18.
- Reaney, A. M., Saldarriaga-Cordoba, M. and Pincheira-Donoso, D. 2018. Macroevolutionary diversification with limited niche disparity in a species-rich lineage of cold-climate lizards. *BMC Evolutionary Biology*, 18: 16.
- Reano-Hernandez, I., Wilson, L. D., Ramirez-Bautista, A., and Torres-Angeles, F. 2015. Gerhonotus opiparius. Reproduction. *Mesoamerican Herpetology* 2: 338-339.
- Reano-Hernandez, I., Ramirez-Bautista, A. and Lara-Tufino, J. D. 2016. *Xenosaurus mendozai* Nieto-Montes de Oca, Garcia-Vazquez, Zuniga-Vega and Schmidt-Ballardo, 2013. Reproduction. *Mesoamerican Herpetology* 3: 731-733.
- Rebelo, A. D., Jordaan, P. R. and Conradie, W. 2018. Common barking gecko in South Africa. *African Herp News* 62: 50-52.
- Rebelo, A. D., Zhao, Z., Jordaan, A., Jordaan, P. R. and Conradie, W. 2018. Cape dwarf burrowing skink in South Africa. *African Herp News* 62: 53-56.
- Reboucas-Spieker, R. 1981. Sobre uma nova especie de Mabuya do nordeste do Brasil (Sauria, Scincidae). *Papeis Avulsos de Zoologia* 34: 121-123.
- Recchio, I., Robertson-Billet, M., Rodriguez, C. and Haigwood, J. 2014. Captive husbandry and reproduction of *Phrynosoma asio* (Squamata: Phrynosomatidae) at the Los Angeles Zoo and Botanical Gardens. *Herpetological Review* 45: 10-11.
- Recknagel, H. and Elmer, K. R. 2019. Differential reproductive investment in co-occurring oviparous and viviparous common lizards (*Zootoca vivipara*) and implications for life-history trade-offs with viviparity. *Oecologia* 190: 85-98.
- Recknagel, H., Kamenos, N. and Elmer, K. R. 2018. Common lizards break Dollo's law of irreversibility: Genome-wide phylogenomics support a single origin of viviparity and re-evolution of oviparity. *Molecular Phylogenetics and Evolution* 125: 104-112.
- Recoder, R. S., Dal Vecchio, F., Marques-Souza, S., Teixeira, M., Silva-Da-Silva, M., Santos-Jr., A. P., Ribeiro, S., Barrio-Amoros, C. and Rodrigues, M. T. 2018. Geographic variation and taxonomy of red-tailed *Gymnophthalmus* (Squamata: Gymnophthalmidae) from Amazonian savannas. *Zootaxa* 4497: 61-81.
- Recoder, R., Teixeira, M., Camacho, A. and Rodrigues, M. T. 2012. Natural history of the tropical gecko *Phyllopezus pollicaris* (Squamata, Phyllodactylidae) from a sandstone outcrop in Central Brazil. *Herpetology Notes* 5: 49-58.
- Recoder, R. S., Ribeiro, M. C. and Rodrigues, M. T. 2013. Spatial variation in morphometry in *Vanzosaura rubricauda* (Squamata, Gymnophthalmidae) from open habitats of South America and its environmental correlates. *South American Journal of Herpetology*, 8: 186-197.
- Recoder, R. S., Werneck, F. P., Teixeira, M., Colli, G. R., Sites, J. W. and Rodrigues, M. T. 2014. Geographic variation and systematic review of the lizard genus *Vanzosaura* (Squamata, Gymnophthalmidae), with the description of a new species. *Zoological Journal of the Linnean Society*, 171: 206-225.
- Reddy, Y. A., Sadasiviah, B., Indira, P. and Pullaiah, T. 2013. Herpetofauna of Thummalapalle uranium mining area, Andhra Pradesh, India. *International Journal of Biodiversity and Conservation*, 5: 515-522.
- Reed, R. N. and Boback, S. M. 2002. Does body size predict dates of species description among North American and Australian reptiles and amphibians? *Global Ecology and Biogeography* 11: 41-47.
- Reed, C. A. and Marx, H. 1959. A herpetological collection from northeastern Iraq. *Transactions of the Kansas Academy of Sciences* 62: 91-122.
- Reeder, T. W. 1996. A new species of *Pholidobolus* (Squamata: Gymnophthalmidae) from the Huancabamba depression of northern Peru. *Herpetologica* 52: 282-289.
- Reedy, A. M., Evans, W. J. and Cox, R. M. 2019. Sexual dimorphism explains residual variance around the survival-reproduction tradeoff in lizards: implications for sexual conflict over life-history evolution. *Evolution* 73: 2324-2332.
- Reeve, W. L. 1952. Taxonomy and distribution of the horned lizard genus *Phrynosoma*. *The University of Kansas Science Bulletin*, 34: 817-960.
- Regaldo, R. 2006. Reproduction and growth of seven species of dwarf geckos, *Sphaerodactylus* (Gekkonidae), in captivity. *Herpetological Review* 37: 13-20.
- Regan, J. 2016. Reptiles and amphibians of Afghanistan: A field guide for the FOB. Northwest Wildlife Online;
- Regnet, R. A., Quintela, F. M., Entiaus-Neto, O. M., Teixeira, V. H., da Silveira, F. L. and Loebmann, D. 2017. Remarkable aggregation of squamates and caecilians associated with flood events during El Nino in southern Brazil. *Salamandra* 53: 537-540.
- Rehak, I. and Osborn, D. J. 1988. Notes on the distribution of reptiles and amphibians in Egypt. *Vestnik Ceskoslovenske Spolecnosti Zoologicke*, 52: 271-277.
- Reid, J. C. 1986. A list with notes of lizards of the Calabar area of southeastern Nigeria. Pages 699-704 in Rocek, Z. (Editor). *Studies in herpetology: proceedings of the 3rd European herpetological meeting*, Prague, 1985. Charles
- Reidpath, D. 2006. Husbandry manual for Fijian crested iguana *Brachylophus vitiensis*. Privately produced, Sydney.
- Reilly, S. M., McBrayer, L. B. and Miles, D. B. (editors) 2007. *Lizard ecology*. Cambridge University Press, Cambridge.
- Reinhardt, T., van Schingen, M., Windisch, H. S., Nguyen, T. Q., Ziegler, T. and Fink, P. 2019. Monitoring a loss: Detection of the semi-aquatic crocodile lizard (*Shinisaurus crocodilurus*) in inaccessible habitats via environmental DNA. *Aquatic Conservation: Marine and Freshwater Ecosystems* 29: 353-360.
- Reis, S. P. V., Pinheiro, L. T. and Galdino, C. A. B. 2017. *Tropidurus montanus*. Saurophagy. *Herpetological Review* 48: 202.
- Reiserer, R. S., Schuett, G. W. and Beck, D. D. 2013. Taxonomic reassessment and conservation status of the beaded lizard, *Heloderma horridum* (Squamata: Helodermatidae). *Amphibian & Reptile Conservation* 7: 74-96.
- Reissig, J. 2013. *Bradyopodium setaroi* Raw, 1976 Setaro's dwarf chameleon. *African Herp News* 59: 42-44.
- Reissig, J. 2014. *Bradyopodium melanocephalum* (Gray, 1865). KwaZulu dwarf chameleon. *African Herp News* 61: 22-23.
- Reissig, J. 2014. Girdled lizards and their relatives. *Natural history, captive care and breeding*. Edition Chimaira, Frankfurt am Main.
- Reissig, J. 2019. *Bradyopodium setaroi* (Setaro's dwarf chameleon). *Reproduction*. *Herpetological Review* 50: 570.
- Reissig, J. and Boshoff, D. 2013. *Chamaeleo dilepis dilepis* Leach, 1819 common flap-neck chameleon. *Reproduction*. *African Herp News* 59: 44-45.

- Reissig and Tiedemann 2018
- Reissig et al. 2019
- Renet et al. 2013
- Rengifo et al. 2015
- Renjifo and Lundberg 1999
- Renoult et al. 2010
- Restrepo et al. 2017
- Revell et al. 2007
- Reyes et al. 2008
- Reyes et al. 2016
- Reyes-Puig and Rios-Alvear 2016
- Reyes-Puig et al. 2008
- Reyes-Velasco et al. 2009
- Reyes-Velasco et al. 2012
- Reynolds and MacCulloch 2012
- Reynolds et al. 2017
- Reynolds et al. 2018
- Rezazadeh et al. 2010
- Rezende-Pinto et al. 2009
- Rhind et al. 2019
- Ribeiro 2010
- Ribeiro and Freire 2011
- Ribeiro and Silva 2014
- Ribeiro et al. 2007
- Ribeiro et al. 2008
- Ribeiro et al. 2011
- Ribeiro et al. 2012a
- Ribeiro et al. 2012b
- Ribeiro et al. 2012c
- Ribeiro et al. 2013
- Ribeiro et al. 2014
- Ribeiro et al. 2015a
- Ribeiro et al. 2015b
- Ribeiro-Junior 2015a
- Ribeiro-Junior 2015b
- Ribeiro-Junior and Amaral 2016a
- Ribeiro-Junior and Amaral 2016b
- Ribeiro-Junior and Amaral 2016c
- Ribeiro-Junior and Amaral 2017
- Richards and Aplin 2015
- Richardson et al. 2019
- Richmond and Jockusch 2007
- Ricklefs et al. 1981
- Ricklefs et al. 2007
- Rifai et al. 2003
- Rifai et al. 2005
- Righi et al. 2012
- Riney 1953
- Rios-Alvear et al. 2018
- Rismiller and Heldmaier 1988
- Rittmeyer and Austin 2017
- Rivas and Oliveros 1997
- Rivas et al. 2005
- Reissig, J. and Tiedemann, C. A. 2018. Bradypodion thamnobates Raw, 1976, Midlands dwarf chameleon. Reproduction. African Herp News 69: 20-21.
- Reissig, J., Tiedemann, C. A., Malan, J. and Boshoff, D. 2019. Crotaphopeltis hotamboeia (Laurenti, 1768), red-lipped snake. Predation. African Herp News 71: 36-37.
- Renet, J., Martinerie, G., Kulesza, V. and Menetrier, F. 2013. The leaf-toed gecko Euleptes europaea (Squamata: Sphaerodactylidae) discovered on the Lerins islands (Alpes-Maritimes, Southeastern France). Herpetology Notes, 6: 571-572.
- Rengifo, M. J. T., Castro Herrera, F. and Purroy iraizos, F. J. 2015. Habitat use and ecomorphology relation of an assemblage of *Anolis* (Lacertilia: Dactyloidae) in the Chocoan natural region Colombia. Acta Zoologica Mexicana, 31: 1-10.
- Renjifo, J. M. and Lundberg, M. 1999. Guia de campo. Anfibios y reptiles de Urra. Skanska.
- Renoult, J. P., Geniez, P., Bacquet, P., Guillaume, C. P. and Crochet, P. A. 2010. Systematics of the *Podarcis hispanicus*-complex (Sauria, Lacertidae) ii: the valid name of the north-eastern Spanish form. Zootaxa 2500: 58-68.
- Restrepo, A., Molina-Zuluaga, C., Hurtado, J. P., Marin, C. M. and Daza, J. M. 2017. Amphibians and reptiles from two localities in the northern Andes of Colombia. Check List, 13: 203-237.
- Revell, L. J., Johnson, M. A., Schulte, J. A., Kolbe, J. J. and Losos, J. B. 2007. A phylogenetic test for adaptive convergence in rock-dwelling lizards. Evolution 61: 2898-2912.
- Reyes, M. A. P., Bennett, D. and Oliveros, C. 2008. The monitor lizards of Camiguin island, Northern Philippines. Biawak 2: 28-36.
- Reyes, M. N., Lazcano, D., Garcia-Padilla, E., Mata-Silva, V., Johnson, J. D. and Wilson, L. D. 2016. The herpetofauna of Nuevo Leon, Mexico: composition, distribution, and conservation. Mesoamerican Herpetology 3: 558-638.
- Reyes-Puig, C. P. and Rios-Alvear, G. D. 2016. Ampliacion del rango altitudinal de *Anolis fasciatus* (Squamata: Dactyloidae) en Ecuador. ACI Avances en Ciencias e ingenierias, 8: 45-47.
- Reyes-Puig, J. P., Altamirano, A. B. and Yanez-Munoz, M. H. 2008. Reptilia, Squamata, Gymnophthalmidae, Riamba balneator and Riamba vespertina: Distribution extension, Ecuador. Check List 4: 366-372.
- Reyes-Velasco, J., Hermosillo-Lopez, I. A., Grunwald, C. I. and Avila-Lopez, O. A. 2009. New state records for amphibians and reptiles from Colima, Mexico. Herpetological Review, 40: 117-120.
- Reyes-Velasco, J., Grunwald, C. I., Jones, J. M., Price, M. S. and Fisher, J. T. 2012. New distributional records for the herpetofauna of Mexico. Herpetological Review, 43: 451-453.
- Reynolds, R. P. and MacCulloch, R. D. 2012. Preliminary checklist of amphibians and reptiles from Baramita, Guyana. Check List 8: 211-214.
- Reynolds, R. G., Strickland, T. R., Kolbe, J. J., Falk, B. G., Perry, G., Revell, L. J. and Losos, J. B. 2017. Archipelagic genetics in a widespread Caribbean anole. Journal of Biogeography 44: 2631-2647.
- Reynolds, R. G., Puente-Rolon, A. R., Castle, A. L., Van De Schoot, M. and Geneva, A. J. 2018. Herpetofauna of Cay Sal Bank, Bahamas and phylogenetic relationships of *Anolis fairchildi*, *Anolis sagrei*, and *Tropidophorus curtus* from the region. Breviora, 560: 1-19.
- Rezazadeh, E., Kiabi, B. H. and Ahmadzadeh, F. 2010. Contribution to the knowledge of iranolacerta brandtii de Filippi 1863 (Sauria: Lacertidae) from the northwest of Iran. Russian Journal of Herpetology 17: 223-230.
- Rezende-Pinto, F. M., Verrastro, L., Zanotelli, J. C. and Barata, P. C. R. 2009. Reproductive biology and sexual dimorphism in *Cnemidophorus vacariensis* (Sauria, Teiidae) in the grasslands of the Araucaria Plateau, southern Brazil. Iheringia, Serie Zoologia 99: 82-91.
- Rhind, D., Doody, J. S., Clulow, S., Godwin, C., Bartek, B. and Murray, C. 2019. *Varanus giganteus* (perentie). Diet. Herpetological Review 50: 382.
- Ribeiro, S. 2010. Revisao sistemática de *Leposternon* Wagler, 1824 (Squamata: Amphisbaenia). PhD Dissertation, Pontificia Universidade Católica do Rio Grande do Sul.
- Ribeiro, L. B. and Freire, E. M. X. 2011. Tropic ecology and foraging behavior of *Tropidurus hispidus* and *Tropidurus semitaeniatus* (Squamata, Tropiduridae) in a caatinga area of northeastern Brazil. Iheringia, Serie Zoologia, 101: 1-10.
- Ribeiro, L. B. and Silva, M. L. N. 2014. Coleodactylus meridionalis (meridian gecko). Hatchling morphometrics. Herpetological Review 45: 695-696.
- Ribeiro, S. L. B., dos Santos, A. P. and Vaz-Silva, W. 2007. Reptilia, Squamata, Amphisbaenidae, Amphisbaena mertensi: distribution extension, new state record, geographic distribution map. Check List 3: 84-87.
- Ribeiro, S., Vaz-Silva, W. and Santos, A. P. 2008. New pored *Leposternon* (Squamata, Amphisbaenia) from Brazilian cerrado. Zootaxa 1930: 18-38.
- Ribeiro, S., Nogueira, C., Cintra, C. E. D., Da Silva, N. J. and Zaher, H. 2011. Description of a new pored *Leposternon* (Squamata, Amphisbaenidae) from the Brazilian Cerrado. South American Journal of Herpetology 6: 177-188.
- Ribeiro, L. B., Brito, M. S., Barbosa, L. F. S., Pereira, L. C. M. and Nicola, P. A. 2012. *Tropidurus cocorobensis* Rodrigues, 1987 (Squamata, Tropiduridae): new record and geographic distribution map in northeastern Brazil. Cuadernos de Herpetología 26: 63-65.
- Ribeiro, L. B., Silva, N. B. and Freire, E. M. X. 2012. Reproductive and fat body cycles of *Tropidurus hispidus* and *Tropidurus semitaeniatus* (Squamata, Tropiduridae) in a caatinga area of northeastern Brazil. Revista Chilena de Historia Natural 85: 307-320.
- Ribeiro, S. C., Roberto, I. J., Sales, D. L., Avila, r. W. and Almeida, W. d-O. 2012. Amphibians and reptiles from the Araripe bioregion, northeastern Brazil. Salamandra 48: 133-146.
- Ribeiro, L. B., Gogliati, M., Rodrigues, R. G., Barreto, R. M. F. and Freire, E. M. X. 2013. Two new records of Coleodactylus meridionalis (Boulenger, 1888) (Squamata, Sphaerodactylidae) in north-eastern Brazil, including a map and comments regarding its geographical distribution. Herpetology Notes, 6: 23-27.
- Ribeiro, S., Santos, A. P., Chagas, L. C. and Chalkidis, H. M. 2014. Range extension and geographic distribution of *Amphisbaena mitchelli* Procter, 1923 in the state of Para, Brazil. Check List 10: 1229-1230.
- Ribeiro, S. C., Teles, D. A., Mesquita, D. O., Almeida, W. O., Dos Anjos, L. A. and Guarneri, M. C. 2015. Ecology of the skink, *Mabuya arajara Rebouças-Spieker*, 1981, in the Araripe Plateau, Northeastern Brazil. Journal of Ribeiro, S., Santos, A. P. and Zaher, H. 2015. A new species of *Leposternon* Wagler, 1824 (Squamata, Amphisbaenia) from northeastern Argentina. Zootaxa 4034: 309-324.
- Ribeiro-Junior, M. A. 2015. Catalogue of distribution of lizards (Reptilia: Squamata) from the Brazilian Amazonia. I. Dactyloidae, Hoplocercidae, Iguanidae, Leiosauridae, Polychrotidae, Tropiduridae. Zootaxa 3983: 1-110.
- Ribeiro-Junior, M. A. 2015. Catalogue of distribution of lizards (Reptilia: Squamata) from the Brazilian Amazonia. II. Gekkonidae, Phyllodactylidae, Sphaerodactylidae. Zootaxa 3981: 1-55.
- Ribeiro-Junior, M. A. and Amaral, S. 2016. Catalogue of distribution of lizards (Reptilia: Squamata) from the Brazilian Amazonia. III. Anguidae, Scincidae, Teiidae. Zootaxa 4205: 401-430.
- Ribeiro-Junior, M. A. and Amaral, S. 2016. Diversity, distribution and conservation of the lizards (Reptilia: Squamata) from the Brazilian Amazonia. Neotropical Biodiversity, 2: 195-421.
- Ribeiro-Junior, M. A. and Amaral, S. 2016. Diversity, distribution, and conservation of lizards (Reptilia: Squamata) in the Brazilian Amazonia. Neotropical Biodiversity, 2: 195-421.
- Ribeiro-Junior, M. A. and Amaral, S. 2017. Catalogue of distribution of lizards (Reptilia: Squamata) from the Brazilian Amazonia. IV. Alopoglossidae, Gymnophthalmidae. Zootaxa, 4269: 151-196.
- Richards, S. J. and Aplin, K. 2015. Herpetofauna of Manus and Mussau islands. A rapid biodiversity survey of Papua New Guinea's Manus and Mussau islands. Wildlife Conservation Society Papua New Guinea Program. Goroka, Richardson, K. M., Iverson, J. B. and Kurle, C. M. 2019. Marine subsidies likely cause gigantism of iguanas in the Bahamas. Oecologia 189: 1005-1015.
- Richmond, J. Q. and Jockusch, E. L. 2007. Body size evolution simultaneously creates and collapses species boundaries in a clade of scincid lizards. Proceedings of the Royal Society of London B, 274: 1701-1708.
- Ricklefs, R. E., Cochran, D. and Pianka, E. R. 1981. A morphological analysis of the structure of communities of lizards in desert habitats. Ecology, 62: 1474-1483.
- Ricklefs, R. E., Losos, J. B. and Townsend, T. M. 2007. Evolutionary diversification of clades of squamate reptiles. Journal of Evolutionary Biology 20: 1751-1762.
- Rifai, L., Modry, D., Necas, P. and Amr, Z. S. 2003. The occurrence of *Acanthodactylus hardyi* Haas, 1957 in the Hashemite Kingdom of Jordan and notes on its ecology. Zoology in the Middle East 28: 33-38.
- Rifai, L., Abu Baker, M., Al Shafei, D., Disi, A. and Amr, Z. 2005. *Pseudopus apodus* (Pallas, 1775) from Jordan, with notes on its ecology (Squamata: Sauria: Anguidae). Herpetozoa, 18: 133-140.
- Righi, A. F., Nascimento, L. B. and Galdino, C. A. B. 2012. Seasonal reproduction in the rock gecko *Phyllodactylus pollicaris* from a rock field habitat in southeastern Brazil. Journal of Herpetology, 46: 632-636.
- Riney, T. 1953. Notes on the Syrian lizard *Acanthodactylus tristrami orientalis*. Copeia 1953: 66-67.
- Rios-Alvear, G., Gualoto, P. and Reyes-Puig, C. 2018. New elevational records of *Phyllodactylus leoni* Torres-Carvalho et al., 2013 from the southwestern slopes of the Andes in Ecuador (Reptilia, Sauria, Phyllodactylidae). Herpetology Notes 11: 769-772.
- Rismiller, P. D. and Heldmaier, G. 1988. How photoperiod influences body temperature selection in *Lacerta viridis*. Oecologia 75: 125-131.
- Rittmeyer, E. N. and Austin, C. C. 2017. Two new species of crocodile skinks (Squamata: Scincidae: Tribolonomus) from the Solomon Archipelago. Zootaxa 4268: 71-87.
- Rivas, F. G. A. and Oliveros, O. G. 1997. Herpetofauna del Estado Sucre, Venezuela: Lista preliminar de reptiles. Memoria de la Fundacion La Salle de Ciencias Naturales 147: 67-80.
- Rivas, G., Schargel W. E. and Meik, J. M. 2005. A new species of Riamba (Squamata: Gymnophthalmidae), endemic to the Peninsula de Paria, Venezuela. Herpetologica 61: 461-468.

- Rivas et al. 2012a  
Rivas et al. 2012b  
Rivas et al. 2013  
Rivas et al. 2018  
Rivera-Rea et al. 2018  
Rivero 1998  
Rivero-Blanco 1979  
Rivero-Blanco and Schargel 2012  
Riyanto 2011  
Riyanto et al. 2014  
Riyanto et al. 2017  
Riyanto et al. 2018a  
Riyanto et al. 2018b  
Riyanto et al. 2019  
Rizk and Nassar 2015  
Robb 1980a  
Robb 1980b  
Roberto and Albano 2012  
Roberto and Loebmann 2016  
Roberto et al. 2014  
Roberto et al. 2017  
Roberto et al. 2019  
Roberts and Daly 2014a  
Roberts and Daly 2014b  
Robertson and Coventry 2019  
Robinson 1983  
Robinson et al. 2015  
Robles and Halloy 2008  
Robles and Halloy 2012  
Robles and Halloy 2017  
Roca 1999  
Roca et al. 2005  
Roca et al. 2009  
Roca et al. 2015  
Rocek 1986  
Rocha 1998  
Rocha 2000  
Rocha and Rodrigues 2005  
Rocha and van Sluys 2006  
Rocha and Vrcibradic 1996  
Rocha and Vrcibradic 1999  
Rocha et al. 2000  
Rocha et al. 2002  
Rocha et al. 2004  
Rocha et al. 2009  
Rocha et al. 2010a  
Rocha et al. 2010b  
Rocha et al. 2011  
Rocha et al. 2013  
Rocha et al. 2016  
Rocha et al. 2018  
Rock and Cree 2008
- Rivas, G. A., Molina, C. R., Ugueto, G. N., Barros, T. R., Barrio-Amoros, C. L. and Kok, P. J. R. 2012. Reptiles of Venezuela: an updated and commented checklist. *Zootaxa* 3211: 1-64.
- Rivas, G. A., Nunes, P. M. S., Dixon, J. R., Schargel, W. E., Caicedo, J. R., Barros, T. R., Camargo, E. G. and Barrio-Amoros, C. L. 2012. Taxonomy, hemipenial morphology, and natural history of two poorly known species of *Anadia* (Gymnophthalmidae) from northern South America. *Journal of Herpetology*, 46: 33-40.
- Rivas, G. A., Ugueto, G. N., Schargel, W. E., Barros, T. R., Velozo, P. and Sanchez, L. E. 2013. A distinctive new species of *Gonatodes* (Squamata: Sphaerodactylidae) from isla La Blanquilla, Venezuela, with remarks on the distribution of some other Caribbean sphaerodactylid lizards. *South American Journal of Herpetology* 8: 5-18.
- Rivas, L. R., Mendoza-Miranda, P. and Munoz-Saravia, A. 2018. Lista preliminar de la herpetofauna del Parque Nacional Torotoro, Potosí, Bolivia. *Cuadernos de Herpetología* 32: 41-46.
- Rivera-Rea, J. Gonzalez-Morales, J. C., Baastians, E. and Fajardo, V. 2018. *Sceloporus torquatus* (torquate lizard). Selected body temperature. *Herpetological Review* 49: 490.
- Rivero, J. A. 1998. Los anfibios y reptiles de Puerto Rico. The amphibians and reptiles of Puerto Rico. 2nd revised edition, Editorial de la Universidad de Puerto Rico, San Juan.
- Rivero-Blanco, C. V. 1979. The Neotropical lizard genus *Gonatodes* Fitzinger (Sauria: Sphaerodactylinae). Ph.D. thesis, Texas A&M University.
- Rivero-Blanco, C. and Schargel, W. E. 2012. A strikingly polychromatic new species of *Gonatodes* (Squamata: Sphaerodactylidae) from northern Venezuela. *Zootaxa* 3518: 66-78.
- Riyanto, A. 2011. Herpetofaunal community structure and habitat associations in Gunung Ciremai National Park, West Java, Indonesia. *Biodiversitas* 12: 38-44.
- Riyanto, A., Bauer, A. M. and Yudha, D. S. 2014. A new small karst-dwelling species of *Cyrtodactylus* (Reptilia: Squamata: Gekkonidae) from Java, Indonesia. *Zootaxa* 3785: 589-599.
- Riyanto, A., Mulyadi, Mcguire, J. A., Kusrini, M. D., Febylasma, Basyir, I. H. and Kaiser, H. 2017. A new small bent-toed gecko of the genus *Cyrtodactylus* (Squamata: Gekkonidae) from the lower slopes of Mount Tambora, Sumbawa island, Indonesia. *Zootaxa* 4242: 517-528.
- Riyanto, A., Arida, E. and Koch, A. 2018. *Cyrtodactylus tahuina* sp. nov., a new bent-toed gecko (Reptilia: Squamata: Gekkonidae) from Sangihe island, North Sulawesi, Indonesia. *Zootaxa*, 4399: 220-232.
- Riyanto, A., Hamidy, A. and McGuire, J. A. 2018. A New bent-toed gecko (*Cyrtodactylus*: Squamata: Gekkonidae) from the island of Tanahjampea, South Sulawesi, Indonesia. *Zootaxa*, 4442: 122-136.
- Riyanto, A., Sulaeman, T. N., Rachman, N., Chaidir, D. M., Trilaksono, W. and Farajallah, A. 2019. Herpetofauna diversity, potential ecotourism in Mount Galunggung, West Java, Indonesia. *Biodiversitas* 20: 1173-1179.
- Rizk, K. and Nassar, F. 2015. Male reproduction cycle of Kulzer's rock lizard, *Phoenicolacerta kulzeri* (Muller & Wetstein, 1932), in Lebanon (Reptilia: Lacertidae). *Zoology in the Middle East* 61: 318-323.
- Robb, J. 1980. New Zealand Amphibians and reptiles in colour. Collins, Auckland.
- Robb, J. 1980. Three new species of gekkonid lizards, genera *Hoplodactylus* Fitzinger and *Heteropholis* Fischer, from New Zealand. *National Museum of New Zealand Records* 1: 305-310.
- Roberto, I. J. and Albano, C. 2012. Aspects of the clutch size and oviposition period of *Leposoma baturitensis* (Squamata: Gymnophthalmidae). *Herpetology Notes*, 5: 445-446.
- Roberto, I. J. and Loebmann, D. 2016. Composition, distribution patterns, and conservation priority areas for the herpetofauna of the state of Ceará, northeastern Brazil. *Salamandra* 52: 134-152.
- Roberto, I. J., Pinto, T., Schlickmann, A. and Fraga, A. 2014. From Amazonia to the semi-arid: the unexpected record of *Gonatodes humeralis* (Squamata: Sphaerodactylidae) for the Caatinga Biome. *Herpetology Notes*, 7: 309-311.
- Roberto, I. J., de Oliveira, C. R., de Araujo Filho, J. A., de Oliveira, H. F. and Avila, R. W. 2017. The herpetofauna of the Serra do Urubu mountain range: a key biodiversity area for conservation in the Brazilian Atlantic Forest. *Papeis Avulsos de Zoologia* 57: 347-373.
- Roberto, I. J., Da Silva, I. F., Picelli, A. M., Xisto, J. J., Marioni, B., De Moraes, E. J. F., Santa Cruz, I. F., Silva, W. A. and Da Silveira, R. 2019. *Uranoscodon superciliosus* (diving lizard). Reproduction. *Herpetological Review* 50:
- Roberts, S. H. and Daly, C. 2014. A rapid herpetofaunal assessment of Nosy Komba island, northwestern Madagascar, with new locality records for seventeen species. *Salamandra* 50: 18-26.
- Roberts, S. H. and Daly, C. 2014. First record of Petter's chameleon, *Furcifer petteri* (Brygoo & Domergue, 1966) from Nosy Be island, Northwest Madagascar. *Herpetology Notes*, 7: 149-151.
- Robertson, P. and Coventry, A. J. 2019. Reptiles of Victoria. A guide to identification and ecology. CSIRO Publishing, Clayton.
- Robinson, D. C. 1983. *Sceloporus malachiticus* (Lagartija Espinosa, Spiny Lizard). Pages 421-422 in Janzen, D. H. editor. Costa Rican Natural History. University of Chicago Press, Chicago.
- Robinson, J. E., St. John, F. A. V., Griffiths, R. A. and Roberts, D. L. 2015. Captive reptile mortality rates in the home and implications for the wildlife trade. *PLoS ONE* 10(11): e0141460. doi:10.1371/journal.pone.0141460
- Robles, C. I. and Halloy, M. 2008. Seven-year relative abundance in two syntopic Neotropical lizards, *Liolaemus quimiles* and *L. ramirezae* (Liolaemidae), from northwestern Argentina. *Cuadernos de Herpetología* 22: 73-79.
- Robles, C. I. and Halloy, M. 2012. Lack of evidence for mate choice in a neotropical lizard, *Liolaemus quimiles* (Iguania: Liolaemidae): weight, colour and familiarity. *Salamandra* 48: 115-121.
- Robles, C. and Halloy, M. 2017. Thermal ecology of two syntopic lizard species of the genus *Liolaemus* (Iguania: Liolaemidae) in north western Argentina. *North-Western Journal of Zoology* 13: 44-48.
- Roca, V. 1999. Relacion entre las faunas endoparasitas de reptiles y su tipo de alimentacion. *Revista Espanola de Herpetología* 13: 101-121.
- Roca, V., Carretero, M. A., Llorente, G. A., Montori, A. and Martin, J. E. 2005. Helminth communities of two lizard populations (Lacertidae) from Canary islands (Spain): Host diet-parasite relationships. *Amphibia-Reptilia* 26: 535-
- Roca, V., Foufopoulos, J., Valakos, E. D. and Pafilis, P. 2009. Parasitic infracommunities of the Aegean wall lizard *Podarcis erhardii* (Lacertidae, Sauria): isolation and impoverishment in small island populations. *Amphibia-Reptilia*
- Roca, V., Jorge, F., Ilgaz, C., Kumlutas, Y., Durmus, S. H. and Carretero, M. A. 2015. Are the helminth communities from unisexual and bisexual lizards different? Evidence from gastrointestinal parasites of *Darevskia* spp. In Turkey. *Acta Zoologica Academiae Scientiarum Hungaricae* 61: 279-288.
- Rocek, Z. Editor 1986. Studies in herpetology: proceedings of the 3rd European herpetological meeting, Prague, 1985. Charles University, Prague.
- Rocha, C. F. D. 1998. Ontogenetic shift in the rate of plant consumption in a tropical lizard (*Liolaemus lutzae*). *Journal of Herpetology*, 32: 274-279.
- Rocha, C. F. D. 2000. Selectivity in plant food consumption in the lizard *Liolaemus lutzae* from southeastern Brazil. *Studies on Neotropical Fauna and Environment* 35: 14-18.
- Rocha, P. L. B. and Rodrigues, M. T. 2005. Electivities and resource use by an assemblage of lizards endemic to the dunes of the São Francisco River, northeastern Brazil. *Papeis Avulsos de Zoologia* 45: 261-284.
- Rocha, C. F. D. and van Sluys, M. 2006. New records of reptiles from Ilha Grande island in Rio de Janeiro state, Brazil. *Herpetological Review*, 37: 112-113.
- Rocha, C. F. D. and Vrcibradic, D. 1996. Thermal ecology of two sympatric skinks (*Mabuya agilis* and *Mabuya macroryncha*) in Brazilian restinga habitat. *Australian Journal of Ecology* 21: 110-113.
- Rocha, C. F. D. and Vrcibradic, D. 1999. Reproductive traits of two sympatric viviparous skinks (*Mabuya macroryncha* and *Mabuya agilis*) in a Brazilian restinga habitat. *Herpetological Journal* 9: 43-53.
- Rocha, C. F. D., Araujo, A. F. B., Vrcibradic, D. and Costa, E. M. M. 2000. New *Cnemidophorus* (Squamata: Teiidae) from coastal Rio de Janeiro state, southeastern Brazil. *Copeia* 2000: 501-509.
- Rocha, C. F. D., Vrcibradic, D., Teixeira, R. L. and Cuzzuol, M. G. T. 2002. Interpopulation variation in litter size of the skink *Mabuya agilis* in southeastern Brazil. *Copeia* 2002: 857-864.
- Rocha, C. F. D., Vrcibradic, D. and Van Sluys, M. 2004. Diet of the lizard *Mabuya agilis* (Sauria: Scincidae) in an insular habitat (Ilha Grande, RJ, Brazil). *Brazilian Journal of Biology*, 64: 135-139.
- Rocha, C. F. D., Van Sluys, M., Vrcibradic, D., Kiefer, M. C., Menezes, V. A. and Siqueira, C. C. 2009. Comportamento de termorregulação em lagartos brasileiros. *Oecologia Brasiliensis*, 13: 115-131.
- Rocha, S., Carretero, M. A. and Harris, D. J. 2010. On the diversity, colonization patterns and status of *Hemidactylus* spp. (Reptilia: Gekkonidae) from the Western Indian Ocean islands. *Herpetological Journal*, 20: 83-89.
- Rocha, S., Harris D. J., Perera, A., Silva, A., Vasconcelos, R. and Carretero, M. A. 2010. Recent data on the distribution of Lizards and Snakes of the Seychelles. *The Herpetological Bulletin*, 110: 20-32.
- Rocha, C. F. D., Anjos, L. A. and Bergallo, H. G. 2011. Conquering Brazil: the invasion by the exotic gekkonid lizard *Hemidactylus mabouia* (Squamata) in Brazilian natural environments. *Zoologia*, 28: 747-754.
- Rocha, A., Mata-Silva, V. and Johnson, J. D. 2013. *Aspidoscelis exsanguis* (Chihuahuan spotted whiptail). Feeding behaviour. *Herpetological Review* 44: 663.
- Rocha, S., Perrera, A., Bunbury, N., Kaiserbunbury, C. N. and Harris, D. J. 2016. Speciation history and species-delimitation within the Seychelles bronze geckos, *Ailuropoda* spp.: molecular and morphological evidence. *Biological Journal of the Linnean Society* 120: 518-538.
- Rocha, C. F. D., da Silva Telles, F. B., Vrcibradic, D. and Nogueira-Costa, P. 2018. The herpetofauna from Ilha Grande (Angra dos Reis, Rio de Janeiro, Brazil): updating species composition, richness, distribution and endemisms. *Papeis Avulsos de Zoologia*, 58: e20185825.
- Rock, J. and Cree, A. 2008. Extreme variation in body temperature in a nocturnal thigmothermic lizard. *Herpetological Journal* 18: 69-76.

- Rock et al. 2002  
Rodda and Dean-Bradley 2001
- Rodda et al. 2015a  
Rodda et al. 2015b
- Rodder et al. 2009  
Rodrigues 1984a  
Rodrigues 1984b  
Rodrigues 1986  
Rodrigues 1987  
Rodrigues 1991
- Rodrigues 1996  
Rodrigues 1997  
Rodrigues 2000  
Rodrigues 2003  
Rodrigues and Avila-Pires 2005  
Rodrigues and Borges 1997  
Rodrigues and Cadle 1990  
Rodrigues et al. 1989  
Rodrigues et al. 2005
- Rodrigues et al. 2007  
Rodrigues et al. 2009
- Rodrigues et al. 2013a
- Rodrigues et al. 2013b
- Rodrigues et al. 2017
- Rodrigues-Serrano et al. 2009  
Rodriguez and Casas-Andreu 2011  
Rodriguez and Galeano 2017  
Rodriguez et al. 2016  
Rodriguez-Barbosa et al. 2017  
Rodriguez-Cabrera and Fong 2015  
Rodriguez-Cabrera et al. 2018  
Rodriguez-Canseco et al. 2013  
Rodriguez-Dominguez and Molina-Borja 1998  
Rodriguez-Prieto et al. 2010
- Rodriguez-Ramirez and Lewis 1991  
Rodriguez-Robles et al. 2003
- Rodriguez-Romero et al. 2004  
Rodriguez-Romero et al. 2011
- Roe et al. 2005  
Roelke and Smith 2010  
Rogers 1997  
Rogner 1997a  
Rogner 1997b  
Rogovin and Semenov 2002  
Rogovin and Semenov 2004
- Rogovin et al. 2000
- Rock, J., Cree, A. and Andrews, R. M. 2002. The effect of reproductive condition on thermoregulation in a viviparous gecko from a cool climate. *Journal of Thermal Biology*, 27: 17-27.
- Rodda, G. H. and Dean-Bradley, K. 2001. Inventory of the reptiles of the War in the Pacific National Historical Park, Guam. *Pacific Cooperative Studies Unit Technical Report* 169. University of Hawaii at Manoa, Department of Botany. Honolulu, HI. 41 pg.
- Rodda, G. H., Adams, A. A. Y., Campbell, E. W. and Fritts, T. H. 2015. General herpetological collecting is size-biased for five Pacific lizards. *Journal of Herpetology* 49: 507-512.
- Rodda, G. H., Dean-Bradley, K., Campbell, E. W., Fritts, T. H., Lardner, B., Adams, A. A. Y. and Reed, R. N. 2015. Stability of detectability over 17 Years at a single site and other lizard detection comparisons from Guam. *Journal of Herpetology* 49: 513-521.
- Rodder, D., Trautmann, D. and Bohme, W. 2009. Notes on the reproductive mode of *Melanoseps emmrichi* Broadley 2006. *Herpetology Notes*, 2: 17-19.
- Rodrigues, M. T. 1984. Sobre *Platynotus Wagler, 1830*, pre-ocupado substituído por *Tapinurus Amaral, 1933*, com a descrição de uma nova espécie (*Sauria, Iguanidae*). *Papeis Avulsos de Zoologia* 35: 367-373.
- Rodrigues, M. T. 1984. Uma nova espécie brasileira de *Tropidurus* com crista dorsal (*Sauria, Iguanidae*). *Papeis Avulsos de Zoologia* 35: 169-175.
- Rodrigues, M. T. 1986. Uma nova espécie do gênero *Phyllopezus* de Cabaceiras: Paraíba: Brasil; com comentários sobre a fauna de lagartos da área (*Sauria Gekkonidae*). *Papeis Avulsos de Zoologia* 36: 237-250.
- Rodrigues, M. T. 1987. Sistemática, ecologia e zoogeografia dos *Tropidurus* do grupo *torquatus* ao sul do Rio Amazonas (*Sauria, Iguanidae*). *Arquivos de Zoologia (São Paulo)* 31: 105-230.
- Rodrigues, M. T. 1991. Herpetofauna das dunas interiores do Rio São Francisco, Bahia, Brasil. I: introdução à área e descrição de um novo gênero de *Microteiideos* (*Calyptommatus*) com notas sobre sua ecologia, distribuição e espéciação (*Sauria, Teiidae*). *Papeis Avulsos de Zoologia* 37: 285-320.
- Rodrigues, M. T. 1996. Lizards, snakes, and amphisbaenians from the Quaternary sand dunes of the middle Rio São Francisco, Bahia, Brazil. *Journal of Herpetology*, 30: 513-523.
- Rodrigues, M. T. 1997. A new species of *Leposoma* (Squamata: Gymnophthalmidae) from the Atlantic forest of Brazil. *Herpetologica* 53: 383-389.
- Rodrigues, M. T. 2000. A new species of *Mabuya* (Squamata: Scincidae) from the semiarid Caatingas of northeastern Brazil. *Papeis Avulsos de Zoologia* 41: 313-328.
- Rodrigues, M. T. 2003. Herpetofauna da Caatinga. pages 181-236 in *Ecologia e conservação da Caatinga* (ed. by I.R. Leal, M. Tabarelli and J.M.C. Silva), Editora Universitária da UFPE, Recife.
- Rodrigues, M. T. and Avila-Pires, T. C. S. 2005. New lizard of the genus *Leposoma* (Squamata, Gymnophthalmidae) from the lower Rio Negro, Amazonas, Brazil. *Journal of Herpetology*, 39: 541-546.
- Rodrigues, M. T. and Borges, D. M. 1997. A new species of *Leposoma* (Squamata: Gymnophthalmidae) from a relictual forest in semiarid northeastern Brazil. *Herpetologica* 53: 1-6.
- Rodrigues, L. B. and Cadle, J. E. 1990. A preliminary overview of the Herpetofauna of Cocha Cachu, Manu National Park, Peru. Pages 410-425 in A.H. Gentry 1990. (editor). *Four Neotropical rainforests*. Yale University Press, New Haven.
- Rodrigues, M. T., Yionenaga-Yassuda, Y. and Kasahara, S. 1989. Notes on the ecology and karyotypic description of *Strobilurus torquatus* (*Sauria, Iguanidae*). *Brazilian Journal of Genetics* 12: 747-759.
- Rodrigues, M. T., Freire, E. M. X., Pellegrino, K. C. M. and Sites, J. W. 2005. Phylogenetic relationships of a new genus and species of microteiid lizard from the Atlantic forest of north-eastern Brazil (Squamata, Gymnophthalmidae). *Zoological Journal of the Linnean Society* 144: 543-557.
- Rodrigues, M. T., Pavan, D. and Curcio, F. F. 2007. Two new species of lizards of the genus *Bachia* (Squamata, Gymnophthalmidae) from central Brazil. *Journal of Herpetology*, 41: 545-553.
- Rodrigues, M. T., Cassimiro, J., Pavan, D., Curcio, F. C., Verdade, V. K. And Pellegrino, K. C. M. 2009. A new genus of Microteiid lizard from the Caparaó Mountains, Southeastern Brazil, with a discussion of relationships among Gymnophthalminae (Squamata). *American Museum Novitates* 3673: 1-27.
- Rodrigues, K. C., Delfim, F. R., da Castro, C. S. S., França, F. G. R., Filho, E. L., Mesquita, D. O., de Oliveira, F. A., dos Santos, A. C. A., Ferrari, S. F. and Valenca-Montenegro, M. M. 2013. *Strobilurus torquatus* Wiegmann, 1834 (Squamata: Tropiduridae): New records from the Brazilian state of Paraíba and a geographic distribution map. *Check List* 9: 614-617.
- Rodrigues, M. T., Teixeira, M., Dal Vecchio, F., Amaro, R. C., Nisa, C., Guerrero, A. C., Damasceno, R., Roscito, J. G., Nunes, P. M. S. and Recoder, R. S. 2013. Rediscovery of the earless microteiid lizard *Anotosaura collaris* Amaral, 1933 (Squamata: Gymnophthalmidae): A redescription complemented by osteological, hemipenial, molecular, karyological, physiological and ecological data. *Zootaxa* 3731: 345-370.
- Rodrigues, M. T., Recoder, R., Teixeira, M. J., Roscito, J. G., Guerrero, A. C., Nunes, P. M. S., De Freitas, M. A., Fernandes, D. S., Bocchiglieri, A., Dal Vecchio, F., Leite, F. S. F., Nogueira, C. C., Damasceno, R., Pellegrino K. C. M., Argolo, A. J. S. and Amaro, R. C. 2017. A morphological and molecular study of *Psilops*, a replacement name for the Brazilian microteiid lizard genus *Psilophthalmus* Rodrigues 1991 (Squamata, Gymnophthalmidae), with the description of two new species. *Zootaxa*, 4286: 451-482.
- Rodrigues-Serrano, E., Navas, C. A. and Bozinovic, F. 2009. The comparative field body temperature among *Liolaemus* lizards: testing the static and the labile hypothesis. *Journal of Thermal Biology* 34: 306-309.
- Rodriguez, M. A. G. and Casas-Andreu, G. 2011. Facultative specialization in the diet of the twelve-lined whiptail, *Aspidoscelis lineatissima*. *Journal of Herpetology*, 45: 287-290.
- Rodriguez, N. C. and Galeano, M. A. M. 2017. *Ptychoglossus bicolor* (Werner's large-scaled lizard). Predation. *Herpetological Review* 48: 658-659.
- Rodriguez, A. A. G., Herrera, N. T. and Sunyer, J. 2016. *Norops pentaprion* (Cope, 1862). Geographic Distribution. *Mesoamerican Herpetology* 3: 507-508.
- Rodriguez-Barbosa, C. A., Mendoza-Roldan, J. S. and Sanchez, D. A. G. 2017. *Stenocercus trachycephalus* (Dumeril, 1851). Catalogo de Anfibios y Reptiles de Colombia 3: 67-74.
- Rodriguez-Cabrera, T. M. and Fong, A. G. 2015. Predation on a blindsnaKE genus *Typhlops* (Squamata: Typhlopidae) by the Spanish flag anole, *Anolis flagellum* (Squamata: Dactyloidae) in Cuba. *IRCF Reptiles & Amphibians* 22: 156.
- Rodriguez-Cabrera, T. M., Rodriguez Gonzalez, A. M. and Torres, J. 2018. Herpetofauna of Cayo Carenas, Cienfuegos Bay, South-central Cuba. *IRCF Reptiles & Amphibians* 25: 13-19.
- Rodriguez-Canseco, J. M., Gonzalez-Estupinan, K. L. and Lopez-Rodriguez, L. E. 2013. *Aspidoscelis gularis* (common spotted whiptail). Clutch size. *Herpetological Review* 44: 138.
- Rodriguez-Dominguez, M. A. and Molina-Borja, M. 1998. Reproduction of the endangered Hierro Giant Lizard *Gallotia simonyi machadoi*. *Journal of Herpetology* 32: 498-504.
- Rodriguez-Prieto, I., Ondo-Nguema, E., Sima, T., Osa-Akara, L. B. and Abeso, E. 2010. Unusual nesting behaviour in reptiles: egg-laying in solitary wasp mud-nests by the island endemic Annobon dwarf gecko (*Lygodactylus thomensis* wermuthi) Pasteur 1962). *North-Western Journal of Zoology* 6: 144-147.
- Rodriguez-Ramirez, J. and Lewis, A. R. 1991. Reproduction in the Puerto Rican teiids *Ameiva exsul* and *A. wetmorei*. *Herpetologica* 47: 395-403.
- Rodriguez-Robles, J. A., Good, D. A. and Wake, D. W. 2003. Brief history of herpetology in the Museum of Vertebrate Zoology, University of California, Berkeley, with a list of type specimens of recent amphibians and reptiles. *University of California Publications in Zoology* 131: 1-119.
- Rodriguez-Romero, F., Smith, G. R., Cuellar, O. and Mendez de la Cruz, F. R. 2004. Reproductive traits of a high elevation viviparous lizard *Sceloporus bicanthalis* (Lacertilia: Phrynosomatidae) from Mexico. *Journal of Herpetology*, 38: 595-603.
- Rodriguez-Romero, F., Smith, G. R., Mendez-Sanchez, F., Hernandez-Gallegos, O., Nava, P. S. and Mendez de la Cruz, F. R. 2011. Demography of a semelparous, high-elevation population of *Sceloporus bicanthalis* (Lacertilia: Phrynosomatidae) from the Nevado de Toluca Volcano, Mexico. *The Southwestern Naturalist* 56: 71-77.
- Roe, J. H., Hopkins, W. A. and Talent, L. G. 2005. Effects of body mass, feeding, and circadian cycles on metabolism in the lizard *Sceloporus occidentalis*. *Journal of Herpetology*, 39: 595-603.
- Roelke, C. E. and Smith, E. N. 2010. Herpetofauna, Parc National des Volcans, North Province, Republic of Rwanda. *Check List* 6: 525-531.
- Rogers, K. L. 1997. Iguana iguana. Longevity. *Herpetological Review* 28: 203.
- Rogner, M. 1997. Lizards. Volume 1. Krieger Publishing Company, Malabar, FL.
- Rogner, M. 1997. Lizards. Volume 2. Krieger Publishing Company, Malabar, FL.
- Rogovin, K. A. and Semenov, D. V. 2002. Demography of translocated population of toad-headed agama *Phrynocephalus guttatus* in southern Kalmykia. *Russian Journal of Herpetology* 9: 169-176.
- Rogovin, K. A. and Semenov, D. V. 2004. The toad-headed agama *Phrynocephalus guttatus* (Reptilia: Agamidae): the correlates of survival in a translocated population in the Southwestern Kalmyk Republic. *Russian Journal of Ecology*, 35: 389-394. Translated from *Ekologiya*, 6, 2004, pp. 436-441.
- Rogovin, K. A., Semenov, D. V. and Shenbrot, G. I. 2000. Lizards of the northern Mongolian deserts: densities and community structure. *Asiatic Herpetological Research* 9: 1-9.

- Rohr 1997  
 Rohtla et al. 2019  
 Roitberg 1999  
 Roitberg 2007
- Roitberg and Smirina 2006a  
 Roitberg and Smirina 2006b  
 Roitberg et al. 2011  
 Roitberg et al. 2013  
 Roitberg et al. 2015
- Rojas et al. 2016  
 Rojas Murcia et al. 2016  
 Rojas-Gonzalez et al. 2008a  
 Rojas-Gonzalez et al. 2008b  
 Rojas-Runjaic and Fuenmayor 2006
- Rojas-Runjaic et al. 2007  
 Rojas-Runjaic et al. 2008
- Rojas-Runjaic et al. 2010  
 Rojas-Runjaic et al. 2015
- Rojas-Runjaic et al. 2018
- Rojo-Gutierrez et al. 2018
- Roll 2000  
 Roll 2005a  
 Roll 2005b
- Roll et al. 2013
- Roll et al. 2016
- Roll et al. 2017
- Rolland et al. 2018  
 Romero-Rodriguez et al. 2006  
 Romero-Schmidt et al. 1999  
 Rorabaugh 2008  
 Rorabaugh and Lemos-Espinal 2016  
 Rorabaugh et al. 2019
- Rosa and Rakotozafy 2013  
 Rosado et al. 2016
- Rosas et al. 2018  
 Rosauer et al. 2015
- Rosauer et al. 2016
- Roscito and Rodrigues 2012
- Rohr, D. H. 1997. Demographic and life-history variation in two proximate populations of a viviparous skink separated by a steep altitudinal gradient. *Journal of Animal Ecology*, 66: 567-578.
- Rohtla, E. A., Russell, A. P. and Bauer, A. M. 2019. Sounding off: relationships between call properties, body size, phylogeny, and laryngotracheal form of geckos. *Herpetologica* 75: 175-197.
- Roitberg, E. S. 1999. Phenetic relationships between *Lacerta caucasica*, *L. daghestanica* and *L. praticola* (Reptilia, Lacertidae): a multivariate trend in external morphology. *Natura Croatica*, 8: 189-200.
- Roitberg, E. S. 2007. Variation in sexual size dimorphism within a widespread lizard species. pages 143-153 in Fairbairn, D. J., Blanckenhorn, W. U. and Szekely, T. Sex, size and gender roles: evolutionary studies of sexual size dimorphism. Oxford University Press, Oxford.
- Roitberg, E. S. and Smirina, E. M. 2006. Adult body length and sexual size dimorphism in *Lacerta agilis boemica* (Reptilia, Lacertidae): between-year and interlocality variation. pages 175-187 in: Mainland and insular Lizards: a Mediterranean Perspective. Corti C., Lo Cascio P. & Biagianni M. (editors). Florence University Press, Florence.
- Roitberg, E. S. and Smirina, E. M. 2006. Age, body size and growth of *Lacerta agilis boemica* and *L. striata* (Reptilia, Lacertidae): a comparative study of two closely related lizard species based on skeletochronology. *Herpetological Journal* 16: 133-148.
- Roitberg, E. S., Orlova, V. F., Kuranova, V. N., Bulakhova, N. A., Zinenko, O. I., Ljubisavljevic, K., Shamgunova, R. R., Carretero, M. A., Clasen, A., Fokt, M. and Bohme, W. 2011. Inter-observer and intra-observer differences in measuring body length: a test in the common lizard, *Zootoca vivipara*. *Amphibia-Reptilia* 32: 477-484.
- Roitberg, E. S., Kuranova, V. N., Bulakhova, N. A., Orlova, V. F., Eplanova, G. V., Zinenko, O. I., Shamgunova, R. R., Hofmann, S. and Yakovlev, V. A. 2013. Variation of reproductive traits and female body size in the most widely-ranging terrestrial reptile: testing the effects of reproductive mode, lineage, and climate. *Evolutionary Biology* 40: 420-438.
- Roitberg, E. S., Eplanova, G. V., Kotenko, T. I., Amat, F., Carretero, M. A., Kuranova, V. N., Bulakhova, N. A., Zinenko, O. I. and Yakovlev, V. A. 2015. Geographic variation of life-history traits in the sand lizard, *Lacerta agilis*: testing Darwin's fecundity-advantage hypothesis. *Journal of Evolutionary Biology* 28: 613-629.
- Rojas, S. J. S., Villacampa, J. and Whitworth, A. 2016. Notes on the reproduction of *Kentropyx altamazonica* (Squamata: Teiidae) and *Imantodes lentiferus* (Serpentes: Dipsadidae) from southeast Peru. *Phylomedusa* 15: 69-73.
- Rojas Murcia, L. E., Carvajal Cogollo, J. E. and Cabrejo Bello, J. A. 2016. Reptiles from the seasonal dry forest the Caribbean Region: Distribution of habitat and use of food resource. *Acta Biologica Colombiana*, 21: 365-377.
- Rojas-Gonzalez, R. I., Jones, C. P., Zuniga-Vega, J. J. and Lemos-Espinal, J. A. 2008. Demography of *Xenosaurus platyceps* (Squamata: Xenosauridae): a comparison between tropical and temperate populations. *Amphibia-Reptilia* 29:
- Rojas-Gonzalez, R. I., Zuniga-Vega, J. and Lemos-Espinal, J. A. 2008. Reproductive variation of the lizard *Xenosaurus platyceps*: comparing two populations of contrasting environments. *Journal of Herpetology*, 42: 332-336.
- Rojas-Runjaic, F. J. M. and Fuenmayor, G. R. 2006. Notes on the natural history and geographic distribution of *Gonatodes petersii* Donoso-Barros, 1967, (Sauria: Gekkonidae): An endemic and poorly known gecko of the Sierra de Perija, Venezuela. *Gekko* 5: 21-25.
- Rojas-Runjaic, F. J. M., Rivero, E. E., Barrio-Amoros, C. L. and Blanco, T. R. B. 2007. New distributional records of amphibians and reptiles from Estado Zulia in the Maracaibo Basin, Venezuela. *Herpetological Review*, 38: 235.
- Rojas-Runjaic, F. J. M., Rondon, A. C. B. and Infante, E. E. 2008. Contributions to the knowledge of the reproductive biology of the tuqueque from Perija *Gonatodes petersii* Donoso-Barros, 1967 (Sauria, Gekkonidae, Sphaerodactylinae). *Saber, Universidad de Oriente, Venezuela* 20: 117-123.
- Rojas-Runjaic, F. J. M., infante-Rivero, E. E., Cabello, P. and Velozo, P. 2010. A new non-sexually dichromatic species of the genus *Gonatodes* (Sauria: Sphaerodactylidae) from Sierra de Perija, Venezuela. *Zootaxa* 2671: 1-16.
- Rojas-Runjaic, F. J. M., Rivas, G. A. and Molina, C. 2015. *Anolis* del Tetari, *Anolis tetari*. En: J.P. Rodriguez, A. Garcia-Rawlins y F. Rojas-Suarez (eds.) *Libro Rojo de la Fauna Venezolana*. Cuarta edicion. Provita y Fundacion Empresas Polar, Caracas, Venezuela. Recuperado de: [animalesamenazados.provita.org.ve/content/anolis-del-tetari](http://animalesamenazados.provita.org.ve/content/anolis-del-tetari) Mie, 18/01/2017
- Rojas-Runjaic, F.J., Quihua, D., Castellanos, M. and La Marca, E. 2018. *Anolis scypheus* Cope, 1864 (Squamata, Dactyloidae) en Venezuela: confirmacion de presencia y nuevos registros. *Memoria de la Fundacion La Salle de Ciencias Naturales*, 76: 93-101.
- Rojo-Gutierrez, J. R., Jaimes-Rodriguez, D., Cruz-Saenz, D., Lopez-Fernandez, L., Chavez-Uribe, E. and Lazcano, D. 2018. Notes on the herpetofauna of Western Mexico 19: An update to the herpetofauna of Volcan de Tequila in Jalisco, Mexico. *Bulletin of the Chicago Herpetological Society* 53: 165-169.
- Roll, B. 2000. Two sympatric Lygodactylus species in coastal areas of Eastern Africa (Reptilia, Gekkonidae). Pages 189–198 in G. Rheinwald, ed. Isolated vertebrate communities in the tropics: Bonner Zoologische Monographien 46. Zoologisches Forschungsinstitut und Museum A. Koenig, Bonn, Germany.
- Roll, B. 2005. *Lygodactylus gutturalis* (Bocage). *Sauria* 27: 645-648.
- Roll, B. 2005. Variability in a common species: The *Lygodactylus capensis* complex from Southern and Eastern Africa (Reptilia, Gekkonidae). pages 237-244 in: African Biodiversity: Molecules, Organisms, Ecosystems, edited by Bernhard A. Huber, Bradley J. Sinclair, and Karl-Heinz L Springer, USA.
- Roll, U., Tallowin, O., Berkowic, D., Maza, E., Ostrometzky, Y., Slavenko, A., Shacham, B., Tamar, K. and Meiri, S. 2013. Rueppell's Snake-eyed skink, *Ablepharus rueppellii* (Gray, 1839) (Reptilia: Squamata: Scincidae): distribution extension and geographic range in Israel. *Check List* 9: 458-464.
- Roll, U., Mittermeier, J. C., Diaz, G. I., Novosolov, M., Feldman, A., Iescu, Y., Meiri, S. and Grenyer, R. 2016. Using Wikipedia page views to explore the cultural importance of global reptiles. *Biological Conservation* 204: 42-50. <http://dx.doi.org/10.1016/j.biocon.2016.03.037>.
- Roll, U., Feldman, A., Novosolov, M., Allison, A., Bauer, A., Bernard, R., Bohm, M., Chirio, L., Collen, B., Colli, G. R., Dabul, L., Das, I., Doan, T., Grismar, L., Herrera, F. C., Hoogmoed, M., Itescu, Y., Kraus, F., LeBreton, M., Lewin, A., Martins, M., Maza, E., Meirte, D., Nagy, Z., Nogueira, C. C., Pauwels, O. S. G., Pincheira-Donoso, D., Powney, G., Sindaco, R., Tallowin, O., Torres-Carvalho, O., Trape, J. F., Uetz, P., Vidan, E., Wagner, P., Wang, Y. Z., Orme, D., Grenyer, R. and Meiri, S. 2017. The global distribution of tetrapods reveals a need for targeted reptile conservation. *Nature Ecology & Evolution* 1: 1677-1682. doi: 10.1038/s41559-017-0332-2.
- Rolland, J., Silvestro, D., Schluter, D., Guisan, A., Broennimann, O. and Salamin, N. 2018. The impact of endothermy on the climatic niche evolution and the distribution of vertebrate diversity. *Nature Ecology & Evolution* 2: 459-464.
- Romero-Rodriguez, H., Guerrero-Vazquez, S., Cruz-Saenz, D., Arriaga-Ruiz, M. C., Barragan-Rodriguez, H. and Vazquez-Huizar, O. 2006. Herpetofauna del Volcan de Tequila, Jalisco. Avances en la investigacion Cientifica en el
- Romero-Schmidt, H. L., Ortega-Rubio, A. and Acevedo-Beltran, M. 1999. Reproducive characteristics of the black-tailed brush lizard, *Urosaurus nigricaudus* (Phrynosomatidae). *Revista de Biologia Tropical* 47: 1111-1115.
- Rorabaugh, J. C. 2008. An introduction to the herpetofauna of mainland Sonora, Mexico, with comments on conservation and management. *Journal of the Arizona-Nevada Academy of Science* 40: 20-65.
- Rorabaugh, J. C. and Lemos-Espinal, J. 2016. A field guide to the amphibians and reptiles of Sonora, Mexico. ECO Herpetological Publishing and Distribution, Rodeo, NM.
- Rorabaugh, J. C., Turner, D., Van Devender, T. R., Cabrera, V. H., Maynard, R. J., Van Devender, R. W., Villa, R. A., Hamilton, P., Hale, S. F., Aguilar-Morales, C., Blanco-Gutierrez, A., Wallace, E. and Hedgcock, C. 2019. Herpetofauna of the Mesa Tres Ríos area in the northern Sierra Madre Occidental of Sonora, Mexico. *Herpetological Review* 50: 251-259.
- Rosa, G. M. and Rakotozafy, S. 2013. Opportunistic but voracious: Madagascan spiny-tailed iguana, *Oplurus cuvieri* (Reptilia: Opluridae) predation upon a small mammal. *Herpetology Notes*, 6: 459-461.
- Rosado, D., Harris, D. J., Perera, A., Jorge, F., Tom, B., Damas-Moreira, I., Tavares, I., Estrela, H., De Sousa, A., Pereira, A., Mantovani, M. and Salvi, D. 2016. Moroccan herpetofauna distribution updates including a DNA barcoding approach. *Herpetozoa* 28: 171-178.
- Rosas, Y. M., Peri, P. L. and Pastur, G. M. 2018. Potential biodiversity map of lizard species in Southern Patagonia: environmental characterization, desertification influence and analyses of protection areas. *Amphibia-Reptilia* 39: 289.
- Rosauer, D. F., Catullo, R. A., VanDerWal, J., Moussalli, A. and Moritz, C. 2015. Lineage range estimation method reveals fine-scale endemism linked to Pleistocene stability in Australian rainforest herpetofauna. *PLoS ONE* 10(5): e0126274. doi:10.1371/journal.pone.0126274.
- Rosauer, D. F., Blom, M. P. K., Bourke, G., Catalano, S., Donnellan, S., Gillespie, G., Mulder, E., Oliver, P. M., Potter, S., Pratt, R. C., Rabosky, D. L., Skipwith, P. L. and Moritz, C. 2016. Phylogeography, hotspots and conservation priorities: an example from the Top End of Australia. *Biological Conservation* 204: 83-93.
- Roscito, J. G. and Rodrigues, M. T. 2012. Embryonic development of the fossorial gymnotophthalmid lizards *Nothobachia ablephara* and *Calyptommatus sinebrachiatus*. *Zoology*, 115: 302-318.

- Rosenberg 1967
- Rosenblum 2006
- Rosler 2001
- Rosler 2005
- Rosler 2019a
- Rosler 2019b
- Rosler and Glaw 2010
- Rosler and Kruger 1998
- Rosler and Obst 2007
- Rosler and Wranik 1999a
- Rosler and Wranik 1999b
- Rosler and Wranik 2004
- Rosler and Wranik 2005
- Rosler and Wranik 2006a
- Rosler and Wranik 2006b
- Rosler and Wranik 2007
- Rosler and Wranik 2008
- Rosler et al. 2004
- Rosler et al. 2005
- Rosler et al. 2006
- Rosler et al. 2007
- Rosler et al. 2008
- Rosler et al. 2011
- Rosler et al. 2012
- Rosler et al. 2017a
- Rosler et al. 2017b
- Rosler et al. 2018
- Rosler et al. 2019
- Ross et al. 2008
- Rotem 2012
- Rotem et al. 2013
- Rotem et al. 2016
- Rotger et al. 2016
- Roth-Monzon et al. 2018
- Rouag and Benyacoub 2006
- Rouag et al. 2007
- Rouag et al. 2018
- Roughgarden 1995
- Roughgarden and Pacala 1989
- Rounaghi and Yousefkhani 2018
- Rounaqi et al. 2017
- Rounsevell et al. 1985
- Roussos and Strachinis 2014
- Routman and Hulse 1984
- Roux 1927
- Rowe et al. 2019
- Rowley et al. 2007
- Roze 1958
- Rosenberg, H. I. 1967. Hemipenial morphology of some amphisbaenids (Amphisbaenia: Reptilia). *Copeia*, 196: 349-361.
- Rosenblum, E. B. 2006. Convergent evolution and divergent selection: lizards at the white sands ecotone. *The American Naturalist*, 167: 1-15.
- Rosler, H. 2001. Eine neue grosswuchsiige Cyrtodactylus-Art von Neuguinea (Reptilia: Sauria: Gekkonidae). *Zoologische Abhandlungen, Staatliches Museum für Tierkunde, Dresden* 51: 61-71.
- Rosler, H. 2005. Vermehrung von Geckos. *Herpeton, Offenbach*.
- Rosler, H. 2019. Comparative studies on the extracorporeal development of soft- and hard-shelled gecko eggs (Squamata: Gekkota): 3. *Eurydactylodes agricolae* Henkel & Bohme, 2001 (Diplodactylidae). *Sauria* 41: 1-8.
- Rosler, H. 2019. Comparative studies on the extracorporeal development of soft- and hard-shelled gecko eggs (Squamata: Gekkota): 4. *Goniurosaurus luii* Grismer, Viets & Boyle, 1999 (Eublepharidae). *Sauria* 41: 57-61.
- Rosler, H. and Glaw, F. Morphologische variation und taxonomie von *Hemidactylus brookii* Gray, 1845 und *Hemidactylus angulatus* Hallowell, 1854 sowie phanotypisch ähnlicher Taxa (Squamata, Sauria, Gekkonidae). *Spixiana* 33: Rosler, H. and Kruger, J. 1998. Eine neue Unterart von *Paroedura bastardi* (Mocquard, 1900) (Sauria: Gekkonidae) aus dem zentralen Hochland von Madagaskar. *Sauria*, Berlin, 20: 37-46.
- Rosler, H. and Obst, F. J. 2007. On two examples of *Gehyra vorax* Girard, 1857 with their locality on the Society islands (Reptilia, Sauria, Gekkonidae). *Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe* 83, Supplement: 101-104.
- Rosler, H. and Wranik, W. 1999. Beiträge zur herpetologie der republik Jemen. 5. Drei neue gecko-arten vom Sokotra-Archipel (Reptilia: Sauria: Gekkonidae). *Zoologische Abhandlungen, Staatliches Museum für Tierkunde, Dresden* Rosler, H. and Wranik, W. 1999. Beiträge zur herpetologie der Republik Jemen. 5. Drei neue gecko-arten vom Sokotra-Archipel (Reptilia: Sauria: Gekkonidae). *Zoologische Abhandlungen, Staatliches Museum für Tierkunde, Dresden*
- Rosler, H. and Wranik, W. 2004. A key and annotated checklist to the reptiles of the Socotra archipelago. *Fauna of Arabia* 20: 505-534.
- Rosler, H. and Wranik, W. 2005. Die Gecko-inseln. 1. Teil: Die nachtaktiven geckoes der gattung *Haemodracon* Bauer, Good, Branch, 1997 und *Hemidactylus* Gray, 1825 vom Sokotra Archipel, Jemen (Reptilia: Sauria: Gekkonidae).
- Rosler, H. and Wranik, W. 2006. Die Gecko-inseln. 2. Teil: Die tagaktiven geckos der gattung *Pristurus* RuPPEL, 1835, vom Sokotra Archipel, Jemen (Reptilia: Sauria: Gekkonidae). *Sauria* 28: 17-26.
- Rosler, H. and Wranik, W. 2006. The reptiles of the Socotra archipelago with special remarks on the slender blind snakes (Leptotyphlopidae: Leptotyphlops). pages 125-128 in Vences, M., Kohler, J., Ziegler, T. and Bohme, W. (eds): *Herpetologia Bonnensis II. Proceedings of the 13th Congress of the Societas Europaea Herpetologica*.
- Rosler, H. and Wranik, W. 2007. Remarks on biology, keeping and breeding the Socotra Giant Gecko, *Haemodracon riebeckii* (Peters, 1882). *Zoologische Garten* 77: 59-83.
- Rosler, H. and Wranik, W. 2008. Remarkable unusual endogenous egg shell colouration in an egg of the *Chioninia delalandii* (Dumeril&Bibron,1839) (Reptilia: Sauria: Scincidae). *Zoologische Garten* 78: 43-48.
- Rosler, H., Ziegler, T., Thanh, V. N., Herrmann, H.-W. and Bohme, W. 2005. A new lizard of the genus *Gekko Laurenti*, 1768 (Squamata: Sauria: Gekkonidae) from the Phong Nha - Ke Bang National Park, Quang Binh Province, Vietnam. *Bonner Zoologische Beiträge* 53: 135-148.
- Rosler, H., Glaw, F. and Gunther, R. 2005. Aktualisierte liste der geckos von Neuguinea (Sauria: Gekkonidae: Gekkoninae) mit vorläufiger charakterisierung von neun formen aus den Gattungen *Cyrtodactylus* Gray, 1827, *Gehyra* Gray, 1834 und *Nactus* Kluge, 1983. *Gekkota* 5: 33-64.
- Rosler, H., Siler, C. D., Brown, R. M. Demeglio, A. D. and Gaulke, M. 2006. *Gekko ernstkelleri* sp. n. - a new gekkonid lizard from Panay island, Philippines. *Salamandra* 42: 197-211.
- Rosler, H., Richards, S. J. and Gunther, R. 2007. Remarks on morphology and taxonomy of geckos of the genus *Cyrtodactylus* Gray, 1827, occurring east of Wallacea, with descriptions of two new species (Reptilia: Sauria: Gekkonidae). *Salamandra* 43: 193-230.
- Rosler, H., Vu, N. T., Nguyen, Q. T., Ngo, V. T. and Ziegler, T. 2008. A new *Cyrtodactylus* (Squamata: Gekkonidae) from central Vietnam. *Hamadryad* 33: 48-63.
- Rosler, H., Bauer, A. M., Heinicke, M. P., Greenbaum, E., Jackman, T., Nguyen, T. Q. and Ziegler, T. 2011. Phylogeny, taxonomy, and zoogeography of the genus *Gekko Laurenti*, 1768 with the revalidation of *G. reevesii* Gray, 1831 (Sauria: Gekkonidae). *Zootaxa* 2989: 1-50.
- Rosler, H., Ineich, I., Wilms, T. M. and Bohme, W. 2012. Studies on the taxonomy of the *Gekko vittatus* Houttuyn, 1782 complex (Squamata: Gekkonidae) i. On the variability of *G. vittatus* Houttuyn, 1782 sensu lato, with the description of a new species from Palau islands, Micronesia. *Bonn zoological Bulletin* 61: 241-254.
- Rosler, H., Glaw, F. and Kaiser, H. 2017. Identity and history of an odd, old gecko (*Gymnodactylus geckoides* Spix, 1825, *Phyllodactylidae*) from the Zoologische Staatssammlung München, Germany. *Herpetology Notes*, 10: 89-99.
- Rosler, H., Wranik, W. and Kaiser, H. 2017. Sperm retention in *Pristurus flavipunctatus* Ruppell, 1835 (Squamata: Sphaerodactylidae), with a brief review of sperm storage in geckos. *Herpetology Notes*, 10: 537-545.
- Rosler, H., Wranik, W. and Kaiser, H. 2018. The third-longest sperm storage period in geckos: an observation in a species of *Pristurus Rüppell*, 1835 from southern Yemen (Squamata: Sphaerodactylidae). *Herpetology Notes* 11: 301-302.
- Rosler, H., Grismer, L. L., Ineich, I. and Kaiser, H. 2019. The purportedly Indo-Australian gecko species *Cnemaspis timoriensis* (Dumeril & Bibron, 1836) is actually the first named species of the neotropical genus *Gonatodes* Fitzinger, 1843 (Squamata: Gekkonidae). *Zootaxa*, 4576: 483-509.
- Ross, T. N., Parnetta, A. P., Jones, C. G. and Bell, D. J. 2008. Sexual size dimorphism and microhabitat use of the orange-tail skink (*Gongylomorphus* spp.) on Flat island, Mauritius: conservation implications. *Amphibia-Reptilia* 29: Rotem, G. 2012. Scale-dependent effects of a fragmented agro-ecosystem on a reptile community. PhD Dissertation, Ben Gurion University, Beer Sheva.
- Rotem, G., Ziv, Y., Giladi, I. and Bouskila, A. 2013. Wheat fields as an ecological trap for reptiles in a semiarid agroecosystem. *Biological Conservation* 167: 349-353.
- Rotem, G., Gavish, Y., Shacham, B., Giladi, I., Bouskila, A. and Ziv, Y. 2016. Combined effects of climatic gradient and domestic livestock grazing on reptile community structure in a heterogeneous agroecosystem. *Oecologia* 180: Rotger, A., igual, J. M., Smith, J. J. and Tavecchia, G. 2016. Relative role of population density and climatic factors in shaping the body growth rate of Lilford's wall lizard (*Podarcis lilfordi*). *Canadian Journal of Zoology* 94: 207-215.
- Roth-Monzon, A. J., Mendoza-Hernandez, A. A. and Flores-Villela, O. 2018. Amphibian and reptile biodiversity in the semi-arid region of the municipality of Nopalpa de Villagrán, Hidalgo, Mexico. *PeerJ*, 6: e4202.
- Rouag, R. and Benyacoub, S. 2006. Inventaire et écologie des reptiles du Parc national d'El Kala (Algérie). *Bulletin de la Société Herpetologique de France* 117: 25-40.
- Rouag, R., Djilali, H., Gueraiche, H. and Luiselli, L. 2007. Resource partitioning patterns between two sympatric lizard species from Algeria. *Journal of Arid Environments* 69: 158-168.
- Rouag, R., Ziane, N. and Benyacoub, S. 2018. Microhabitat preferences of two sympatric lacertid in the National Park of El Kala, Algeria. *Vestnik Zoologii*, 52: 251-256.
- Roughgarden, J. 1995. Anolis lizards of the Caribbean: ecology, evolution, and plate tectonics. Oxford University Press, Oxford.
- Roughgarden, J. and Pacala, S. 1989. Taxon cycle among Anolis lizard populations: review of evidence. In: Speciation and its Consequences, (ed. by Otte, D. & Endler, J.) (editors), pp. 403-432. Sinauer Associates, Sunderland.
- Rounaghi, I. and Yousefkhani, S. S. H. 2018. Effects of climate change on niche shifts of *Pseudotrapelus dhofarensis* and *Pseudotrapelus jensvindumi* (Reptilia: Agamidae) in Western Asia. *PLoS ONE* 13: e0197884.
- Rounaqi, I., Rastegar-Pouyani, E., Gholamifard, A. and Hosseiniyan, S. 2017. Genetische und morphologische Variabilität unter den Populationen des Gattung *Tropiocolotes* Peters, 1880 (Squamata: Gekkonidae) in south Iran.
- Rounsevell, D., Brothers, N. and Holdsworth, M. 1985. The status and ecology of the Pedra Branca skink, *Pseudemoia palfreymani*. pages 477-480 in G. Grigg, R. Shine and H. Ehmann (editors). *The biology of Australasian frogs and reptiles*. Surrey Beatty & Sons, Chipping Norton, NSW.
- Roussos, S. A. and Strachinis, I. 2014. *Mediodactylus kotschyi* (kotschy's gecko). Geographic distribution. *Herpetological Review* 45: 660.
- Routman, E. J. and Hulse, A. C. 1984. Ecology and reproduction of a parthenogenetic lizard, *Cnemidophorus sonorae*. *Journal of Herpetology*, 18: 381-386.
- Roux, J. 1927. Contribution à l'herpetologie du Venezuela. *Verhandlungen dem Naturforschenden Gesellschaft in Basel* 38: 252-261.
- Rowe, J. W., Martin, C. E., Clark, D. L., Valle, C. and Palacios, C. P. V. 2019. Habitat use and spatial ecology of three *Microlophus* lizard species from Santa Cruz and San Cristobal Islands, Galapagos, and the coastal dry forest of Machalilla, Ecuador. *Herpetological Review* 50: 43-51.
- Rowley, J. J., Puschendorf, R. and Cashins, S. 2007. Plant consumption in Australian geckos: sap feeding by the ocellated velvet gecko *Oedura monilis*. *Herpetofauna*, 37: 8-10.
- Roze, J. A. 1958. Los reptiles del Ayantepui, Venezuela, basandose en las colecciones de las expediciones de Phelps-Tate, del American Museum of Natural History, 1937-1938, y de la Universidad Central de Venezuela, 1956. *Acta Biologica Venezolica* 2: 243-270.

- Roze 1963
- Rua and Galan 2003
- Rubial 1950
- Rubio and Carrascal 1994a
- Rubio and Carrascal 1994b
- Rubio and Martin 2017
- Rubio and Palacios 1986
- Rueda and Hernandez-Camacho 1988
- Rueda and Williams 1986
- Rugiero et al. 2007
- Ruibal 1952
- Ruibal 1961
- Ruibal and Philibosian 1974
- Ruiz et al. 2016
- Ruiz et al. 2019
- Rujirawan et al. 2019
- Rummery et al. 1995
- Runemark et al. 2010
- Runemark et al. 2011
- Runemark et al. 2014
- Runemark et al. 2015
- Runnion 2019
- Russell and Bauer 1986
- Russell and Bauer 1991a
- Russell and Bauer 1991b
- Russell and Bauer 1991c
- Russell and Bauer 2000
- Russell and Bauer 2002
- Russell and Delaquerre 2017
- Russell and Gamble 2019
- Ruta et al. 2006
- Rutherford 2004
- Ruthven 1923
- Ruthven 1924a
- Ruthven 1924b
- Ruthven 1925
- Ruz 2006
- Ryabinina et al. 2002
- Ryan and Poe 2014
- Sabath 1981
- Saber et al. 1995
- Saber-Pirooz et al. 2019
- Sacchi et al. 2010
- Sacha 2018
- Sadasivan et al. 2018
- Sadeghi and Torki 2011
- Sadek 1981
- Sadlier 1985
- Sadlier 1987
- Sadlier 1988
- Sadlier 1990a
- Roze, J. A. 1963. Una nueva especie del genero Gonatodes (Sauria: Gekkonidae) de Venezuela. Publicaciones Ocasionales del Museo de Ciencias Naturales de Caracas, Zoologia, 5: 1-4.
- Rua, M. and Galan, P. 2003. Reproductive characteristics of a lowland population of an alpine lizard: *Lacerta monticola* (Squamata, Lacertidae) in north-west Spain. Animal Biology, 53: 347-366.
- Rubial, R. 1950. The status of the lizard *Pantodactylus nicefori*. Copeia 1950: 58.
- Rubio, J. L. and Carrascal, L. M. 1994. Habitat selection and conservation of an endemic spanish lizard *Algyrodes marchi* (Reptilia, Lacertidae). Biological Conservation 70: 245-250.
- Rubio, J. L. and Carrascal, L. M. 1994. Habitat selection and conservation of an endemic Spanish lizard *Algyrodes marchi* Reptilia, Lacertidae. Biological Conservation 70: 245-250.
- Rubio, J. L. and Martin, V. 2017. Habitat use by peripheral populations of a lizard with a highly restricted distribution range, the Spanish algyrodes, *Algyrodes marchi*. Salamandra 53: 405-412.
- Rubio, J. L. and Palacios, F. 1986. Reproductive cycle of *Algyrodes marchi* (Reptilia: Lacertidae). Pages 473-478 in Rocek, Z. Editor. Studies in herpetology: proceedings of the 3rd European herpetological meeting, Prague, 1985. Charles University, Prague.
- Rueda, J. V. and Hernandez-Camacho, J. I. 1988. *Phenacosaurus inderenae* (Sauria: Iguanidae), nueva especie gigante proveniente de la cordillera oriental de Colombia. Trianea 2: 339-350.
- Rueda, J. V. and Williams, E. E. 1986. Una nueva especie de saurio para la Cordillera Oriental de Colombia (Sauria: Iguanidae). Caldasia 15: 511-524.
- Rugiero, L., Luiselli, L., Eniang, E. A. and Akani, G. C. 2007. Diet of a guild of geckos in a fragmented, human-altered African rainforest. African Journal of Herpetology 56: 91-96.
- Ruibal, R. 1952. Revisionary studies of some South American Teiidae. Bulletin of the Museum of Comparative Zoology 106: 477-529.
- Ruibal, R. 1961. Thermal relations of five species of tropical lizards. Evolution 15: 98-111.
- Ruibal, R. and Philibosian, R. 1974. The population ecology of the lizard *Anolis acutus*. Ecology 55: 525-537.
- Ruiz, J. E., Gutierrez, A. and Rocha, O. F. 2016. Nuevo registro de la iguanita de bosque, *Polychrus gutturosus* Berthold, 1846 para la region de Santo Domingo (Chontales) Nicaragua. Cuadernos de Herpetología 30: 39-40.
- Ruiz, S., Ruiz-Monachesi, M. and Abdala, C. S. 2019. Revalidacion de *Liolaemus choique* Abdala, Quinteros, Scrocchi y Stazzonelli, 2010 (Iguania: Liolaemidae). Cuadernos de Herpetología 33: 33-38.
- Rujirawan, A., Fong, J. J., Ampai, N., Yodthong, S., Termprayoon, K. and Aowphol, A. 2019. A new karst-dwelling gecko of the *Gekko petricolus* group (Reptilia: Gekkonidae) from Phitsanulok Province, central Thailand. Journal of Natural History, 53: 557-576.
- Rummery, C., Shine, R., Houston, D. L. and Thompson, M. B. 1995. Thermal biology of the Australian forest dragon, *Hypsilurus spinipes* (Agamidae). Copeia, 1995: 818-827.
- Runemark, A., Hansson, B., Pafilis, P., Valakos, E. D. and Svensson, E. I. 2010. Island biology and morphological divergence of the Skyros wall lizard *Podarcis gaigeae*: a combined role for local selection and genetic drift on color morph frequency divergence? BMC Evolutionary Biology 10: 269.
- Runemark, A., Gabiro, M. and Svensson, E. I. 2011. Population divergence in chemical signals and the potential for premating isolation between islet- and mainland populations of the Skyros wall lizard (*Podarcis gaigeae*). Journal of Evolutionary Biology 24: 795-809.
- Runemark, A., Brydegaard, M. and Svensson, E. I. 2014. Does relaxed predation drive phenotypic divergence among insular populations? Journal of Evolutionary Biology 27: 1676-1690.
- Runemark, A., Sagonas, K. and Svensson, E. I. 2015. Ecological explanations to island gigantism: dietary niche divergence, predation, and size in an endemic lizard. Ecology, 96: 2077-2092.
- Runnion, E. 2019. The biogeography of diel patterns in herpetofauna. Honors Thesis, the University of Arizona.
- Russell, A. P. and Bauer, A. M. 1986. Le gecko geant *Hoplodactylus delcourti* et ses relations avec le gigantisme et l'endemisme insulaire chez les Gekkonidae. Mesogee 46: 25-28.
- Russell, A. P. and Bauer, A. M. 1991. *Anolis garmani*. Catalogue of American Amphibians and Reptiles 513: 1-3.
- Russell, A. P. and Bauer, A. M. 1991. *Anolis grahami*. Catalogue of American Amphibians and Reptiles 514 : 1-4.
- Russell, A. P. and Bauer, A. M. 1991. *Anolis opalinus*. Catalogue of American Amphibians and Reptiles 515: 1-2.
- Russell, A. P. and Bauer, A. M. 2000. The amphibians and reptiles of Alberta. A field guide and primer of boreal herpetology. 2nd edition. University of Calgary Press, Calgary.
- Russell, A. P. and Bauer, A. M. 2002. *Thecadactylus Goldfussi*, *Thecadactylus rapicauda* (Houttuyn) Turnip-tailed Gecko. Catalogue of American Amphibians and Reptiles, 753: 1-16.
- Russell, A. P. and Delaquerre, M.-J. 2017. Left in the dust: differential effectiveness of the two alternative adhesive pad configurations in geckos (Reptilia:Gekkota). Journal of Zoology 301: 61-68.
- Russell, A. P. and Gamble, T. 2019. Evolution of the gekkotan adhesive system: does digit anatomy point to one or more origins? Integrative and Comparative Biology Integrative and Comparative Biology 59: 131-147.
- Ruta, M., Wagner, P. J. and Coates, M. I. 2006. Evolutionary patterns in early tetrapods. I. Rapid initial diversification followed by decrease in rates of character change. Proceedings of the Royal Society of London B. 273: 2107-2111.
- Rutherford, P. L. 2004. Proximate mechanisms that contribute to female biased sexual size dimorphism in an anguid lizard. Canadian Journal of Zoology 82: 817-822.
- Ruthven, A. G. 1923. The reptiles of the Dutch Leeward islands. Occasional Papers of the Museum of Zoology, University of Michigan 143: 1-12.
- Ruthven, A. G. 1924. Description of an *Ameiva* from Testigos island, Venezuela. Occasional Papers of the Museum of Zoology, University of Michigan 149: 1-4.
- Ruthven, A. G. 1924. The subspecies of *Ameiva bifrontata*. Occasional Papers of the Museum of Zoology University of Michigan, 155: 1-6.
- Ruthven, A. G. 1925. Lizards of the genus *Bachia*. Proceedings of the Boston Society of Natural History 28: 101-109.
- Ruz, H. E. J. 2006. Notas taxonomicas y biologicas de *Cercosaura ampuedai* (Lancini, 1968)(Squamata: Gymnophthalmidae) en la vertiente Oriental de la cordillera Oriental de Colombia. Publicacoes Avulsas do instituto Pau Brasil de Historia Natural 83: 1-14.
- Ryabinina, N. L., A. A., Bannikova, S. A., Kosushkin, D. G., Ciobanu, K. D., Milto, B. S. and Tuniyev, V. F. 2002. Estimation of the subspecific level of differentiation in Caucasian lizards of the genus *Darevskia* (Syn. "Lacerta saxicola complex," Lacertidae, Sauria) using genome DNA Markers. Russian Journal of Herpetology 9: 185-194.
- Ryan, M. J. and Poe, S. 2014. Seasonal shifts in relative density of the lizard *Anolis polylepis* (Squamata, Dactyloidae) in forest and riparian habitats. Journal of Herpetology, 48: 495-499.
- Sabath, M. D. 1981. Gekkonid lizards of Guam, Mariana islands: reproduction and habitat preference. Journal of Herpetology, 15: 71-75.
- Saber, S. A., al-Deen, A., al-Shareef, M. F. and Rashed, A. A. 1995. Ecology of some sympatric reptilian species from Egypt with special reference to helminthic parasites: *Ptyodactylus guttatus* and *Tarentola annularis*. Journal of the Egyptian Society of Parasitology 25: 395-406.
- Saber-Pirooz, R., Shahriari, A., Ahmadzadeh, F., Javidkar, M., Oladi, M. and Aghbolaghi, M.A. 2019. Dispersal beyond geographic barriers: a contribution to the phylogeny and demographic history of *Pristurus rupestris* Blanford, 1874 (Squamata: Sphaerodactylidae) from southern Iran. Zoology, 134: 8-15.
- Sacchi, R., Scali, S., Pellitteri-Rosa, D., Pupin, F., Gentilli, A., Tettamanti, S., Cavigoli, L., Racina, L., Maiocchi, V., Galeotti, P. and Fasola, M. 2010. Photographic identification in reptiles: a matter of scales. Amphibia-Reptilia 31: Sacha, M. 2018. *Phelsuma grandis* Gray, 1870 (Sauria: Gekkonidae): Evaluation of a potential impact on native Mauritian day geckos. Sauria 40: 57-65.
- Sadasivan, K., Ramesh, M., Palot, M. J., Ambekar, M. and Mirza, Z. A. 2018. A new species of fan-throated lizard of the genus *Sitana* Cuvier, 1829 from coastal Kerala, southern India. Zootaxa, 4374: 545-564.
- Sadeghi, R. and Torki, F. 2011. Notes on the natural history and distribution of *Carinatogecko steven andersoni* Torki, 2011. Amphibian and Reptile Conservation 5: 34-36.
- Sadek, R. A. 1981. The diet of the Madeiran lizard *Lacerta dugesii*. Zoological Journal of the Linnean Society 73: 313-341.
- Sadlier, R. A. 1985. A new Australian scincid lizard, *Ctenotus coggeri*, from the Alligator Rivers Region, Northern Territory. Records of the Australian Museum 36: 153-156.
- Sadlier, R. A. 1987. A review of the scincid lizards of New Caledonia. Records of the Australian Museum 39: 1-66.
- Sadlier, R. A. 1988. *Bavayia validiclavis* and *Bavayia septuiclavis*, two new species of gekkonid lizard from New Caledonia. Records of the Australian Museum 40: 365-370.
- Sadlier, R. A. 1990. A new species of scincid lizard from western Arnhem Land, Northern Territory. The Beagle 7: 29-33.

- Sadlier 1990b  
Sadlier and Bauer 1999  
Sadlier and Bauer 2000  
Sadlier et al. 1999
- Sadlier, R. A. 1990. The terrestrial and semiaquatic reptiles (Lacertilia, Serpentes) of the Magela Creek region, Northern Territory. Australian Government Publishing Service Technical Memorandum 32: 1-77.
- Sadlier, R. A. and Bauer, A. M. 1999. The scincid lizard genus *Signaloseps* (Reptilia: Scincidae) from New Caledonia in the Southwest Pacific: description of a new species and review of the biology, distribution and morphology of *Signaloseps deplanchei* (Bavay). Records of the Australian Museum 51: 83-91.
- Sadlier, R. A. and Bauer, A. M. 2000. The scincid genus *Marmorosphax* (Reptilia: Scincidae) from New Caledonia in the Southwest Pacific: description of a new species restricted to high-altitude forest in Province Sud. Pacific Science 54: 1-10.
- Sadlier, R. A., Bauer, A. M. and Colgan, D. J. 1999. The scincid lizard genus *Caledoniscincus* (Reptilia: Scincidae) from New Caledonia in the Southwest Pacific: a review of *Caledoniscincus austrocaledonicus* (Bavay) and description of six new species from Province Nord. Records of the Australian Museum 51: 57-82.
- Sadlier, R. A., Bauer, A. M., Whitaker, A. H. and Smith, S. A. 2004. Two new species of scincid lizards (Squamata) from the Massif de Kopeto, New Caledonia. Proceedings of the California Academy of Sciences 55: 208-221.
- Sadlier, R. A., Smith, S. A., Bauer, A. M. and Whitaker, A. H. 2004. A new genus and species of live-bearing scincid lizard (Reptilia: Scincidae) from New Caledonia. Journal of Herpetology 38: 320-330.
- Sadlier, R. A., Couper, P. J., Colgan, D. J., Vanderduys, E. and Rickard, E. 2005. A new species of scincid lizard, *Sapsoscinus eungellensis*, from mid-eastern Queensland. Memoirs of the Queensland Museum 51: 559-571.
- Sadlier, R. A., O'Meally, D. and Shea, G. M. 2005. A new species of Spiny-tailed gecko (Squamata: Diplodactylidae: Strophurus) from inland Queensland. Memoirs of the Queensland Museum 51: 573-582.
- Sadlier, R. A., Bauer, A. M. and Smith, S. A. 2006. A new species of *Nannoscincus Gunther* (Squamata: Scincidae) from high elevation forest in southern New Caledonia. Records of the Australian Museum 58: 29-36.
- Sadlier, R. A., Smith, S. A. and Bauer, A. M. 2006. A new genus for the New Caledonian scincid lizard *Lygosoma euryotis* Werner, 1909, and the description of a new species. Records of the Australian Museum 58: 19-28.
- Sadlier, R. A., Bauer, A. M., Smith, S. A., Shea, G. M. and Whitaker, A. H. 2014. High elevation endemism on New Caledonia's ultramafic peaks – a new genus and two new species of scincid lizard. Memoires du Muséum National d'Histoire Naturelle, 206: 115-125.
- Sadlier, R. A., Bauer, A. M., Wood, P. L., Smith, S. A., Whitaker, A. H., Jourdan, H. and Jackman, T. 2014. Localized endemism in the southern ultramafic bio-region of New Caledonia as evidenced by the lizards in the genus *Signaloseps* (Reptilia: Scincidae), with descriptions of four new species. Memoires du Muséum National d'Histoire Naturelle, 206: 79-113.
- Sadlier, R. A., Shea, G. M., Jourdan, H., Whitaker, A. H. and Bauer, A. M. 2014. The New Caledonian leopard skink *Lacertoides pardalis* (Reptilia: Scincidae); a review of the species' morphology, distribution, behavior and conservation. Zoologia Neocalcedonica 8: 31-44.
- Sadlier, R. A., Whitaker, A. H., Wood, P. L. and Bauer, A. M. 2014. A new species of lizard in the genus *Caledoniscincus* (Reptilia: Scincidae) from far northwest New Caledonia. Zootaxa 3795: 45-60.
- Sadlier, R. A., Bauer, A. M., Shea, G. M. and Smith, S. A. 2015. Taxonomic resolution to the problem of polyphyly in the New Caledonian scincid lizard genus *Lioscincus* (Squamata: Scincidae). Records of the Australian Museum, 67: 1-10.
- Sadlier, R. A., Deuss, M., Bauer, A. M. and Jourdan, H. 2019. *Kuniesaurus albauris*, a new genus and species of scincid lizard from the Ile des Pins, New Caledonia, with comments on the diversity and affinities of the region's lizard fauna. Pacific Science: 73: 123-141.
- Sadlier, R. A., Deuss, M., Bauer, A. M. and Jourdan, H. 2019. *Kuniesaurus albauris*, a new genus and species of scincid lizard from the Ile des Pins, New Caledonia, with comments on the diversity and affinities of the region's lizard fauna. Pacific Science, 73: 123-142.
- Saenz 1996  
Safaei-Mahroo et al. 2015
- Safaei-Mahroo et al. 2016  
Sagonas et al. 2013a  
Sagonas et al. 2013b  
Sagonas et al. 2014  
Sagonas et al. 2015a  
Sagonas et al. 2015b
- Sagonas et al. 2017a  
Sagonas et al. 2017b  
Sagonas et al. 2018a  
Sagonas et al. 2018b
- Sagonas et al. 2019  
Sah et al. 2016
- Saha et al. 2018  
Saiff 1970  
Saijuntha et al. 2019
- Sajdak et al. 2016  
Sakai 2019  
Sakata and Hikida 2003a  
Sakata and Hikida 2003b  
Salas 2014  
Salazar et al. 2019  
Sales and Freire 2015  
Sales and Freire 2016  
Sales and Freire 2019  
Sales et al. 2011a  
Sales et al. 2011b  
Sales et al. 2012
- Sadlier, R. A. 1990. The terrestrial and semiaquatic reptiles (Lacertilia, Serpentes) of the Magela Creek region, Northern Territory. Australian Government Publishing Service Technical Memorandum 32: 1-77.
- Sadlier, R. A. and Bauer, A. M. 1999. The scincid lizard genus *Signaloseps* (Reptilia: Scincidae) from New Caledonia in the Southwest Pacific: description of a new species and review of the biology, distribution and morphology of *Signaloseps deplanchei* (Bavay). Records of the Australian Museum 51: 83-91.
- Sadlier, R. A. and Bauer, A. M. 2000. The scincid genus *Marmorosphax* (Reptilia: Scincidae) from New Caledonia in the Southwest Pacific: description of a new species restricted to high-altitude forest in Province Sud. Pacific Science 54: 1-10.
- Sadlier, R. A., Bauer, A. M. and Colgan, D. J. 1999. The scincid lizard genus *Caledoniscincus* (Reptilia: Scincidae) from New Caledonia in the Southwest Pacific: a review of *Caledoniscincus austrocaledonicus* (Bavay) and description of six new species from Province Nord. Records of the Australian Museum 51: 57-82.
- Sadlier, R. A., Bauer, A. M., Whitaker, A. H., Smith, S. A., Shea, G. M. and Whitaker, A. H. 2014. High elevation endemism on New Caledonia's ultramafic peaks – a new genus and two new species of scincid lizard. Memoires du Muséum National d'Histoire Naturelle, 206: 115-125.
- Sadlier, R. A., Bauer, A. M., Wood, P. L., Smith, S. A., Whitaker, A. H., Jourdan, H. and Jackman, T. 2014. Localized endemism in the southern ultramafic bio-region of New Caledonia as evidenced by the lizards in the genus *Signaloseps* (Reptilia: Scincidae), with descriptions of four new species. Memoires du Muséum National d'Histoire Naturelle, 206: 79-113.
- Sadlier, R. A., Bauer, A. M., Shea, G. M., Jourdan, H., Whitaker, A. H. and Bauer, A. M. 2014. The New Caledonian leopard skink *Lacertoides pardalis* (Reptilia: Scincidae); a review of the species' morphology, distribution, behavior and conservation. Zoologia Neocalcedonica 8: 31-44.
- Sadlier, R. A., Whitaker, A. H., Wood, P. L. and Bauer, A. M. 2014. A new species of lizard in the genus *Caledoniscincus* (Reptilia: Scincidae) from far northwest New Caledonia. Zootaxa 3795: 45-60.
- Sadlier, R. A., Bauer, A. M., Shea, G. M. and Smith, S. A. 2015. Taxonomic resolution to the problem of polyphyly in the New Caledonian scincid lizard genus *Lioscincus* (Squamata: Scincidae). Records of the Australian Museum, 67: 1-10.
- Sadlier, R. A., Deuss, M., Bauer, A. M. and Jourdan, H. 2019. *Kuniesaurus albauris*, a new genus and species of scincid lizard from the Ile des Pins, New Caledonia, with comments on the diversity and affinities of the region's lizard fauna. Pacific Science: 73: 123-141.
- Sadlier, R. A., Deuss, M., Bauer, A. M. and Jourdan, H. 2019. *Kuniesaurus albauris*, a new genus and species of scincid lizard from the Ile des Pins, New Caledonia, with comments on the diversity and affinities of the region's lizard fauna. Pacific Science, 73: 123-142.
- Saenz 1996. Dietary overview of *Hemidactylus turcicus* with possible implications of food partitioning. Journal of Herpetology 30: 461-466.
- Safaei-Mahroo, B., Ghaffari, H., Fahimi, H., Broomand, S., Yazdanian, M., Majd, E. N., Yousefkhani, S. S. H., Rezazadeh, E., Hosseinzadeh, M. S., Nasrabadi, R., Rajabizadeh, M., Mashayekhi, M., Motesharei, A., Naderi, A. and Kazemi, S. M. 2015. The herpetofauna of Iran: Checklist of taxonomy, distribution and conservation status. Asian Herpetological Research, 6: 257-290.
- Safaei-Mahroo, B., Ghaffari, H. and Anderson, s. C. 2016. A new genus and species of gekkonid lizard (Squamata: Gekkonidae) from Hormozgan Province with a revised key to gekkonid genera of Iran. Zootaxa 4109: 428-438.
- Sagonas, K., Meiri, S., Valakos, E. D. and Pafilis, P. 2013. The effect of body size on the thermoregulation of lizards on hot, dry Mediterranean islands. Journal of Thermal Biology 38: 92-97.
- Sagonas, K., Valakos, E. D. and Pafilis, P. 2013. The impact of insularity on the thermoregulation of a Mediterranean lizard. Journal of Thermal Biology 38: 480-486.
- Sagonas, K., Pafilis, P., Lymberakis, P., Donihue, C. M., Herrel, A. and Valakos, E. D. 2014. Insularity affects head morphology, bite force and diet in a Mediterranean lizard. Biological Journal of the Linnean Society 112: 469-484.
- Sagonas, K., Pafilis, P. and Valakos, E. D. 2015. Effects of insularity on digestion: living on islands induces shifts in physiological and morphological traits in island reptiles. Naturwissenschaften (The Science of Nature) 102: 55.
- Sagonas, K., Pafilis, P., Lymberakis, P. and Valakos, E. D. 2015. Trends and patterns in the feeding ecology of the widespread Balkan green lizard *Lacerta trilineata* (Squamata: Lacertidae) in insular and continental Greece. North-Western Journal of Zoology 11: 117-126.
- Sagonas, K., Kapsalas, G., Valakos, E. and Pafilis, P. 2017. Living in sympatry: the effect of habitat partitioning on the thermoregulation of three Mediterranean lizards. Journal of Thermal Biology 65: 130-137.
- Sagonas, K., Karamboti, N., Bletsas, A., Reppa, A., Pafilis, P. and Valakos, E. D. 2017. Tail regeneration affects the digestive performance of a Mediterranean lizard. The Science of Nature, 104: 22.
- Sagonas, K., Pafilis, P., Lymberakis, P. and Valakos, E. D. 2019. Sexual maturation and reproduction of the Balkan green lizard *Lacerta trilineata* from mainland and island populations. North-Western Journal of Zoology 15: 55-61.
- Sagonas, K., Valakos, E. D. Lymberakis, P. and Pafilis, P. 2018. Traits of reproduction and feeding of the European green lizard, *Lacerta viridis* (Laurenti, 1768), at the southern edge of its distribution (Squamata: Sauria: Lacertidae). Herpetozoa 30: 115-129.
- Sagonas, K., Pafilis, P., Lymberakis, P. and Valakos, E. D. 2019. Sexual maturation and reproduction of the Balkan green lizard *Lacerta trilineata* specimens in mainland and island populations from Greece. North-Western Journal of Zoology 15: 55-61.
- Sah, H. H. A., Grafe, T. U., Dornburg, A., McLeod, d. S., Bauer, A. M., Wahab, R. A., Grismer, L. L. and Watkins-Colwell, G. J. 2016. The amphibians, reptiles and fishes of the 2012 Bukit Pagon Expedition, Brunei Darussalam. Bulletin of the Peabody Museum of Natural History 57: 97-114.
- Saha, A., McRae, L., Dodd, C. K., Gadsden, H., Hare, K. M., Lukoschek, V. and Bohm, M. 2018. Tracking global population trends: population time-series data and a living planet index for reptiles. Journal of Herpetology, 52: 259-268.
- Saiff, E. I. 1970. Geographical variation in the genus *Zygaspis* (Amphisbaenia: Reptilia). Herpetologica, 26: 86-119.
- Saijuntha, W., Sedlak, S., Agatsuma, T., Jongsomchai, K., Pilap, W., Kongbuntad, W., Tawong, W., Suksavate, W., Petney, T. N. and Tantraratpan, C. 2019. Genetic structure of the red-spotted tokay gecko, *Gekko gecko* (Linnaeus, 1758) (Squamata: Gekkonidae) from mainland Southeast Asia. Asian Herpetological Research 10: 69-78.
- Sajdak, R. A., Berg, C. S. and Henderson, R. W. 2016. Thorny situations: Reptiles on the Grenadines. IRRC Reptiles & Amphibians 23: 34-39.
- Sakai, O. 2019. Population density of a clonal gecko species in its northernmost range, the Ryukyu in Japan. Current Herpetology, 38: 180-186.
- Sakata, S. and Hikida, T. 2003. A fossorial lizard with forelimbs only: description of a new genus and species of Malagasy skink (Reptilia: Squamata: Scincidae). Current Herpetology 22: 9-15.
- Sakata, S. and Hikida, T. 2003. A new fossorial scincine lizard of the genus *Pseudoacontias* (Reptilia: Squamata: Scincidae) from Nosy Be, Madagascar. Amphibia-Reptilia 24: 57-64.
- Salas, I. D. 2014. Un nuevo registro para la dieta de *Pristidactylus torquatus* (Phillipi 1861) (Squamata: Leiosauridae): comiendo una arana migalomorfa. Boletín Chileno de Herpetología 2014: 13.
- Salazar, J. C., Castaneda, M. R., Londono, G. A., Bodenstein, B. L. and Munoz, M. M. 2019. Physiological evolution during adaptive radiation: A test of the island effect in *Anolis* lizards. Evolution 73: 1241-1252.
- Sales, R. F. D. and Freire, E. M. X. 2015. Diet and foraging behavior of *Ameivula ocellifera* (Squamata: Teiidae) in the Brazilian semiarid Caatinga. Journal of Herpetology 49: 579-585.
- Sales, R. F. D. and Freire, E. M. X. 2016. Reproductive biology of a whiptail lizard (Teiidae: *Ameivula*) in the Brazilian Caatinga. Salamandra 52: 189-196.
- Sales, R. F. D. and Freire, E. M. X. 2019. Behavioral adaptations in *Ameivula ocellifera* (Squamata: Teiidae) in response to thermal environmental changes. Phyllomedusa 18: 225-240.
- Sales, R. F. D., Ribeiro, L. B. and Freire, E. M. X. 2011. Feeding ecology of *Ameiva ameiva* in a caatinga area of northeastern Brazil. Herpetological Journal 21: 199-207.
- Sales, R. F. D., Ribeiro, L. B., Jorge, J. S. and Freire, E. M. X. 2011. Habitat use, daily activity periods, and thermal ecology of *Ameiva ameiva* (Squamata: Teiidae) in a caatinga area of northeastern Brazil. Phyllomedusa, 10: 165-176.
- Sales, R. F. D., Ribeiro, L. B., Jorge, J. S. and Freire, E. M. X. 2012. Feeding habits and predator-prey size relationships in the whiptail lizard *Cnemidophorus ocellifer* (Teiidae) in the semiarid region of Brazil. South American Journal of Herpetology, 7: 149-156.

- Sales et al. 2014  
 Sales, R. F. D., Jorge, J. S., Meira-Ribeiro, M. and Freire, E. M. X. 2014. New record of *Cercosaura ocellata* Wagler, 1830 (Squamata, Gymnophthalmidae) in northeastern Brazil, with a distribution map for the species in South America. Check List 10: 1531-1534.
- Sales et al. 2015  
 Sales, R. F. D., Ribeiro, L. B. Freire, E. M. X. 2015. New record and update on the geographic distribution of *Enyalius bilineatus* Dumeril & Bibron, 1837 (Squamata: Leiosauridae) in Brazil. Check List 11: 1785.
- Salkeld 2004  
 Salkeld, D. J. 2004. *Eulamprus quoyii* (eastern water skink) predation. Herpetological Review, 35: 389.
- Salles et al. 2010  
 Salles, R. O. L., Weber, L. N. and Silva-Soares, T. 2010. Reptiles, Squamata, Parque Natural Municipal da Taquara, municipality of Duque de Caxias, state of Rio de Janeiro, Southeastern Brazil. Check List 6: 280-286.
- Salman 2019  
 Salman, N. A. 2019. A review of Southern Iraq herpetofauna. Biological and Applied Environmental Research 3: 61-71.
- Salvador 1975  
 Salvador, A. 1975. Los eslizones de la isla de La Gomera. Boletin de la Estacion Central de Ecología 4: 83-85.
- Salvador 1982  
 Salvador, A. 1982. A revision of the lizards of the genus *Acanthodactylus* (Sauria: Lacertidae). Bonner Zoologische Monographien 16: 1-167.
- Salvador 1984a  
 Salvador, A. 1984. Lacerta monticola Boulenger 1905 - iberische Gebirgsseidechse. Pages 276-289 in W. Bohme, editor. Handbuch der reptilien und amphibien Europas, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Salvador 1984b  
 Salvador, A. 1984. Lacerta schreiberi Bedriaga 1878 - iberische Smaragdseidechse. Pages 69-81 in W. Bohme, editor. Handbuch der reptilien und amphibien Europas, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Salvador 2006  
 Salvador, A. 2006. Lagartija Italiana - *Podarcis sicula* (Rafinesque-Schmaltz, 1810). Fecha de publicacion: 5-07-2006. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2007a  
 Salvador, A. 2007. Lagarto de Lehrs - *Gallotia caesaris* (Lehrs, 1914). Fecha de publicacion: 4-07-2007. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2007b  
 Salvador, A. 2007. Lagarto gigante de El Hierro - *Gallotia simonyi* (Steindachner, 1889). Fecha de publicacion: 20-06-2007. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2007c  
 Salvador, A. 2007. Lagarto gigante de Gran Canaria - *Gallotia stehlini* (Schenkel, 1901). Fecha de publicacion: 31-05-2007. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2007d  
 Salvador, A. 2007. Lisneja - *Chalcides simonyi* Steindachner, 1891. Fecha de publicacion: 20-04-2007. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2007e  
 Salvador, A. 2007. Perenquen gomero - *Tarentola gomerensis* Joger y Bischoff, 1983. Fecha de publicacion: 24-01-2007. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2007f  
 Salvador, A. 2007. Perenquen majorero - *Tarentola angustimentalis* Steindachner, 1891. Fecha de publicacion: 19-02-2007. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2007g  
 Salvador, A. 2008. Lagartija balear - *Podarcis lilfordi* (Gunther, 1874). Version 4-02-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2008h  
 Salvador, A. 2008. Lagartija colilarga occidental - *Psammmodromus manuelae* Busack, Salvador y Lawson, 2006. Version 4-02-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2008j  
 Salvador, A. 2008. Lagarto atlantico - *Gallotia atlantica* (Peters y Doria, 1882). Version 7-02-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2008k  
 Salvador, A. 2008. Lisa de Salvador - *Chalcides coeruleopunctatus* Salvador, 1975. Fecha de publicacion: 19-03-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2008l  
 Salvador, A. 2008. Lisa dorada - *Chalcides viridanus* (Gravenhorst, 1851). Version 19-03-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2008m  
 Salvador, A. 2008. Salamanquesa comun - *Tarentola mauritanica* (Linnaeus, 1758). Version 18-03-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2009a  
 Salvador, A. 2009. Lagartija de las Pitiusas - *Podarcis pityusensis* (Bosca, 1883). Version 3-09-2009. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2009b  
 Salvador, A. 2009. Lagarto canario moteado - *Gallotia intermedia* Hernandez, Nogales y Martin, 2000. Version 19-10-2009. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2009c  
 Salvador, A. 2009. Lagarto tizon - *Gallotia galloti* (Oudart, 1839). Version 8-10-2009. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador 2009d  
 Salvador, A. 2009. Perenquen de Delalande - *Tarentola delalandii*. In: Enciclopedia Virtual de los Vertebrados Espanoles. Salvador, A., Marco, A. (Eds.). Museo Nacional de Ciencias Naturales, Madrid.
- Salvador 2010  
 Salvador, A. 2010. Lagartija colilarga - *Psammmodromus algirus*. Version 25-06-2010. En: Enciclopedia Virtual de los Vertebrados Espanoles. Salvador, A., Marco, A. (Eds.). Museo Nacional de Ciencias Naturales, Madrid.  
<http://www.vertebradosibericos.org/>
- Salvador and Brown 2007a  
 Salvador, A. and Brown, R. P. 2007. Lisa grancanaria - *Chalcides sexlineatus* Steindachner, 1891. Fecha de publicacion: 6-06-2007. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador and Brown 2007b  
 Salvador, A. and Brown, R. P. 2007. Perenquen de Boettger - *Tarentola boettgeri* Steindachner, 1891. Version: 29-05-2007. Enciclopedia virtual de los vertebrados Espanoles.
- Salvador and Busack 2009  
 Salvador, A. and Busack, S. D. 2009. Lagartija andaluza - *Podarcis vaucheri*. Version 27-08-2009. In: Enciclopedia Virtual de los Vertebrados Espanoles. Salvador, A., Marco, A. (Eds.). Museo Nacional de Ciencias Naturales, Madrid.  
<http://www.vertebradosibericos.org/>
- Salvador et al. 2008  
 Salvador, A., Diaz, J. A., Veiga, J. P., Bloor, P. and Brown, R. P. 2008. Correlates of reproductive success in male lizards of the alpine species *Iberolacerta cyreni*. Behavioural Ecology 19: 169-176.
- Salvi and Bombi 2010  
 Salvi, D. and Bombi, P. 2010. Reptiles of Sardinia: updating the knowledge on their distribution. Acta Herpetologica 5: 161-177.
- Salvi et al. 2011  
 Salvi, D., Bombi, P. and Vignoli, L. 2011. Phylogenetic position of the southern rock lizard *Australolacerta australis* within the Lacertidae radiation. African Journal of Herpetology, 60: 60-69.
- Salvidio and Delaugerre 2003  
 Salvidio, S. and Delaugerre, M. 2003. Population dynamics of the European leaf-toed gecko (*Euleptes europaea*) in Nw Italy: implications for conservation. Herpetological Journal, 13: 81-88.
- Salvidio and Oneto 2008  
 Salvidio, S. and Oneto, F. 2008. Density regulation in the Mediterranean leaf-toed gecko *Euleptes europaea*. Ecological Research 23: 1051-1055.
- Salvidio et al. 2004  
 Salvidio, S., Menegon, M., Sindaco, R. and Moyer, D. 2004. A new species of elongate seps from Udzungwa grasslands, southern Tanzania (Reptilia, Gerrhosauridae, *Tetradactylus merremi*, 1820). Amphibia-Reptilia 25: 19-27.
- Samarawickrama et al. 2012  
 Samarawickrama, V. A. M. P. K., Samarawickrama, D. R. N. S. and Kumburegama, S. 2012. Herpetofauna in the Kaluganga upper catchment of the Knuckles Forest Reserve, Sri Lanka. Amphibian and Reptile Conservation 5: 81-89.
- Sameit 2018  
 Sameit, J. 2018. Notes on the age of a crowned gecko (*Correlophus ciliatus* Guichenot, 1866). Sauria 40: 85-86.
- Sami et al. 2017  
 Sami, S., Safaei-Mahroo, B. and Ghaffari, H. 2017. Range extensions of three endemic snake-skinks (Scincidae: Ophiomorus) in Iran. Russian Journal of Herpetology, 24: 329-332.
- Samia et al. 2015  
 Samia, D. S. M., Blumstein, D. T. and Stankowich, T. 2016. Fifty years of chasing lizards: new insights advance optimal escape theory. Biological Reviews 91: 349-366. DOI: 10.1111/brv.12173
- Sanabria et al. 2010  
 Sanabria, E. A., Quiroga, L. B. and Cortez, R. O. 2010. *Leiosaurus catamarcensis* (NCN). Clutch size. 41: 226.
- Sanabria et al. 2011  
 Sanabria, E. A., Quiroga, L., Galvani, G., Pastor, P., Herrera, M., Navas, A., Moreno, D. and Cataldo, A. 2011. *Liolaemus chacoensis* (chaco tree iguana). Clutch size. Herpetological Review 42: 431.
- Sanap et al. 2011  
 Sanap, R., Mirza, Z. A. and Ullalkar, K. 2011. Notes on the reproduction and diet of *Geckolla* spp. in the north of the Western Ghats of Maharashtra, India. Sauria, 33: 47-50.
- Sanborn and Loomis 1979  
 Sanborn, S. R. and Loomis, R. B. 1979. Systematics and behavior of collared Lizards (*Crotaphytus*, Iguanidae). Cahiers Scientifiques de l'Océan indien Occidental 1: 1-2.
- Sanchez 2010  
 Sanchez, M. 2010. The Reunion day gecko, *Phelsuma borbonica* Mertens, 1942 cannibalism behaviour (Sauria : Gekkonidae). Cahiers Scientifiques de l'Océan indien Occidental 1: 1-2.
- Sanchez and Probst 2011  
 Sanchez, M. and Probst, J.-M. 2011. Distribution and conservation status of the Manapany day gecko, *Phelsuma inexpectata* Mertens, 1966, an endemic threatened reptile from Reunion island. Cahiers Scientifiques de l'Océan indien
- Sanchez and Probst 2015  
 Sanchez, M. and Probst, J.-M. 2015. L'herpetofaune terrestre de l'île d'Europa (Ocean indien, Canal du Mozambique) : synthese des connaissances et nouvelles donnees sur la repartition et l'ecologie des especes en vue de leur conservation. Bulletin de la Societe Herpetologique de France 156: 63-76.
- Sanchez and Probst 2017  
 Sanchez, M. and Probst, J.-M. 2017. *Phelsuma borbonica* Mertens, 1966 (Sauria : Gekkonidae) sur l'île de La Reunion. II. Ecologie et ethologie. Bulletin de la Societe Herpetologique de France 163: 35-52.
- Sanchez et al. 2009  
 Sanchez, M., Probst, J. M. and Deso, G. 2009. *Phelsuma inexpectata* Mertens, 1966 (Squamata: Gekkonidae) sur l'île de La Reunion: ecologie, repartition et menaces. Bulletin de la Societe Herpetologique de France 132: 43-69.
- Sanchez et al. 2010  
 Sanchez, F. C., Mendez, E. C., Morales, B. R. and Aldo, M. V. 2010. *Sceloporus spinosus spinosus* (Spiny lizard). Brood. 41: 229.
- Sanchez et al. 2012  
 Sanchez, C., Carvalho, V. L., Kathriner, A., O'Shea, M. and Kaiser, H. 2012. First report on the herpetofauna of the Oecusse District, an enclave of Timor-Leste. Herpetology Notes, 5: 137-149.
- Sanchez et al. 2014  
 Sanchez, M., Crechet, V. and Saliman, M. 2014. Le gecko vert de Manapany, une espece emblmatique menace d'extinction. Info Nature 36: 4-12.
- Sanchez et al. 2015  
 Sanchez, M., Cassan, J.-J. and Duval, T. 2015. A new locality for *Correlophus ciliatus* and *Rhacodactylus leachianus* (Sauria: Diplodactylidae) from Nehoue River, northern New Caledonia. Herpetology Notes, 8: 553-555.
- Sanchez et al. 2019  
 Sanchez, M., Choeur, A., Bignon, F. and Laubin, A. 2019. Reptiles of The Iles Esparses, Indian Ocean: inventory, distribution, and conservation status. Herpetological Conservation and Biology, 14: 481-502.

- Sanchez-Hernandez and Molina-Borja 2019 Sanchez-Hernandez, P. and Molina-Borja, M. 2019. Development and outcome of intrasexual contests in males and females of *Chalcides viridanus* (Fam. Scincidae) along breeding period. *Behaviour*, 156: 1349-1369.
- Sanchez-Hernandez et al. 2013 Sanchez-Hernandez, P., Molina-Borja, M. and Ramirez-Pinilla, M. P. 2013. Annual reproductive cycle in the scincid lizard *Chalcides viridanus* from Tenerife, Canary islands. *Current Herpetology* 32: 170-181.
- Sanchez-Hernandez et al. 2017 Sanchez-Hernandez, A. S., Rosas-Espinosa, V. C. and Zaragoza, F. A. R. 2017. Cannibalism in *Ctenosaura pectinata* (Squamata: Iguanidae) at isla isabel National Park, Nayarit, Mexico. *Acta Zoologica Mexicana*, 33: 386-388.
- Sanchez-Montes et al. 2019 Sanchez-Montes, S., Isaak-Delgado, A. B., Guzman-Cornejo, C., Rendon-Franco, E., Munoz-Garcia, C. I., Bermudez, S., Morales-Diaz, J., Cruz-Romero, A., Romero-Salas, D., Dzul-Rosado, K. and Lugo-Caballero, C. 2019. Rickettsia species in ticks that parasitize amphibians and reptiles: Novel report from Mexico and review of the worldwide record. *Ticks and Tick-borne Diseases* 10: 987-994.
- Sanchez-Nivicela et al. 2018 Sanchez-Nivicela, J. C., Urgiles, V. L., Quezada, A. B., Timbe-Borja, B. A., Neira, K. D. and Siddons, D. 2018. Guia de reptiles de Cuenca: Una introducción a la biología de los reptiles alto Andinos y su identificación en campo. Gobierno Autonomo Descentralizado Municipal del Canton Cuenca, Comision de Gestión Ambiental y Universidad del Azuay. Cuenca-Ecuador. 112 pp.
- Sanchez-Pacheco 2010a Sanchez-Pacheco, S. J. 2010. A new “microteiid” lizard (Squamata: Gymnophthalmidae: Riamia) from Southwestern Colombia. *Herpetologica*, 66: 349-356.
- Sanchez-Pacheco 2010b Sanchez-Pacheco, S. J. 2010. Lectotype designation and redescription of the gymnophthalmid lizard *Riamia columbiiana* (Andersson, 1914) with notes on the type Locality. *Papeis Avulsos de Zoologia* 50: 31-41.
- Sanchez-Pacheco et al. 2011 Sanchez-Pacheco, S. J., Kizirian, D. A. and Nunes, P. M. S. 2011. A new species of *Riamia* from Ecuador previously referred to as *Riamia hyposticta* (Boulenger, 1902) (Squamata: Gymnophthalmidae). *American Museum Novitates*
- Sanchez-Pacheco et al. 2012 Sanchez-Pacheco, S. J., Aguirre-Penafiel, V. and Torres-Carvajal, O. 2012. Lizards of the genus *Riamia* (Squamata: Gymnophthalmidae): the diversity in southern Ecuador revisited. *South American Journal of Herpetology*, 7: 259-275.
- Sanchez-Pacheco et al. 2015 Sanchez, M. 2015. Outil de gestion pour les reptiles terrestres de l'île de Juan de Nova (Ocean indien, Canal du Mozambique) : inventaire, distribution et densités des populations pré-éradication des chats. Rapport Nature Ocean indien.
- Sanchez-Pacheco et al. 2016 Sanchez-Pacheco, S. J., Rueda-Almonacid, J. V., Caicedo-Portilla, J. R. and Souza, S. M. 2016. First record of *Leposoma caparensis* from Colombia, with confirmation for the presence of *Ptychoglossus myersi* and *P. plicatus* (Squamata: Gymnophthalmidae). *Salamandra* 52: 53-57.
- Sanchez-Vialas et al. 2015 Sanchez-Vialas, A., Torres, A., Bustillos, D., Herrero, D., Ben-Said, K. and Monico, R. 2015. On the syntopy of *Sauromactylus brosseti* and *Sauromactylus fasciatus*, a new record. *Boletín de la Asociacion Herpetologica Espanola* 26:
- Sanchez-Vialas et al. 2019 Sanchez-Vialas, A., Calvo-Revuelta, M. and Garcia-Paris, M. 2019. Taxonomic and nomenclatural status of Iberian *Algivrodes* (Lacertidae). *Amphibia-Reptilia* 40: 91-102.
- Sancho et al. 2017 Sancho, V., Vasconcelos, R., Llorente, G. and Santos, X. 2017. Morphological differentiation of the complex *Pristurus sokotranus* (Squamata: Sphaerodactylidae) from Socotra (Yemen). *Zootaxa*, 4324: 63-84.
- Sanchooli 2016a Sanchooli, N. 2016. Ecological niche divergence between two subspecies of large-scaled agama, *Laudakia nupta* (De Filippi, 1843) (Sauria: Agamidae), in Iran. *Acta Zoologica Bulgarica* 68: 351-354.
- Sanchooli 2016b Sanchooli, N. 2016. Modeling the potential distribution of *Ablepharus bivittatus* (Menetries, 1832), in Iran (Squamata: Sauria: Scincidae). *Herpetozoa* 29:63-68.
- Sanchooli 2017 Sanchooli, N. 2017. A report of the presence of *Eumeles schneideri zarudnyi* (Nikolsky, 1900) in Zabol, Eastern Iran. *Herpetology Notes*, 10: 675-676.
- Sanchooli et al. 2015 Sanchooli, N., Rahimian, H., Rastegar-Pouyani, N. and Rastegar-Pouyani, E. 2015. Sequence variation in the mtDNA, ND4-tRNALeu, segments of *Laudakia nupta* (De Filippi, 1843) in Iran. *Iranian Journal of Animal Biosystematics*,
- Sanguila et al. 2016 Sanguila, M. B., Cobb, K. A., Siler, C. D., Diesmos, A. C., Alcala, A. C. and Brown, R. M. 2016. The amphibians and reptiles of Mindanao island, southern Philippines, ii: the herpetofauna of northeast Mindanao and adjacent islands. *ZooKeys* 624: 1-132.
- Sannolo et al. 2018 Sannolo, M., Barroso, F. M. and Carretero, M. A. 2018. Physiological differences in preferred temperatures and evaporative water loss rates in two sympatric lacertid species. *Zoology*, 126: 58-64.
- Sannolo et al. 2019 Sannolo, M., Ponti, R. and Carretero, M. A. 2019. Waitin' on a sunny day: Factors affecting lizard body temperature while hiding from predators. *Journal of Thermal Biology* 84: 146-153.
- Santana et al. 2011 Santana, D. O., Caldas, F. L. S., dos Santos, R. A., Brito de-Carvalho, C., Freitas, E. B., Rocha, S. M., Noronha, M. V. and Faria, R. G. 2011. Morphometry of hatchlings of *Tropidurus hispidus* (Spix, 1825) (Squamata: Tropiduridae). *Herpetology Notes*, 4: 39-40.
- Santos et al. 2009 Santos, R. C., Lucas, P. S., de Sousa, B. M. and Novelli, I. A. 2009. *Reptilia*, Squamata, Leiosauridae, *Urostrophus vautieri*: Distribution extension and geographic distribution map. *Check List* 5: 533-536.
- Santos et al. 2014 Santos, D. L., de Andrade, S. P., Victor, E. P. and Vaz-Silva, W. 2014. Amphibians and reptiles from southeastern Goias, Central Brazil. *Check List* 10: 131-148.
- Santos et al. 2018 Santos, A. P., Costa, L. F., Silva-Da Silva, M., Pimentel, J. L. and Ribeiro, S. 2018. *Kentropyx striata* (striped kentropyx). Diet. *Herpetological Review* 49: 743-744.
- Santos et al. 2019 Santos, F. P., Sanches, P. R. and Costa-Campos, C. E. 2019. Anurans and reptiles of the Reserva Extrativista Beija-Flor Brilho de Fogo, Amapa State, eastern Amazon. *Herpetology Notes*, 12: 799-807.
- Santos-Bibiano et al. 2016 Santos-Bibiano, R., Woolrich-Pina, G. A., Beltran-Sanchez, E. and Mendez-De La Cruz, F. R. 2016. *Mesaspis gadoVII* (Gadow's Alligator Lizard). *Saurophagy*. *Mesoamerican Herpetology* 3: 484-486.
- Santoyo-Brito et al. 2017 Santoyo-Brito, E., Fox, S. F. and Nunez, H. 2017. Experimental evidence for embryo retention in the high-elevation Chilean lizard *Liolaemus leopardinus* (Squamata: Liolaemidae). *Phyllomedusa*: 295-298.
- Santoyo-Brito et al. 2018 Santoyo-Brito, E., Fox, S. F. and Nunez, H. 2018. Age estimation through skeletochronology and mark-recapture of free-living *Liolaemus leopardinus* (Squamata: Liolaemidae) from Chile. *Phyllomedusa* 17: 101-112.
- Sanyal and Prasad 1967 Sanyal, M. K. and Prasad, M. R. N. 1967. Reproductive cycle of the Indian house lizard, *Hemidactylus flaviviridis* Ruppell. *Copeia*, 1967: 627-633.
- Saoudi et al. 2017a Saoudi, M., Necer, A., Bensaci, M. and Bouam, I. 2017. Distribution extension of *Agama impalearis* (Boettger, 1874) (Reptilia: Agamidae), with a new record from Batna province, north-eastern Algeria. *Herpetology Notes*, 10: 261-
- Saoudi et al. 2017b Saoudi, M., Necer, A., Bouam, I., Kheffoufi, F. and Saadi, O. 2017. Daily activity, biometry and diet of the North African ocellated lizard *Timon pater* in Mount Chelia, north-eastern Algeria. *African Journal of Herpetology*, 66: 1-11.
- Sarikaya 2015 Sarikaya, B. 2015. Herpetofauna of Adana Province. MSc. Thesis, Harran University.
- Sarker 2014 Sarker, M. A. R. 2014. First confirmed record of *Lygosoma albopunctata* (Gray, 1846) (Reptilia: Squamata: Scincidae) from Bangladesh. *Russian Journal of Herpetology* 21: 1-4.
- Sa-Sousa 2008 Sa-Sousa, P. 2008. Lagartija de Carbonell – *Podarcis carbonelli Perez-Mellado*, 1981. Versión 28-01-2008. Enciclopedia virtual de los vertebrados Espanoles.
- Sa-Sousa and Harris 2002 Sa-Sousa, P. and Harris, D. J. 2002. *Podarcis carbonelli Perez-Mellado*, 1981 is a distinct species. *Amphibia-Reptilia* 23: 459-468.
- Sass et al. 2007 Sass, S., Watson, D. M. and Herring, M. 2007. A range extension for the blotched blue tongue skink (*Tiliqua nigrolutea*) (Scincidae) and implications for its future survival. *Herpetofauna* 37: 21-25.
- Sassi et al. 1978 Sassi, A. R., Russell, A. P. and Lanza, B. 1972. On a previously unrecorded gekkonid lizard from Somalia: *Hemidactylus mercatorius* Gray 1842. *Monitore Zoologico Italiano*, Supplemento, 4: 317-326.
- Sastrawan and Ciofi 2002 Sastrawan, P. and Ciofi, C. 2002. Population distribution and home range. In: Komodo dragons. Biology and conservation, pp: 42-77. J.B. Murphy, C. Ciofi, C. de la Panouse & T. Walsh (eds.). Smithsonian institution Press,
- Sathe and Husak 2018 Sathe, E. A. and Husak, J. F. 2018. Substrate-specific locomotor performance is associated with habitat use in six-lined racerunners (*Aspidoscelis sexlineata*). *Biological Journal of the Linnean Society* 29: 165-173.
- Savage 1952 Savage, J. M. 1952. Studies on the lizard family Xantusiidae i. The systematic status of the Baja California night lizards allied to *Xantusia vigilis*, with the description of a new subspecies. *American Midland Naturalist*, 48: 467-479.
- Savage 1960 Savage, J. M. 1960. Evolution of a peninsular herpetofauna. *Systematic Zoology*, 9: 184-212.
- Savage 2002 Savage, J. M. 2002. The amphibians and reptiles of Costa Rica. The University of Chicago Press, Chicago.
- Savage and Talbot 1978 Savage, J. M. and Talbot, J. J. 1978. The giant anoline lizards of Costa Rica and western Panama. *Copeia* 1978: 480-492.
- Savage et al. 2008 Savage, J. M., Lips, K. R. and ibanez, R. 2008. A new species of *Celestus* from west-central Panama, with consideration of the status of the genera of the Anguidae: Diploglossinae (Squamata). *Revista de Biología Tropical* 56: 845-859.
- Savvides et al. 2017 Savvides, P., Stavrou, M., Pafilis, P. and Sfenthourakis, S. 2017. Tail autotomy affects bipedalism but not sprint performance in a cursorial Mediterranean lizard. *the Science of Nature* 104: 3.
- Savvides et al. 2019a Savvides, P., Georgiou, E., Pafilis, P. and Sfenthourakis, S. 2019. Substrate type has a limited impact on the sprint performance of a Mediterranean lizard. *Acta Herpetologica* 14: 81-87.
- Savvides et al. 2019b Savvides, P., Polivivou, V., Stavrou, M., Sfenthourakis, S. and Pafilis, P. 2019. Insights into how predator diversity, population density and habitat type may affect defensive behaviour in a Mediterranean lizard. *Ethology Ecology & Evolution*
- Sayed 2019 Sayed, A. 2019. Natural history and ecology of the yellow-bellied day gecko (*Cnemaspis flavidentralis*) in Maharashtra, India. *IRCF Reptiles & Amphibians* 26: 62-64.
- Sayed et al. 2016 Sayed, A., Pyron, R. A. and Dahanukar, N. 2016. *Cnemaspis flavidentralis*, a new species of gecko (Squamata: Gekkonidae) from the Western Ghats of Maharashtra, India. *Journal of Threatened Taxa* 8: 9619-9629.
- Sayed et al. 2018 Sayed, A., Pyron, R. A. and Dileepkumar, R. 2018. Four new species of the genus *Cnemaspis* Strauch, (Sauria: Gekkonidae) from the northern Western Ghats, India. *Amphibian & Reptile Conservation* 12: 1-29.
- Sazima et al. 2005 Sazima, I., Sazima, C. and Sazima, M. 2005. Little dragons prefer flowers to maidens: a lizard that laps nectar and pollinates trees. *Biota Neotropica* 5: 1-8.
- Scales and Butler 2015 Scales, J. A. and Butler, M. A. 2015. Adaptive evolution in locomotor performance: How selective pressures and functional relationships produce diversity. *Evolution* 70: 48-61.

- Scali et al. 2016 Scali, S., Sacchi, R., Mangiacotti, M. Pupin, F., Gentilli, A., Zucchi, C., Sannolo, M., Pavesi, M. and Zuffi, M. A. L. 2016. Does a polymorphic species have a ‘polymorphic’ diet? A case study from a lacertid lizard. *Biological Journal of the Linnean Society* 117: 492-502.
- Scantlebury 2014 Scantlebury, D. P. 2014. Patterns of adaptive radiation in insular reptiles and amphibians. PhD Dissertation, University of Rochester, Rochester, New York.
- Scantlebury et al. 2011 Scantlebury, D. P., Ng, J., Landestoy, M. A., Geneva, A. and Glor, R. E. 2011. Notes on activity patterns of five species of *Sphaerodactylus* Squamata: *Sphaerodactylidae* from the Dominican Republic. *IRCF Reptiles & Amphibians*
- Schaad and Poe 2010 Schaad, E. W. and Poe, S. 2010. Patterns of ecomorphological convergence among mainland and island *Anolis* lizards. *Biological Journal of the Linnean Society*, 101: 852-859.
- Schaerlaeken et al. 2012 Schaeerlaeken, V., Holanova, V., Boistel, R., Aerts, P., Velensky, P., Rehak, I., Andrade, D. V. and Herrel, A. 2012. Built to bite: feeding kinematics, bite forces, and head shape of specialized durophagous lizard, *Dracaena guianensis* (Teiidae). *Journal of Experimental Zoology* 317A: 371-381.
- Schaffer 2004 Schaffer, J. 2004. Saltuarius cornutus. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Schalk et al. 2013 Schalk, C. M., Senzano, M. and Cuellar, R. L. 2013. Inventory of the amphibians and reptiles from a locality in the Kaa-iya of the Gran Chaco National Park, Bolivia. *Kempffiana* 9: 26-33.
- Schall 1973 Schall, J. J. 1973. Relations among three macroteiid lizards on Aruba island. *Journal of Herpetology* 7: 289-295.
- Schall 1974 Schall, J. J. 1974. Population structure of the Aruban whiptail lizard, *Cnemidophorus arubensis*, in varied habitats. *Herpetologica*, 30: 38-44.
- Schall 1978 Schall, J. J. 1978. Reproductive strategies in sympatric whiptail lizards (Cnemidophorus): Two parthenogenetic and three bisexual species. *Copeia*, 1978: 108-116.
- Schall 1983 Schall, J. J. 1983. Small clutch size in a tropical whiptail lizard (Cnemidophorus arubensis). *Journal of Herpetology* 17: 406-408.
- Schall 1993 Schall, J. J. 1993. Community ecology of Cnemidophorus lizards in southwestern Texas: a test of the weed hypothesis. pages 319-343 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards (Genus Cnemidophorus)*. Oklahoma Museum of Natural History, Norman.
- Schall and Dearing 1994 Schall, J. J. and Dearing, M. D. 1994. Body temperature of the herbivorous Bonaire island whiptail lizard (*Cnemidophorus murinus*). *Journal of Herpetology* 28: 526-528.
- Schall and Staats 2002 Schall, J. J. and Staats, C. M. 2002. Virulence of lizard malaria: three species of Plasmodium infecting *Anolis sabanus*, the endemic anole of Saba, Netherlands Antilles. *Copeia*, 2002: 39-43.
- Scharf and Meiri 2013 Scharf, I. and Meiri, S. 2013. Sexual dimorphism of heads and abdomens: different approaches to ‘being large’ in female and male lizards. *Biological Journal of the Linnean Society* 110: 665-673.
- Scharf et al. 2015 Scharf, I., Feldman, A., Novosolov, M., Pincheira-Donoso, D., Das, I., Bohm, M., Uetz, P., Torres-Carvajal, O., Bauer, A. M., Roll, U. and Meiri, S. 2015. Late bloomers and baby boomers: ecological drivers of longevity in squamates and the tuatara. *Global Ecology and Biogeography* 24: 396-405. DOI: 10.1111/geb.12244
- Schatti 1989 Schatti, B. 1989. Amphibians and reptiles from the Yemen-Arab Republic and Djibouti. *Revue Suisse de Zoologie* 96: 905-937.
- Schatti 2001 Schatti, B. 2001. On the type locality and North-east African distribution of *Latastia l. longicaudata* (Reuss, 1834). *Herpetozoa* 14: 5-7.
- Schatti and Desvoignes 1999 Schatti, B. and Desvoignes, A. 1999. The herpetofauna of southern Yemen and the Sokotra Archipelago. *Museum d'Histoire Naturelle*, Geneve.
- Schatti and Gasperetti 1994 Schatti, B. and Gasperetti, J. 1994. A contribution to the herpetofauna of Southwest Arabia. *Fauna of Saudi Arabia*, 14:348-423.
- Schatti and Gunther 2001 Schatti, B. and Gunther, R. 2001. Type localities of amphibian and reptile species collected by Hemprich and Ehrenberg in southwestern Arabia and Eritrea. *Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe*
- Schatti and Kucharzewski 2018 Schatti, B. and Kucharzewski, C. 2018. Identity, origin, and distribution of Auguste Ghiesbrecht's Mexican amphibians and reptiles. *Mesoamerican Herpetology* 5: 85-110.
- Schauble and Grigg 1998 Schauble, C. S. and Grigg, G. C. 1998. Thermal ecology of the Australian agamid *Pogona barbata*. *Oecologia*, 114: 461-470.
- Scheibe 1987 Scheibe, J. S. 1987. Climate, competition, and the structure of temperate zone lizard communities. *Ecology*, 68: 1424-1436.
- Schell et al. 1993 Schell, P. T., Parmerlee, J. S. and Powell, R. 1993. *Ameiva chrysolaema*. Catalogue of American Amphibians and Reptiles 563: 1-6.
- Scherz et al. 2018 Scherz, M. D., Glaw, F., Rakotoparison, A., Wagner, M. and Vences, M. 2018. Polymorphism and synonymy of *Brookesia antakarana* and *B. amboensis*, leaf chameleons from Montagne d'Ambre in north Madagascar. *Salamandra* 54:
- Schettino 1999 Schettino, L. R. 1999. The iguanid lizards of Cuba. University Press of Florida, Miami.
- Schettino 2000 Schettino, L. R. 2000. Cuban reptiles: original citations, holotypes, and geographic range. *Smithsonian Herpetological Information Service* 125: 1-26.
- Schettino et al. 2010 Schettino, L. R., Losos, J. B., Hertz, P. E., de Queiroz, K., Chamizo, A. R., Leal, M. and Gonzalez, V. R. 2010. The anoles of Soroa: Aspects of their ecological relationships. *Breviora* 520: 1-22.
- Schettino et al. 2013 Schettino, L. R., Mancina, C. A. and Gonzalez, V. R. 2013. Reptiles of Cuba: checklist and geographic distributions. *Smithsonian Herpetological Information Service* 144: 1-96.
- Schillert 2009 Schillert, A. 2009. Erfahrungen bei der terrarienpflege des gepunkteten kapskinks *Trachylepis punctatissima* (Smith, 1849) (Squamata: Scincidae). *Sauria* 31: 5-12.
- Schimmenti and Jesu 1996 Schimmenti, G. and Jesu, R. 1996. *Brookesia exarmata* sp. nov. (Reptilia, Chamaeleonidae); a new dwarf chameleon from the limestone outcrops of western Madagascar. *Italian Journal of Zoology*, 63: 193-197.
- Schleich 1987 Schleich, H. H. 1987. Contributions to the herpetology of Kouf National Park (NE-Libya) and adjacent areas. *Spixiana* 10: 37-80.
- Schleich and Kastle 1998 Schleich, H. H. and Kastle, W. 1998. *Sitana fusca* spec. nov., a further species from the *Sitana sivalensis*- complex. pages 207-226. In H. H. Schleich & W. Kästle (Eds), *Contributions to the herpetology of south-Asia (Nepal, India)*. Fuhrrott-Museum, Wuppertal.
- Schleich and Kastle 2002 Schleich, H. H. and Kastle, W. 2002. Amphibians and reptiles of Nepal. Gantner Verlag, Koenigstein.
- Schleich et al. 1996 Schleich, H. H., Kastle, W. and Kabisch, K. 1996. Amphibians and reptiles of North Africa. Biology, systematics, field guide. Koeltz Scientific, Koenigstein, Germany.
- Schleicher 2015 Schleicher, A. 2015. *Reptilien Namibias*. Namibia Wissenschaftliche Gesellschaft, Windhoek.
- Schlesinger and Shine 1994 Schlesinger, C. A. and Shine, R. 1994. Selection of diurnal retreat sites by the nocturnal gekkonid lizard *Oedura lesuerii*. *Herpetologica* 50: 156-163.
- Schlesinger et al. 2010 Schlesinger, C. A., Christian, K. A., James, C. D. and Morton, S. R. 2010. Seven lizard species and a blind snake: activity, body condition and growth of desert herpetofauna in relation to rainfall. *Australian Journal of Zoology* 58: 273-
- Schlute et al. 2003 Schlute, J. A., Melville, J. and Larson, A. 2003. Molecular phylogenetic evidence for ancient divergence of lizard taxa on either side of Wallace's Line. *Proceedings of the Royal Society of London B* 270: 597-603.
- Schluter 2004 Schluter, U. 2004. Bemerkungen über warantejus, *Tejovaranus flavipunctatus* (Dumeril & Bibron 1839). *Sauria*, 26: 17-21.
- Schmidt 1921a Schmidt, K. P. 1921. New species of North American lizards of the genera *Holbrookia* and *Uta*. *American Museum Novitates* 22: 1-6.
- Schmidt 1921b Schmidt, K. P. 1921. The herpetology of Navassa island. *Bulletin of the American Museum of Natural History* 44: 555-559.
- Schmidt 1923a Schmidt, K. P. 1923. A list of Fijian lizards. *Copeia*, 116: 50-52.
- Schmidt 1923b Schmidt, K. P. 1923. Contributions to the herpetology of the Belgian Congo based on the collection of the American Museum Congo expedition, 1909-1915 Part I. turtles, crocodiles, lizards and chameleons. *Bulletin of the American Museum of Natural History*, 39: 385-624.
- Schmidt 1926a Schmidt, K. P. 1926. Amphibians and reptiles of the James Simpson-Roosevelt Asiatic expedition. *Field Museum of Natural History, Zoology Series* 12: 167-173.
- Schmidt 1926b Schmidt, K. P. 1926. The amphibians and reptiles of Mona island, West Indies. *Field Museum of Natural History, Zoology Series* 12: 149-163.
- Schmidt 1927a Schmidt, K. P. 1927. Notes on Chinese reptiles. *Bulletin of the American Museum of Natural History* 54: 467-551.
- Schmidt 1927b Schmidt, K. P. 1927. The reptiles of Hainan. *Bulletin of the American Museum of Natural History* 54: 395-465.
- Schmidt 1930 Schmidt, K. P. 1930. Reptiles of Marshall Field North Arabian desert expeditions, 1927-1928. *Field Museum of Natural History, Zoology Series* 17: 223-230.
- Schmidt 1932a Schmidt, K. P. 1932. Reptiles and amphibians from the Solomon Islands. *Fieldiana, Zoology* 18: 175-190.
- Schmidt 1932b Schmidt, K. P. 1932. Reptiles and amphibians of the Mandel Venezuelan Expedition. *Field Museum of Natural History, Zoology Series* 18: 159-163.
- Schmidt 1933 Schmidt, K. P. 1933. The reptiles of the Pulitzer Angola Expedition. *Annals of the Carnegie Museum* 22: 1-15.

- Schmidt 1936  
 Schmidt 1941  
 Schmidt 1943  
 Schmidt 1953  
 Schmidt and Bogert 1947  
 Schmidt and inger 1951  
 Schmidt and Simon 1988  
 Schmidt et al. 1994  
 Schmidt et al. 2005  
 Schmidt-Ballardo et al. 2015  
 Schmidtler 1997  
 Schmidtler 1999  
 Schmidtler 2010  
 Schmidtler and Bischoff 1999  
 Schmidtler et al. 1994  
 Schmidtler et al. 2002
- Schmitt et al. 2000  
 Schmitz and Higham 2018  
 Schmitz and Ziegler 2003  
 Schneider 1984  
 Schneider and Bauer 2009  
 Schneider et al. 2011  
 Schoener 1967  
 Schoener 1969  
 Schoener 1985  
 Schoener and Schoener 1971a  
 Schoener and Schoener 1971b  
 Schoener and Schoener 1978  
 Schoener et al. 1982  
 Schoener et al. 2005  
 Scholz et al. 2013  
 Schonecker 2008  
 Schonecker et al. 2004  
 Schoppe and Cervancia 2009  
 Schostakowski 2001  
 Schott et al. 2019  
 Schuett and Reiserer 2017  
 Schulte and Moreno-Roark 2010  
 Schulze Niehoff 2018  
 Schwander 1980  
 Schwander and Ineich 1998  
 Schwanz et al. 2018  
 Schwartz 1959  
 Schwartz 1965  
 Schwartz 1968a  
 Schwartz 1968b  
 Schwartz 1970a  
 Schwartz 1970b  
 Schwartz 1971a  
 Schwartz 1971b  
 Schwartz 1973a  
 Schwartz 1973b  
 Schwartz 1974  
 Schwartz 1978  
 Schwartz 1979a  
 Schwartz 1979b  
 Schwartz 1980
- Schmidt, K. P. 1936. Notes on Bahaman reptiles and amphibians. *Fieldiana, Zoology*, 20: 127-133.  
 Schmidt, K. P. 1941. Reptiles and amphibians from central Arabia. *Field Museum of Natural History, Zoology Series* 24: 161-165.  
 Schmidt, K. P. 1943. Amphibians and reptiles from the Sudan. *Field Museum of Natural History, Zoology Series* 24: 331-338.  
 Schmidt, K. P. 1953. Amphibians and reptiles of Yemen. *Fieldiana: Zoology* 34: 253-261.  
 Schmidt, K. P. and Bogert, C. M. 1947. A new fringe-footed sand lizard from Coahuila, Mexico. *American Museum novitates* 1339: 1-9.  
 Schmidt, K. P. and Inger, R. F. 1951. Amphibians and reptiles of the Hopkins-Branner expedition to Brazil. *Fieldiana, Zoology* 31: 439-465.  
 Schmidt, W. and Simon, H. 1988. *Brookesia minima* Boettger, 1893. *Sauria* 10 Suppl.: 121-124.  
 Schmidt, W., Tamm, W. and Wallukewitz, E. 1994. *Chameleons*. Vol. 1. Species. T.H.F. Publications, Neptune City, NJ.  
 Schmidt, A. D., Snyman, P. H. and Gruschwitz, M. 2005. Diversity of reptiles in the bushveld of the Blouberg Nature Reserve (Limpopo Province, South Africa). *Herpetozoa*, 18: 35-53.  
 Schmidt-Ballardo, W., Solano-Zavaleta, I. and Clause, A. G. 2015. *Abronia deppii*. Reproduction. *Mesoamerican Herpetology* 2: 192-194.  
 Schmidtler, J. F. 1997. Die Ablepharus kitaibelii - Gruppe in Sud-Anatolien und benachbarten Gebieten (Squamata: Sauria: Scincidae). *Herpetozoa* 10: 35-63.  
 Schmidtler, J. F. 1999. Notes on the altitudinal distribution of the lizards and some other reptiles on Mount Biokovo (Croatia) and its immediate surroundings. *Natura Croatica* 8: 223-237.  
 Schmidtler, J. F. 2010. The taxonomic history of the Linean genus *Lacerta* (Squamata: Sauria: Lacertidae) in the mirror of book-illustration. *Bonn Zoological Bulletin* 57: 307-328.  
 Schmidtler, J. F. and Bischoff, W. 1999. Revision des levantinischen *Lacerta laevis*/kulzeri-Komplexes: 1. Die Felseneidechsen *Lacerta cyanosparsa* sp. n. *Salamandra*, 35: 129-146.  
 Schmidtler, J. F., Eiselt, J. and Darevsky, I. S. 1994. Untersuchungen an Feldeidechsen (Lacerte-saxicola-Gruppe) in der ostlichen Turkei: 3. Zwei neue parthenogenetische Arten. *Salamandra* 30: 55-70.  
 Schmidtler, J. F., Heckes, U., Bischoff, W. and Franzen, M. 2002. Hohenabhangige merkmalsvariation bei felseidechsen des *Darevskia clarkorum* (Darevsky & Vedmerja, 1977). D. dryada. Faunistische Abhandlungen Staatliches Museum für Tierkunde Dresden 23: 141-156. Altitude dependent character variation in rock lizards of the *Darevskia clarkorum* (Darevsky & Vedmerja, 1977)/D. dryada (Darevsky & Tuniyev, 1997) complex: A case of climate parallel variation of pholidosis? (Reptilia: Squamata: Sauria: Lacertidae).
- Schmitt, L. H., How, R. A., Hisheh, S., Goldberg J. and Maryanto, I. 2000. Geographic patterns in genetic and morphological variation in two skink species along the Banda Arcs, Southeastern Indonesia. *Journal of Herpetology* 34: 1-10.  
 Schmitz, L. and Higham, T. E. 2018. Non-uniform evolutionary response of gecko eye size to changes in diel activity patterns. *Biology Letters* 14: 20180064.  
 Schmitz, A. and Ziegler, T. 2003. *Sphenomorphus rufocaudatus*. Geographic distribution. 34: 385.  
 Schneider, B. 1984. *Lacerta bedriagae* Camerano, 1885 - Tyrrenische Gebirgsdeichse. Pages 211-224 in W. Bohme, editor. *Handbuch der reptilien und amphibien Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.  
 Schneider, V. and Bauer, A. M. 2009. *Typhlosaurus jappi* Broadley, 1968, a valid species of acontine skink. short communication. *African Journal of Herpetology* 58: 56-58.  
 Schneider, N., Nguyen, T. Q., Schmitz, A., Kingsada, P., Auer, M. and Ziegler, T. 2011. A new species of karst dwelling *Cyrtodactylus* (Squamata: Gekkonidae) from northwestern Laos. *Zootaxa* 2930: 1-21.  
 Schoener, T. W. 1967. The ecological significance of sexual dimorphism in size in the lizard *Anolis conspersus*. *Science* 155: 474-477.  
 Schoener, T. W. 1969. Size patterns in West Indian *Anolis* lizards: i. Size and species diversity. *Systematic Zoology* 18: 386-401.  
 Schoener, T. W. 1985. Are lizard population sizes unusually constant through time? *The American Naturalist*, 126: 633-641.  
 Schoener, T. W. and Schoener, A. 1971. Structural habitats of West Indian *Anolis* lizards i. Lowland Jamaica. *Breviora* 368: 1-53.  
 Schoener, T. W. and Schoener, A. 1971. Structural habitats of West Indian *Anolis* Lizards II. Puerto Rican uplands. *Breviora* 375: 1-39.  
 Schoener, T. W. and Schoener, A. 1978. Estimating and interpreting body-size growth in some *Anolis* lizards. *Copeia*, 1978: 390-405.  
 Schoener, T. W., Slade, J. B. and Stinson, C. H. 1982. Diet and sexual dimorphism in the very catholic lizard genus, *Leiocephalus*, of the Bahamas. *Oecologia* 53: 160-169.  
 Schoener, T. W., Losos, J. B. and Spiller, D. A. 2005. Island biogeography of populations: an introduced species transforms survival patterns. *Science* 310: 1807-1809.  
 Scholz, S., Siegenthaler, F., Radspieler, C. and Wilms, T. M. 2013. A new locality record of *Phrynocephalus maculatus* Anderson, 1872, from Jordan. *Herpetozoa* 25: 174-179.  
 Schonecker, P. 2008. Geckos of Madagascar, the Seychelles, Comoros and Mascarene islands. Aqualog Verlag GmbH  
 Schonecker, P., Bach, S. and Glaw, F. 2004. Eine neue taggecko-art der gattung *Phelsuma* aus Ost-Madagascar (Reptilia: Squamata: Gekkonidae). *Salamandra* 40: 105-112.  
 Schoppe, S. and Cervancia, M. 2009. Herpetological surveys along Pagdanan Range and Dumaran Island, Northern Palawan, Philippines. *Hamadryad*, 34: 95-106.  
 Schostakowski, E. 2001. Oedura castelnau. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zoology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.  
 Schott, R. K., Bhattacharyya, N. and Chang, B. S. W. 2019. Evolutionary signatures of photoreceptor transmutation in geckos reveal potential adaptation and convergence with snakes. *Evolution* 73: 1958-1971.  
 Schuett, G. W. and Reiserer, R. S. 2017. Sampling localities and corresponding haplotype data for helodermatid lizards analyzed in Douglas et al. (2010). *Herpetological Review* 48: 798-801.  
 Schulte, J. A. and Moreno-Roark, F. 2010. Live birth among iguanian lizards predates Pliocene-Pleistocene glaciations. *Biology Letters* 6: 216-218.  
 Schulze Niehoff, P. 2018. Mearns' felsenleguan *Petrosaurus mearnsi* (Stejneger, 1894) – lebensweise, haltung und erstnachzucht im terrarium. *Sauria* 40: 58-74.  
 Schwander, T. D. 1980. Reproductive biology of lizards on the American Samoan islands. *Occasional Papers of the University of Kansas Museum of Natural History* 86: 1-53.  
 Schwander, T. D. and Ineich, I. 1998. *Emoia cyanura* and *E. Impar* (Lacertidae, Scincidae) are partially syntopic in American Samoa. *Copeia*, 1998: 247-249.  
 Schwanz, L. E., Hodgson, M. J. and May, A. 2018. Costs of thermoregulation in variable thermal environments in the jacky dragon (*Amphibolurus muricatus*). *Journal of Zoology* 305: 267-273.  
 Schwartz, A. 1959. Variation in lizards of the *Leiocephalus cubensis* complex in Cuba and the isla de Pinos. *Bulletin of the Florida State Museum* 4: 97-143.  
 Schwartz, A. 1966. Geographic variation in *Sphaerodactylus notatus* Baird. *Revista de Biología Tropical* 13: 161-185.  
 Schwartz, A. 1968. Geographic variation in *Anolis distichus* Cope (Lacertilia, Iguanidae) in the Bahama islands and Hispaniola. *Bulletin of the Museum of Comparative Zoology* 137: 255-310.  
 Schwartz, A. 1968. The *Leiocephalus* (Lacertilia, Iguanidae) of Hispaniola. III. *Leiocephalus schreibersi*, *L. semilineatus*, and *L. pratensis*. *Journal of Herpetology* 1: 39-63.  
 Schwartz, A. 1970. A systematic review of *Ameiva auberti* Cocteau (Reptilia, Teiidae) in Cuba and the Bahamas. III. Discussion. *Annals of the Carnegie Museum* 41: 152-168.  
 Schwartz, A. 1970. *Sphaerodactylus notatus*. Catalogue of American Amphibians and Reptiles 90: 1-2.  
 Schwartz, A. 1971. A new species of bromeliad-inhabiting galliwasp (Sauria: Anguidae) from Jamaica. *Breviora* 371: 1-10.  
 Schwartz, A. 1971. *Anolis distichus*. Catalogue of American Amphibians and Reptiles 108: 1-4.  
 Schwartz, A. 1973. A new subspecies of *Ameiva chrysolaema* from Haiti. *Herpetologica* 29: 101-105.  
 Schwartz, A. 1973. *Sphaerodactylus*. Catalogue of American Amphibians and Reptiles 142: 1-2.  
 Schwartz, A. 1974. A new species of primitive *Anolis* (Sauria, Iguanidae) from the Sierra de Baoruco, Hispaniola. *Breviora* 423: 1-19.  
 Schwartz, A. 1978. A new species of aquatic *Anolis* (Sauria, Iguanidae) from Hispaniola. *Annals of the Carnegie Museum* 47: 261-279.  
 Schwartz, A. 1979. A new species of Cybotoid anole (Sauria, Iguanidae) from Hispaniola. *Breviora*, 451: 1-27.  
 Schwartz, A. 1979. The status of Greater Antillean *Phyllodactylus* (Reptilia, Gekkonidae). *Journal of Herpetology*, 13: 419-426.  
 Schwartz, A. 1980. Variation in Hispaniolan *Anolis whitmani* Williams. *Journal of Herpetology* 14: 399-406.

- Schwartz and Henderson 1991  
 Schwartz and inchaustegui 1980  
 Schwartz and Klinikowski 1966  
 Schwartz and Thomas 1977  
 Schwartz et al. 1979  
 Schwarz and Meiri 2017  
 Schwarz et al. 2016  
 Schwarz et al. 2019  
 Schwarzkopf 1992  
 Schwarzkopf 1993  
 Schwarzkopf 1994  
 Schwarzkopf 2005  
 Schwarzkopf et al. 2010  
 Scolaro and Cei 1987  
 Scolaro and Cei 1997  
 Scolaro and Cei 2006  
 Scolaro and Ibarguengoytia 2008  
 Scolaro and Pincheira-Donoso 2010  
 Scolaro et al. 2003  
 Scolaro et al. 2008  
 Scolaro et al. 2012  
 Scolaro et al. 2013  
 Scolaro et al. 2016  
 Scoretti 1935a  
 Scoretti 1935b  
 Scott 1982  
 Scott 1999  
 Scott and Cacciali 2011  
 Scoular et al. 2011  
 Scrocchi et al. 2019  
 Scroggie and Clemann 2009  
 Sears and Angilletta 2004  
 Sebastian-Gonzalez and Gomez 2012  
 Seebacher and Shine 2004  
 Segniagbeto et al. 2015  
 Segoli et al. 2002  
 Seifan et al. 2009  
 Seifan et al. 2010  
 Seifan et al. 2016  
 Seipp 1994  
 Selcer 1986  
 Semegen 2018  
 Semhan and Halloy 2016  
 Semhan et al. 2013  
 Senaris et al. 2017  
 Senczuk et al. 2014  
 Senczuk et al. 2018  
 Senczuk et al. 2019a  
 Senczuk et al. 2019b  
 Sengupta and Nigam 2018a
- Schwartz, A. and Henderson, R. W. 1991. Amphibians and reptiles of the West indies. University of Florida Press, Gainesville.  
 Schwartz, A. and inchaustegui, S. J. 1980. The endemic Hispaniolan lizard genus *Chamaelionops*. Journal of Herpetology, 14: 51-56.  
 Schwartz, A. and Klinikowski, R. F. 1966. The *Ameiva* (Lacertilia: Teiidae) of Hispaniola. II. Geographic variation in *Ameiva chrysolaema* Cope. Bulletin of the Museum of Comparative Zoology 133: 425-487.  
 Schwartz, A. and Thomas, R. 1977. Two new species of *Sphaerodactylus* (Reptilia, Lacertilia, Gekkonidae) from Hispaniola. Journal of Herpetology, 11: 61-66.  
 Schwartz, A., Graham, E. D. and Duval, J. J. 1979. A new species of *Diploglossus* (Sauria: Anguidae) from Hispaniola. Proceedings of the Biological Society of Washington, 92: 1-9.  
 Schwarz, R. and Meiri, S. 2017. The fast-slow life-history continuum in insular lizards: A comparison between species with invariant and variable clutch sizes. Journal of Biogeography 44: 2808-2815.  
 Schwarz, R., Gavrilidi, I-A., Itescu, Y., Jamison, S., Sagonas, K., Meiri, S. and Pafilis, P. 2016. *Mediodactylus kotschyi* in the Peloponnes peninsula, Greece: distribution and habitat. Acta Herpetologica 11: 179-187. DOI: 10.1163/22244662-20191041  
 Schwarz, R., Stark, G. and Meiri, S. 2019. A shift in litter diversity and abundance over the last 25 years. Israel Journal of Ecology and Evolution, 65: 10-20. doi: 10.1163/22244662-20191041  
 Schwarzkopf, L. 1992. Annual variation of litter size and offspring size in a viviparous skink. Herpetologica 48: 390-395.  
 Schwarzkopf, L. 1993. Costs of reproduction in water skinks. Ecology 74: 1970-1981.  
 Schwarzkopf, L. 1994. Measuring trade-offs: a review of studies of costs of reproduction in lizards. In 'Lizard Ecology'. (Eds L. J. Vitt and E. R. Pianka.) pp. 7-29, Princeton University Press, Princeton.  
 Schwarzkopf, L. 2005. Sexual dimorphism in body shape without sexual dimorphism in body size in water skinks (*Eulamprus quoyii*). Herpetologica 61: 116-123.  
 Schwarzkopf, L., Barnes, M. and Goodman, B. 2010. Belly up: Reduced crevice accessibility as a cost of reproduction caused by increased girth in a rock-using lizard. Austral Ecology 35: 82-86.  
 Scolaro, J. A. and Cei, J. M. 1987. A multivariate analysis of morphometric and exosomatic characters of iguanid lizards of the Patagonian *Liolaemus kingi* complex. Journal of Herpetology, 21: 343-348.  
 Scolaro, J. A. and Cei, J. M. 1997. Systematic status and relationships of *Liolaemus* species of the archeforus and kingii groups: a morphological and taxonumerical approach (Reptilia: Tropiduridae). Bollettino del Museo Regionale di Scienze Naturali, Torino 15: 369-406.  
 Scolaro, J. A. and Cei, J. M. 2006. A new species of *Liolaemus* from central steppes of Chubut, Patagonia Argentina (Reptilia: Iguania: Iguanidae). Zootaxa 1133: 61-68.  
 Scolaro, J. A. and Ibarguengoytia, N. R. 2008. A new fragment for the understanding of the puzzling evolutive process of the *Phymaturus* genus: a new species of the patagonicus group from Patagonia, Argentina (Reptilia: Iguania: Liolaemidae). Zootaxa 1939: 38-50.  
 Scolaro, J. A. and Pincheira-Donoso, D. 2010. Lizards at the end of the world: Two new species of *Phymaturus* of the patagonicus clade (Squamata, Liolaemidae) revealed in southern Patagonia of Argentina. Zootaxa 2393: 17-32.  
 Scolaro, J. A., Videla, F. and Cei, J. M. 2003. Some models of ecogeographic speciation explaining the herpetological diversity of the Andean-Patagonian region. Historia Natural 2: 73-83.  
 Scolaro, J. A., Ibarguengoytia, N. R. and Pincheira-Donoso, D. 2008. When starvation challenges the tradition of niche conservatism: On a new species of the saxicolous genus *Phymaturus* from Patagonia Argentina with pseudoarboreal foraging behaviour (Iguania, Liolaemidae). Zootaxa 1786: 48-60.  
 Scolaro, J. A., de la Cruz, F. M. and Ibarguengoytia, N. R. 2012. A new species of *Phymaturus* of the patagonicus clade (Squamata, Liolaemidae) from isolated plateau of southwestern Rio Negro Province, Argentina. Zootaxa 3451: 17-32.  
 Scolaro, J. A., Jara, M. and Pincheira-Donoso, D. 2013. The sexual signals of speciation? A new sexually dimorphic *Phymaturus* species of the patagonicus clade from Patagonia Argentina. Zootaxa 3722: 317-332.  
 Scolaro, J. A., Corbalan, V., Tappari, O. F. and Streitenberger, L. O. 2016. Lizards at the end of the world: a new melanic species of *Phymaturus* of the patagonicus clade from rocky outcrops in the northwestern steppe of Chubut Province, Patagonia Argentina (Reptilia: Iguania: Liolaemidae). Boletin del Museo Nacional de Historia Natural, Chile 65: 137-152.  
 Scoretti, G. 1935. Cenni sui risultati di una campagna di ricerche zoologiche nel Fezzan. Natura 25: 93-103.  
 Scoretti, G. 1935. Rettilli raccolti nel deserto Libico dalla missione desio della reale accademia d'italia. Atti della Societa Italiano di Scienze Naturali e del Museo Civico di Storio Naturale di Milano 74: 185-190.  
 Scott, N. J. 1982. The herpetofauna of forest litter plots from Cameroon, Africa. Pages 145-150 in N. J. Scott, editor, Herpetological Communities, U.S. Fish and Wildlife Service Research Report No. 13.  
 Scott, K. 1999. *Hypsilurus boydii*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.  
 Scott, N. J. and Cacciali, P. 2011. Reptilia, Squamata, Teiidae, *Dracaena paraguayensis* Amaral, 1950: in Paraguay, *Dracaena si*, *Crocodilurus no*. Check List 7: 52.  
 Scoular, K. M., Caffry, W. C., Tillman, J. L., Finan, E. S., Schwartz, S. K., Sinervo, B. and Zani, P. A. 2011. Multiyear home-range ecology of common sideblotched lizards in eastern Oregon with additional analysis of geographic variation in home-range size. Herpetological Monographs, 25: 52-75.  
 Scrocchi, G. J., Stazzonelli, J. C. and Cabrera, P. 2019. Nuevas citas de Squamata (Gekkonidae, Phyllodactylidae y Dipsadidae) para la provincia de Tucuman, Argentina. Cuadernos de Herpetología 33: 75-78.  
 Scroggie, M. P. and Clemann, N. 2009. Handling-related tail loss in an endangered skink: incidence, correlates and a possible solution. Journal of Zoology 277: 214-220.  
 Sears, M. W. and Angilletta, M. J. 2004. Body size clines in *Sceloporus* lizards: proximate mechanisms and demographic constraints. Integrative and Comparative Biology 44: 433-442.  
 Sebastian-Gonzalez, E. and Gomez, R. 2012. Differences in habitat use of two sympatric species of *Ameiva* in East Costa Rica. Acta Herpetologica 7: 347-353.  
 Seebacher, F. and Shine, R. 2004. Evaluating thermoregulation in reptiles: the fallacy of the inappropriately applied method. Physiological and Biochemical Zoology, 77: 688-695.  
 Segniagbeto, G. H., Trape, J-F., Afiaiedmagno, K., Rodel, M-O., Ohler, A., Dubois, A., David, P., Meirte, D., Glitho, I. A., Petrozzi, F. and Luiselli, L. 2015. Checklist of the lizards of Togo (West Africa), with comments on systematics, distribution, ecology, and conservation. Zoosystema 37: 381-402.  
 Segoli, M., Cohen, T. and Werner, Y. L. 2002. A new lizard of the genus *Mesalina* from Mt. Sinai, Egypt (Reptilia: Squamata: Sauria: Lacertidae). Faunistische Abhandlungen (Dresden) 23: 157-176.  
 Seifan, M., Gilad, A., Klass, K. and Werner, Y. L. 2009. Ontogenetically stable dimorphism in a lacertid lizard (*Acanthodactylus boskianus*) with tests of methodology and comments on life-history. Biological Journal of the Linnean Society 97: 100-110.  
 Seifan, T., Federman, A., Mautz, W. J., Smith, K. J. and Werner, Y. L. 2010. Nocturnal foraging in a diurnal tropical lizard (Squamata: Gekkonidae: *Phelsuma laticauda*) on Hawaii. Journal of Tropical Ecology 26: 243-246.  
 Seifan, M., Zohar, Y. and Werner, Y. L. 2016. Reptile distribution may identify terrestrial islands for conservation: the Levant's 'Arava Valley as a model. Journal of Natural History, 50: 2783-2801. DOI: 10.1080/00222778.2016.1170003.  
 Seipp, R. 1994. Eine neue art der gattung *Phelsuma* Gray 1825 aus Zentral-Madagascar (Reptilia: Sauria: Gekkonidae). Senckenbergiana Biologica, 74: 193-197.  
 Selcer, K. W. 1986. Life history of a successful colonizer: the Mediterranean gecko, *Hemidactylus turcicus*, in southern Texas. Copeia, 1986: 956-962.  
 Semegen, S. 2018. Predation pressure as a determinant of locomotor performance: Lizards run slower on islands without predators. MSc. Thesis, University of Michigan, Ann Arbor.  
 Semhan, R. V. and Halloy, M. 2016. Diet and reproductive states in a high altitude Neotropical lizard species, *Liolaemus ramirezae* (Iguania: Liolaemidae). Journal of Herpetology, 50: 589-593.  
 Semhan, R. V., Halloy, M. and Abdala, C. S. 2013. Diet and reproductive states in a high altitude Neotropical lizard, *Liolaemus crepuscularis* (Iguania: Liolaemidae). South American Journal of Herpetology, 8: 102-108.  
 Senaris, C., Rojas-Runjaic, F. J. M., Aristeguieta, M. M. and Garcia-Senaris, G. 2017. Second record of the invasive gecko *Lepidodactylus lugubris* (Dumeril & Bibron, 1836) (Squamata: Gekkonidae) from Venezuela. Check List 13: 1-2.  
 Senczuk, G., Garcia, A., Colangelo, P., Annesi, F. and Castiglia, R. 2014. Morphometric and genetic divergence in island and mainland populations of *Anolis nebulosus* (Squamata: Polychrotidae) from Jalisco (Mexico): an instance of insular gigantism. Italian Journal of Zoology 81: 204-214.  
 Senczuk, G., Colangelo, P., Avramo, V., Castiglia, R., Bohme, W. and Corti, C. 2018. A study in scarlet: incipient speciation, phenotypic differentiation and conservation implications of the *Podarcis* lizards of the western Pontine Islands, Italy. Biological Journal of the Linnean Society, 125: 50-60.  
 Senczuk, G., Castiglia, R., Colangelo, P., Delaquerre, M. and Corti, C. 2019. The role of island physiography in maintaining genetic diversity in the endemic Tyrrhenian wall lizard (*Podarcis tiliguerta*). Journal of Zoology 309: 140-151.  
 Senczuk, G., Harris, D. J., Castiglia, R., Litsi Mizan, V., Colangelo, P., Canestrelli, D. and Salvi, D. 2019. Evolutionary and demographic correlates of Pleistocene coastline changes in the Sicilian wall lizard *Podarcis wagleriana*. Journal of Biogeography 46: 224-237.  
 Sengupta, D. and Nigam, P. 2018. A combat bout of Indian monitors, *Varanus bengalensis* (Daudin 1802) in the Sariska Tiger Reserve, Rajasthan, India. IRCP Reptiles & Amphibians 25: 210-211.

- Sengupta and Nigam 2018b  
 Sengupta et al. 2019  
 Senior et al. 2019  
 Sentis et al. 2018  
 Sepulveda et al. 2006  
 Sepulveda et al. 2008  
 Serrano and Diaz-Ricautre 2019  
 Serrano-Cardozo et al. 2008  
 Setiadi and Hamidy 2006  
 Setiadi et al. 2010  
 Setyawatiningsih et al. 2016  
 Seufer 2017  
 Seufer et al. 2005  
 Sever and Hamlett 2002  
 Sexton and Brown 1977  
 Shabrami et al. 2019  
 Shacham 2010  
 Shacham et al. 2016  
 Shafiee et al. 2015  
 Shah 2002  
 Shahriza 2018  
 Shahriza and Ibrahim 2014  
 Shahriza et al. 2012  
 Shahriza et al. 2013  
 Shahrudin 2013  
 Shahrudin 2016  
 Shahrudin 2018  
 Shamiminoori et al. 2015  
 Shanas et al. 2006  
 Shanbhag 2002  
 Shanbhag et al. 2010  
 Shang and Lin 2008  
 Shannon 1956  
 Sharma 1976  
 Sharma 2002  
 Sharma 2005  
 Sharma and Koli 2018  
 Sharma and Selvaraj 2017  
 Shaw 1945  
 Shaw 1952  
 Shaw 1960  
 Shaw 1963  
 Shcherbak and Nekrasova 1994  
 Shea 1989  
 Shea 1990  
 Shea 1991a  
 Shea 1991b  
 Shea 1993  
 Shea 1995  
 Shea 2006  
 Shea 2007  
 Shea 2012  
 Shea 2016
- Sengupta, D. and Nigam, P. 2018. Unusual thermoregulatory behavior by a northern house gecko, *Hemidactylus flaviviridis* Ruppell 1835. IRCF Reptiles & Amphibians 25: 208-209.  
 Sengupta, D., Borah, C. G. and Phukon, J. 2019. Assessment of the reptilian fauna in the Brahmaputra Plains of two districts in Assam, India. IRCF Reptiles & Amphibians 26: 65-67.  
 Senior, A. F., Atkins, Z. S., Cleemann, N., Gardner, M. G., Schroder, M., While, G. M., Wong, B. and Chapple, D. G. 2019. Variation in thermal biology of three closely related lizard species along an elevation gradient. Biological Journal of the Linnean Society 127: 278-291.  
 Sentis, M., Chang, Y., Scherz, M. D., Proetzel, D. and Glaw, F. 2018. Rising from the ashes: resurrection of the Malagasy chameleons *Furcifer monoceros* and *F. voeltzkowi* (Squamata: Chamaeleonidae), based on micro-CT scans and external morphology. Zootaxa, 4483: 549-566.  
 Sepulveda, M., Vidal, M. A. and Farina, J. M. 2006. *Microlophus atacamensis* (Atacama Desert runner). Predation. Herpetological Review 37: 224-225.  
 Sepulveda, M., Visal, M. A., Farina, J. M. and Sabat, P. 2008. Seasonal and geographic variation in thermal biology of the lizard *Microlophus atacamensis* (Squamata: Tropiduridae). Journal of Thermal Biology, 33: 141-148.  
 Serrano, F. and Diaz-Ricautre, J. C. 2019. *Iberolacerta cyreni* (Carpetan rock lizard). Reproduction. Herpetological Review 50: 577-578.  
 Serrano-Cardozo, V. H., Lemos-Espinal, J. A. and Smith, G. R. 2008. Comparative diet of three sympatric *Sceloporus* in the semiarid Zapotitlan Valley, Mexico. Revista Mexicana de Biodiversidad, 79: 427-434.  
 Setiadi, M. I. and Hamidy, A. 2006. Jenis herpetofauna di Pulau Halmahera. Center for Biodiversity and Conservation Studies Universitas Indonesia and Bogoriense Zoologicum Museum, Research Center for Biology Indonesian Setiadi, M. I., Hamidy, A., Abidin, Z., Susanto, D., Brown, R. M., Peterson, A. T., Li, X. and Evans, B. J. 2010. Genetic structure of herpetofauna on Halmahera island, Indonesia: implications for Aketajawe-Lobata National Park. Conservation Biology, 24: 553-562.  
 Setyawatiningsih, S. C., Solihin, D. D., Manalu, W., Boediono, A. and Winarto, A. 2016. Female reproductive strategy of common water monitor (*Varanus salvator*) from Riau Region. International Journal of Sciences: Basic and Applied Research 28: 33-43.  
 Seufer, H. 2017. An almost incredible story or, notes on the longevity of worm Lizards (Amphisbaenia). Sauria 39: 17-20.  
 Seufer, H., Kirschner, A. and Kaverkin, Y. 2005. The eyelash geckos. Care, breeding and natural history. Kirschner & Seufer Verlag, Karlsruhe.  
 Sever, D. M. and Hamlett, W. C. 2002. Female sperm storage in reptiles. Journal of Experimental Zoology, 292: 187-199.  
 Sexton, O. J. and Brown, K. M. 1977. The reproductive cycle of an iguanid lizard *Anolis sagrei*, from Belize. Journal of Natural History, 11: 241-250.  
 Shabrami, A., Pui, Y. M., Grinang, J. and Das, I. 2019. An inventory of the herpetofauna of Ulu Baleh, the remote interior of Borneo. Herpetological Review 50: 682-687.  
 Shacham, B. 2010. Dune management and reptiles: Implications for habitat reconstruction and conservation strategies. PhD Dissertation, Ben-Gurion University of the Negev.  
 Shacham, B., Federman, R., Lahav-Ginott, S. and Werner, Y. L. 2016. The northward extension of reptiles in the Paleartic, with the Jordan Valley (Israel) as a model: snakes outrace lizards. Journal of Natural History 50: 1017-1033.  
 Shafiee, S., Sehhatisab, M. E. and Moradi, N. 2015. New record of Sandfish Skink, *Scincus scincus conirostris* Blanford, 1881 (Sauria: Scincidae) from southeastern Iran. Check List 11: 1774-1776.  
 Shah, B. 2002. Why do thick-tailed geckos (*Underwoodisaurus milii*) aggregate? Honors thesis, University of Sydney.  
 Shahriza, S. 2018. Defense behavior of *Gonocephalus grandis* and *Aphanotis fusca* (Squamata: Agamidae). Phyllomedusa 17: 153-156.  
 Shahriza, S. and Ibrahim, J. 2014. Reptiles of Lata Bukit Hijau, Kedah, Malaysia. Songklanakarin Journal of Science and Technology 36: 37-44.  
 Shahriza, S., Ibrahim, J., Shahruh Anuar, M. S. and Abdul Muin, M. A. 2012. Herpetofauna of Peta area of Endau-Rompin National Park, Johor, Malaysia. Pertanika Journal of Tropical Agricultural Science 35: 553-567.  
 Shahriza, S., Ibrahim, J., Shahruh, A. M. S., Nur, H. I., Amiruddin, I., Amirah, H. and Zalina, A. 2013. An addition of reptiles of Gunung inas, Kedah, Malaysia. Russian Journal of Herpetology 20: 171-180.  
 Shahrudin, S. 2013. Notes on *Gekko smithii* Gray, 1842 (Reptilia: Gekkonidae) from Sungai Sedim, Kedah, Malaysia. Herpetology Notes, 6: 83-84.  
 Shahrudin, S. 2016. An unusual oviposition site for *Gekko smithii* (Squamata: Gekkonidae) from peninsular Malaysia. Phyllomedusa 15: 187-189.  
 Shahrudin, S. 2018. Reproductive biology of *Ptychozoon lionotum* Annandale, 1905 (Squamata: Gekkonidae) from Northern Peninsular Malaysia. The Herpetological Bulletin 146: 34-35.  
 Shamiminoori, L., Fenner, A. L., Schofield, J. A. and Bull, C. M. 2015. Variation in size and condition of neonate pygmy bluetongue lizards, *Tiliqua adelaidensis*. Transactions of the Royal Society of South Australia, 139: 131-144.  
 Shanas, U., Abu Galyun, Y., Alshamlil, M., Cnaani, J., Ucitel Guscio, D., Khoury, F., Mittler, S., Nassar, K., Shapira, I., Simon, D., Sultan, H., Topel, E and Ziv, Y. 2006. Reptile diversity and rodent community structure across a political border. Biological Conservation 132: 292-299.  
 Shanbhag, B. A. 2002. Reproductive biology of Indian reptiles. Proceedings of the Indian National Science Academy, Part B, 68: 497-528.  
 Shanbhag, B. A., Ammann, V. H. F. and Saidapur, S. K. 2010. Calotes rouxi (forest dwarf calotes) captive reproduction and breeding behavior. Herpetological Review 41: 74.  
 Shang, G. S. and Lin, S. L. 2008. A field guide to lizards in Taiwan. Commonwealth Publishing.  
 Shannon, F. A. 1956. The reptiles and amphibians of Korea. Herpetologica 12: 22-49.  
 Sharma, R. C. 1976. Records of the reptiles of Goa. Records Zoological Survey of India 71: 149-167.  
 Sharma, R. C. 2002. The fauna of India and the adjacent countries: Reptilia: Volume 2: Sauria. Fauna of India and the adjacent countries. Zoological Survey of India.  
 Sharma, R. C. 2005. The fauna of India and the adjacent countries: Reptilia: Volume 2: Sauria. 2nd edition. Fauna of India and the adjacent countries. Zoological Survey of India.  
 Sharma, S. K. and Koli, V. K. 2018. Distribution of Asian chameleons (*Chamaeleo zeylanicus* Laurenti 1768) in different forest types of Rajasthan, India. IRCF Reptiles & Amphibians 25: 60-62.  
 Sharma, P. and Selvaraj, G. 2017. Psammophilus blanfordianus (Blanford's rock agama). Diet. Herpetological Review 48: 200.  
 Shaw, C. E. 1945. The chuckwallas, genus *Sauromalus*. Transactions of the San Diego Society of Natural History 10: 269-306.  
 Shaw, C. E. 1952. Notes on the eggs and young of some United States and Mexican Lizards, I. Herpetologica, 8: 71-79.  
 Shaw, C. E. 1960. Notes on the eggs, incubation and young of *Chamaeleo basiliscus*. British Journal of Herpetology 2: 182-185.  
 Shaw, C. E. 1963. Notes on the eggs, incubation and young of some South African reptiles. British Journal of Herpetology 3: 63-70.  
 Shcherbak, N. N. and Nekrasova, O. D. 1994. A contribution to the knowledge of gekko lizards of southern Vietnam with description of a new species (Reptilia, Gekkonidae). Vestnik Zoologii 1: 48-52.  
 Shea, G. M. 1989. Diet and reproductive biology of the Rottnest Island bobtail, *Tiliqua rugosa konowi* (Lacertilia, Scincidae). Herpetological Journal 1: 366-369.  
 Shea, G. M. 1990. The genera *Tiliqua* and *Cyclodomorphus* (Lacertilia: Scincidae): generic diagnoses and systematic relationships. Memoirs of the Queensland Museum 29: 495-519.  
 Shea, G. M. 1991. Revisionary notes on the genus *Delma* (Squamata: Pygopodidae) in South Australia and the Northern Territory. Records of the South Australian Museum, 25: 71-90.  
 Shea, G. M. 1991. The identity of *Lygosoma* (*Rhodona*) goerlingi Ahl, 1935. (Squamata: Scincidae). Records of the Western Australian Museum 15: 303-306.  
 Shea, G. M. 1993. Family Pygopodidae. Fauna of Australia 28: 1-15.  
 Shea, G. M. 1995. A taxonomic revision of the *Cyclodomorphus casuarinae* complex (Squamata: Scincidae). Records of the Australian Museum 47: 83-115.  
 Shea, G. M. 2006. Diet of two species of bluetongue skink, *Tiliqua multifasciata* and *Tiliqua occipitalis* (Squamata: Scincidae). Australian Zoologist 33: 359-368.  
 Shea, G. M. 2007. Range extension for *Lipinia nototaenia* (Boulenger, 1914) (Squamata: Scincidae) and the reproductive mode of the species. Hamadryad 32: 80-81.  
 Shea, G. M. 2012. On the identity of the type species of *Sphenomorphus* (Squamata: Scincidae): *Lygosoma melanopogon* Dumeril and Bibron 1839, with a note on a new scalation character of the pes in *Sphenomorphus*. Zootaxa 3490: 1-10.  
 Shea, G. M. 2016. *Emoia ahli* (Vogt, 1932), a synonym of *Emoia battersbyi* (Procter, 1923) (Squamata: Scincidae). Amphibia-Reptilia 37: 315-319.

- Shea 2017a Shea, G. M. 2017. A new species of *Sphenomorphus* (Squamata: Scincidae) from the Doberai Peninsula of New Guinea, with a redescription of *Sphenomorphus consobrinus* (Peters et Doria, 1878). *Biodiversity, Biogeography and Nature Conservation in Wallacea and New Guinea* 3: 35-50.
- Shea 2017b Shea, G. M. 2017. Generic allocation of the enigmatic scincid lizard *Lygosoma inconspicuum* F. Müller, 1895 (Squamata: Scincidae) from Sulawesi. *Biodiversity, Biogeography and Nature Conservation in Wallacea and New Guinea* 3: 21-26.
- Shea 2017c Shea, G. M. 2017. The identity of *Lygosoma* (*Hinulia*) *misolense* Vogt, 1928 (Squamata: Scincidae). *Biodiversity, Biogeography and Nature Conservation in Wallacea and New Guinea* 3: 21-26.
- Shea 2019 Shea, G. M. 2019. Current status of the genera *Karma* and *Magnellia* Wells, 2009 (Scincidae: Lygosominae: Sphenomorphini), with a morphological character to distinguish the two genera. *Memoirs of the Queensland Museum* 61: 1-10.
- Shea and Greer 1999 Shea, G. M. and Greer, A. E. 1999. The identity of two little-known skinks from New Guinea, *Sphenomorphus wirzi* (Roux, 1919) and *Sphenomorphus comitus* (Roux, 1927). *Journal of Herpetology* 33: 507-511.
- Shea and Greer 2002 Shea, G. M. and Greer, A. E. 2002. From *Sphenomorphus* to *Lipinia*: generic reassessment of two poorly known New Guinea skinks. *Journal of Herpetology* 36: 148-156.
- Shea and Michels 2008 Shea, G. M. and Michels, J. P. 2008. A replacement name for *Sphenomorphus keiensis* (Kopstein, 1926) from the southeastern Moluccas, Indonesia (Reptilia: Squamata: Scincidae) with a redescription of the species. *Zoologische Mededelingen* 82: 737-747.
- Shea and Miller 1995 Shea, G. M. and Miller, B. 1995. A taxonomic revision of the *Cyclodomorphus branchialis* species group (Squamata: Scincidae). *Records of the Australian Museum* 47: 265-325.
- Shea et al. 2009 Shea, G., Jourdan, H., Sadlier, R. and Bauer, A. 2009. Natural history of the New Caledonian whiptailed skink *Tropidoscincus variabilis* (Bavay, 1869) (Squamata: Scincidae). *Amphibia-Reptilia* 30: 207-220.
- Shea et al. 2011 Shea, G., Couper, P., Wilmer, J. W. and Amey, A. 2011. Revision of the genus *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) in Australia. *Zootaxa* 3146: 1-63.
- Sheetz et al. 2007 Sheetz, K. H., Lemos-Espinal, J. A. and Smith, G. R. 2007. *Ctenosaura macrolopha* (mainland spinytail iguana). Diet; clutch size. *Herpetological Review* 38: 77-78.
- Sheldon et al. 2015 Sheldon, K. S., Leache, A. D. and Cruz, F. B. 2015. The influence of temperature seasonality on elevational range size across latitude: a test using *Liolaemus* lizards. *Global Ecology and Biogeography* 24: 632-641.
- Shen et al. 2005 Shen, J.-M., Li, R.-D. and Gao, F.-Y. 2005. Effects of ambient temperature on lipid and fatty acid composition in the oviparous lizards, *Phrynocephalus przewalskii*. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology* 142: 293-301.
- Shen et al. 2017 Shen, W., Pei, J., Lin, L. and Ji, X. 2017. Effects of constant versus fluctuating incubation temperatures on hatching success, incubation length, and hatchling morphology in the Chinese skink (*Plestiodon chinensis*). *Asian Herpetological Research*, 1: 262-268.
- Shenbrot and Krasnov 1997 Shenbrot, G. and Krasnov, B. 1997. Habitat relationships of the lizard fauna in the Ramon Erosion cirque, Negev Highlands. (Israel). *Journal of Zoology (London)* 241: 429-440.
- Shenbrot and Semenov 1986 Shenbrot, G. I. and Semenov, D. V. 1986. Some biological peculiarities of *Phrynocephalus* (Agamidae). Pages 579-582 in Rocek, Z. Editor. *Studies in herpetology: proceedings of the 3rd European herpetological meeting, Prague, 1985*. Charles University, Prague.
- Shenbrot and Semyonov 1990 Shenbrot, G. I. and Semyonov, D. V. 1990. A new species of the genus *Phrynocephalus* (Reptilia, Agamidae) from Turkmenia. *Zoologicheskiy Zhurnal* 69: 154-156.
- Shenbrot et al. 1991 Shenbrot, G. I., Rogovin, K. A. and Surov, A. V. 1991. Comparative analysis of spatial organization of desert lizard communities in Middle Asia and Mexico. *Oikos* 61: 157-168.
- Sherbrooke 1975 Sherbrooke, W. C. 1975. Reproductive cycle of a tropical teiid lizard, *Neusticurus eclepus* Cope, in Peru. *Biotropica* 7: 194-207.
- Sherbrooke 1997 Sherbrooke, W. C. 1997. Ditmars' horned lizard, or rock horned lizard: an historical update since rediscovery (1970). *Sonoran Herpetologist* 10: 6-8.
- Sherbrooke 2002a Sherbrooke, W. C. 2002. *Phrynosoma modestum* (Round-tailed horned lizard). Death due to prey (beetle) ingestion. *Herpetological Review* 33: 312.
- Sherbrooke 2002b Sherbrooke, W. C. 2002. Seasonally skewed sex-ratios of road-collected Texas horned lizards (*Phrynosoma cornutum*). *Herpetological Review* 33: 21-24.
- Sherbrooke 2003 Sherbrooke, W. C. 2003. Introduction to horned lizards of North America. University of California Press, Berkeley, CA.
- Sherbrooke 2017 Sherbrooke, W. C. 2017. Antipredator nest guarding by female horned lizards (*Phrynosoma*): iguanian parental care. *Herpetologica* 73: 331-337.
- Sherbrooke and Middendorf 2001 Sherbrooke, W. C. and Middendorf, G. A. 2001. Blood-squirting variability in horned lizards (*Phrynosoma*). *Copeia* 2001: 1114-1122.
- Sherbrooke et al. 1998 Sherbrooke, W. C., Martin, B. E. and Lowe, C. E. 1998. Geographic distribution. *Phrynosoma ditmarsi* (rock horned lizard). *Herpetological Review* 29: 110-111.
- Shew et al. 2002 Shew, J. J., Censky, E. J. and Powell, R. 2002. *Ameiva corvina*. Catalogue of American Amphibians and Reptiles, 747: 1-2.
- Shi and Zhao 2011 Shi, L. and Zhao, E. 2011. A new gecko in the genus *Cyrtopodium* Fitzinger, 1843 (Reptilia: Squamata: Gekkonidae) from western China. *Herpetologica* 67: 186-193.
- Shifman et al. 1999 Shifman, S., Shacham, B. and Werner, Y. L. 1999. *Tropiocolotes nattereri* (Reptilia: Gekkonidae): comments on validity, variation and distribution. *Zoology in the Middle East*, 17: 51-66.
- Shine 1978 Shine, R. 1978. Propagule size and parental care: the "safe harbor" hypothesis. *Journal of Theoretical Biology* 75: 417-424.
- Shine 1983 Shine, R. 1983. Reptilian viviparity in cold climates: testing the assumptions of an evolutionary hypothesis. *Oecologia* 57: 397-405.
- Shine 1985 Shine, R. 1985. The evolution of viviparity in reptiles: an ecological analysis. Pages 605-694 in *Biology of the Reptilia*, Volume 15 (C. Gans and F. Billett, editors.), John Wiley and Sons, New York.
- Shine 1986 Shine, R. 1986. Food habits, habitats and reproductive biology of four sympatric species of varanid lizards in tropical Australia. *Herpetologica*, 42: 346-360.
- Shine 1988a Shine, R. 1988. Parental care in reptiles. Pages 275-330 in C. Gans and R. B. Huey, eds. *Biology of the Reptilia*. Vol. 16. *Ecology B. Defense and life history*. Liss, New York.
- Shine 1988b Shine, R. 1988. The evolution of large body size in females: a critique of Darwin's "fecundity advantage" model. *The American Naturalist* 131: 124-131.
- Shine 1992 Shine, R. 1992. Relative clutch mass and body shape in lizards and snakes: is reproductive investment constrained or optimised? *Evolution* 46: 828-833.
- Shine 2005 Shine, R. 2005. Life-history evolution in reptiles. *Annual Review of Ecology and Systematics* 36: 23-46.
- Shine 2014 Shine, R. 2014. Evolution of an evolutionary hypothesis: A history of changing ideas about the adaptive significance of viviparity in reptiles. *Journal of Herpetology* 48: 147-161.
- Shine 2015 Shine, R. 2015. The evolution of oviparity in squamate reptiles: an adaptationist perspective. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution* 324B: 487-492.
- Shine and Bull 1979 Shine, R. and Bull, J. J. 1979. The evolution of life-bearing in lizards and snakes. *The American Naturalist*, 113: 905-923.
- Shine and Charnov 1992 Shine, R. and Charnov, E. L. 1992. Patterns of survival, growth and maturation in snakes and lizards. *The American Naturalist* 139: 1257-1269.
- Shine and Greer 1991 Shine, R. and Greer, A. E. 1991. Why are clutch sizes more variable in some species than in others? *Evolution* 45: 1696-1706.
- Shine and Schwarzkopf 1992 Shine, R. and Schwarzkopf, L. 1992. The evolution of reproductive effort in lizards and snakes. *Evolution* 46: 62-75.
- Shine and Somaweera 2019 Shine, R. and Somaweera, R. 2019. Last lizard standing: The enigmatic persistence of the Komodo dragon. *Global Ecology and Conservation*, 18: e00624.
- Shine and Thomas 2005 Shine, R. and Thomas, J. 2005. Do lizards and snakes really differ in their ability to take large prey? A study of relative prey mass and feeding tactics in lizards. *Oecologia* 144: 492-498.
- Shine and Wall 2007 Shine, R. and Wall, M. 2007. Why is intraspecific niche partitioning more common in snakes than in lizards? Pages 173-208 in Reilly, S. M., McBrayer, L. B. and Miles, D. B. (editors). *Lizard ecology*. Cambridge University Press, Shine, R. and Wall, M. 2008. Interactions between locomotion, feeding, and bodily elongation during the evolution of snakes. *Biological Journal of the Linnean Society*, 95: 293-304.
- Shine et al. 1998 Shine, R., Keogh, J. S., Doughty, P. and Giragossyan, H. 1998. Costs of reproduction and the evolution of sexual dimorphism in a 'flying lizard' *Draco melanopogon* (Agamidae). *Journal of Zoology* 246: 203-213.
- Shirakawa and Bacchini 2015 Shirakawa, T. and Bacchini, F. 2015. Captive maintenance and the first reproduction of Borneo earless monitor (*Lanthanotus borneensis*). *Herp Nation Magazine* 18: 7-19.
- Shirk et al. 2014 Shirk, P. L., Linden, D. W., Patrick, D. A., Howell, K. M., Harper, E. B. and Vonesh, J. R. 2014. Impact of habitat alteration on endemic Afromontane chameleons: evidence for historical population declines using hierarchical spatial modelling. *Diversity and Distributions*, 20: 1186-1199.
- Showler 2018 Showler, D. A. 2018. A checklist of the amphibians and reptiles of the Republic of Uzbekistan with a review and summary of species distribution. Published by the author. 46 pp. <https://www.sustainablehoubaramanagement.org/wp-content/uploads/2018/09/Uzbekistan-Amphibian-Reptile-Checklist-14Sept2018-PDF.pdf>
- Shrestha 2001 Shrestha, T. K. 2001. *Herpetology of Nepal*: A study of amphibians and reptiles of Trans-Himalayan region of Nepal, India, Pakistan and Bhutan. Pragati Pustaka Sadana.

- Shreve 1947  
 Shreve 1968  
 Sideris and Duperault 2003  
 Sidik 2008  
 Sielecki 2010  
 Siever and Paulissen 1996  
 Sifers et al. 2001  
 Siler and Brown 2010  
 Siler and Brown 2011  
 Siler et al. 2009  
 Siler et al. 2010  
 Siler et al. 2011a  
 Siler et al. 2011b  
 Siler et al. 2011c  
 Siler et al. 2011d  
 Siler et al. 2012a  
 Siler et al. 2012b  
 Siler et al. 2012c  
 Siler et al. 2013  
 Siler et al. 2014a  
 Siler et al. 2014b  
 Siler et al. 2017  
 Siler et al. 2018  
 Siliceo and Diaz 2010  
 Siliceo-Cantero and Garcia 2015  
 Siliceo-Cantero and Garcia 2016  
 Siliceo-Cantero et al. 2016  
 Siliceo-Cantero et al. 2017  
 Sillero et al. 2014  
 Sillero et al. 2016  
 Sillero et al. 2018  
 Silva 2012  
 Silva 2014  
 Silva and de Moura 2013  
 Silva et al. 2010  
 Silva et al. 2014  
 Silva et al. 2017  
 Silva-Rocha et al. 2019  
 Silva-Soares et al. 2018  
 Silveira et al. 2012  
 Simbotwe 1980  
 Simbotwe 1985  
 Simmons et al. 2005  
 Simoes et al. 2018  
 Simo-Riudalbas et al. 2017
- Shreve, B. 1947. On Venezuelan reptiles and amphibians collected by Dr. H.G. Kugler. Bulletin of the Museum of Comparative Zoology 99: 519-537.  
 Shreve, B. 1968. The notatus group of *Sphaerodactylus* (Sauria: Gekkonidae) in Hispaniola. Breviora 280: 1-24.  
 Sideris, G. and Duperault, A. 2003. New herpetofaunal records for Psara and neighboring islands, Aegean Sea, Greece. Herpetological Review 34(3), 266-269.  
 Sidik, I. 2008. An inventory of reptiles and amphibians in north-west of Siberut island, West Sumatra. Zoo Indonesia 17: 35-48.  
 Sielecki, L. E. 2010. Wildlife identification field guide. Red and blue listed amphibians and reptiles in British Columbia. British Columbia Ministry of Transportation and Infrastructure, Victoria.  
 Sievert, L. M. and Paulissen, M. A. 1996. Temperature selection and thermoregulatory precision of bisexual and parthenogenetic *Cnemidophorus* lizards from southern Texas, USA. Journal of Thermal Biology 21: 15-20.  
 Sifers, S. M., Yeska, M. L., Ramos, Y. M., Powell, R. and Parmerlee, J. S. 2001. Anolis lizards restricted to altered edge habitats in a Hispaniolan cloud forest. Caribbean Journal of Science, 37: 55-62.  
 Siler, C. D. and Brown, R. M. 2010. Phylogeny-based species delimitation in Philippine loam-swimming skinks (Reptilia: Squamata: Scincidae: Brachymeles): taxonomic revision of the pentadactyl species groups and description of three new species. Herpetological Monographs 24: 1-54.  
 Siler, C. D. and Brown, R. M. 2011. Evidence for repeated acquisition and loss of complex body form characters in an insular clade of Southeast Asian semi-fossorial skinks. Evolution 65: 2641-2663.  
 Siler, C. D., Rico, E. L., Duya, M. R. and Brown, R. M. 2009. A new limb-reduced skink, genus Brachymeles (Reptilia: Squamata: Scincidae), from central Luzon island, Philippines. Herpetologica 65: 449-459.  
 Siler, C. D., Balete, D. S., Diesmos, A. C. and Brown, R. M. 2010. A new legless loam-swimming lizard (Reptilia: Squamata: Scincidae: Genus Brachymeles) from the Bicol Peninsula, Luzon island, Philippines. Copeia, 2010: 114-122.  
 Siler, C. D., Crombie, R. I., Diesmos, A. C. and Brown, R. M. 2011. Redescriptions of two poorly known slender skinks, *Brachymeles bicolor* and *Brachymeles pathfinderi* (Reptilia: Squamata: Scincidae), from the Philippines. Journal of Herpetology, 45: 355-369.  
 Siler, C. D., Fuiten, A. M., Jones, R. M., Alcala, A. C. and Brown, R. M. 2011. Phylogeny-based species delimitation in Philippine slender skinks (Reptilia: Squamata: Scincidae) ii: taxonomic revision of *Brachymeles samarensis* and description of five new Species. Herpetological Monographs 25: 76-112.  
 Siler, C. D., Jones, R. M. , Welton, L. J. and Brown, R. M. 2011. Redescription of tetractyl, Philippine slender skinks (genus *Brachymeles*). Herpetologica 67: 300-317.  
 Siler, C. D., Welton, L. J., Siler, J. M., Brown, J., Bucol, A., Diesmos, A. C. and Brown, R. M. 2011. Amphibians and Reptiles, Luzon island, Aurora Province and Aurora Memorial National Park, Northern Philippines: New island distribution records. Check List 7: 182-195.  
 Siler, C. D., Alviola, P., Baniqued, R. D. and Duya, M. R. 2012. *Brachymeles boulengeri*: diet. Herpetological Review 43: 130.  
 Siler, C. D., Jones, R. M., Diesmos, a. C., Diesmos, M. L. and Brown, R. M. 2012. Phylogeny-based species delimitation in Philippine slender skinks (Reptilia: Squamata: Scincidae) iii: taxonomic revision of the *Brachymeles gracilis* complex, with descriptions of three new species. Herpetological Monographs, 26: 135-172.  
 Siler, C. D., Swab, J. C., Oliveros, C. H., Diesmos, A. C., Averia, L., Alcala, A. C. and Brown, R. M. 2012. Amphibians and reptiles, Romblon island group, central Philippines: comprehensive herpetofaunal inventory. Check List 8:  
 Siler, C., Welton, L. J., Rock, A. A. and Brown, R. M. 2013. Population genetic structure and revised geographic range for the tridactyl skink (*Brachymeles muntingkamay*) from Luzon island, Philippines. Herpetological Review, 44:  
 Siler, C. D., Linkem, C. W., Cobb, K., Watters, J. L., Cummings, S. T., Diesmos, A. C. and Brown, R. M. 2014. Taxonomic revision of the semi-aquatic skink *Parvoscincus leucospilos* (Reptilia: Squamata: Scincidae), with description of three new species. Zootaxa 3847: 388-412.  
 Siler, C. D., Welton, L. J., Davis, D. R., Watters, J. L., Davey, C. S., Diesmos, A. C., Diesmos, M. L. and Brown, R. M. 2014. Taxonomic revision of the *Pseudogekko compresicorpus* complex (Reptilia: Squamata: Gekkonidae), with descriptions of three new species. Herpetological Monographs, 28: 110-139.  
 Siler, C. D., Davis, D. R., Watters, J. L., Freitas, E. S., Griffith, O. W., Binaday, J. W. B., Lobos, A. H. T., Amarga, K. S. and Brown, R. M. 2017. First record of the *Pseudogekko brevipes* complex from the Northern Philippines, with description of a new species. Herpetologica, 73: 162-175.  
 Siler, C. D., Heitz, B. B., Davis, D. R., Freitas, E. S., Aowphol, A., Temprayoon, K. and Grismer, L. L. 2018. New supple skink, genus *Lygosoma* (Reptilia: Squamata: Scincidae), from indochina and redescription of *Lygosoma quadrupes* (Linnaeus, 1766). Journal of Herpetology, 52: 332-347.  
 Siliceo, I. and Diaz, J. A. 2010. A comparative study of clutch size, range size, and the conservation status of island vs. mainland lacertid lizards. Biological Conservation 143: 2601-2608.  
 Siliceo-Cantero, H. H. and Garcia, A. 2015. Activity and habitat use of an insular and a mainland populations of the lizard *Anolis nebulosus* (Squamata: Polychrotidae) in a seasonal environment. Revista Mexicana de Biodiversidad 86:  
 Siliceo-Cantero, H. H. and Garcia, A. 2016. *Anolis nebulosus* (clouded anole). Life expectancy. Herpetological Review 47: 665.  
 Siliceo-Cantero, H. H., Garcia, A., Reynolds, R. G., Pacheco, G. and Lister, B. C. 2016. Dimorphism and divergence in island and mainland anoles. Biological Journal of the Linnean Society 118: 852-872.  
 Siliceo-Cantero, H. H., Zumiga-Vega, J. J., Renton, K. and Garcia, A. 2017. Assessing the relative importance of intraspecific and interspecific interactions on the ecology of *Anolis nebulosus* lizards from an island vs. a mainland population. Herpetological Conservation and Biology, 12: 673-682.  
 Sillero, N., Campos, J., Bonardi, A., Corti, C., Creemers, R., Crochet, P.-A., isailovic, J. C., Denoel, M., Ficetola, G. F., Goncalves, J., Kuzmin, S., Lymberakis, P., de Pous, P., Rodriguez, A., Sindaco, R., Speybroeck, J., Toxopeus, B., Vieites, D. R. and Vences, M. 2014. Updated distribution and biogeography of amphibians and reptiles of Europe. Amphibia-Reptilia 35: 1-31.  
 Sillero, N., Corti, C. and Carretero, M. A. 2016. Home ranges of parthenogenetic and bisexual species in a community of *Darevskia* lizards (Reptilia: Lacertidae). Zoology in the Middle East 62: 306-318.  
 Sillero, N., Biaggini, M. and Corti, C. 2018. Analysing the importance of stepping-stone islands in maintaining structural connectivity and endemicity. Biological Journal of the Linnean Society 124: 113-125.  
 Silva, K. R. A. 2012. Subreposito de nicho de duas especies simpáticas de *Arthrosaura* (Squamata: Gymnophthalmidae), na Floresta Nacional de Caxiuaná, Para. MSc. Thesis, Universidade Federal do Para, Museu Paraense Emílio Silva, B. S. 2014. Observaciones sobre la alimentación de *Microlophus quadrivittatus* (Tschudi 1845). Boletín Chileno de Herpetología 1: 18.  
 Silva, A. d. O. and de Moura, G. J. B. 2013. New record and geographic distribution map of *Enyalius bibronii* Boulenger, 1885 (Squamata: Leiosauridae). Check List 9: 666-667.  
 Silva, P. C., Mott, T. and Kawashita-Ribeiro, R. A. 2010. Reptilia, Squamata, *Amphisbaenia*, *Amphisbaena cuibiana* (Strussmann and Carvalho, 2001): Range extension in the state of Mato Grosso, Brazil. Check List 6: 644-645.  
 Silva, V. N., Pressey, R. L., Machado, R. B., Van Der Wal, J., Wiederhecker, H. C., Werneck, F. P. and Colli, G. R. 2014. Formulating conservation targets for a gap analysis of endemic lizards in a biodiversity hotspot. Biological Conservation 180: 1-10.  
 Silva, J. R., Ramalho, W. P., De Arruda, F. V., De-Carvalho, C. B. and Do Prado, V. H. M. 2017. *Micrablepharus atticolus*. Predation. Herpetological Review 48: 652.  
 Silva-Rocha, I. R., Salvi, D., Carretero, M. A. and Ficetola, G. F. 2019. Alien reptiles on Mediterranean Islands: A model for invasion biogeography. Diversity and Distributions 25: 995-1005.  
 Silva-Soares, T., Scherrer, P. V., de Castro, T. M. and Salles, R. O. L. 2018. Filling gaps in the geographic distribution of *Anolis fuscoauratus* d'Orbigny, 1837 (Squamata, Dactyloidae) in the southeastern Brazilian Atlantic Forest.  
 Silveira, A. L., Brites, V. L. C. and Valinhas, R. V. 2012. First record of *Amphisbaena mertensi* Strauch, 1881 (Squamata: Amphisbaenidae) in Minas Gerais state, Brazil. Check List 8: 161-163.  
 Simbotwe, M. P. 1980. Reproductive biology of the skinks *Mabuya striata* and *Mabuya quinquestaeniata* in Zambia. Herpetologica, 36: 99-104.  
 Simbotwe, M. P. 1985. Sexual dimorphism and reproduction of *Lampropholis guichenoti* (Lacertilia, Scincidae). Pages 11-16 in G. Grigg, R. Shine and H. Ehmann (editors) The biology of Australasian frogs and reptiles. Surrey Beatty & Sons, Chipping Norton, NSW.  
 Simmons, P. M., Greene, B. T., Williamson, K. E., Powell, R. and Parmerlee, J. S. 2005. Ecological interactions within a lizard community on Grenada. Herpetologica, 61: 124-134.  
 Simoes, T. R., Caldwell, M. W., Talanda, M., Bernardi, M., Palci, A., Vernygora, O., Bernardini, F., Mancini, L. and Nydam, R. L. 2018. The origin of squamates revealed by a Middle Triassic lizard from the Italian Alps. Nature, 557: Simo-Riudalbas, M., Metallinou, M., de Pous, P., Els, J., Jayasinghe, S., Peantek-Zakar, A., Wilms, T., Al-Saadi, S. and Carranza, S. 2017. Cryptic diversity in *Ptyodactylus* (Reptilia: Gekkonidae) from the northern Hajar Mountains of Oman and the United Arab Emirates uncovered by an integrative taxonomic approach. PLoS One 12: e0180397.

- Simo-Riudalbas et al. 2018
- Simou et al. 2008
- Simpson 2001
- Sindaco 2007
- Sindaco and Jeremcenko 2008
- Sindaco et al. 2000
- Sindaco et al. 2006
- Sindaco et al. 2008
- Sindaco et al. 2009
- Sindaco et al. 2010
- Sindaco et al. 2011
- Sindaco et al. 2012
- Sindaco et al. 2014a
- Sindaco et al. 2014b
- Sindaco et al. 2018
- Sinervo and Licht 1991a
- Sinervo and Licht 1991b
- Sinervo et al. 2010
- Sinervo et al. 2017
- Sinervo et al. 2018
- Singh et al. 2002
- Singhal et al. 2017
- Singhal et al. 2018
- Sinsch et al. 2002
- Sion 2018
- Sistrom et al. 2012
- Sites et al. 2011
- Sivan and Werner 1992
- Skinner 2010
- Skinner and Lee 2010
- Skinner et al. 2008
- Slavenko et al. 2015
- Slavenko et al. 2018
- Slavenko et al. 2019
- Slavens and Slavens 1999
- Smedley 1931
- Smid 2015
- Smid et al. 2013
- Smid et al. 2014
- Smid et al. 2015a
- Smid et al. 2015b
- Smid et al. 2017
- Smid et al. 2018
- Simo-Riudalbas, M., Tarroso, P., Papenfuss, T., Al-Sariri, T. and Carranza, S. 2018. Systematics, biogeography and evolution of *Asaccus gallagheri* (Squamata, Phyllodactylidae) with the description of a new endemic species from Oman. *Systematics and Biodiversity*, 16: 323-339.
- Simou, C., Pafilis, P., Skella, A., Kourkouli, A. and Valakos, E. D. 2008. Physiology of original and regenerated tails in Aegean wall lizard (*Podarcis erhardii*). *Copeia* 2008: 504-509.
- Simpson, R. 2001. Moloch horridus. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Sindaco, R. 2007. An addition to the herpetofauna of Eritrea: Tropiocolotes somalicus Parker, 1942. *Herpetozoa*, 19: 177-179.
- Sindaco, R. and Jeremcenko, V. K. 2008. The reptiles of the Western Palearctic. 1. Annotated checklist and distributional atlas of the turtles, crocodiles, amphisbaenians and lizards of Europe, North Africa, Middle East and Central Asia. Edizioni Belvedere, Latina (Italy).
- Sindaco, R., Venchi, A., Carpaneto, G. M. and Bologna, M. A. 2000. The reptiles of Anatolia: a checklist and zoogeographical analysis. *Biogeographia*, 21: 441-554.
- Sindaco, R., Doria, G., Razzetti, E. and Bernini, F. 2006. Atlas of Italian amphibians and reptiles. Polistampa.
- Sindaco, R., Ziliani, U., Razzetti, E., Pupin, F., Carugati, C., Fasola, M., Griceo, C. and Oella, F. 2008. The status of knowledge of the herpetofauna of Socotra island (Yemen). In: Corti C. (ed.), *Herpetologia Sardiniae. Societas Herpetologica Italica/ Edizioni Belvedere, Latina, "le scienze"* (8), 504 pp.
- Sindaco, R., Ziliani, U., Razzetti, E., Carugati, C., Grieco, C., Pupin, F., Al-Aseily, B. A., Pella, F. and Fasola, M. 2009. A misunderstood new gecko of the genus *Hemidactylus* from Socotra island, Yemen (Reptilia: Squamata: Gekkonidae). *Acta Herpetologica*, 4: 83-98.
- Sindaco, R., Doria, G., Razzetti, E. and Bernini, F. 2010. Atlas of Italian amphibians and reptiles. Edizione Polistampa, Firenze.
- Sindaco, R., Venchi, A. and Grieco, C. 2011. The southern limit of *Omanosaura* lizards (Squamata: Lacertidae). *Herpetology Notes*, 4: 171-172.
- Sindaco, R., Wilms, T. M. and Venchi, A. 2012. On the distribution of *Uromastyx alfredschmidti* Wilms and Bohme, 2000 (Squamata: Agamidae: Uromastycinae). *Acta Herpetologica* 7: 23-28.
- Sindaco, R., Korniliou, P., Sacchi, R. and Lymberakis, P. 2014. Taxonomic reassessment of *Blanus strauchi* (Bedriaga, 1884) (Squamata: Amphisbaenia: Blanidae), with the description of a new species from south-east Anatolia (Turkey). *Zootaxa* 3795: 311-326.
- Sindaco, R., Nincheri, R. and Lanza, B. 2014. Catalogue of Arabian reptiles in the collections of the "La Specola" Museum, Florence. Pages 137-164 in *Scripta Herpetologica. Studies on Amphibians and Reptiles in honour of Benedetto Lanza. Monographie della Societas Herpetologica Italica—III*, Latina: Edizioni Belbedere.
- Sindaco, R., Simo-Riudalbas, M., Sacchi, R. and Carranza, S. 2018. Systematics of the *Mesalina guttulata* species complex (Squamata: Lacertidae) from Arabia with the description of two new species. *Zootaxa* 4429: 513-547.
- Sinervo, B. and Licht, P. 1991. Hormonal and physiological control of clutch size, egg size, and egg shape in side-blotched lizards (*Uta stansburiana*): constraints on the evolution of lizard life histories. *Journal of Experimental Zoology* 260: 1300-1302.
- Sinervo, B. and Licht, P. 1991. Proximate constraints on the evolution of egg size, number, and total clutch mass in lizards. *Science*, 252: 1300-1302.
- Sinervo, B., Mendez-de-la-Cruz, F., Miles, D. B., Heulin, B., Bastiaans, E., Villagrán-Santa Cruz, M., Lara-Resendiz, R., Martínez-Méndez, N., Calderón-Espinosa, M. L., Meza-Lazaro, R. N., Gadsden, H., Avila, L. J., Morando, M., De la Riva, I. J., Sepulveda, P. V., Rocha, C. F. D., Ibarguengoytia, N., Puntriano, C. A., Massot, M., Lepetz, V., Oksanen, T. A., Chapple, D. G., Bauer, A. M., Branch, W. R., Cloebert, J. and Sites, J. W. 2010. Erosion of lizard diversity by climate change and altered thermal niches. *Science* 328: 894-899.
- Sinervo, B., Lara-Resendiz, R. A., Miles, D. B., Lovich, J. E., Ennen, J. R., Muller, J., Cooper, R. D., Rosen, P. C., Stewart, J. A., Santos, J. C. and Sites, J. W. 2017. Climate change and collapsing thermal niches of Mexican endemic reptiles. White Paper for the Environmental Working Group of the UC-Mexico initiative
- Sinervo, B., Miles, D. B., Wu, Y., Mendez de la Cruz, F. R., Kirchoff, S. and Qi, Y. 2018. Climate change, thermal niches, extinction risk and maternal-effect rescue of Toad-headed lizards, *Phrynocephalus*, in thermal extremes of the Arabian Peninsula to the Tibetan Plateau. *Integrative Zoology* 13: 450-470.
- Singh, S., Smyth, A. K. and Blomberg, S. P. 2002. Thermal ecology and structural habitat use of two sympatric lizards (*Carlia vivax* and *Lygisaurus foliorum*) in subtropical Australia. *Austral Ecology* 27: 616-623.
- Singhal, S., Huang, H., Donnellan, S. C., Holmes, I. and Rabosky, D. L. 2017. Genetic diversity is largely unpredictable but scales with museum occurrences in a species-rich clade of Australian lizards. *Proceedings of the Royal Society of London B*: 20162588.
- Singhal et al. 2018
- Singhal, S., Hoskin, C. J., Couper, P., Potter, S. and Moritz, C. 2018. A framework for resolving cryptic species: A case study from the lizards of the Australian wet tropics. *Systematic Biology* 67: 1061-1075.
- Sinsch, U., Martino, A. L. and di Tada, I. E. 2002. Longevity and sexual size dimorphism of the Pampa de Achala copper lizard *Pristidactylus achalensis* (Gallardo, 1964). *Amphibia-Reptilia* 23: 177-190.
- Sion, G. 2018. Foot-preference underlies bite-scar asymmetry in the gecko *Ptyodactylus guttatus*. *Laterality: Asymmetries of Body, Brain and Cognition*, 23: 129-151.
- Sistrom, M., Edwards, D. L., Donnellan, S. and Hutchinson, M. 2012. Morphological differentiation correlates with ecological but not with genetic divergence in a Gehyra gecko. *Journal of Evolutionary Biology* 25: 647-660.
- Sites, J. W., Reeder, T. W. and Wiens, J. J. 2011. Phylogenetic insights on evolutionary novelties in lizards and snakes: sex, birth, bodies, niches, and venom. *Annual Review of Ecology, Evolution, and Systematics* 42: 227-244.
- Sivan, N. and Werner, Y. L. 1992. Survey of the reptiles of the Golani plateau and Mt. Hermon, Israel. *Israel Journal of Zoology* 37: 193-211.
- Skinner, A. 2010. Rate heterogeneity, ancestral character state reconstruction, and the evolution of limb morphology in *Lerista* (Scincidae, Squamata). *Systematic Biology* 59: 723-740.
- Skinner, A. and Lee, M. S. Y. 2010. Plausibility of inferred ancestral phenotypes and the evaluation of alternative models of limb evolution in scincid lizards. *Biology Letters* 6: 354-358.
- Skinner, A., Lee, M. S. Y. and Hutchinson, M. N. 2008. Rapid and repeated limb loss in a clade of scincid lizards. *BMC Evolutionary Biology*, 8: 310. doi: 10.1186/1471-2148-8-310.
- Slavenko, A., Itescu, Y., Foufopoulos, J., Pafilis, P. and Meiri, S. 2015. Clutch size variability in an ostensibly fix-clutched lizard: effects of insularity on a Mediterranean gecko. *Evolutionary Biology*, 42: 129-136. DOI: 10.1080/03681234.2015.1018300.
- Slavenko, A., Tallowin, O. J. S. and Maza, E. 2018. Chalcides ocellatus (ocellated skink). Diet. *Herpetological Review* 49: 535-536.
- Slavenko, A., Feldman, A., Allison, A., Bauer, A. M., Bohm, M., Chirio, L., Colli, G. R., Das, I., Doan, T. M., Hoogmoed, M. S., LeBreton, M., Martins, M., Meirte, D., Nagy, Z. T., Nogueira, C. C., Pauwels, O. S. G., Pincheira-Donoso, D., Roll, U., Wagner, P., Wang, Y. and Meiri, S. 2019. Global patterns of body size evolution in squamate reptiles are not driven by climate. *Global Ecology and Biogeography* 28: 471-483. doi: 10.1111/geb.128.
- Slavens, F. L. and Slavens, K. 1999. Reptiles and amphibians in captivity: breeding, longevity, and inventory. Slaveware Publishing, Seattle.
- Smedley, N. 1931. Amphibians and reptiles from the Cameron Highlands, Malay Peninsula. *Bulletin of the Raffles Museum*, 6: 105-123.
- Smid, J. 2015. Systematics, phylogeny and biogeography of the gecko genus *Hemidactylus* (Reptilia, Gekkonidae) in Arabia and the Near East. PhD Dissertation, National museum in Prague, Pargue.
- Smid, J., Moravec, J., Kratochvil, L., Gvozdik, V., Nasher, A. K., Busais, S. M., Wilms, T., Shobrak, M. Y. and Carranza, S. 2013. Two newly recognized species of *Hemidactylus* (Squamata, Gekkonidae) from the Arabian Peninsula and Sinai, Egypt. *ZooKeys* 355: 79-107.
- Smid, J., Moravec, J., Kodym, P., Kratochvil, L., Yousefkhani, S. S. H., Rastegar-Pouyani, E. and Frynta, D. 2014. Annotated checklist and distribution of the lizards of Iran. *Zootaxa* 3855: 1-97.
- Smid, J., Moravec, J., Kratochvil, L., Nasher, A. K., Mazuch, T., Gvozdik, V. and Carranza, S. 2015. Multilocus phylogeny and taxonomic revision of the *Hemidactylus robustus* species group (Reptilia, Gekkonidae) with descriptions of three new species from Yemen and Ethiopia. *Systematics and Biodiversity*, 13: 346-368.
- Smid, J., Moravec, J., Zawadzki, M. and Van Den Berg, M. 2015. One subspecies less for the European herpetofauna: the taxonomic and nomenclatural status of *Hemidactylus turcicus spinalis* (Reptilia: Gekkonidae). *Zootaxa* 3911: 1-12.
- Smid, J., Shobrak, M., Wilms, T., Joger, U. and Carranza, S. 2017. Endemic diversification in the mountains: genetic, morphological, and geographical differentiation of the *Hemidactylus* geckos in southwestern Arabia. *Organisms Diversity & Evolution* 17: 267-285.
- Smid, J., Engelbrecht, H., Taft, J. M., Telford, N. S., Makhujo, B. G., Bauer, A. M. and Tolley, K. A. 2018. A contribution to the phylogeny and taxonomy of the *Pachydactylus weberi* group (Squamata: Gekkonidae): a case of intraspecific colour polymorphism confounding taxonomy. *African Journal of Herpetology*, 67: 113-126.

- Smirina and Ananjeva 2007  
 Smirina and Ananjeva 2017  
 Smith 1925  
 Smith 1930  
 Smith 1931  
 Smith 1933  
 Smith 1935  
 Smith 1936  
 Smith 1937a  
 Smith 1937b  
 Smith 1937c  
 Smith 1937d  
 Smith 1939a  
 Smith 1939b  
 Smith 1940  
 Smith 1941  
 Smith 1942  
 Smith 1943  
 Smith 1946  
 Smith 1968a  
 Smith 1968b  
 Smith 1968c  
 Smith 1972  
 Smith 1973  
 Smith 1992  
 Smith 1993  
 Smith 1999  
 Smith 2012  
 Smith and Adams 2007
- Smith and Ballinger 2001  
 Smith and Bumzahem 1953  
 Smith and Bumzahem 1955  
 Smith and French 2017  
 Smith and Hall 1974  
 Smith and Iverson 1993a  
 Smith and Iverson 1993b  
 Smith and Lemos-Espinal 2005  
 Smith and Nickel 2002  
 Smith and Smith 1952  
 Smith and Smith 1977  
 Smith and Smith 2019  
 Smith and Tanner 1972  
 Smith and Taylor 1950a  
 Smith and Taylor 1950b  
 Smith and Van Gelder 1955  
 Smith et al. 1977  
 Smith et al. 1995  
 Smith et al. 1997a  
 Smith et al. 1997b
- Smith et al. 2000  
 Smith et al. 2003a  
 Smith et al. 2003b  
 Smith et al. 2005  
 Smith et al. 2006a  
 Smith et al. 2006b  
 Smith et al. 2008  
 Smith et al. 2011
- Smirina, E. M. and Ananjeva, N. B. 2007. Growth layers in bones and acrodont teeth of the agamid lizard *Laudakia stoliczkana* (Blanford, 1875) (Agamidae, Sauria). *Amphibia-Reptilia* 28: 193-204.  
 Smirina, E. and Ananjeva, N. 2017. On the longevity, growth and reproductive characteristics of Lichtenstein's Toadhead Agama, *Phrynocephalus interscapularis* Lichtenstein, 1856 (Agamidae, Sauria). *Amphibia-Reptilia* 38: 31-39.  
 Smith, M. A. 1925. On a collection of reptiles and amphibians from Mt. Murud, Borneo. *Sarawak Museum Journal*, 8: 5-14.  
 Smith, M. A. 1930. The Reptilia and Amphibia of the Malay peninsula from the isthmus of Kra to Singapore, including the adjacent islands. *Bulletin of the Raffles Museum* 3: 1-149.  
 Smith, M. A. 1931. The herpetology of Mt. Kinabalu, North Borneo, 13,455 ft. *Bulletin of the Raffles Museum*, 5: 8-32.  
 Smith, H. M. 1933. Notes on some Mexican lizards of the genus *Anolis* with the description of a new species, *A. megapholidotus*. *Transactions of the Kansas Academy of Science* 36: 315-320.  
 Smith, M. A. 1935. The fauna of British India, including Ceylon and Burma. *Reptilia and Amphibia*. Vol. II. Sauria. Taylor & Francis, London.  
 Smith, H. M. 1936. Two new subspecies of Mexican lizards of the genus *Sceloporus*. *Copeia* 1936: 223-230.  
 Smith, H. M. 1937. A synopsis of the scalaris group of the lizard genus *Sceloporus*. *Occasional Papers of the Museum of Zoology, University of Michigan* 361: 1-8.  
 Smith, H. M. 1937. A synopsis of the variabilis group of the lizard genus *Sceloporus*, with descriptions of new subspecies. *Occasional Papers of the Museum of Zoology, University of Michigan* 358: 1-14.  
 Smith, M. A. 1937. A review of the genus *Lygosoma* (Scincidae: Reptilia) and its allies. *Records of the Indian Museum* 39: 213-234.  
 Smith, M. A. 1937. Un nouveau lézard de Cochinchine. *Bulletin du Muséum d'histoire naturelle Ser. 9* 2: 366.  
 Smith, H. M. 1939. Notes on Mexican reptiles and amphibians. *Zoological Series of Field Museum of Natural History* 24: 15-35.  
 Smith, H. M. 1939. The Mexican and Central American lizards of the genus *Sceloporus*. *Field Museum of Natural History*, Chicago.  
 Smith, M. A. 1940. The amphibians and reptiles obtained by Mr. Ronald Kaulback in Upper Burma. *Records of the Indian Museum* 42: 465-486.  
 Smith, M. A. 1941. The herpetology of the Andaman and Nicobar islands. *Proceedings of the Linnean Society of London* 15: 150-158.  
 Smith, H. M. 1942. Mexican herpetological miscellany. *Proceedings of the United States National Museum* 92: 349-395.  
 Smith, H. M. 1943. Notes on reptiles from Mexico. *Copeia*, 1943: 250.  
 Smith, H. M. 1946. *Handbook of lizards. Lizards of the United States and Canada*. Cornell University Press, Ithaca.  
 Smith, H. M. 1968. Another new lizard from Mexico of the schiedii group of *Anolis*. *The Southwestern Naturalist*, 13: 368-370.  
 Smith, H. M. 1968. Two new lizards, one new, of the genus *Anolis* from Mexico. *Journal of Herpetology*, 2: 143-146.  
 Smith, R. E. 1968. Studies on reproduction in Costa Rican *Ameiva festiva* and *Ameiva quadrilineata* (Sauria: Teiidae). *Copeia*, 1968: 236-239.  
 Smith, H. M. 1972. The sonoran subspecies of the lizard *Ctenosaura hemilopha*. *Great Basin Naturalist* 32: 104-111.  
 Smith, H. M. 1973. A tentative rearrangement of the lizards of the genus *Lepidophyma*. *Journal of Herpetology*, 7: 109-123.  
 Smith, G. R. 1992. Sexual dimorphism in the curly-tailed lizard, *Leiocephalus psammmodromus*. *Caribbean Journal of Science* 28: 99-101.  
 Smith, B. E. 1993. Notes on a collection of squamate reptiles from eastern Mindanao, Philippine islands part 1: Lacertilia. *Asiatic Herpetological Research* 5: 85-95.  
 Smith, N. 1999. *Varanus gouldii*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 4pp. Downloaded February 4th, 2009.  
 Smith, P. 2012. *Micrablepharus maximiliani*. Fauna Paraguay Handbook of the Reptiles of Paraguay 1: 1-5.  
 Smith, L. A. and Adams, M. 2007. Revision of the *Lerista muelleri* species-group (Lacertilia: Scincidae) in Western Australia, with a redescription of *L. muelleri* (Fischer, 1881) and the description of nine new species. *Records of the Western Australian Museum* 23: 309-358.  
 Smith, G. R. and Ballinger, R. E. 2001. The ecological consequences of habitat and microhabitat use in lizards: a review. *Contemporary Herpetology*, 3, pp.1-37.  
 Smith, H. M. and Bumzahem, C. B. 1953. A new lizard of the genus *Sceloporus* from the isthmus of Tehuantepec. *Herpetologica* 9: 183-188.  
 Smith, H. M. and Bumzahem, C. B. 1955. The identity of the trans-isthmic Mexican populations of the malachite tree-lizard (*Sceloporus malachiticus* Cope). *Herpetologica* 11: 118-120.  
 Smith, G. D. and French, S. S. 2017. Physiological trade-offs in lizards: costs for individuals and populations. *Integrative and Comparative Biology*, 57: 344-351.  
 Smith, H. M. and Hall, W. P. 1974. Contributions to the concepts of reproductive cycles and the systematics of the scalaris group of the lizard genus *Sceloporus*. *Great Basin Naturalist* 34: 97-104.  
 Smith, G. R. and Iverson, J. B. 1993. Reproduction in the curly-tailed lizard *Leiocephalus psammmodromus* from the Caicos islands. *Canadian Journal of Zoology* 71: 2147-2151.  
 Smith, H. M. and Iverson, J. B. 1993. A new species of knobscale lizard (Reptilia: Xenosauridae) from Mexico. *Bulletin of the Maryland Herpetological Society* 29: 51-66.  
 Smith, G. R. and Lemos-Espinal, J. A. 2005. Comparative escape behavior of four species of Mexican phrynosomatid lizards. *Herpetologica* 61: 225-232.  
 Smith, G. R. and Nickel A. M. 2002. Sexual dimorphism in three Cuban species of curly-tailed lizards (Leiocephalus). *Caribbean Journal of Science*, 38: 140-142.  
 Smith, P. W. and Smith, H. M. 1952. Geographic variation in the lizard *Eumeces anthracinus*. *University of Kansas Science Bulletin*, 34: 679-694.  
 Smith, H. M. and Smith, R. B. 1977. Synopsis of the herpetofauna of Mexico. Volume 5. Guide to Mexican amphisbaenians and crocodilians. *Bibliographic addendum 2*. John Johnson, North Bennington, Vermont : 1-187.  
 Smith, R. L. and Smith, P. 2019. Additional observations on the nest and eggs of *Stenocercus caducus* (Squamata: Tropiduridae) with a report of nest usurpation. *Phylomedusa*, 18: 259-263.  
 Smith, N. M. and Tanner, W. W. 1972. Two new subspecies of *Crotaphytus* (Sauria: Iguanidae). *Great Basin Naturalist* 32: 25-34.  
 Smith, H. M. and Taylor, E. H. 1950. An annotated checklist and key to the reptiles of Mexico exclusive of snakes. *Bulletin of the U.S. National Museum* 199: 1-253.  
 Smith, H. M. and Taylor, E. H. 1950. Type localities of Mexican reptiles and amphibians. *University of Kansas Science Bulletin* 33: 313-380.  
 Smith, H. M. and Van Gelder, R. G. 1955. New and noteworthy amphibians and reptiles from Sinaloa and Puebla, Mexico. *Herpetologica* 11: 145-149.  
 Smith, H. M., Martin, R. L. and Swain, T. A. 1977. A new genus and two new species of South American geckos (Reptilia: Lacertilia). *Papeis Avulsos de Zoologia*, 30: 195-213.  
 Smith, J. W., Parmerlee, J. S. and Powell, R. 1995. *Anolis olsoni*. Catalogue of American Amphibians and Reptiles 611: 1-5.  
 Smith, G. R., Lemos-Espinal, J. A. and Ballinger, R. E. 1997. Sexual dimorphism in two species of knob-scaled lizards (genus *Xenosaurus*) from Mexico. *Herpetologica* 53: 200-205.  
 Smith, H. M., Watkins-Colwell, G. J., Lemos-Espinal, J. A. and Chiszar, D. 1997. A new subspecies of the lizard *Sceloporus scalaris* (Reptilia: Sauria: Phrynosomatidae) from the Sierra Madre Occidental of Mexico. *The Southwestern Naturalist*, 42: 290-301.  
 Smith, G. R., Lemos-Espinal, J. A. and Ballinger, R. E. 2000. *Xenosaurus platyceps*. Catalogue of American Amphibians and Reptiles, 715: 1-2.  
 Smith, G. R., Lemos-Espinal, J. A. and Ballinger, R. E. 2003. Body size, sexual dimorphism, and clutch size in two populations of the lizard *Sceloporus ochoterenae*. *The Southwestern Naturalist* 48: 123-126.  
 Smith, H. M., Lemos-Espinal, J. A., Chiszar, D. and Ingrasci, M. J. 2003. The Madrean alligator lizard of the Sierra del Nido, Chihuahua, Mexico (Reptilia: Sauria: Anguidae). *Bulletin of the Maryland Herpetological Society* 39: 99-106.  
 Smith, H. M., Lemos-Espinal, J. A. and Chiszar, D. 2005. 2004 amphibians and lizards from Sonora, Chihuahua and Coahuila. *Bulletin of the Chicago Herpetological Society*, 40: 45-51.  
 Smith, H. M., Liner, E. A., Chiszar, D., Perez-Higareda, G. and Mendoza Quijano, F. 2006. *Sceloporus magalepidurus*. Catalogue of American Amphibians and Reptiles, 837: 1-5.  
 Smith, H. M., Mendoza Quijano, F., Liner, E. A. and Chiszar, D. 2006. *Sceloporus halli*. Catalogue of American Amphibians and Reptiles, 836: 1-3.  
 Smith, J. G., Christian, K. and Green, B. 2008. Physiological ecology of the mangrove-dwelling varanid *Varanus indicus*. *Physiological and Biochemical Zoology*, 81: 561-569.  
 Smith, K. L., Harmon, L. J., Shoo, L. P., and Melville, J. 2011. Evidence of constrained phenotypic evolution in a cryptic species complex of agamid lizards. *Evolution*, 65: 976-992.

- Smith et al. 2012a Smith, M. J., Boland, C. R. J., Maple, D. and Tierman, B. 2012. The Christmas island blue-tailed skink (*Cryptoblepharus egeriae*): a survey protocol and an assessment of factors that relate to occupancy and detection. Records of the Western Australian Museum 27: 40-44.
- Smith et al. 2012b Smith, M. J., Cogger, H., Tierman, B., Maple, D., Boland, C., Napier, F., Detto, T. and Smith, P. 2012. An oceanic island reptile community under threat: the decline of reptiles on Christmas island, Indian Ocean. Herpetological Conservation and Biology 7: 206-218.
- Smith et al. 2013 Smith, A.L., Bull, C. M. and Driscoll, D. 2013. Skeletochronological analysis of age in three 'fire-specialist' lizard species. South Australian Naturalist 87: 6-17.
- Smith et al. 2016 Smith, P., Atkinson, K., Brouard, J-P. and Pheasey, H. 2016. Reserva Natural Laguna Blanca, Departamento San Pedro: Paraguay's first important area for the conservation of amphibians and reptiles? Russian Journal of Herpetology 23: 1-10.
- Smith et al. 2019a Smith, G. R., Lemos-Espinal, J. A. and Dibble, C. J. 2019. *Phrynosoma solare* (regal horned lizard). Clutch size. Herpetological Review 50: 788.
- Smith et al. 2019b Smith, G. R., Lemos-Espinal, J. A. and Schulte, J. J. 2019. *Aspidoscelis costatus barrancarum* (Barranca whiptail). Clutch size. Herpetological Review 50: 363-364.
- Smith et al. 2019c Smith, G. R., Lemos-Espinal, J. A., Burner, A. and Ogle, M. 2019. *Urosaurus bicarinatus* (tropical tree lizard). Clutch size. Herpetological Review 50: 794.
- Smith et al. 2019d Smith, G. R., Lemos-Espinal, J. A., Dwyer, C. B., Winter, K. E. and Schulte, J. J. 2019. *Aspidoscelis tigris aestuans* (sonoran tiger whiptail). Clutch size. Herpetological Review 50: 367.
- Smits 1985 Smits, A.W. 1985. Behavioral and dietary responses to aridity in the chuckwalla, *Sauromalus hispidus*. Journal of Herpetology 19: 441-449.
- Smits 1986 Smits, A. W., Ward, J. and Lillywhite, H. 1986. Effects of hyperkalemia on thermoregulatory and feeding behaviors of the lizard, *Sauromalus hispidus*. Copeia, 1986: 518-520.
- Snell and Christian 1985 Snell, H. L. and Christian, K. A. 1985. Energetics of Galapagos land iguanas: a comparison of two island populations. Herpetologica, 41: 437-442.
- Snell et al. 1988 Snell, H. L., Jennings, R. D., Snell, H. M. and Harcourt, S. 1988. Intrapopulation variation in predator-avoidance performance of Galapagos lava lizards: the interaction of sexual and natural selection. Evolutionary Ecology, 2: 353-369.
- Snider and Bowler 1992 Snider, A. T. and Bowler, J. K. 1999. Longevity of reptiles and Amphibians in North American collections. 2nd Ed. Oxford, Ohio: Society for the Study of Amphibians and Reptiles.
- Snyder et al. 2017 Snyder, S. J., Schmidt, R. E., McMullin, E. R., Parker, B. F. and Ferus, H. L. 2017. *Gymnophthalmus underwoodi* Grant, 1958 (Reptilia: Gymnophthalmidae), a new record for the island of Montserrat. Check List 13: 2153.
- Soares 2015 Soares, L. B. Morfological and molecular variation of *Afroablepharus africanus* (Gray, 1845). MSc. Thesis, Universidade De Evora.
- Soares et al. 2018 Soares, L. B., Ceriaco, L. M. P., Marques, M. P., Bastos-Silveira, C., Scheinberg, L. A., Harris, D. J., Brehm, A. and Jesus, J. 2018. Review of the leaf-litter skinks (Scincidae: Panaspis) from the Gulf of Guinea oceanic islands, with the description of a new species. African Journal of Herpetology, 67: 132-159.
- Soennichsen et al. 2019 Soennichsen, K. F., Bartek, B., Godwin, C., Clulow, S., Rhind, D., Murray, C. M. and Doody, J. S. 2019. *Varanus giganteus* (perentie). Arboreal activity. Herpetological Review 50: 794-796.
- Sokol 1967 Sokol, O. M. 1967. Herbivory in lizards. Evolution 21: 192-194.
- Solano-Zavaletaa and de Oca 2018 Solano-Zavaletaa, I. and de Oca, A. N-M. 2018. Species limits in the Morelet's alligator lizard (Anguidae: Gerrhonotinae). Molecular Phylogenetics and Evolution 120: 16-27.
- Solis et al. 2014 Solis, J. M., Wilson, L. D. and Townsend, J. H. 2014. An updated list of the amphibians and reptiles of Honduras, with comments on their nomenclature. Mesoamerican Herpetology 1: 123-144.
- Solis et al. 2015 Solis, J. M., Valle, R. E., Herrera, L. A., O'Reilly, C. M. and Downing, R. 2015. Range extensions and new departmental records for amphibians and reptiles in Honduras. Mesoamerican Herpetology 2: 557-561.
- Solis et al. 2017a Solis, J. M., Adams, J. and O'Reilly, C. M. 2017. Polychrus gutturosus Berthold, 1845. Geographic distribution. Mesoamerican Herpetology 4: 666-668.
- Solis et al. 2017b Solis, J. M., Ayala-Rojas, C. G. and O'Reilly, C. M. 2017. New records for two reptiles from the Bay islands, Honduras. Mesoamerican Herpetology 4: 669-671.
- Solis-Zurita et al. 2019 Solis-Zurita, C., De Luna, E. and Gonzalez, D. 2019. Phylogenetic relationships in the *Sceloporus variabilis* (Squamata: Phrynosomatidae) complex based on three molecular markers, continuous characters and geometric morphometric data. Zootaxa, 48: 419-439.
- Solov'yeva et al. 2018 Solov'yeva, E. N., Dunayev, E. N., Nazarov, R. A., Radjabizadeh, M. and Poyarkov, N. A. 2018. Molecular and morphological differentiation of secret toad-headed agama, *Phrynocephalus mystaceus*, with the description of a new subspecies from Iran (Reptilia, Agamidae). ZooKeys 748: 97-129.
- Somaweera 2009 Somaweera, R. 2009. Reproductive ecology of the Kandyan Day Gecko, *Cnemaspis kandiana*, in Gannoruwa Forest Reserve. Journal of the National Science Foundation of Sri Lanka 37: 13-22.
- Somaweera 2017 Somaweera, R. 2017. A naturalist's guide to the reptiles & amphibians of Bali. John Beaufoy Publishing, Oxford.
- Somaweera and Somaweera 2009 Somaweera, R. and Somaweera, N. 2009. Lizards of Sri Lanka - a colour guide with field keys. Edition Chimaira, Frankfurt Am Main.
- Somaweera et al. 2018 Somaweera, R., Lilley, R., Putra, A., Ganz, P., Govendan, P. N., McKay, J. L. and Milenkaya, O. 2018. Additions to the herpetofaunal diversity of the island of Bali, Indonesia. Sauria 40: 75-86.
- Somma 1985 Somma, L. A. 1985. Notes on maternal behavior and post-brooding aggression in the prairie skink *Eumeces septentrionalis*. Nebraska Herpetological Newsletter 6: 9-12.
- Somma 1987a Somma, L. A. 1987. Alloparental care in the prairie skink *Eumeces septentrionalis*: a case of mistaken identity? Nebraska Herpetological Newsletter 8: 5-8.
- Somma 1987b Somma, L. A. 1987. Maternal care of neonates in the prairie skink, *Eumeces septentrionalis*. Great Basin Naturalist 47: 536-537.
- Somma 1987c Somma, L. A. 1987. Reproduction of the prairie skink, *Eumeces septentrionalis*, in Nebraska. Great Basin Naturalist 47: 373-374.
- Somma 1988 Somma, L. A. 1988. Comments on the use of the term "Brooding" to describe parental behaviour in squamate reptiles. Amphibia-Reptilia 9: 89-91.
- Somma 1989a Somma, L. A. 1989. Influence of substrate water content on neonate size in the prairie skink, *Eumeces septentrionalis*. Great Basin Naturalist 49: 198-200.
- Somma 1989b Somma, L. A. 1989. Oophagous behavior in 'brooding' prairie skinks, *Eumeces septentrionalis*. Herpetological Review, 20: 3-4.
- Somma 1990a Somma, L. A. 1990. A categorization and bibliographic survey of parental behavior in lepidosaurian reptiles. Smithsonian Herpetological Information Service, 81: 1-53.
- Somma 1990b Somma, L. A. 1990. Observations on the nesting ecology of the prairie skink (*Eumeces septentrionalis*) in Nebraska. Bulletin of the Chicago Herpetological Society 25: 77-80.
- Somma 1991 Somma, L. A. 1991. *Eumeces septentrionalis* (prairie skink). Piscivory. Herpetological Review 22: 58-59.
- Somma 2003a Somma, L. A. 2003. A few more additions to the literature on parental behavior in lizards and snakes . Bulletin of the Chicago Herpetological Society 38: 217-220.
- Somma 2003b Somma, L. A. 2003. Parental behavior in lepidosaurian and testudinian reptiles. A literature survey. Malabar, Florida: Krieger Publishing Company.
- Somma 2003c Somma, L. A. 2003. Parental behavior in lepidosaurs and turtles: source addendum. Bulletin of the Chicago Herpetological Society 38: 65-76.
- Somma 2003d Somma, L. A. 2003. Reptilian parental behaviour. The Linnean 19: 42-46.
- Somma and Brooks 1976 Somma, C. A. and Brooks, G. R. 1976. Reproduction in *Anolis oculatus*, *Ameiva fuscata* and *Mabuya mabouya* from Dominica. Copeia, 1976: 249-256.
- Somma and Fawcett 1989 Somma, L. A. and Fawcett, J. D. 1989. Brooding behaviour of the prairie skink and its relationship to the hydric environment of the nest. Zoological Journal of the Linnean Society 95: 245-256.
- Song 1987 Song, M. 1987. Survey of the reptiles of southern Shaanxi. Acta Herpetologica Sinica 6: 59-64.
- Song 2007 Song, J.-Y. 2007. A field guide book of amphibians and reptiles in the Korean National Park. National Park Research institute, Annual Report No. 2007-3. KNPS, Korea.
- Song 2010 Song, J.-Y. 2010. Herpetofauna of the Korea national parks in Baekdudaegan. Journal of National Park Research, 1: 216-219.
- Song et al. 2017 Song, Y., Liu, Y., Lin, Y., Liang, T. and Shi, L. 2017. Burrow characteristics and microhabitat use of the turpan wonder gecko *Teratoscincus roborowskii* (Squamata, Gekkonidae). Asian Herpetological Research 8: 61-69.
- Song-Ho and Yong-UK 2007 Song-Ho, S. and Yong-UK, L. 2007. Field guide to reptiles and amphibians (of Korea). Chimaira, Frankfurt Am Main.
- Soorae 2004 Soorae, P. S. 2004. A herpetological survey of some islands in the Arabian Gulf, Abu Dhabi Emirate, United Arab Emirates. Zoology in the Middle East, 32: 33-38.
- Soorae et al. 2010 Soorae, P. S., Al Quarqaz, M. and Gardner, A. S. 2010. An overview and checklist of the native and alien herpetofauna of the United Arab Emirates. Herpetological Conservation and Biology 5: 529-536.
- Sos 2010 Sos, T. 2010. Evaluating the accuracy of morphological traits used in *Anguis* (sub)species differentiation. Herpetologica Romanica 4: 29-44.
- Sos and Herczeg 2009 Sos, T. and Herczeg, G. 2009. Sexual size dimorphism in eastern slow-worm (*Anguis fragilis colchica*, Reptilia: Anguidae). Russian Journal of Herpetology 16: 304-310.

- Sos et al. 2012  
Soule 1963  
Sound et al. 2018  
Sousa et al. 2015  
  
Sousa et al. 2016  
  
Sousa et al. 2017  
Souza et al. 2010  
Souza et al. 2013  
  
Souza et al. 2015  
  
Souza et al. 2019  
Souza-Oliveira et al. 2017  
  
Sow et al. 2014  
Sow et al. 2017  
  
Sowell et al. 1995  
Spaneli and Lymberakis 2014  
Sparkman et al. 2018  
Spawls and Rotich 1997  
Spawls et al. 2002  
Spawls et al. 2018  
Spellerberg 1972  
Spellerberg 2002  
Spence-Bailey et al. 2010  
Spencer 2000  
Speybroeck et al. 2010  
Speybroeck et al. 2014  
Speybroeck et al. 2016  
Sprackland 1991  
Sprackland 1993  
Sprackland 1999a  
Sprackland 1999b  
Sprackland and Swinney 1998  
Sproston et al. 1999  
Sreekar et al. 2010  
  
Sreekar et al. 2011  
Sreekar et al. 2013  
  
Srinivasulu and Das 2008  
Srinivasulu and Srinivasulu 2016  
  
Srinivasulu et al. 2014a  
Srinivasulu et al. 2014b  
Srinivasulu et al. 2014c  
  
Srinivasulu et al. 2016  
Srivastava et al. 2018  
St. John 2002  
Stacy et al. 2008  
Stadler et al. 2016  
  
Stafford and Meyer 2000  
Stafrace 2000  
Stamps 1993
- Sos, T., Kecske, A., Hegyeli, Z. and Marosi, B. 2012. New data on the distribution of *Darevskia pontica* (Lantz and Cyren, 1919) (Reptilia: Lacertidae) in Romania: filling a significant gap. *Acta Herpetologica* 7: 175-180.
- Soule, M. 1963. Aspects of thermoregulation in nine species of lizards from Baja California. *Copeia* 1963: 107-115.
- Sound, P., Henkel, F. W., Langner, C. and Seitz, A. 2018. Thermal ecology and habitat utilization of *Rhacodactylus leachianus* from New Caledonia (Squamata: Diplodactylidae). *Salamandra* 54: 117-122.
- Sousa, H. C., Soares, A. H. S. B., Costa, B. M., Pantoja, D. L., Caetano, G. H., de Queiroz, T. A. and Colli, G. R. 2015. Fire regimes and the demography of the lizard *Micrablepharus atticolus* (Squamata, Gymnophthalmidae) in a biodiversity hotspot. *South American Journal of Herpetology*, 10: 143-156.
- Sousa, H. C., Costa, B. M., Moraes, C. J. S., Pantoja, D. L., de Queiroz, T. A., Vieira, C. R. and Colli, G. R. 2016. Blue tales of a blue-tailed lizard: ecological correlates of tail autotomy in *Micrablepharus atticolus* (Squamata, Gymnophthalmidae) in a Neotropical savannah. *Journal of Zoology* 299: 202-212.
- Sousa, J. G. G., Teixeira, A. A. M., Teles, D. A., Araujo-Filho, J. A. and Avila, R. W. 2017. Feeding ecology of two sympatric geckos in an urban area of Northeastern Brazil. *Acta Herpetologica*, 12: 49-54.
- Souza, F. L., Uetanabaro, M., Landgreb-Filho, P., Piatti, L. and Prado, C. P. A. 2010. Herpetofauna, municipality of Porto Murtinho, Chaco region, state of Mato Grosso do Sul, Brazil. *Check List* 6: 470-475.
- Souza, S. M., Rodrigues, M. T. and Cohn-Haft, M. 2013. Are Amazonia rivers biogeographic barriers for lizards? A study on the geographic variation of the spectacled lizard *Leposoma osvaldoi* Avila-Pires (Squamata, Gymnophthalmidae). *Journal of Herpetology*, 47: 511-519.
- Souza, S. M., Pellegrino, K. C. M., Nunes, P. M. S., Teixeira, M., Gordo, M., de Carvalho, V. T., Almeida, A., de Oliveira, D. P., Frazao, L., Hrbek, T., Farias, I. P. and Rodrigues, M. T. 2015. On the discovery of bisexual populations of the parthenogenetic lizard *Leposoma percarinatum* (Gymnophthalmidae), with insights into the origin of parthenogenesis in *Leposoma*. *South American Journal of Herpetology*, 10: 121-131.
- Souza, U. F., Oitaven, L. P. C. and De Moura, G. J. B. 2019. *Gymnodactylus geckoides*. Eggs and hatchlings. *Herpetological Review* 50: 576-577.
- Souza-Oliveira, A. F., Magalhaes, F. D. M. and Garda, A. A. 2017. Reproduction, diet and sexual dimorphism of *Gymnodactylus geckoides Spix, 1825* (Sauria: Squamata) from a Restinga area in northeastern Brazil. *Journal of Natural History*, 51: 2355-2372.
- Sow, A. S., Martinez-Freiria, F., Crochet, P.-A., Geniez, P., Ineich, I., Dieng, H., Fahd, S. and Brito, J. C. 2014. Atlas of the distribution of reptiles in the Parc National du Banc d'Arguin, Mauritania. *Basic and Applied Herpetology* 28:
- Sow, A. S., Goncalves, D. V., Sousa, F. V., Martinez-Freiria, F., Santarem, F., Velo-Anton, G., Dieng, H., Campos, J. C., Diagne, S. K., Boratynski, Z. and Brito, J. C. 2017. Atlas of the distribution of amphibians and reptiles in the Diawling National Park, Mauritania. *Basic and Applied Herpetology* 31: 101-116.
- Sowell, S. P., Parmerlee, J. S. and Powell, R. 1995. *Anolis bahorucoensis*. Catalogue of American Amphibians and Reptiles 608: 1-3.
- Spaneli, V. and Lymberakis, P. 2014. First record of *Stellagama stellio* (Linnaeus, 1758) from Crete, Greece. *Herpetology Notes*, 7: 367-369.
- Sparkman, A. M., Clark, A. D., Brummett, L. J., Chism, K. R., Combrink, L. L., Kabey, N. M. and Schwartz, T. S. 2018. Convergence in reduced body size, head size, and blood glucose in three island reptiles. *Ecology and Evolution*
- Spawls, S. and Rotich, D. 1997. An annotated checklist of the lizards of Kenya. *Journal of East African Natural History*, 86: 61-83.
- Spawls, S., Howell, K., Drewes, R. and Ashe, J. 2002. A field guide to the reptiles of East Africa: Kenya, Tanzania, Uganda, Rwanda and Burundi. Academic Press, San Diego.
- Spawls, S., Howell, K., Hinkel, H. and Menegon, M. 2018. Field guide to East African reptiles. Bloomsbury, London.
- Spellerberg, I. F. 1972. Thermal ecology of allopatric lizards (*Sphenomorphus*) in Southeast Australia. III. Behavioural aspects of thermoregulation. *Oecologia* 11: 1-16.
- Spellerberg, I. F. 2002. Amphibians and reptiles of north-west Europe: their natural history, ecology and conservation. Science Publishers, Enfield, New Hampshire.
- Spence-Bailey, L. M., Nimmo, D. G., Kelly, L. T., Bennett, A. F. and Clarke, M. F. 2010. Maximising trapping efficiency in reptile surveys: the role of seasonality, weather conditions and moon phase on capture success. *Wildlife*
- Spencer, R. 2000. *Carlia jarrollae*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Speybroeck, J., Beukema, W. and Crochet, P.-A. 2010. A tentative species list of the European herpetofauna (Amphibia and Reptilia) — an update. *Zootaxa*, 2492: 1-27.
- Speybroeck, J., Bohle, D., Razzetti, E., Dimaki, M., Kirchner, M. K. and Beukema, W. 2014. The distribution of amphibians and reptiles on Samos island (Greece) (Amphibia: reptilia). *Herpetozoa* 27: 39-63.
- Speybroeck, J., Beukema, W., Bok, B. and van der Voort, J. 2016. A field guide to the amphibians & reptiles of Britain and Europe. Bloomsbury, London.
- Sprackland, R. G. 1991. Taxonomic review of the *Varanus prasinus* group with descriptions of two new species. *Memoirs of the Queensland Museum* 3: 561-576.
- Sprackland, R. G. 1993. Rediscovery of Solomon Islands monitor lizard (*Varanus indicus spinulosus*) Mertens, 1941. *Vivarium* 4: 25-27.
- Sprackland, R. G. 1999. New species of monitor (Squamata: Varanidae) from Indonesia. *Reptile Hobbyist*, 4: 20-27.
- Sprackland, R. G. 1999. New species of monitor (Squamata: Varanidae) from Indonesia. *Reptile Hobbyist*, 4: 20-27.
- Sprackland, R. G. and Swinney, G. N. 1998. A new species of giant gecko of the genus *Tarentola* (Reptilia: Squamata: Gekkonidae) from Jamaica. *Journal of Zoology* 245: 73-78.
- Sproston, A. L., Glor, R. E., Hartley, L. M., Censky, E. J., Powell, R. and Parmerlee, J. S. 1999. Niche differences among three sympatric species of *Ameiva* (Reptilia: Teiidae) on Hispaniola. *Journal of Herpetology* 33: 131-136.
- Sreekar, R., Deodhar, S. and Kulikarni, Y. 2010. Predation on *Hemidactylus treutleri* (Squamata: Gekkonidae) by the peninsular rock agama *Psammophilus dorsalis* (Squamata: Agamidae) in Rishi Valley, Andhra Pradesh, India. *Herpetology Notes* 3: 33-35.
- Sreekar, R., Saini, K., Rao, S. N. and Purushotham, C. B. 2011. Predicting lizard gender: sexual dimorphism in *Calotes rouxii* (Reptilia: Agamidae) from Agumbe, Karnataka, India. *Herpetological Conservation and Biology* 6: 75-80.
- Sreekar, R., Purushotham, C. B., Saini, K., Rao, S. N., Pelletier, S. and Chaplod, S. 2013. Photographic capture-recapture sampling for assessing populations of the Indian gliding lizard *Draco dussumieri*. *PLoS ONE* 8(2): e55935. doi:10.1371/journal.pone.0055935
- Srinivasulu, C. and Das, I. 2008. The herpetofauna of Nallamala Hills, Eastern Ghats, India: an annotated checklist, with remarks on nomenclature, taxonomy, habitat use, adaptive types and biogeography. *Asiatic Herpetological*
- Srinivasulu, A. and Srinivasulu, C. 2016. All that glitters is not gold: A projected distribution of the endemic Indian golden gecko *Calodactylodes aureus* (Reptilia: Squamata: Gekkonidae) indicates a major range shrinkage due to future climate change. *Journal of Threatened Taxa* 8: 8883-8892.
- Srinivasulu, B., Srinivasulu, C., Shah, T. A., Devender, G. and Kaur, H. 2014. First confirmed record of *Calodactylodes aureus* (Reptilia) from Karnataka, India. *Taprobanica*, 6: 53-54.
- Srinivasulu, C., Kumar, G. C. and Srinivasulu, B. 2014. New site records and updated distribution of Treutler's gecko *Hemidactylus treutleri* Mahony, 2009 (Sauria; Gekkonidae) from peninsular India. *Herpetology Notes*, 7: 679-682.
- Srinivasulu, C., Srinivasulu, B. and Molur, S. (Compilers). 2014. The status and distribution of reptiles in the Western Ghats, India. *Conservation Assessment and Management Plan (CAMP)*. Wildlife Information Laison Development Society, Coimbatore, Tamil Nadu.
- Srinivasulu, C., Srinivasulu, B., Srinivasulu, A. and Seetharamaraju, M. 2016. No longer supple? Molecular phylogeny suggests generic reassignment of *Lygosoma ashwamedhi* (Sharma, 1969) (Reptilia: Scincidae). *Zootaxa* 4127: 135-
- Srivastava, D. P., Chauhan, A. S. and Ahlawat, R. 2018. First record of *Saara hardwickii* (Gray, 1827) in southwestern Hisar District of Haryana, India. *Reptile Rap* 33: 9-14.
- St. John, A. 2002. Reptiles of the northwest: California to Alaska; Rockies to the coast. Lone Pine, Edmonton.
- Stacy, B. A., Howard, L., Kinkaid, J., Vidal, J. D. and Papendick, R. 2008. Yolk cololectomy in Fiji island banded iguanas (*Brachylophus fasciatus*). *Journal of Zoo and Wildlife Medicine* 39: 161-169.
- Stadler, A. T., Vihar, B., Gunther, M., Huemer, M., Riedl, M., Shamiyah, S., Mayrhofer, B., Bohme, W. and Baumgartner, W. 2016. Adaptation to life in aeolian sand: how the sandfish lizard, *Scincus scincus*, prevents sand particles from entering its lungs. *Journal of Experimental Biology* 219: 3597-3604.
- Stafford, P. J. and Meyer, J. R. 2000. A guide to the reptiles of Belize. Academic Press, London.
- Stafrace, J. 2000. *Diplodactylus williamsi*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 3pp. Downloaded February 4th, 2009.
- Stamps, J. A. 1993. Sexual size dimorphism in species with asymptotic growth after maturity. *Biological Journal of the Linnean Society* 50: 123-145.

- Stamps 1995  
 Stamps 1999  
 Stamps and Andrews 1992  
 Stamps et al. 1997  
 Standen 2008  
 Stanley and Bates 2014  
 Stanley and Raxworthy 2016  
 Stanley et al. 2016a
- Stanley et al. 2016b  
 Stanner 2004  
 Stanner and Mendelsohn 1987a  
 Stanner and Mendelsohn 1987b  
 Stanton-Jones et al. 2018  
 Stark et al. 2018a  
 Stark et al. 2018b  
 Starkov and Orlova 2007  
 Starostova et al. 2005  
 Starostova et al. 2008  
 Starostova et al. 2010  
 Starostova et al. 2012  
 Stayton 2006  
 Stearns 1984  
 Stebbins 1958  
 Stebbins 2003  
 Stebbins and McGinnis 2012  
 Stebbins and McGinnis 2018  
 Stebbins et al. 1967  
 Steele et al. 2018a  
 Steele et al. 2018b  
 Stefany 2008  
 Steffen 2009  
 Steffen and Appel 2012  
 Steinberg et al. 2007  
 Steinberg et al. 2008  
 Steiner 1986  
 Stellatelli et al. 2016a  
 Stellatelli et al. 2016b  
 Stellatelli et al. 2018a
- Stellatelli et al. 2018b  
 Stenhouse et al. 2018  
 Sterijovski et al. 2014  
 Stevenson 1985  
 Stewart 1954  
 Stewart 1984  
 Stewart 1985  
 Stewart 2015  
 Stewart and Thompson 2003  
 Stille and Stille 2016  
 Stille and Stille 2017  
 Stipala 2014  
 Stoddart 1984  
 Stojanov et al. 2011  
 Stokeld et al. 2018  
 Stokes and Meek 2003  
 Stone et al. 1994
- Stamps, J. A. 1995. Using growth-based models to study behavioral factors affecting sexual size dimorphism. *Herpetological Monographs* 9: 75-87.  
 Stamps, J. A. 1999. Relationships between female density and sexual size dimorphism in samples of *Anolis sagrei*. *Copeia*, 1999: 760-765.  
 Stamps, J. A. and Andrews, R. M. 1992. Estimating asymptotic size using the largest individuals per sample. *Oecologia* 92: 503-512.  
 Stamps, J. A., Losos, J. B. and Andrews, R. M. 1997. A comparative study of population density and sexual size dimorphism in lizards. *The American Naturalist* 149: 64-90.  
 Standen, W. 2008. Husbandry manual for short tailed monitor *Varanus brevicauda* (Reptilia: Varanidae). Western Sydney institute of TAFE, Richmond, special publication.  
 Stanley, E. L. and Bates, M. F. 2014. Here be dragons: a phylogenetic and biogeographical study of the *Smaug warreni* species complex (Squamata: Cordylidae) in southern Africa. *Zoological Journal of the Linnean Society*, 172: 892-  
 Stanley, R. C. and Raxworthy, C. J. 2016. Rediscovery of the enigmatic day gecko *Phelsuma masoheala* in Northeast Madagascar. *Herpetological Conservation and Biology* 11: 402-407.  
 Stanley, E. L., Ceriaco, L. M. P., Bandeira, S., Valerio, H., Bates, M. F. and Branch, W. R. 2016. A review of *Cordylus machadoi* (Squamata: Cordylidae) in southwestern Angola, with the description of a new species from the Pro-Namib desert. *Zootaxa* 4061: 201-226.  
 Stanley, S. G., Liniewski, R. M. and Senter, P. J. 2016. Appendicular skeleton of the vestigial-limbed African skink *Eumecia anchietae*. *African Journal of Herpetology*, 65: 99-114.  
 Stanner, M. 2004. *Varanus griseus*. Pages 104-132 in E. R. Pianka and D. R. King, eds. 2004. *Varanoid Lizards of the World*. Indiana University Press.  
 Stanner, M. and Mendelsohn, H. 1986. The diet of *Varanus griseus* in the southern coastal plain of Israel (Reptilia, Sauria). *Israel Journal of Zoology* 34: 67-75.  
 Stanner, M. and Mendelsohn, H. 1987. Sex ratio, population density and home range of the desert monitor (*Varanus griseus*) in the southern coastal plain of Israel. *Amphibia-Reptilia* 8: 153-164.  
 Stanton-Jones, W. K., Parusnath, S. and Alexander, G. J. 2018. The impact of posture and basking orientation on thermoregulation in the sungazer (*Smaug giganteus*). *Journal of Thermal Biology* 75: 45-53.  
 Stark, G., David, D., Lewin, A. and Meiri, S. 2018. *Acanthodactylus aegyptius* (egyptian fringed-fingered lizard). Tail bifurcation. *Herpetological Review*, 49: 324-325.  
 Stark, G., Tamar, K., Itescu, Y., Feldman, A. and Meiri, S. 2018. Cold and isolated ectotherms: drivers of reptilian longevity. *Biological Journal of the Linnean Society* 125: 730-740.  
 Starkov, V. G. and Orlova, V. F. 2007. New records of reptiles (Reptilia, Squamata) at Azov seashore of Taman Peninsula (Krasnodar Kray, Russia). *Russian Journal of Herpetology*, 14(2), pp.87-90.  
 Starostova, Z., Kratochvil, L. S. and Frynta, D. 2005. Dwarf and giant geckos from the cellular perspective: the bigger the animal, the bigger its erythrocytes? *Functional Ecology* 19: 744-749.  
 Starostova, Z., Kratochvil, L. S. and Flajshans, M. 2008. Cell size does not always correspond to genome size: phylogenetic analysis in geckos questions optimal DNA theories of genome size evolution. *Zoology* 111: 377-384.  
 Starostova, Z., Kubicka, L. and Kratochvil, L. 2010. Macroevolutionary pattern of sexual size dimorphism in geckos corresponds to intraspecific temperature-induced variation. *Journal of Evolutionary Biology* 23: 670-677.  
 Starostova, Z., Angilletta, M. J., Kubicka, L. and Kratochvil, L. 2012. Thermal dependence of reproductive allocation in a tropical lizard. *Journal of Thermal Biology* 37: 159-163.  
 Stayton, C. T. 2006. Testing hypotheses of convergence with multivariate data: morphological and functional convergence among herbivorous lizards. *Evolution*, 60: 824-841.  
 Stearns, S. C. 1984. The effects of size and phylogeny on patterns of covariation in the life history traits of lizards and snakes. *The American Naturalist*, 123: 56-72.  
 Stebbins, R. C. 1958. A new alligator lizard from the Panamint Mountains, Inyo County, California. *American Museum Novitates* 1883: 1-28.  
 Stebbins, R. C. 2003. A field guide to western reptiles and amphibians. Third Edition. Houghton Mifflin Company, Boston.  
 Stebbins, R. C. and McGinnis, S. M. 2012. Field guide to amphibians and reptiles of California. Revised Edition. University of California Press, Berkeley.  
 Stebbins, R. C. and McGinnis, S. M. 2018. Peterson field guide to western reptiles and amphibians. Fourth edition. Houghton Mifflin Company, Boston.  
 Stebbins, R. C., Lowenstein, J. M. and Cohen, N. W. 1967. A field study of the lava lizard (*Tropidurus albemarlensis*) in the Galapagos islands. *Ecology* 48: 839-851.  
 Steele, A. L., Wibbels, T. and Warner, D. A. 2018. Revisiting the first report of temperature-dependent sex determination in a vertebrate, the African redheaded agama. *Journal of Zoology* 306: 16-22.  
 Steele, A. L., Wibbels, T. and Warner, D. A. 2018. Revisiting the first report of temperature-dependent sex determination in a vertebrate, the African redheaded agama. *Journal of Zoology*, 306: 16-22.  
 Stefany, M. 2008. Husbandry and reproduction of the peach-throated monitor *Varanus jobiensis* in captivity. *Biawak* 2: 124-130.  
 Steffen, J. E. 2009. An assessment of allometry for sexual size dimorphism in mainland anoles. *South American Journal of Herpetology*, 4: 245-252.  
 Steffen, J. E. and Appel, A. G. 2012. The effect of temperature on standard metabolic rate of brown anoles. *Amphibia-Reptilia* 33: 297-302.  
 Steinberg, D. S., Powell, S. D., Powell, R., Parmerlee, J. S. and Henderson, R. W. 2007. Population densities, water-loss rates, and diets of *Sphaerodactylus vincenti* on St. Vincent, West Indies. *Journal of Herpetology* 41: 330-336.  
 Steinberg, D. S., Hite, J. L., Powell, R. and Henderson, R. W. 2008. *Sphaerodactylus vincenti*. Catalogue of American Amphibians and Reptiles, 853: 1-6.  
 Steiner, T. M. 1986. *Eumeces inexpectatus*. Catalogue of American Amphibians and Reptiles 385: 1-2.  
 Stellatelli, O. A., Block, C., Moreno-Azocar, D. L., Vega, L. E., Isacch, J. P. and Cruz, F. B. 2016. Scale dependency of *Liolemus* lizards' home range in response to different environmental variables. *Current Zoology*, 62: 521-530.  
 Stellatelli, O. A., Block, C., Vega, L. E., Isacch, J. P. and Cruz, F. B. 2016. Factors affecting the spatial ecology of the lizard *Liolemus wiegmannii* in the pampasic coastal dunes of Argentina. *Herpetological Journal* 25: 11-19.  
 Stellatelli, O. A., Block, C., Villalba, A., Vega, L. E., Dajil, J. E. and Cruz, F. B. 2017. Behavioral compensation buffers body temperatures of two *Liolemus* lizards under contrasting environments from the temperate Pampas: a Bogert effect? *Ethology Ecology & Evolution* 30: 297-318.  
 Stellatelli, O. A., Villalba, A., Block, C., Vega, L. E., Dajil, J. E. and Cruz, F. B. 2018. Seasonal shifts in the thermal biology of the lizard *Liolemus tandiliensis* (Squamata, Liolaemidae). *Journal of Thermal Biology* 73: 61-70.  
 Stenhouse, V., Carter, A. L., Chapple, D. G., Hare, K. M., Hartley, S., Nelson, N. J. 2018. Modelled incubation conditions indicate wider potential distributions based on thermal requirements for an oviparous lizard. *Journal of Biogeography* 45: 1872-1883.  
 Sterijovski, B., Tomovic, L. and Ajtic, R. 2014. Contribution to the knowledge of the reptile fauna and diversity in FYR of Macedonia. *North-Western Journal of Zoology*, 10: 83-92.  
 Stevenson, R. D. 1985. Body size and limits to the daily range of body temperature in terrestrial ectotherms. *The American Naturalist*, 125: 102-117.  
 Stewart, G. D. 1954. A small collection of reptiles from central Korea. *Copeia*, 1954: 65-67.  
 Stewart, J. R. 1984. Thermal biology of the live bearing lizard *Gerrhonotus coeruleus*. *Herpetologica* 40: 349-355.  
 Stewart, J. R. 1985. Growth and survivorship in a California population of *Gerrhonotus coeruleus*, with comments on intraspecific variation in adult female size. *American Midland Naturalist*, 113: 30-44.  
 Stewart, J. R. 2015. Placental specializations in lecithotrophic viviparous squamate reptiles. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution* 324B: 549-561.  
 Stewart, J. R. and Thompson, M. B. 2003. Evolutionary transformations of the fetal membranes of viviparous reptiles: a case study of two lineages. *Journal of Experimental Zoology* 299A: 13-32.  
 Stille, B. and Stille, M. 2016. The herpetofauna of Mathraki, Othonoi and Erikoussa, Diapontia islets, Greece. *Herpetozoa* 28: 193-197.  
 Stille, B. and Stille, M. 2017. The herpetofauna of Corfu and adjacent islands. Edition Chimaira, Frankfurt am Main.  
 Stipala, J. 2014. Mountain dragons. In search of chameleons in the highlands of Kenya. Privately Published, Singapore.  
 Stoddart, D. R. (editor) 1984. Biogeography and ecology of the Seychelle islands. Kluwer Academic Publishers.  
 Stojanov, A., Tzankov, N. and Naumov, B. 2011. Die amphibien und reptilien Bulgariens. Edition Chimaira, Frankfurt am Main.  
 Stokeld, D., Fisher, A., Gentles, T., Hill, B. M., Woinarski, J. C., Young, S. and Gillespie, G. R. 2018. Rapid increase of Australian tropical savanna reptile abundance following exclusion of feral cats. *Biological Conservation*, 225:  
 Stokes, D. and Meek, R. 2003. Diurnal body temperatures in semi-captive Tokay Geckos (*Gekko gekko*); evidence for thermoregulation? *The Herpetological Bulletin* 85: 24-28.  
 Stone, P. A., Snell, H. L. and Snell, H. M. 1994. Behavioral diversity as biological diversity: introduced cats and lava lizard wariness. *Conservation Biology*, 8: 569-573.

- Stone et al. 2003
- Storm and Leonard 1995
- Storr 1967
- Storr 1968
- Storr 1971
- Storr 1974a
- Storr 1974b
- Storr 1975
- Storr 1976
- Storr 1977
- Storr 1978a
- Storr 1978b
- Storr 1978c
- Storr 1979
- Storr 1981
- Storr 1982a
- Storr 1982b
- Storr 1982c
- Storr 1985
- Storr 1988a
- Storr 1988b
- Storr 1991a
- Storr 1991b
- Storr 1991c
- Storr 1991d
- Storr and Harold 1980
- Storr et al. 1983
- Storr et al. 1990
- Storr et al. 1999
- Stotz et al. 2003
- Strachinis and Artavanis 2017
- Strachinis and Rousouss 2016
- Strachinis et al. 2019
- Strangas et al. 2019
- Strauss 2016
- Street 1979
- Strijbosch 1986
- Stroude et al. 2017
- Strugariu et al. 2008
- Strussmann and Carvalho 2001
- Strussmann and de Carvalho 1998
- Stuart 1939
- Stuart 1942
- Stuart 1948
- Stuart 1955
- Stuart 1991
- Stuart 1998
- Stuart and Emmett 2006
- Stuart et al. 2006a
- Stuart et al. 2006b
- Stuart et al. 2010
- Stuart et al. 2014
- Stuart-Fox 2008
- Stuart-Fox and Moussalli 2007
- Stuart-Fox and Moussalli 2009
- Stuart-Fox and Ord 2004
- Stone, P. A., Snell, H. L. and Snell, H. M. 2003. Island biogeography of morphology and social behavior in the lava lizards of the Galapagos islands. pages 190-242 in S. F. Fox, J. K. McCoy and T. A. Baird (editors), Lizard social behavior. John Hopkins University Press, Baltimore.
- Storm, R. M. and Leonard, W. P. 1995. Reptiles of Washington and Oregon. Seattle Audubon Society, Seattle.
- Storr, G. M. 1967. Geographic races of the agamid lizard *Amphibolurus caudicinctus*. Journal of the Royal Society of Western Australia 50: 49-56.
- Storr, G. M. 1968. Revision of the *Egernia whitei* species-group (Lacertilia, Scincidae). Journal of the Royal Society of Western Australia, 51: 51-62.
- Storr, G. M. 1971. The genus *Lerista* (Lacertilia: Scincidae) in Western Australia. Journal of the Royal Society of Western Australia 54: 59-75.
- Storr, G. M. 1974. Agamid lizards of the genera *Caimanops*, *Physignathus* and *Diporiphora* in Western Australia and Northern Territory. Records of the Western Australian Museum 3: 121-146.
- Storr, G. M. 1974. The genus *Carlia* (Lacertilia: Scincidae) in Western Australia and Northern Territory. Records of the Western Australian Museum 3: 151-165.
- Storr, G. M. 1975. The genus *Ctenotus* (Lacertilia: Scincidae) in the Kimberley and North-west Divisions of Western Australia. Rec. West. Aust. Mus. 3: 209-243.
- Storr, G. M. 1976. Revisionary notes on the *Lerista* (Lacertilia: Scincidae) of Western Australia. Records of the Western Australian Museum, 4: 241-256.
- Storr, G. M. 1977. The *Amphibolurus adelaiedensis* species group (Lacertilia, Agamidae) in Western Australia. Records of the Western Australian Museum 5: 73-81.
- Storr, G. M. 1978. Seven new gekkonid lizards from Western Australia. Records of the Western Australian Museum, 6: 337-352.
- Storr, G. M. 1978. Taxonomic notes on the reptiles of the Shark Bay region, Western Australia. Records of the Western Australian Museum 6: 303-318.
- Storr, G. M. 1978. The genus *Egernia* (Lacertilia, Scincidae) in Western Australia. Records of the Western Australian Museum 6: 147-187.
- Storr, G. M. 1979. The *Diplodactylus vittatus* complex. Records of the Western Australian Museum 7: 391-402.
- Storr, G. M. 1981. Ten new *Ctenotus* (Lacertilia: Scincidae) from Australia. Records of the Western Australian Museum 9: 125-146.
- Storr, G. M. 1982. Four new *Lerista* (Lacertilia: Scincidae) from Western & South Australia. Records of the Western Australian Museum 10: 1-9.
- Storr, G. M. 1982. Revision of the bearded dragons (Lacertilia: Agamidae) of Western Australia with notes on the dismemberment of the genus *Amphibolurus*. Records of the Western Australian Museum 19: 199-214.
- Storr, G. M. 1982. Two new *Gehyra* (Lacertilia: Gekkonidae) from Australia. Records of the Western Australian Museum 10: 53-59.
- Storr, G. M. 1985. Revision of *Lerista frosti* and allied species (Lacertilia: Scincidae). Records of the Western Australian Museum 12: 307-316.
- Storr, G. M. 1988. The *Diplodactylus ciliaris* complex (Lacertilia: Gekkonidae) in Western Australia. Records of the Western Australian Museum, 14: 121-133.
- Storr, G. M. 1988. Three new *Diplodactylus* (Lacertilia: Gekkonidae) from the arid zone of Australia. Records of the Western Australian Museum 14: 217-233.
- Storr, G. M. 1991. Four new members of the *Lerista nicholssi* complex (Lacertilia: Scincidae). Records of the Western Australian Museum 15: 139-147.
- Storr, G. M. 1991. Partial revision of the *Lerista macropisthopus* group (Lacertilia: Scincidae). Records of the Western Australian Museum 15: 149-161.
- Storr, G. M. 1991. Revision of *Lerista microtis* (Lacertilia: Scincidae). Records of the Western Australian Museum 15: 469-476.
- Storr, G. M. 1991. Revision of *Lerista orientalis* (Lacertilia: Scincidae) of northern Australia. Records of the Western Australian Museum 15: 413-417.
- Storr, G. M. and Harold, G. 1980. Herpetofauna of the Zuytdorp Coast and hinterland, Western Australia. Records of the Western Australian Museum 8: 359-375.
- Storr, G. M., Smith, L. A. and Johnstone, R. E. 1983. Lizards of Western Australia. volume 2. Dragons and monitors. Western Australia Museum, Perth.
- Storr, G. M., Smith, L. A. and Johnstone, R. E. 1990. Lizards of Western Australia. volume 3. Geckos and Pygopods. Western Australia Museum, Perth.
- Storr, G. M., Smith, L. A. and Johnstone, R. E. 1999. Lizards of Western Australia. I. Skinks. Revised Edition. Western Australia Museum, Perth.
- Stotz, D. F., Harris, E. J., Moskovits, D. K., Hao, K., Yi, S. and Adelmann, G. W. (editors). 2003. China: Yunnan, Southern Gaoligongshan. Rapid Biological inventories Report No. 4. The Field Museum. Chicago.
- Strachinis, I. and Artavanis, D. 2017. Additions to the known herpetofauna of the island of Ithaki, Ionian Sea, Greece. Herpetozoa 30: 64-66.
- Strachinis, I. and Rousouss, S. A. 2016. Terrestrial herpetofauna of Limnos and Agios Efstratios (Northern Aegean, Greece), including new species records for *Malpolon insignitus* (Geoffroy Saint-Hilaire, 1827) and *Pelobates syriacus* Boettger, 1889. Herpetology Notes, 9: 237-248.
- Strachinis, I., Karagianni, K. M., Stanchev, M. and Stanchev, N. 2019. No one ever noticed: First report of *Zootoca vivipara* (Lichtenstein, 1823) in Greece. Herpetology Notes, 12: 53-56.
- Strangas, M. L., Navas, C. A., Rodrigues, M. T. and Carnaval, A. C. 2019. Thermophysiology, microclimates, and species distributions of lizards in the mountains of the Brazilian Atlantic Forest. Ecography, 42: 354-364.
- Strauss, P. 2016. Phylogeography and thermal physiology of *Meroles knoxii* (Family: Lacertidae): relevance for species responses to climate change. MSc. Thesis, Stellenbosch University.
- Street, D. 1979. Reptiles of central and northern Europe. Batsford.
- Strijbosch, H. 1986. Niche segregation in sympatric *Lacerta agilis* and *L. vivipara*. Pages 449-454 in Rocek, Z. Editor. Studies in herpetology: proceedings of the 3rd European herpetological meeting, Prague, 1985. Charles University.
- Stroud, J. T., Giery, S. T. and Outerbridge, M. E. 2017. Establishment of *Anolis sagrei* on Bermuda represents a novel ecological threat to Critically Endangered Bermuda skinks (*Plestiodon longirostris*). Biological Invasions, 19: 1723-1730.
- Strugariu, A., Sos, T., Gherghel, I., Ghira, I., Sahlean, T. C., Puscasu, C. M. and Hutuleac-Volosciuc, M. V. 2008. Distribution and current status of the herpetofauna from the northern Macin Mountains area (Tulcea County, Romania). Analele Stiintifice ale Universitatii Al. I. Cuza Iasi, sectiunea Biologie Animala, 54: 191-206.
- Strussmann, C. and Carvalho, M. A. 2001. Two new species of *Cercophispa* Vanzolini 1992 from the state of Mato Grosso, western Brazil (Reptilia, Amphisbaenia, Amphisbaenidae). Bollettino Museo Regionale di Scienze Naturali, 76: 1-12.
- Strussmann, C. and de Carvalho, M. A. 1998. New herpetological records for the state of Mato Grosso, western Brazil. Herpetological Review, 29: 183-184.
- Stuart, L. C. 1939. A description of a new *Gymnophthalmus* from Guatemala, with notes on other members of the genus. Occasional Papers of the Museum of Zoology, University of Michigan 409: 1-12.
- Stuart, L. C. 1942. Comments on several species of *Anolis* from Guatemala with descriptions of three new forms. Occasional Papers of the Museum of Zoology, University of Michigan 464: 1-10.
- Stuart, L. C. 1948. The amphibians and reptiles of Alta Verapaz Guatemala. Miscellaneous Publications, Museum of Zoology, University of Michigan 69: 1-109.
- Stuart, L. C. 1955. A brief review of the Guatemalan lizards of the genus *Anolis*. Miscellaneous Papers of the Museum of Zoology, University of Michigan 91: 1-31.
- Stuart, J. N. 1991. *Cnemidophorus exsanguis*. Catalogue of American Amphibians and Reptiles 516: 1-4.
- Stuart, J. N. 1998. *Cnemidophorus velox*. Catalogue of American Amphibians and Reptiles 656: 1-6.
- Stuart, B. L. and Emmett, D. A. 2006. A collection of amphibians and reptiles from the Cardamom Mountains, southwestern Cambodia. Fieldiana Zoology, New Series, 109: 1-27.
- Stuart, B. L., Rhodin, A. G. J., Grismer, L. L. and Hansel, T. 2006. Scientific description can imperil species. Science 312: 1137.
- Stuart, B. L., Sok, K. and Neang, T. 2006. A collection of amphibians and reptiles from hilly eastern Cambodia. Raffles Bulletin of Zoology 54: 129-155.
- Stuart, B. L., Rowley, J. L., Thy, N., Emmett, D. A. and Sitha, S. 2010. Significant new records of amphibians and reptiles from Virachey National Park, northeastern Cambodia. 2010: 38-47.
- Stuart, Y. E., Campbell, T. S., Hohenlohe, P. A., Reynolds, R. G., Revell, L. J. and Losos, J. B. 2014. Rapid evolution of a native species following invasion by a congener. Science 346: 463-465.
- Stuart-Fox, D. 2009. A test of Rensch's rule in dwarf chameleons (*Bradyptodon* spp.), a group with female-biased sexual size dimorphism. Evolutionary Ecology 23: 425-433.
- Stuart-Fox, D. and Moussalli, A. 2007. Sex-specific ecomorphological variation and the evolution of sexual dimorphism in dwarf chameleons (*Bradyptodon* spp.). Journal of Evolutionary Biology 20: 1073-1081.
- Stuart-Fox, D. and Moussalli, A. 2009. Camouflage, communication and thermoregulation: lessons from colour changing organisms. Philosophical Transactions of the Royal Society of London B. 364: 463-470.
- Stuart-Fox, D. M. and Ord, T. J. 2004. Sexual selection, natural selection and the evolution of dimorphic coloration and ornamentation in agamid lizards. Proceedings of the Royal Society of London B. 271: 2249-2255.

- Stuart-Fox and Owens 2003  
Stuart-Smith et al. 2005
- Stuart-Smith et al. 2007a  
Stuart-Smith et al. 2007b  
Stuart-Smith et al. 2008
- Stugren 1984  
Sturaro and Avila-Pires 2011  
Sturaro and Avila-Pires 2013  
Sturaro and da Silva 2010  
Sturaro et al. 2018  
Suarez et al. 2016
- Suarez-Dominguez et al. 2011  
Suarez-Rodriguez et al. 2018
- Suarez-Varon et al. 2019
- Suazo-Ortuno et al. 2008  
Suazo-Ortuno et al. 2015
- Subba Rao and Rajabai 1972  
Subba Rao and Rajabai 1974
- Sucea 2019  
Sudasinghe and Somaweera 2015  
Sukprasert et al. 2018  
Sullivan and Sullivan 2012  
Sullivan and Sullivan 2019  
Sullivan et al. 2013
- Sumarli and Grismer 2016  
Sumarli et al. 2015  
Sumer et al. 2019  
Sumner et al. 1999  
Sumontha et al. 2012a
- Sumontha et al. 2012b
- Sun et al. 2012  
Sun et al. 2018  
Sung et al. 2011  
Sunny et al. 2017  
Sunyer 2014  
Sunyer et al. 2013  
Sunyer et al. 2016  
Sunyer et al. 2017  
Supsup et al. 2016a
- Supsup et al. 2016b  
Supsup et al. 2017  
Sura 1987  
Surget-Groba, Y. et al. 2006
- Sutherland 2011  
Swain and Jones 2000  
Swain et al. 1980
- Stuart-Fox, D. M. and Owens, I. P. F. 2003. Species-richness is agamid lizards: chance, body size, ecology or sexual selection? *Journal of Evolutionary Biology* 16: 659-669.
- Stuart-Smith, J. F., Swain, R. and Welling, A. 2005. Reproductive ecology of the mountain dragon, *Rankinia (Tympanocryptis) diemensis* (Reptilia: Squamata: Agamidae) in Tasmania. *Papers and Proceedings of the Royal Society of Tasmania* 139: 23-28.
- Stuart-Smith, J., Swain, R. and Wapstra, E. 2007. The role of body size in competition and mate choice in an agamid with female-biased size dimorphism. *Behaviour* 144: 1087-1102.
- Stuart-Smith, J., Swain, R., Stuart-Smith, R. D. and Wapstra, E. 2007. Is fecundity the ultimate cause of female-biased size dimorphism in the dragon lizard? *Journal of Zoology* 273: 266-272.
- Stuart-Smith, J. F., Stuart-Smith, R. D., Swain, R. and Wapstra, E. 2008. Size dimorphism in *Rankinia (Tympanocryptis) diemensis* (Family Agamidae): sex-specific patterns and geographic variation. *Biological Journal of the Linnean Society*, 94: 699-709.
- Stugren, B. 1984. *Lacerta praticola Eversmann 1834 - Wieseneidechse*. Pages 318-331 in W. Bohme, editor. *Handbuch der Reptilien und Amphibien Europas*, Band 2/i: Echsen ii (Lacerta). Aula-Verlag, Wiesbaden.
- Sturaro, M. J. and Avila-Pires, T. C. S. 2011. Taxonomic revision of the geckos of the *Gonatodes concinnatus* complex (Squamata: Sphaerodactylidae), with description of two new species. *Zootaxa* 2869: 1-36.
- Sturaro, M. J. and Avila-Pires, T. C. S. 2013. Redescription of the Gecko *Gonatodes caudiscutatus* (Günther, 1859) (Squamata: Sphaerodactylidae). *South American Journal of Herpetology* 8: 132-145.
- Sturaro, M. J. and da Silva, V. X. 2010. Natural history of the lizard *Enyalius perditus* (Squamata: Leiosauridae) from an Atlantic forest remnant in southeastern Brazil. *Journal of Natural History*, 44: 1225-1238.
- Sturaro, M. J., Rodrigues, M. T., Colli, G. R., Knowles, L. L. and Avila-Pires, T. C. S. 2018. Integrative taxonomy of the lizards *Cercosaura ocellata* species complex (Reptilia: Gymnophthalmidae). *Zoologischer Anzeiger*, 275: 37-65.
- Suarez, C. R., Rodriguez-Dominguez, M. A. and Molina-Borja, M. 2016. Sexual dimorphism in morphological traits and scaling relationships in two populations of *Gallotia stehlini* (Fam. Lacertidae: Squamata) from Gran Canaria. *African Journal of Herpetology*, 65: 1-20.
- Suarez-Dominguez, E. A., Morales-Mavil, J. E., Chavira, R. and Boeck, L. 2011. Effects of habitat perturbation on the daily activity pattern and physiological stress of the spiny tailed iguana (*Ctenosaura acanthura*). *Amphibia-Reptilia*
- Suarez-Rodriguez, O., Suarez-Varon, G., Chavez-Siles, F., Perez-Arriaga, F., Andrade-Soto, G., Aguilar-Isaac, L., Sherbrooke, W. C. and Hernandez-Gallegos, O. 2018. Masa relativa de la camada en *Phrynosoma orbiculare* (Squamata: Phrynosomatidae) en el Parque Estatal Sierra Morelos, Toluca, Estado de Mexico. Relative clutch mass in *Phrynosoma orbiculare* (Squamata: Phrynosomatidae) in the Parque Estatal Sierra Morelos, Toluca, Estado de Mexico. *Revista Mexicana de Biodiversidad*, 89: 282-289.
- Suarez-Varon, G., Suarez-Rodriguez, O., Granados-Gonzalez, G., Villagran-Santa Cruz, M., Gribbins, K. M., Cortez-Quezada, D. and Hernandez-Gallegos, O. 2019. Relative clutch mass of *Basiliscus vittatus* Wiegmann, 1828 (Squamata: Corytophanidae): female morphological constraints. *Herpetozoa*, 32: 211-219.
- Suazo-Ortuno, I., Alvarado-Diaz, J. and Martinez-Ramos, M. 2008. Effects of conversion of dry tropical forest to agricultural mosaic on herpetofaunal assemblages. *Conservation Biology*, 22: 362-374.
- Suazo-Ortuno, I., Alvarado-Diaz, J., Mendoza, E., Lopez-Toledo, L., Lara-Uribe, N., Marquez-Camargo, C., Paz-Gutierrez, G. J. and Rangel-Orozco, D. J. 2015. High resilience of herpetofaunal communities in a human-modified tropical dry forest landscape in western Mexico. *Tropical Conservation Science*, 8: 396-423.
- Subba Rao, M. V. and Rajabai, B. S. 1972. Reproduction in the ground lizard, *Sitana ponticeriana* and garden lizard, *Calotes nemoricola*. *British Journal of Herpetology* 4: 245-251.
- Subba Rao, M. V. and Rajabai, B. S. 1974. Influence of thermal acclimation oxygen consumption in the agamid lizard, *Calotes nemoricola* with reference to size, sex, temperature, season and climatic condition. *Proceedings of the Indian Academy of Science* 89: 1-15.
- Sucea, F. N. 2019. The second record of a rare lizard species, *Darevskia praticola* (Eversmann, 1834), in the Jiu Gorge National Park, Romania. *Ecologia Balkanica*, 11: 239-241.
- Sudasinghe, H. and Somaweera, R. 2015. *Calotes versicolor* (Oriental garden lizard). Diet. *Herpetological Review* 46: 625-629.
- Sukprasert, A., Suthiwises, S., Luhachinda, V. and Taksintum, W. 2018. Two new species of *Hemiphyllodactylus* Bleeker (Squamata: Gekkonidae) from Thailand. *Zootaxa* 4369: 363-376.
- Sullivan, B. K. and Sullivan, K. O. 2012. Common chuckwalla (*Sauromalus ater*) in an urban preserve: persistence of a small population and estimation of longevity. *Herpetological Conservation and Biology* 7: 437-441.
- Sullivan, B. K. and Sullivan, E. A. 2019. *Coleonyx variegatus* (western banded gecko) and *Sonora semiannulata* (variable ground snake). Heterospecific interactions. *Herpetological Review* 50: 369-370.
- Sullivan, B. K., Walker, J. M., Taylor, H. L., Cordes, J. E., Kwiatkowski, M. A., Sullivan, K. O., Sullivan, J. R., Douglas, M. R. and Douglas, M. E. 2013. Morphological diagnosability of *Aspidoscelis arizonae* (Squamata: Teiidae) as an indication of evolutionary divergence in the *Aspidoscelis* inornata complex. *Copeia*, 2013: 366-377.
- Sumarli, A. X. and Grismer, L. L. 2016. *Sphenomorphus praesignis* (blotched forest skink). Reproduction. *Herpetological Review* 47: 674-675.
- Sumarli, A. X., Grismer, L. L., Anuar, S., Muin, M. A. and Quah, E. S. H. 2015. First report on the amphibians and reptiles of a remote mountain, Gunung Tebu in northeastern Peninsular Malaysia. *Check List* 11: 1679-1712.
- Sumer, N., Birlik, S. and Yildirimhan, H. S. 2019. Morphological and molecular taxonomy of helminths of the slow worm *Anguis fragilis* (Linnaeus)(Squamata: Anguidae) from Turkey. *Biharean Biologist*, 13: 36-38.
- Sumner, J., Moritz, C. and Shine, R. 1999. Shrinking forest shrinks skink: morphological change in response to rainforest fragmentation in the prickly forest skink (*Gnypetoscincus queenslandiae*). *Biological Conservation*, 91: 159-167.
- Sumontha, M., Pauwels, O. S. G., Kunya, K., Nitikul, A., Samphantamit, P. and Grismer, L. L. 2012. A new forest-dwelling gecko from Phuket island, Southern Thailand, related to *Cyrtodactylus macrotuberculatus* (Squamata: Gekkonidae). *Zootaxa* 3522: 61-72.
- Sumontha, M., Pauwels, O. S. G., Kunya, K., Limlikhitakorn, C., Ruksue, S., Taokratok, A., Ansermet, M. and Chanhome, L. 2012. A new species of Parachute Gecko (Squamata: Gekkonidae: genus *Ptychozoon*) from Kaeng Krachan National Park, western Thailand. *Zootaxa* 3513: 68-78.
- Sun, Y.-Y., Du, Y., Yang, J., Fu, T.-B., Lin, C.-X. and Ji, X. 2012. Is the evolution of viviparity accompanied by a relative increase in maternal abdomen size in lizards? *Evolutionary Biology* 39: 388-399.
- Sun, B. J., Ma, L., Li, S. R., Williams, C. M., Wang, Y., Hao, X. and Du, W. G. 2018. Phenology and the physiological niche are co-adapted in a desert-dwelling lizard. *Functional Ecology*, 32: 2520-2530.
- Sung, Y.-H., Karraker, N. E. and Hau, B. C. H. 2011. Evaluation of the effectiveness of three survey methods for sampling terrestrial herpetofauna in south China. *Herpetological Conservation and Biology* 6: 479-489.
- Sunny, A., Gonzalez-Fernandez, A. and D'Addario, M. 2017. Potential distribution of the endemic imbricate alligator lizard (*Barisia imbricata imbricata*) in highlands of central Mexico. *Amphibia-Reptilia* 38: 225-231.
- Sunyer, J. 2014. An updated checklist of the amphibians and reptiles of Nicaragua. *Mesoamerican Herpetology* 1: 186-202.
- Sunyer, J., Nicholson, K. E., Phillips, J. G., Gubler, J. A. and Obando, L. A. 2013. Lizards (Reptilia: Squamata) of the Corn islands, Caribbean Nicaragua. *Check List* 9: 1383-1390.
- Sunyer, J., Martinez-Fonseca, J. G. and Salazar-Saavedra, M. 2016. New departmental records for lizards in Nicaragua. *Mesoamerican Herpetology* 3: 1049-1054.
- Sunyer, J., Martinez-Fonseca, J. G., Salazar-Saavedra, M., Arroliga, D. M., Blandon, J. A. R. and Rodriguez, A. G. 2017. *Coleonyx mitratus* (Peters, 1863). Geographic distribution. *Mesoamerican Herpetology* 4: 450-456.
- Supsup, C. E., Puna, N. M., Asis, A. A., Redoblado, B. R., Panaguinit, M. F. G., Guinto, F. M., Rico, E. B., Diesmos, A. C., Brown, R. M. and Mallari, N. A. D. 2016. Amphibians and reptiles of Cebu, Philippines: The poorly understood herpetofauna of an island with very little remaining natural habitat. *Asian Herpetological Research* 7: 151-179.
- Supsup, C. E., Redoblado, B. R. and Guinto, F. M. 2016. First record of rare endemic tree skink *Lipinia vulcania* on Sibuyan island, Philippines, with notes on its conservation and taxonomic status. *Herpetological Review* 47: 24-26.
- Supsup, C. E., Guinto, F. M., Redoblado, B. R. and Gomez, R. S. 2017. Amphibians and reptiles from the Mt. Hamiguitan Range of eastern Mindanao island, Philippines: new distribution records. *Check List*, 13: 2121.
- Sura, P. 1987. On a small collection of lizards from Nigeria. *British Herpetological Society Bulletin*, 20: 15-21.
- Surget-Groba, Y., Heulin, B., Guillaume, C.-P., Puky, M., Semenov, D., Orlova, V., Kupriyanova, L., Ghira, I. and Smajda, B. 2006. Multiple origins of viviparity, or reversal from viviparity to oviparity? The European common lizard (*Zootoca vivipara*, Lacertidae) and the evolution of parity. *Biological Journal of the Linnean Society* 87: 1-11.
- Sutherland, D. R. 2011. Dietary niche overlap and size partitioning in sympatric varanid lizards. *Herpetologica*, 67: 146-153.
- Swain, R. and Jones, S. M. 2000. Maternal effects associated with gestation conditions in a viviparous lizard, *Niveoscincus metallicus*. *Herpetological Monographs*, 14: 432-440.
- Swain, T. A., Arp, F. and Younkyn, R. D. 1980. A preliminary report on the ecology of a tropical, high altitude lizard, *Anadia brevifrontalis*. *Journal of Herpetology*, 14: 321-326.

- Swan and Leviton 1962  
 Swan and Watharow 2005  
 Swan et al. 2017  
 Swanson 2007  
 Swart et al. 2009  
 Sweet 2007  
 Swierk 2019  
 Swierk et al. 2019  
 Sy 2018  
 Sy and Dalabajan 2018  
 Sy and Ong 2019  
 Sy and Parcon 2014  
 Sy and Tanalgo 2018  
 Szarski 1962  
 Szczerbak 1994  
 Szczerbak 2003  
 Szczerbak and Golubev 1996  
 Szyndlar 1984  
 Szyndlar 1991  
 Tabachishin 2014  
 Tabachishin and Zavialov 2005  
 Taborga et al. 2018  
 Tabug et al. 2018  
 Tadevosyan 2007  
 Tadevosyan and Lardner 2016  
 Takahashi 2008  
 Takenaka 1989  
 Tamami 2002  
 Tamar et al. 2013a  
 Tamar et al. 2013b  
 Tamar et al. 2019  
 Tan and Schwanz 2015  
 Tanaka 1986  
 Tanaka and Nishihira 1989  
 Tang et al. 2012  
 Tang et al. 2014  
 Tanner 1952  
 Tanner 1957  
 Tanner 1987  
 Tanner 1988a  
 Tanner 1988b  
 Tanner and Krogh 1975  
 Tapley and Muurmans 2011  
 Tarazona et al. 2008  
 Tarkhnishvili et al. 2013  
 Tarkhnishvili et al. 2017  
 Tarr et al. 2019  
 Tattersall et al. 2016  
 Taverne et al. 2019  
 Tayhan et al. 2011  
 Taylor 1922a  
 Taylor 1922b  
 Taylor 1923  
 Taylor 1933
- Swan, L. W. and Leviton, A. E. 1962. The herpetology of Nepal: a history, check list, and zoogeographical analysis of the herpetofauna. Proceedings of the California Academy of Sciences 32: 103–147.  
 Swan, M. and Watharow, S. 2005. Snakes, lizards and frogs of the Victorian mallee. CSIRO, Collingwood.  
 Swan, G., Sadlier, R. and Shea, G. 2017. A field guide to Reptiles of New South Wales. Third edition. Reed New Holland, London.  
 Swanson, S. 2007. Field guide of Australian reptiles. Steve Parish Publishing, Archerfield.  
 Swart, B. L., Tolley, K. A. and Matthee, C. a. 2009. Climate change drives speciation in the southern rock agama (*Agama atra*) in the Cape Floristic Region, South Africa. Journal of Biogeography 36: 78-87.  
 Sweet, S. S. 2007. Comparative spatial ecology of two small arboreal monitors in northern Australia. Pp. 378-402 in Horn, H.-G., W. Boehme and U. Krebs (editors), Advances in Monitor Research III. Mertensiella 16, Rheinbach.  
 Swierk, L. 2019. *Anolis aquaticus* (= *Norops aquaticus*) (water anole).underwater breathing. Herpetological Review 50: 134-135.  
 Swierk, L., Carriere, A., Delfin, M., Fondren, A., Lopera, D. and Putman, B. J. 2019. *Anolis aquaticus* (= *Norops aquaticus*) (water anole). Egg size and oviposition sites. Herpetological Review 50: 360-362.  
 Sy, E. Y. 2018. Many-lined sun skink *Eutropis multifasciata* predation on freshwater crab *Geosesarma* sp. on Busuanga island, Philippines. Southeast Asia Vertebrate Records 2018: 18-19.  
 Sy, E. Y. and Dalabajan, A. C. 2018. Tail bifurcation in *Eutropis indepresa* on Palawan island, Philippines. Southeast Asia Vertebrate Records 2018: 6-7.  
 Sy, E. Y. and Ong, B. K. C. 2019. King cobra *Ophiophagus hannah* predation on Palawan water monitor *Varanus palawanensis* in the Philippines. Southeast Asia Vertebrate Records 2019: 44-45.  
 Sy, E. Y. and Parcon, R. C. 2014. *Tropidophorus misaminius* (Misamis water skink). Novel microhabitat. Herpetological Review 45: 701-702.  
 Sy, E. Y. and Tanalgo, K. C. 2018. Predation attempt by tokay gecko (*Gekko gecko*) on olive-backed sunbird *Cinnyris jugularis* in the Philippines. Southeast Asia Vertebrate Records 2018: 1-2.  
 Szarski, H. 1962. Some remarks on herbivorous lizards. Evolution 16: 529.  
 Szczerbak, N. N. 1994. Zoogeographic analysis of the reptiles of Turkmenistan. Pages 307-328 in V. Fet and K. Atamuradov. Biogeography and ecology of Turkmenistan, Springer, New York.  
 Szczerbak, N. 2003. Guide to the reptiles of the Eastern Palearctic. Krieger Publishing Company, Malabar.  
 Szczerbak, N. N. and Golubev, M. L. 1996. Gecko fauna of the USSR and contiguous regions. Society for the Study of Amphibians and Reptiles, St. Louis.  
 Szyndlar, Z. 1984. A description of a small collection of amphibians and reptiles from the People's Democratic Republic of Korea with notes on the distribution of the herpetofauna in that country. Acta Zoologica Cracoviensia. 27: 1-18.  
 Szyndlar, Z. 1991. Distributional records for turtles and lizards from North Korea. Herpetological Review 22: 27.  
 Tabachishin, V. G. 2014. New information on the distribution of *Eremias arguta* (PalLas, 1773) in the north of its habitat in the saratov region, Russia. Herpetozoa 27: 94-95.  
 Tabachishin, V. G. and Zavialov, E. V. 2005. Present distribution and taxonomic status of the spotted toad-headed agama *Phrynocephalus guttatus* (Gmelin, 1789) in the Volga region, Russia (Squamata: Sauria: Agamidae).  
 Taborga, G. E., Cortez-Talavera, S., Laime, D. A., Sandoval, D. I., Cardozo, J. M. and Pinto-Viveros, M. A. 2018. Inventory de la herpetofauna en un paisaje agrícola al este del Departamento de Santa Cruz, Bolivia. Inventory of the herpetofauna in an agricultural landscape east of Santa Cruz Department, Bolivia. Kempffiana 14: 40-50.  
 Tabug, M. A., Necesito, L. V., General, D. E. M. and Diesmos, A. C. 2018. Diet of Draco spilopterus from Ilocos Norte Province and Laguna Province, Philippines. Southeast Asia Vertebrate Records 2018: 74-75.  
 Tadevosyan, T. L. 2007. The role of vegetation in microhabitat selection of syntopic lizards, *Phrynocephalus persicus*, *Eremias pleskei*, and *Eremias strauchi* from Armenia. Amphibia-Reptilia, 28: 444-448.  
 Tadevosyan, T. I. and Lardner, B. 2016. *Carlia ailanpalai* (curious skink). Diet. Herpetological Review 47: 134-135.  
 Takahashi, H. 2008. Fruit feeding behavior of a chameleon *Furcifer oustaleti*: comparison with insect foraging tactics. Journal of Herpetology, 42: 760-763.  
 Takenaka, S. 1989. Reproductive ecology of Japanese lizards. Pages 364-369 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.  
 Tamami, S. 2002. *Gehyra australis*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 1pp. Downloaded February 4th, 2009.  
 Tamar, K., Maza, E. and Meiri, S. 2013. *Acanthodactylus boskianus* (Bosk's fringe-fingered lizard). Bifurcation. Herpetological Review 44: 135-136.  
 Tamar, K., Maza, E. and Meiri, S. 2013. *Ophisops elegans* (Snake-eyed lizard). Bifurcation. Herpetological Review 44: 146.  
 Tamar, K., Mitsu, P., Simo-Riuibalbas, M., Tejero-Cicuendez, H., Al-Sariri, T. and Carranza, S. 2019. Systematics, biogeography, and evolution of *Pristurus minimus* (Squamata, Sphaerodactylidae) with the discovery of the smallest Arabian vertebrate. Systematics and Biodiversity 17: 349-366.  
 Tan, W. C. and Schwanz, L. E. 2015. Thermoregulation across thermal environments in a nocturnal gecko. Journal of Zoology 296: 208-216.  
 Tanaka, D. 1986. Thermal ecology of the forest-dwelling agamid lizard, *Japalura polygonata ishigakiensis*. Journal of Herpetology, 20: 333-340.  
 Tanaka, S. and Nishihira, M. 1989. Growth and reproduction of the gekkonid lizard *Eublepharis kuroiwae kuroiwae*. Pages 349-357 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.  
 Tang, X., Yue, F., Ma, M., Wang, N., He, J. and Chen, Q. 2012. Effects of thermal and hydric conditions on egg incubation and hatchling phenotypes in two *Phrynocephalus* lizards. Asian Herpetological Research, 3: 184-191.  
 Tang, X.-L., Yue, F., He, J.-Z., Wang, N.-B., Ma, M., Mo, J.-R. and Chen, Q. 2014. Ontogenetic and sexual differences of thermal biology and locomotor performance in a lacertid lizard, *Eremias multiocellata*. Zoology 116: 331-335.  
 Tanner, V. M. 1952. Pacific islands herpetology no. Vi Tahiti and Marquesas islands, New Guinea and Australia. The Great Basin Naturalist, 12: 1-12.  
 Tanner, W. W. 1957. A new skink of the multivirgatus group from Chihuahua. Great Basin Naturalist 17: 111-117.  
 Tanner, W. W. 1987. Lizards and turtles of Western Chihuahua. Great Basin Naturalist 47: 383-421.  
 Tanner, W. W. 1988. *Eumeces multicarinatus*. Catalogue of American Amphibians and Reptiles 446: 1.  
 Tanner, W. W. 1988. *Eumeces skiltonianus*. Catalogue of American Amphibians and Reptiles 447: 1-4.  
 Tanner, W. W. and Krogh, J. E. 1975. Ecology of the zebra-tailed lizard *Callisaurus draconoides* at the Nevada Test Site. Herpetologica 31: 302-316.  
 Tapley, B. and Muurmans, M. 2011. Herpetofaunal records from Pulau Bangkaru, Sumatra. Herpetology Notes, 4: 413-417.  
 Tarazona, O. A., Fabrezi, M. and Ramirez-Pinilla, M. P. 2008. Cranial morphology of *Bachia bicolor* (Squamata: Gymnophthalmidae) and its postnatal development. Zoological Journal of the Linnean Society, 152: 775-792.  
 Tarkhnishvili, D., Murtskhvaladze, M. and Gavashelishvili, A. 2013. Speciation in Caucasian lizards: climatic dissimilarity of the habitats is more important than isolation time. Biological Journal of the Linnean Society, 109: 876-892.  
 Tarkhnishvili, D., Gabelia, M., Kandaurov, A., Buhnikashvili, A. and Iankoshvili, G. 2017. Isolated population of the Middle Eastern *Phoenicolacerta laevis* from the Georgian Black Sea Coast, and its genetic closeness to populations from southern Turkey. Zoology in the Middle East, 63: 311-315.  
 Tarr, S., Meiri, S., Hicks, J. J. and Algar, A. C. 2019. A biogeographic reversal in sexual size dimorphism along a continental temperature gradient. Ecography 42: 706-716., <https://doi.org/10.1111/ecog.03593>.  
 Tattersall, G. J., Leite, C. A. C., Sanders, C. E., Cadena, V., Andrade, D. V., Abe, A. S. and Milsom, W. K. 2016. Seasonal reproductive endothermy in tegu lizards. Science Advances 2: e1500951.  
 Taverne, M., Fabre, A. C., King-Gillies, N., Krajanovic, M., Lisicic, D., Martin, L., Michal, L., Petricoli, D., Stambuk, A., Tadic, Z., Vigliotti, C., Wehrle, B. A. and Herrel, A. 2019. Diet variability among insular populations of *Podarcis* lizards reveals diverse strategies to face resource-limited environments. Ecology and Evolution 9: 12408-12420.  
 Tayhan, Y., Cicek, K., Ayaz, D. and Tok, C. V. 2011. Data on hatchlings of Caucasian rock lizard, *Darevskia valentini* (Boettger, 1892) in northeastern Anatolia. Ecologia Balkanica 3: 75-78.  
 Taylor, E. H. 1922. Additions to the herpetological fauna of the Philippine islands, II. Philippine Journal of Science, 22: 257-302.  
 Taylor, E. H. 1922. The lizards of the Philippine islands. Manila Bureau of Printing, Manila.  
 Taylor, E. H. 1923. Additions to the herpetological fauna of the Philippine islands, III. Philippine Journal of Science, 22: 515-557.  
 Taylor, E. H. 1933. New species of skinks from Mexico. Proceedings of the Biological Society of Washington 46: 175-182.

- Taylor 1935 Taylor, E. H. 1936. A taxonomic study of the cosmopolitan lizards of the genus *Eumeces* with an account of the distribution and relationship of its species. University of Kansas Science Bulletin 23: 1-643.
- Taylor 1937 Taylor, E. H. 1937. Two new lizards of the genus *Leiolopisma* from Mexico, with comments on another Mexican species. Copeia 1937: 5-11.
- Taylor 1950 Taylor, E. H. 1950. Ceylon lizards of the family Scincidae. The University of Kansas science bulletin 33: 481-518.
- Taylor 1952 Taylor, E. H. 1952. Third Contribution to the Herpetology of San Luis Potosi. University of Kansas Science Bulletin 34: 793-815.
- Taylor 1953 Taylor, E. H. 1953. A review of the lizards of Ceylon. University of Kansas Science Bulletin 35: 1525-1585.
- Taylor 1956 Taylor, E. H. 1956. A review of the lizards of Costa Rica. University of Kansas Science Bulletin 38: 3-322.
- Taylor 1962 Taylor, E. H. 1962. New Oriental reptiles. University of Kansas Science Bulletin, 43: 209-263.
- Taylor 1963 Taylor, E. H. 1963. The lizards of Thailand. University of Kansas Science Bulletin 44: 687-1077.
- Taylor 1985 Taylor, J. A. 1985. Reproductive biology of the Australian lizard *Ctenotus taeniatus*. Herpetologica, 41: 408-418.
- Taylor 2004 Taylor, J. E. 2004. Reproduction in sympatric lizards: comparison of two species of *Ctenotus* (Scincidae) in south-eastern Australia. Australian Journal of Zoology 52: 649-666.
- Taylor 2015a Taylor, D. J. 2015. Georeferenced atlas and catalog of Libyan reptiles. MSc. Thesis, Villanova University.
- Taylor 2015b Taylor, D. J. 2015. Georeferenced atlas and catalog of Libyan reptiles. MSc. Thesis, Villanova University.
- Taylor and Elbel 1958 Taylor, E. H. and Elbel, R. E. 1958. Contribution to the herpetology of Thailand. University of Kansas Science Bulletin, 38: 1033-1189.
- Taylor and Gardner 2014 Taylor, B. and Gardner, C. 2014. Nectar feeding by the day gecko *Phelsuma mutabilis* (Squamata: Gekkonidae) on the mangrove tree *Sonneratia alba* (Lythraceae) in southwest Madagascar. Herpetology Notes, volume 7: 85-87.
- Taylor and Walker 2014 Taylor, H. L. and Walker, J. M. 2014. Pattern of differential divergence among five insular species of the *Aspidoscelis hyperythra* complex (Squamata: Teiidae), Baja California Sur, Mexico. Journal of Herpetology 48: 355-362.
- Taylor and Weyer 1958 Taylor, E. H. and Weyer, D. 1958. Report on a collection of amphibians and reptiles from Harbel, Republic of Liberia. University of Kansas Science Bulletin, 38: 1191-1229.
- Taylor et al. 1999 Taylor, H. L., Walker, J. M. and Cordes, J. E. 1999. Possible phylogenetic constraint on clutch size in the parthenogenetic teiid lizard *Cnemidophorus neotessellatus*. Journal of Herpetology 33: 319-323.
- Taylor et al. 2003 Taylor, H. L., Lemos-Espinal, J. A. and Smith, H. M. 2003. Morphological characteristics of a newly discovered population of *Aspidoscelis tesselata* (Squamata: Teiidae) from Chihuahua, Mexico, the identity of an associated hybrid, and a pattern of geographic variation. The Southwestern Naturalist 48: 692-700.
- Taylor et al. 2014 Taylor, H. L., Cole, C. J. and Cooley, C. R. 2014. Origins and evolution in the *Aspidoscelis cozumela* complex of parthenogenetic teiid lizards: morphological and karyotypic evidence and paradoxes. Journal of Herpetology 48: 343-350.
- Taylor et al. 2018 Taylor, H. L., Cole, C. J. and Townsend, C. R. 2018. Relegation of *Aspidoscelis flagellicaudus* to the synonymy of the parthenogenetic teiid lizard *A. sonorae* based on morphological evidence and a review of relevant genetic data. Herpetological Review, 49: 636-653.
- Tedesco 1998 Tedesco, M. E. 1998. Una nueva especie de *Pantodactylus* (Squamata, Gymnophthalmidae) de la provincia de Corrientes, Republica Argentina. Facena 14: 53-62.
- Tedesco and Aguirre 1993 Tedesco, M. E. and Aguirre, R. 1993. *Cercosaura ocellata* petersi Ruibal, 1952 (Squamata, Gymnophthalmidae). Nuevo registro para la lacertofauna de la republica Argentina. Cuadernos de herpetología 12: 53.
- Tedesco and Cei 1997 Tedesco, M. E. and Cei, J. M. 1997. Osteological research on the genus *Kentropyx* from Argentina and revalidation of the specific status of *Kentropyx lagartija* Gallardo 1962 (Squamata, Teiidae). Bolletino Museo Regionale di Scienze Naturali, Torino 15 : 231-240.
- Tedesco et al. 1994 Tedesco, M. E., Cei, J. M., Porcel, E. and Alvarez, B. B. 1994. Variabilidad poblacional en el genero *Kentropyx* (Squamata, Teiidae) del norte Argentino. Cuadernos de Herpetología 8: 83-86.
- Teitzel 2001 Teitzel, K. 2001. Varanus mertensi. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Teixeira 2002 Teixeira, R. L. 2002. Aspectos ecológicos de *Gymnodactylus darwini* Sauria Gekkonidae em Pontal do ipiranga, Linhares, Espírito Santo, Sudeste do Brasil. Boletim do Museu de Biologia Mello Leitoa 14: 21-31.
- Teixeira et al. 2005 Teixeira, R. L., Roldi, K. and Vrcibradic, D. 2005. Ecological comparisons between the sympatric lizards *Enyalius bilineatus* and *Enyalius brasiliensis* (Iguanidae, Leiosaurinae) from an Atlantic rain-forest area in Southeastern Brazil. Journal of Herpetology 39: 504-509.
- Teixeira et al. 2013a Teixeira, A. A. M., Roberto, J., de Oliveira, H. F., de Sousa, J. G. G., Teles, D. A., Freita, F. R. V. and Avila, R. W. 2013. Phloem sap feeding in *Lygodactylus klugei* (Squamata: Gekkonidae) in northeastern Brazil. Herpetology
- Teixeira et al. 2013b Teixeira, M., Recoder, R. S., Camacho, A., De Sena, M. A., Navas, C. A. and Rodrigues, M. T. 2013. A new species of *Bachia* Gray, 1845 (Squamata: Gymnophthalmidae) from the Eastern Brazilian Cerrado, and data on its ecology, physiology and behavior. Zootaxa 3616: 173-189.
- Teixeira et al. 2013c Teixeira, M., Vecchio, F. D., Nunes, P. M. S., Neto, A. M., Lobo, L. M., Storti, L. F., Gaiga, R. A. J., Dias, P. H. F. and Rodrigues, M. T. 2013. A new species of *Bachia* Gray, 1845 (Squamata: Gymnophthalmidae) from the western Brazilian Amazonia. Zootaxa 3636: 401-420.
- Telemeco and Baird 2011 Telemeco, R. S. and Baird, T. A. 2011. Capital energy drives production of multiple clutches whereas income energy fuels growth in female collared lizards *Crotaphytus collaris*. Oikos 120: 915-921.
- Telenchev et al. 2014 Telenchev, I., Simeonovska-Nikolova, D., Natchev, N. and Tzankov, N. 2014. A preliminary study on the habitat selection of European glass lizard (*Pseudopus apodus*) in southeast Bulgaria. First National Conference of
- Telenchev et al. 2017 Telenchev, I., Simeonovska-Nikolova, D. and Tzonev, R. 2017. Habitat use and activity of European glass lizard, *Pseudopus apodus* (Pallas, 1775), in southeastern Bulgaria. Turkish Journal of Zoology 41: 286-293.
- Teles et al. 2018 Teles, D. A., Pinto, C. L. M., Filho, J. A. A. and Teixeira, A. A. M. 2018. *Lygodactylus klugei* and *Tropidurus cocorobensis*. Death feigning. Herpetological Review 49: 537.
- Telford 1955a Telford, R. 1955. The lizard *Eumeces anthracinus* in central Virginia. Copeia 1955: 143.
- Telford 1955b Telford, S. R. 1955. Notes on an exceptionally large worm lizard, *Rhineura floridana*. Copeia, 1955: 258-259.
- Telford 1959 Telford, S. R. 1959. A study of the sand skink, *Neoseps reynoldsi* Stejneger. Copeia, 1959: 110-119.
- Telford 1969 Telford, S. R. 1969. *Neoseps*, N. *reynoldsi*. Catalogue of American Amphibians and Reptiles 80: 1-2.
- Telford 1971 Telford, S. R. 1971. Reproductive patterns and relative abundance of two microteiid lizard species in Panama. Copeia, 1971: 670-675.
- Ten et al. 2013 Tenan, S., Vallespir, A. R., igual, J. M., Moya, O., Royle, J. A. and Tavechi, G. 2013. Population abundance, size structure and sex-ratio in an insular lizard. Ecological Modelling 267: 39-47.
- Teran-Juarez and Venegas-Barrera 2019 Teran-Juarez, S. A. and Venegas-Barrera, C. S. 2019. Holcosus undulatus (rainbow ameiva). Reproduction. Herpetological Review 50: 785.
- Teran-Juarez et al. 2015 Teran-Juarez, S. A., Garcia-Padilla, E., Leyto-Delgado, F. E. and Garcia-Morales, L. J. 2015. New records and distributional range extensions for amphibians and reptiles from Tamaulipas, Mexico. Mesoamerican Herpetology 2: 208-
- Teran-Juarez et al. 2016 Teran-Juarez, S. A., Garcia-Padilla, E., Mata-Silva, V., Johnson, J. D. and Wilson, L. D. 2016. The herpetofauna of Tamaulipas, Mexico: composition, distribution, and conservation. Mesoamerican Herpetology 3: 43-113.
- Teran-Juarez et al. 2017 Teran-Juarez, S. A., Lara-Tufino, J. D. and Ramirez-Bautista, A. 2017. *Lepidophyma sylvaticum*. Captive birth. Mesoamerican Herpetology 4: 176-177.
- Terent'ev 1963 Terent'ev, P. W. 1963. Attempt at application of analysis of variation to the qualitative richness of the fauna of terrestrial vertebrates of the U.S.S.R. Vestnik Leningradskovo Universiteta, 21, 19-26. Translated by E.J. Mosimann, Smithsonian Herpetological Information Services, 1968.
- Tersa et al. 2010 Tersa, E., Pether, J. and Mateo, J. A. 2010. Evaluacion de las poblaciones de reptiles canarios introducidos en Fuerteventura (islas Canarias). Boletin de la Asociacion Herpetologica Espanola 21: 104-109.
- Tershy et al. 2016 Tershy, B., Newton, K. M., Spatz, D. R., Swinnerton, K. J., Iverson, J. B., Fisher, R. N., Harlow, P., Holmes, N. D. and Croll, D. A. 2016. The biogeography of threatened insular iguanas and opportunities for invasive vertebrate management. Herpetological Conservation and Biology 11: 222-236.
- Tertyshnikov 1976 Tertyshnikov, M. F. 1976. Influence of weather and climate on activity of sand and varicoloured lizards. Ekologiya 3: 57-61.
- Tessa et al. 2017 Tessa, G., Glaw, F. and Andreone, F. 2017. Longevity in *Calumma parsonii*, the world's largest chameleon. Experimental Gerontology, 89: 41-44.
- Test et al. 1966 Test, F. H., Sexton, O. J. and Heatwole, H. 1966. Reptiles of Rancho Grande and vicinity, Estado Aragua, Venezuela. Miscellaneous Publications of the Museum of Zoology, University of Michigan 128: 1-63.
- Teynie 2004 Teynie, A. 2004. Notes on reptiles of Nam Lan conservation area in Phongsaly province of Lao PDR. Societe d'Histoire Naturelle Alcide d'Orbigny, Aydat, France.

- Teynie and David 2010  
 Teynie and David 2014  
 Teynie et al. 2014  
 Thanh et al. 2006  
 Thanou and Kornilios 2019  
 Thibault et al. 2017  
 Thireau et al. 1998  
 Thomas 1966  
 Thomas 1981  
 Thomas 1985  
 Thomas and Hedges 1989  
 Thomas and Hedges 1991  
 Thomas and Hedges 1992  
 Thomas and Hedges 1993  
 Thomas and Hedges 1998a  
 Thomas and Hedges 1998b  
 Thomas and Hedges 2006  
 Thomas and Joglar 1996  
 Thomas and Schwartz 1967  
 Thomas and Schwartz 1974  
 Thomas and Schwartz 1983
- Thomas and Thomas 1978  
 Thomas et al. 1992  
 Thomas et al. 1998  
 Thomas et al. 2009  
 Thompson 1994  
 Thompson 2006  
 Thompson and Pianka 2001  
 Thompson and Speake 2006  
 Thompson and Stewart 1994  
 Thompson and Withers 1997  
 Thompson and Withers 2005a  
 Thompson and Withers 2005b  
 Thompson and Withers 2005c  
 Thompson et al. 1992
- Thompson et al. 1998  
 Thompson et al. 1999a  
 Thompson et al. 1999b  
 Thompson et al. 2008  
 Thompson et al. 2010  
 Thompson et al. 2018  
 Throckmorton 1973  
 Tibury and Tolley 2009  
 Tihen 1949  
 Tihen 1954  
 Tikader and Sharma 1992  
 Tilbury 1991  
 Tilbury 1992  
 Tilbury 1998  
 Tilbury 2010  
 Tilbury and Emmrich 1996  
 Tilbury and Tolley 2009  
 Tilbury and Tolley 2015  
 Tilbury et al. 2006  
 Tilbury et al. 2007
- Teynie, A. and David, P. 2010. Voyages naturalistes au Laos - les reptiles. Revoir, Paris.  
 Teynie, A. and David, P. 2014. Amphibiens et reptiles des formations karstiques du Laos. Bulletin de la Societe Herpetologique de France 148: 451-489.  
 Teynie, A., Nguyen, T. Q., Lorvelec, O., Piquet, A., Lottier, A. and David, P. 2014. Amphibiens et reptiles du Laos : nouvelles donnees nationales et provinciales. Bulletin de la Societe Herpetologique de France 151: 21-52.  
 Thanh, V. N., Truong, N. Q., Grismer, L. L. and Ziegler, T. 2006. First record of the Chinese leopard gecko, *Goniurosaurus luii* (Reptilia : Eublepharidae) from Vietnam. Current Herpetology 25: 93-95.  
 Thanou, E. and Kornilios, P. 2019. Self-cannibalism in the Aegean wall-lizard, *Podarcis erhardii*. The Herpetological Bulletin 147: 26-27.  
 Thibault, M., Brescia, F., Jourdan, H. and Vidal, E. 2017. Invasive rodents, an overlooked threat for skinks in a tropical island hotspot of biodiversity. New Zealand Journal of Ecology, 41: 74-83.  
 Thireau, M., Sprackland, R. G. and Sprackland, T. 1998. A report on Seba's specimens in the herpetological collection of the Museum National d'Histoire Naturelle, Paris, and their status as Linnaean types. The Linnean 13: 38-45.  
 Thomas, R. 1966. A reassessment of the herpetofauna of Navassa island. Journal of the Ohio Herpetological Society 5: 73-89.  
 Thomas, B. W. 1981. *Hoplodactylus rakuriae* n. sp. (Reptilia: Gekkonidae) from Stewart island, New Zealand and comments on the taxonomic status of *Heteropholis nebulosus* McCann. New Zealand Journal of Zoology 8: 33-47.  
 Thomas, B. W. 1985. Observations on the Fiordland skink (*Leiolopisma acrinum* Hardy). Pages 18-22 in G. Grigg, R. Shine and H. Ehmann (editors) The biology of Australasian frogs and reptiles. Surrey Beatty & Sons, Chipping Thomas, R. and Hedges, S. B. 1989. A New Celestus (Sauria: Anguidae) from the Chaîne de la Selle of Haiti. Copeia, 1989: 886-891.  
 Thomas, R. and Hedges, S. B. 1991. Rediscovery and description of the Hispaniolan lizard *Anolis darlingtoni* (Sauria, Iguanidae). Caribbean Journal of Science 27: 90-93.  
 Thomas, R. and Hedges, S. B. 1992. An unusual new *Sphaerodactylus* from Hispaniola (Squamata: Gekkonidae). Journal of Herpetology 26: 289-292.  
 Thomas, R. and Hedges, S. B. 1993. A new banded *Sphaerodactylus* from eastern Hispaniola (Squamata: Gekkonidae). Herpetologica 49: 350-354.  
 Thomas, R. and Hedges, S. B. 1998. A new amphisbaenian from Cuba. Journal of Herpetology, 32: 92-96.  
 Thomas, R. and Hedges, S. B. 1998. A new anguid lizard from Cuba. Copeia 1998: 97-103.  
 Thomas, R. and Hedges, S. B. 2006. Two new species of *Amphisbaena* (Reptilia: Squamata: Amphisbaenidae) from the Tiburon Peninsula of Haiti. Caribbean Journal of Science, 42: 208-219.  
 Thomas, R. and Joglar, R. 1996. The herpetology of Puerto Rico: past, present and future. Annals of the New York Academv of Sciences 776: 181-200.  
 Thomas, R. and Schwartz, A. 1967. The monticola group of the lizard genus *Anolis* in Hispaniola. Breviora 261: 1-27.  
 Thomas, R. and Schwartz, A. 1974. The status of *Sphaerodactylus givortorques* Cope and of *Sphaerodactylus nigropunctatus* Gray (Sauria: Gekkonidae). Journal of Herpetology, 8: 353-358.  
 Thomas, R. and Schwartz, A. 1983. Variation in Hispaniolan *Sphaerodactylus* (Sauria: Gekkonidae). Pages 87-98 in A. G. J. Rhodin and K. Miyata, eds. Advances in herpetology and evolutionary biology: essays in honor of Ernest E. Williams. Museum of Comparative Zoology, Cambridge, Mass.  
 Thomas, K. R. and Thomas, R. 1978. Locomotor activity responses to photoperiod in four West Indian fossorial squamates of the genera *Amphisbaena* and *Typhlops* (Reptilia, Lacertilia). Journal of Herpetology, 12: 35-41.  
 Thomas, R., Hedges, S. B. and Garrido, O. H. 1992. Two new species of *Sphaerodactylus* from eastern Cuba (Sauria, Gekkonidae). Herpetologica 48: 358-367.  
 Thomas, R., Hedges, S. B. and Garrido, O. H. 1998. A new gecko (*Sphaerodactylus*) from the Sierra Maestra of Cuba. Journal of Herpetology 32: 66-69.  
 Thomas, G. H., Meiri, S. and Phillimore, A. B. 2009. Body size diversification in *Anolis*: Novel environment and island effects. Evolution, 63: 2017-2030.  
 Thompson, G. 1994. Activity area during the breeding season of *Varanus gouldii* (Reptilia : Varanidae) in an urban environment. Wildlife Research 21: 633-641.  
 Thompson, M. J. 2006. The use of artificial refuges to census populations of the 'threatened' striped legless lizard, *Delma impar* in western Victoria. Honours Thesis, La Trobe University.  
 Thompson, G. G. and Pianka, E. R. 2001. Allometry of clutch and neonate sizes in monitor lizards (Varanidae: *Varanus*). Copeia 2001: 443-458.  
 Thompson, M. B. and Speake, B. K. 2006. A review of the evolution of viviparity in lizards: structure, function and physiology of the placenta. Journal of Comparative Physiology B 176: 179-189.  
 Thompson, M. B. and Stewart, J. R. 1994. Egg and clutch size of the viviparous Australian skink, *Pseudemoia pagenstecheri* and the identity of species with type iii allantoplacetae. Journal of Herpetology, 28: 519-521.  
 Thompson, G. G. and Withers, P. C. 1997. Comparative morphology of Western Australian varanid lizards (Squamata: Varanidae). Journal of Morphology 233: 127-152.  
 Thompson, G. G. and Withers, P. C. 2005. Shape of Western Australian dragon lizards (Agamidae). Amphibia-Reptilia 26: 73-85.  
 Thompson, G. G. and Withers, P. C. 2005. Size-free shape differences between male and female Western Australian dragon lizards (Agamidae). Amphibia-Reptilia 26: 55-63.  
 Thompson, G. G. and Withers, P. C. 2005. The relationship between size-free body shape and choice of retreat for Western Australian *Ctenophorus* (Agamidae) dragon lizards. Amphibia-Reptilia 26: 65-72.  
 Thompson, M. B., Daugherty, C. H., Creea, A., French, D. C., Gillingham, J. C. and Barwick, R. E. 1992. Status and longevity of the tuatara, *Sphenodon guntheri*, and Duvauel's gecko, *Hoplodactylus duvaucelii*, on North Brother island, New Zealand. Journal of the Royal Society of New Zealand 22: 123-130.  
 Thompson, J. S., Crother, B. I. and Price, A. H. 1998. *Cnemidophorus* hyperythrus. Catalogue of American Amphibians and Reptiles 655: 1-6.  
 Thompson, M. B., Speake, B. K., Stewart, J. R., Russell, K. J. and McCartney, R. J. 1999. Placental transfer of nutrients during gestation in the viviparous lizard, *Pseudemoia spenceri*. Journal of Comparative Physiology and Thompson, M. B., Stewart, J. R., Speake, B. K., Russell, K. J., McCartney, R. J. and Surai, P. F. 1999. Placental nutrition in a viviparous lizard (*Pseudemoia pagenstecheri*) with a complex placenta. Journal of Zoology 248: 295-305.  
 Thompson, G. G., Clemente, C. J., Withers, P. C., Fry, B. G. and Norman, J. A. 2008. Is body shape of varanid lizards linked with retreat choice? Australian Journal of Zoology, 56: 351-362.  
 Thompson, M. B., Blackburn, D. G. and Parker, S. L. 2010. Reproduction in reptiles from genes to ecology: a retrospective and prospective vision. Herpetological Conservation and Biology 5: 252-256.  
 Thompson, M. E., Halstead, B. J. and Donnelly, M. A. 2018. Thermal quality influences habitat use of two anole species. Journal of Thermal Biology 75: 54-61.  
 Throckmorton, G. 1973. Digestive efficiency in the herbivorous lizard *Ctenosaura pectinata*. Copeia 1973: 431-435.  
 Tibury, C. R. and Tolley, K. A. 2009. A re-appraisal of the systematics of the African genus *Chamaeleo* (Reptilia: Chamaeleonidae). Zootaxa 2079: 57-68.  
 Tihen, J. A. 1949. A review of the lizard genus *Barisia*. University of Kansas Science Bulletin 33: 217-254.  
 Tihen, J. A. 1954. Gerrhonotine lizards recently added to the American Museum collection : with further revisions of the genus *Abronia*. American Museum novitates 1687: 1-26.  
 Tikader, B. K. and Sharma, R. C. 1992. Handbook of Indian lizards. Zoological Survey of India, Calcutta.  
 Tilbury, C. R. 1991. A new species of *Chamaeleo Laurenti* 1768 (Reptilia: Chamaeleonidae) from a relic montane forest in northern Kenya. Tropical Zoology 4: 159-165.  
 Tilbury, C. R. 1992. A new dwarf forest chameleon (Sauria: Rhampholeon Gunther 1874) from Malawi, central Africa. Tropical Zoology 5: 1-9.  
 Tilbury, C. R. 1998. Two new chameleons (Sauria: Chamaeleonidae) from isolated Afromontane forests in Sudan and Ethiopia. Bonn Zoologische Beitrage 47: 293-299.  
 Tilbury, C. R. 2010. Chameleons of Africa. An atlas. Including the chameleons of Europe, the Middle East, and Asia. Edition Chimaira, Frankfurt am Main.  
 Tilbury, C. R. and Emmrich, D. 1996. A new dwarf forest chameleon (Squamata: Rhampholeon Gunther 1874) from Tanzania, East Africa with notes on its infrageneric and zoogeographic relationships. Tropical Zoology 9: 61-71.  
 Tilbury, C. R. and Tolley, K. A. 2009. A new species of dwarf chameleon (Sauria: Chamaeleonidae, Bradypodion Fitzinger) from KwaZulu Natal South Africa with notes on recent climatic shifts and their influence on speciation in the genus. Zootaxa 2226: 43-57.  
 Tilbury, C. R. and Tolley, K. A. 2015. Contributions to the herpetofauna of the Albertine Rift: Two new species of chameleon (Sauria: Chamaeleonidae) from an isolated montane forest, south eastern Democratic Republic of Congo. Zootaxa 3905: 345-364.  
 Tilbury, C. R., Tolley, K. A. and Branch, W. R. 2006. A review of the systematics of the genus *Bradypodion* (Sauria: Chamaeleonidae), with the description of two new genera. Zootaxa 1363: 23-38.  
 Tilbury, C. R., Tolley, K. A. and Branch, W. R. 2007. Corrections to species names recently placed in *Kinyongia* and *Nadzikambia* (Reptilia: Chamaeleonidae). Zootaxa 1426: 68.

- Tingley et al. 2013  
 Tingley et al. 2016a  
 Tingley et al. 2016b  
 Tingley et al. 2019
- Tinkle 1961  
 Tinkle 1967  
 Tinkle 1969  
 Tinkle and Dunham 1983  
 Tinkle et al. 1970  
 Tkaczenko et al. 2014  
 Tkaczky 2015  
 Tili et al. 2012a  
 Tili et al. 2012b  
 Tili et al. 2014  
 Tocher 2003  
 Tocher 2009  
 Toda et al. 2008  
 Todd 2008  
 Tok and Cicek 2014  
 Tok et al. 2012  
 Tok et al. 2013  
 Tok et al. 2016  
 Tok et al. 2017  
 Tokuda 2019  
 Tolley and Burger 2007  
 Tolley and Herrel 2014  
 Tolley et al. 2009
- Tolley et al. 2016  
 Tolley et al. 2019
- Tomasevic-Kolarov et al. 2010  
 Tomovic et al. 2014  
 Tomovic et al. 2015  
 Tomovic et al. 2018  
 Torelli et al. 2017  
 Torelli et al. 2018  
 Torki 2007  
 Torki 2010  
 Torki 2012  
 Torki 2019  
 Torki et al. 2010  
 Torki et al. 2011a  
 Torki et al. 2011b  
 Toro 1999  
 Torok 2008  
 Torres et al. 2000  
 Torres et al. 2014a  
 Torres et al. 2014b  
 Torres et al. 2018  
 Torres et al. 2019
- Tolley, R., Hitchmough, R. A. and Chapple, D. G. 2013. Life-history traits and extrinsic threats determine extinction risk in New Zealand lizards. *Biological Conservation* 165: 62-68.  
 Tingley, R., Mahoney, P. J., Durso, A. M., Tallian, A. G., Moran-Ordonez, A. and Beard, K. H. 2016. Threatened and invasive reptiles are not two sides of the same coin. *Global Ecology and Biogeography* 25: 1050-1060.  
 Tingley, R., Meiri, S. and Chapple, D. G. 2016. Addressing knowledge gaps in reptile conservation. *Biological Conservation* 204: 1-5. <http://dx.doi.org/10.1016/j.biocon.2016.07.021>.  
 Tingley, R., Macdonald, S. L., Mitchell, N. J., Woinarski, J. C. Z., Meiri, S., Bowles, P., Cox, N. A., Shea, G. M., Bohm, M., Chanson, J., Tognelli, M. F., Harris, J., Walke, C., Harrison, N., Victor, S., Woods, C., Amey, A. P., Bamford, M., Catt, G., Clemann, N., Couper, P. J., Cogger, H., Cowan, M., Craig, M. D., Dickman, C. R., Doughty, P., Ellis, R., Fenner, A., Ford, S., Gaikhurst, G., Gillespie, G. R., Greenlees, M. J., Hobson, R., Hoskin, C. J., How, R., Hutchinson, M. N., Lloyd, R., McDonald, P., Melville, J., Michael, D. R., Moritz, C., Oliver, P. M., Peterson, G., Robertson, P., Sanderson, C., Somaweera, R., Teale, R., Valentine, L., Vanderduys, E., Venz, M., Wapstra, E., Wilson, S. and Chapple, D. G. 2019. Geographic and taxonomic patterns of extinction risk in Australian squamates. 283: 108203. *Biological Conservation* <https://doi.org/10.1016/j.biocon.2019.108203>
- Tinkle, D. W. 1961. Population structure and reproduction in the lizard *Uta stansburiana stejnegeri*. *American Midland Naturalist* 66: 206-234.  
 Tinkle, D. W. 1967. The life and demography of the side-blotched lizard, *Uta stansburiana*. *Miscellaneous Publications of the Museum of Zoology University of Michigan* 132: 1-182.  
 Tinkle, D. W. 1969. The concept of reproductive effort and its relation to the evolution of life histories of lizards. *The American Naturalist*, 103: 501-516.  
 Tinkle, D. W. and Dunham, A. E. 1983. Demography of the tree lizard, *Urosaurus ornatus*, in Central Arizona. *Copeia*, 1983: 585-598.  
 Tinkle, D. W., Wilbur, H. M. and Tilley, S. G. 1970. Evolutionary strategies in lizard reproduction. *Evolution*, 24: 55-74.  
 Tkaczenko, G. K., Fischer, A. C. and Weterings, R. 2014. Prey preference of the common house geckos *Hemidactylus frenatus* and *Hemidactylus platyurus*. *Herpetology Notes* 7: 483-488.  
 Tkaczky, F. 2015. Tracks & signs of reptiles & amphibians. A guide to North American species. Stackpole Books, Mechanicsburg, PA.  
 Tili, W., Delaquerre, M., Ouni, R. and Nouira, S. 2012. Distributional review of the genus *Tarentola* (Reptilia, Sauria) in Tunisia (North Africa). *Herpetology Notes*, 5: 485-492.  
 Tili, W., Ouni, R. and Nouira, S. 2012. New distribution records of the genus *Stenodactylus* (Reptilia, Sauria) in Tunisia (North Africa). *Herpetology Notes*, 5: 413-418.  
 Tili, W., Nefta, A., Delaquerre, M., Ouni, R. and Nouira, S. 2014. Factors determining *Gekkotan* (Reptilia, Sauria) distribution in Tunisia (North Africa). *Acta Herpetologica* 9: 203-217.  
 Tocher, M. D. 2003. The diet of grand skinks (*Oligosoma grande*) and Otago skinks (*O. otagense*) in Otago seral tussock grasslands. *New Zealand Journal of Zoology* 30: 243-257.  
 Tocher, M. D. 2009. Life history traits contribute to decline of critically endangered lizards at Macraes Flat, Otago. *New Zealand Journal of Ecology* 33: 125-137.  
 Toda, M., Sengoku, S., Hikida, T. and Ota, H. 2008. Description of two new species of the genus *Gekko* (Squamata: Gekkonidae) from the Tokara and Amami island groups in the Ryukyu Archipelago, Japan. *Copeia* 2008: 452-466.  
 Todd, A. C. 2008. Using testis size to predict the mating systems of New Zealand geckos. *New Zealand Journal of Zoology* 35: 103-114.  
 Tok, C. V. and Cicek, K. 2014. Amphibians and reptiles in the Province of Canakkale (Marmara Region, Turkey) (Amphibia; Reptilia). *Herpetozoa* 27: 65-76.  
 Tok, C. V., Tosunoglu, M., Ayaz, D., Cicek, K. and Mutlu, H. S. 2012. New records of the Anatolian worm lizard, *Blanus strauchi* (Bedriaga, 1884), from Turkey (Squamata: Amphisbaenia: Blanidae). *Herpetozoa* 24: 107-111.  
 Tok, C. V., Gurkan, M., Yakin, B. Y. & Hayretdag, S. 2013. Age determination in some *Ophisops elegans* Menetries 1832 (Sauria: Lacertidae) populations living in the vicinity of Canakkale and Aksehir-Eber. *Ecologia Balkanica* 5: 23-27.  
 Tok, C. V., Parlak, S. and Cicek, K. 2016. Food composition of the snake-eyed lizard, *Ophisops elegans* Menetries, 1832 (Reptilia: Sauria: Lacertidae) from Gökeada (imbros), Turkey. *Ecologia Balkanica* 8: 73-77.  
 Tok, C. V., Afsar, M., Yakin, B. Y., Ayaz, D. and Cicek, K. 2017. A new subspecies, *Ophisops elegans budakbarani* n. subsp. (Sauria: Lacertidae) from Mut (Mersin/Turkey). *Biharean Biologist*, 11: 27-32.  
 Tokuda, M. 2019. First record of *Sceloporus serrifer* Cope, 1866, introduced to Brazil. *Herpetozoa* 31: 240-241.  
 Tolley, K. A. and Burger, M. 2007. Chameleons of Southern Africa. C Struik.  
 Tolley, K. A. and Herrel, A. 2014. editors. *The biology of chameleons*. University of California Press, Berkeley.  
 Tolley, K. A., Makokha, J. S., Houniet, D. T., Swart, B. L. and Matthee, C. A. 2009. The potential for predicted climate shifts to impact genetic landscapes of lizards in the South African Cape Floristic Region. *Molecular Phylogenetics and Evolution* 51: 120-130.  
 Tolley, K. A., Alexander, G. J., Branch, W. R., Bowles, P. and Maritz, B. 2016. Conservation status and threats for African reptiles. *Biological Conservation* 204: 63-71.  
 Tolley, K. A., Weeber, J., Maritz, B., Verburgt, L., Bates, M. F., Conradie, W., Hofmeyr, M. D., Turner, A. A., da Silva, J. M. and Alexander, G. J. 2019. No safe haven: Protection levels show imperilled South African reptiles not sufficiently safe-guarded despite low average extinction risk. *Biological Conservation*, 233: 61-72.  
 Tomasevic-Kolarov, N., Ljubisavljevic, K., Polovic, L., Dzukic, G. and Kalezic, M. 2010. The body size, age structure and growth pattern of the endemic balkan mosor rock lizards, *Dinarolacerta mosorensis* (Kolombatovic, 1886). *Acta Zoologica Academiae Scientiarum Hungaricae* 56: 55-71.  
 Tomovic, L., Ajtic, R., Ljubisavljevic, K., Urosevic, A., Jovic, D., Krizmanic, I., Labus, N., Dordevic, S., Kalezic, M. L., Vukov, T. and Dzukic, G. 2014. Reptiles in Serbia - distribution and diversity patterns. *Bulletin of the Natural History Museum in Belgrade*, 7: 129-158.  
 Tomovic, L., Urosevic, A., Vukov, T., Ajtic, R., Ljubisavljevic, K., Krizmanic, I., Jovic, D., Labus, N., Dordevic, S., Kalezic, M. L., Dzukic, G. and Luiselli, L. Threatening levels and extinction risks based on distributional, ecological and life-history datasets (DELH) versus IUCN criteria: example of Serbian reptiles. *Biodiversity Conservation* 12: 2913-2934.  
 Tomovic, I., Timotijevic, M., Ajtic, R., Krizmanic, I. and Labus, N. 2018. Contribution to the herpetofauna of Serbia - distribution of reptiles in Kosovo and Metohija Province. *University Thought Publication in Natural Sciences*, Vol. Torelli, G. A., Eisemberg, C. C., Brassalotti, R. A. and Bertoluci, J. 2017. *Colobosaura modesta* (Baha colobosaura). Diet. *Herpetological Review* 48: 641-642.  
 Torelli, G. A., Goncalves, F. G., Brassalotti, R. A. and Bertoluci, J. 2018. Notomabuya frenata. New food item. *Herpetological Review* 49: 744-745.  
 Torki, F. 2007. Reproductive cycle of the snake-eyed lizard *Ophisops elegans* Menetries, 1832 in western Iran (Squamata: Sauria: Lacertidae). *Herpetozoa* 20: 57-66.  
 Torki, F. 2010. Distribution, lifestyle, and behavioral aspects of the Iranian fat-tailed gecko, *Eublepharis angramainyu* Anderson and Leviton, 1966. *Gekko*, 6: 17-22.  
 Torki, F. 2012. Notes on sexual dimorphism of *Carinatogecko heteropholis* (Reptilia: Gekkonidae) (Minton, Anderson et Anderson, 1970). *Russian Journal of Herpetology* 19: 284-286.  
 Torki, F. 2019. Three new species of *Hemidactylus* Okene, 1817 (Squamata, Gekkonidae) from Iran. *Amphibia & Reptile Conservation* 13: 239-258.  
 Torki, F., Heidari, N. and Khan, M. S. 2010. A morphological and ecological study of *Asaccus nasrullahi* Werner, 2006 (Reptilia: Phyllodactylidae), in Western Iran. *Russian Journal of Herpetology*, 17: 195-201.  
 Torki, F., Ahmadzadeh, F., Ilgaz, C., Avci, A. and Kumlutus, Y. 2011. Description of four new *Asaccus* Dixon and Anderson, 1973 (Reptilia: Phyllodactylidae) from Iran and Turkey. *Amphibia-Reptilia* 32: 185-202.  
 Torki, F., Fathinia, B., Rostami, H. A., Gharzi, A. and Nazari-Serenjeh, F. 2011. Beschreibung eines neuen *Asaccus* (Sauria: Phyllodactylidae) aus dem Iran. *Sauria* 33: 51-61.  
 Toro, L. 1999. *Chlamydosaurus kingii*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 3pp. Downloaded February 4th, 2009.  
 Torok, Z. 2008. Preliminary data on the ecological density of *Eremias arguta* from grindul Chitru (Danube Delta Biosphere Reserve – Romania). *Scientific Annals of the Danube Delta Institute*, 14: 83-86.  
 Torres, S., Scrocchi, G. J. and Harvey, M. B. 2000. The South American tropidurid lizard *Stenocercus marmoratus*: redescription, distribution, and natural history. *Journal of Herpetology*, Vol. 34: 129-134.  
 Torres, J., Alfonso, Y. U. and Torres, O. J. 2014. A newly discovered population of the Cuban ameiva, *Ameiva auberi* (Sauria: Teiidae), from Cayo Galindo in the Sabana Archipelago. *IRCF Reptiles & Amphibians* 21: 105-107.  
 Torres, J., Torres, O. J. and Marrero, R. 2014. Herpetofauna of Cayo Romero (North-Western Cuba), a new locality for *Aristelliger reyesi* (Sauria, Sphaerodactylidae). *Herpetology Notes*, 7: 707-712.  
 Torres, P. J., Escalante, O. and Cardozo, D. 2018. First record of the invasive *Hemidactylus mabouia* (Moreau de Jonnes, 1818) (Squamata, Gekkonidae), in the dry Chaco, Argentina. *Check List* 14: 633-636.  
 Torres, M. M., Viladrich, L. J. and Naretto, S. 2019. A case of cannibalism in Achala copper lizard *Pristidactylus achalensis*, an endemic lizard to the highest mountain areas in Central Argentina (Squamata: Leiosauridae). *Herpetology Notes*, 12: 827-828.  
 Torres-Carvalho, O. 2000. Ecuadorian lizards of the genus *Stenocercus* (Squamata: Tropiduridae). *Scientific Papers of the Natural History Museum, University of Kansas* 15: 1-38.

- Torres-Carvajal 2001  
 Torres-Carvajal 2004a  
 Torres-Carvajal 2004b  
 Torres-Carvajal 2005a  
 Torres-Carvajal 2005b  
 Torres-Carvajal 2005c  
 Torres-Carvajal 2007a  
 Torres-Carvajal 2007b  
 Torres-Carvajal 2011  
 Torres-Carvajal and Mafla-Endara 2013  
 Torres-Carvajal and Salazar-Valenzuela 2013  
 Torres-Carvajal and Tapia 2011  
 Torres-Carvajal et al. 2005  
 Torres-Carvajal et al. 2009  
 Torres-Carvajal et al. 2010  
 Torres-Carvajal et al. 2011  
 Torres-Carvajal et al. 2013  
 Torres-Carvajal et al. 2015a  
 Torres-Carvajal et al. 2015b  
 Torres-Carvajal et al. 2016  
 Torres-Carvajal et al. 2018  
 Torres-Carvajal et al. 2019  
 Torres-Perez et al. 2009
- Tosunoglu et al. 1999  
 Tosunoglu et al. 2001  
 Toth et al. 2017  
 Towns 1971  
 Towns 1975  
 Towns 1985
- Towns 1994  
 Towns 1999  
 Towns and Elliot 1996  
 Towns and Ferreira 2001  
 Towns et al. 2001  
 Towns et al. 2002  
 Towns et al. 2016  
 Townsend 2006  
 Townsend and Wilson 2008  
 Townsend et al. 2004a  
 Townsend et al. 2004b  
 Townsend et al. 2004c  
 Townsend et al. 2008  
 Toyama 1989  
 Toyama 2017  
 Toyama et al. 2018  
 Tozetti and Martins 2019  
 Tracy 1999  
 Tracy 2004  
 Trageser et al. 2018
- Trainor 2005  
 Trape 2011  
 Trape et al. 2012  
 Trape et al. 2014  
 Trauth 2017  
 Trauth and McAllister 1996  
 Trauth et al. 2013
- Torres-Carvajal, O. 2001. Lizards of Ecuador: checklist, distribution, and systematic references. Smithsonian Herpetological Information Service 131: 1-35.  
 Torres-Carvajal, O. 2004. Herpetofauna of isla de La Plata, Ecuador. Herpetological Review, 35: 85.  
 Torres-Carvajal, O. 2004. The abdominal skeleton of tropidurid lizards (Squamata: Tropiduridae). Herpetologica 60: 75-83.  
 Torres-Carvajal, O. 2005. A new species of iguanian lizard (*Stenocercus*) from the western lowlands of southern Ecuador and northern Peru. Herpetologica 61: 78-85.  
 Torres-Carvajal, O. 2005. A new species of *Stenocercus* (Squamata, iguania) from central-western Brazil with a key to Brazilian *Stenocercus*. Phylomedusa 4: 123-132.  
 Torres-Carvajal, O. 2005. New Species of *Stenocercus* (Squamata: iguania) from the Andes of Central Peru with a Redescription of *S. variabilis*. Journal of Herpetology 39: 471-477.  
 Torres-Carvajal, O. 2007. A taxonomic revision of south American *Stenocercus* (Squamata: iguania) lizards. Herpetological Monographs, 21: 76-178.  
 Torres-Carvajal, O. 2007. New Andean species of *Stenocercus* (Squamata: iguania) from the eastern Cordillera in Colombia. Copeia, 2007: 56-61.  
 Torres-Carvajal, O. 2011. Lista actualizada de las lagartijas de Ecuador con comentarios acerca de su diversidad. Revista Ecuatoriana de Medicina y Ciencias Biológicas 32: 119-133.  
 Torres-Carvajal, O. and Mafla-Endara, P. 2013. A new cryptic species of *Stenocercus* (Squamata: Iguanidae) from the Andes of Ecuador. Journal of Herpetology, Vol. 47, No. 1, 184-190.  
 Torres-Carvajal, O. and Salazar-Valenzuela, D. (editors). 2013. Guia de campo. ReptiliaWebEcuador. Museo de Zoología QCAZ, Pontificia Universidad Católica del Ecuador.  
 Torres-Carvajal, O. and Tapia, W. 2015. First record of the common house gecko *Hemidactylus frenatus* Schlegel, 1836 and distribution extension of *Phyllodactylus reissii* Peters, 1862 in the Galapagos. Check List 7: 470-472.  
 Torres-Carvajal, O., Lehr, E. and Lundberg, M. 2005. Resurrection of *Stenocercus torquatus* Boulenger, a spiny-tailed iguanid lizard (Squamata: iguania) from Peru. Herpetologica 61: 440-448.  
 Torres-Carvajal, O., de Queiroz, K. and Etheridge, R. 2009. A new species of iguanid lizard (Hoplocercinae, Enyalioides) from southern Ecuador with a key to eastern Ecuadorian Enyalioides. ZooKeys 27: 59-71.  
 Torres-Carvajal, O., Ayala, F. and Carvajal-Campos, A. 2010. Reptilia, Squamata, Iguanidae, Anolis heterodermus Duméril, 1851: Distribution extension, first record for Ecuador and notes on color variation. Check List 6: 189-190.  
 Torres-Carvajal, O., Etheridge, R. and de Queiroz, K. 2011. A systematic revision of Neotropical lizards in the clade Hoplocercinae (Squamata: iguania). Zootaxa 2752: 1-44.  
 Torres-Carvajal, O., Carvajal-Campos, A., Barnes, C. W., Nicholls, G. and Pozo-Andrade, M. J. 2013. A new Andean species of leaf-toed gecko (Phyllodactylidae: Phyllodactylus) from Ecuador. Journal of Herpetology, 47: 384-390.  
 Torres-Carvajal, O., Gaona, F. P., Zaragoza, C. and Szekely, P. 2015. First record of *Macropholidus ruthveni* Noble 1921 (Squamata: Gymnophthalmidae) from Ecuador. Herpetology Notes, 8: 25-26.  
 Torres-Carvajal, O., Venegas, P. J. and de Queiroz, K. 2015. Three new species of woodlizards (Hoplocercinae, Enyalioides) from northwestern South America. ZooKeys 494: 107-132.  
 Torres-Carvajal, O., Rodriguez-Guerra, A. and Chaves, J. A. 2016. Present diversity of Galapagos leaf-toed geckos (Phyllodactylidae: Phyllodactylus) stems from three independent colonization events. Molecular Phylogenetics & Evolution 93: 1-10.  
 Torres-Carvajal, O., Ayala-Varela, F. P., Lobos, S. E., Poe, S. and Narvaez, A. E. 2018. Two new Andean species of *Anolis* lizard (Iguanidae: Dactyloinae) from southern Ecuador. Journal of Natural History, 52: 1067-1089.  
 Torres-Carvajal, O., Pazmino-Otamendi, G. and Salazar-Valenzuela, D. 2019. Reptiles of Ecuador: a resource-rich portal, with a dynamic checklist and photographic guides. Amphibian & Reptile Conservation 13: 209-229.  
 Torres-Perez, F., Mendez, M. A., Benavides, E., Moreno, R. A., Lamborot, M., Palma, R. E. and Ortiz, J. C. 2009. Systematics and evolutionary relationships of the mountain lizard *Lioleamus monticola* (Liolaemini): how morphological and molecular evidence contributes to reveal hidden species diversity. Biological Journal of the Linnean Society, 96: 635-650.  
 Tosunoglu, M., Gocmen, B., Taskavak, E. and Budak, A. 1999. A serological comparison of the populations of the *Lacerta laevis* complex in northern Cyprus and southern Turkey. Zoology in the Middle East, 19: 117-122.  
 Tosunoglu, M., Gocmen, B., Atatur, M. K. and Cevik, I. E. 2001. Morphological and serological investigations on *Lacerta laevis* Gray, 1838 (Sauria: Lacertidae) populations from Anatolia. Zoology in the Middle East, 23: 55-60.  
 Toth, T., Heltai, M., Keszi, A., Susic, G., Moharos, L., Farkas, B., Geczy, C., Torda, O. and Gal, J. 2017. Herpetofauna inventory of the small islands of the Cres-Losinj Archipelago (North Adriatic Sea, Croatia). Herpetozoa, 30: 21-28.  
 Towns, D. R. 1971. The lizards of Whale island. Tane 17: 61-65.  
 Towns, D. R. 1975. Ecology of the black shore skink, *Leiolopisma suteri* (Lacertilia: Scincidae), in boulder beach habitats. New Zealand Journal of Zoology, 2: 389-407.  
 Towns, D. R. 1985. The status and prospects of the rare New Zealand lizards *Leiolopisma grande* (Gray), *Cyclodina whitakeri* Hardy and *Leiolopisma otagense* McCann (Lacertilia: Scincidae). Pages 481-489 in G. Grigg, R. Shine and H. Ehmann (editors). The biology of Australasian frogs and reptiles. Surrey Beatty & Sons, Chipping Norton, NSW.  
 Towns, D. R. 1994. The role of ecological restoration in the conservation of Whitaker's skink (*Cyclodina whitakeri*), a rare New Zealand lizard (Lacertilia: Scincidae). New Zealand Journal of Zoology, 21: 457-471.  
 Towns, D. R. 1999. Cyclodina spp. Skink recovery plan 1999-2004. Threatened species recovery plan 27. Department of Conservation.  
 Towns, D. R. and Elliott, G. P. 1996. Effects of habitat structure on distribution and abundance of lizards at Pukerua Bay, Wellington, New Zealand. New Zealand Journal of Ecology 20: 191-206.  
 Towns, D. R. and Ferreira, S. M. 2001. Conservation of New Zealand lizards (Lacertilia: Scincidae) by translocation of small populations. Biological Conservation 98: 211-222.  
 Towns, D. R., Daugherty, C.H. and Cree, A. 2001. Raising the prospects for a forgotten fauna: a review of 10 years of conservation effort for New Zealand reptiles. Biological Conservation 99: 3-16.  
 Towns, D. R., Neilson, K. A. and Whitaker, A. H. 2002. North island *Oligosoma* spp. skink recovery plan 2002-2012. Threatened Species Recovery Plan 48. Department of Conservation, Wellington.  
 Towns, D. R., Miller, K. A., Nelson, N. J. and Chapple, D. G. 2016. Can translocations to islands reduce extinction risk for reptiles? Case studies from New Zealand. Biological Conservation 204: 120-127.  
 Townsend, J. H. 2006. *Celestus montanus*. Catalogue of American Amphibians and Reptiles, 834: 1-3.  
 Townsend, J. H. and Wilson, L. D. 2008. Guide to the amphibians and reptiles of Cusuco National Park, Honduras. Bibliomania!, Salt Lake City.  
 Townsend, C. R., McCranie, J. R. and Wilson, L. D. 2004. *Corytophanes cristatus*. Catalogue of American Amphibians and Reptiles, 789: 1-6.  
 Townsend, C. R., McCranie, J. R. and Wilson, L. D. 2004. *Corytophanes percarinatus*. Catalogue of American Amphibians and Reptiles, 791: 1-3.  
 Townsend, C. R., McCranie, J. R. and Wilson, L. D. 2004. *Corytophanes*. Catalogue of American Amphibians and Reptiles, 788: 1-4.  
 Townsend, J. H., Wilson, L. D., Luque-Montes, I. R. and Ketzler, L. P. 2008. Redescription of *Anolis rubribarbaris* (Kohler, McCranie, & Wilson 1999), a poorly-known Mesoamerican cloud forest anole (Squamata: Polychrotidae).  
 Toyama, M. 1989. Distribution of the genus *Eumeceles* (Scincidae: Lacertilia) in the Ryukyu Archipelago. Pages 262-267 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, 11: 262-267.  
 Toyama, K. S. 2017. Interaction between morphology and habitat use: a large-scale approach in Tropidurinae lizards. Breviora, 554: 1-20.  
 Toyama, K. S., Jones, K., Ruiz, J., Mendoza, A. and Perez, J. M. 2018. Ontogenetic changes in the diet and head morphology of an omnivorous tropidurid lizard (*Microlophus thoracicus*). Zoology, 129: 45-53.  
 Tozetti, A. M. and Martins, L. S. 2019. Does body size affect the diet composition of a sand dune lizard? Insights from *Liolemus occipitalis* Boulenger, 1885. Herpetology Notes, 12: 1211-1213.  
 Tracy, C. R. 1999. Differences in body size among chuckwallas ( *Sauromalus obesus*) populations. Ecology 80: 259-271.  
 Tracy, C. R. 2004. Environmental influences on body size of two species of herbivorous desert lizards. Pages 158-175 in Alberts, A. (editor). Iguanas: Biology and Conservation. University of California Press, Berkeley.  
 Trageser, S. J., Wiscovitch, A. and Hamilton, P. 2018. Predation by an Antigua Bank tree anole, *Anolis leachii* (Dumeril and Bibron 1837), on an introduced tropical house gecko, *Hemidactylus mabouia* (Moreau de Jonnes 1818). IRCP Reptiles & Amphibians 25: 155.  
 Trainor, C. R. 2005. Distribution and natural history of the cryptic chameleon dragon *Chelosania brunnea*: a review of records. Northern Territory Naturalist, 18: 34-44.  
 Trape, J-C. 2011. Agama cristata Mocquard, 1905 and Agama insularis Chabanaud, 1918 (Squamata, Agamidae): Two Valid West African species. Journal of Herpetology, 45: 352-354.  
 Trape, J-F., Trape, S. and Chirio, L. 2012. Lézards, crocodiles et tortues d'Afrique Occidentale et du Sahara. IRD Editions, Marseille.  
 Trape, J-F., Mane, Y. and Baldeu, C. 2014. Une nouvelle et remarquable espèce du genre *Cynisca* Gray, 1844 (Squamata, Amphisbaenidae), de Guinée-Forestière. Bulletin de la Société Herpetologique de France 151: 1-9.  
 Trauth, S. E. 2017. *Aspidoscelis sexlineata viridis* (prairie racerunner). Late season egg clutch. Herpetological Review 48: 186.  
 Trauth, S. E. and McAllister, C. T. 1996. *Chemidophorus sexlineatus*. Catalogue of American Amphibians and Reptiles 628: 1-12.  
 Trauth, S. E., Walker, J. M. and Cordes, J. E. 2013. *Aspidoscelis laredoensis* (Laredo striped whiptail). Gynandromorph. Herpetological Review 44: 138-140.

- Travassos et al. 2015
- Travers et al. 2011
- Treilibs et al. 2016
- Trindade et al. 2013
- Trivers 1976
- Troncoso 2010
- Troncoso-Palacios 2014a
- Troncoso-Palacios 2014b
- Troncoso-Palacios 2018a
- Troncoso-Palacios 2018b
- Troncoso-Palacios and Esquerre 2014
- Troncoso-Palacios and Ferri-Yanez 2013
- Troncoso-Palacios and Garin 2013
- Troncoso-Palacios and Labra 2017
- Troncoso-Palacios et al. 2011
- Troncoso-Palacios et al. 2013
- Troncoso-Palacios et al. 2015
- Troncoso-Palacios et al. 2016
- Troncoso-Palacios et al. 2018a
- Troncoso-Palacios et al. 2018b
- Troncoso-Palacios et al. 2019
- Troyer 1983
- Trubcheninova et al. 1977
- Trudgen 1999
- Truntau et al. 2016
- Truong et al. 2008
- Truong et al. 2010a
- Truong et al. 2010b
- Truong et al. 2010c
- Truter 2011
- Truter et al. 2014
- Tsasi et al. 2009
- Tsellarius and Tsellarius 2009
- Tseng et al. 2015
- Tseng et al. 2019
- Tshewang and Letro 2018
- Tuli et al. 2009
- Tuli et al. 2011
- Tuli and Scrocchi 2005
- Tuniyev and Tuniyev 2012
- Tuniyev et al. 2011
- Turbanov et al. 2019
- Turk et al. 2010
- Turner 1977
- Turner 1984
- Turner and Valentic 1998
- Turner et al. 1969a
- Turner et al. 1969b
- Turner et al. 2017
- Turner et al. 2019
- Tweedie 1940
- Tyler et al. 2016
- Tzankov et al. 2009
- Tzarevsky 1927
- Travassos, M. L. O., Tinoco, M. S., Marques, R. and Delabie, J. H. C. 2015. Lizard prey predilections and resource use in restinga habitats on the north coast of Bahia. *Salamandra* 51: 171-181.
- Travers, S. L., Townsend, J. H., Sunyer, J., Obando, L. A., Wilson, L. D. and Nickerson, M. A. 2011. New and noteworthy records of amphibians and reptiles from Reserva de la Biosfera Bosawas, Nicaragua. *Herpetological Review*, 42(1): 1-4.
- Treilibs, C. E., Pavay, C. R., Raghu, S. and Bull, C. M. 2016. Weather correlates of temporal activity patterns in a desert lizard: insights for designing more effective surveys. *Journal of Zoology* 300: 281-290.
- Trindade, I. T., Morton, G. F. and Novelli, I. A. 2013. *Ophiodes striatus* (glass-lizard). Minimum body mass for neonates. *Herpetological Review* 44: 145.
- Trivers, R. L. 1976. Sexual selection and resource accruing abilities in *Anolis garmani*. *Evolution* 30: 253-269.
- Troncoso, J. 2010. Reptiles terrestres en peligro de extincion En la zona central de Chile. *La Chiricoca*, 10: 3-11.
- Troncoso-Palacios, J. 2014. Revision del estatus taxonomico de *Liolemaus filiorum* Pincheira-Donoso y Ramirez, 2005 (Iguania: Liolaemidae). *Cuadernos de Herpetología* 28: 111-117.
- Troncoso-Palacios, J. 2014. Revision of the geographic distribution of three species of the montanus group of *Liolemaus Wiegmann, 1834* (Reptilia: Squamata: Liolaemidae). *Check List* 10: 221-229.
- Troncoso-Palacios, J. 2018. Restriccion de la localidad tipo de *Microlophus tarapacensis* (Donoso-Barros, 1966) (Squamata: Tropiduridae). *Cuadernos de Herpetología* 32: 123-127.
- Troncoso-Palacios, J. 2018. Restriccion de la localidad tipo de *Microlophus tarapacensis* (Donoso-Barros, 1966) (Squamata: Tropiduridae). *Cuadernos de Herpetología*, 32: 123-127.
- Troncoso-Palacios, J. and Esquerre, D. 2014. A new species of *Phymaturus* of the *P. mallimaccii* Group from the Andes of central Chile (Iguania: Liolaemidae). *Phyllomedusa* 13: 3-15.
- Troncoso-Palacios, J. and Ferri-Yanez, F. 2013. *Liolemaus patriciaituriae* Navarro and Nunez, 1993 (Squamata: Liolaemidae): Distribution extension in northern Chile and geographic distribution map. *Check List* 9: 78-80.
- Troncoso-Palacios, J. and Garin, C. F. 2013. On the identity of *Liolemaus nigromaculatus* Wiegmann, 1834 (Iguania, Liolaemidae) and correction of its type locality. *ZooKeys* 294: 37-56.
- Troncoso-Palacios, J. and Garin, C. F. 2013. New egg laying record for *Liolemaus chilensis* (Lesson, 1830) (Iguania: Liolaemidae). *Herpetology Notes* 10: 529-531.
- Troncoso-Palacios, J., Silva, R. and Teran, D. 2011. Nuevos registros para dos especies de lagartos (Liolaemus) en la zona Central de Chile. *La Chiricoca*, 13: 9-13.
- Troncoso-Palacios, J., Lobo, F., Etheridge, R., Acosta, J. C. and Laspur, A. 2013. The rediscovery of *Oplurus burbonii* Guichenot, 1848 a valid species of the liolaemid genus *Phymaturus* (Iguania: Liolaemidae). *Zootaxa* 3652: 547-554.
- Troncoso-Palacios, J., Diaz, H. A., Esquerre, D. and Urrea, F. A. 2015. Two new species of the *Liolemaus elongatus* kriegi complex (Iguania, Liolaemidae) from Andean highlands of southern Chile. *ZooKeys* 500: 83-109. doi: 10.3897/zookeys.500.6131
- Troncoso-Palacios, J., Diaz, H. A., Puas, G. I., Riveros-Riffo, E. and Elorza, A. A. 2016. Two new *Liolemaus* lizards from the Andean highlands of Southern Chile (Squamata, Iguania, Liolaemidae). *ZooKeys* 632: 121-146.
- Troncoso-Palacios, J., Esquerre, D., Urrea, F. A., Diaz, H. A., Castro-Pastene, C. and Ruiz, M. S. 2018. The true identity of the New World iguanid lizard *Liolemaus chilensis* Muller and Hellmich 1932 (Iguania: Liolaemidae) and description of a new species in the *Liolemaus elongatus* group. *Zoological Studies*, 57: 22.
- Troncoso-Palacios, J., Ferri-Yanez, F., Laspur, A. and Aguilar, C. 2018. An updated phylogeny and morphological study of the *Phymaturus vociferator* clade (Iguania: Liolaemidae). *Zootaxa* 4441: 447-466.
- Troncoso-Palacios, J., de Gamboa, M. R. and Campbell, P. D. 2019. *Liolemaus jamesi* (Boulenger, 1891): restriction of the type locality and holotype characterization (Squamata: Liolaemidae). *Zootaxa*, 4612: 442-446.
- Troyer, K. 1983. Review: The biology of iguanine lizards: present status and future directions. *Herpetologica*, 39: 317-328.
- Trubcheninova, L. P., Khutoryansky, A. A., Svet-Moldavsky, G. J., Kuznetsova, L. E., Sokolov, P. P. and Belianchykova, N. I. 1977. Body temperature and tumor virus infection. I. Tumorogenicity of Rous sarcoma virus for reptiles. *Neoplasma*, 24: 3-19.
- Trudgen, T. 1999. *Lialis burtonis*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Truntau, L., Monzel, L. and Consul, A. 2016. Amphibien und reptilien des Paraguayischen Chaco. Edition Chimaira, Frankfurt am Mein.
- Truong, N. Q., Tung, T. T., Ngoc, H. V., Bohme, W. and Ziegler, T. 2008. Rediscovery and redescription of *Ateuchosaurus chinensis* Gray, 1845 (Squamata: Sauria: Scincidae) from northeastern Vietnam. *Herpetology Notes*, 1: 17-21.
- Truong, N. Q., Sang, N. V., Orlov, N., Thao, H. N., Bohme, W. and Ziegler, T. 2010. A review of the genus *Tropidophorus* (Squamata, Scincidae) from Vietnam with new species records and additional data on natural history. *Zoosystematics and Evolution* 86: 5-19.
- Truong, N. Q., Tao, N. T. and Orlov, N. L. 2010. New record of the mountain ground skink *Scincella monticola* (Schmidt, 1925) (Squamata: Scincidae) from Cao Bang Province, Vietnam. *Herpetology Notes*, 3: 201-203.
- Truong, N. Q., Tao, N. T., Bohme, W. and Ziegler, T. 2010. First record of the mountain ground skink *Scincella monticola* (Schmidt, 1925) (Squamata: Scincidae) from Vietnam. *Russian Journal of Herpetology*, 17: 67-69.
- Truter, J. C. 2011. Aspects of the thermal ecology of the group-living lizard, *Cordylus cataphractus*: A spatial and temporal analysis. (MSc. Thesis). University of Stellenbosch, Stellenbosch.
- Truter, J. C., van Wyk, J. H. and Mouton, P. Le F. N. 2014. An evaluation of daily, seasonal and population-level variation in the thermal preference of a group-living lizard, *Ouroborus cataphractus* (Sauria: Cordylidae). *Amphibia-Reptilia* 30: 471-482.
- Tsasi, G., Pafilis, P., Simou, C. and Valkakos, E. D. 2009. Predation pressure, density-induced stress and tail regeneration: a causal-nexus situation or a bunch of independent factors? *Amphibia-Reptilia* 30: 471-482.
- Tsellarius, A. Y. and Tsellarius, E. Y. 2009. Longevity and factors of mortality in the rock lizard *Darevskia brauneri* (Reptilia, Sauria) based on long-term observations in the Navagir Ridge. *Zoologiceskij Zurnal* 88: 1276-1280.
- Tseng, S. P., Wang, C. J., Li, S. H. and Lin, S. M. 2015. Within-island speciation with an exceptional case of distinct separation between two sibling lizard species divided by a narrow stream. *Molecular Phylogenetics and Evolution*, 86: 12-20.
- Tseng, H. Y., Liao, C. P., Hsu, J. Y., Wang, L. Y. and Huang, W. S. 2019. Parental behavior drives large bite force in an insular skink population. *Journal of Zoology* 307: 223-231.
- Tshewang, S. and Letro, L. 2018. The herpetofauna of Jigme Singye Wangchuck National Park in central Bhutan: status, distribution and new records. *Journal of Threatened Taxa* 10: 12489-12498.
- Tulli, M. J., Cruz, F. B., Herrel, A., Vanhooydonck, B. and Abdala, V. 2009. The interplay between claw morphology and microhabitat use in neotropical iguanian lizards. *Zoology* 112: 379-392.
- Tulli, M. J., Abdala, V. and Cruz, F. B. 2011. Relationships among morphology, clinging performance and habitat use in Liolaemini lizards. *Journal of Evolutionary Biology* 24: 843-855.
- Tulli, M. J. and Scrocchi, G. 2005. Un caso de puesta comunal en *Kentropyx lagartija* (Squamata: Teiidae). *Cuadernos de Herpetología* 19: 57-60.
- Tuniyev, B. S. and Tuniyev, S. B. 2012. On distribution and taxonomic status of rock lizards *Darevskia brauneri* (Lukina, 1963) and *D. b. darevskii* (Szczzerbaki, 1962). *Russian Journal of Herpetology*, 19: 10-22.
- Tuniyev, S. B., Doronin, I. A., Kidov, A. A. and Tuniyev, B. S. 2011. Systematic and geographical variability of meadow lizard, *Darevskia praticola* (Reptilia: Sauria) in the Caucasus. *Russian Journal of Herpetology* 18: 295-316.
- Turbanov, I. S., Kukushkin, O. V. and Vargovitsh, R. S. 2019. Amphibians and reptiles in the subterranean cavities of the Crimean Mountains. *Russian Journal of Herpetology* 26: 29-53.
- Turk, P. A., Wyszynski, N. N., Powell, R. and Henderson, R. W. 2010. Population densities and water-loss rates of *Gymnophthalmus pleii*, *Gymnophthalmus underwoodi* (Gymnophthalmidae), and *Sphaerodactylus fuscatus* (Sphaerodactylidae) on Dominica, West Indies. *Salamandra* 46: 125-130.
- Turner, F. B. 1977. The dynamics of populations of squamates, crocodilians and rhynchocephalians. Pages 157-264. In: Tinkle, D. W. and C. Gans, editors. *Biology of the reptilia*. vol. 7. Academic Press, New York.
- Turner, J. S. 1984. Raymond B. Cowles and the biology of temperature in reptiles. *Journal of Herpetology* 18: 421-436.
- Turner, G. and Valentic, R. A. 1998. Notes on the occurrence and habits of the Downs bearded dragon *Pogona henrylawsoni*. *Herpetofauna* 28: 12-18.
- Turner, F. B., Jennrich, R. I. and Weintraub, J. D. 1969. Home ranges and body size of lizards. *Ecology*, 50: 1076-1081.
- Turner, F. B., Lannom, J. R., Medica, P. A. and Hoddenbach, G. A. 1969. Density and composition of fenced populations of leopard lizards (*Crotaphytus wislizenii*) in Southern Nevada. *Herpetologica*, 25: 247-257.
- Turner, D. S., Van Devender, T. R., Silva-Kurumiya, H., Del Castillo, N. L., Hedgcock, C., Roll, C., Wilson, M. and Ochoa-Gutierrez, F. I. 2017. Distribution of *Phrynosoma ditmarsi Stejneger, 1906*, with notes on habitat and morphology. *Mesoamerican Herpetology* 4: 979-985.
- Turner, H., Griffiths, R. A., Outerbridge, M. E. and Garcia, G. 2019. Estimating population parameters for the critically endangered Bermuda skink using robust design capture-mark-recapture modelling. *Oryx*, pp.1-8.
- Tweedie, M. W. F. 1940. Notes on Malayan reptiles. *Bulletin of the Raffles Museum* 16: 83-87.
- Tyler, R. K., Winchell, K. M. and Revell, L. J. 2016. Tails of the city: caudal autotomy in the tropical Lizard, *Anolis cristatellus*, in urban and natural areas of Puerto Rico. *Journal of Herpetology*, 50: 435-441.
- Tzankov, N., Naumov, B., Grozdanov, A., Peshev, D. and Vasilev, A. 2009. The herpetofauna of northern Black Sea coast. *Biotechnol. & Biotechnol. EQ.* 2009: 123-126.
- Tzarevsky, S. F. 1927. The lizards of the genus *Phrynocephalus* collected by the expeditions of P. Kozlow in Tibet 1899-1901 and in Mongolia and Sze-chuan 1907-1909. *Comptes Rendus Akademie Sci. USSR*, Leningrad, ser.A.

- Tzoras and Panagiotopoulos 2019  
 Tzoras et al. 2019  
 Udagedara and Karunarathna 2014  
 Uetz 1989  
 Uetz 2016  
 Uetz 2019  
 Uetz and Stylianou 2018  
 Uetz et al. 2019  
 Ugueto and Harvey 2010  
 Ugueto and Harvey 2011  
 Ugueto and Rivas 2010  
 Ugueto et al. 2007  
 Ugueto et al. 2009  
 Ugueto et al. 2013  
 Ugurtas et al. 2007  
 Uhrin and Benda 2018  
 Uhrin et al. 2016  
 Uhrin et al. 2019  
 Ukuwela 2009  
 Ullenbruch and Bohme 2017  
 Ullenbruch et al. 2010  
 Uller and Olsson 2010  
 Uller et al. 2009  
 Uller et al. 2010  
 Uller et al. 2019  
 Ulmasov et al. 1992  
 Ulmasov et al. 1999  
 Urbina-Cardona 2011  
 Urbina-Cardona and Flores-Villela 2010  
 Urbina-Cardona et al. 2006a  
 Urbina-Cardona et al. 2006b  
 Uribe et al. 1996  
 Urosevic et al. 2015  
 Urra et al. 2017  
 Uriaga 2017  
 Uzum et al. 2014  
 Uzum et al. 2015  
 Uzum et al. 2018  
 Uzzell and Barry 1971  
 Uzzell 1958  
 Uzzell 1966  
 Uzzell 1970  
 Uzzell 1973  
 Vacher and Wendling 2019  
 Valakos 1986  
 Valakos 1987  
 Valakos 1989  
 Valakos and Mylonas 1992  
 Valakos and Papapanagiotou 1985  
 Valakos and Polymeni 1990
- Tzoras, E. and Panagiotopoulos, A. 2019. *Mediodactylus kotschyi* (Kotschy's gecko). Saurophagy. *Herpetological Review* 50: 375.  
 Tzoras, E., Panagiotopoulos, A., Bourdalas, A. and Drakopoulos, P. 2019. Herpetological notes of Trizonia island in Corinthian Gulf, Greece. *Butlletí de la Societat Catalana d'Herpetologia* 27: 72-78.  
 Udagedara, U. S. C. and Karunarathna, K. A. P. M. K. 2014. *Ceratophora stoddartii* from Kegalle District (Sabaragamuwa Province), Sri Lanka. *Taprobanica*, 6: 59.  
 Uetz, P. 1989. Zum wachstum und alter von *Chamaeleo elliotti* Gunther 1895. *Sauria* 11: 27-29.  
 Uetz, P. 2016. The Reptile Database turns 20. *Herpetological Review* 47: 330-334.  
 Uetz, P. 2019. The reptile database, <http://reptile-database.reptarium.cz>, accessed December 25, 2019.  
 Uetz, P. and Stylianou, A. 2018. The original descriptions of reptiles and their subspecies. *Zootaxa* 4375: 257-264.  
 Uetz, P., Cherikh, S., Shea, G., Ineich, I., Campbell, P., Doronin, I., Rosado, J., Wynn, A., Tighe, K. A., McDiarmid, R., Lee, J. L., Kohler, G., Ellis, R., Doughty, P., Raxworthy, C. J., Scheinberg, L., Resetar, A., Sabaj, M., Schneider, G., Franzen, M., Glaw, F., Bohme, W., Schweiger, S., Gemel, R., Couper, P., Amey, A., Dondorp, E., Ofer, G., Meiri, S. and Wallach, V. 2019. A global catalog of primary reptile type specimens. *Zootaxa* 4695: 438-450.  
 Ugueto, G. N. and Harvey, M. B. 2010. Southern Caribbean *Cnemidophorus* (Squamata: Teiidae): description of new species and taxonomic status of *C. murinus ruthveni* Burt. *Herpetological Monographs* 24: 111-148.  
 Ugueto, G. N. and Harvey, M. B. 2011. Revision of *Ameiva ameiva* Linnaeus (Squamata: Teiidae) in Venezuela: recognition of four species and status of introduced populations in southern Florida, USA. *Herpetological Monographs*  
 Ugueto, G. N. and Rivas, G. A. 2010. Amphibians and reptiles of Margarita, Coche and Cubagua. Edition Chimaira, Frankfurt Am Main.  
 Ugueto, G. N., Fuenmayor, G. R., Barros, T., Sanchezpacheco, S. J. and Garcia-Perez, J. E. 2007. A revision of the Venezuelan Anoles i: A new *Anolis* species from the Andes of Venezuela with the redescription of *Anolis jacare* Boulenger 1903 (Reptilia: Polychrotidae) and the clarification of the status of *Anolis nigropunctatus* Williams 1974. *Zootaxa* 1501: 1-30.  
 Ugueto, G. N., Rivas, G., Barros, T. and Smith, E. N. 2009. A revision of the Venezuelan anoles ii: redescription of *Anolis squamulatus* Peters 1863 and *Anolis tigrinus* Peters 1863 (Reptilia: Polychrotidae). *Caribbean Journal of Herpetology* 47: 1-10.  
 Ugueto, G. N., Velozo, P., Sanchez, L. E., Villapol, L. A. B., Lasso-Alcala, O., Barros, T. R. and Rivas, G. A. 2013. Noteworthy new records of squamate reptiles (Reptilia: Squamata) from various Venezuelan Caribbean islands, including a new addition to the herpetofauna of Venezuela. *Check List* 9: 1075-1080.  
 Ugurtas, I. H., Yildirimhan, H. S. and Sevun, M. 2007. Distribution of the Gekkonidae species in southeast Anatolia, Turkey, and new localities. *Turkish Journal of Zoology* 31: 137-141.  
 Uhrin, M. and Benda, P. 2018. New records of *Mediodactylus kotschyi* and *Hemidactylus turcicus* (Squamata: Gekkonidae) from Astypalea island, Greece. *Herpetology Notes*, 11: 275-278.  
 Uhrin, M., Havas, P., Minarik, M., Kodejs, K., Bugos, I., Danko, S., Husak, T., Koleska, D. and Jablonski, D. 2016. Distribution updates to amphibian and reptile fauna for the Republic of Macedonia. *Herpetology Notes*, 9: 201-220.  
 Uhrin, M., Jandzik, D., Cernansky, A., Rindos, M., Lehotska, B., Danko, S., Kautman, J., Mikulicek, P., Urban, P. and Jablonski, D. 2019. Bibliography of the amphibian and reptile research in Slovakia. Publication of the Pavol Jozef Šafárik University in Košice, Faculty of Science.  
 Ukuwela, K. D. B. 2009. Life history traits of three Sri Lankan Scincidae with special reference to the oviposition seasonality of *Lankascincus fallax*. *Hamadryad*, 34: 171-174.  
 Ullenbruch, K. and Bohme, W. 2017. Six new records of Afrotropical lizard and snake species (Reptilia: Squamata) from the Republic of South Sudan. *Bonn Zoological Bulletin* 66: 139-144.  
 Ullenbruch, K., Grell, O. and Bohme, W. 2010. Reptiles from southern Benin, West Africa, with the description of a new *Hemidactylus* (Gekkonidae), and a country-wide checklist. *Bonn Zoological Bulletin* 57: 31-54.  
 Uller, T. and Olsson, M. 2010. Offspring size and timing of hatching determine survival and reproductive output in a lizard. *Oecologia* 162: 663-671.  
 Uller, T., While, G. M., Wapstra, E., Warner, D. A., Goodman, B. A., Schwarzkopf, L., Langkilde, T., Doughty, P., Radder, R. S., Rohr, D. H., Bull, C. M., Shine, R. and Olsson, M. 2009. Evaluation of offspring size-number invariants in 12 species of lizard. *Journal of Evolutionary Biology* 22: 143-151.  
 Uller, T., Stuart-Fox, D. and Olsson, M. 2010. Evolution of primary sexual characters in reptiles. Pages 425-453 in: The evolution of primary sexual characters in animals. J. L. Leonard and A. Cordoba-Aguilar (eds), Oxford University Press.  
 Uller, T., Laakkonen, H., Michaelides, S., While, G. M., Coulon, A. and Aubret, F. 2019. Genetic differentiation predicts body size divergence between island and mainland populations of common wall lizards (*Podarcis muralis*). *Biological Journal of the Linnean Society*, 127: 771-786.  
 Ulmasov, K. A., Shammakov, S., Karaev, K. and Evgen'ev, M. B. 1992. Heat shock proteins and thermoresistance in lizards. *Proceedings of the National Academy of Sciences, USA*, 89: 1666-1670.  
 Ulmasov, K. A., Zatsepina, O., Molodtsov, V. and Evgen'ev, M. 1999. Natural body temperature and kinetics of heat-shock protein synthesis in the toad-headed agamid lizard *Phrynocephalus interscapularis*. *Amphibia-Reptilia*, 20: 1-9.  
 Urbina-Cardona, N. J. 2011. Amphibian and reptile diversity and endemism patterns along Andean gradients in Colombia: possible responses to climate change. *Revista Facultad de Ciencias Basicas* 7: 74-91.  
 Urbina-Cardona, J. N. and Flores-Villela, O. 2010. Ecological-niche modeling and prioritization of conservation-area networks for Mexican herpetofauna. *Conservation Biology* 24: 1031-1041.  
 Urbina-Cardona, J. N., Olivares-Perez, M. and Reynoso, V. H. 2006. Herpetofauna diversity and microenvironment correlates across a pasture-edge-interior ecotone in tropical rainforest fragments in the Los Tuxtlas Biosphere Reserve of Veracruz, Mexico. *Biological Conservation* 132: 61-75.  
 Urbina-Cardona, J. N., Olivares-Perez, M. and Reynoso, V. H. 2006. Herpetofauna diversity and microenvironment correlates across a pasture-edge-interior ecotone in tropical rainforest fragments in the Los Tuxtlas Biosphere Reserve of Veracruz, Mexico. *Biological Conservation*, 132: 61-75.  
 Uribe, M. C., Portales, G. L. B. and Guillette, L. J. 1996. Ovarian folliculogenesis in the oviparous Mexican lizard, *Ctenosaura pectinata*. *Journal of Morphology* 230: 99-112.  
 Urosevic, A., Ljubisavljevic, K., Tomovic, L., Krizmanic, I., Ajtic, R., Simovic, A., Labus, N., Jovic, D., Golubovic, A., Andelkovic, M. and Dzukic, G. 2015. Contribution to the knowledge of distribution and diversity of lacertid lizards in Serbia. *Ecologica Montenegrina* 2: 197-227.  
 Urra, F. A., Diaz, H. A., Werning, H., Eisenberg, T. and Troncoso-Palacios, J. 2017. *Phymaturus vociferator* Pincheira-Donoso, 2004 (Squamata: Liolaemidae): new records and updated geographic distribution. *Check List* 13: 2137.  
 Uriaga, L. M. V. B. 2017. Fisiología termica e vulnerabilidad dos lagartos da Amazonia (Reptilia: Squamata) frente as mudanças climáticas. MSc. Thesis, Universidade Federal do Para.  
 Uzum, N., Ilgaz, C., Kumultas, Y., Gumus, C. and Avci, A. 2014. The body size, age structure, and growth of Bosci's fringe-toed lizard, *Acanthodactylus boskianus* (Daudin, 1802). *Turkish Journal of Zoology* 38: 383-388.  
 Uzum, N., Avci, A., Kumultas, Y., Beser, N. and Ilgaz, C. 2015. The first record of age structure and body size of the Suphan Racerunner, *Eremias suphani* Basoglu & Hellmich, 1968. *Turkish Journal of Zoology* 39: 513-518.  
 Uzum, N., Ilgaz, C., Avci, A., Candan, K., Guler, H. and Kumultas, Y. 2018. Comparison of the body size and age structure of Lebanon lizard, *Phoenicolacerta laevis* (Gray, 1838) at different altitudes in Turkey. *Vertebrate Zoology* 15: 1-10.  
 Uzzell, T. M. and Barry, J. C. 1971. *Leposoma percarinatum*, a unisexual species related to *L. guianense*; and *Leposoma ioanna*, a new species from Pacific Coastal Colombia (Sauria, Teiidae). *Postilla* 154: 1-39.  
 Uzzell, T. M. 1958. Teiid lizards related to *Proctoporus luctuosus*, with the description of a new species from Venezuela. *Occasional Papers of the Museum of Zoology, University of Michigan* 597: 1-15.  
 Uzzell, T. M. 1966. Teiid lizards of the genus *Neusticurus* (Reptilia, Sauria). *Bulletin of the American Museum of Natural History* 132: 277-328.  
 Uzzell, T. M. 1970. Teiid lizards of the genus *Proctoporus* from Bolivia and Peru. *Postilla* 142: 1-39.  
 Uzzell, T. M. 1973. A revision of the genus *Prionodactylus* with a new genus for *P. leucoictius* and notes on the genus *Euspondylus* (Sauria, Teiidae). *Postilla* 159: 1-67.  
 Vacher, J. . and Wendling, T. 2019. An unusual case of predation of the western green lizard *Lacerta bilineata* Daudin, 1802 (Reptilia: Lacertidae) on the slow worm *Anguis fragilis* Linnaeus, 1758 (Reptilia: Anguidae). *Herpetology* 45: 1-10.  
 Valakos, E. 1986. The feeding ecology of *Podarcis erhardii* (Reptilia - Lacertidae) in a main insular ecosystem. *Herpetological Journal* 1: 118-121.  
 Valakos, E. 1987. The food of some Lacertidae in the insular ecosystems of the Aegean. Pages 407-410 in Proceedings of the 4th Meeting of the Societas Europaea Herpetologica Nijemegen.  
 Valakos, E. D. 1989. Thermal ecology of *Cyrtodactylus kotschyi* (Steindachner, 1870) (Sauria - Gekkonidae) in the insular ecosystems of the Aegean. *Herpetological Journal* 1: 396-399.  
 Valakos, E. and Mylonas, M. 1992. Distribution and ecological aspects of the herpetofauna of Strofades islands (ionian Arcipelago, Greece). *Herpetozoa* 5 : 33-39.  
 Valakos, E. and Papapanagiotou, D. 1985. The herpetofauna of Kastellorizo (Megisti) island (SE Aegean Archipelago). *British Herpetological Society Bulletin* 13: 9-12.  
 Valakos, E. D. and Polymeni, R. M. 1990. The food of *Cyrtodactylus kotschyi* (Steindachner, 1870) (Sauria - Gekkonidae) during the wet season in the mediterranean insular ecosystem of the Aegean. *Herpetological Journal* 1: 474-477.

- Valakos and Vlachopanos 1987  
 Valakos and Vlachopanos 1989  
 Valakos et al. 1997
- Valakos et al. 2004  
 Valakos et al. 2008  
 Valdecantos et al. 2012  
 Valdecantos et al. 2013  
 Valdecantos et al. 2019  
 Valdeon et al. 2013
- Valdez et al. 2011  
 Valdez et al. 2019  
 Valdez-Gonzalez and Ramirez-Bautista 2002  
 Valdez-Villavicencio and Galina-Tessaro 2014  
 Valdez-Villavicencio and Peralta-Garcia 2012  
 Valdujo and Nogueira 2001  
 Valencia-Zuleta et al. 2014
- Valido and Nogales 2003  
 Valido and Olesen 2019  
 Valverde 1958  
 van Berkum 1986  
 van Berkum 1988  
 van Berkum et al. 1986  
 van Buurt 2005  
 Van Damme and Vanhooydonck 2001  
 Van Damme and Vanhooydonck 2002  
 Van Damme et al. 1989  
 Van Damme et al. 1991  
 Van Den Berg 2017  
 van den Burg et al. 2018  
 Van Denburgh 1922  
 Van Denburgh and Slevin 1921  
 van der Kooij 2001a  
 van der Kooij 2001b  
 van der Kooij 2001c  
 van der Kooij 2001d  
 van der Meer et al. 2010  
 van der Reijden 2008  
 Van Der Winden et al. 1995  
 van Devender 1978  
 Van Devender 1982
- Van Devender 1983  
 Van Huyssteen and Petford 2018  
 van Rooijen et al. 2011  
 van Schingen and Ziegler 2014  
 van Schingen et al. 2014a
- Van Schingen et al. 2014b  
 Van Schingen et al. 2015a  
 van Schingen et al. 2015b  
 van Schingen et al. 2016a
- van Schingen et al. 2016b
- Valakos, E. and Vlachopanos, A. 1987. The feeding ecology of *Cyrtodactylus kotschy* in an insular ecosystem of the Aegean. Pages 411-414 in Proceedings of the 4th Meeting of the Societas Europaea Herpetologica Nijemegen.
- Valakos, E. and Vlachopanos, A. 1989. Note on the ecology of *Cyrtodactylus kotschy* in an insular ecosystem of the Aegean. *Biologia Gallo-Hellenica* 15: 179-184.
- Valakos, E. D., Adamopoulou, C., Maragou, P. and Mylonas, M. 1997. The food of *Podarcis milensis* and *Podarcis erhardii* in the insular ecosystems of the Aegean. Pages 373-381 in Boehme, W., Bischoff, W. & T. Ziegler (editors): *Herpetologica Bonnensis*, Bonn.
- Valakos, S. D., Dimaki, M. and Pafilis, P. 2004. Natural history of Lesvos reptiles and amphibians. National and Kapodistrian University of Athens, Mytilene.
- Valakos, E. D., Pafilis, P., Sotiropoulos, K., Lymberakis, P., Maragou, P. and Foufopoulos, J. 2008. The amphibians and reptiles of Greece. Edition Chimaira, Frankfurt Am Main.
- Valdecantos, M. S., Arias, F. and Espinoza, R. E. 2012. Herbivory in *Liolemaus poecilochromus*, a small, cold-climate lizard from the Andes of Argentina. *Copeia* 2012: 203-210.
- Valdecantos, S., Martinez, V., Lobo, F. and Cruz, F. B. 2013. Thermal biology of *Liolemaus* lizards from the high Andes: Being efficient despite adversity. *Journal of Thermal Biology* 38: 126-134.
- Valdecantos, S., Lobo, F., Perotti, M. G., Azocar, D. L. M. and Cruz, F. B. 2019. Sexual size dimorphism, allometry and fecundity in a lineage of South American viviparous lizards (*Liolemaidae*: *Phymaturus*). *Zoologischer Anzeiger*
- Valdeon, A., Castilla, A. M., Cogniceanu, D., Gosa, A., Alkuwary, A., Saifelnasr, E. O. H., Naumann, E., Mas-Peinado, P., Richer, R. and Al-Hemaidi, A. A. M. 2013. On the presence and distribution of the Gulf sand gecko, *Pseudoceramodactylus khobarensis* Haas, 1957 (Reptilia: Squamata: Gekkonidae) in Qatar. *QScience Connect* 2013.34 <http://dx.doi.org/10.5339/2013.34>.
- Valdez, M. V. G., Chamut, S., Jaen, G. V., Arce, O. E. A. and Manes, M. E. 2011. Dynamics of ovarian follicles in *Tupinambis merianae* lizards. *Acta Herpetologica* 6: 303-313.
- Valdez, F., Ales, R. G., Acosta, J. C., Corrales, L., Fernandez, R., Acosta, R., Martinez, T. A. and Blanco, G. 2019. *Homonota horrida* (South American marked gecko). Aquatic locomotion. *Herpetological Review* 50: 374.
- Valdez-Gonzalez, M. A. and Ramirez-Bautista, A. 2002. Reproductive characteristics of the spiny lizards, *Sceloporus horridus* and *Sceloporus spinosus* (Squamata: Phrynosomatidae) from Mexico. *Journal of Herpetology* 36: 36-43.
- Valdez-Villavicencio, J. H. and Galina-Tessaro, P. 2014. *Elgaria paucicarinata* (San Lucan alligator lizard). Field and preferred body temperatures. *Herpetological Review* 45: 495.
- Valdez-Villavicencio, J. H. and Peralta-Garcia, A. 2012. *Sceloporus clarkii* (Clark's spiny lizard). Body temperature. *Herpetological Review* 43: 651.
- Valdujo, P. H. and Nogueira, C. 2001. New records of squamate reptiles in the central Brazilian Cerrado: Emas National Park region. *Herpetological Review*, 32: 128-129.
- Valencia-Zuleta, A., Jaramillo-Martinez, A. F., Echeverry-Bocanegra, A., Viafara-Vega, R., Hernandez-Cordoba, O., Cardona-Botero, V. E., Gutierrez-Zuniga, J. and Castro-Herrera, F. 2014. Conservation status of the herpetofauna, protected areas, and current problems in Valle del Cauca, Colombia. *Amphibian & Reptile Conservation* 8: 1-18.
- Valido, A. and Nogales, M. 2003. Digestive ecology of two omnivorous Canarian lizard species (*Gallotia*, *Lacertidae*). *Amphibia-Reptilia* 24: 331-344.
- Valido, A. and Olesen, J. M. 2019. Frugivory and seed dispersal by lizards: a global review. *Frontiers in Ecology and Evolution*, 7: 49.
- Valverde, J. A. 1958. Una nueva lagartija del genero *Algyrodes* Bribon, procedente de la Sierra de Cazorla (Sur de Espana). *Archivos del Instituto de Aclimatacion*, Almeria 7: 127-134.
- van Berkum, F. H. 1986. Evolutionary patterns of the thermal sensitivity of sprint speed in *Anolis* lizards. *Evolution* 40: 594-604.
- van Berkum, F. H. 1988. Latitudinal patterns of the thermal sensitivity of sprint speed in lizards. *The American Naturalist*, 132: 327-343.
- van Berkum, F. H., Huey, R. B. and Adams, B. A. 1986. Physiological consequences of thermoregulation in a tropical lizard (*Ameiva festiva*). *Physiological Zoology* 59: 464-472.
- van Buurt, G. 2005. Field guide to the reptiles and amphibians of Aruba, Curacao and Bonaire. *Serpents Tale*, Frankfurt.
- Van Damme, R. and Vanhooydonck, B. 2001. Origins of interspecific variation in lizard sprint capacity. *Functional Ecology* 15: 186-202.
- Van Damme, R. and Vanhooydonck, B. 2002. Speed versus manoeuvrability: association between vertebral number and habitat structure in lacertid lizards. *Journal of Zoology* 258: 327-334.
- Van Damme, R., Bauwens, D., Castilla, A. and Verheyen, R. F. 1989. Altitudinal variation of the thermal biology and running performance in the lizard *Podarcis tiliguerta*. *Oecologia* 80: 516-524.
- Van Damme, R., Bauwens, D. and Verheyen, R. F. 1991. The thermal dependence of feeding behavior, food consumption and gut-passage time in the lizard *Lacerta vivipara* Jaquin. *Functional Ecology* 5: 507-517.
- Van Den Berg, M. 2017. An annotated bibliographic history of *ichnotropis* Peters, 1854 (Reptilia, Lacertidae) with remarks on the validity of some of the including species. L@CERTIDAE (Eidechsen Online) 4: 61-138.
- van den Burg, M. P., Madden, H., van Wagenveld, T. P. and Buma, C. 2018. Anthropogenic mortality in the critically endangered Lesser Antillean iguana (*Iguana delicatissima*) on St. Eustatius. *IRCF Reptiles & Amphibians* 25: 120-
- Van Denburgh, J. 1922. The reptiles of western North America. Volume i. Lizards. *Occasional Papers of the California Academy of Sciences* 10: 1-612.
- Van Denburgh, J. and Slevin, J. R. 1921. Preliminary diagnoses of more new species of reptiles from islands in the gulf of California, Mexico. *Proceedings of the California Academy of Sciences* 11: 395-398.
- van der Kooij, J. 2001. The herpetofauna of the Sultanate of Oman. Part 1: The amphibians, worm lizards, agamas and chameleons. *Podarcis* 1: 70-82.
- van der Kooij, J. 2001. The herpetofauna of the Sultanate of Oman. Part 2: the geckoes. *Podarcis* 1: 105-120.
- van der Kooij, J. 2001. The herpetofauna of the Sultanate of Oman. Part 3: the true lizards, skinks and monitor lizards. *Podarcis* 2: 15-26.
- van der Kooij, J. 2001. The herpetofauna of the Sultanate of Oman. Part 4: checklist of the reptiles and amphibians of Oman, and Bibliography. *Podarcis* 2: 93-102.
- van der Meer, M. H., Whiting, M. J. and Branch, W. R. 2010. Ecology of southern African Sandveld lizards (Lacertidae, *Nucras*). *Copeia* 2010: 568-577.
- van der Reijden, J. 2008. The captive maintenance and breeding of *Diporiphora winnecke* (Cane grass dragon) at the Alice Springs Desert Park. *Australian Society of Zoo Keeping* iNC. Special Publication.
- Van Der Winden, J., Strijbosch, H. and Bogaerts S. 1995. Habitat related disruptive pattern distribution in the polymorphic lizard *Mabuya vittata*. *Acta Oecologia* 16: 423-430.
- van Devender, R. W. 1978. Growth ecology of a tropical lizard, *Basiliscus basiliscus*. *Ecology*, 59: 1031-1038.
- Van Devender, R. W. 1982. Growth and ecology of spiny-tailed and green iguanas in Costa Rica, with comments on the evolution of herbivory and large body size. Pages 162-183 in G. M. Burghardt and A. S. Rand, editors. *Iguanas of the world: their behavior, ecology and conservation*. Noyes Publications, Park Ridge, New Jersey.
- Van Devender, R. W. 1983. *Basiliscus basiliscus* (Chisbala, Garrobo, Basilisk, Jesus Christ lizard). Pages 379-380 in Janzen, D. H. editor. *Costa Rican Natural History*. University of Chicago Press, Chicago.
- Van Huyssteen, R. and Petford, M. 2018. *Lamprophis guttatus*, (A. Smith 1844), spotted house snake. Diet. *African Herp News* 67: 26-27.
- van Rooijen, J., Onn, C. K., Grismer, L. L. and Ahmad, N. 2011. Estimating the herpetofaunal species richness of Pangkor island, Peninsular Malaysia. *Bonn Zoological Bulletin* 60: 3-8.
- van Schingen, M., Ihlow, F., Nguyen, T. Q., Ziegler, T., Bonkowski, M., Wu, Z. and Rodder, D. 2014. Potential distribution and effectiveness of the protected area network for the crocodile lizard, *Shinisaurus crocodilurus* (Reptilia: Squamata: Sauria). *Salamandra* 50: 71-76.
- Van Schingen, M., Pham, C. T., Thi, H. A., Bernardes, M., Hecht, V., Nguyen, T. Q., Bonkowski, M. and Ziegler, T. 2014. Current status of the Crocodile Lizard *Shinisaurus crocodilurus* Ahl, 1930 in Vietnam with implications for conservation measures. *Revue suisse de Zoologie* 121: 425-439.
- Van Schingen, M., Pha, C. T., Thi, H. A., Nguyen, T. Q., Bernardes, M., Bonkowski, M. and Ziegler, T. 2015. First ecological assessment of the endangered crocodile lizard, *Shinisaurus crocodilurus*, Ahl, 1930 in Vietnam: microhabitat characterization and habitat selection. *Herpetological Conservation and Biology* 10: 948-958.
- van Schingen, M., Schepp, U., Pham, C. T., Nguyen, T. Q. and Ziegler, T. 2015. Last chance to see? A review of the threats to and use of the crocodile lizard. *Traffic Bulletin* 27: 19-26.
- van Schingen, M., Ha, Q. Q., Cuong The Pham, Le, T. Q., Nguyen, T. Q., Bonkowski, M. and Ziegler, T. 2016. Discovery of a new crocodile lizard population in Vietnam: Population trends, future prognoses and identification of key habitats for conservation. *Revue Suisse de Zoologie*, 123: 241-251.
- van Schingen, M., Le, M. D., Ngo, H. T., Pham, C. T., Ha, Q. Q., Nguyen, T. Q. and Ziegler, T. 2016. Is there more than one crocodile lizard? An integrative taxonomic approach reveals Vietnamese and Chinese *Shinisaurus crocodilurus* represent separate conservation and taxonomic units. *Der Zoologische Garten* 85: 240-260.

- Van Sluys et al. 2004a
- Van Sluys et al. 2004b
- Van Sluys et al. 2010
- van Wagensveld and Kluskens 2017
- Van Wilgen and Richardson 2012
- van Wilgen et al. 2018
- van Winkel et al. 2019
- Van Wyk 1991
- van Wyk 1994
- Van Wyk and Mouton 1996
- van Wyk and Mouton 1998
- Vance 1978
- Vanderduys 2016
- Vanderduys 2017
- Vanderduys et al. 2011
- Vanegas-Guerrero et al. 2015a
- Vanegas-Guerrero et al. 2015b
- Vanhooydonck and Van Damme 1999
- Vanhooydonck et al. 2009
- Vanhooydonck et al. 2010
- Vanhooydonck et al. 2015
- Vanzolini 1961
- Vanzolini 1974
- Vanzolini 1978
- Vanzolini 1982
- Vanzolini 1983
- Vanzolini 1991a
- Vanzolini 1991b
- Vanzolini 1995
- Vanzolini 1996
- Vanzolini 2002
- Vanzolini 2005
- Vanzolini and Reboucas-Spieker 1976
- Vanzolini and Williams 1970
- Vanzolini et al. 1980
- Varon 2017
- Vasconcelos and Carranza 2014
- Vasconcelos et al. 2012a
- Vasconcelos et al. 2012b
- Vasconcelos et al. 2013
- Vasconcelos et al. 2019
- Vasquez-Restrepo 2018
- Vasquez-Restrepo and Lapwong 2018
- Vassilieva et al. 2016
- Vaz Pinto et al. 2019
- Vaz-Ferreira and Sierra de Soriano 1961
- Veeranagoudar et al. 2010a
- Veeranagoudar et al. 2010b
- Vega 2001
- Vega and Bellagamba 2004
- Vega et al. 2000
- Van Sluys, M., Ferreira, V. M. and Rocha, C. F. D. 2004. Natural history of the lizard *Enyalius brasiliensis* (Lesson, 1828) (Leiosauridae) from an atlantic forest of southeastern Brazil. *Brazilian Journal of Biology*, 64: 353-356.
- Van Sluys, M., Rocha, C. F. D., Vrcibradic, D., Galdino, C. A. B. and Fontes, A. F. 2004. Diet, activity, and microhabitat use of two syntopic *Tropidurus* species (Lacertilia: Tropiduridae) in Minas Gerais, Brazil. *Journal of Herpetology*, 38: 117-126.
- Van Sluys, M., Martelotte, S. B., Kiefer, M. C. and Rocha, C. F. D. 2010. Reproduction in neotropical *Tropidurus* lizards (Tropiduridae): evaluating the effect of environmental factors on *T. torquatus*. *Amphibia-Reptilia* 31: 117-126.
- van Wagensveld, T. and Kluskens, B. 2017. Guide to the monitoring of reptiles and amphibians of St. Eustatius. RAVON, Reptile Amphibian & Fish Conservation the Netherlands.
- Van Wilgen, N. J. and Richardson, D. M. 2012. The roles of climate, phylogenetic relatedness, introduction effort, and reproductive traits in the establishment of non-native reptiles and amphibians. *Conservation Biology* 26: 267-277.
- van Wilgen, N. J., Gillespie, M. S., Richardson, D. M. and Measey, J. 2018. A taxonomically and geographically constrained information base limits non-native reptile and amphibian risk assessment: a systematic review. *PeerJ* 6: e4392.
- van Winkel, D., Baling, M. and Hitchmough, R. 2019. Reptiles and amphibians of New Zealand. A field guide. Auckland University Press, Auckland.
- Van Wyk, J. H. 1991. Biennial reproduction in the female viviparous lizard *Cordylus giganteus*. *Amphibia-Reptilia* 12: 329-342.
- van Wyk, J. H. 1994. Physiological changes during the female reproductive cycle of the viviparous lizard *Cordylus giganteus* (Sauria: Cordylidae). *Herpetologica*, 50: 480-493.
- Van Wyk, J. H. and Mouton, P. Le F. N. 1996. The reproductive cycles of the oviparous lizards *Platysaurus capensis* and *P. minor*: evidence supporting a viviparity-oviparity reversal in the Cordylidae. *Amphibia-Reptilia* 17: 115-129.
- van Wyk, J. H. and Mouton, P. Le F. N. 1998. Reproduction and sexual dimorphism in the montane viviparous lizard, *Pseudocordylus capensis* (Sauria: Cordylidae). *South African Journal of Zoology* 33: 156-165.
- Vance, T. 1978. The identity of *Cnemidophorus vittatus* Boulenger (Reptilia, Lacertilia, Teiidae) with a redescription of the holotype. *Journal of Herpetology* 12: 98-100.
- Vanderduys, E. 2016. A new species of gecko (Squamata: Diplodactylidae: Strophurus) from north Queensland, Australia. *Zootaxa* 4117: 341-358.
- Vanderduys, E. 2017. A new species of gecko (Squamata: Diplodactylidae: Strophurus) from central Queensland, Australia. *Zootaxa* 4347: 316-330.
- Vanderduys, E., Hines, H., Gynther, I., Kutt, A. and Absolon, M. 2011. *Lerista desertorum* – a new skink species for Queensland with notes on other significant herpetofauna records from western Queensland. *Australian Zoologist*, 35: 1512-1514.
- Vanegas-Guerrero, J., Londono-Guarnizo, C. A. and Gomez-Hoyos, D. A. 2015. *Stenocercus bolivarensis* Castro and Ayala, 1982 (Squamata: Tropiduridae): a distribution extension in Quindio (Colombia), three decades after its discovery. *Biota Colombiana* 16: 106-109.
- Vanhooydonck, B. and Van Damme, R. 1999. Evolutionary relationships between body shape and habitat use in lacertid lizards. *Evolutionary Ecology Research*, 1: 785-805.
- Vanhooydonck, B., Meulepas, G., Herrel, A., Boistel, R., Tafforeau, P., Fernandez, V. and Aerts, P. 2009. Ecomorphological analysis of aerial performance in a non-specialized lacertid lizard, *Holaspis guentheri*. *Journal of Experimental Biology* 212: 2475-2482.
- Vanhooydonck, B., Cruz, F. B., Abdala, C. S., Moreno-Azocar, D. L., Bonino, M. F. and Herrel, A. 2010. Sex-specific evolution of bite performance in *Liolaemus* lizards (Iguania: Liolaemidae): the battle of the sexes. *Biological Journal of the Linnean Society* 101: 461-475.
- Vanhooydonck, B., Measey, J., Edwards, S., Makhubo, B., Tolley, K. A. and Herrel, A. 2015. The effects of substratum on locomotor performance in lacertid lizards. *Biological Journal of the Linnean Society* 115: 869-881.
- Vanzolini, P. E. 1961. Bachia: especies Brasileiras e conceito generico (Sauria: Teiidae). *Papeis Avulsos de Zoologia* 14: 193-209.
- Vanzolini, P. E. 1974. Ecological and geographical distribution of lizards in Pernambuco, northeastern Brasil (Sauria). *Papeis Avulsos de Zoologia* 18: 61-90.
- Vanzolini, P. E. 1978. An annotated bibliography of the land and freshwater reptiles of South America (1901-1975) Vol. II. Museu de Zoologia, Universidade de Sao Paulo, Brasil.
- Vanzolini, P. E. 1982. A new *Gymnodactylus* from Minas Gerais, Brasil, with remarks on the genus on the area and on the montane endemisms in Brasil (Sauria, Gekkonidae). *Papeis Avulsos de Zoologia* 34: 403-413.
- Vanzolini, P. E. 1983. Guiano-Brasilian Polychrus: distribution and speciation (Sauria: Iguanidae). Paes 118-131 in Rhodin, A. G. J. and Miyata, K. (Editors). *Advances in herpetology and evolutionary biology*. Museum of Comparative Zoology, Cambridge, Massachusetts, 118-131.
- Vanzolini, P. E. 1991. A third species of *Bronia* Gray, 1865 (Reptilia, Amphisbaenia). *Papeis Avulsos de Zoologia* 37: 379-388.
- Vanzolini, P. E. 1991. Two further new species of *Amphisbaena* from the semi-arid northeast of Brasil (Reptilia, Amphisbaenia). *Papeis Avulsos de Zoologia* 37: 347-361.
- Vanzolini, P. E. 1995. *Neusticurus ocellatus*, 1930: A valid species of teiid lizard from Bolivia. *American Museum Novitates*, 3123: 1-7.
- Vanzolini, P. E. 1996. On slender species of *Amphisbaena* with the description of a new one from northeastern Brasil (Reptilia, Amphisbaenia). *Papeis Avulsos de Zoologia* 39: 293-305.
- Vanzolini, P. E. 2002. An aid to the identification of the South American species of *Amphisbaena* (Squamata, Amphisbaenidae). *Papeis Avulsos de Zoologia* 42: 351-362.
- Vanzolini, P. E. 2005. On *Gymnodactylus amarali* Barbour, 1925, with the description of a new species (Sauria, Gekkonidae). *Anais da Academia Brasileira de Ciencias* 77: 595-611.
- Vanzolini, P. E. and Reboucas-Spieker, R. 1976. Distribution and differentiation of animal along the coast and on continental islands of the state of Sao Paulo, Brazil. 3. Reproductive differences between and within *Mabuya caissara* and *Mabuya macrorhyncha* (Sauria: Scincidae). *Papeis Avulsos de Zoologia* 29: 95-109.
- Vanzolini, P. E. and Williams, E. E. 1970. South American anoles: the geographic differentiation and evolution of the *Anolis chrysoneurus* species group (Sauria, Iguanidae). *Arquivos de Zoologia* 19: 1-298.
- Vanzolini, P. E., Ramos-Costa, A. M. M. and Vitt, L. J. 1980. Reptiles das Caatingas. Academia Brasileira de Ciencias, Rio de Janeiro.
- Varon, G. S. 2017. Características de la nidada y de las crías de *Basiliscus vittatus*. MSc. Thesis, Universidad Autónoma del Estado de Mexico.
- Vasconcelos, R. and Carranza, S. 2014. Systematics and biogeography of *Hemidactylus homoeolepis* Blanford, 1881 (Squamata: Gekkonidae), with the description of a new species from Arabia. *Zootaxa* 3835: 501-527.
- Vasconcelos, R., Brito, J., Carvalho, S. B., Carranza, S. and Harris, D. J. 2012. Identifying priority areas for island endemics using genetic versus specific diversity - the case of terrestrial reptiles of the Cape Verde islands. *Biological Conservation* 153: 276-286.
- Vasconcelos, R., Perera, A., Geniez, P., Harris D. J. and Carranza, S. 2012. An integrative taxonomic revision of the *Tarentola* geckos (Squamata, Phyllodactylidae) of the Cape Verde islands. *Zoological Journal of the Linnean Society* 175: 1-20.
- Vasconcelos, R., Brito, J., Carranza, S. and Harris, D. J. 2013. Review of the distribution and conservation status of the terrestrial reptiles of the Cape Verde islands. *Oryx* 47: 77-87.
- Vasconcelos, L., Bruinje, A. C., Coelho, F. E. A., Tinoco, M. S. and Marques, R. 2019. Full mating repertoire of *Tropidurus hygomi* Reinhardt and Lutken, 1861 on a coastal sand dune habitat in Bahia, Brazil (Squamata: Tropiduridae). *Herpetology Notes*, 12: 353-357.
- Vasquez-Restrepo, J. D. 2018. *Anolis agassizii* Stejneger, 1900. Catalogo de Anfibios y Reptiles de Colombia 1-6.
- Vasquez-Restrepo, J. D. and Lapwong, Y. 2018. Confirming the presence of a fourth species of non-native house gecko of the genus *Hemidactylus* Oken, 1817 (Squamata, Gekkonidae) in Colombia. *Check List* 14: 665-669.
- Vassilieva, A. B., Galoyan, E. A., Poyarkov, N. A. and Geissler, P. 2016. A photographic field guide to the amphibians and reptiles of the lowland monsoon forests of Southern Vietnam. Edition Chimaira, Frankfurt am Mein.
- Vaz Pinto, P., Verissimo, L. and Branch, W. R. 2019. Hiding in the bushes for 110 years: rediscovery of an iconic Angolan gecko (*Afrogecko ansorgii* Boulenger, 1907, Sauria: Gekkonidae). *Amphibian & Reptile Conservation* 13: 29.
- Vaz-Ferreira, R. and Sierra de Soriano, B. 1961. Un nuevo Gekkonidas del Uruguay *Wallsaurus uruguayanus* n. Sp. *Comunicaciones Zoológicas del Museo de Historia Natural de Montevideo*, 5: 1-11.
- Veeranagoudar, D. K., Shanbhag, B. A. and Saidapur, S. K. 2010. A novel thermoregulatory behavior in a gravid rock lizard, *Psammophilus dorsalis*. *Herpetology Notes* 3: 101-103.
- Veeranagoudar, D. K., Shanbhag, B. A. and Saidapur, S. K. 2010. A novel thermoregulatory behaviour in gravid rock lizard, *Psammophilus dorsalis*. *Herpetology Notes* 3: 101-103.
- Vega, L. E. 2001. Reproductive and feeding ecology of the amphisbaenian *Anoplos kingii* in east-central Argentina. *Amphibia-Reptilia*, 22: 447-454.
- Vega, K. E. and Bellagamba, P. J. 2004. Ciclo reproductivo de *Liolaemus gracilis* Bell, 1843 (Iguanidae: Tropidurinae) en las dunas costeras de Buenos Aires, Argentina. *Cuadernos de Herpetología* 18: 3-13.
- Vega, L. E., Bellagamba, P. J. and Fitzgerald, L. A. 2000. Long-term effects of anthropogenic habitat disturbance on a lizard assemblage inhabiting coastal dunes in Argentina. *Canadian Journal of Zoology* 78: 1653-1660.

- Vega et al. 2008  
 Vega et al. 2018  
 Vega-Castillo and Puente-Rolon 2011  
 Velasco and Herrel 2007  
 Velasco et al. 2010  
 Velasco et al. 2016a  
 Velasco et al. 2016b  
 Velasco et al. 2018  
 Velasco et al. 2019  
 Velo-Anton 2019  
 Veludo 2011  
 Vences et al. 1996  
 Vences et al. 2004  
 Venczel 2006  
 Venegas 2005  
 Venegas et al. 2008  
 Venegas et al. 2010  
 Venegas et al. 2011  
 Venegas et al. 2013a  
 Venegas et al. 2013b  
 Venegas et al. 2014  
 Venegas et al. 2016  
 Venugopal 2010a  
 Venugopal 2010b  
 Venugopal 2010c  
 Venugopal 2010d  
 Venugopal 2013  
 Verburgt et al. 2012  
 Verburgt et al. 2015  
 Verdu-Ricoy et al. 2019  
 Vergilov and Kornilev 2019  
 Vergilov and Natchev 2017  
 Vergilov et al. 2016  
 Vergilov et al. 2017  
 Vergilov et al. 2018  
 Vergner 2013  
 Verissimo and Carretero 2009  
 Veron 1969  
 Veron and Heatwole 1970  
 Veron et al. 2016a  
 Veron et al. 2016b  
 Verrastro et al. 2003  
 Vervust 2011  
 Vervust et al. 2007  
 Vervust et al. 2008a  
 Vervust et al. 2008b  
 Vervust et al. 2009a  
 Vervust et al. 2009b  
 Vervust et al. 2010  
 Vervust et al. 2011  
 Verwaijen and Van Damme 2007a  
 Verwaijen and Van Damme 2007b  
 Verwaijen and Van Damme 2008a  
 Verwaijen and Van Damme 2008b  
 Verwaijen and Van Damme 2008c  
 Verwaijen et al. 2002  
 Vial and Stewart 1985  
 Viana and Mendes 2015
- Vega, L. E., Bellagamba, P. J. and Lobo, F. 2008. A new endemic species of Liolaemus (Iguania: Liolaemidae) from the mountain range of Tandilia, Buenos Aires Province, Argentina. *Herpetologica*, 64: 81-91.  
 Vega, L. E., Quinteros, A. S., Stellatelli, O. A., Bellagamba, P. J., Block, C. and Madrid, E. A. 2018. A new species of the Liolaemus alticolor-bribonii group (Iguania: Liolaemidae) from East-central Argentina. *Zootaxa*, 4379: 539-550.  
 Vega-Castillo, S. I. and Puente-Rolon, A. R. 2011. Anolis species. Frugivory. *Herpetological Review* 42: 598-599.  
 Velasco, J. A. and Herrel, A. 2007. Ecomorphology of Anolis lizards of the Choco region in Colombia and comparisons with Greater Antillean ecomorphs. *Biological Journal of the Linnean Society*, 92: 29-39.  
 Velasco, J. A., Gutierrez-Cardenas, P. D. A. and Quintero-Angel, A. 2010. A new species of Anolis of the aequatorialis group (Squamata: iguania) from the central Andes of Colombia. *Herpetological Journal* 20: 231-236.  
 Velasco, J. A., Martinez-Meyer, E., Flores-Villela, O., Garcia, A., Algar, A. C., Kohler, G. and Daza, J. M. 2016. Climatic niche attributes and diversification in Anolis lizards. *Journal of Biogeography* 43: 134-144.  
 Velasco, J. A., Martinez-Meyer, E., Flores-Villela, O., Garcia, A., Algar, A. C., Kohler, G. and Daza, J. M. 2016. Climatic niche attributes and diversification in Anolis lizards. *Journal of Biogeography* 43: 134-144.  
 Velasco, J. A., Martinez-Meyer, E. and Flores-Villela, O. 2018. Climatic niche dynamics and its role in the insular endemism of Anolis lizards. *Evolutionary Biology*, 45: 345-357.  
 Velasco, J. A., Poe, S., Gonzalez-Salazar, C. and Flores-Villela, O. 2019. Solitary ecology as a phenomenon extending beyond insular systems: exaptive evolution in Anolis lizards. *Biology Letters* 15: 20190056.  
 Velo-Anton, G. 2019. Recently isolated Atlantic neighbours: Insular populations of wall lizards (*Podarcis bocagei* and *Podarcis guadarramae*) across the Rías Baixas (Galicia, NW Spain). *Herpetology Notes*, 12: 1157-1163.  
 Veludo, L. B. A. 2011. Ecología de *Anolis meridionalis* (Squamata, Polychrotidae) no Cerrado brasileiro. MSc. Thesis, Universidade de Brasília.  
 Vences, M., Müller-Jung, J., Glaw, F. and Bohme, W. 1996. Review of the *Zonosaurus aeneus* species group, with resurrection of *Zonosaurus subunicolor* (BOETTGER 1881) (Reptilia: Squamata: Gerrhosauridae). *Senckenbergiana*  
 Vences, M., Galan, P. and Vieites, D. R. 2004. Weak expression of reproductive seasonality in a dwarf gecko (*Lygodactylus verticillatus*) from arid southwestern Madagascar. *Journal of Arid Environments* 56: 329-338.  
 Venczel, M. 2006. Lizards from the late Miocene of Polgárdi (W-Hungary). *Nymphæa* 33: 25-38.  
 Venegas, P. J. 2005. Herpetofauna of the equatorial dry forest of Peru: Taxonomy, ecology and biogeography. *Zonas Aridas* 9: 9-24.  
 Venegas, P. J., Townsend, J. H., Koch, C. and Bohme, W. 2008. Two new sympatric species of leaf-toed geckos (Gekkonidae: Phyllodactylus) from the Balsas region of the Upper Maranon Valley, Peru. *Journal of Herpetology*, 42: 250-252.  
 Venegas, P. J., Etchevarria, L. Y., Alvarez, S. C. and Vasquez, D. 2010. *Reptilia*, *Squamata*, *Iguanidae*, *Stenocercus humeralis* Gunther, 1859: First country record, Peru. *Check List* 6: 250-252.  
 Venegas, P. J., Duran, V., Landrau, C. Z. and Lujan, L. 2011. A distinctive new species of wood lizard (*Hoplocercinae*, *Enyalioides*) from the Yanachaga Chemillen National Park in central Peru. *Zootaxa* 3109: 39-48.  
 Venegas, P. J., Duran, V. and Garcia-Burmeo, K. 2013. A new species of arboreal iguanid lizard, genus *Stenocercus* (*Squamata: iguania*), from central Peru. *Zootaxa* 3609: 291-301.  
 Venegas, P. J., Torres-Carvajal, O., Duran, V. and da Queiroz, K. 2013. Two sympatric new species of woodlizards (*Hoplocercinae*, *Enyalioides*) from Cordillera Azul National Park in northeastern Peru. *ZooKeys* 277: 69-90.  
 Venegas, P. J., Echevarria, L. Y. and Alvarez, S. C. 2014. A new species of spiny-tailed iguanid lizard (*Iguania: Stenocercus*) from northwestern Peru. *Zootaxa* 3753: 47-58.  
 Venegas, P. J., Echevarria, L. Y., Garcia-Burmeo, K. and Koch, C. 2016. A new species of iguanid lizard, genus *Stenocercus* (*Squamata: iguania*), from the Central Andes in Peru. *Zootaxa* 4205: 52-64.  
 Venugopal, D. P. 2010. Addendum to An updated and annotated list of Indian lizards (Reptilia: Sauria) based on a review of distribution records and checklists of Indian reptiles. *Journal of Threatened Taxa* 2: 848.  
 Venugopal, D. P. 2010. An updated and annotated list of Indian lizards (Reptilia: Sauria) based on a review of distribution records and checklists of Indian reptiles. *Journal of Threatened Taxa* 2: 725-738.  
 Venugopal, D. P. 2010. Population density estimates of agamid lizards in human-modified habitats of the Western Ghats, India. *Herpetological Journal* 20: 69-76.  
 Venugopal, D. P. 2010. Taxonomic clarity of Indian lizards as a basis for inclusion in checklists: Response to Mirza. *Journal of Threatened Taxa* 2: 899-900.  
 Venugopal, P. D. 2013. Agamid lizards of India: emphasis on distribution and conservation status of endemic and rare species. *Rare Animals of India*, 2013: 62-75.  
 Verburgt, L., van Tonder, H., Bauer, A. M. and Broadley, D. G. 2012. Gekkonidae. *Pachydactylus katanganus* de Witte, 1953 Katanga thick-toed gecko. *African Herp News* 57: 23-26.  
 Verburgt, L., Verburgt, U. K. and Bates, M. F. 2015. Geographic distribution. *Gerrhosauridae Gerrhosaurus auritus* Boettger, 1887 Kalahari plated lizard. *African Herp News* 62: 48-49.  
 Verdu-Ricoy, J., Matla, T., Gregory, M., Lambiris, A., Jordaan, A., Zhao, Z. and Heideman, N. 2019. A comparative analysis of testicular sperm morphology in fossorial and surface-living skinks in South Africa. *Acta Zoologica* 100: 1-10.  
 Vergilov, V. V. and Kornilev, Y. V. 2019. Injuries reflecting intra-and interspecific interactions in the Snake-eyed Skink *Ablepharus kitaibelii* (Bibron & Bory de Saint-Vincent, 1833) (*Squamata: Scincidae*) from Bulgaria. *Herpetozoa*,  
 Vergilov, V. and Natchev, N. 2017. First record of tail bifurcations in the snake-eyed skink *Ablepharus kitaibelii* Bibron & Bory de Saint-Vincent, 1833 from Pastrina hill (northwestern Bulgaria). *Arixius de Miscellania Zoologica*, 15: 1-10.  
 Vergilov, V., Hristov, G., Lukyanov, S., Lambevska, A. and Tzankov, N. 2016. First record of *Ablepharus kitaibelii* (Bibron & Bory de Saint-Vincent, 1833) in Montenegro. *Biharean Biologist* 10: 65-66.  
 Vergilov, V. S., Zlatkov, B. P. and Tzankov, N. D. 2017. Hemipenial differentiation in the closely related congeners *Ablepharus kitaibelii* (Bibron & Bory de Saint-Vincent, 1833), and *Ablepharus budaki* Gocmen, Kumlutas & Tosunoglu, 1996. *Herpetozoa*, 30: 39-48.  
 Vergilov, V., Tzankov, N. and Zlatkov, B. 2018. Age structure and growth in Bulgarian populations of *Ablepharus kitaibelii* (Bibron & Bory de Saint-Vincent, 1833) (*Squamata: Sauria: Scincidae*). *Herpetozoa* 30: 179-185.  
 Vergner, I. 2013. První nález varanovce bornejského ve Východním Kalimantanu a další setkání se vzácným jestřírem. *Ziva*, 2013: 131-133.  
 Verissimo, C. V. and Carretero, M. A. 2009. Preferred temperatures of Podarcis vaucheri from Morocco: intraspecific variation and interspecific comparisons. *Amphibia-Reptilia* 30: 17-23.  
 Veron, J. E. N. 1969. The reproductive cycle of the water skink, *Sphenomorphus quoyii*. *Journal of Herpetology* 3: 55-63.  
 Veron, J. and Heatwole, H. 1970. Temperature relations of the water skink, *Sphenomorphus quoyii*. *Journal of Herpetology* 4: 141-153.  
 Veron, S., Clergeau, P. and Pavoine, S. 2016. Loss and conservation of evolutionary history in the Mediterranean Basin. *BMC Ecology*, 16: 43.  
 Veron, S., Penone, C., Clergeau, P., Costa, G. C., Oliveira, B. F., Sao-Pedro, V. A. and Pavoine, S. 2016. Integrating data-deficient species in analyses of evolutionary history loss. *Ecology and Evolution* 6: 8502-8514.  
 Verrastro, L., Veronese, L., Bujes, C. and Dias Filho, M. M. 2003. A new species of Liolaemus from southern Brazil (Iguania: Tropiduridae). *Herpetologica*, 59: 105-118.  
 Vervust, B. 2011. Lizards on islands: a model system for studying fast phenotypic change. PhD Dissertation, Universiteit Antwerpen.  
 Vervust, B., Grbac, I. and Van Damme, R. 2007. Differences in morphology, performance and behaviour between recently diverged populations of *Podarcis sicula* mirror differences in predation pressure. *Oikos* 116: 1343-1352.  
 Vervust, B., Lailvaux, S., Grbac, I. and Van Damme, R. 2008. Do morphological condition indices predict locomotor performance in the lizard *Podarcis sicula*? *Acta Oecologica* 34: 244-251.  
 Vervust, B., Van Dongen, S., Grbac, I. and Van Damme, R. 2008. Fluctuating asymmetry, stress and physiological performance in island populations of the Italian wall lizard (*Podarcis sicula*). *Journal of Herpetology* 42: 369-377.  
 Vervust, B., Grbac, I., Brecko, J., Tvrkovic, N. and Van Damme, R. 2009. Distribution of reptiles and amphibians in the nature park Lastovo Archipelago: possible underlying biotic and abiotic causes. *Natura Croatica* 18: 113-127.  
 Vervust, B., Van Dongen, S., Grbac, I. and Van Damme, R. 2009. The mystery of the missing toes: extreme levels of natural mutilation in island lizard populations. *Functional Ecology* 23: 996-1003.  
 Vervust, B., Pafilis, P., Valakos, E. D. and Van Damme, R. 2010. Anatomical and physiological changes associated with a recent dietary shift in the lizard *Podarcis sicula*. *Physiological and Biochemical Zoology* 83: 632-642.  
 Vervust, B., Van Loy, H. and Van Damme, R. 2011. Seeing through the lizard's trick: do avian predators avoid autotomous tails? *Central European Journal of Biology* 6: 293-299.  
 Verwaijen, D. and Van Damme, R. 2007. Correlated evolution of thermal characteristics and foraging strategy in lacertid lizards. *Journal of Thermal Biology* 32: 388-395.  
 Verwaijen, D. and Van Damme, R. 2007. Does foraging mode mould morphology in lacertid lizards? *Journal of Evolutionary Biology* 20: 1950-1961.  
 Verwaijen, D. and Van Damme, R. 2008. Foraging mode and its flexibility in lacertid lizards from Europe. *Journal of Herpetology*, 42: 124-133.  
 Verwaijen, D. and Van Damme, R. 2008. Foraging mode and locomotor capacities in Lacertidae. *Amphibia-Reptilia* 29: 197-206.  
 Verwaijen, D. and Van Damme, R. 2008. Wide home ranges for widely foraging lizards. *Zoology* 111: 37-47.  
 Verwaijen, D., Van Damme, R. and Herrel, A. 2002. Relationships between head size, bite force, prey handling efficiency and diet in two sympatric lacertid lizards. *Functional Ecology* 16: 842-850.  
 Vial, J. L. and Stewart, J. R. 1985. The reproductive cycle of *Barisia mонтicola*: A unique variation among viviparous lizards. *Herpetologica*, 41: 51-57.  
 Viana, P. F. and Mendes, D. M. M. 2015. *Crocodylus amazonicus* (crocodile tegu). Diet. *Herpetological Review* 46: 255-256.

- Vicenzi and Massarelli 2018
- Vicenzi et al. 2017
- Vicenzi et al. 2019a
- Vicenzi et al. 2019b
- Vickers and Schwarzkopf 2016
- Victorica et al. 2018
- Vidal and Labra 2008a
- Vidal and Labra 2008b
- Vidal et al. 2002
- Vidal et al. 2005
- Vidal et al. 2006
- Vidal et al. 2007
- Vidal et al. 2009
- Vidan et al. 2017
- Vidan et al. 2019
- Vidanapathirana et al. 2014
- Vieira et al. 2000
- Vieira et al. 2017
- Vieira et al. 2018
- Vigle 2008
- Vignoli et al. 2017
- Vihar et al. 2015
- Villa 1971
- Villa and Delfino 2019
- Villa and Wilson 1988
- Villa et al. 2019 2019
- Villalobos-Juarez et al. 2019
- Villamar-Duque et al. 2019
- Villamil et al. 2017
- Villavicencio et al. 2005
- Villavicencio et al. 2007
- Villegas-Retana et al. 2016
- Villeneuve 2015
- Vincent and Herrel 2007
- Vinciguerra 1927
- Vinciguerra 1931
- Vindum et al. 2003
- Vinegar 1975
- Vinson 1973
- Vinson and Vinson 1969
- Visagie et al. 2002
- Vishwakarma et al. 2019
- Visser 1967
- Visser 1975
- Visser 1987
- Vite-Silva et al. 2010
- Vitt 1974a
- Vitt 1974b
- Vitt 1977
- Vitt 1981
- Vitt 1983
- Vicenzi, N. and Massarelli, R. 2018. *Phymaturus palluma* (high mountain lizard). Diet. *Herpetological Review* 49: 121.
- Vicenzi, N., Massarelli, R., Chamorro, E. and Barros, A. 2017. Highest record for the lizard *Phymaturus palluma* (Squamata: Liolaemidae) in Central Andes, Argentina. *Herpetology Notes*, 10: 373-374.
- Vicenzi, N., Ibarguengoytia, N. and Corbalan, V. 2019. Activity patterns and thermoregulatory behavior of the viviparous lizard *Phymaturus palluma* in Aconcagua Provincial Park, Argentine Andes. *Herpetological Conservation and Biology*, 14: 1-10.
- Vicenzi, N., Kubisch, E., Ibarguengoytia, N. and Corbalan, V. 2018. Thermal sensitivity of performance of *Phymaturus palluma* (Liolaemidae) in the highlands of Aconcagua: vulnerability to global warming in the Andes. *Amphibia-Biology*, 10: 481-490.
- Vickers, M. and Schwarzkopf, L. 2016. A random walk in the park: an individual-based null model for behavioral thermoregulation. *The American Naturalist*, 187: 481-490.
- Victorica, A. V., Acosta, J. C. and Martinez, T. A. 2018. *Pristidactylus cf. scapulatus* (Burmeister's ankle). *Saurophagy*. *Herpetological Review* 49: 539.
- Vidal, M. A. and Labra, A. (editors). 2008. *Herpetología de Chile*. Science Verlag Ediciones. Santiago, Chile.
- Vidal, M. A. and Labra, A. 2008. Dieta de anfibios y reptiles. Pages 453-482 in Vidal, M. A. and Labra, A. (editors). *Herpetología de Chile*. Science Verlag Ediciones. Santiago, Chile.
- Vidal, M. A., Ortiz, J. C. and Labra, A. 2002. Sexual and age differences in ecological variables of the lizard *Microlophus atacamensis* (Tropiduridae) from northern Chile. *Revista Chilena de Historia Natural* 75: 283-292.
- Vidal, M. A., Ortiz, J. C., Ramirez, C. C. and Lambot, M. 2005. Intraspecific variation in morphology and sexual dimorphism in *Liolaemus tenuis* (Tropiduridae). *Amphibia-Reptilia* 26: 343-351.
- Vidal, M. A., Veloso, A. and Mendez, M. A. 2006. Insular morphological divergence in the lizard *Liolaemus pictus* (Liolaemidae). *Amphibia-Reptilia* 27: 103-111.
- Vidal, M. A., Ortiz, J. C. and Labra, A. 2007. Sexual and geographic variation of color patterns in *Liolaemus tenuis* (Squamata, Liolaeminae). *Gayana* 71: 27-33.
- Vidal, M. A., Soto, E. R. and Veloso, A. 2009. Biogeography of Chilean herpetofauna: distributional patterns of species richness and endemism. *Amphibia-Reptilia* 30: 151-171.
- Vidan, E., Roll, U., Bauer, A. M., Grismer, L. L., Guo, P., Maza, E., Novosolov, M., Sindaco, R., Wagner, P., Belmaker, J. and Meiri, S. 2017. The Eurasian hot nightlife - environmental forces associated with nocturnality in lizards. *Global Ecology and Biogeography* 26: 1316-1325, doi: 10.1111/geb.12643.
- Vidan, E., Bauer, A. M., Herrera, F.-C., Chirio, L., Nogueira, C. C., Doan, T. M., Lewin, A., Meirte, D., Nagy, Z., T., Novosolov, M., Pincheira-Donoso, D., Tallowin, O. J., Torres-Carvajal, O., Uetz, P., Wagner, P., Wang, Y., Belmaker, J. and Meiri, S. 2019. The global biogeography of lizard functional groups. *Journal of Biogeography*, 46: 2147-2158, doi: 10.1111/jbi.13667.
- Vidanapathirana, D. R., Rajeev, M. D. G., Wickramasinghe, N., Fernando, S. S. and Wickramasinghe, L. J. M. 2014. *Cnemaspis rammalensis* sp. nov., Sri Lanka's largest day-gecko (Sauria: Gekkonidae: Cnemaspis) from Rammalakanda Man and Biosphere Reserve in southern Sri Lanka. *Zootaxa* 3755: 273-286.
- Vieira, G. H. C., Mesquita, D. O., Kitayama, K. and Colli, G. R. 2000. *Micrablepharus atticolus* Natural History. *Herpetological Review* 31: 241-242.
- Vieira, F. M., Leite, I. H. F., Novelli, I. A., Sousa, B. M., Lima, S. S. and Muniz-Pereira, L. C. 2017. *Urostrophus vautieri* (Brazilian steppe iguana). Endoparasites. *Herpetological Review* 48: 663-664.
- Vieira, R. C., de Oliveira, a. S., Fagundes, N. J. R. and Verrastro, L. 2018. Predation of *Conepatus chinga* (Molina, 1782) (Carnivora, Mephitidae) by *Salvator merianae* (Dumeril and Bibron, 1839) (Squamata, Teiidae) in a field area of the state of Rio Grande do Sul, Brazil. *Herpetology Notes*, 11: 349-351.
- Vigle, G. O. 2008. The amphibians and reptiles of the Estacion Biologica Jatun Sacha in the lowland rainforest of amazonian Ecuador: A 20-year record. *Breviora*, 514: 1-30.
- Vignoli, L., Cinquegraneli, A., Lucidi, G., Luiselli, L. and Salvi, D. 2017. The distribution and diversity of reptiles in a species-rich protected area of Central Italy. *Herpetological Conservation and Biology*, 12: 279-291.
- Vihar, B., Wolf, C., Bohme, W., Fiedler, F. and Baumgartner, W. 2015. Respiratory physiology of the sandfish (Squamata: Scincidae: *Scincus scincus*) with special reference to subharenal breathing. *Salamandra* 51: 326-334.
- Villa, J. 1971. Notes on some Nicaraguan reptiles. *Journal of Herpetology*, 5: 45-48.
- Villa, A. and Delfino, M. 2019. A comparative atlas of the skull osteology of European lizards (Reptilia: Squamata). *Zoological Journal of the Linnean Society*, 187: 829-928.
- Villa, J. D. and Wilson, L. D. 1988. *Celestus bivittatus*. Catalogue of American Amphibians and Reptiles 42: 1-2.
- Villa, A., Kirchner, M., Alba, D. M., Bernardini, F., Bolet, A., Lujan, A. H., Fortuny, J., Hipsley, C. A., Muller, J., Sindaco, R. and Tuniz, C. 2018. Comparative cranial osteology of *Blanus* (Squamata: Amphisbaenia). *Zoological Journal of the Linnean Society* 185: 693-716.
- Villalobos-Juarez, I., Sigala-Rodriguez, J. J. and Ramirez-Bautista, A. 2019. *Sceloporus brownorum* (Brown's bunchgrass lizard). Aquatic escape behavior and flotation. *Herpetological Review* 50: 790.
- Villamar-Duque, T. E., Cruz-Elizalde, R. and Ramirez-Bautista, A. 2019. Reproduction of the bromeliad arboreal alligator lizard, *Abronia taeniata* (Squamata: Anguidae), in a temperate environment of central Mexico. *Salamandra* 55: 1-10.
- Villamil, J., Camargo, A. and Maneyro, R. 2017. Morphological variation and sexual dimorphism in *Liolaemus wiegmannii* (Dumeril & Bibron, 1837) (Squamata: Liolaemidae) from Uruguay. *Acta Herpetologica*, 12: 3-17.
- Villavicencio, H. J., Acosta, J. C. and Canovas, M. G. 2005. Dieta de *Liolaemus ruibali* Donoso Barros (Iguania: Liolaeminae) en la Reserva de usos multiples Don Carmelo, San Juan, Argentina. *Multequina Latin American Journal of Natural Resources* 14: 47-52.
- Villavicencio, H. J., Acosta, J. C., Marinero, J. A. and Canovas, M. G. 2007. Thermal ecology of a population of the lizard, *Liolaemus pseudoanomalus* in western Argentina. *Amphibia-Reptilia* 28: 163-165.
- Villegas-Retana, S. A., Picado-Rossi, A. and Duran-Apuy, A. 2016. Alimentacion de la lagartija *Hemidactylus frenatus* (Squamata: Gekkonidae) en el Parque Nacional isla del Coco, Costa Rica. *Research Journal of the Costa Rican Distance Education University*, 8: 99-101.
- Villeneuve, A. 2015. Habitat selection, behavior, and natural history of the newly described leaf chameleon *Brookesia micra* (Reptilia, Squamata, Chamaeleontidae; Glaw, Kohler, Townsend & Vences, 2012) on Nosy Hara, Madagascar. *Independent Study Project (ISP) Collection*, Paper 2032.
- Vincent, S. E. and Herrel, A. 2007. Functional and ecological correlates of ecologically-based dimorphisms in squamate reptiles. *Integrative and Comparative Biology*, 47: 172-188.
- Vinciguerra, D. 1927. Risultati Zoologici della Missione inviata della R. Società Geografica Italiana per l'Esplorazione dell'Oasi di Giarabub. (1926-1927). Rettili, Batraci e Pesci. *Annali del Museo Civico di Storia Naturale Giacomo Vinciguerra*, D. 1931. Spedizione del Barone Raimondo Franchetti in Dancalia. Rettili, batraci e pesci. *Annali del Museo Civico di Storia Naturale Giacomo Doria* 55: 96-108.
- Vindum, J. V., Win, H., Thin, T., Lwin, K. S., Shein, A. K. and Tun, H. 2003. A new *Calotes* (Squamata: Agamidae) from the indo-Burman range of western Myanmar (Burma). *Proceedings of the California Academy of Sciences* 54: 1-10.
- Vinegar, M. B. 1975. Life history phenomena in two populations of the lizard *Sceloporus undulatus* in southwestern New Mexico. *American Midland Naturalist*, 93: 388-402.
- Vinson, J.-M. 1973. A new skink of the genus *Gongylomorphus* from Macabe forest (Mauritius). *Revue Agricole et Sucrerie*, 52: 39-40.
- Vinson, J. and Vinson, J.-M. 1969. The saurian fauna of the Mascarene islands. *Mauritius Institute Bulletin*, 6: 203-320.
- Visagie, L., Mouton, P. Le F. N. and Flemming, A. F. 2002. Intergroup-movement in a group-living lizard, *Cordylus cataphractus*, from South Africa. *African Journal of Herpetology*, 51: 75-80.
- Vishwakarma, R., Sengupta, D., Gomes, L. and Momin, A. C. 2019. Notes on Kashmire rock agamas, *Laudakia tuberculata* (Gray 1827), from the Kalesar Wildlife Sanctuary in Northern India. *IRCF Reptiles & Amphibians* 26: 75-76.
- Visser, J. D. 1967. Field work in the southwestern Cape. *The Journal of the Herpetological Association of Africa*, 3: 9-12.
- Visser, J. 1975. Oviparity in two South African skinks of the genus *Mabuya*, with notes on hatching. *Zoologica Africana* 10: 212-217.
- Visser, J. 1987. A new Homopholis (Sauria, Gekkonidae) from the northern Transvaal with a discussion of some generic characters. *South African Journal of Zoology* 22: 110-114.
- Vite-Silva, V. D., Ramirez-Bautista, A. and Hernandez-Salinas, U. 2010. Diversity of amphibians and reptiles from the Barranca de Metztitlan Biosphere Reserve in Hidalgo, Mexico. *Revista Mexicana de Biodiversidad* 81: 473-485.
- Vitt, L. J. 1974. Body temperatures of high latitude reptiles. *Copeia*, 1974: 255-256.
- Vitt, L. J. 1974. Reproductive effort and energy comparisons of adults, eggs, and neonates of *Gerrhonotus coeruleus principis*. *Journal of Herpetology*, 8: 165-168.
- Vitt, L. J. 1977. Observations on clutch and egg size and evidence for multiple clutches in some lizards of southwestern United States. *Herpetologica*, 33: 333-338.
- Vitt, L. J. 1981. Lizard reproduction: habitat specificity and constraints on relative clutch mass. *The American Naturalist*, 117: 506-514.
- Vitt, L. J. 1983. Reproduction and sexual dimorphism in the tropical teiid lizard *Cnemidophorus ocellifer*. *Copeia*, 1983: 359-366.

- Vitt 1985  
 Vitt 1986  
 Vitt 1991a  
 Vitt 1991b  
 Vitt 1991c  
 Vitt 1993  
 Vitt 1995  
 Vitt 2000  
 Vitt 2004  
 Vitt and Avila-Pires 1998  
 Vitt and Blackburn 1991  
 Vitt and Breitenbach 1993
- Vitt and Caldwell 1993  
 Vitt and Caldwell 2009  
 Vitt and Caldwell 2013  
 Vitt and Congdon 1978  
 Vitt and Cooper 1985  
 Vitt and Cooper 1986  
 Vitt and Cooper 1989  
 Vitt and de Carvalho 1992
- Vitt and de Carvalho 1995  
 Vitt and Dickson 1988  
 Vitt and Goldberg 1983  
 Vitt and Ohmart 1975  
 Vitt and Pianka 1977  
 Vitt and Pianka 1994  
 Vitt and Pianka 2004
- Vitt and Pianka 2005  
 Vitt and Pianka 2007  
 Vitt and Price 1982  
 Vitt and Seigel 1985  
 Vitt and Zani 1996a  
 Vitt and Zani 1996b  
 Vitt and Zani 1996c  
 Vitt and Zani 1996d  
 Vitt and Zani 1997  
 Vitt and Zani 1998a  
 Vitt and Zani 1998b  
 Vitt and Zani 2005
- Vitt et al. 1978  
 Vitt et al. 1993  
 Vitt et al. 1995a  
 Vitt et al. 1995b  
 Vitt et al. 1996a  
 Vitt et al. 1996b  
 Vitt et al. 1997a  
 Vitt et al. 1997b  
 Vitt et al. 1997c  
 Vitt et al. 1998a  
 Vitt et al. 1998b  
 Vitt et al. 1999  
 Vitt et al. 2000a  
 Vitt et al. 2000b  
 Vitt et al. 2001a  
 Vitt et al. 2001b
- Vitt, L. J. 1985. On the biology of the little known anguid lizard, *Diploglossus lessonae* in northeast Brazil. *Papeis Avulsos de Zoologia*, 36: 69-76.
- Vitt, L. J. 1986. Reproductive tactics of sympatric gekkonid lizards with a comment on the evolutionary and ecological consequences of invariant clutch size. *Copeia* 1986: 773-786.
- Vitt, L. J. 1991. An introduction to the ecology of cerrado lizards. *Journal of Herpetology*, 25: 79-90.
- Vitt, L. J. 1991. Ecology and life history of the scansorial arboreal lizard *Plica plica* (Iguanidae) in Amazonian Brazil. *Canadian Journal of Zoology* 69: 504-511.
- Vitt, L. J. 1991. Ecology and life history of the wide-foraging lizard *Kentropyx calcarata* (Teiidae) in Amazonian Brazil. *Canadian Journal of Zoology* 69: 2791-2799.
- Vitt, L. J. 1993. Ecology of isolated open-formation *Tropidurus* (Reptilia: Tropiduridae) in Amazonian lowland rain forest. *Canadian Journal of Zoology* 71: 2370-2390.
- Vitt, L. J. 1995. The ecology of tropical lizards in the caatinga of northeast Brazil. *Occasional Papers of the Oklahoma Museum of Natural History* 1: 1-29.
- Vitt, L. J. 2000. Ecological consequences of body size in neonatal and small-bodied lizards in the neotropics. *Herpetological Monographs* 14: 388-400.
- Vitt, L. J. 2004. Herbivory and body size in lizards. *Proceedings of the National Academy of Sciences of the United States of America* 101: 16713-16714.
- Vitt, L. J. and Avila-Pires, T. C. S. 1998. Ecology of two sympatric species of *Neusticurus* (Sauria: Gymnophthalmidae) in the western Amazon of Brazil. *Copeia*, 1998: 570-582.
- Vitt, L. J. and Blackburn, D. G. 1991. Ecology and Life History of the viviparous lizard *Mabuya bistrigata* (Scincidae) in the Brazilian Amazon. *Copeia* 1991: 916-927.
- Vitt, L. J. and Breitenbach, G. L. 1993. Life histories and reproductive tactics among lizards in the genus *Cnemidophorus* (Sauria: Teiidae). pages 211-243 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards (Genus Cnemidophorus)*. Oklahoma Museum of Natural History, Norman.
- Vitt, L. J. and Caldwell, J. P. 1993. Ecological observations on cerrado lizards in Rondonia, Brazil. *Journal of Herpetology* 27: 46-52.
- Vitt, L. J. and Caldwell, J. P. 2009. *Herpetology*. 3rd Edition, Academic Press, Burlington.
- Vitt, L. J. and Caldwell, J. P. 2013. *Herpetology*. 4th Edition, Elsevier, London.
- Vitt, L. J. and Congdon, J. D. 1978. Body shape, reproductive effort, and relative clutch mass in lizards: resolution of a paradox. *The American Naturalist* 112: 595-608.
- Vitt, L. J. and Cooper, W. E. 1985. The evolution of sexual dimorphism in the skink *Eumeces laticeps*: an example of sexual selection. *Canadian Journal of Zoology* 63: 995-1002.
- Vitt, L. J. and Cooper, W. E. 1986. Foraging and diet of a diurnal predator (*Eumeces laticeps*) feeding on hidden prey. *Journal of Herpetology*, 20: 408-415.
- Vitt, L. J. and Cooper, W. E. 1989. Maternal care in skinks (*Eumeces*). *Journal of Herpetology*, 23: 29-34.
- Vitt, L. J. and de Carvalho, C. M. 1992. Life in the trees: the ecology and life history of *Kentropyx striatus* (Teiidae) in the lavrado area of Roraima, Brazil, with comments on the life histories of tropical teiid lizards. *Canadian Journal of Zoology* 70: 1995-2006.
- Vitt, L. J. and de Carvalho, C. M. 1995. Niche partitioning in a tropical wet season: lizards in the lavrado area of northern Brazil. *Copeia* 1995: 305-329.
- Vitt, L. J. and Dickson, N. A. 1988. *Urosaurus graciosus*. Catalogue of American Amphibians and Reptiles 448: 1-3.
- Vitt, L. J. and Goldberg, S. R. 1983. Reproductive ecology of two tropical iguanid lizards: *Tropidurus torquatus* and *Platynotus semitaeniatus*. *Copeia*, 1983: 131-141.
- Vitt, L. J. and Ohmart, R. D. 1975. Ecology, reproduction, and reproductive effort of the iguanid lizard *Urosaurus graciosus* on the lower Colorado River. *Herpetologica*, 31: 56-65.
- Vitt, L. J. and Pianka, E. R. 1977. Patterns of niche overlap among broadly sympatric versus narrowly sympatric Kalahari lizards (Scincidae: *Mabuya*). *Ecology* 58: 119-128.
- Vitt, L. J. and Pianka, E. R. 1994. Lizard ecology. Historical and Experimental perspectives. Princeton University Press, Princeton.
- Vitt, L. J. and Pianka, E. R. 2004. Historical patterns in lizard ecology: What teiids can tell us about lacertids. *The biology of lacertid lizards. Evolutionary and Ecological Perspectives* (Perez-Mellado, V., N. Riera & A. Perera, eds.), pp 139-157. Institut Menorqui d'Estudis, Recerca, Colombia.
- Vitt, L. J. and Pianka, E. R. 2005. Deep history impacts present-day ecology and biodiversity. *Proceedings of the National Academy of Sciences of the United States of America* 102: 7877-7881.
- Vitt, L. J. and Pianka, E. R. 2007. Feeding ecology in the natural world. Pages 141-172 in Reilly, S. M., McBrayer, L. B. and Miles, D. B. (editors). *Lizard ecology*. Cambridge University Press, Cambridge.
- Vitt, L. J. and Price, H. J. 1982. Ecological and evolutionary determinants of relative clutch mass in lizards. *Herpetologica*, 38: 237-255.
- Vitt, L. J. and Seigel, R. A. 1985. Life history traits of lizards and snakes. *The American Naturalist*, 125: 480-484.
- Vitt, L. J. and Zani, P. A. 1996. Ecology of the elusive tropical lizard *tropidurus* [=Uracentron] *flaviceps* (Tropiduridae) in lowland rain forest of Ecuador. *Herpetologica*, 52: 121-132.
- Vitt, L. J. and Zani, P. A. 1996. Ecology of the lizard *Ameiva festiva* (Teiidae) in southeastern Nicaragua. *Journal of Herpetology* 30: 110-117.
- Vitt, L. J. and Zani, P. A. 1996. Ecology of the South American lizard *Norops chrysolepis* (Polychrotidae). *Copeia*, 1996: 56-68.
- Vitt, L. J. and Zani, P. A. 1996. Organization of a taxonomically diverse lizard assemblage in Amazonian Ecuador. *Canadian Journal of Zoology* 74: 1313-1335.
- Vitt, L. J. and Zani, P. A. 1997. Ecology of the nocturnal lizard *Thecadactylus rapicauda* (Sauria: Gekkonidae) in the Amazon Region. *Herpetologica*, 53: 165-179.
- Vitt, L. J. and Zani, P. A. 1998. Ecological relationships among sympatric lizards in a transitional forest in the northern Amazon of Brazil. *Journal of Tropical Ecology* 14: 63-86.
- Vitt, L. J. and Zani, P. A. 1998. Prey use among sympatric lizard species in lowland rain forest of Nicaragua. *Journal of Tropical Ecology*, 14 : 537-559.
- Vitt, L. J. and Zani, P. A. 2005. Ecology and reproduction of *Anolis capito* in rain forest of southeastern Nicaragua. *Journal of Herpetology* 39: 36-42.
- Vitt, L. J., Van Loben Sels, R. C. and Ohmart, R. D. 1978. Lizard reproduction: annual variation and environmental correlates in the iguanid lizard *Urosaurus graciosus*. *Herpetologica*, 34: 241-253.
- Vitt, L. J., Zani, P. A., Caldwell, J. P. and Durtsche, R. D. 1993. Ecology of the whiptail lizard *Cnemidophorus deppii* on a tropical beach. *Canadian Journal of Zoology* 71: 2391-2400.
- Vitt, L. J., Zani, P. A. and Durtsche, R. D. 1995. Ecology of the lizard *Norops oxylophus* (Polychrotidae) in lowland forest of south-eastern Nicaragua. *Canadian Journal of Zoology* 73: 1918-1927.
- Vitt, L. J., Zani, P. A., Caldwell, J. P. and Carrillo, E. O. 1995. Ecology of the lizard *Kentropyx pelviceps* (Sauria: Teiidae) in lowland rain forest of Ecuador. *Canadian Journal of Zoology* 73: 691-703.
- Vitt, L. J., Avila-Pires, T. C. S. and Zani, P. A. 1996. Observations on the ecology of the rare Amazonian lizard *Enyalius leechii* (Polychrotidae). *Herpetological Natural History* 4: 77-82.
- Vitt, L. J., Zani, P. A. and Caldwell, J. P. 1996. Behavioral ecology of *Tropidurus hispidus* on isolated rock outcrops in Amazonia. *Journal of Tropical Ecology* 12: 81-101.
- Vitt, L. J., Zani, P. A. and Avila-Pires, T. C. S. 1997. Ecology of the arboreal tropidurid lizard *Tropidurus (=Plica) umbra* in the Amazon region. *Canadian Journal of Zoology* 75: 1876-1882.
- Vitt, L. J., Zani, P. A. and Lima, C. M. 1997. Heliotherms in tropical rain forest: the ecology of *Kentropyx calcarata* (Teiidae) and *Mabuya nigropunctata* (Scincidae) in the Curua-Una of Brazil. *Journal of Tropical Ecology*, 13: 199-
- Vitt, L. J., Zani, P. A., Caldwell, J. P., Araujo, M. C. and Magnusson, W. E. 1997. Ecology of whiptail lizards (Cnemidophorus) in the Amazon region of Brazil. *Copeia* 1997: 745-757.
- Vitt, L. J., Sartorius, S. S., Avila-Pires, T. C. S. and Esposito, M. C. 1998. Use of time, space, and food by the gymnophthalmid lizard *Prionodactylus eigenmanni* from the western Amazon of Brazil. *Canadian Journal of Zoology* 76:
- Vitt, L. J., Zani, P. A., Avila-Pires, T. C. S. and Esposito, M. C. 1998. Geographical ecology of the gymnophthalmid lizard *Neusticurus ecleopinus* in the Amazon rain forest. *Canadian Journal of Zoology* 76: 1671-1680.
- Vitt, L. J., Zani, P. A. and Esposito, M. C. 1999. Historical ecology of Amazonian lizards: implications for community ecology. *Oikos* 87: 286-294.
- Vitt, L. J., Sartorius, S. S., Avila-Pires, T. C. S., Esposito, M. C. and Miles, D. B. 2000. Niche segregation among sympatric Amazonian teiid lizards. *Oecologia* 122: 410-420.
- Vitt, L. J., Souza, R. A., Sartorius, S. S., Avila-Pires, T. C. S. and Esposito, M. C. 2000. Comparative ecology of sympatric *Gonatodes* (Squamata: Gekkonidae) in the western Amazon of Brazil. *Copeia*, 2000: 83-95.
- Vitt, L. J., Sartorius, S. S., Avila-Pires, T. C. S. and Esposito, M. C. 2001. Life at the river's edge: ecology of *Kentropyx altamazonica* in Brazilian Amazonia. *Canadian Journal of Zoology* 79: 1855-1865.
- Vitt, L. J., Sartorius, S. S., Avila-Pires, T. C. S. and Esposito, M. C. 2001. Life on the leaf litter: The ecology of *Anolis nitens tandai* in the Brazilian Amazon. *Copeia*, 2001: 401-412.

- Vitt et al. 2002  
Vitt, L. J., Avila-Pires, T. C. S., Zani, P. A. and Esposito, M. C. 2002. Life in shade: the ecology of *Anolis trachyderma* (Squamata: Polychrotidae) in Amazonian Ecuador and Brazil, with comparisons to ecologically similar anoles. *Copeia*, 2002: 275-286.
- Vitt et al. 2003a  
Vitt, L. J., Avila-Pires, T. C. S., Esposito, M. C., Sartorius, S. S. and Zani, P. A. 2003. Sharing Amazonian rain-forest trees: Ecology of *Anolis punctatus* and *Anolis transversalis* (Squamata: Polychrotidae). *Journal of Herpetology*, 37: 1-10.
- Vitt et al. 2003b  
Vitt, L. J., Avila-Pires, T. C. S., Zani, P. A., Esposito, M. C. and Sartorius, S. S. 2003. Life at the interface: ecology of *Prionodactylus oshaughnessyi* in the western Amazon and comparisons with *P.-argulus* and *P.-eigenmanni*. *Canadian Journal of Zoology* 81: 302-312.
- Vitt et al. 2003c  
Vitt, L. J., Avila-Pires, T. C. S., Zani, P. A., Sartorius, S. S. and Esposito, M. C. 2003. Life above ground: ecology of *Anolis fuscoauratus* in the Amazon rain forest, and comparisons with its nearest relatives. *Canadian Journal of Zoology* 81: 302-312.
- Vitt et al. 2003d  
Vitt, L. J., Pianka, E. R., Cooper, W. E. and Schwenk, K. 2003. History and the global ecology of squamate reptiles. *The American Naturalist* 162: 44-60.
- Vitt et al. 2005  
Vitt, L. J., Sartorius, S. S., Avila-Pires, T. C. S., Zani, P. A. and Esposito, M. C. 2005. Small in A big world: ecology of leaf-litter geckos in New world tropical forests. *Herpetological Monographs*, 19: 137-152.
- Vitt et al. 2007a  
Vitt, L. J., Sartorius, S. S., Avila-Pires, T. C. S., Esposito, M. C., Sartorius, S. S. and Zani, P. A. 2007. Ecology of *Alopoglossus angulatus* and *A. atriventris* (Squamata, Gymnophthalmidae) in western Amazonia. *Phyllomedusa*, 6: 11-21.
- Vitt et al. 2007b  
Vitt, L. J., Avila-Pires, T. C. S., Vieira, G. H. C., Franca, F. G. R. and Colli, G. R. 2007. Living with your food: geckos in termitaria of Cantao. *Journal of Zoology* 272: 321-328.
- Vitt et al. 2008a  
Vitt, L. J., Shepard, D. B., Vieira, G. H. C., Caldwell, J. P., Colli, G. R. and Mesquita, D. O. 2008. Ecology of *Anolis nitens brasiliensis* in Cerrado Woodlands of Cantao. *Copeia* 2008: 144-153.
- Vitt et al. 2008b  
Vitt, L. J., Magnusson, W. E., Avila-Pires, T. C. S. and Lima, A. P. 2008. Guide to the lizards of Reserva Adolpho Ducke, Central Amazonia. Attema, Manaus, 180 pp.
- Vivas et al. 2019  
Vivas, G. L., Robles, C. I., and Halloy, M. 2019. Substrate use and its effect on body temperature in two syntopic *Liolelaemus* lizards in Northwestern Argentina. *Basic and Applied Herpetology* 33: 69-80.
- Vivek et al. 2015  
Vivek, S., Rakesh, K. K. and Sharma, K. K. 2015. Cannibalism in *Ophisops microlepis* (Lacertidae) in Rajasthan, India. *Tropobanica* 7: 53.
- Vogt 1932  
Vogt, T. 1932. Beitrag zur reptilienfauna der ehemaligen kolonie Deutsch-Neuguinea. *Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin* 5-7: 281-294.
- Vogt et al. 2001  
Vogt, S. R., Campbell, E. W., Reed, R. and Rodda, G. H. 2001. New lizard records for the Mariana islands. *Herpetological Review* 32: 127-128.
- Volynchik 2014  
Volynchik, S. 2014. Climate-related variation in body dimensions within four lacertid species. *International Journal of Zoology* 795387: 1-14.
- von May et al. 2019  
von May, R., Biggi, E., Cardenas, H., Diaz, M. I., Alarcon, C., Herrera, V., Santa-Cruz, R., Tomasini, F., Westeen, E. P., Sanchez-Paredes, C. M., Larson, J. G., Title, P. O., Grundler, M. R., Grundler, M. C., Rabosky, A. R. D. and Rabosky, D. L. 2019. Ecological interactions between arthropods and small vertebrates in a lowland Amazon rainforest. *Amphibian & Reptile Conservation* 13: 65-77.
- Vonesh 1998  
Vonesh, J. R. 1998. The amphibians and reptiles of Kibale Forest, Uganda: herpetofaunal survey and ecological study of the forest floor litter community. MSc Thesis, University of Florida.
- Vonesh 2001  
Vonesh, J. R. 2001. Patterns of richness and abundance in a tropical African leaf-litter herpetofauna. *Biotropica* 33: 502-510.
- Voris 2006  
Voris, H. K. 2006. Assessment of biodiversity among Southeast Asian amphibians and reptiles. *The Natural History Journal of Chulalongkorn University* 6: 1-10.
- Voronin and Kudryavtsev 2019  
Voronin, A. N. and Kudryavtsev, S. V. 2019. *Lanthanotus borneensis* (Steindachner, 1878): captive husbandry and breeding. *Russian Journal of Herpetology* 26: 57-62.
- Vrcibradic and Rocha 1996a  
Vrcibradic, D. and Rocha, C. F. D. 1996. Ecological differences in tropical sympatric skinks (*Mabuya agilis* and *Mabuya macrourhyncha*) in southeastern Brazil. *Journal of Herpetology* 30: 60-67.
- Vrcibradic and Rocha 1996b  
Vrcibradic, D. and Rocha, C. F. D. 2004. Field body temperatures of pregnant and nonpregnant females of three species of viviparous skinks (*Mabuya*) from southeastern Brazil. *Journal of Herpetology* 38: 447-451.
- Vrcibradic and Rocha 1998a  
Vrcibradic, D. and Rocha, C. F. D. 1998. Ecology of the skink *Mabuya frenata* in an area of rock outcrops in southeastern Brazil. *Journal of Herpetology* 32: 229-237.
- Vrcibradic and Rocha 1998b  
Vrcibradic, D. and Rocha, C. F. D. 1998. Reproductive cycle and life-history traits of the viviparous skink *Mabuya frenata* in southeastern Brazil. *Copeia* 1998: 612-619.
- Vrcibradic and Rocha 2002a  
Vrcibradic, D. and Rocha, C. F. D. 2002. Ecology of *Mabuya agilis* (Raddi) (*Lacertilia, Scincidae*) at the restinga of Grumari, Rio de Janeiro, southeastern Brazil. *Revista Brasileira de Zoologia* 19 (Suppl. 2): 19-29.
- Vrcibradic and Rocha 2002b  
Vrcibradic, D. and Rocha, C. F. D. 2002. Use of cacti as heat sources by thermoregulating *Mabuya agilis* (Raddi) and *Mabuya macrourhyncha* Hoge (*Lacertilia, Scincidae*) in two restinga habitats in southeastern Brazil. *Revista Brasileira de Zoologia* 19: 77-83.
- Vrcibradic and Rocha 2005  
Vrcibradic, D. and Rocha, C. F. D. 2005. Observations on the natural history of the lizard *Mabuya macrourhyncha* Hoge (*Scincidae*) in Queimada Grande island, Sao Paulo, Brazil. *Revista Brasileira de Zoologia* 22: 1185 -1190.
- Vrcibradic and Rocha 2011  
Vrcibradic, D. and Rocha, C. F. D. 2011. An overview of female reproductive traits in South American *Mabuya* (Squamata, Scincidae), with emphasis on brood size and its correlates. *Journal of Natural History*, 45: 813-825.
- Vrcibradic et al. 2006  
Vrcibradic, D., Almeida-Gomes, M., Borges-Junior, V. N. T., Kiefer, M. C., Van Sluys, M. and Reptilia, Rocha, C. F. D. 2006. *Scincidae*, *Mabuya frenata*: distribution extension. *Check List* 2: 57-58.
- Vrcibradic et al. 2007  
Vrcibradic, D., Rocha, C. F. D. and Rocha-Barbosa, O. 2007. The relationship between body mass and snout-vent length in three species of *Mabuya* from eastern Brazil. *Herpetological Journal* 17: 43-47.
- Vucko 2008  
Vucko, M. J. 2008. The dynamics of water on the skin of Australian carphodactyline and diplodactyline geckos. MSc thesis, James Cook University.
- Vyas 2010  
Vyas, R. 2010. Record of *Lygosoma albopunctata* Gray, 1846 from Vansda forest and comments on its distribution in Gujarat State. *Reptile Rap* 10: 4-5.
- Vyas 2012  
Vyas, R. 2012. Review of "A Contribution to the Herpetology of Northern Pakistan: The Amphibians and Reptiles of Margalla Hills National Park and Surrounding Regions" by Rafiqat Masroor. *Journal of Threatened Taxa* 4: 2670-2671.
- Vyas 2017  
Vyas, R. 2017. Reproduction data on the spotted supple skink, *Lygosoma punctatum* (Gmelin, 1799). *Sauria* 39: 76-78.
- Vyas 2019  
Vyas, R. V. 2019. Notes on keratophagy in four Indian gecko species. *Sauria* 41: 51-54.
- Waddell et al. 2016  
Waddell, E., Whitworth, A. and Macleod, R. 2016. A first test of the thread bobbin tracking technique as a method for studying the ecology of herpetofauna in a tropical rainforest. *Herpetological Conservation and Biology* 11: 61-71.
- Wagner 2007  
Wagner, P. 2007. Studies in African Agama i. On the taxonomic status of *Agama lionotus usambarae* Barbour & Loveridge, 1928. *Herpetozoa* 20: 69-73.
- Wagner 2010a  
Wagner, P. 2010. *Gerrhosaurus bursii*. *Sauria* 32: 2.
- Wagner 2010b  
Wagner, P. 2010. Studies on African Agama VIII. A new subspecies of *Agama caudospinosa* Meek, 1910 (*Sauria: Agamidae*). *Zootaxa* 2715: 36-44.
- Wagner and Bauer 2011  
Wagner, P. and Bauer, A. M. 2011. A new dwarf Agama (*Sauria: Agamidae*) from Ethiopia. *Breviora*, 527: 1-19.
- Wagner and Crochet 2009  
Wagner, P. and Crochet, P-A. 2009. The status of the nomina *Trapelus savignyi* Audouin, 1827 and *Agama savignii* Duméril & Bibron, 1837 and the valid nomen of the Savigny's Agama (*Sauria: Agamidae*). *Zootaxa* 2209: 57-64.
- Wagner et al. 2008a  
Wagner, P., Burmann, A. and Bohme, W. 2008. Studies on African Agama ii - Resurrection of *Agama agama kaimosae* Loveridge, 1935 (Squamata: Agamidae) and elevation to specific rank. *Russian Journal of Herpetology* 15: 1-7.
- Wagner et al. 2008b  
Wagner, P., Krause, P. and Bohme, W. 2008. Studies on African Agama III. Resurrection of *Agama agama turuensis* Loveridge, 1932 (Squamata: Agamidae) from synonymy and elevation to species rank. *Salamandra* 44: 35-42.
- Wagner et al. 2008c  
Wagner, P., Wilms, T. and Schmitz, A. 2008. A second specimen of *Trapelus schmitzi* Wagner & Bohme 2007 (*Sauria: Agamidae*) and the first record from Algeria. *Revue suisse de Zoologie* 115: 491-495.
- Wagner et al. 2009a  
Wagner, P., Barej, M. F. and Schmitz, A. 2009. Studies on African Agama VII. A new species of the *Agama agama*-group (*Linnaeus, 1758*) (*Sauria: Agamidae*) from Cameroon & Gabon, with comments on *Agama mehelyi* Tornier, 1902. *Bonner zoologische Beiträge* 56: 285-297.
- Wagner et al. 2009b  
Wagner, P., Bohme, W., Pauwels, O. S. G. and Schmitz, A. 2009. A review of the African red-flanked skinks of the *Lygosoma fernandi* (Burton, 1836) species group (Squamata: Scincidae) and the role of climate change in their speciation. *Zootaxa* 2050: 1-30.
- Wagner et al. 2009c  
Wagner, P., Glaw, F., Glaw, K. and Bohme, W. 2009. Studies on African Agama iv: First record of *Agama agama* (*Sauria: Agamidae*) from Madagascar and identity of the alien population on Grande Comore island. *Herpetology* 15: 1-7.
- Wagner et al. 2009d  
Wagner, P., Ineich, I., Leache, A. D., Wilms, T. M., Trape, S., Bohme, W. and Schmitz, A. 2009. Studies on African Agama VI. Taxonomic status of the West African Agama (*Sauria: Agamidae*) with prominent tail crests: *Agama boulengeri* Lataste 1886, *Agama insularis* Chabanaud, 1918 and *Agama cristata* Mocquard, 1905. *Bonner Zoologische Beiträge*, 56: 239-253.
- Wagner et al. 2009e  
Wagner, P., Wilms, T. M., Bauer, A. M. and Bohme, W. 2009. Studies on African Agama V. On the origin of *Lacerta agama* Linnaeus, 1758 (Squamata: Agamidae). *Bonner zoologische Beiträge* 56: 215-223.
- Wagner et al. 2011  
Wagner, P., Melville, J., Wilms, T. M. and Schmitz, A. 2011. Opening a box of cryptic taxa – the first review of the North African desert lizards in the *Trapelus mutabilis* Merrem, 1820 complex (Squamata: Agamidae) with descriptions of new taxa. *Zoological Journal of the Linnean Society* 163: 884-912.
- Wagner et al. 2012a  
Wagner, P., Bauer, A. M., Wilms, T. M., Barts, M. and Bohme, W. 2012. Miscellanea Accrodontia: notes on nomenclature, taxonomy and distribution. *Russian Journal of Herpetology* 19: 177-189.

- Wagner et al. 2012b  
Wagner et al. 2012c
- Wagner et al. 2013a  
Wagner et al. 2013b  
Wagner et al. 2014a  
Wagner et al. 2014b  
Wagner et al. 2016
- Wagner et al. 2017  
Wagner et al. 2018a
- Wagner et al. 2018b  
Waiprom et al. 2013  
Wake and Kluge 1961  
Walikanna and Karunaratna 2009  
Walker 1955  
Walker 1981  
Walker 1987  
Walker 2012a  
Walker 2012b  
Walker 2019a  
Walker 2019b  
Walker 2019c  
Walker and Maslin 1981  
Walker et al. 1966  
Walker et al. 1996
- Walker et al. 1997  
Walker et al. 2001
- Walker et al. 2005  
Walker et al. 2012a  
Walker et al. 2012b
- Walker et al. 2015  
Walker et al. 2018
- Walker et al. 2019
- Wall and Shine 2007  
Wall and Shine 2013  
Walley 1958  
Walley 1998  
Walsh et al. 2018  
Waltner 1991  
Wang and Wang 1993  
Wang et al. 1989  
Wang et al. 1996  
Wang et al. 1999
- Wang et al. 2002
- Wang et al. 2010  
Wang et al. 2011a  
Wang et al. 2011b  
Wang et al. 2013a  
Wang et al. 2013b  
Wang et al. 2013c
- Wagner, P., Greenbaum, E. and Bauer, A. M. 2012. A new species of the *Acanthocercus atricollis* complex (Squamata: Agamidae) from Zambia. *Salamandra* 48: 21-30.
- Wagner, P., Rodder, D. and Wilms, T. M. 2012. New data on the morphology and natural history of *Tetradactylus ellenbergeri* (Angel, 1922) (Sauria: Gerrhosauridae) and *Trachylepis ivensis* (Bocage, 1879) (Sauria: Scincidae) in northeastern Zambia. *Bonn Zoological Bulletin* 61: 35-40.
- Wagner, P., Leache, A., Mazuch, T. and Bohme, W. 2013. Additions to the lizard diversity of the Horn of Africa: Two new species in the *Agama spinosa* group. *Amphibia-Reptilia* 34: 363-387.
- Wagner, P., Mazuch, T. and Bauer, A. M. 2013. An extraordinary tail – integrative review of the agamid genus *Xenagama*. *Journal of Zoological Systematics and Evolutionary Research* 51: 144-164.
- Wagner, P., Greenbaum, E., Malonza, P. and Branch, B. 2014. Resolving sky island speciation in populations of East African *Adolfus allenii* (Sauria, Lacertidae). *Salamandra* 50: 1-17.
- Wagner, P., Leache, A. D. and Fujita, M. K. 2014. Description of four new West African forest geckos of the *Hemidactylus fasciatus* Gray, 1842 complex, revealed by coalescent species delimitation. *Bonn zoological Bulletin* 63: 1-14.
- Wagner, P., Bauer, A. M., Leviton, A. E., Wilms, T. M. and Bohme, W. 2016. A checklist of the amphibians and reptiles of Afghanistan\* exploring herpetodiversity using biodiversity archives. *Proceedings of the California Academy of Sciences* 62: 457-565.
- Wagner, A. S., Lavallée, A. L., Krynak, K. L., Krynak, T. J. and Snyder, E. B. 2017. *Anolis gemmosus* (gem anole). Sleep-site fidelity. *Herpetological Review* 48: 636.
- Wagner, G. P., Griffith, O. W., Bergmann, P. J., Bello-Hellegouarch, G., Kohlsdorf, T., Bhullar, A. and Siler, C. D. 2018. Are there general laws for digit evolution in squamates? The loss and re-evolution of digits in a clade of fossorial lizards (Brachymeles, Scincinae). *Journal of Morphology* 279: 1104-1119.
- Wagner, P., Greenbaum, E., Bauer, A. M., Kusamba, C. and Leache, A. D. 2018. Lifting the blue-headed veil – integrative taxonomy of the *Acanthocercus atricollis* species complex (Squamata: Agamidae). *Journal of Natural History*, Waiprom, L., Chuaikern, Y., Duengkao, P., Chuaikern, C. and Sriboarod, K. 2013. *Tropidophorus robinsoni* Smith, 1919 (Squamata: Scincidae): new distribution record and map. *Check List* 9: 465-466.
- Wake, D. B. and Kluge, A. G. 1961. The Machris expedition to Tchad, Africa: amphibians and reptiles. *Contributions in Science, Natural History Museum of Los Angeles County* 40: 1-12.
- Walikanna, T. P. and Karunaratna, D. M. S. S. 2009. Notes on ex-situ incubation and hatchlings of *Eutropis carinata* (Schneider, 1801) (Reptilia: Scincidae) from Sri Lanka. *Taprobanica* 1: 63-65.
- Walker, C. F. 1955. Two new lizards of the genus *Lepidophyma* from Tamaulipas. *Occasional Papers of the Museum of Zoology, University of Michigan* 564: 1-10.
- Walker, J. M. 1981. Population structure and reproductive characteristics in *Cnemidophorus parvus* (Lacertilia: Teiidae). *American Midland Naturalist*, 105: 217-224.
- Walker, J. M. 1987. Habitat and population destruction and recovery in the parthenogenetic whiptail lizard, *Cnemidophorus laredoensis* (Sauria: Teiidae) in southern Texas. *Texas Journal of Science*, 39: 81-88.
- Walker, J. M. 2012. *Aspidoscelis cozumela* (isla de Cozumel whiptail). Life history. *Herpetological Review* 43: 328-330.
- Walker, J. M. 2012. *Aspidoscelis rodecki* (Rodeck's whiptail). Life history. *Herpetological Review* 43: 330-332.
- Walker, J. M. 2019. *Aspidoscelis laredoensis* (Laredo striped whiptail). Population structure and reproduction. *Herpetological Review* 50: 365-366.
- Walker, J. M. 2019. *Aspidoscelis lineatissimus duodecimlineatus* (twelve-lined whiptail). Reproduction. *Herpetological Review* 50: 365-366.
- Walker, J. M. 2019. *Aspidoscelis tigris punctilinealis* (Sonoran tiger whiptail). Reproduction. *Herpetological Review* 50: 367-368.
- Walker, J. M. and Maslin, T. P. 1981. Systematics of the Santa Catalina whiptail (*Cnemidophorus catalinensis*) with reference to the superspecies *Cnemidophorus tigris*. *American Midland Naturalist*, 105: 84-92.
- Walker, J. M., Taylor, H. L. and Maslin, T. P. 1966. Morphology and relations of the teiid lizard, *Cnemidophorus ceralbensis*. *Copeia* 1966: 585-588.
- Walker, J. M., Cordes, J. E., Mendoza Quijano, F. and Hernandez Garcia, E. 1996 implications of extraordinary variation in the little striped whiptail lizard, *Cnemidophorus inornatus* Baird (Sauria: Teiidae) in Chihuahua, Mexico. *Journal of Herpetology* 30: 271-275.
- Walker, J. M., Cordes, J. E. and Taylor, H. L. 1997. Parthenogenetic *Cnemidophorus tesselatus* complex: a neotype for diploid *C. tesselatus* (Say, 1823), redescription of the taxon and description of a new triploid species.
- Walker, J. M., Lemos-Espinal, J. A., Cordes, J. E., Taylor, H. L. and Smith, H. M. 2001. Allocation of populations of whiptail Lizards to *septemvittatus* Cope, 1892 (genus *Cnemidophorus*) in Chihuahua, Mexico, and the scalaris problem. *Copeia*, 2001: 747-765.
- Walker, J. M., Lemos-Espinal, J. A. and Smith, H. M. 2005. *Cnemidophorus costatus barrancarum* (Barranca whiptail lizard). Reproduction. *Herpetological Review* 36: 172.
- Walker, J. M., Cordes, J. E., Taylor, H. L. and Manning, G. J. 2012. *Aspidoscelis tesselata* (common checkered whiptail). Northern life history. *Herpetological Review* 43: 479-480.
- Walker, J. M., Sullivan, B. K., Sullivan, K. O., Douglas, M. R. and Douglas, M. E. 2012. Evolutionary, ecological, and morphological distinctiveness of an endemic Arizona lizard, *pai* striped whiptail (*Aspidoscelis pai*). *Herpetological Conservation and Biology* 7: 265-275.
- Walker, J. M., Trauth, S. E. and Cordes, J. E. 2015. *Aspidoscelis laredoensis* (Laredo striped whiptail). Reproduction and life history. *Herpetological Review*, 46: 87-89.
- Walker, J. M., Lemos-Espinal, J. A., Cordes, J. E. and Hobart, H. M. 2018. Abundance, color pattern variation, life cycle, and reproduction of the triploid parthenogenetic lizard *Aspidoscelis uniparens* (Squamata: Teiidae) in Chihuahua, Mexico. *Phylomedusa* 17: 83-99.
- Walker, J. M., Montgomery, C. E. and Shandersky, L. A. 2019. Identity, habitat, and relative abundance of a population of teiid lizards of the genus *Cnemidophorus* in Caribbean Coastal Guna Yala Indigenous Region, Panama. *Herpetological Review* 50: 687-690.
- Wall, M. and Shine, R. 2007. Dangerous food: lacking venom and constriction, how do snake-like lizards (*Lialis burtonis*, Pygopodidae) subdue their lizard prey? *Biological Journal of the Linnean Society*, 91: 719-727.
- Wall, M. and Shine, R. 2013. Ecology and behaviour of Burton's legless lizard (*Lialis burtonis*, Pygopodidae) in tropical Australia. *Asian Herpetological Research*, 4: 9-21.
- Walley, H. D. 1958. A new lacertid lizard from Korea. *Herpetologica*, 14: 203-205.
- Walley, H. D. 1998. *Eumeices anthracinus*. Catalogue of American Amphibians and Reptiles 658: 1-6.
- Walsh, S., Goulet, C. T., Wong, B. B. M. and Chapple, D. G. 2018. Inherent behavioural traits enable a widespread lizard to cope with urban life. *Journal of Zoology* 306: 189-196.
- Waltner, R. C. 1991. Altitudinal ecology of *Agama taurina* Gray in the western Himalayas. *University of Kansas Museum of Natural History Miscellaneous Publications* 83: 1-74.
- Wang, Y. Z. and Wang, H. Z. 1993. Geographic variation and diversity in three species of *Phrynocephalus* in the Tengger Desert, Western China. *Asiatic Herpetological Research* 5: 65-77.
- Wang, G., Fan, Y., Jai, R. X., Li, X. J. and Chan, S. R. 1989. A new species of *Teratoscincus* from Xinjiang, China. *Journal of August 1st Agriculture College* 4 (12): 10-14.
- Wang, Y., Zeng, X., Fang, Z., Liu, Z., Wu, G., Papenfuss, T. and Macey, R. 1996. A new species of the genus *Phrynocephalus*—*Phrynocephalus zetaniensis* (zetangensis) sp. nov. *Zoological Research* 17: 27-29.
- Wang, Y.-Z., Xiao-mao, Z., Zi-li, F., Guan-fu, W., Papenfuss, T. J. and Macey, J. R. 1999. Study on the relationships of classification, phylogenetics and distribution of the Genus *Phrynocephalus* Spp. (Sauria: Agamidae) with the paleogeographical changes during Cenozoic era in Tibet Plateau. *Zoological Research*, 20: 178-185.
- Wang, Y., Zeng, X., Fang, Z., Wu, G., Liu, Z., Papenfuss, T. J. and Macey, J. R. 2002. A valid species of the genus *Phrynocephalus*: *P. putjatia* and a discussion on taxonomy of the *Phrynocephalus hongyuanensis* (Sauria: Agamidae). *Acta Zootaxonomica Sinica* 27: 372-383.
- Wang, Y.-Y., Yang, J.-H. and Cui, R.-F. 2010. A new species of *Goniurosaurus* (Squamata: Eublepharidae) from Yingde, Guangdong Province, China. *Herpetologica*, 66: 229-240.
- Wang, Y., Ji, W., Zhao, W., Yu, N. and Liu, N. 2011. Geographic variation in clutch and egg size for the lizard *Phrynocephalus przewalskii* (Squamata: Agamidae). *Asian Herpetological Research*, 2: 97-102.
- Wang, Z., Xia, Y. and Ji, X. 2011. Clutch frequency affects the offspring size-number trade-off in lizards. *PLoS ONE* 6(1): e16585. doi:10.1371/journal.pone.0016585
- Wang, Y., Yang, J. and Liu, Y. 2013. New distribution records for *Sphenomorphus tonkinensis* (Lacertilia: Scincidae) with notes on its variation and diagnostic characters. *Asiatic Herpetological Research* 4: 147-150.
- Wang, Z., Lu, H., Ma, L. and Ji, X. 2013. Differences in thermal preference and tolerance among three *Phrynocephalus* lizards (Agamidae) with different body sizes and habitat use. *Asian Herpetological Research*, 4: 214-220.
- Wang, Z., Ma, L., Shao, M. and Ji, X. 2013. Differences in incubation length and hatching morphology among five species of oviparous *Phrynocephalus* lizards (Agamidae) from China. *Asian Herpetological Research* 4: 225-232.

- Wang et al. 2015  
 Wang et al. 2016a  
 Wang et al. 2016b  
 Wang et al. 2017a  
 Wang et al. 2017b  
 Wang et al. 2018a  
 Wang et al. 2018b  
 Wang et al. 2018c  
 Wang et al. 2019a  
 Wang et al. 2019b  
 Wang et al. 2019c  
 Wang et al. 2019d  
 Wang et al. 2019e  
 Wanger et al. 2009  
 Wanger et al. 2011  
 Wangyal 2012  
 Wapstra et al. 2001  
 Warburg 1966  
 Warburg 1978a  
 Warburg 1978b  
 Wareham 2005  
 Warheit et al. 1999  
 Warne and Charnov 2008  
 Warne et al. 2012  
 Warner et al. 2008  
 Warrick et al. 1998  
 Wasonga and Malonza 2006  
 Watanabe et al. 2019  
 Watkins 1996  
 Watkins-Colwell et al. 1998  
 Watkins-Colwell et al. 2003  
 Watkins-Colwell et al. 2006  
 Watkins-Colwell et al. 2010  
 Watling et al. 2005  
 Watson 2005  
 Watson and Gough 2012  
 Watson et al. 2014  
 Watt 2002  
 Watts et al. 2019  
 Weavers 1989  
 Webb 1958  
 Webb 1965  
 Webb 1970a  
 Webb 1970b  
 Webb 2006  
 Webb 2008  
 Webb and Axtell 1994  
 Webb and Greer 1969  
 Webb and Shine 1994  
 Webb et al. 1962  
 Webb et al. 1972  
 Webb et al. 2000
- Wang, K., Jiang, K., Pan, G., Hou, M., Siler, C. D. and Che, J. 2015. A new species of *Japalura* (Squamata: Sauria: Agamidae) from Upper Lancang (Mekong) valley of Eastern Tibet, China. *Asian Herpetological Research*, 6: 159-168.
- Wang, K., Jiang, K., Zou, D.-H., Yan, F., Siler, C. D. and Che, J. 2016. Two new species of *Japalura* (Squamata: Agamidae) from the Hengduan Mountain Range, China. *Zoological Research* 37: 41-56.
- Wang, Y.-Y., Wang, J. and Liu, Z.-Y. 2016. Description of a new species of the genus *Ptychozoon* (Squamata: Gekkonidae), representing a new national record of this genus from southern Yunnan Province, China. *Zootaxa* 4084: 406.
- Wang, K., Ren, J., Jiang, K., Yuan, Z., Che, J. and Siler, C. D. 2017. Rediscovery of the enigmatic mountain dragon, *Japalura yulongensis* (Reptilia: Sauria: Agamidae), with notes on its natural history and conservation. *Zootaxa* 4318: 1-10.
- Wang, Z., Ma, L., Shao, M. and Ji, X. 2017. Are viviparous lizards more vulnerable to climate warming because they have evolved reduced body temperature and heat tolerance? *Oecologia*, 185: 573-582.
- Wang, H., Tang, X., Wang, Y., Feng, Y., Pu, P., Men, S., Zhao, Y., Peng, Z. and Chen, Q. 2018. Function of lactate dehydrogenase in cardiac and skeletal muscle of *Phrynocephalus* lizard in relation to high-altitude adaptation. *Asian Herpetological Research* 9: 258-273.
- Wang, K., Jiang, K., Deepak, V., Abhijit, D., Hou, M., Che, J. and Siler, C. D. 2018. On the occurrences of *Japalura kumaonensis* and *Japalura tricarinata* (Reptilia: Sauria: Draconinae) in China. *Herpetologica* 74: 181-190.
- Wang, K., Jiang, K., Wang, Y. F., Poyarkov, N. A., Che, J. and Siler, C. D. 2018. Discovery of *Japalura chapaensis* Bourret, 1937 (Reptilia: Squamata: Agamidae) from Southeast Yunnan Province, China. *Zoological Research*, 39: 105-112.
- Wang, J., Lyu, Z.-T., Yang, C.-Y., Li, Y.-L. and Wang, Y.-Y. 2019. A new species of the genus *Takydromus* (Squamata, Lacertidae) from southwestern Guangdong, China. *ZooKeys* 871: 119-139.
- Wang, K., Che, J., Lin, S., Deepak, V., Aniruddha, D.-R., Jiang, K., Jin, J., Chen, H. and Siler, C. D. 2019. Multilocus phylogeny and revised classification for mountain dragons of the genus *Japalura* s.l. (Reptilia: Agamidae: Draconinae) from Asia. *Zoological Journal of the Linnean Society*, 185: 246-267.
- Wang, K., Ci, P., Jiang, K., Weng, S., Siler, C. D. and Che, J. 2019. Range extension of the rare agamid, *Pseudocalotes austeniana* (Annandale, 1908) (Reptilia, Sauria, Draconinae) in the East Himalaya, with comments on its ontogenetic shift. *Cheek List* 15: 425-433.
- Wang, K., Jiang, K., Ren, J., Zou, D., Wu, J., Che, J. and Siler, C. D. 2019. A new species of dwarf *Japalura* sensu lato (Reptilia: Squamata: Agamidae) from the upper Mekong River in Eastern Tibet, China, with notes on morphological variation, distribution, and conservation of two congeners along the same river. *Zootaxa* 4544: 505-522.
- Wang, X., Li, S., Li, L., Zhang, F., Han, X., Bi, J. and Sun, B. 2019. Thermal-physiological strategies underlying the sympatric occurrence of three desert lizard species. *Asian Herpetological Research*, 10: 190-196.
- Wanger, T. C., Saro, A., Iskandar, D. T., Brook, B. W., Sodhi, N. S., Clough, Y. and Tscharntke, T. 2009. Conservation value of cacao agroforestry for amphibians and reptiles in South-East Asia: combining correlative models with follow-up field experiments. *Journal of Applied Ecology*, 46: 823-832.
- Wanger, T. C., Motzke, I., Saleh, S. and Iskandar, D. T. 2011. The amphibians and reptiles of the Lore Lindu National Park area, central Sulawesi, Indonesia. *Salamandra* 47: 17-29.
- Wangyal, J. T. 2012. New records of snakes and lizards from Bhutan. *Hamadryad* 36: 25-31.
- Wapstra, E., Swain, R. and O'Reilly, J. M. 2001. Geographic variation in age and size at maturity in a small Australian viviparous skink. *Copeia*, 2001: 646-655.
- Warburg, M. R. 1966. On the water economy of several Australian geckos, agamids, and skinks. *Copeia*, 1966: 230-235.
- Warburg, M. R. 1978. Diversity of the herpetofauna in the Mediterranean region of northern Israel. *Journal of Arid Environments* 1: 253-259.
- Warburg, M. R. 1978. Diversity of the herpetofauna in the Mediterranean region of northern Israel. *Journal of Arid Environments*, 1: 253-259.
- Wareham, D. C. 2005. Elsevier's dictionary of herpetological and related terminology. Elsevier Science, New York.
- Warheit, K. I., Forman, J. D., Losos, J. B. and Miles, D. B. 1999. Morphological diversification and adaptive radiation: a comparison of two diverse lizard clades. *Evolution* 53: 1226-1234.
- Warne, R. W. and Charnov, E. L. 2008. Reproductive allometry and the size-number trade-off for lizards. *The American Naturalist* 172: E80-E98.
- Warne, R. W., Gilman, C. A., Garcia, D. A. and Wolf, B. O. 2012. Capital breeding and allocation to life-history demands are highly plastic in lizards. *The American Naturalist*, 180: 130-141.
- Warner, D. A., Bonnet, X., Hobson, K. A. and Shine, R. 2008. Lizards combine stored energy and recently acquired nutrients flexibly to fuel reproduction. *Journal of Animal Ecology* 77: 1242-1249.
- Warrick, G. D., Kato, T. T. and Rose, B. R. 1998. Microhabitat use and home range characteristics of blunt-nosed leopard lizards. *Journal of Herpetology*, 32: 183-191.
- Wasonga, D. V. and Malonza, P. K. 2006. Presence of *Trachylepis dichroma* Gunther, Whiting and Bauer, 2005 (Reptilia: Squamata: Scincidae) in Kenya. *African Journal of Herpetology* 55: 75-78.
- Watanabe, A., Fabre, A. C., Felice, R. N., Maisano, J. A., Muller, J., Herrel, A. and Goswami, A. 2019. Ecomorphological diversification in squamates from conserved pattern of cranial integration. *Proceedings of the National Academy of Sciences, USA* 116: 14688-14697.
- Watkins, G. G. 1996. Proximate causes of sexual size dimorphism in the iguanian lizard *Microlophus occipitalis*. *Ecology*, 77: 1473-1482.
- Watkins-Colwell, G. J., Smith, H. M., Liner, E. A. and Chiszar, D. 1998. *Sceloporus samcolemani*. Catalogue of American Amphibians and Reptiles 675: 1-2.
- Watkins-Colwell, G. J., Smith, H. M. and Chiszar, D. 2003. *Sceloporus slevini*. Catalogue of American Amphibians and Reptiles, 771: 1-6.
- Watkins-Colwell, G. J., Smith, H. M. and Chiszar, D. 2006. *Sceloporus scalaris*. Catalogue of American Amphibians and Reptiles, 814: 1-10.
- Watkins-Colwell, G. J., Dornburg, A., Hawlena, D. and Moore, J. A. 2010. The Amphibians and Reptiles of the 1962-1965 Yale University Prehistoric Expedition to Nubia. *Bulletin of the Peabody Museum of Natural History* 51: 179-200.
- Watling, J. I., Waddle, J. H., Kizirian, D. and Donnelly, M. A. 2005. Reproductive phenology of three lizard species in Costa Rica, with comments on seasonal reproduction of neotropical lizards. *Journal of Herpetology*, 39: 341-348.
- Watson, C. M. 2005. *Eumeces fasciatus* (Five-lined Skink). Hatchlings. *Herpetological Review* 36: 318.
- Watson, C. M. and Gough, L. 2012. The role of temperature in determining distributions and coexistence of three species of *Plestiodon*. *Journal of Thermal Biology* 37: 374-379.
- Watson, C. M., Makowsky, R. and Bagley, J. C. 2014. Reproductive mode evolution in lizards revisited: updated analyses examining geographic, climatic and phylogenetic effects support the cold-climate hypothesis. *Journal of Evolutionary Biology* 27: 2767-2780.
- Watt, C. 2002. *Eulamprus quoyii*. Australian Herpetological Directory, Herpetofauna of North Queensland, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Watts, M. W., Emerson, R. J., Colbert, J. E. and Steen, D. A. 2019. *Ophisaurus ventralis* (eastern glass lizard). Diet. *Herpetological Review* 50: 788.
- Weavers, B. W. 1989. Diet of the lace monitor lizard (*Varanus varius*) in south-eastern Australia. *Australian Zoologist* 25: 83-85.
- Webb, R. G. 1958. The status of the Mexican lizards of the genus *Mabuya*. *University of Kansas Science Bulletin* 38: 1303-1313.
- Webb, R. G. 1965. A new night lizard (Genus *Xantusia*) from Durango, Mexico. *American Museum Novitates* 2231: 1-16.
- Webb, R. G. 1970. Another new night lizard (*Xantusia*) from Durango, Mexico. *Los Angeles County Museum Contributions in Science* 194: 1-10.
- Webb, R. G. 1970. *Gerrhonotus kingii*. Catalogue of American Amphibians and Reptiles 97: 1-4.
- Webb, R. G. 2006. Variation in the crevice spiny lizard, *Sceloporus poindexteri* Baird and Girard. *Bulletin of the Maryland Herpetological Society* 42: 65-114.
- Webb, R. G. 2008. *Sceloporus poinsettii*. Catalogue of American Amphibians and Reptiles, 856: 1-18.
- Webb, R. G. and Axtell, R. W. 1994. The type locality of *Sceloporus torquatus minor* Cope, 1885 (Sauria: Iguanidae). *The Southwestern Naturalist*, 39, No. 1: 40-44.
- Webb, R. G. and Greer, J. K. 1969. Amphibians and reptiles from Malleco Province. *Publications of the Museum, Michigan State University, Biological Series* 4: 193-226.
- Webb, J. and Shine, R. 1994. Feeding habits and reproductive biology of Australian pygopodid lizards of the genus *Aprasia*. *Copeia* 1994: 390-398.
- Webb, R. G., Jones, J. K. and Byers, G. W. 1962. Some reptiles and amphibians from Korea. *University of Kansas, Publications of the Museum of Natural History*, 15: 149-173.
- Webb, G. J. W., Johnson, C. R. and Firth, B. T. 1972. Head-body temperature differences in lizards. *Physiological Zoology* 45: 130-142.
- Webb, J. K., Shine, R., Branch, W. R. and Harlow, P. S. 2000. Life underground: food habits and reproductive biology of two amphisbaenian species from southern Africa. *Journal of Herpetology*, 34: 510-516.

- Webb et al. 2002  
 Weber 1960  
 Weeks 1935  
 Weeks and Espinoza 2013  
 Wegener et al. 2014  
 Wei et al. 2018
- Weijola 2010  
 Weijola 2017  
 Weijola and Sweet 2015  
 Weinell et al. 2017  
 Weintraub 1980  
 Wells 2012  
 Wells and Wellington 1983  
 Wells and Wellington 1985  
 Welsch 1982  
 Welsch 1983  
 Welton et al. 2010  
 Welton et al. 2013  
 Welton et al. 2014  
 Wen et al. 2018  
 Werneck et al. 2009  
 Werler 1949  
 Werler 1951  
 Werler and Campbell 2004  
 Werler and Shannon 1961  
 Wermuth 1967  
 Werneck et al. 2015  
 Werner 1930  
 Werner 1968a  
 Werner 1968b  
 Werner 1969  
 Werner 1971  
 Werner 1973  
 Werner 1976  
 Werner 1980  
 Werner 1982a  
 Werner 1982b  
 Werner 1983  
 Werner 1986a  
 Werner 1986b  
 Werner 1987  
 Werner 1989  
 Werner 1990  
 Werner 1992  
 Werner 1993  
 Werner 1995a  
 Werner 1995b  
 Werner 1998a  
 Werner 1998b  
 Werner 2006  
 Werner 2011  
 Werner 2016
- Webb, R. G., Lemos-Espinal, J. A. and Smith, H. M. 2002. A new subspecies of the lizard *Sceloporus mucronatus* (Sauria, Phrynosomatidae). Bulletin of the Maryland Herpetological Society 38: 1-14.
- Weber, N. A. 1960. Some Iraq amphibians and reptiles with notes on their food habits. Copeia, 1960: 153-154.
- Weeks, C. H. 1935. A review of placentation among reptiles with particular regard to the function and evolution of the placenta. Proceedings of the Zoological Society of London 2: 625-645.
- Weeks, D. M. and Espinoza, R. E. 2013. Lizards on ice: Comparative thermal tolerances of the world's southernmost gecko. Journal of Thermal Biology 38: 225-232.
- Wegener, J. E., Gartner, G. E. A. and Losos, J. B. 2014. Lizard scales in an adaptive radiation: variation in scale number follows climatic and structural habitat diversity in *Anolis* lizards. Biological Journal of the Linnean Society 113:
- Wei, X., Yan, L., Zhao, C., Zhang, Y., Xu, Y., Cai, B., Jiang, N. and Huang, Y. 2018. Geographic variation in body size and its relationship with environmental gradients in the Oriental Garden Lizard, *Calotes versicolor*. Ecology and Evolution 8: 4443-4454.
- Weijola, V. S.-A. 2010. Geographical distribution and habitat use of monitor lizards of the North Moluccas. Biawak, 4: 7-23.
- Weijola, V. 2017. Phylogeny and taxonomy of the Pacific monitor lizards (Squamata: Varanus: Euprepiosaurus).
- Weijola, V. and Sweet, S. S. 2015. A single species of mangrove monitor (Varanus) occupies Amboin, Seram, Buru and Saparua, Moluccas, Indonesia. Amphibian & Reptile Conservation 9: 14-23.
- Weinell, J. L., Portik, D. M. and Bauer, A. M. 2017. Noteworthy records of amphibians and reptiles from Mozambique. African Herp News 65: 3-10.
- Weintraub, J. D. 1980. *Sceloporus occidentalis*. Catalogue of American Amphibians and Reptiles 265: 1-2.
- Wells, R. W. 2012. Some taxonomic and nomenclatural considerations on the Reptilia of Australia: A reclassification of the genus *Lerista* (Scincidae), including the descriptions of New Genera. Australian Biodiversity Record, 1: 1-361.
- Wells, R. W. and Wellington, C. R. 1983. A synopsis of the class Reptilia in Australia. Australian Journal of Herpetology 1: 1-59.
- Wells, R. W. and Wellington, C. R. 1985. A classification of the Amphibia and Reptilia of Australia. Australian Journal of Herpetology Supplementary Series 1: 1-61.
- Welsch, K. R. G. 1982. Herpetology of Africa: A checklist and bibliography of the orders Amphisbaenia, Sauria, Serpentes. Krieger Pub Co.
- Welsch, K. R. G. 1983. Herpetology of Europe and Southwest Asia. Krieger Publishing Company, Malabar, Florida.
- Welton, L. J., Siler, C., Diesmos, A. C. and Brown, R. M. 2010. Philippine bent-toed geckos of the *Cyrtodactylus agusanensis* complex: multilocus phylogeny, morphological diversity, and description of three new species. Herpetological Monographs 24: 55-85.
- Welton, L. J., Siler, C. D., Oaks, J. R., Diesmos, A. C. and Brown, R. M. 2013. Multilocus phylogeny and Bayesian estimates of species boundaries reveal hidden evolutionary relationships and cryptic diversity in Southeast Asian monitor lizards. Molecular Ecology 22: 3495-3510.
- Welton, L. J., Travers, S. L., Siler, C. D. and Brown, R. M. 2014. Integrative taxonomy and phylogeny-based species delimitation of Philippine water monitor lizards (*Varanus salvator* Complex) with descriptions of two new cryptic species. Zootaxa 3881: 201-227.
- Wen, W. J., Martin, V., Nashriq I. and Das, I. 2018. *Cnemaspis kendallii* (Kendall's day gecko). Predation. Herpetological Review 49: 741.
- Werneck, F. D. P., Giugliano, L. G., Colleavti, R. G. and Colli, G. 2009. Phylogeny, biogeography and evolution of clutch size in South American lizards of the genus *Kentropyx* (Squamata: Teiidae). Molecular Ecology 18: 262-278.
- Werler, J. E. 1949. Reproduction of captive Texas and Mexican lizards. Herpetologica 5: 67-70.
- Werler, J. E. 1951. Miscellaneous notes on the eggs and young of Texan and Mexican reptiles. Zoologica 36: 37-55.
- Werler, J. E. and Campbell, J. A. 2004. A new lizard of the genus *Diploglossus* (Anguidae: Diploglossinae) from the Tuxtlan Faunal Region, Veracruz, Mexico. The Southwestern Naturalist 49: 327-333.
- Werler, J. E. and Shannon, F. A. 1961. Two new lizards (genera *Abronia* and *Xenosaurus*) from the Los Tuxtlas Range of Veracruz, Mexico. Transactions of the Kansas Academy of Sciences 64: 123-132.
- Wermuth, H. 1967. Liste der rezenten Amphibien und Reptilien. Agamidae. Das Tierreich 86: 1-127.
- Werneck, F. P., Leite, R. N., Geurgas, S. R. and Rodrigues, M. T. 2015. Biogeographic history and cryptic diversity of saxicolous *Tropiduridae* lizards endemic to the semiarid Caatinga. BMC Evolutionary Biology 15: 94.
- Werner, F. 1930. Contribution to the knowledge of the reptiles and amphibians of Greece, especially the Aegean islands. Occasional Papers of the Museum of Zoology, University of Michigan 211: 1-48.
- Werner, Y. L. 1968. Distribution of the Saharan *Sphenops sepsoides* (Reptilia: Scincidae) in Israel and Jordan. Herpetologica, 24: 238-242.
- Werner, Y. L. 1968. Distribution of the Saharan *Sphenops sepsoides* (Reptilia: Scincidae) in Israel and Jordan. Herpetologica, 24: 238-242.
- Werner, Y. L. 1969. Eye size in geckos of various ecological types (Reptilia: Gekkonidae and Sphaerodactylidae). Israel Journal of Zoology, 18: 291-316.
- Werner, Y. L. 1971. Lizards and snakes from Transjordan, recently acquired by the British Museum (Natural History). Bulletin of the British Museum (Natural History), Zoology 21: 213-256.
- Werner, Y. L. 1973. The reptiles of the Sinai Peninsula. Hebrew University of Jerusalem (in Hebrew).
- Werner, Y. L. 1976. Optimal temperatures for inner-ear performance in gekkonid lizards. Journal of Experimental Zoology, 195: 319-351.
- Werner, Y. L. 1980. Habitat-dependent thermal regimes of two Hawaiian geckos (Reptilia: Gekkonidae). Journal of Thermal Biology, 15: 281-290.
- Werner, D. I. 1982. Social organization and ecology of land iguanas, *Conolophus subcristatus*, on Isla Fernandina, Galapagos. Pages 342-365 in: G. M. Burghardt and A. S. Rand, editors. Iguanas of the world: their behavior, ecology and conservation. Noyes Publications, Park Ridge, New Jersey.
- Werner, Y. L. 1982. Herpetofaunal survey of the Sinai Peninsula (1967-77), with emphasis on the Saharan sand community. Pages 153-161 in N. J. Scott, editor, Herpetological Communities, U.S. Fish and Wildlife Service Research Werner, D. I. 1983. Reproduction in the iguana *Conolophus subcristatus* on Fernandina island, Galapagos: clutch size and migration costs. The American Naturalist, 121: 757-775.
- Werner, Y. L. 1986. Ecology of egg laying sites of *Ptyodactylus* geckos. Pages 441-444 in Rocek, Z. Editor. Studies in herpetology: proceedings of the 3rd European herpetological meeting, Prague, 1985. Charles University, Prague.
- Werner, Y. L. 1986. Geographic sympatry of *Acanthodactylus opheodurus* with *A. boskianus* in the Levant. Zoology in the Middle East 1: 92-95.
- Werner, Y. L. 1987. Ecoloical zoogeography of Saharo-Arabian, Saharan and Arabian reptiles in the sand deserts of southern Israel. pages pp. 272-295 in: F. Krupp, W. Schneider, and R. Kintzelbach (eds) Proceedings of the Symposium on the Fauna and Zoogeography of the Middle East, Mainz 1985.
- Werner, Y. L. 1989. Egg size and egg shape in near- eastern gekkonid lizards. Israel Journal of Zoology 35: 199-213.
- Werner, Y. L. 1990. Do gravid females of oviparous gekkonid lizards maintain elevated body temperatures? *Hemidactylus frenatus* and *Lepidodactylus lugubris* on Oahu. Amphibia-Reptilia 11: 200-204.
- Werner, Y. L. 1992. Identity and distribution of *Agama stellio picea* Parker (Sauria: Agamidae), endemic to the volcanic desert of Jordan. Zoology in the Middle East 6: 41-44.
- Werner, Y. L. 1993. The paradoxical tree gecko of Israel. *Dactylus*, Journal of the International Gecko Society, 2: 29-45.
- Werner, Y. L. 1991. Notable herpetofaunal records from Transjordan. Zoology in the Middle East 5: 37-42.
- Werner, Y. L. 1995. A guide to the reptiles and amphibians of Israel. Nature Reserves Authority, Yefe Nof Library, Jerusalem.
- Werner, Y. L. 1998. First record of *Eumeices taeniolatus* (Reptilia: Sauria: Scincidae) from Jordan. Zoology in the Middle East 16: 77-79.
- Werner, Y. L. 1998. The desert herpetofauna in and near Israel: a personal review of advances (1986-1997), with new data. IN: U. Fritz, F.J. Obst and B. Andreas (eds.) Contributions to a "Herpetologia arabica". Faunistische Abhandlungen, Staatliches Museum für Tierkunde Dresden (Supplement), 21: 149-161.
- Werner, Y. L. 2006. Retraction of *Ptyodactylus Goldfuss* from the fauna of Iran and its replacement by a new species of *Asaccus Dixon & Anderson* (Reptilia: Sauria: Gekkonidae). Hamadryad 30: 135-140.
- Werner, Y. L. 2011. Photographing herpetofauna in nature. Herpetological Review 42: 364.
- Werner, Y. L. 2016. Reptile life in the Land of Israel. Edition Chimaira, Frankfurt am Main.

- Werner 2018  
 Werner and Ashkenazi 2010  
 Werner and Avital 1980  
 Werner and Chou 2002  
 Werner and Goldblatt 1978  
 Werner and Goldenzweig 2018  
 Werner and igic 2002  
 Werner and Seifan 2006  
 Werner and Sivan 1993  
 Werner and Sivan 1994  
 Werner and Whitaker 1978  
 Werner et al. 1993  
 Werner et al. 1996  
 Werner et al. 1997  
 Werner et al. 1998  
 Werner et al. 2005
- Werner et al. 2006  
 Werner et al. 2007  
 Werner et al. 2012  
 Wesiak and Koch 2009  
 Western 1974  
 Weterings and Weterings 2018  
 Wettstein 1928  
 Wettstein 1940  
 Wettstein 1960  
 While et al. 2009  
 While et al. 2019  
 Whitaker 1968  
 Whitaker 1970  
 Whitaker 1987  
 Whitaker 2002  
 Whitaker and Loh 1995  
 Whitaker and Lyall 2004  
 Whitaker et al. 1982  
 Whitaker et al. 2004
- Whitaker et al. 2005  
 White and Anderson 1994  
 White and Hailey 2006  
 White et al. 1992  
 White et al. 2002  
 White et al. 2017a  
 White et al. 2017b  
 Whitfield et al. 2007
- Whitfield et al. 2014  
 Whitford and Creusere 1977  
 Whiting and Bateman 1999  
 Whiting and Dixon 1996  
 Whiting et al. 2007  
 Whiting et al. 2015a  
 Whiting et al. 2015b  
 Whitworth and Beirne 2011  
 Wickramasinghe 2006  
 Wickramasinghe and Munindradasa 2007  
 Wickramasinghe and Somaweera 2003  
 Wickramasinghe et al. 2007
- Werner, Y. L. 2018. Commentary on the factors governing the rate of tail loss in island lizards. *Israel Journal of Ecology and Evolution* 63: 53-56.  
 Werner, Y. L. and Ashkenazi, S. 2010. Notes on some Egyptian Lacertidae, including a new subspecies of *Mesalina*, involving the Seligmann effect. *Turkish Journal of Zoology*, 34: 1-11.  
 Werner, Y. L. and Avital, E. 1980. The herpetofauna of Mt. Hermon and its altitudinal distribution. *Israel Journal of Zoology*, 29: 192-193.  
 Werner, Y. L. and Chou, L. M. 2002. Observations on the ecology of the arrhythmic equatorial gecko *Cnemaspis kendallii* in Singapore (Sauria: Gekkonidae). *Raffles Bulletin of Zoology* 50: 185-196.  
 Werner, Y. L. and Goldblatt, A. 1978. Body temperature in a basking gekkonid lizard, *Ptyodactylus hasselquistii* (Reptilia, Lacertilia, Gekkonidae). *Journal of Herpetology*, 12: 408-411.  
 Werner, Y. L. and Goldenzweig, A. 2018. *Ptyodactylus* spp. (fan-toed geckos). Field body temperatures. *Herpetological Review*, 49: 332.  
 Werner, Y. L. and igic P. G. 2002. The middle ear of gekkonoid lizards: interspecific variation of structure in relation to body size and to auditory sensitivity. *Hearing Research* 167: 33 -45.  
 Werner, Y. L. and Seifan, T. 2006. Eye size in geckos: asymmetry, allometry, sexual dimorphism, and behavioral correlates. *Journal of Morphology* 267: 1486-1500.  
 Werner, Y. L. and Sivan, N. 1993. Systematics and zoogeography of *Ptyodactylus* (Reptilia: Sauria: Gekkonidae) in the Levant: 1. Biometry of three species in Israel. *Revista Espanola de Herpetologia* 7: 47-64.  
 Werner, Y. L. and Sivan, N. 1994. Systematics and zoogeography of *Ptyodactylus* (Reptilia: Sauria: Gekkonidae) in the Levant: 2. Taxonomy, with a review of ecology and zoogeography. *Revista Espanola de Herpetologia* 8: 105-122.  
 Werner, Y. L., and Whitaker, A. H. 1978. Observations and comments on the body temperatures of some New Zealand reptiles. *New Zealand Journal of Zoology* 5: 375-393.  
 Werner, Y. L., Frankenberg, E., Volokita, M. and Harari, R. 1993. Longevity of geckos (Reptilia: Lacertilia: Gekkonoidea) in captivity: an analytical review incorporating new data. *Israel Journal of Zoology* 39: 105-124.  
 Werner, Y. L., Carillo de Espinoza, N., Huey, R. B., Rothenstein, D., Salas, A. W. and Videla, F. 1996. Observations on body temperatures of some Neotropical desert geckos (Reptilia: Sauria: Gekkonidae). *Cuadernos de Herpetología*  
 Werner, Y. L., Bouskila, A., Davies, S. J. F. and Werner, N. 1997. Observations and comments on active foraging in geckos. *Russian Journal of Herpetology* 4: 34-39.  
 Werner, Y. L., Frankenberg, E. and Shy, E. 1998. Conservation-oriented herpetological research in Israel. *Russian Journal of Herpetology* 5: 20-26.  
 Werner, Y. L., Takahashi, H., Mautz, W. J. and Ota, H. 2005. Behavior of the terrestrial nocturnal lizards *Goniurosaurus kuroiwae* and *Eublepharis macularius* (Reptilia: Eublepharidae) in a thigmothermal gradient. *Journal of Thermal Biology* 30: 247-254.  
 Werner, Y. L., Takahashi, H., Yasukawa, Y. and Ota, H. 2006. Factors affecting foraging behaviour, as seen in a nocturnal ground lizard, *Goniurosaurus kuroiwae kuroiwae*. *Journal of Natural History*, 40: 439-459.  
 Werner, Y. L., Shacham, B. and Babocsay, G. 2007. Novelties in the herpetofauna of Israel and immediate vicinity since 2002. *Israel Journal of Ecology and Evolution*, 53: 112.  
 Werner, Y. L., Gajst, O., Talbi, R. and Bouskila, A. 2012. *Acanthodactylus opeodurus* Arnold, 1980 in the Levant revisited, and the striped patterns of levantine *Acanthodactylus* (Reptilia: Lacertidae). *Zoology in the Middle East* 56:  
 Wesiak, K. and Koch, A. 2009. Successful husbandry and first breeding of *Varanus juxtindicus* Bohme et al., 2002, with remarks on the development of juveniles of this "rarely-kept" endemic Solomon monitor species. *Biawak*, 3: 106-  
 Western, D. 1974. The distribution, density and biomass density of lizards in a semi-arid environment of northern Kenya. *East African Wildlife Journal* 12: 49-62.  
 Weterings, R. and Weterings, P. 2018. Observations of the warty house gecko, *Gekko monarchus* (Schlegel, 1836), feeding on bread. *Herpetology Notes* 11: 319-320.  
 Wettstein, O. 1928. Amphibien und reptilien aus Palästina und Syrien. *Akademieder Wissenschaften in Wien Mathematisch-naturwissenschaftliche Klasse Sitzungsberichte Abteilung i.* 137: 773-785.  
 Wettstein, O. 1940. Eidechsen aus dem Tien-Shan-Gebiet. *Zoologischer Anzeiger*, vol. 130: 79-89.  
 Wettstein, O. 1960. Contribution a l'étude de la faune d'Afghanistan. 3. Lacertilia aus Afghanistan. *Zoologischer Anzeiger* 165: 58-63.  
 While, G. M., Uller, T. and Wapstra, E. 2009. Family conflict and the evolution of sociality in reptiles. *Behavioral Ecology* 20: 245-250.  
 While, G. M., Gardner, M. G., Chapple, D. G. and Whiting, M. J. 2019. Stable social grouping in lizards. Pages 321-339 in V. Bels and A. Russell, editors, *Behavior of lizards: Evolutionary and mechanistic perspectives*. CRC Press,  
 Whitaker, A. H. 1968. The lizards of the Poor Knights islands, New Zealand. *New Zealand Journal of Science* 11: 623-651.  
 Whitaker, A. H. 1970. A note on the lizards of the Tokelau islands, Polynesia. *Herpetologica* 26: 355-358.  
 Whitaker, A. H. 1987. The roles of lizards in New Zealand plant reproductive strategies. *New Zealand Journal of Botany*, 25: 315-328.  
 Whitaker, A. H., Tocher, M. and Blair, T. 2002. Conservation of lizards in Otago Conservancy, 2002-2007. Department of Conservation, Wellington.  
 Whitaker, A. H. and Loh, G. 1995. Otago skink and grand skink recovery plan (*Leiolopisma otagense* and *L. grande*). Threatened Species Recovery plan No. 14. Threatened Species Unit, Department of Conservation, Wellington, New  
 Whitaker, T. and Lyall, J. 2004. Conservation of lizards in west coast/Tai Poutini Conservancy. Department of Conservation, Wellington.  
 Whitaker, R., Whitaker, Z. and Mills, D. 1982. Reptiles of Papua New Guinea. *Wildlife in Papua New Guinea* 82: 1-53.  
 Whitaker, A. H., Sadlier, R. A., Bauer, A. M. and Whitaker, V. A. 2004. Biodiversity and conservation status of lizards in threatened and restricted habitats of north-western New Caledonia. Unpublished report by Whitaker Consultants Limited to Direction du Developpement economique et de l'Environnement, Province Nord, Kone, New Caledonia, VIII + 106 pp.  
 Whitaker, A. H., Sadlier, R. A., Bauer, A. M. and Whitaker, V. A. 2005. Biodiversity and conservation status of lizards in dry forest remnants in Province Sud, New Caledonia. Unpublished report by Whitaker Consultants Limited to Direction des Ressources Naturelles. Province Sud, Noumea.  
 White, T. D. and Anderson, R. A. 1994. Locomotor patterns and costs as related to body size and form in teiid lizards. *Journal of Zoology* 233: 107-128.  
 White, G. L. and Hailey, A. 2006. The establishment of *Anolis wattsi* as a naturalized exotic lizard in Trinidad. *Applied Herpetology*, 3: 11-26.  
 White, L. R., Powell, R., Parmerlee, J. S., Lathrop, A. and Smith, D. D. 1992. Food habits of three syntopic reptiles from the Barahona Peninsula, Hispaniola. *Journal of Herpetology* 26: 518-520.  
 White, A. M., Censky, E. J. and Powell, R. 2002. *Ameiva corax* Censky and Paulson. Catalogue of American Amphibians and Reptiles, 746: 1-2.  
 White, B. A., Gray, L. N., Pavon-Vazquez, C. J., Garcia-Vazquez, U. O. and Harrison, A. S. 2017. *Aristelliger georgeensis* (Saint George island gecko). Diet. *Herpetological Review* 48: 637.  
 White, K. N., Rothermel, B. B. and White, M. T. 2017. *Aspidoscelis sexlineata sexlineata* (six-lined racerunner). Reproduction. *Herpetological Review* 48: 185-186.  
 Whitfield, S. M., Bell, K. E., Philippi, T., Sasa, M., Bolanos, F., Chaves, G., Savage, J. M. and Donnelly, M. A. 2007. Amphibian and reptile declines over 35 years at La Selva, Costa Rica. *Proceedings of the National Academy of Sciences, USA* 104: 8352-8356.  
 Whitfield, S. M., Reider, K., Greenspan, S. and Donnelly, M. A. 2014. Litter dynamics regulate population densities in a declining terrestrial herpetofauna. *Copeia* 2014: 454-461.  
 Whitford, W. G. and Creusere, F. M. 1977. Seasonal and yearly fluctuations in Chihuahuan desert lizard communities. *Herpetologica*, 33: 54-65.  
 Whiting, M. J. and Bateman, P. W. 1999. Male preference for large females in the lizard *Platysaurus broadleyi*. *Journal of Herpetology*, 33: 309-312.  
 Whiting, M. J. and Dixon, J. R. 1996. *Phrynosoma modestum*. Catalogue of American Amphibians and Reptiles 630: 1-6.  
 Whiting, M. J., Reaney, L. T. and Keogh, J. S. 2007. Ecology of Wahlberg's velvet gecko, *Homopholis wahlbergii*, in southern Africa. *African Zoology* 42: 38-44.  
 Whiting, M. J., Branch, W. R., Pepper, M. and Keogh, J. S. 2015. A new species of spectacularly coloured flat lizard *Platysaurus* (Squamata: Cordylidae: Platysaurinae) from southern Africa. *Zootaxa* 3986: 173-192.  
 Whiting, M., Noble, D. W. and Somaweera, R. 2015. Sexual dimorphism in conspicuousness and ornamentation in an enigmatic lizard from Sri Lanka, the leaf-nosed lizard *Ceratophora tennentii*. *Biological Journal of the Linnean  
 Whitworth, A. and Beirne, C. 2011. Reptiles of the Yachana Reserve. Yachana Foundation, Yachana, Ecuador.  
 Wickramasinghe, L. J. M. 2006. A new species of *Cnemaspis* (Sauria: Gekkonidae) from Sri Lanka. *Zootaxa* 1369: 19-33.  
 Wickramasinghe, L. J. M. and Munindradasa, D. A. I. 2007. Review of the genus *Cnemaspis* Strauch, 1887 (Sauria: Gekkonidae) in Sri Lanka with the description of five new species. *Zootaxa* 1490: 1-63.  
 Wickramasinghe, L. J. M. and Somaweera, R. 2003. Distribution and current status of the endemic geckos of Sri Lanka. *Gekko* 3: 2-13.  
 Wickramasinghe, L. J. M., Rodrigo, R., Dayawansa, N. and Jayantha, U. L. D. 2007. Two new species of *Lankascincus* (Squamata: Scincidae) from Sri Lanka. *Zootaxa* 1612: 1-24.*

- Wickramasinghe et al. 2011
- Wiederhecker et al. 2003
- Wiens and Slingluff 2001
- Wiens et al. 2006
- Wiens et al. 2013
- Wiewandt 1982
- Wikelski 2005
- Wikelski and Carbone 2004
- Wikelski and Romero 2003
- Wikelski and Thom 2000
- Wilcox and Beaman 2014
- Wiles 2004
- Wiles and Conry 1990
- Wiles et al. 1989
- Wilhoft 1961
- Wilhoft and Reiter 1965a
- Wilhoft and Reiter 1965b
- Williams 1961
- Williams 1962a
- Williams 1962b
- Williams 1965
- Williams 1969
- Williams 1970
- Williams 1972
- Williams 1974a
- Williams 1974b
- Williams 1975
- Williams 1976a
- Williams 1976b
- Williams 1982
- Williams 1984a
- Williams 1984b
- Williams 1985
- Williams 1986
- Williams 1988
- Williams 1992
- Williams and Mittermeier 1991
- Williams and Rand 1961
- Williams and Rand 1977
- Williams and Webster 1974
- Williams et al. 1970
- Williams et al. 2015
- Williams et al. 2016
- Williamson and Powell 2004
- Wilms 2005
- Wilms and Bohme 2000
- Wilms and Bohme 2001
- Wilms and Bohme 2007
- Wilms and Hulbert 2000
- Wilms et al. 2009
- Wilms et al. 2011
- Wilson 2003
- Wilson 2005
- Wickramasinghe, L. J. M., Wickramasinghe, N. and Kariyawasam, L. 2011. Taxonomic status of the arboreal Skink Lizard *Dasia halianus* (Haly & Nevill, 1887) in Sri Lanka and the redescription of *Dasia subcaeruleum* (Boulenger, 1891) from India. *Journal of Threatened Taxa* 3: 1961-1974.
- Wiederhecker, H. C., Pinto, A. C. S., Paiva, M. S. and Colli, G. R. 2003. The demography of the lizard *Tropidurus torquatus* (Squamata, Tropiduridae) in a highly seasonal neotropical savanna. *Phyllomedusa* 2: 9-19.
- Wiens, J. J. and Slingluff, J. L. 2001. How lizards turn into snakes: A phylogenetic analysis of body-form evolution in anguid lizards. *Evolution*, 55: 2303-2318.
- Wiens, J. J., Brandley, M. C. and Reeder, T. W. 2006. Why does a trait evolve multiple times within a clade? Repeated evolution of snake-like body form in squamate reptiles. *Evolution* 60: 123-141.
- Wiens, J. J., Kozak, K. H. and Silva, N. 2013. Diversity and niche evolution along aridity gradients in North American lizards (Phrynosomatidae). *Evolution* 67: 1715-1728.
- Wiewandt, T. A. 1982. Evolution of nesting patterns in iguanine lizards. Pages 119-141 in G. M. Burghardt and A. S. Rand, editors. *Iguanas of the world: their behavior, ecology and conservation*. Noyes Publications, Park Ridge, New Jersey.
- Wikelski, M. 2005. Evolution of body size in Galapagos marine iguanas. *Proceedings of the Royal Society of London B*. 272: 1985-1993.
- Wikelski, M. and Carbone, C. 2004. Environmental scaling of body size in island populations of Galapagos marine iguanas. Pages 148-157 in Alberts, A. (editor). *Iguanas: Biology and Conservation*. University of California Press, Berkeley.
- Wikelski, M. and Romero, L. M. 2003. Body size, performance and fitness in Galapagos marine iguanas. *Integrative and comparative Biology* 43: 376-386.
- Wikelski, M. and Thom, C. 2000. Marine iguanas shrink to survive El Niño. *Nature* 403: 37-38.
- Wilcox, M. D. and Beaman, K. R. 2014. *Tarentola annularis* (white-spotted wall gecko). Geographic distribution. *Herpetological Review* 45: 464.
- Wiles, G. J. 2004. A record of *Perochirus cf. scutellatus* (Squamata: Gekkonidae) from Ulithi Atoll, Caroline islands. *Micronesica* 37: 163-166.
- Wiles, G. J. and Conry, P. J. 1990. Terrestrial vertebrates of the Ngerukewid islands Wildlife Preserve, Palau islands. *Micronesica*, 23: 41-66.
- Wiles, G. J. and Conry, P. J. 1990. Notes on the herpetofauna of Tinian, Mariana islands. *Micronesica* 22: 107-118.
- Wilhoft, D. C. 1961. Temperature responses in two tropical Australian skinks. *Herpetologica* 17: 109-113.
- Wilhoft, D. C. and Reiter, E. O. 1965. Sexual cycle of the lizard, *Leiolopisma fuscum*, a tropical Australian skink. *Journal of Morphology* 116: 379-388.
- Wilhoft, D. C. and Reiter, E. O. 1965. Sexual cycle of the lizard, *Leiolopisma fuscum*, a tropical Australian skink. *Journal of Morphology*, 116: 379-387.
- Williams, E. E. 1961. Notes on Hispaniolan herpetology III. The evolution and relationships of the *Anolis semilineatus* group. *Breviora* 136: 1-8.
- Williams, E. E. 1962. Notes on Hispaniolan herpetology. VI. The giant anoles. *Breviora* 155: 1-15.
- Williams, E. E. 1962. Notes on the herpetology of Hispaniola 7. new material of two poorly known anoles: *Anolis monticola* Shreve and *Anolis christophei* Williams. *Breviora* 164: 1-11.
- Williams, E. E. 1965. South American Anolis (Sauria, Iguanidae): two new species of the punctatus group. *Breviora* 233: 1-15.
- Williams, E. E. 1969. The ecology of colonization as seen in the zoogeography of anoline lizards on small islands. *Quarterly Review of Biology*, 44: 345-389.
- Williams, E. E. 1970. South American anoles: *Anolis apollinaris* Boulenger 1919, a relative of *A. biporcatus* Wiegmann (Sauria, Iguanidae). *Breviora* 358: 1-11.
- Williams, E. E. 1972. The origin of faunas: Evolution of lizard congeners in a complex island fauna: A trial analysis. Pages 47-86. In: T. Dobzhansky, M. K. Hecht and W. C. Steere, eds., *Evolutionary Biology* 6. New York, Appleton-Century-Crofts.
- Williams, E. E. 1974. A case history in retrograde evolution: the onca lineage in anoline lizards. I. *Anolis annectens* new species, intermediate between the genera *Anolis* and *Tropidodactylus*. *Breviora* 421: 1-21.
- Williams, E. E. 1974. South American Anolis: three new species related to *Anolis nigrolineatus* and *A. dissimilis*. *Breviora* 422: 1-15.
- Williams, E. E. 1975. South American Anolis: *Anolis ibague*, new species of the pentaprion group from Colombia. *Breviora* 433: 1-10.
- Williams, E. E. 1976. West Indian anoles: A taxonomic and evolutionary summary 1. Introduction and a species list. *Breviora* 440: 1-21.
- Williams, E. E. 1979. South American anoles, the species groups. 2. the proboscis anoles (*Anolis laveisi* group). *Breviora* 449: 1-19.
- Williams, E. E. 1982. Three new species of the *Anolis punctatus* complex from Amazonian and inter-andean Colombia, with comments on the eastern members of the punctatus species group. *Breviora* 467: 1-38.
- Williams, E. E. 1984. New or problematic Anolis from Colombia. 2. *Anolis propinquus*, another new species from the cloud forest of western Colombia. *Breviora* 477: 1-7.
- Williams, E. E. 1984. New or problematic Anolis from Colombia. 3. Two new semiaquatic anoles from Antioquia and Choco, Colombia. *Breviora* 478: 1-22.
- Williams, E. E. 1985. New or problematic Anolis from Colombia. 4. *Anolis antioquiensis*, new species of the *Anolis eulaemus* subgroup from western Columbia. *Breviora* 482: 1-9.
- Williams, E. E. 1986. *Anolis vicarius*, new species, related to *A. granuliceps*. *Caldasia* 15: 451-459.
- Williams, E. E. 1988. New or problematic Anolis from Colombia. 5. *Anolis danieli*, a new species of the latifrons species group and a reassessment of *Anolis apollinaris* Boulenger, 1919. *Breviora* 489: 1-25.
- Williams, E. E. 1992. New or problematic Anolis from Colombia. 7. *Anolis lamari*, a new anole from the Cordillera Oriental of Colombia, with a discussion of *tigrinus* and *punctatus* species group boundaries. *Breviora* 495: 1-24.
- Williams, E. E. and Mittermeier, R. A. 1991. A Peruvian phenacosaur (Squamata: iguanidae). *Breviora*, 492: 1-16.
- Williams, E. E. and Rand, A. S. 1961. Notes on Hispaniolan herpetology. II. A review of the *Anolis semilineatus* group with the description of *Anolis cochranae*, new species. *Breviora* 135: 1-11.
- Williams, E. E. and Rand, A. S. 1977. Species recognition, dewlap function and faunal size. *American Zoologist* 17: 261-270.
- Williams, E. E. and Webster, T. P. 1974. *Anolis rupinæa*, new species. A syntopic sibling of *A. monticola* Shreve. *Breviora*, 429 : 1-22.
- Williams, E. E., Reig, O. A., Kibliský, P. and Rivero-Blanco, C. 1970. *Anolis jacare* Boulenger, a "solitary" anole from the Andes of Venezuela. *Breviora* 353: 1-15.
- Williams, R., Horrocks, J. and Pernetta, A. 2015. Natural history, distribution, and conservation status of the Barbados leaf-toed gecko, *Phyllodactylus pulcher* Gray, 1828 (Squamata, Gekkonidae). *Herpetology Notes* 8: 197-204.
- Williams, R., Pernetta, A. P. and Horrocks, J. A. 2016. Outcompeted by an invader? Interference and exploitative competition between tropical house gecko (*Hemidactylus mabouia*) and Barbados leaf-toed gecko (*Phyllodactylus pulcher*) for diurnal refuges in anthropogenic coastal habitats. *Integrative Zoology*; 11: 229-238.
- Williamson, K. E. and Powell, R. 2004. *Gymnophthalmus underwoodi*. Catalogue of American Amphibians and Reptiles, 793: 1-5.
- Wilms, T. 2005. *Uromastyx*. Natural history, captive care, breeding. Herpeton, Offenbach.
- Wilms, T. and Bohme, W. 2000. A new *Uromastyx* species from south-eastern Arabia, with comments on the taxonomy of *Uromastyx aegyptia* (Forskål, 1775) (Squamata: Sauria, Agamidae). *Herpetozoa* 13: 133-148.
- Wilms, T. and Bohme, W. 2001. Revision der *Uromastyx acanthinura* - artengruppe, mit beschreibung einer neuen art aus der Zentralsahara (Reptilia: Sauria: Agamidae). *Zoologische Abhandlungen, Staatliches Museum für Tierkunde, Dresden* 51: 73-104.
- Wilms, T. M. and Bohme, W. 2007. Review of the taxonomy of the spiny-tailed lizards of Arabia (Reptilia: Agamidae: Leiolepidinae: Uromastyx). *Fauna of Arabia* 23: 435-468.
- Wilms, T. and Hulbert, F. 2000. On the herpetofauna of the Sultanate of Oman, with comments on the relationship between the Afrotropical and Saharo-Sindian faunas. Pages 367-380 in G. Rheinwald, ed. *Isolated vertebrate communities in the tropics*: Bonner Zoologische Monographien 46. Zoologisches Forschungsinstitut und Museum A. Koenig, Bonn, Germany.
- Wilms, T. M., Bohme, W., Wagner, P., Lutzmann, N. and Schmitz, A. 2009. On the phylogeny and taxonomy of the genus *Uromastyx* Merrem, 1820 (Reptilia: Squamata: Agamidae: Uromastyicinae) – resurrection of the genus *Saara* Gray, 1845. *Bonner zoologische Beiträge* 56: 55-99.
- Wilms, T. M., Wagner, P., Shobrak, M., Rodder, D. and Bohme, W. 2011. Living on the edge? On the thermobiology and activity pattern of the large herbivorous desert lizard *Uromastyx aegyptia microlepis* Blanford, 1875 at Mahazat as-Sayd Protected Area, Saudi Arabia. *Journal of Arid Environments* 75: 636-647.
- Wilson, S. 2003. Reptiles of the Southern Brigalow Belt. WWF Australia.
- Wilson, S. 2005. A field guide to reptiles of Queensland. Reed New Holland, Sydney.

- Wilson 2010
- Wilson 2012
- Wilson and Cree 2003
- Wilson and Grillitsch 2009
- Wilson and McCranie 2007
- Wilson and Swan 2003
- Wilson and Swan 2008
- Wilson and Swan 2009
- Wilson and Swan 2010
- Wilson and Swan 2013
- Wilson and Swan 2017
- Wilson and Townsend 2006
- Wilson et al. 2010
- Wilson et al. 2013
- Wilson et al. 2014
- Wilson et al. 2017
- Winchell et al. 2015
- Winchell et al. 2016
- Winchell et al. 2019
- Winck and Rocha 2012
- Winne and Keck 2004
- Winter et al. 2016
- Withers 1981
- Withers et al. 2000
- Witten 1993
- Witz and Wilson 1993
- Wogan et al. 2008
- Wone and Beauchamp 2003
- Wood and Johansen 1974
- Wood et al. 2008
- Wood et al. 2009
- Wood et al. 2010
- Wood et al. 2013
- Wood et al. 2017
- Woodbury 1932
- Woodruff 1972
- Woolrich-Pina and Smith 2012
- Woolrich-Pina et al. 2011
- Woolrich-Pina et al. 2012a
- Woolrich-Pina et al. 2012b
- Woolrich-Pina et al. 2012c
- Woolrich-Pina et al. 2014
- Woolrich-Pina et al. 2015a
- Woolrich-Pina et al. 2015b
- Woolrich-Pina et al. 2016
- Woolrich-Pina et al. 2017
- Woolrich-Pina et al. 2019a
- Woolrich-Pina et al. 2019b
- Worsfold 2002
- Wotton et al. 2016
- Wright 1967
- Wright 1971
- Wright and Lowe 1965
- Wright and Lowe 1993
- Wilson, J. 2010. Population viability and resource competition on North Brother island: conservation implications for tuatara (*Sphenodon punctatus*) and Duvauel's Gecko (*Hoplodactylus duvaucelii*). MSc. Thesis, Wilson, S. 2012. Australian lizards. A natural history. CSIRO Publishing, Melbourne.
- Wilson, J. L. and Cree, A. 2003. Extended gestation with late-autumn births in a cool-climate viviparous gecko from southern New Zealand (Reptilia: Naultinus gemmeus). *Austral Ecology*, 28: 339-348.
- Wilson, M. J. and Grillitsch, H. 2009. The herpetofauna of Simi (Dodecanese, Greece) (Amphibia, Reptilia). *Herpetozoa* 22: 99-113.
- Wilson, L. D. and McCranie, J. R. 2007. The conservation status of the herpetofauna of Honduras. *Amphibian and Reptile Conservation* 3: 6-33.
- Wilson, S. and Swan, G. 2003. A complete field guide to reptiles of Australia. Reed New Holland, Sydney.
- Wilson, S. and Swan, G. 2008. A complete field guide to reptiles of Australia. 2nd edition. Reed New Holland, Sydney.
- Wilson, S. and Swan, G. 2009. What lizard is that? introducing Australian lizards. Reed New Holland, Sydney.
- Wilson, S. and Swan, G. 2010. A complete field guide to reptiles of Australia. 3rd edition. Reed New Holland, Sydney.
- Wilson, S. and Swan, G. 2013. A complete guide to reptiles of Australia. 4th edition. Reed New Holland, Sydney.
- Wilson, S. and Swan, G. 2017. A complete guide to reptiles of Australia. 5th edition. Reed New Holland, Sydney.
- Wilson, L. D. and Townsend, J. H. 2006. The herpetofauna of the rainforests of Honduras. *Caribbean Journal of Science*, 42: 88-113.
- Wilson, L. D., Townsend, J. H. and Johnson, J. D. editors. 2010. Conservation of mesoamerican amphibians and reptiles. Eagle Mountain Publishing, Eagle Mountain, Utah.
- Wilson, L. D., Mata-Silva, V. and Johnson, J. D. 2013. A conservation reassessment of the reptiles of Mexico based on the EVS measure. *Amphibian & Reptile Conservation* 7: 1-47.
- Wilson, M., Stille, B. and Stille, M. 2014. Herpetofauna of Paxos, ionian islands, Greece, including two species new to the island. *Herpetozoa* 27: 108-112.
- Wilson, L. D., Johnson, J. D., Porras, L. W., Mata-Silva, V. and Garcia-Padilla, E. 2017. A system for categorizing the distribution of the Mesoamerican herpetofauna. *Mesoamerican Herpetology* 4: 902-913.
- Winchell, K. M., Muralidhar, P., Fredette, J. R. and Reynolds, R. G. 2015. New herpetofaunal records for Great Isaac Cay, Bimini Group, Bahamas. *IRCF Reptiles & Amphibians* 22: 106-110.
- Winchell, K. M., Reynolds, R. G., Prado-Irwin, S. R., Puente-Rolon, A. R. and Revell, L. J. 2016. Phenotypic shifts in urban areas in the tropical lizard *Anolis cristatellus*. *Evolution* 70: 1009-1022.
- Winchell, K. M., Briggs, D. and Revell, L. J. 2019. The perils of city life: patterns of injury and fluctuating asymmetry in urban lizards. *Biological Journal of the Linnean Society* 126: 276-288.
- Winck, G. R. and Rocha, C. F. D. 2012. Reproductive trends of Brazilian lizards (Reptilia, Squamata): the relationship between clutch size and body size in females. *North-Western Journal of Zoology* 8: 57-62.
- Winne, C. T. and Keck, M. B. 2004. Daily activity patterns of whiptail lizards (Squamata: Teiidae: Aspidoscelis): a proximate response to environmental conditions or an endogenous rhythm? *Functional Ecology*, 18: 314-321.
- Winter, M., Fiedler, W., Hochachka, W. M., Koehnke, A., Meiri, S. and De la Riva, I. 2016. Patterns and biases in climate change research on amphibians and reptiles. *Royal Society Open Science* 3: 160158.
- Withers, P. C. 1981. Physiological correlates of limblessness and fossoriality in scincid lizards. *Copeia* 1981: 197-204.
- Withers, P. C., Aplin, K. P. and Werner, Y. L. 2000. Metabolism and evaporative water loss of Western Australian geckos (Reptilia: Sauria: Gekkonmorphia). *Australian Journal of Zoology* 48: 111-126.
- Witten, G. J. 1993. Family Agamidae. *Fauna of Australia* 29: 1-31.
- Witz, B. W. and Wilson, D. S. 1993. Clutch size, egg mass, and incubation period in an eastern glass lizard, *Ophisaurus ventralis*. *Florida Field Naturalist* 21: 36-37.
- Wogan, G. O. U., Vindum, J. V., Wilkinson, J. A., Koo, M. S., Slowinski, J. B., Win, H., Thin, T., Kyi, S. W., Oo, S. L., Lwin, K. S. and Shein, A. K. 2008. New country records and range extensions for Myanmar amphibians and reptiles. *Hamadryad* 33: 83-96.
- Wone, B. and Beauchamp, B. 2003. Movement, home range, and activity patterns of the horned lizard, *Phrynosoma mcallii*. *Journal of Herpetology*, 37: 679-686.
- Wood, S. C. and Johansen, K. 1974. Respiratory adaptations to diving in the Nile monitor lizard, *Varanus niloticus*. *Journal of Comparative Physiology* 89: 145-158.
- Wood, P. L., Grismer, L. L., Youmans, T. M., Nurolhuda, B. N., Norhayati, A. and Juliana, S. 2008. Additions to the herpetofauna of Endau-Rompin, Johor, West Malaysia. *Herpetological Review*, 39: 112-121.
- Wood, P. L., Grismer, J. L., Grismer, L. L., Ahmad, N., Onn, C. K. and Bauer, A. M. 2009. Two new montane species of *Acanthosaura* Gray, 1831 (Squamata: Agamidae) from Peninsular Malaysia. *Zootaxa* 2012: 28-46.
- Wood, P. L., Grismer, L. L., Grismer, J. L., Neang, T., Chav, T. and Holden, J. 2010. A new cryptic species of *Acanthosaura* Gray, 1831 (Squamata: Agamidae) from Thailand and Cambodia. *Zootaxa*, 2488: 22-38.
- Wood, P. L., Quah, E. S. H., Anuar, S. M. S. and Muin, M. A. 2013. A new species of lowland karst dwelling *Cnemaspis* Strauch 1887 (Squamata: Gekkonidae) from northwestern Peninsular Malaysia. *Zootaxa* 3691: 538-558.
- Wood, P. L., Grismer, L. L., Aowphol, A., Aguilar, C. A., Cota, M., Grismer, M. S., Murdoch, M. L. and Sites, J. W. 2017. Three new karst-dwelling *Cnemaspis* Strauch, 1887 (Squamata: Gekkonidae) from Peninsular Thailand and the phylogenetic placement of *C. punctatotunuchalis* and *C. vandeventeri*. *PeerJ* 5: e2884.
- Woodbury, L. A. 1932. Notes on food habits of three species of lizards from Utah. *Copeia*, 1932: 13-16.
- Woodruff, D. S. 1972. Amphibians and reptiles from Simbai, Bismarck-Schrader Range, New Guinea. *Memoirs of the National Museum of Victoria* 33: 57-64.
- Woolrich-Pina, G. A. and Smith, G. R. 2012. A new species of *Xenosaurus* from the Sierra Madre Oriental, Mexico. *Herpetologica*, 68: 551-559.
- Woolrich-Pina, G. A., Smith, G. R. and Lemos-Espinal, J. A. 2011. Body temperatures of two species of *Aspidoscelis* from Zapotilan Salinas, Puebla, Mexico. *Herpetology Notes*, 4: 387-390.
- Woolrich-Pina, G. A., Lemos-Espinal, J. A., Oliver-Lopez, L. and Smith, G. R. 2012. Ecology of *Xenosaurus rectocollaris* in Tehuacan Valley, Puebla, Mexico. *The Southwestern Naturalist*, 57: 157-161.
- Woolrich-Pina, G. A., Lemos-Espinal, J. A., Smith, G. R., Oliver-Lopez, L., Correa-Sanchez, F., Altamirano-Alvarez, T. A. and Montoya-Ayala, R. 2012. Thermal ecology of the lizard *Sceloporus gadoviae* (Squamata: Phrynosomatidae) in a semiarid region of southern Puebla, Mexico. *Phyllomedusa* 11: 21-27.
- Woolrich-Pina, G. A., Smith, G. R. and Lemos-Espinal, J. A. 2012. Body temperatures of three species of *Phrynosoma* from Puebla, Mexico. *Herpetology Notes*, 5: 361-364.
- Woolrich-Pina, G. A., Lemos-Espinal, J. A., Smith, G. R., Ramirez-Silva, J. P. and Oliver-Lopez, L. 2014. Male and female reproductive cycles of *Xenosaurus rectocollaris* (Squamata: Xenosauridae) from the Tehuacan Valley, Puebla, Mexico. *Herpetology Notes*, 7: 313-317.
- Woolrich-Pina, G. A., Smith, G. R., Lemos-Espinal, J. A. and Ramirez-Silva, J. P. 2015. Do gravid female *Anolis nebulosus* thermoregulate differently than males and non-gravid females? *Journal of Thermal Biology* 52: 84-89.
- Woolrich-Pina, G. A., Smith, G. R., Lemos-Espinal, J. A. and Ramirez-Silva, J. P. 2015. Observations on sexual dimorphism, sex ratio, and reproduction of *Anolis nebulosus* (Squamata: Dactyloidae) from Nayarit, Mexico.
- Woolrich-Pina, G. A., Ponce Campos, P., Loc-Barragan, J., Ramirez-Silva, J. P., Mata-Silva, V., Johnson, J. D., Garcia Padilla, E. and Wilson, L. D. 2016. The herpetofauna of Nayarit, Mexico: composition, distribution, and conservation. *Mesoamerican Herpetology* 3: 376-448.
- Woolrich-Pina, G. A., Garcia-Padilla, E., DeSantis, D. L., Johnson, J. D., Mata-Silva, V. and Wilson, L. D. 2017. The herpetofauna of Puebla, Mexico: composition, distribution, and conservation status. *Mesoamerican Herpetology* 4: 1-12.
- Woolrich-Pina, G. A., Lemos-Espinal, J. A. and De La Cruz, F. R. M. 2019. *Plestiodon lynxe* (oak forest skink). *Thermal ecology, Herpetological Review* 50: 376-377.
- Woolrich-Pina, G. A., Smith, G. R., Lemos-Espinal, J. A., Mora-Guzman, E. and Loaiza-Ramirez, R. 2019. Neonatal growth of three species of *Xenosaurus* (Squamata: Xenosauridae) in captivity. *Phyllomedusa*, 18: 265-268.
- Worsfold, J. 2002. *Tiliqua multifasciata*. *Australian Herpetological Directory, Herpetofauna of North Queensland*, <http://www.jcu.edu.au/school/tbiol/zooiology/herp/NQherplist.shtml>. 2pp. Downloaded February 4th, 2009.
- Wotton, D. M., Drake, D. R., Powlesland, R. G. and Ladley, J. J. 2016. The role of lizards as seed dispersers in New Zealand. *Journal of the Royal Society of New Zealand*, 46: 40-65.
- Wright, J. W. 1967. A new uniparental whiptail lizard (genus *Cnemidophorus*) from Sonora, Mexico. *Journal of the Arizona Academy of Science* 4: 185-193.
- Wright, J. W. 1971. *Cnemidophorus neomexicanus*. Catalogue of American Amphibians and Reptiles 109: 1-3.
- Wright, J. W. and Lowe, C. H. 1965. The rediscovery of *Cnemidophorus arizonicus* Van Denburgh. *Journal of the Arizona Academy of Science* 3: 164-168.
- Wright, J. W. and Lowe, C. H. 1993. Synopsis of the subspecies of the little striped whiptail lizard, *Cnemidophorus inornatus* BAIRD. *Journal of the Arizona-Nevada Academy of Sciences* 27: 129-157.

- Wright and Vitt 1993  
 Wright et al. 2000  
 Wright et al. 2015
- Wu 2016  
 Wu et al. 2005  
 Wu et al. 2009  
 Wu et al. 2015  
 Wu et al. 2018
- Wymann and Whiting 2002  
 Xavier and Dias 2015  
 Xavier and Dias 2017a  
 Xavier and Dias 2017b  
 Xiang et al. 1996  
 Xu and Ji 2006
- Xu and Yang 1995  
 Xu et al. 2001  
 Xu et al. 2007  
 Xua and Ji 2007  
 Yaap et al. 2012
- Yadamsuren et al. 2018
- Yakin and Tok 2015  
 Yakin et al. 2012  
 Yalcinkaya and Gocmen 2012  
 Yan et al. 2016  
 Yanai and Dabool 2012  
 Yanez and Nunez 1983  
 Yanez-Munoz et al. 2006  
 Yanez-Munoz et al. 2018  
 Yang 1983  
 Yang and Chan 2015  
 Yang and Rao 1992  
 Yang and Wang 2010  
 Yang et al. 1979  
 Yang et al. 2008
- Yang et al. 2012a  
 Yang et al. 2012b  
 Yang et al. 2018  
 Yang et al. 2019a  
 Yang et al. 2019b  
 Yanosky et al. 1993  
 Yartsev et al. 2019
- Yeriomchenko and Panfilov 1990
- Yildirim et al. 2019
- Yildirimhan et al. 2018  
 Yildiz and igci 2015  
 Yildiz et al. 2018  
 Yong et al. 2008  
 Youmans and Grismer 2006  
 Young 2011  
 Young et al. 2004  
 Yousefi et al. 2013
- Wright, J. W. and Vitt, L. J. editors. 1993. Biology of Whiptail Lizards (Genus *Cnemidophorus*). Oklahoma Museum of Natural History, Norman.
- Wright, J. L., Bauer, A. M. and Sadlier, R. A. 2000. Two new gecko species allied to *Bavayia sauvagii* and *Bavayia cyclura* (Reptilia: Diplodactylidae) from New Caledonia. *Pacific Science* 54: 39-55.
- Wright, A. M., Lyons, K. M., Brandley, M. C. and Hillis, D. M. 2015. Which came first: the lizard or the egg? Robustness in phylogenetic reconstruction of ancestral states. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution* 324B: 504-516.
- Wu, J. 2016. Can changes in the distribution of lizard species over the past 50 years be attributed to climate change? *Theoretical and Applied Climatology*, 125: 785-798.
- Wu, G., Gao, Z. F. and Qin, A. M. 2005. A re-description of *Japalura batangensis*. *Sichuan Journal of Zoology* 24: 344.
- Wu, Q., Parker, S. L. and Thompson, M. B. 2009. Selected body temperature, metabolic rate and activity pattern of the Australian fossorial skink, *Saiphos equalis*. *Herpetological Journal* 19: 127-133.
- Wu, N. C., Alton, L. A., Clemente, C. J., Kearney, M. R. and White, C. R. 2015. Morphology and burrowing energetics of semi-fossorial skinks (Liopholis). *Journal of Experimental Biology* 218: 2416-2426.
- Wu, Q., Dang, W., Hu, Y. C. and Lu, H. L. 2018. Altitude influences thermal ecology and thermal sensitivity of locomotor performance in a toad-headed lizard. *Journal of Thermal Biology* 71: 136-141.
- Wymann, M. N. and Whiting, M. J. 2002. Foraging ecology of rainbow skinks (*Mabuya marginifera*) in Southern Africa. *Copeia* 2002: 943-957.
- Xavier, M. A. and Dias, E. J. R. 2015. First record of the Brazilian restinga lizard *Tropidurus hygomi* ingesting a fruit of *Melocactus violaceus* (Cactaceae). *Herpetology Notes*, 8: 437-438.
- Xavier, M. A. and Dias, E. J. R. 2017. Ecology of the endemic and saxicolous lizard *Tropidurus pinima* (Rodrigues, 1984) from Caatinga domain, Brazil. *Herpetology Notes*, 10: 491-492.
- Xavier, M. A. and Dias, E. J. R. 2017. *Tropidurus pinima*. *Sauchochy*. *Herpetological Review* 48: 202-203.
- Xiang, J., Weiguo, D. and Pingyu, S. 1996. Body temperature, thermal tolerance and influence of temperature on sprint speed and food assimilation in adult grass lizards, *Takydromus septentrionalis*. *Journal of Thermal Biology* 21: 118-124.
- Xu, H. and Yang, F. 1995. Simulation model of activity of *Phrynocephalus przewalskii*. *Ecological Modelling* 77: 197-204.
- Xu, X.-F., Chen, X.-J. and Ji, X. 2001. Selected body temperature, thermal tolerance and influence of temperature on food assimilation and locomotor performance in lacertid lizards, *Eremias brenchleyi*. *Zoological Research* 22: 443-448.
- Xu, D. An, H., Lu, H. L. and Ji, X. 2007. Selected body temperature, thermal tolerance and the thermal dependence of food assimilation in the Bowring's gecko *Hemidactylus bowringii*. *Acta Zoologica Sinica* 53: 959-965.
- Xua, D-D. and Ji, X. 2007. Sexual dimorphism, female reproduction and egg incubation in the oriental leaf-toed gecko (*Hemidactylus bowringii*) from southern China. *Zoology* 110: 20-27.
- Yaap, B., Paoli, G. D., Angki, A., Wells, P. L., Wahyudi, D. and Auliya, M. 2012. First record of the Borneo earless monitor *Lanthanotus borneensis* (Steindachner, 1877) (Reptilia: Lanthanotidae) in West Kalimantan (Indonesian Borneo). *Journal of Threatened Taxa* 4: 3067-3074.
- Yadamsuren, O., Murdoch, J. D., Chuluunbat, S., Purevee, E., Munkhbayar, M., Jargalsaikhan, A., Purevjargal, Z., Khorloo, M. and Khayankhyarva, T. 2018. Estimating occupancy and detectability of toad headed Agamas at the periphery of their range in Mongolia. *Journal of Herpetology*, 52: 361-368.
- Yakin, B. Y. and Tok, C. V. 2015. Age estimation of *Anatololacerta anatolica* (Werner, 1902) in the vicinity of Canakkale by skeletochronology. *Turkish Journal of Zoology* 39: 66-73.
- Yakin, B. Y., Guerkan, M., Hayretdag, S. and Tok, C. V. 2012. Preliminary data on age estimation and body size of the dwarf lizard, *Parvilacerta parva* (Boulenger, 1887) (Reptilia: Lacertilia) from Aksehir, Konya (Turkey). *Ecologia Yalcinkaya, D. and Gocmen, B. 2012. A new subspecies from Anatolia, *Acanthodactylus schreiberi* Boulenger, 1879 *ataturi* n. sp. (Squamata: Lacertidae). *Biharean Biologist* 6: 19-31.*
- Yan, J., Lin, Y., Guo, W., Li, P. and Zhou, K. 2016. A new species of *Hemipholiodactylus* Bleeker, 1860 (Squamata: Gekkonidae) from Guizhou, China. *Zootaxa* 4117: 543-554.
- Yanai, Z. and Dabool, L. 2012. *Laudakia stellio* (roughtail rock agama). Parental care. *Herpetological Review* 43: 648.
- Yanez, J. L. and Nunez, H. 1983. *Liolaemus fabiani*, a new species of lizard from northern Chile (Reptilia: Iguanidae). *Copeia*, 1983: 788-790.
- Yanez-Munoz, M., Ortiz M. F. and Altamirano B. M. 2006. Reptilia, Polychrotidae, *Polychrus peruvianus*: new country record, Ecuador. *Check List* 2: 63-64.
- Yanez-Munoz, M. H., Reyes-Puig, C., Reyes-Puig, J. P., Velasco, J. A., Ayala-Varela, F. and Torres-Carvajal, O. 2018. A new cryptic species of *Anolis* lizard from northwestern South America (Iguanidae, Dactyloinae). *ZooKeys* 794: 1-16.
- Yang, R. 1983. A new species of the genus *Ophisaurus* from Hainan island. *Acta Herpetologica Sinica* 2: 67-69.
- Yang, J.-H. and Chan, B. P.-L. 2015. Two new species of the genus *Goniurosaurus* (Squamata: Sauria: Eublepharidae) from southern China. *Zootaxa* 3980: 67-80.
- Yang, D. and Rao, D. 1992. The identity of reptiles and their origination and evolution in southeastern Asia and Yunnan Province of China. *Zoological Research* 13: 101-108.
- Yang, J.-H. and Wang, Y.-Y. 2010. Range extension of *Takydromus sylvaticus* (Pope, 1928) with notes on morphological variation and sexual dimorphism. *Herpetology Notes*, 3: 279-283.
- Yang, D. T., Su, C. Y. and Li, S. M. 1979. New species and new subspecies of amphibians and reptiles from Gaoligong Shan, Yunnan. *Acta Zootaxonomica Sinica* 4: 185-188.
- Yang, J., Sun, Y. Y., An, H. and Ji, X. 2008. Northern grass lizards (*Takydromus septentrionalis*) from different populations do not differ in thermal preference and thermal tolerance when acclimated under identical thermal conditions. *Journal of Comparative Physiology B*, 178: 343-349.
- Yang, J., Sun, Y.-Y., Fua, T.-B., Xu, D.-D. and Ji, X. 2012. Selection for increased maternal body volume does not differ between two *Scincella* lizards with different reproductive modes. *Zoology* 115: 199-206.
- Yang, J.-H., Wang, Y.-Y., Zhang, T. D., Sun, Y.-J. and Lin, S.-S. 2012. Genetic and morphological evidence on the species validity of *Gekko melli* Vogt, 1922 with notes on its diagnosis and range extension (Squamata: Gekkonidae).
- Yang, S. F., Komaki, S., Brown, R. M. and Lin, S. M. 2017. Riding the Kuroshio Current: Stepping stone dispersal of the Okinawa tree lizard across the East Asian island Arc. *Journal of Biogeography* 45: 37-50.
- Yang, C., Zhao, J., Diaz, R. E. and Lyu, N. 2019. Development of sexual dimorphism in two sympatric skinks with different growth rates. *Ecology and Evolution* 9: 7752-7760.
- Yang, J.-H., Huang, X.-Y., Ye, J.-F., Yang, S.-P., Zhang, X.-C. and Chan, B.-P.-L. 2019. A report on the herpetofauna of Tengchong Section of Gaoligongshan National Nature Reserve, China. *Journal of Threatened Taxa* 11: 14434-14436.
- Yanosky, A. A., Dixon, J. R. and Mercolli, C. 1993. First record of *Amphisbaena dubia* Muller (Reptilia: Amphisbaenia) in Argentina. *Bulletin of the Maryland Herpetological Society* 29: 47-50.
- Yartsev, V. V., Kuranova, V. N. and Absalyamova, E. N. 2019. Male reproductive cycle in a population of the common lizard *Zootoca vivipara* (Squamata, Lacertidae) from southeast of Western Siberia. *Current Studies in Herpetology*, 19: 56-67. (in Russian).
- Yeriomchenko, V. K. and Panfilov, A. M. 1990. *Ablepharus darvazi* sp. nov. - new species Ablepharus (Sauria, Scincidae [Scincidae]) from Tadzhikistan. *Izvestiya Akademii Nauk Kirgizskoi Ssr Khimiko-Tekhnologicheskie Biologicheskie Nauki* 1990: 56-63.
- Yildirim, E., Kumlutas, Y., Candan, K. and Ilgaz, C. 2019. Age structure and body size of the endangered species *Darevskia bendlmansi* (Schmidtler, Eiselt & Darevsky, 1994) from eastern Turkey (Squamata, Sauria, Lacertidae). *Herpetozoa*, 32: 159-163.
- Yildirimhan, H. S., Sumer, N. and Bursey, C. R. 2018. Helminth parasites of the leaf-toed gecko *Asaccus elisae* (Werner, 1895) from Sanfurfa, Turkey. *Acta Zoologica Bulgarica* 70: 219-224.
- Yildiz, M. Z. and igci, I. 2015. On the occurrence of the Persian Lizard, *iranolacerta brandtii* (De Filippi, 1863) (Squamata: Sauria: Lacertidae) in Eastern Anatolia, Turkey. *Biharean Biologist* 9: 66-71.
- Yildiz, M. Z., Igci, N., Akman, B. and Gocmen, B. 2018. Results of a herpetological survey in the Province of Agri (east Anatolia, Turkey). *Herpetozoa* 31: 47-59.
- Yong, D. L., Fam, S. D. and Ng, J. J. 2008. Rediscovery of Dumeril's monitor, *Varanus dumerilii* (Varanidae) in Singapore. *Nature in Singapore*, 1: 21-22.
- Youmans, T. M. and Grismer, L. L. 2006. A new species of *Cyrtodactylus* (Reptilia: Squamata: Gekkonidae) from the Seribuat Archipelago, West Malaysia. *Herpetological Natural History*, 10: 61-70.
- Young, M. T. 2011. The guide to Colorado reptiles and amphibians. Fulcrum, Golden, Colorado.
- Young, K. V., Brodie, E. D. and Brodie, E. D. 2004. How the horned lizard got its horns. *Science* 304: 65.
- Yousefi, M., Khan, A., Eslahi, H. and Yousefkhani, S. S. H. 2013. Easternmost record of *Darevskia defilippii* (CAMERANO, 1877) from Qarchaqe Protected Area, Kopet Dagh Mountains, northeastern Iran. *Lacertidae* 2013: 160-163.

- Yousefkhan 2019
- Yousefkhan and Rastegar-Pouyani 2013
- Yousefkhan and Yousefi 2016
- Yousefkhan et al. 2012
- Yousefkhan et al. 2013a
- Yousefkhan et al. 2013b
- Yousefkhan et al. 2013c
- Yousefkhan et al. 2013d
- Yousefkhan et al. 2013e
- Yousefkhan et al. 2013f
- Yousefkhan et al. 2014
- Yousefkhan et al. 2015
- Yousefkhan et al. 2016a
- Yousefkhan et al. 2016b
- Yousefkhan et al. 2017
- Yousefkhan et al. 2018
- Yousefkhan et al. 2019a
- Yousefkhan et al. 2019b
- Yousefkhan et al. 2019c
- Youssef et al. 2008
- Yuan and Rao 2011
- Yuan et al. 2016
- Yuan et al. 2019
- Yue et al. 2012
- Yufek 2012
- Yuni et al. 2015
- Zaady and Bouskila 2002
- Zagar et al. 2014
- Zagar et al. 2015a
- Zagar et al. 2015b
- Zagar et al. 2015c
- Zagar et al. 2018a
- Zagar et al. 2018b
- Zakaria et al. 2014
- Zakkak et al. 2015
- Zaldivar-Rae et al. 2008
- Zaldivar-Riveron and de Oca 2001
- Zaldivar-Riveron and de Oca 2002
- Zaldivar-Riveron et al. 2002a
- Zaldivar-Riveron et al. 2002b
- Zaldivar-Riveron et al. 2002c
- Zaldivar-Riveron et al. 2002d
- Yousefkhan, S. S. H. 2019. Habitat suitability prediction of *Tenuidactylus caspius* (Eichwald, 1831)(Reptilia: Gekkonidae) in Iran. *Journal of Biological Studies*, 2: 4-8.
- Yousefkhan, S. S. H. and Rastegar-Pouyani, E. 2013. Severe conditions on *Eremias intermedia* (Strauch, 1876) and *Eremias lineolata* (NiKOLSKY, 1896) (Sauria: Lacertidae) in Sarakhs, Northeastern Iran. L@CERTIDAE (Eidechsen Online), 2013: 17-20.
- Yousefkhan, S. S. H. and Yousefi, M. 2016. Comparison of reptile sampling in Iran with pitfall versus double-ended funnel traps. *Zoology in the Middle East*, 62: 46-50.
- Yousefkhan, S. S. H., Rastegar-Pouyani, N. and Rastegar-Pouyani, E. 2012. First record of *Cyrtopodion agamrooides* (Nikolsky, 1900) (Sauria: Gekkonidae) from Khorasan Razavi province, north-eastern Iran. *Herpetology Notes*, 5:
- Yousefkhan, S. S. H., Ficetola, G. F., Rastegar-Pouyani, N., Ananjeva, N. B., Rastegar-Pouyani, E. and Masroor, R. 2013. Environmental suitability and distribution of the Caucasian rock agama, *Paralaudakia caucasia* (Sauria: Agamidae) in Western and Central Asia. *Asian Herpetological Research* 4: 207-213.
- Yousefkhan, S. S. H., Oraei, H., Khosravani, A. and Rastegar-Pouyani, E. 2013. Habitat associations and conservation of *Eremias acutirostris* (Boulenger, 1887) in the Sistan region, Zabol, Iran. *Amphibian and Reptile Conservation* 6:
- Yousefkhan, S. S. H., Rastegar-Pouyani, E. and Rastegar-Pouyani, N. 2013. Geographic variation in *Mesalina watsonana* (Sauria: Lacertidae) along a latitudinal cline on the Iranian Plateau. *Salamandra* 49: 171-176.
- Yousefkhan, S. S. H., Rastegar-Pouyani, E., Rastegar-Pouyani, N., Masroor, R. and Smid, J. 2013. Modelling the potential distribution of *Mesalina watsonana* (Stoliczka, 1872) (Reptilia: Lacertidae) on the Iranian Plateau. *Zoology in the Middle East*, 59: 220-228.
- Yousefkhan, S. S. H., Yousefi, M., Rastegar Pouyani, E. and Khani, A. 2013. Some remarks on the distribution and habitat preferences of the *Eremias strauchi kopetdagica* Szczerbak, 1972 (Sauria: Lacertidae) from the northeastern Iranian Plateau. *Herpetology Notes*, 6: 97-99.
- Yousefkhan, S. S. H., Yousefi, M., Rastegar-Pouyani, E. and Rastegar-Pouyani, N. 2013. Lizards from Qeshm island, Iran. *Herpetological Review*, 44: 486-488.
- Yousefkhan, S. S. H., Yousefi, M., Mohammadpour, A., Masroor, R. and Rastegar-Pouyani, N. 2014. Phenotypic variation in males of the agamid lizard *Paralaudakia caucasia* (Eichwald, 1831) across a wide geographic range. *Herpetologica*, 70: 464-471.
- Yousefkhan, S. S. H., Marmol Marin, G. M. D., Rastegar-Pouyani, N. and Rastegar-Pouyani, E. 2015. A bibliographic recompilation of the genus *Mesalina* Gray, 1838 (Sauria: Lacertidae) with a key to the species. *Russian Journal of Herpetology* 22: 23-34.
- Yousefkhan, S. S. H., Mirshamsi, O., Ilgaz, C., Kumlutas, Y. and Avci, A. 2016. Ecological niche divergence between *Trapelus ruderatus* (Olivier, 1807) and *T. persicus* (Blanford, 1881) (Sauria: Agamidae) in the Middle East. *Asian Herpetological Research* 7: 96-102.
- Yousefkhan, S. S. H., Rastegar-Pouyani, N. and Aliabadian, M. 2016. Ecological niche differentiation and taxonomic distinction between *Eremias strauchi strauchi* and *Eremias strauchi kopetdagica* (Squamata: Lacertidae) on the Iranian Plateau based on ecological niche modeling. *Italian Journal of Zoology* 83: 408-416.
- Yousefkhan, S. S. H., Aliabadian, M., Rastegar-Pouyani, E. and Darvish, J. 2017. Geographic variation in morphology of the genus *Agamura* Blanford, 1874 in Iran. *Amphibia-Reptilia*, 38: 449-459.
- Yousefkhan, S. S. H., Aliabadian, M. and Zuffi, M. A. 2018. Habitat preferences of Caucasian rock agama *Paralaudakia caucasia* (Sauria: Agamidae) in urban and natural habitats in northeastern Iran. *Polish Journal of Ecology*, 66: 48-
- Yousefkhan, S. S. H., Aliabadian, M., Rastegar-Pouyani, E. and Darvish, J. 2019. Taxonomic revision of the spider geckos of the genus *Agamura* senso lato Blanford, 1874 (Sauria: Gekkonidae) in the Iranian Plateau. *Herpetological Yosefkhan, S. S. H., Rastegar-Pouyani, E., Ilgaz, C., Kumlutas, Y., Avci, A. and Wink, M. 2019. Evidences for ecological niche differentiation on the Anatolian lizard (*Apathya cappadocica* ssp.) (Reptilia: Lacertidae) in western Asia. *Biologia* 74: 1661-1667.*
- Yousefkhan, S. S. H., Rastegar-Pouyani, E., Ilgaz, C., Kumlutas, Y., Avci, A. and Wink, M. 2019. Evidences for ecological niche differentiation on the Anatolian lizard (*Apathya cappadocica* ssp.) (Reptilia: Lacertidae) in western Asia. *Biologia*, 74: 1661-1667.
- Youssef, M. K., Adolph, S. C. and Richmond, J. Q. 2008. Evolutionarily conserved thermal biology across continents: The North American lizard *Plestiodon gilberti* (Scincidae) compared to Asian *Plestiodon*. *Journal of Thermal Youssef, M. K., Adolph, S. C. and Richmond, J. Q. 2008. Evolutionarily conserved thermal biology across continents: The North American lizard *Plestiodon gilberti* (Scincidae) compared to Asian *Plestiodon*. *Journal of Thermal**
- Yuan, S-Q. and Rao, D.-Q. 2011. A new record of a Gekkonid (Cyclodactylus wayakonei) from Yunnan, China. *Zoological Research* 32: 684-688.
- Yuan, F. L., Pickett, E. J. and Bonebrake, T. C. 2016. Cooler performance breadth in a viviparous skink relative to its oviparous congener. *Journal of Thermal Biology* 61: 106-114.
- Yuan, M. L., Wake, M. H. and Wang, I. J. 2019. Phenotypic integration between claw and toepad traits promotes microhabitat specialization in the *Anolis* adaptive radiation. *Evolution* 73: 231-244.
- Yue, F., Tang, X-L., Zhang, D-J., Yan, X-F., Xin, Y. and Chen, Q. 2012. Body temperature and standard metabolic rate of the female viviparous lizard *Eremias multiocellata* during reproduction. *Canadian Journal of Zoology* 90: 79-84.
- Yufek, M. D. 2012. Husbandry and reproduction of *Varanus olivaceus* Hallowell (Sauria: Varanidae) at the Avilon Montalban Zoological Park. *Biawak*, 6: 39-53.
- Yuni, L. P. E. K., Jones, S. M. and Wapstra, E. 2015. Energy expenditure of the spotted snow skink, *Niveoscincus ocellatus*, at two climatic extremes of its distribution range. *Journal of Thermal Biology* 52: 208-216.
- Zaady, E. and Bouskila, A. 2002. Lizard burrows association with successional stages of biological soil crusts in an arid sandy region. *Journal of Arid Environments*, 5: 235-246.
- Zagar, A., Carretero, M. A., Krofel, M., Luznik, M., Podnar, M. and Tvrkovic, N. 2014. Reptile survey in Dinara Mountain(Croatia) revealed the southernmost known population of Horvath's rock lizard (*Iberolacerta horvathi*). *Natura Croatica* 23: 235-240.
- Zagar, A., Bitenc, K., Vrezec, A. and Carretero, M. A. 2015. Predators as mediators: Differential antipredator behavior in competitive lizard species in a multi-predator environment. *Zoologischer Anzeiger* 259: 31-40.
- Zagar, A., Carretero, M. A., Osojnik, N., Sillero, N. and Vrezec, A. 2015. A place in the sun: interspecific interference affects thermoregulation in coexisting lizards. 69: 1127-1137.
- Zagar, A., Simcic, T., Carretero, M. A. and Vrezec, A. 2015. The role of metabolism in understanding the altitudinal segregation pattern of two potentially interacting lizards. *Comparative Biochemistry and Physiology, Part A* 179: 1-6.
- Zagar, A., Carretero, M. A., Marguc, D., Simcic, T. and Vrezec, A. 2018. A metabolic syndrome in terrestrial ectotherms with different elevational and distribution patterns. *Ecography* 41: 1728-1739.
- Zagar, A., Carretero, M. A., Vrezec, A., Drasler, K. and Kaliontzopoulou, A. 2017. Towards a functional understanding of species coexistence: Ecomorphological variation in relation to whole-organism performance in two sympatric lizards. *Functional Ecology* 31: 1780-1791.
- Zakaria, N., Senawi, J., Musa, F. H., Belabut, D., Onn, C. K., Nor, S. M. and Ahmad, N. 2014. Species composition of Amphibians and Reptiles in Krau Wildlife Reserve, Pahang, Peninsular Malaysia. *Check List* 10: 335-343.
- Zakkak, S., Halley, J. M., Akriotsis, T. and Kati, V. 2015. Lizards along an agricultural land abandonment gradient in Pindos Mountains, Greece. *Amphibia-Reptilia* 36: 253-264.
- Zaldivar-Rae, J., Drummond, H., Ancona-Martinez, S., Manriquez-Moran, N. L. and Mendez-de La Cruz, F. R. 2008. Seasonal breeding in the western mexican whiptail lizard *Aspidoscelis costata* on isla isabel, Nayarit, Mexico. *The Southwestern Naturalist* 53: 175-184.
- Zaldivar-Riveron, A. and de Oca, A. N.-M. 2001. Natural history and distribution of the lizard *Barisia rudicollis* (Anguidae). *The Southwestern Naturalist*, 46: 391-396.
- Zaldivar-Riveron, A. and de Oca, A. N.-M. 2002. Variation in the rare lizard *Barisia rudicollis* (Wiegmann) (Anguidae) with description of a new species from central Mexico. *Herpetologica*, 58: 313-326.
- Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. *Abromia deppei*. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biologia, Facultad de Ciencias, Universidad Nacional Autonoma de Mexico. Bases de datos SNIB-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. *Abromia fuscolabialis*. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biologia, Facultad de Ciencias, Universidad Nacional Autonoma de Mexico. Bases de datos SNIB-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. *Abromia graminea*. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biologia, Facultad de Ciencias, Universidad Nacional Autonoma de Mexico. Bases de datos SNIB-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. *Abromia lythrochila*. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biologia, Facultad de Ciencias, Universidad Nacional Autonoma de Mexico. Bases de datos SNIB-CONABIO. Proyecto W026. Mexico. D.F.

- Zaldivar-Riveron et al. 2002e  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Abronia mixteca. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002f  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Abronia oaxacae. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002g  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Abronia ochoterenai. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002h  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Abronia taeniata. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002i  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Anniella pulchra. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002j  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Barisia imbricata. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002k  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Barisia levicollis. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002l  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Barisia rudicollis. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002m  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Celestus enneagrammus. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002n  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Celestus rozellae. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002o  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Elgaria kingii. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002p  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Elgaria multicarinata. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002q  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Elgaria parva. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002r  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Elgaria paucicarinata. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002s  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Gerrhonotus liocephalus. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002t  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Gerrhonotus lugoi. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002u  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Mesaspis gadoVI. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002v  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Mesaspis juarezi. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002w  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Mesaspis moreleti. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zaldivar-Riveron et al. 2002x  
 Zaldivar-Riveron, A., Schmidt, W. and Heimes, P. 2002. Ophisaurus incomptus. Revision de las categorias en el proyecto de norma oficial mexicana (PROY-NOM-059-2000) para las especies de lagartijas de la familia Anguidae (Reptilia). Museo de Zoologia "Alfonso L. Herrera", Departamento de Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. Bases de datos SNIb-CONABIO. Proyecto W026. Mexico. D.F.
- Zamfirescu et al. 2016  
 Zamfirescu, S. R., Strugariu, A., Dinca, P. C. and Gherghel, I. 2016. An updated distribution of the herpetofauna from the Natura 2000 Site Rarau-Giumalaú (Rosci012), Romania. Memoirs of the Scientific Sections of the Romanian
- Zamora-Abrego et al. 2007  
 Zamora-Abrego, J. G., Zuniga-Vega, J. J., de Oca, A.-N. 2007. Variation in reproductive traits within the lizard genus *Xenosaurus*. Journal of Herpetology, 41: 630-637.
- Zamora-Camacho et al. 2014a  
 Zamora-Camacho, F. J., Reguera, S. and Moreno-Rueda, G. 2014. Bergmann's Rule rules body size in an ectotherm: heat conservation in a lizard along a 2200-metre elevational gradient. Journal of Evolutionary Biology 27: 2820-2828.
- Zamora-Camacho et al. 2014b  
 Zamora-Camacho, F. J., Reguera, S., Rubino-Hispan, M. V. and Moreno-Rueda, G. 2014. Effects of limb length, body mass, gender, gravidity, and elevation on escape speed in the lizard *Psammmodromus algirus*. Evolutionary Biology
- Zamora-Camacho et al. 2015  
 Zamora-Camacho, F. J., Rubino-Hispan, M. V., Reguera, S. and Moreno-Rueda, G. 2015. Thermal dependence of sprint performance in the lizard *Psammmodromus algirus* along a 2200-meter elevational gradient: Cold-habitat lizards do not perform better at low temperatures. Journal of Thermal Biology 52: 90-96.
- Zamora-Camacho et al. 2016  
 Zamora-Camacho, F. J., Rubino-Hispan, M. V., Reguera, S. and Moreno-Rueda, G. 2016. Does tail regeneration following autotomy restore lizard sprint speed? Evidence from the lacertid *Psammmodromus algirus*. Herpetological
- Zamudio et al. 2000  
 Zamudio, K. R. and Parra-Olea, G. 2000. Reproductive mode and female reproductive cycles of two endemic Mexican horned lizards (*Phrynosoma taurus* and *Phrynosoma braonnieri*). Copeia, 2000: 222-229.
- Zani and Vitt 1995  
 Zani, P. A. and Vitt, L. J. 1995. Techniques for capturing arboreal lizards. Herpetological Review 26: 136-137.
- Zaracho et al. 2017  
 Zaracho, V. H., Tedesco, M. E., Motte, M. and Yanosky, A. 2017. First record of *Liolaemus azarae* and *Hemidactylus mabouia* for Neembucu Department, Paraguay. Cuadernos de Herpetología 31: 65-67.
- Zari 1991  
 Zari, T. A. 1991. The influence of body mass and temperature on the standard metabolic rate of the herbivorous desert lizard, *Uromastyx microlepis*. Journal of Thermal Biology, 16: 129-134.
- Zari 1993  
 Zari, T. A. 1993. Effects of body mass and temperature on standard metabolic rate of the desert chameleon *Chamaeleo calyptratus*. Journal of Arid Environments, 24: 75-80.
- Zari 1996  
 Zari, T. A. 1996. Effects of body mass and temperature on standard metabolic rate of the herbivorous desert lizard *Uromastyx philbyi*. Journal of Arid Environments 33: 457-461.
- Zari 1997  
 Zari, T. A. 1997. Effects of body mass, temperature, and season on resting metabolism of the nocturnal gecko *Hemidactylus flaviviridis*. Zoology in the Middle East, 14: 77-85.
- Zari 2013  
 Zari, T. A. 2013. Seasonal acclimation in resting metabolism of the skink, *Mabuya brevicollis* (Reptilia: Scincidae) from southwestern Saudi Arabia. Journal of Thermal Biology 38: 449-453.
- Zari 2016  
 Zari, T. A. 2016. Seasonal metabolic acclimatization in the herbivorous desert lizard *Uromastyx philbyi* (Reptilia: Agamidae) from western Saudi Arabia. Journal of Thermal Biology 60: 180-185.
- Zassi-Boulou et al. 2019  
 Zassi-Boulou, A. G., Zimkus, B. M., Goma-Tchimbakala, J., Boudzoumou, S., Mboungou-Louiki, A. and Jackson, K. 2019. Herpetological survey of the proposed Bambama-Zanaga mine site, Department of Lekoumou, Republic of Congo. Herpetological Conservation and Biology, 14: 470-480.

- Zeng et al. 2016  
 Zeng, Z-G., Bi, J-H., Li, S. R., Wang, Y., Robbins, T. R., Chen, S-Y. and Du, W-G. 2016. Habitat alteration influences a desert steppe lizard community: implications of species-specific preferences and performance. *Herpetological Monographs* 30: 34-48.
- Zhang and Ji 2004  
 Zhang, Y-P. and Ji, X. 2004. The thermal dependence of food assimilation and locomotor performance in southern grass lizards, *Takydromus sexlineatus* (Lacertidae). *Journal of Thermal Biology* 29: 45-53.
- Zhang et al. 2006  
 Zhang, Y-P., Du, W-G. and Shou, L. 2006. Inter-population differences in reproductive life-history traits of blue-tailed skinks (*Eumeces elegans*) from Hangzhou and Ningde, Eastern China. *Zoological Research* 27: 255-260.
- Zhang et al. 2009  
 Zhang, Y-P., Du, W-G. and Zhu, L-J. 2009. Differences in body size and female reproductive traits between two sympatric geckos, *Gekko japonicus* and *Gekko hokouensis*. *Folia Zoologica* 58: 113-122.
- Zhang et al. 2016  
 Zhang, Y. P., Ping, J., Hao, S. L. and Zhou, H. B. 2016. Temporal and spatial variation in life history traits of the Japanese gecko, *Gekko japonicus*. *Herpetological Journal* 26: 305-311.
- Zhang et al. 2018a  
 Zhang, K., Tong, H., Wo, Y., Liu, N. and Jin, Y. 2018. Sex ratio and sexual size dimorphism in a toad-headed lizard, *Phrynocephalus guianensis*. *Asian Herpetological Research* 9: 35-42.
- Zhang et al. 2018b  
 Zhang, L., Guo, K., Zhang, G. Z., Lin, L. H. and Ji, X. 2018. Evolutionary transitions in body plan and reproductive mode alter maintenance metabolism in squamates. *BMC Evolutionary Biology*, 18: 45.
- Zhao 1979  
 Zhao, K. 1979. A Study of the classification and distribution of the toad-headed agamids (*Phrynocephalus*) in China. *Acta Scientiarum Naturalium Universitatis intramongolicae* 1979: 111-121.
- Zhao 2018  
 Zhao, Y. 2018. The effects of predation risk, shelter, and food availability on the reproduction of Aegean Wall lizards (*Podarcis erhardii*) in the Greek islands. MSc. Thesis, University of Michigan.
- Zhao and Adler 1993  
 Zhao, E. M. and Adler, K. 1993. *Herpetology of China*. Society for the Study of Amphibians and Reptiles, Oxford, OH.
- Zhao and Li 1984  
 Zhao, E. M. and Li, S. 1984. A new species of *Calotes* (Lacertilia: Agamidae) from Xizang (Tibet). *Acta Herpetologica Sinica* 3: 77-78.
- Zhao and Li 1987  
 Zhao, E. M. and Li, S. 1987. A new lizard of *Tenuidactylus* and a new Tibetan snake record of *Amphisema*. *Acta Herpetologica Sinica* 6: 48-51.
- Zhao and Liu 2013  
 Zhao, W. and Liu, N. 2013. Sexual dimorphism of head size in *Phrynocephalus przewalskii*: testing the food niche divergence hypothesis. *Asian Herpetological Research* 4: 242-247.
- Zhao et al. 1999  
 Zhao, E. M., Zha, K. T. and Zhou, K. Y. (Editors). 1999. *Fauna Sinica. Reptilia Vol. 2. Squamata. Lacertilia*. Science Press, Beijing.
- Zhao et al. 2011  
 Zhao, W., Yu, N., Wang, Y., Ji, W. and Liu, N. 2011. Female reproductive cycles of *Phrynocephalus przewalskii* (Lacertilia: Agamidae) in the Tengger Desert, China. *Asian Herpetological Research*, 2: 30-35.
- Zhao et al. 2016  
 Zhao, L., Chen, Y. J., Lou, S. L., Huang, Y., Jehle, R. and Liao, W. B. 2016. Reciprocal sexual size dimorphism and Rensch's rule in toad-headed lizards, *Phrynocephalus vlangalii*. *Salamandra* 52: 261-268.
- Zhao et al. 2019  
 Zhao, Z., Goedhals, J., Verdu-Ricoy, J., Jordaan, A. and Heideman, N. 2019. Comparative analysis of the eye anatomy in fossorial and surface-living skink species (Reptilia: Scincidae), with special reference to the structure of the retina. *Acta Zoologica* <https://doi.org/10.1111/azo.12297>
- Zhou and Shu 2015  
 Zhou, L. and Shu, L. 2015. Amphibian and reptilian distribution patterns in the transitional zone between the Euro-Siberian and Central Asia subrealms. *Journal of Arid Land*, 7: 555-565.
- Zhou and Wang 2008  
 Zhou, K. and Wang, Q. 2008. New species of *Gekko* (Squamata: Sauria: Gekkonidae) from China: morphological and molecular evidence. *Zootaxa* 1778: 59-68.
- Zhou et al. 1981  
 Zhou, K-Y., Liu, Y-Z. and Yang, G-P. 1981. Three new subspecies of *Hemiphyllodactylus yunnanensis* (Boulenger) from China. [in Chinesel]. *Acta Zootaxonomica Sinica*, 6: 202-209. [English trans in Smithsonian Herp. Inf. Service
- Zhou et al. 1982  
 Zhou, K-Y., Yue-Zhen, L. and De-Jun, L. 1982. Three new species of *Gekko* and remarks on *Gekko hakouensis*. *Acta Zootaxon Sinica*, 7: 438-446.
- Zhou et al. 2006  
 Zhou, K., Li, H., Han, D., Bauer, A. M. and Feng, J. 2006. The complete mitochondrial genome of *Gekko* gecko (Reptilia: Gekkonidae) and support for the monophyly of *Sauria* including *Amphisbaenia*. *Molecular Phylogenetics and Evolution* 40: 887-892.
- Zhou et al. 2018  
 Zhou, R. B., Wang, N., Chen, B. and Liang, B. 2018. Morphological evidence uncovers a new species of *Goniurosaurus* (Squamata: Eublepharidae) from the Hainan island, China. *Zootaxa*, 4369: 281-291.
- Ziegler, T. 2002. Die Amphibien und Reptilien eines Tieflandfeuchtwald-Schutzgebietes in Vietnam. *Natur und Tier-Verlag*
- Ziegler, T. and Bischoff, W. 1999. *Takydromus (Platyplacopus) kuehnei vietnamensis* ssp. n., eine neue Schnellläufereidechsen-Unterart aus Vietnam (Reptilia: Squamata: Lacertidae). *Salamandra* 35: 209-226.
- Ziegler, T. and Le, M. D. 2018. New records of the blue-tailed monitor, *Varanus doreanus* (Meyer, 1874), including a maximum size record. *Biawak*, 12: 48-53.
- Ziegler, T. and Nguyen, T. Q. 2010. New discoveries of amphibians and reptiles from Vietnam. *Bonn Zoological Bulletin*, 57: 137-147.
- Ziegler, T. and Nguyen, T. Q. 2019. Herpetological research and conservation in Vietnam and Laos in compliance with the one plan approach. *Proceedings of the 4th national scientific conference on amphibians and reptiles in Vietnam*
- Ziegler, T., Bohme, W. and Bischoff, W. 1999. Comments on the grass lizards (Lacertidae: *Takydromus*) of Vietnam and Myanmar. *Hamadryad*, 24: 39-42.
- Ziegler, T., Bohme, W. and Philipp, K. M. 1999. *Varanus caerulelivrens* sp. n., a new monitor lizard of the V. Indicus group from Halmahera, Moluccas, Indonesia. *Herpetozoa*, 12: 45-56.
- Ziegler, T., Rosler, H., Herrmann, H.-W. and Vu, N. T. 2002. *Cyrtodactylus phongnhakebangensis* sp. n., ein neuer Bogenfingergecko aus dem annamitischen Karstwaldmassiv, Vietnam. *Herpetofauna*, 24: 11-25.
- Ziegler, T., Herrmann, H. W., Thanh, V. N., Quyet, L. K., Hiep, N. T., Chinh, C. X., Thanh, L. M. and Tri, D. H. 2004. The amphibians and reptiles of the Phong Nha - Ke Bang National Park, Quang Binh Province, Vietnam.
- Ziegler, T., Thanh, V. N. and Thanh, B. N. 2005. A new water skink of the genus *Tropidophorus* from the Phong Nha-Ke Bang National Park, central Vietnam. *Salamandra*, 41: 137-146.
- Ziegler, T., Ohler, A., Thanh, V. N., Quyet, L. C., Thuan, N. X., Tri, D. H. and Thanh, B. N. 2006. Review of the amphibian and reptile diversity of Phong Nha - Ke Bang National Park and adjacent areas, central Truong Son, Vietnam. *Proceedings of the 13th Congress of the Societas Europaea Herpetologica*. pp. 247-262.
- Ziegler, T., Thanh, V. N., Quyet, L. K., Truong, N. Q., Hallermann, J., Khoi, L. V. and Hoang, T. M. 2006. Neue verbreitungsnachweise einiger wenig bekannter vietnamesischer amphibien und reptilien. *Sauria* 28: 29-40.
- Ziegler, T., Heidrich, A., Schmitz, A. and Bohme, W. 2007. Phylogenetic position, morphology and natural history of the Vietnamese water skink *Tropidophorus noggei* Ziegler, Vu & Bui, 2005 (Sauria: Scincidae). *Revue Suisse de Zoologie*, 115: 1-12.
- Ziegler, T., Schmitz, A., Koch, A. and Bohme, W. 2007. A review of the subgenus *Euprepiosaurus* of *Varanus* (Squamata: Varanidae): morphological and molecular phylogeny, distribution and zoogeography, with an identification key for the members of the V. Indicus and the V. prasinus species groups. *Zootaxa* 1472: 1-28.
- Ziegler, T., Quyet, L. K., Thanh, V. N., Hendrix, R. and Bohme, W. 2008. A comparative study of crocodile lizards (*Shinisaurus crocodilurus* Ahl, 1930) from Vietnam and China. *Raffles Bulletin of Zoology* 56: 181-187.
- Ziegler, T., Truong, N. Q., Schmitz, A., Stenke, R. and Rosler, H. 2008. A new species of *Goniurosaurus* from Cat Ba island, Hai Phong, northern Vietnam (Squamata: Eublepharidae). *Zootaxa* 1771: 16-30.
- Ziegler, T., Strauch, M., Pes, T., Konas, J., Jirasek, T., Rutz, N., Oberreuter, J. and Holst, S. 2009. First captive breeding of the blue tree monitor *Varanus macraei* Bohme & Jacobs, 2001 at the Plzen and Cologne Zoos. *Biawak*, 3: 122-126.
- Ziegler, T., Rutz, N., Oberreuter, J. and Holst, S. 2010. First f2 breeding of the Quince monitor lizard *Varanus melinus* Bohme & Ziegler, 1997 at the Cologne Zoo Aquarium. *Biawak*, 4: 82-92.
- Ziegler, T., Tran, D. T. A., Nguyen, T. Q., Perl, R. G. B., Wirk, L., Kulisch, M., Lehmann, T., Rauhaus, A., Nguyen, T. T., Le, Q. K. and Vu, T. N. 2014. New amphibian and reptile records from Ha Giang Province, northern Vietnam. *Herpetology Notes*, 7: 185-201.
- Ziegler, T., Rauhaus, A., Nguyen, T. Q. and Nguyen, K. V. 2015. Sudlichster nachweis von *Gekko badenii* Szczerbak & Nekrasova, 1994, mit bemerkungen zur herpetofauna der Hon-Me-Auffangstation in der provinz Kien Giang, Sudvietnam. *Sauria* 37: 3-14.
- Ziegler, T., Rauhaus, A., Tran, T. D., Pham, C. T., van Schingen, M., Dang, P. H., Le, M. D. and Nguyen, T. Q. 2015. Die amphibien- und reptilienfauna der Me-Linh-Biodiversitätsstation in Nordvietnam. *Sauria* 37: 11-44.
- Ziegler, T., Boto, A., Nguyen, T. T., Bauer, A. M., Brennan, I. G., Ngo, H. T. and Nguyen, T. Q. 2016. First molecular verification of *Dixonius vietnamensis* Das, 2004 (Squamata: Gekkonidae) with the description of a new species from Vinh Cuu Nature Reserve, Dong Nai Province, Vietnam. *Zootaxa* 4136: 553-566.
- Ziegler, T., Rauhaus, A. and Gill, I. 2016. A preliminary review of monitor lizards in zoological gardens. *Biawak*, 10: 26-35.
- Ziegler, T., Rauhaus, A. and Vences, M. 2019. Does genetic screening reveal first zoo breeding of the cryptic golden tegu (*Tupinambis cryptus*)? *Der Zoologische Garten* 87: 25-40.
- Ziegler, T., Van Schingen, M., Rauhaus, A., Dang, P. H., Pham, C. T. and Nguyen, T. Q. 2019. New insights into the habitat use and husbandry of crocodile lizards (Reptilia: Shinisauridae) including the conception of new facilities for Vietnamese crocodile lizards *Shinisaurus crocodilurus vietnamensis* in Vietnam and Germany. *International Zoo Yearbook* 53: 1-20.
- Zilger, H-J. and Grossmann, W. 2017. *Uromastyx thomasi* Parker, 1930. *Sauria* 39: 1-2.

Zimic et al. 2018

Zimmerman and Rodrigues 1990

Zinner 1967

Zlotkin et al. 2003

Znari and El Mouden 1997

Znari and Nagy 1997

Zoffer 1996

Zotos et al. 2012

Zinic, A., Pecar, D. and Jelic, D. 2018. The snake-eyed skink, *Ablepharus kitaibelii* Bibron & Bory, 1833 (Reptilia, Squamata: Scincidae) viable population re-discovered in Bosnia and Herzegovina-with morphological, ecological and conservation notes. *North-Western Journal of Zoology*, 14: 146-148.

Zimmerman, B. L. and Rodrigues, M. T. 1990. Frogs, snakes, and lizards of the iNPA-WWF reserves near Manaus, Brazil. Pages 426-454 in A. H. Gentry 1990. (editor). *Four Neotropical rainforests*. Yale University Press, New Haven.

Zinner, H. 1967. Herpetological collection trips to the Lebanon 1965 and 1966. *Israel Journal of Zoology*, 16: 49-58.

Zlotkin, E., Milman, T., Sion, , and Werner, Y. L. 2003. Predatory behaviour of gekkonid lizards, *Ptyodactylus* spp., towards the scorpion *Leirus quinquestriatus hebraeus*, and their tolerance of its venom. *Journal of Natural History*,

Znari, M. and El Mouden, E. H. 1997. Sexual dimorphism, reproductive and fat body cycles in Bibron's agama (*Agama impalearis*, Boettger, 1874) (*Sauria: Agamidae*). *Herpetologica* 53: 411-422.

Znari, M. and Nagy, K. A. 1997. Field metabolic rate and water flux in free-living Bibron's agama (*Agama impalearis*, Boettger, 1874) in Morocco. *Herpetologica* 53: 81-88.

Zoffer, D. J. 1996. Agamid lizards. Keeping & breeding them in captivity. T. F. H. Publications, Neptune City.

Zotos, S., Adamopoulou, C., Chondropouloso, B., Kadis, C., Hadjichambis, A. C. and Legakis, A. 2012. Evidence of sperm storage in Schreiber's Fringe-fingered Lizard, *Acanthodactylus schreiberii* schreiberii, from Cyprus (Reptilia: Lacertidae). *Zoology in the Middle East* 56: 39-47.

Zozaya, S. M., Fenker, J. and Macdonald, S. L. 2019. A new species of rock-dwelling gecko (Gekkonidae: Gehyra) from the Mt Surprise region of northern Queensland, Australia. *Zootaxa*, 4688: 503-518.

Zozaya, S. M., Higbie, M., Moritz, C. and Hoskin, C. J. 2019. Are pheromones key to unlocking cryptic lizard diversity? *The American Naturalist* 194: 168-182.

Zuffi, M. A. L. and Giannelli, C. 2013. Trophic niche and feeding biology of the Italian wall lizard, *Podarcis siculus campestris* (De Bettia, 1857) along western Mediterranean coast. *Acta Herpetologica* 8: 35-39.

Zug, G. R. 1970. Intergradation of the two Rhineana (Reptilia) populations in Central Florida and comments on its scale reduction. *Journal of Herpetology* 4: 123-129.

Zug, G. R. 1985. Pacific island lizards: status of type specimens from the US Exploring Expedition 1838-1842. *Copeia* 1985: 150-154.

Zug, G. R. 1987. Amphibians and reptiles of the Outamba-Kilimi region, Sierra Leone. *Herpetological Association of Africa Journal* 33: 1-4.

Zug, G. R. 1991. The lizards of Fiji: natural history and systematics. *Bishop Museum Bulletin of Zoology* 2: 1-136.

Zug, G. R. 1998. Australian populations of the *Nactus fuscus* lizards (Squamata: Scincidae) of New Guinea and nearby islands. *Bishop Museum Bulletin in Zoology* 5: 1-84.

Zug, G. R. 2004. Systematics of the *Carlia fusca* lizards (Squamata: Scincidae) from New Guinea and nearby islands. *Bishop Museum Bulletin in Zoology* 5: 1-84.

Zug, G. R. 2010. An outlying *Carlia* population from Java and comments on species groups within the genus *Carlia* (Reptilia: Squamata: Scincidae). *Proceedings of the California Academy of Sciences*, 61: 389-408.

Zug, G. R. 2010. Speciation and dispersal in a low diversity taxon: the Slender Geckos *Hemiphyllodactylus* (Reptilia, Gekkonidae). *Smithsonian Contributions to Zoology*, 631: 1-70.

Zug, G. R. 2012. A new species of treeskink (Squamata: Scincidae: *Emoia samoensis* species group) from Rotuma, south-central Pacific. *Proceedings of the Biological Society of Washington*, 125: 74-84.

Zug, G. R. 2013. Reptiles and amphibians of the Pacific islands: a comprehensive guide. University of California Press, Berkeley.

Zug, G. R. and Allison, A. 2006. New *Carlia fusca* complex lizards (Reptilia: Squamata: Scincidae) from New Guinea, Papua-Indonesia. *Zootaxa* 1237: 27-44.

Zug, G. R. and Ineich, I. 1995. A new skink (Emoia: Lacertidae: Reptilia) from the forest of Fiji. *Proceedings of the Biological Society of Washington* 108: 395-400.

Zug, G. R. and Kaiser, H. 2014. A new species of four-toed skink (Squamata: Scincidae: *Carlia peronii* species group) from Pulau Sukur, Indonesia, and biogeographic notes on the herpetofauna of Flores and Komodo.

PROCEEDINGS OF THE BIOLOGICAL SOCIETY OF WASHINGTON 126: 379-392.

Zug, G. R. and Schwartz, A. 1958. Variation in the species of *Cadea* (Amphisbaenidae), and a record of *C. blanoides* from the isla de Pinos. *Herpetologica*, 14: 176-179.

Zug, G. R., Barber, M. M. and Dudley, J. C. 1982. Gonadal histology and reproduction in *Carlia bicarinata* (Scincidae, Sauria, Reptilia) of the Port Moresby Area, Papua New Guinea. *Herpetologica*, 38: 418-425.

Zug, G. R., Springer, V. G., Williams, J. T. and Johnson, D. G. 1988. The vertebrates of Rotuma and surrounding waters. *Atoll Research Bulletin*, 316: 1-25.

Zug, G. R., Vitt, L. J. and Caldwell, J. P. 2001. *Herpetology*. 2nd edition. Academic Press, San Diego.

Zug, G. R., Brown, H. H. K., Schulte, J. A. and Vindum, J. V. 2006. Systematics of the Garden Lizards, *Calotes versicolor* Group (Reptilia, Squamata, Agamidae), in Myanmar: Central Dry Zone Populations. *Proceedings of the California Academy of Sciences* 57: 35-68.

Zug, G. R., Vindum, J. V. and Koo, M. S. 2007. Burmese Hemidactylus (Reptilia, Squamata, Gekkonidae): taxonomic notes on tropical Asian Hemidactylus. *Proceedings of the California Academy of Sciences* 58: 387-405.

Zug, G. R., Ineich, I., Pregill, G. and Hamilton, A. M. 2012. Lizards of Tonga with description of a new Tongan treeskink (Squamata: Scincidae: *Emoia samoensis* group). *Pacific Science* 66: 225-237.

Zuniga-Vega, J. J. 2011. Estimating potential reproductive costs in the survival of a xenosaurid lizard. *Herpetological Journal* 21: 117-129.

Zuniga-Vega, J. J., Rojas-Gonzalez, R. I., Lemos-Espinal, J. A. and Perez-Trejo M. E. 2005. Growth ecology of the lizard *Xenosaurus grandis* in Veracruz, Mexico. *Journal of Herpetology*, 39: 433-443.

Zuniga-Vega, J. J., Fuentes-G., J. A., Ossip-Drahos, A. G. and Martins, E. P. 2010. Repeated evolution of viviparity in phrynosomatid lizards constrained interspecific diversification in some life-history traits. *Biology Letters* 12:

Zuniga-Vega, J. J., Fuentes-G., J. A., Zamora-Abrego, G., Garcia- Vazquez, U. O., de Oca, A. N.-M. and Martins, E. P. 2017. Evolutionary patterns in life-history traits of lizards of the genus *Xenosaurus*. *Herpetological Journal* 27: 346-352.

Zwanzig, B.-M. 2018. Data on the vertical distribution and ecology of *Ptyodactylus orlovi* Nazarov, Melnikov & Melnikova, 2013. *Sauria* 40: 75-78.

Zweifel, R. G. 1958. Results of the Puritan-American Museum of Natural History expedition to western Mexico 2. Notes on reptiles and amphibians from the Pacific Coastal islands of Baja California. *American Museum Novitates*

Zweifel, R. G. 1966. A new lizard of the genus *Tribolodonotus* (Scincidae) from New Britain. *American Museum novitates* 2264: 1-12.

Zweifel, R. G. 1979. Variation in the scincid lizard *Lipinia noctua* and notes on other *Lipinia* from the New Guinea region. *American Museum Novitates* 2676: 1-21.

Zweifel, R. G. 1980. Results of the Archbold Expeditions No. 103. Frogs and lizards from the Huon Peninsula, Papua New Guinea. *Bulletin of the American Museum of Natural History* 165: 387-434.

Zweifel, R. G. and Lowe, C. H. 1966. The ecology of a population of *Xantusia vigilis*, the desert night lizard American Museum Novitates 2247: 1-58.

Zweifel, R. G. and Schwartz, A. 1929. *Torata ha*. *Sefer Zuro le-Yerushalayim*. אהרון, י. 1929. *Torata ha*. ספר צור לעירם. תל-השנה: יהודית קהילתי, ירושלים.

אהרון, י. 1929. *Torata ha*. ספר צור לעירם. מהלקה קהילתי, ירושלים.

אהרון, י. 1929. *Torata ha*. ספר צור לעירם. מדריך לווילם ווותהים בשערל. תל-השנה: יהודית קהילתי, ירושלים.

ארבל, א. 1984. *זוחלים ודו-חיים. אצלן, ע. טערן*. האוניברסיטה של היה והזומת בארץ ישראל. הוצאת מסר הביטחון. תל-אביב.

בר, א. 2013. *זוחלים ודו-חיים. פ. כהן, ה. קפלן, ש. פולר, נ. גולדמן*. זוחלים ודו-חיים. מדריך שדה. פ. כהן, ה. קפלן, ש. פולר, נ. גולדמן.

בר, א. 2018. *זוחלים ודו-חיים. ג. זוחלים ודו-חיים. פ. כהן, ה. קפלן, ש. פולר, נ. גולדמן*. זוחלים ודו-חיים. מדריך שדה. פ. כהן, ה. קפלן, ש. פולר, נ. גולדמן.

ג'ניברג, ג. 1983. *ג'ניברג, ג. זוחלים ודו-חיים. זוחלים ודו-חיים. פ. כהן, ה. קפלן, ש. פולר, נ. גולדמן*. זוחלים ודו-חיים. מדריך שדה. פ. כהן, ה. קפלן, ש. פולר, נ. גולדמן.

וינר, י. 1973. *זוחלים של חצי הארץ. ח. סמי. נ. כהן, ה. קפלן, ש. פולר, נ. גולדמן*. זוחלים של חצי הארץ. ח. סמי. נ. כהן, ה. קפלן, ש. פולר, נ. גולדמן.

וינר, י. 1995. *כללים לרבייה בלטאות (בכלל, ובפרט בישראל) : היחסים בין עומס תולואת, אסטרטגיית שייחור לשפרדו ופרזיטות וויגריה*. חרוזין: 39-52.

וינר, י. 1995. *דריך לווילם ווותהן. ש. פולר, נ. גולדמן*. דריך לווילם ווותהן. ש. פולר, נ. גולדמן.

וינר, י. 2007. *פ. כהן, ה. קפלן, ש. פולר, נ. גולדמן*. פ. כהן, ה. קפלן, ש. פולר, נ. גולדמן.

טלבי, ר. 2006. מהדור-ה חיים והעדפת בית-גנדול בלטאות והריווקה. *Lacerta media Israelica* 2006.

טלבי, ר. 2007. מהדור-ה חיים והעדפת בית-גנדול בלטאות והריווקה. *Lacerta media Israelica* 2007.

טלבי, ר. 2007. מהדור-ה חיים והעדפת בית-גנדול בלטאות והריווקה. *Lacerta media Israelica* 2007.

טלבי, ר. 2007. מהדור-ה חיים והעדפת בית-גנדול בלטאות והריווקה. *Lacerta media Israelica* 2007.

טרטיניאן, נ. 1996. *אקוומורפולוגיה של חרדון ירושה וטני. עבורת מוסך, המלהקה לאוילגיה, אוניברסיטת תל-אביב*.

טטרניאן, נ. 1983. *טטרניאן, נ. האתו-אקווגינה של מכאה האפר (Varanus griseus) (Varanus griseus)*. טטרניאן, נ. האתו-אקווגינה של מכאה האפר (Varanus griseus) (Varanus griseus).

פלישמן  
1981  
פר  
1990  
רפורט  
1974

פלישמן, ע. 1981. פרקים בהתנגדות חברתית של חרדוño סני 1837. *Agama sinaita* von Hayden 1837. עברות מוסמך, אוניברסיטת תל אביב.  
פר, ג. 1990. פרקים באקולוגיה ובפיזיולוגיה של הרביה בשננות הולות. *Acanthodactylus scutellatus*. עברות מוסמך, אוניברסיטת תל אביב.  
רפפורט, ד. 1974. השפעת טופוגרפיה על מחייר אגנאי של תנעה בחרדוño-גב. עברות מוסמך, אוניברסיטת תל אביב.