

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
SELIS PDES Master	BPS Master. Details					
Exchanged Document	<p>BPS Master. Exchanged_Document</p> <p>Semantic Def.: The header document information for a use of this UNeDocs buy master message assembly.</p> <p>Status: R</p> <p>Business Usage: This class is used in every message in order to provide the Waypoint number, the Pipeline-service-provider and date the document was issued. This information will be unique to each message – it will therefore be different at</p>					
Type Code	Exchanged_Document.Type.Code					165
	<p>Semantic Def.: The code specifying the type of exchanged document.</p>					
Issue Date Time	Exchanged_Document.Issue.Date_Time					147
	<p>Semantic Def.: The date, time, date time or other date time value for the issuance of this exchanged document.</p> <p>Status: O</p> <p>Business Usage: The date the message is sent to the authorities.</p> <p><i>Use the following codes from EDIFACT Code List 2379 to specify the format:</i></p>					
Issue Location	Exchanged_Document.Issue.Logistics_Location					009
	<p>Semantic Def.: The location where this exchanged document has been issued.</p>					
ID	Logistics_Location.Identification.Identifier					
	<p>Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).</p>					
Name	Logistics_Location.Name.Text					5/23
	<p>Semantic Def.: A name, expressed as text, of this logistics related location.</p> <p>Status: D</p> <p>Business Usage: The name of the place where the declaration was submitted.</p> <p>Business Rule: Normal usage of this segment is that if the UNLOCODE for this place is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use language ID ISO 639-1 2A (EDIFACT code list 3453): GB for English (or the relevant code if another language is used.)</i></p>					
Issuer Trade Party	Exchanged_Document.Issuer.Trade_Party					
	<p>Semantic Def.: The party that issues this exchanged document.</p> <p>Status: R</p> <p>Business Usage: This class is used to identify the Service Provider who is sending the Waypoint message.</p>					
ID	Trade_Party.Identification.Identifier					145
	<p>Semantic Def.: A unique identifier of this trade party.</p> <p>Status: R</p> <p>Business Usage: The custom's issued authorization code which identifies the Service Provider</p>					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 1

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
	who is offering the Data Pipeline service. <i>Use EDIFACT 3055 Code List to specify the Agency ID: For example, "109" for HMRC.</i>					
Role Code	Trade_Party. Role. Code Semantic Def.: A code specifying the role of this trade party. Status: R Business Usage. The code to identify that this is the Service Provider who is offering the Data Pipeline Service. Business Rule: Use this role code in order to specify the role of the Waypoint message provider. <i>Use EDIFACT code list ID: 3035 (Party Role Code) code: "BU" (service bureau) Use EDIFACT code list 30155 Agency ID: 6 (UNECE)</i>	146				
Waypoint Data	BPS Master. Exchanged_Declaration. Exchanged_Declaration Semantic Def.: A collection of data that is exchanged related to a formal declaration for this multimodal transport master message. Status: R Business Usage: Information which is transmitted as a formal waypoint declaration					
Type Code	Exchanged_Declaration. Type. Code Semantic Def.: The code specifying the type of this exchanged declaration. Status: R Business Usage. Code to identify which Waypoint is being sent. Code list: <ul style="list-style-type: none">• WP1 = Waypoint 1• WP2 = Waypoint 2• WP3 = Waypoint 3• WP4 = Waypoint 4	1001	1/3	1/3	001	
		1001	1/1	1(1)		
		1001	1/1 +	1(1)		
			1/2			
Procedure Code	Exchanged_Declaration. Procedure. Code Semantic Def.: A code specifying a procedure for this exchanged declaration. Status: O Dependency Rule: <i>Optional for WP3 otherwise Not Used</i> Business Usage. This code identifies the type of procedure which is being submitted through this waypoint. Business Rule: This data element should be 4 to seven digits, depending on the level of data provided <i>Use the EDIFACT 3055 code list Agency ID: 3055 - code 109</i>	1/10	37(1)	002		
Declared Amount for Customs	Exchanged_Declaration. Customs Value_Specified. Amount Semantic Def.: The monetary value specified for customs purposes in this exchanged declaration. Status: O					003

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES ID
	<p>Dependency Rule: <i>Optional for WP4 otherwise Not Used</i></p> <p>Business Usage. The total value of the merchandise for the entire consignment as defined by customs regulations for customs valuation purposes.</p> <p>Business Rule: For importations into Europe, the currency ID should be that of the Member State into which it is being imported.</p> <p><i>Use ISO 4217 (EDIFACT 6343 code list) for specifying Currency IDs: e.g.</i></p> <ul style="list-style-type: none"> • EUR = Euro • GBP = Pound Sterling 				
Declared Amount for Statistics	<p>Exchanged_Declaration. Statistical Value_Specified. Amount</p> <p>Semantic Def.: The monetary value specified for statistical purposes in this exchanged declaration.</p> <p>Status: O</p> <p>Dependency Rule: <i>Optional for WP4 otherwise Not Used</i></p> <p>Business Usage. The total value of the merchandise for the entire consignment as defined by customs regulations for statistics valuation purposes.</p> <p>Business Rule: For importations into Europe, the currency ID should be that of the Member State into which it is being imported.</p> <p><i>Use ISO 4217 (EDIFACT 6343 code list) for specifying Currency IDs: e.g.</i></p> <ul style="list-style-type: none"> • EUR = Euro • GBP = Pound Sterling 	8/6	46	004	
Customs Exchange Rate	<p>Exchanged_Declaration. Currency Exchange. Rate</p> <p>Semantic Def.: The rate of currency exchange in this exchanged declaration.</p> <p>Status: O</p> <p>Dependency Rule: <i>Optional for WP4 otherwise Not Used</i></p> <p>Business Usage. To provide the applicable currency exchange rate</p> <p>Business Rule: If the value is declared in a currency other than that of the Member State to which the declaration is being sent, the official exchange rate, valid on the date of the importation/exportation defined by Customs should be declared.</p> <p>If the value is declared in the currency of the Member State to which the declaration is being sent, do not use this data element.</p>			005	
Specific Circumstances Indicator	<p>Exchanged_Declaration. Specific Circumstance. Code</p> <p>Semantic Def.: The code specifying a specific circumstance in this exchanged declaration.</p> <p>Status: O</p> <p>Dependency Rule: <i>Optional for WP1 otherwise Not Used</i></p> <p>Business Usage. In the framework of ICS, these are codes to identify that a specific procedure would apply to an ENS declaration.</p> <p><i>Some example codes:</i></p> <ul style="list-style-type: none"> • A = Postal and express consignments • B = Ship and Aircraft supplies • C = Road mode of transport • D = Rail mode of transport • E = Authorised economic operators 	1/7		006	

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 3

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Data Declarant	<i>Use the EDIFACT Agency ID code list 3055 - code 140 (DG TAXUD)</i>					
Data Declarant	<p>Exchanged_Declaration. Declarant. Trade_Party</p> <p>Semantic Def.: The trade party acting as the declarant for this exchanged declaration.</p> <p>Status: R</p> <p>Business Usage: To provide the details of the party taking legal responsibility for the sent Waypoint data.</p> <p>Business Rule: Declarant is the party who is acting as declarant (taking a legal responsibility for the Waypoint Data which is being submitted). This declarant party may change at each waypoint depending on who is taking the legal responsibility for the information which is being submitted.</p>					007
ID	<p>Trade_Party. Identification. Identifier</p> <p>Semantic Def.: A unique identifier of this trade party.</p> <p>Status: O</p> <p>Business Usage. The identification number of the pipeline provider being sent for this waypoint.</p> <p>Business Rule: This will be different at each Waypoint as it will be pointing to the specific waypoint which is being exchanged.</p>	3/18 +	14(2)	178	3/41	
Cross-Border Customs Valuation	<p>Exchanged_Declaration. Applicable. Cross-Border_Customs Valuation</p> <p>Semantic Def.: Customs valuation information applicable to this exchanged declaration.</p> <p>Status: O</p> <p>Dependency Rule: Optional for WP4 otherwise Not Used</p> <p>Business Usage: This segment is used to provide information pertaining to the customs value under Declaration above (any adjustments, deductions, method of calculation, etc.).</p>					
Added Adjustment Amount	<p>Cross-Border_Customs Valuation. Added_Adjustment. Amount</p> <p>Semantic Def.: The monetary value of the adjustment added for this cross-border customs valuation.</p> <p>Status: O</p> <p>Business Usage. Adjustments that have been added to the customs value declared above (under "Declaration"). These adjustments are defined by national regulations and also generally within the WTO/OECD agreements on valuation.</p> <p>Business Rule: Logically, it is unlikely that multiple data elements will be used within the Customs Valuation Details. It is possible that no adjustments at all are made on the customs value. Please refer to the rules of valuation as defined by customs regulations to determine which, if any, of these cases apply to the transaction.</p> <p><i>Use ISO 4217 (EDIFACT 6343 code list) for specifying Currency IDs: e.g.</i></p> <ul style="list-style-type: none"> • EUR = Euro • GBP = Pound Sterling 	4/9		010		
Deducted Adjustment Amount	Cross-Border_Customs Valuation. Deducted_Adjustment. Amount			4/9		011
	Semantic Def.: The monetary value of the adjustment deducted for this cross-border customs valuation.					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
	<p>Status: O</p> <p>Business Usage. Adjustments that have been deducted from the customs value declared above (under "Declaration"). These adjustments are defined by national regulations and also generally within the WTO/OECD agreements on valuation.</p> <p>Business Rule: Logically, it is unlikely that multiple data elements will be used within the Customs Valuation Details. It is possible that no adjustments at all are made on the customs value. Please refer to the rules of valuation as defined by customs regulations to determine which, if any, of these cases apply to the transaction.</p> <p><i>Use ISO 4217 (EDIFACT 6343 code list) for specifying Currency IDs: e.g.</i></p> <ul style="list-style-type: none"> • EUR = Euro • GBP = Pound Sterling 					
Added Adjustment Percent	<p>Cross-Border_Customs Valuation. Added_Adjustment. Percent</p> <p>Semantic Def.: The adjustment added, expressed as a percentage, for this cross-border customs valuation.</p> <p>Status: O</p> <p>Business Usage. Adjustments as percentage that have been added to the customs value declared above (under "Declaration"). These adjustments are defined by national regulations and also generally within the WTO/OECD agreements on valuation.</p> <p>Business Rule: Logically, it is unlikely that multiple data elements will be used within the Customs Valuation Details. It is possible that no adjustments at all are made on the customs value. Please refer to the rules of valuation as defined by customs regulations to determine which, if any, of these cases apply to the transaction.</p>	012				
Deducted Adjustment Percent	<p>Cross-Border_Customs Valuation. Deducted_Adjustment. Percent</p> <p>Semantic Def.: The adjustment deducted, expressed as a percentage, for this cross-border customs valuation.</p> <p>Status: O</p> <p>Business Usage. Adjustments as percentage that have been deducted from the customs value declared above (under "Declaration"). These adjustments are defined by national regulations and also generally within the WTO/OECD agreements on valuation.</p> <p>Business Rule: Logically, it is unlikely that multiple data elements will be used within the Customs Valuation Details. It is possible that no adjustments at all are made on the customs value. Please refer to the rules of valuation as defined by customs regulations to determine which, if any, of these cases apply to the transaction.</p>		013			
Method Code	<p>Cross-Border_Customs Valuation. Method. Code</p> <p>Semantic Def.: The code specifying the method by which this cross-border customs valuation is determined.</p> <p>Status: O</p> <p>Business Usage. The code which specifies the method of calculation of the customs value above (under "Document").</p> <p>Business Rule: These codes and their usage are defined by the WTO. By default, this value</p>	4/16		014		

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 5

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES ID
	<p>customs. Furthermore, according to WTO usage of these codes, if the customs administration does not accept method “1”, they must first try to request method “2”; if this cannot be used, then method “3”, and so on.</p> <p>Code list:</p> <ul style="list-style-type: none"> • 1 = Transaction value • 2 = Transaction value of identical goods • 3 = Transaction value of similar goods • 4 = Deductive method • 5 = Computed method • 6 = Fall-back method <p><i>Use Agency ID code WTO (temporary 3055 code)</i></p>				
Border Transport Movement	BPS Master. Specified. Logistics_Transport Movement Semantic Def.: The logistics transport movement specified for a use of this multimodal transport master message assembly.				
Mode Code	<p>Logistics_Transport Movement. Mode. Code</p> <p>Semantic Def.: The code specifying the mode, such as by air, sea, rail, road or inland waterway, for this logistics transport movement.</p> <p>Status: O</p> <p>Dependency Rule: <i>Optional for WP1 otherwise Not Used</i></p> <p>Business Usage. Code to identify the type of the main means of transport.</p> <p><i>Use Code list ID: Recommendation 19 (EDIFACT code list 8067)</i></p> <p>Codes:</p> <ul style="list-style-type: none"> • 1 = Maritime transport • 2 = Rail transport • 3 = Road transport • 4 = Air transport • 6 = Multimodal transport • 7 = Fixed transport installations (such as oil pipelines) • 8 = Inland water transport <p><i>Use EDIFACT Code List ID 3055 Agency ID = 6 (UNECE)</i></p>	7/4	25	019	
		7/4	25		
Conveyance Reference	<p>Logistics_Transport Movement. Identification. Identifier</p> <p>Semantic Def.: The unique identifier for this logistics transport movement, such as a voyage number, flight number, or trip number.</p> <p>Status: O</p> <p>Dependency Rule: <i>Optional for WP2 otherwise Not Used</i></p> <p>Business Usage. The voyage number or the flight number of the trip number for the main means of transport.</p>	7/3	020		
Conveyance Information Status Code	Logistics_Transport Movement. Status. Code				181
	Semantic Def.: The code specifying a status for the logistics transport movement, such as estimated or				

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 6

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
	<p>Status: R Business Usage. This code is used in order to declare if the itinerary is planned (declared before the actual occurrence, such as declared at Waypoint 2) or what has actually occurred (such as declared at Waypoint 3).</p> <p>Business Rule: The status code is to report changes in the means of transport between Waypoint 2 and Waypoint 3. Potentially, there could be changes in any of the elements contained in the means of transport between Waypoint 2 and Waypoint 3.</p> <p>At Waypoint 1 and Waypoint 2, use the code 56 as estimated. Use code 85 at Waypoint 3 for the actual only if there are changes from earlier declared information.</p> <p>This status code will also allow to declare transhipment. In the event of transhipment, all of the other details will change according to the conveyance and itinerary of the new vessel, so all elements will need to be redeclared.</p> <p><i>Use EDIFACT Code List ID = 4405 (Status Code)</i></p> <p>Codes:</p> <ul style="list-style-type: none"> • 56 = estimated (used at Waypoint 2) • 85 = updated (used at Waypoint 3 only if changed from Waypoint 2) • T = transhipped (temporary code) <p><i>Use EDIFACT Code List ID 3055 Agency ID = 6 (UNECE)</i></p>					
Loading Event	Logistics_Transport Movement.Transport_Event					
	<p>Semantic Def.: The loading event during which goods will be or have been loaded into or onto the means of transport used for this logistics transport movement.</p> <p>Status: O</p>					
Scheduled Date Time	Transport_Event.Scheduled_Occurrence.Date Time					182
	<p>Semantic Def.: The scheduled date, time, date time, or other date time value of the occurrence of this transport event.</p> <p>Status: O</p> <p>Business Usage. To provide the scheduled date of loading.</p> <p><i>Use the following codes from EDIFACT Code List 2379 to specify the format:</i></p> <ul style="list-style-type: none"> • 102 = CCYYMMDD 					
Occurrence Location	Transport_Event.Occurrence.Logistics_Location					021
	<p>Semantic Def.: The logistics location where this transport event occurs.</p> <p>Status: R</p> <p>Business Usage: Place where the goods are loaded onto the main means of transport.</p>					
ID	Logistics_Location.Identification.Identifier				5/21	27
	<p>Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).</p> <p>Status: D</p>					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES
		ID			ID
Name	<p>Dependency Rule: Conditional Business Usage. The UNLOCODE where the goods were loaded onto the main means of transport. For example, on sea freight movements, this would refer to the Port of loading.</p> <p>Business Rule: Normal usage of this segment is that if the UNLOCODE for this place is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use EDIFACT Code List ID 3055 Agency ID = 6 (UNECE)</i></p>		5/21	27	
Unloading Event	<p>Logistics_Location. Name. Text</p> <p>Semantic Def.: A name, expressed as text, of this logistics related location.</p> <p>Status: D</p> <p>Dependency Rule: Conditional Business Usage. The name of the place where the goods were loaded onto the main means of transport.</p> <p>Business Rule: Normal usage of this segment is that if the UNLOCODE for this place is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use language ID ISO 639-1 2A (EDIFACT code list 3453): GB for English (or the relevant code if another language is used.)</i></p>				
Scheduled Occurrence Date Time	<p>Logistics_Transport Movement. Unloading. Transport_Event</p> <p>Semantic Def.: The unloading event during which goods will be or have been unloaded from the means of transport used for this logistics transport movement.</p> <p>Status: O</p> <p>Dependency Rule: Optional for WP1 otherwise Not Used</p>		5/2	183	
Occurrence Location	<p>Transport_Event. Scheduled_Occurrence. Date Time</p> <p>Semantic Def.: The scheduled date, time, date time, or other date time value of the occurrence of this transport event.</p> <p>Status: O</p> <p>Business Usage. To provide the scheduled date of unloading.</p> <p><i>Use the following codes from EDIFACT Code List 2379 to specify the format:</i></p> <ul style="list-style-type: none"> • 102 = CCYYMMDD 				022
ID	<p>Transport_Event. Occurrence. Logistics_Location</p> <p>Semantic Def.: The logistics location where this transport event occurs.</p> <p>Status: R</p> <p>Business Usage: Place where the goods are unloaded from the main means of transport.</p> <p>Logistics_Location. Identification. Identifier</p> <p>Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).</p>		5/22	27	5/22

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 8

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES ID
	<p>Status: <i>D</i> Business Usage. The UNLOCODE where the goods are to be unloaded from the main means of transport. For example, on sea freight movements, this would refer to the Port of discharge.</p> <p>Business Rule: Normal usage of this segment is that if the UNLOCODE for this place is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use EDIFACT Code List ID 3055 Agency ID = 6 (UNECE)</i></p>				
Name	<p>Logistics_Location. Name. Text</p> <p>Semantic Def.: A name, expressed as text, of this logistics related location.</p> <p>Status: <i>D</i> Business Usage. The UNLOCODE where the goods are to be unloaded from the main means of transport. For example, on sea freight movements, this would refer to the Port of discharge.</p> <p>Business Rule: Normal usage of this segment is that if the UNLOCODE for this place is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use language ID ISO 639-1 2A (EDIFACT code list 3453): GB for English (or the relevant code if another language is used.)</i></p>	5/22	27	5/22	
Arrival Event	<p>Logistics_Transport Movement. Arrival. Transport_Event</p> <p>Semantic Def.: An arrival event for this logistics transport movement.</p> <p>Status: <i>O</i></p>				
Estimated Date Time	<p>Transport_Event. Estimated_Occurrence. Date Time</p> <p>Semantic Def.: The estimated date, time, date time, or other date time value of the occurrence of this transport</p> <p>Status: <i>R</i> Business Usage. The expected date that the main means of transport will arrive in the arrival country's territory. For example, on sea freight movements, this would refer to the ETA at Port of discharge.</p> <p><i>Use the following codes from EDIFACT Code List 2379 to specify the format:</i></p> <ul style="list-style-type: none"> • 102 = CCYYMMDD 	5/1	023		
First Arrival Event	<p>Logistics_Transport Movement. First_Arrival. Transport_Event</p> <p>Semantic Def.: The first arrival event for this logistics transport movement.</p> <p>Status: <i>O</i> Dependency Rule: <i>Optional for WP3 otherwise Not Used</i></p> <p>Business Usage: This data segment is used for advanced security declarations. For the EU Import Control System requirements, the place and date of the first</p>				

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
 Page: 9

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Scheduled Date Time (ETA)	<p>Business Rule: point arrival into the EU customs territory. May be different from the arrival in the Member State of arrival.</p> <p>Transport_Event. Scheduled_Occurrence. Date Time</p> <p>Semantic Def.: The scheduled date, time, date time, or other date time value of the occurrence of this transport event.</p> <p>Status: O</p> <p>Business Usage. The date when the main means of transport will arrive in the first point of entry within the customs territory (EU or other).</p> <p><i>Use the following codes from EDIFACT Code List 2379 to specify the format:</i></p> <ul style="list-style-type: none"> • 102 = CCYYMMDD 	5/3		024		
Occurrence Location	<p>Transport_Event. Occurrence. Logistics_Location</p> <p>Semantic Def.: The logistics location where this transport event occurs.</p> <p>Status: O</p> <p>Dependency Rule: <i>Optional for WP3 otherwise Not Used</i></p>			025		
ID	<p>Logistics_Location. Identification. Identifier</p> <p>Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).</p> <p>Status: D</p> <p>Dependency Rule: <i>Conditional</i></p> <p>Business Usage. The UNLOCODE of the first port of arrival within the EU.</p> <p>Business Rule: Normal usage of this segment is that if the UNLOCODE for this place is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use EDIFACT Code List ID 3055 Agency ID = 6 (UNECE)</i></p>					
Name	<p>Logistics_Location. Name. Text</p> <p>Semantic Def.: A name, expressed as text, of this logistics related location.</p> <p>Status: D</p> <p>Dependency Rule: <i>Conditional</i></p> <p>Business Usage. The name of the first port of arrival within the EU.</p> <p>Business Rule: Normal usage of this segment is that if the UNLOCODE for this place is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use language ID ISO 639-1 2A (EDIFACT code list 3453): GB for English (or the relevant code if another language is used.)</i></p>					
Departure Event	<p>Logistics_Transport Movement. Departure. Transport_Event</p> <p>Semantic Def.: A departure event during this logistics transport movement.</p> <p>Status: D</p> <p>Dependency Rule: <i>Required for WP2 otherwise Not Used</i></p>					
Actual Occurrence Date	Transport_Event. Actual_Occurrence. Date Time			026		

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 10

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Time	<p>Semantic Def.: The actual date, time, date time, or other date time value of the occurrence of this transport event.</p> <p>Status: R</p> <p>Business Usage. Date/Time of actual departure of the main means of transport from the place where the goods were loaded onto the vessel/aircraft. For example on sea freight movements, this would refer to the Actual departure date from Port of loading.</p> <p><i>Use the following codes from EDIFACT Code List 2379 to specify the format:</i></p> <ul style="list-style-type: none"> • 102 = CCYYMMDD • 205 = CCYYMMDDHHMMZHHMM 					
Used Transport Means	<p>Logistics_ Transport Movement. Used. Logistics_ Transport Means</p> <p>Semantic Def.: The means of transport used for this logistics transport movement.</p> <p>Status: D</p> <p>Dependency Rule: Required for WP2, optional for WP3 otherwise Not Used</p> <p>Business Usage: To provide details of the means e.g. vessel used for the main transport.</p>					
IMO No.	<p>Logistics_ Transport Means. Identification. Identifier</p> <p>Semantic Def.: An identifier of this logistics means of transport, such as the International Maritime Organization number of a vessel.</p> <p>Status: D</p> <p>Dependency Rule: ID Lloyds (IMO) number preferred for Maritime</p> <p>Business Usage. The identification of the vessel used for the main transport. For road freight, this will be the vehicle registration number.</p> <p>Business Rule: Normal usage of this segment is that if the ID of the vessel is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use EDIFACT Agency ID code list 3055(non-exhaustive list):</i></p> <ul style="list-style-type: none"> • 3 = (ATA) Air freight, this will be the Tail no. (Call Sign) • 11 = Maritime freight, this will be the Lloyds number • 54 = IMO 	7/14	21(1)	027		
Name	<p>Logistics_ Transport Means. Name. Text</p> <p>Semantic Def.: The name, expressed as text, of this logistics means of transport.</p> <p>Status: D</p> <p>Business Usage. The name of the vessel for maritime movements.</p> <p>Business Rule: Normal usage of this segment is that if the ID of the vessel is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p>	7/14	21(1)	028		
ISPS Security Level Code	<p>Logistics_ Transport Means. ISPS Security Level. Code</p> <p>Semantic Def.: The code specifying the International Ship and Port facility Security (ISPS) level assigned to this logistics means of transport.</p> <p>Status: O</p> <p>Dependency Rule: Conditional</p>					137

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES
		ID			ID
	<p>Business Usage.</p> <p>Business Rule:</p> <p>Use to provide risk level codes.</p> <p>Use for maritime movements only and if the code is pertinent to the consignment.</p> <p><i>Use Agency ID = 54 (IMO)</i></p> <p>Codes:</p> <ul style="list-style-type: none"> • 1=Normal • 2=Heightened Risk • 3=Imminent Danger 				
Flag	<p>Logistics_Transport Means. Registration. Trade_Country</p> <p>Semantic Def.: The country of registration of this logistics means of transport.</p> <p>Status: O</p> <p>Dependency Rule: <i>Optional for WP2 otherwise Not Used</i></p>				029
Code	<p>Trade_Country. Identification. Identifier</p> <p>Semantic Def.: A unique identifier for this trade country.</p> <p>Status: D</p> <p>Business Usage.</p> <p>Business Rule:</p> <p>The ISO-2 country code where the main means of transport is registered.</p> <p>Normal usage of this segment is that if the ISO-2 country code is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use Code list ID = ISO 3166 (EDIFACT Code List 3207)</i></p> <p><i>Use Agency ID = 5 (ISO)</i></p> <p>Some examples:</p> <ul style="list-style-type: none"> • GB = United Kingdom (not UK) • US = United States of America • AU = Australia • CN = China • ... 	7/15	21(2)	7/15	
Name	<p>Trade_Country. Name. Text</p> <p>Semantic Def.: A name, expressed as text, of this trade country.</p> <p>Status: D</p> <p>Business Usage.</p> <p>Business Rule:</p> <p>The name of the country where the main means of transport is registered.</p> <p>Normal usage of this segment is that if the ISO-2 country code is known, then it is provided in "ID". If it is unknown, then the "Name" is used. Usually it is one or the other and never both.</p> <p><i>Use language ID ISO 639-1 2A (EDIFACT code list 3453): GB for English (or the relevant code if another language is used.) An element would never be used; the ISO-2 country code would be provided in ID instead. An exception, for example, would include the Isle of Man for which there is no country code.</i></p>				
Itinerary Route	Logistics_Transport Movement. Itinerary. Transport_Route				

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 12

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Status Code	Semantic Def.: A route in the itinerary of this logistics transport movement. Transport_Route. Status. Code					185
Itinerary Stop Event	Semantic Def.: The code specifying a status for a transport route, such as planned or actual. Transport_Route. Itinerary Stop. Transport_Event					
Occurrence Location	Semantic Def.: An itinerary stop event for this transport route, such as a port call in a vessel schedule. Transport_Event. Occurrence. Logistics_Location					187
Name	Semantic Def.: The logistics location where this transport event occurs. Logistics_Location. Name. Text					
Country Code	Semantic Def.: A name, expressed as text, of this logistics related location. Logistics_Location. Country. Identifier					
Carried Goods Characteristic	Semantic Def.: The unique identifier of a country for this logistics location.					
Description	Status: R Semantic Def.: Material characteristics of goods carried during this logistics transport movement. Material_Goods_Characteristic. Description. Text					167
Master Consignment	BPS Master. Specified. Supply Chain_Consignment Semantic Def.: A supply chain consignment specified for a use of this multimodal transport master message					030
MUCR - Master UCR	Supply Chain_Consignment. Identification. Identifier Semantic Def.: A unique identifier for this supply chain consignment.					030
Carrier Acceptance Date Time	Supply Chain_Consignment. Carrier Acceptance. Date Time Semantic Def.: The date, time, date time or other date time value when this supply chain consignment will be, or has been, accepted by the carrier. Status: O Dependency Rule: <i>Point at which the carrier accepts the responsibility of consignment, would be dependant upon the inco term and movement type i.e. Door or Port as</i>					031
Gross Weight	Supply Chain_Consignment. Gross Weight. Measure Semantic Def.: A measure of the gross weight (mass) of this supply chain consignment which includes the weight of packaging but which excludes the weight of any transport equipment. Status: R					032
Net Weight	Supply Chain_Consignment. Net Weight. Measure Semantic Def.: A measure of the net weight (mass) of this consignment which excludes the weight of packaging of this supply chain consignment and that of any transport equipment. Status: O					033
Gross Volume	Supply Chain_Consignment. Gross Volume. Measure Semantic Def.: A measure of the gross volume, normally calculated by multiplying the maximum length,					034

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
FOB Amount	Status: O Supply Chain_Consignment_FOB_Amount Semantic Def.: The monetary value that has to be, or has been, paid for this supply chain consignment as calculated under FOB (Free on Board) delivery terms.					035
Consignment Item Quantity	Status: O Supply Chain_Consignment_ConsignmentItem_Quantity Semantic Def.: The number of consignment items separately defined for transport or customs purposes within this supply chain consignment.					036
Payment Arrangement Code	Supply Chain_Consignment_PaymentArrangement_Code Semantic Def.: The code specifying the payment arrangements for this supply chain consignment.					037
Consignor (Master B/L)	Supply Chain_Consignment_Consignor_Trade_Party Semantic Def.: The consignor party for this supply chain consignment. Status: R					038
ID	Trade_Party_Identification_Identifier Semantic Def.: A unique identifier of this trade party.					
Name	Trade_Party_Name_Text Semantic Def.: The name, expressed as text, for this trade party.					
Defined Contact Details	Trade_Party_Defined_Trade_Contact Semantic Def.: A trade contact defined for this trade party.					
Person Name	Trade_Contact_PersonName_Text Semantic Def.: The name, expressed as text, of this trade contact person.					
Department Name	Trade_Contact_DepartmentName_Text Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Telephone	Trade_Contact_Telephone_Universal_Communication Semantic Def.: Telephone communication information for this trade contact.					
Complete Number	Universal_Communication_CompleteNumber_Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Email Address	Trade_Contact_Email_URI_Universal_Communication Semantic Def.: The email URI communication information for this trade contact.					
URI	Universal_Communication_URI_Identifier Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal					
Postal Address	Trade_Party_Postal_Trade_Address Semantic Def.: The postal address for this trade party.					
Postcode	Trade_Address_Postcode_Code					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Street Name	Semantic Def.: A code specifying the postcode of this trade address. Trade_Address. Street Name. Text					
City Name	Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address. Trade_Address. City Name. Text					
Country Code	Semantic Def.: The name, expressed as text, of the city, town or village of this trade address. Trade_Address. Country. Identifier					
Country Sub-Division Name	Semantic Def.: The unique identifier of a country for this trade address. Trade_Address. Country Sub-Division Name. Text					
Telephone	Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address. Trade_Party. Telephone. Universal_Communication					
Complete Number	Semantic Def.: A telephone communication for this trade party. Universal_Communication. Complete Number. Text					
	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Government Registration	Trade_Party. Specified. Government_Registration					
ID	Semantic Def.: A governmental registration specified for this trade party. Government_Registration. Identification. Identifier					
Type Code	Semantic Def.: An identifier for this government registration. Government_Registration. Type. Code					
Country Code	Semantic Def.: A code specifying a type of government registration. Government_Registration. Country. Identifier					
Validity Period	Semantic Def.: The identifier of the country for this government registration. Government_Registration. Validity. Specified_Period					
Start Date Time	Semantic Def.: The period of time during which this government registration is valid. Specified_Period. Start. Date Time					
End Date Time	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of Specified_Period. End. Date Time					
	Semantic Def.: The date, time, date time or other date time value for the end of this specified period of					
Consignee (Master B/L)	Supply Chain_Consignment. Consignee. Trade_Party	039				
	Semantic Def.: The consignee party for this supply chain consignment.					
Status:	O					
	Dependency Rule: <i>Required where available but optional to cover for 'To Order'</i>					
ID	Trade_Party. Identification. Identifier					
Name	Semantic Def.: A unique identifier of this trade party. Trade_Party. Name. Text					
Defined Contact Details	Semantic Def.: The name, expressed as text, for this trade party. Trade_Party. Defined. Trade_Contact					
	Semantic Def.: A trade contact defined for this trade party.					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 15

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Person Name	Trade_ Contact. Person Name. Text Semantic Def.: The name, expressed as text, of this trade contact person.					
Department Name	Trade_ Contact. Department Name. Text Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Telephone	Trade_ Contact. Telephone. Universal_ Communication					
Complete Number	Semantic Def.: Telephone communication information for this trade contact. Universal_ Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Email Address	Trade_ Contact. Email_ URI. Universal_ Communication Semantic Def.: The email URI communication information for this trade contact.					
URI	Universal_ Communication. URI. Identifier Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal					
Postal Address	Trade_ Party. Postal. Trade_ Address					
Postcode	Semantic Def.: The postal address for this trade party. Trade_ Address. Postcode. Code Semantic Def.: A code specifying the postcode of this trade address.					
Street Name	Trade_ Address. Street Name. Text Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.					
City Name	Trade_ Address. City Name. Text Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.					
Country Code	Trade_ Address. Country. Identifier Semantic Def.: The unique identifier of a country for this trade address.					
Country Sub-Division Name	Trade_ Address. Country Sub-Division Name. Text Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address.					
Telephone	Trade_ Party. Telephone. Universal_ Communication Semantic Def.: A telephone communication for this trade party.					
Complete Number	Universal_ Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Government Registration	Trade_ Party. Specified. Government_ Registration Semantic Def.: A governmental registration specified for this trade party.					
ID	Government_ Registration. Identification. Identifier Semantic Def.: An identifier for this government registration.					
Type Code	Government_ Registration. Type. Code Semantic Def.: A code specifying a type of government registration.					
Country Code	Government_ Registration. Country. Identifier					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 16

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Validity Period	Semantic Def.: The identifier of the country for this government registration. Government_ Registration. Validity. Specified_Period					
Start Date Time	Semantic Def.: The period of time during which this government registration is valid. Specified_Period. Start. Date Time					
End Date Time	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of Specified_Period. End. Date Time					
Carrier	Supply Chain_Consignment. Carrier. Trade_Party					040
	Semantic Def.: The carrier party for this supply chain consignment.					
	Status: R					
	Business Usage: The carrier of the goods for example the shipping line, airline or haulier					
ID	Trade_Party. Identification. Identifier					
	Semantic Def.: A unique identifier of this trade party.					
	Business Usage. Carrier SCAC code					
Name	Trade_Party. Name. Text					
	Semantic Def.: The name, expressed as text, for this trade party.					
Defined Contact Details	Trade_Party. Defined. Trade_Contact					
	Semantic Def.: A trade contact defined for this trade party.					
Person Name	Trade_Contact. Person Name. Text					
	Semantic Def.: The name, expressed as text, of this trade contact person.					
Department Name	Trade_Contact. Department Name. Text					
	Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Telephone	Trade_Contact. Telephone. Universal_Communication					
	Semantic Def.: Telephone communication information for this trade contact.					
Complete Number	Universal_Communication. Complete Number. Text					
	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Email Address	Trade_Contact. Email_URI. Universal_Communication					
	Semantic Def.: The email URI communication information for this trade contact.					
URI	Universal_Communication. URI. Identifier					
	Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal					
Postal Address	Trade_Party. Postal. Trade_Address					
	Semantic Def.: The postal address for this trade party.					
Postcode	Trade_Address. Postcode. Code					
	Semantic Def.: A code specifying the postcode of this trade address.					
Street Name	Trade_Address. Street Name. Text					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 17

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
City Name	Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address. Trade_Address. City Name. Text					
Country Code	Semantic Def.: The name, expressed as text, of the city, town or village of this trade address. Trade_Address. Country. Identifier					
Country Sub-Division Name	Semantic Def.: The unique identifier of a country for this trade address. Trade_Address. Country Sub-Division Name. Text					
Telephone	Trade_Party. Telephone. Universal_Communication					
Complete Number	Semantic Def.: A telephone communication for this trade party. Universal_Communication. Complete Number. Text					
Government Registration	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
ID	Trade_Party. Specified. Government_Registration					
Type Code	Semantic Def.: A governmental registration specified for this trade party. Government_Registration. Identification. Identifier					
Country Code	Semantic Def.: An identifier for this government registration.					
Validity Period	Government_Registration. Type. Code					
Start Date Time	Semantic Def.: The code specifying a type of government registration.					
End Date Time	Government_Registration. Country. Identifier					
Despatch Party (Master B/L)	Semantic Def.: The identifier of the country for this government registration.					
ID	Government_Registration. Validity. Specified_Period					
Name	Semantic Def.: The period of time during which this government registration is valid.					
Defined Contact Details	Specified_Period. Start. Date Time					
Person Name	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of					
	Specified_Period. End. Date Time					
	Semantic Def.: The date, time, date time or other date time value for the end of this specified period of					
	Supply Chain_Consignment. Despatch. Trade_Party					041
	Semantic Def.: The party from whom this supply chain consignment will be or has been despatched.					
	Status: R					
	Business Usage: The party that loads and despatches the goods.					
	Trade_Party. Identification. Identifier					
	Semantic Def.: A unique identifier of this trade party.					
	Trade_Party. Name. Text					
	Semantic Def.: The name, expressed as text, for this trade party.					
	Trade_Party. Defined. Trade_Contact					
	Semantic Def.: A trade contact defined for this trade party.					
	Trade_Contact. Person Name. Text					
	Semantic Def.: The name, expressed as text, of this trade contact person.					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Department Name	Trade_ Contact. Department Name. Text Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Telephone	Trade_ Contact. Telephone. Universal_ Communication Semantic Def.: Telephone communication information for this trade contact.					
Complete Number	Universal_ Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Email Address	Trade_ Contact. Email_ URI. Universal_ Communication Semantic Def.: The email URI communication information for this trade contact.					
URI	Universal_ Communication. URI. Identifier Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal					
Postal Address	Trade_ Party. Postal. Trade_ Address Semantic Def.: The postal address for this trade party.					
Postcode	Trade_ Address. Postcode. Code Semantic Def.: A code specifying the postcode of this trade address.					
Street Name	Trade_ Address. Street Name. Text Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.					
City Name	Trade_ Address. City Name. Text Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.					
Country Code	Trade_ Address. Country. Identifier Semantic Def.: The unique identifier of a country for this trade address.					
Country Sub-Division Name	Trade_ Address. Country Sub-Division Name. Text Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address.					
Telephone	Trade_ Party. Telephone. Universal_ Communication Semantic Def.: A telephone communication for this trade party.					
Complete Number	Universal_ Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Government Registration	Trade_ Party. Specified. Government_ Registration Semantic Def.: A governmental registration specified for this trade party.					
ID	Government_ Registration. Identification. Identifier Semantic Def.: An identifier for this government registration.					
Planned Delivery Party (Master B/L)	Supply Chain_ Consignment. Delivery. Trade_ Party Semantic Def.: The party to whom this supply chain consignment will be, or has been, delivered. Status: D Dependency Rule: Required where known, for goods 'sold on the sea' it may not be known Trade_ Party. Identification. Identifier					042

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
ID	Semantic Def.: A unique identifier of this trade party.					
Name	Trade_Party. Name. Text					
Defined Contact Details	Trade_Party. Defined. Trade_Contact					
Person Name	Semantic Def.: A trade contact defined for this trade party. Trade_Contact. Person Name. Text					
Department Name	Semantic Def.: The name, expressed as text, of this trade contact person. Trade_Contact. Department Name. Text					
Telephone	Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Complete Number	Trade_Contact. Telephone. Universal_Communication Semantic Def.: Telephone communication information for this trade contact. Universal_Communication. Complete Number. Text					
Email Address	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
URI	Trade_Contact. Email_URI. Universal_Communication Semantic Def.: The email URI communication information for this trade contact. Universal_Communication. URI. Identifier					
Postal Address	Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal					
Postcode	Trade_Party. Postal. Trade_Address Semantic Def.: The postal address for this trade party.					
Street Name	Trade_Address. Postcode. Code Semantic Def.: A code specifying the postcode of this trade address.					
City Name	Trade_Address. Street Name. Text Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.					
Country Code	Trade_Address. City Name. Text Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.					
Country Sub-Division Name	Trade_Address. Country. Identifier Semantic Def.: The unique identifier of a country for this trade address.					
Telephone	Trade_Address. Country Sub-Division Name. Text Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address.					
Complete Number	Trade_Party. Telephone. Universal_Communication Semantic Def.: A telephone communication for this trade party. Universal_Communication. Complete Number. Text					
Government Registration	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
	Trade_Party. Specified. Government_Registration					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 20

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
ID	Semantic Def.: A governmental registration specified for this trade party. Government_ Registration. Identification. Identifier					
Country Code	Semantic Def.: An identifier for this government registration. Government_ Registration. Country. Identifier					
Notify Party (Master B/L)	Supply Chain_ Consignment. Notified. Trade_ Party Semantic Def.: A party who has been or will be notified about this supply chain consignment. Status: O					043
ID	Trade_ Party. Identification. Identifier					
Name	Semantic Def.: A unique identifier of this trade party. Trade_ Party. Name. Text					
Role Code	Semantic Def.: The name, expressed as text, for this trade party. Trade_ Party. Role. Code					
Defined Contact Details	Trade_ Party. Defined. Trade_ Contact Semantic Def.: A trade contact defined for this trade party.					
Person Name	Trade_ Contact. Person Name. Text					
Department Name	Semantic Def.: The name, expressed as text, of this trade contact person. Trade_ Contact. Department Name. Text					
Telephone	Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an Trade_ Contact. Telephone. Universal_ Communication					
Complete Number	Semantic Def.: Telephone communication information for this trade contact. Universal_ Communication. Complete Number. Text					
Email Address	Semantic Def.: The text string of characters that make up the complete number for this universal communication. Trade_ Contact. Email_ URI. Universal_ Communication					
URI	Semantic Def.: The email URI communication information for this trade contact. Universal_ Communication. URI. Identifier					
Postal Address	Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal Trade_ Party. Postal. Trade_ Address					
Postcode	Semantic Def.: The postal address for this trade party. Trade_ Address. Postcode. Code					
Street Name	Semantic Def.: A code specifying the postcode of this trade address. Trade_ Address. Street Name. Text					
City Name	Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address. Trade_ Address. City Name. Text					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 21

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Country Code	Semantic Def.: The name, expressed as text, of the city, town or village of this trade address. Trade_Address. Country. Identifier					
Country Sub-Division Name	Semantic Def.: The unique identifier of a country for this trade address. Trade_Address. Country Sub-Division Name. Text					
Telephone						
Complete Number	Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address. Universal_Communication. Complete Number. Text					
Government Registration	Trade_Party. Specified. Government_Registration					
ID	Semantic Def.: A governmental registration specified for this trade party. Government_Registration. Identification. Identifier					
Country Code	Semantic Def.: An identifier for this government registration. Government_Registration. Country. Identifier					
Carrier Acceptance Location (Master B/L)	Semantic Def.: The identifier of the country for this government registration.					044
ID	Supply Chain_Consignment. Carrier Acceptance. Logistics_Location					
Name	Semantic Def.: The location where this supply chain consignment will be, or has been, accepted by the Logistics_Location. Identification. Identifier					
Consignee Receipt Location (PoD)	Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).					045
ID	Logistics_Location. Name. Text					
Name	Semantic Def.: A name, expressed as text, of this logistics related location.					
Master Bill Number	Supply Chain_Consignment. Consignee Receipt. Logistics_Location					046
ID	Semantic Def.: The location at which this supply chain consignment will be or has been received by the consignee.					
Name	Status: R Business Usage: Place where the Consignee takes ownership of the goods or means of transport, for sea this could be at a port depending upon the movement type (Door Port) or at the Delivery Place (Door Door)					
Master Bill Number	Logistics_Location. Identification. Identifier					
ID	Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).					
Name	Logistics_Location. Name. Text					
Master Bill Number	Semantic Def.: A name, expressed as text, of this logistics related location.					
	Supply Chain_Consignment. Transport Contract. Referenced_Document					
	Semantic Def.: The referenced transport contract document for this supply chain consignment, such as an airwaybill or a seawaybill.					
	Status: R					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
	Business Usage: Carrier should have taken the shipping instructions and provided the bill of lading number prior to shipment, however in some trade the shipping instructions are submitted late and after the departure date and WP2, in this instance accepting snippets of data would have to use the carrier booking reference as the primary key to look up.					
ID	Referenced_Document. Identification. Identifier Semantic Def.: A unique identifier for this referenced document.					
Included Master Consignment Item	Supply Chain_Consignment. Included. Supply Chain_Consignment Item Semantic Def.: A consignment item included in this supply chain consignment. Status: R					
Sequence Number	Supply Chain_Consignment Item. Sequence. Numeric Semantic Def.: The sequence number for this supply chain consignment item. Status: R					176
HS Code	Business Usage: Master Consignment Item Data - typically the data shown at master bill level. Supply Chain_Consignment Item. Type. Code Semantic Def.: The code specifying the type of supply chain consignment item. Status: R					060
Gross Weight	Business Usage: Sequence number differentiating a specific goods item within a consignment Supply Chain_Consignment Item. Gross Weight. Measure Semantic Def.: A measure of the gross weight (mass) of this supply chain consignment item which includes packaging but excludes any transport equipment. Status: R					154
Net Weight	Supply Chain_Consignment Item. Net Weight. Measure Semantic Def.: A measure of the net weight (mass) of this supply chain consignment item which excludes all packaging. Supply Chain_Consignment Item. Net Weight. Measure					155
Gross Volume	Supply Chain_Consignment Item. Gross Volume. Measure Semantic Def.: A measure of the gross volume, normally calculated by multiplying the maximum length, width and height of this supply chain consignment item. Supply Chain_Consignment Item. Gross Volume. Measure					156
Goods Description (Master B/L)	Supply Chain_Consignment Item. Nature Identification. Transport_Cargo Semantic Def.: Transport cargo details of this supply chain consignment item sufficient to identify its nature for customs, statistical or transport purposes. Status: R					061
Identification Text	Transport_Cargo. Identification. Text Semantic Def.: The identification, expressed as text, of this transport cargo that is sufficient to identify it for customs, statistical or transport purposes.					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 23

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Transport Dangerous Goods	Supply Chain_Consignment Item. Applicable. Transport_Dangerous Goods Semantic Def.: Dangerous goods transport details applicable to this supply chain consignment item. Status: D					056
UNDG ID	Transport_Dangerous Goods. UNDG Identification. Code Semantic Def.: The code specifying the unique United Nations Dangerous Goods (UNDG) number assigned to these transported dangerous goods.					056
Regulation Code	Transport_Dangerous Goods. Regulation. Code Semantic Def.: The code specifying a regulation applicable to these transported dangerous goods.					188
Technical Name	Transport_Dangerous Goods. Technical Name. Text Semantic Def.: A technical name, expressed as text, for these transported dangerous goods. Status: R Business Usage. Proper shipping name, supplemented as necessary with the correct technical name, by which a dangerous substance or article may be correctly identified or which is sufficiently informative to permit identification by reference to generally available literature.					177
Flashpoint Temperature	Transport_Dangerous Goods. Flashpoint Temperature. Measurement Semantic Def.: A measurement of the flashpoint temperature of these transported dangerous goods. Status: R					059
Actual Measure	Measurement. Actual. Measure Semantic Def.: An actual measure for this measurement.					
Shipping Marks And Numbers (Master B/L)	Supply Chain_Consignment Item. Physical. Logistics_Shipping Marks Semantic Def.: Physical logistics shipping marks and barcode information for this supply chain consignment item.					062
Marking Text	Logistics_Shipping Marks. Marking. Text Semantic Def.: Marking, expressed as text, for these logistics shipping marks.					
Associated Transport Equipment	Supply Chain_Consignment Item. Associated. Referenced_Logistics_Transport Equipment Semantic Def.: A referenced piece of transport equipment associated with this supply chain consignment item. Status: R					148
ID	Referenced_Logistics_Transport Equipment. Identification. Identifier Semantic Def.: The unique identifier for this referenced piece of logistics transport equipment, such as a number, mark or name.	8260			31(3)	
Transport Package	Supply Chain_Consignment Item. Transport. Logistics_Package Semantic Def.: A transport package for this supply chain consignment item. Status: R					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Item Quantity	<p>Logistics_Package.Item.Quantity</p> <p>Semantic Def.: The number of logistics packages at this level.</p> <p>Status: R</p> <p>Business Usage. No of packages within the master consignment</p>					049
Level Code	<p>Logistics_Package.Level.Code</p> <p>Semantic Def.: The code specifying the level of this logistics package.</p> <p>Status: R</p> <p>Business Usage. Outlines the Outer or Inner levels</p>					050
Type Code	<p>Logistics_Package.Type.Code</p> <p>Semantic Def.: The code specifying the type of logistics package.</p> <p>Status: R</p> <p>Business Usage. Package type used to carry the goods, uses the UN package Code List</p>					051
Type Text	<p>Logistics_Package.Type.Text</p> <p>Semantic Def.: The type, expressed as text, of this logistics package.</p> <p>Status: O</p> <p>Dependency Rule: Use if the package Type Code is not provided.</p>					052
Included House Consignment	<p>Supply Chain_Consignment.Included.Referenced_Supply Chain_Consignment</p> <p>Semantic Def.: A referenced consignment included in this supply chain consignment.</p>					063
HUCR - House UCR	<p>Referenced_Supply Chain_Consignment.Identification.Identifier</p> <p>Semantic Def.: A unique identifier for this referenced supply chain consignment.</p> <p>Status: R</p>					063
Gross Weight	<p>Referenced_Supply Chain_Consignment.Gross Weight.Measure</p> <p>Semantic Def.: A measure of the gross weight (mass) of this referenced supply chain consignment which includes the weight of packaging but which excludes the weight of any transport equipment.</p> <p>Status: R</p>					064
Net Weight	<p>Referenced_Supply Chain_Consignment.Net Weight.Measure</p> <p>Semantic Def.: A measure of the net weight (mass) of this referenced consignment which excludes the weight of packaging and the weight of any transport equipment.</p>					065
Gross Volume	<p>Referenced_Supply Chain_Consignment.Gross Volume.Measure</p> <p>Semantic Def.: A measure of the gross volume, normally calculated by multiplying the maximum length, width and height, of this referenced supply chain consignment.</p>					066
Consignment Item Quantity	<p>Referenced_Supply Chain_Consignment.Consignment Item.Quantity</p> <p>Semantic Def.: The number of consignment items separately defined for transport or customs purposes within this referenced supply chain consignment.</p> <p>Status: R</p>					067
Carrier Acceptance Date	Referenced_Supply Chain_Consignment.Carrier Acceptance.Date Time					068

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Time	<p>Semantic Def.: The date, time, date time or other date time value when this referenced supply chain consignment will be, or has been, accepted by the carrier.</p> <p>Status: <i>D</i></p> <p>Business Usage. Depends on the use case, if its a road movement that picks up the house items on a milk run so to speak the place of acceptance would be at house consignment level. If it is a container it would be at master level.</p>					
House Consignment Item	Referenced_Supply Chain_Consignment. Included. Referenced_Supply Chain_Consignment Item					
Sequence Number	<p>Semantic Def.: A referenced consignment item included in this referenced supply chain consignment.</p> <p>Referenced_Supply Chain_Consignment Item. Sequence. Numeric</p> <p>Semantic Def.: The sequence number for this referenced supply chain consignment item.</p> <p>Status: <i>R</i></p> <p>Business Usage. Sequence number differentiating a specific goods item within a consignment</p>	190				
Trade Line Item Quantity	Referenced_Supply Chain_Consignment Item. Trade Line Item. Quantity					114
Transport Package	<p>Semantic Def.: The number of trade line items in this referenced supply chain consignment item.</p> <p>Status: <i>R</i></p> <p>Business Usage. The number of items within the house consignment</p>					
Item Quantity	<p>Referenced_Supply Chain_Consignment Item. Transport. Logistics_Package</p> <p>Semantic Def.: A transport package for this referenced supply chain consignment item.</p> <p>Logistics_Package. Item. Quantity</p> <p>Semantic Def.: The number of logistics packages at this level.</p> <p>Status: <i>R</i></p> <p>Business Usage. The number of items in the lowest level of consignment</p>					149
Level Code	<p>Logistics_Package. Level. Code</p> <p>Semantic Def.: The code specifying the level of this logistics package.</p> <p>Status: <i>R</i></p> <p>Business Usage. Level of the packages i.e. inner</p>					150
Type Code	<p>Logistics_Package. Type. Code</p> <p>Semantic Def.: The code specifying the type of logistics package.</p> <p>Status: <i>R</i></p> <p>Business Usage. UN Package code of the items</p>					151
Type Text	<p>Logistics_Package. Type. Text</p> <p>Semantic Def.: The type, expressed as text, of this logistics package.</p> <p>Status: <i>D</i></p> <p>Business Usage. Description of the package type, preferable to use the package code, description if not available.</p>					152
Trade Line Item	<p>Referenced_Supply Chain_Consignment Item. Included. Supply Chain_Trade Line Item</p> <p>Semantic Def.: A trade line item included in this referenced supply chain consignment item.</p>					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES
		ID	ID	ID	ID
ID	Supply Chain_Trade Line Item. Identification. Identifier Semantic Def.: The unique identifier for this supply chain trade line item. Status: O Business Usage. SKU or unique identifier of the product				192
Sequence Number	Supply Chain_Trade Line Item. Sequence. Numeric Semantic Def.: A sequence number for this supply chain trade line item.				191
Trade Product	Supply Chain_Trade Line Item. Specified. Trade_Product Semantic Def.: The product specified for this supply chain trade line item.				
ID	Trade_Product. Identification. Identifier Semantic Def.: A unique identifier for this trade product.				129
Description	Trade_Product. Description. Text Semantic Def.: A textual description for this trade product.				130
Classification	Trade_Product. Designated. Product_Classification Semantic Def.: A product classification designated for this trade product.				
System ID	Product_Classification. System. Identifier Semantic Def.: The unique identifier of the classification system for this product classification.				132
Class Code	Product_Classification. Class. Code Semantic Def.: The code specifying the class for this product classification.				133
Origin Country	Trade_Product. Origin. Trade_Country Semantic Def.: A country of origin for this trade product.				135
Code	Trade_Country. Identification. Identifier Semantic Def.: A unique identifier for this trade country.				
Manufacturer	Trade_Product. Manufacturer. Trade_Party Semantic Def.: A manufacturer party for this trade product.				136
ID	Trade_Party. Identification. Identifier Semantic Def.: A unique identifier of this trade party.				
Name	Trade_Party. Name. Text Semantic Def.: The name, expressed as text, for this trade party.				
Defined Contact Details	Trade_Party. Defined. Trade_Contact Semantic Def.: A trade contact defined for this trade party.				
Person Name	Trade_Contact. Person Name. Text Semantic Def.: The name, expressed as text, of this trade contact person.				
Department Name	Trade_Contact. Department Name. Text Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an				
Telephone	Trade_Contact. Telephone. Universal_Communication Semantic Def.: Telephone communication information for this trade contact.				

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 27

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Complete Number	Universal_Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Email Address	Trade_Contact. Email_URI. Universal_Communication Semantic Def.: The email URI communication information for this trade contact.					
URI	Universal_Communication. URI. Identifier Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal					
Postal Address	Trade_Party. Postal. Trade_Address Semantic Def.: The postal address for this trade party.					
Postcode	Trade_Address. Postcode. Code Semantic Def.: A code specifying the postcode of this trade address.					
Street Name	Trade_Address. Street Name. Text Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.					
City Name	Trade_Address. City Name. Text Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.					
Country Code	Trade_Address. Country. Identifier Semantic Def.: The unique identifier of a country for this trade address.					
Country Sub-Division Name	Trade_Address. Country Sub-Division Name. Text Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address.					
Telephone	Trade_Party. Telephone. Universal_Communication Semantic Def.: A telephone communication for this trade party.					
Complete Number	Universal_Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Government Registration	Trade_Party. Specified. Government_Registration Semantic Def.: A governmental registration specified for this trade party.					
ID	Government_Registration. Identification. Identifier Semantic Def.: An identifier for this government registration.					
Type Code	Government_Registration. Type. Code Semantic Def.: A code specifying a type of government registration.					
Country Code	Government_Registration. Country. Identifier Semantic Def.: The identifier of the country for this government registration.					
Validity Period	Government_Registration. Validity. Specified_Period Semantic Def.: The period of time during which this government registration is valid.					
Start Date Time	Specified_Period. Start. Date Time Semantic Def.: The date, time, date time or other date time value for the start of this specified period of					
End Date Time	Specified_Period. End. Date Time Semantic Def.: The date, time, date time or other date time value for the end of this specified period of					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 28

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES ID
Dangerous Goods	Trade_Product_Applicable_Transport_Dangerous_Goods Semantic Def.: Transport dangerous goods information applicable for this trade product.				
UNDG ID	Transport_Dangerous_Goods_UNDG_Identification_Code Semantic Def.: The code specifying the unique United Nations Dangerous Goods (UNDG) number assigned				056
Line Trade Agreement	Supply_Chain_Trade_Line_Item_Specified_Line_Trade_Agreement Semantic Def.: The line trade agreement specified for this supply chain trade line item.				
Product Gross Price	Line_Trade_Agreement_Gross_Price_Product_Trade_Price Semantic Def.: A gross product price in this line trade agreement.				
Charge Amount	Trade_Price_Charge_Amount Semantic Def.: A monetary value of the trade price charge.				118
Goods Description (House B/L)	Referenced_Supply_Chain_Consignment_Item_Nature_Identification_Transport_Cargo Semantic Def.: Transport cargo details of this referenced supply chain consignment item sufficient to identify its nature for customs, statistical or transport purposes. Status: R				116
Identification Text	Transport_Cargo_Identification_Text Semantic Def.: The identification, expressed as text, of this transport cargo that is sufficient to identify it for customs, statistical or transport purposes.				
Shipping Marks (House B/L)	Referenced_Supply_Chain_Consignment_Item_Physical_Logistics_Shipping_Marks Semantic Def.: Physical logistics shipping marks and barcode information for this referenced supply chain consignment item. Status: R Business Usage: Marks and Number at the House Consignment Level				117
Marking Text	Logistics_Shipping_Marks_Marking_Text Semantic Def.: Marking, expressed as text, for these logistics shipping marks.				
Associated Transport Equipment	Referenced_Supply_Chain_Consignment_Item_Associated_Referenced_Logistics_Transport_Equipment Semantic Def.: A piece of transport equipment associated with this referenced supply chain consignment item. Status: D Business Usage: Links the House Consignment to the Transport Equipment i.e. Pallet for Road,				193
ID	Referenced_Logistics_Transport_Equipment_Identification_Identifier Semantic Def.: The unique identifier for this referenced piece of logistics transport equipment, such as a number, mark or name.	8260		31(3)	
Consignor (House B/L)	Referenced_Supply_Chain_Consignment_Consignor_Trade_Party				069

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
	Semantic Def.: The consignor party for this referenced supply chain consignment. Status: R					
ID	Trade_Party. Identification. Identifier					2
Name	Semantic Def.: A unique identifier of this trade party. Trade_Party. Name. Text					
Defined Contact Details	Trade_Party. Defined. Trade_Contact					
Person Name	Semantic Def.: A trade contact defined for this trade party. Trade_Contact. Person Name. Text					
Department Name	Semantic Def.: The name, expressed as text, of this trade contact person. Trade_Contact. Department Name. Text					
Telephone	Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an Trade_Contact. Telephone. Universal_Communication					
Complete Number	Semantic Def.: Telephone communication information for this trade contact. Universal_Communication. Complete Number. Text					
Email Address	Semantic Def.: The text string of characters that make up the complete number for this universal communication. Trade_Contact. Email_URI. Universal_Communication					
URI	Semantic Def.: The email URI communication information for this trade contact. Universal_Communication. URI. Identifier					
Postal Address	Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal Trade_Party. Postal. Trade_Address					
Postcode	Semantic Def.: The postal address for this trade party. Trade_Address. Postcode. Code					
Street Name	Semantic Def.: A code specifying the postcode of this trade address. Trade_Address. Street Name. Text					
City Name	Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address. Trade_Address. City Name. Text					
Country Code	Semantic Def.: The name, expressed as text, of the city, town or village of this trade address. Trade_Address. Country. Identifier					
Country Sub-Division Name	Semantic Def.: The unique identifier of a country for this trade address. Trade_Address. Country Sub-Division Name. Text					
Telephone	Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address. Trade_Party. Telephone. Universal_Communication					
Complete Number	Semantic Def.: A telephone communication for this trade party. Universal_Communication. Complete Number. Text					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 30

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Government Registration	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
ID	Trade_Party. Specified. Government_Registration Semantic Def.: A governmental registration specified for this trade party. Government_Registration. Identification. Identifier					
Type Code	Semantic Def.: An identifier for this government registration. Government_Registration. Type. Code					
Country Code	Semantic Def.: A code specifying a type of government registration. Government_Registration. Country. Identifier					
Validity Period	Semantic Def.: The identifier of the country for this government registration.					
Start Date Time	Government_Registration. Validity. Specified_Period Semantic Def.: The period of time during which this government registration is valid. Specified_Period. Start. Date Time					
End Date Time	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of Specified_Period. End. Date Time					
Consignee (House B/L)	Semantic Def.: The consignee party for this referenced supply chain consignment. Status: R	070				
ID	Trade_Party. Identification. Identifier					
Name	Semantic Def.: A unique identifier of this trade party. Trade_Party. Name. Text					
Defined Contact Details	Semantic Def.: The name, expressed as text, for this trade party.					
Person Name	Trade_Party. Defined. Trade_Contact Semantic Def.: A trade contact defined for this trade party.					
Department Name	Trade_Contact. Person Name. Text Semantic Def.: The name, expressed as text, of this trade contact person.					
Telephone	Trade_Contact. Department Name. Text Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Complete Number	Trade_Contact. Telephone. Universal_Communication Semantic Def.: Telephone communication information for this trade contact.					
Email Address	Universal_Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
URI	Trade_Contact. Email_URI. Universal_Communication Semantic Def.: The email URI communication information for this trade contact.					
Universal_Communication. URI. Identifier						

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 31

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Postal Address	Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal Trade_Party. Postal. Trade_Address					
Postcode	Semantic Def.: The postal address for this trade party. Trade_Address. Postcode. Code					
Street Name	Semantic Def.: A code specifying the postcode of this trade address. Trade_Address. Street Name. Text					
City Name	Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address. Trade_Address. City Name. Text					
Country Code	Semantic Def.: The name, expressed as text, of the city, town or village of this trade address. Trade_Address. Country. Identifier					
Country Sub-Division Name	Semantic Def.: The unique identifier of a country for this trade address. Trade_Address. Country Sub-Division Name. Text					
Telephone	Trade_Party. Telephone. Universal_Communication					
Complete Number	Semantic Def.: A telephone communication for this trade party. Universal_Communication. Complete Number. Text					
Government Registration	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
ID	Trade_Party. Specified. Government_Registration					
Type Code	Semantic Def.: A governmental registration specified for this trade party. Government_Registration. Identification. Identifier					
Country Code	Semantic Def.: An identifier for this government registration. Government_Registration. Type. Code					
Validity Period	Semantic Def.: A code specifying a type of government registration. Government_Registration. Country. Identifier					
Start Date Time	Semantic Def.: The identifier of the country for this government registration. Government_Registration. Validity. Specified_Period					
End Date Time	Semantic Def.: The period of time during which this government registration is valid. Specified_Period. Start. Date Time					
Despatch Party (House B/L)	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of Specified_Period. End. Date Time					
ID	Semantic Def.: The date, time, date time or other date time value for the end of this specified period of Status: O Trade_Party. Identification. Identifier					072

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 32

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Name	<p>Semantic Def.: A unique identifier of this trade party.</p> <p>Trade_Party. Name. Text</p> <p>Semantic Def.: The name, expressed as text, for this trade party.</p>					
Defined Contact Details	Trade_Party. Defined. Trade_Contact					
Person Name	<p>Semantic Def.: A trade contact defined for this trade party.</p> <p>Trade_Contact. Person Name. Text</p> <p>Semantic Def.: The name, expressed as text, of this trade contact person.</p>					
Department Name	<p>Trade_Contact. Department Name. Text</p> <p>Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an</p>					
Telephone	Trade_Contact. Telephone. Universal_Communication					
Complete Number	<p>Semantic Def.: Telephone communication information for this trade contact.</p> <p>Universal_Communication. Complete Number. Text</p> <p>Semantic Def.: The text string of characters that make up the complete number for this universal communication.</p>					
Email Address	Trade_Contact. Email_URI. Universal_Communication					
URI	<p>Semantic Def.: The email URI communication information for this trade contact.</p> <p>Universal_Communication. URI. Identifier</p> <p>Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal</p>					
Postal Address	Trade_Party. Postal. Trade_Address					
Postcode	<p>Semantic Def.: The postal address for this trade party.</p> <p>Trade_Address. Postcode. Code</p>					
Street Name	<p>Semantic Def.: A code specifying the postcode of this trade address.</p> <p>Trade_Address. Street Name. Text</p>					
City Name	<p>Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.</p> <p>Trade_Address. City Name. Text</p>					
Country Code	<p>Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.</p> <p>Trade_Address. Country. Identifier</p>					
Country Sub-Division Name	<p>Semantic Def.: The unique identifier of a country for this trade address.</p> <p>Trade_Address. Country Sub-Division Name. Text</p>					
Telephone	Trade_Party. Telephone. Universal_Communication					
Complete Number	<p>Semantic Def.: A telephone communication for this trade party.</p> <p>Universal_Communication. Complete Number. Text</p> <p>Semantic Def.: The text string of characters that make up the complete number for this universal communication.</p>					
Government Registration	Trade_Party. Specified. Government_Registration					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 33

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
ID	Semantic Def.: A governmental registration specified for this trade party. Government_ Registration. Identification. Identifier					
Type Code	Semantic Def.: An identifier for this government registration. Government_ Registration. Type. Code					
Country Code	Semantic Def.: A code specifying a type of government registration. Government_ Registration. Country. Identifier					
Validity Period	Semantic Def.: The identifier of the country for this government registration. Government_ Registration. Validity. Specified_Period					
Start Date Time	Semantic Def.: The period of time during which this government registration is valid. Specified_Period. Start. Date Time					
End Date Time	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of Specified_Period. End. Date Time					
Actual Delivery Party (House B/L)	Semantic Def.: The date, time, date time or other date time value for the end of this specified period of Referenced_Supply Chain_Consignment. Delivery. Trade_Party Status: R					073
ID	Trade_Party. Identification. Identifier					
Name	Semantic Def.: A unique identifier of this trade party. Trade_Party. Name. Text					
Defined Contact Details	Semantic Def.: The name, expressed as text, for this trade party. Trade_Party. Defined. Trade_Contact					
Person Name	Semantic Def.: A trade contact defined for this trade party. Trade_Contact. Person Name. Text					
Department Name	Semantic Def.: The name, expressed as text, of this trade contact person. Trade_Contact. Department Name. Text					
Telephone	Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an Trade_Contact. Telephone. Universal_Communication					
Complete Number	Semantic Def.: Telephone communication information for this trade contact. Universal_Communication. Complete Number. Text					
Email Address	Semantic Def.: The text string of characters that make up the complete number for this universal communication. Trade_Contact. Email_URI. Universal_Communication					
URI	Semantic Def.: The email URI communication information for this trade contact. Universal_Communication. URI. Identifier					
Postal Address	Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal communication. Trade_Party. Postal. Trade_Address					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 34

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Postcode	Semantic Def.: The postal address for this trade party. Trade_Address. Postcode. Code					
Street Name	Semantic Def.: A code specifying the postcode of this trade address. Trade_Address. Street Name. Text					
City Name	Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address. Trade_Address. City Name. Text					
Country Code	Semantic Def.: The name, expressed as text, of the city, town or village of this trade address. Trade_Address. Country. Identifier					
Country Sub-Division Name	Semantic Def.: The unique identifier of a country for this trade address. Trade_Address. Country Sub-Division Name. Text					
Telephone	Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address. Trade_Party. Telephone. Universal_Communication					
Complete Number	Semantic Def.: A telephone communication for this trade party. Universal_Communication. Complete Number. Text					
Government Registration	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
ID	Trade_Party. Specified. Government_Registration					
Type Code	Semantic Def.: A governmental registration specified for this trade party. Government_Registration. Identification. Identifier					
Country Code	Semantic Def.: An identifier for this government registration. Government_Registration. Type. Code					
Validity Period	Semantic Def.: A code specifying a type of government registration. Government_Registration. Country. Identifier					
Start Date Time	Semantic Def.: The identifier of the country for this government registration. Government_Registration. Validity. Specified_Period					
End Date Time	Semantic Def.: The period of time during which this government registration is valid. Specified_Period. Start. Date Time					
Notify Party (House B/L)	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of Specified_Period. End. Date Time					
ID	Semantic Def.: The date, time, date time or other date time value for the end of this specified period of Specified_Period. End. Date Time					
Name	Referenced_Supply_Chain_Consignment. Notified. Trade_Party	074				
Defined Contact	Semantic Def.: A party who has been or will be notified about this referenced supply chain consignment. Status: O					
	Trade_Party. Identification. Identifier					
	Semantic Def.: A unique identifier of this trade party.					
	Trade_Party. Name. Text					
	Semantic Def.: The name, expressed as text, for this trade party.					
	Trade_Party. Defined. Trade_Contact					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 35

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Details						
Person Name	Semantic Def.: A trade contact defined for this trade party. Trade_ Contact. Person Name. Text					
Department Name	Semantic Def.: The name, expressed as text, of this trade contact person. Trade_ Contact. Department Name. Text					
Telephone	Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Complete Number	Trade_ Contact. Telephone. Universal_ Communication Semantic Def.: Telephone communication information for this trade contact. Universal_ Communication. Complete Number. Text					
Email Address	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
URI	Trade_ Contact. Email_ URI. Universal_ Communication Semantic Def.: The email URI communication information for this trade contact. Universal_ Communication. URI. Identifier					
Postal Address	Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal					
Postcode	Trade_ Party. Postal. Trade_ Address Semantic Def.: The postal address for this trade party.					
Street Name	Trade_ Address. Postcode. Code Semantic Def.: A code specifying the postcode of this trade address.					
City Name	Trade_ Address. Street Name. Text Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.					
Country Code	Trade_ Address. City Name. Text Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.					
Country Sub-Division Name	Trade_ Address. Country. Identifier Semantic Def.: The unique identifier of a country for this trade address.					
Telephone	Trade_ Address. Country Sub-Division Name. Text Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address.					
Complete Number	Trade_ Party. Telephone. Universal_ Communication Semantic Def.: A telephone communication for this trade party. Universal_ Communication. Complete Number. Text					
Government Registration	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
ID	Trade_ Party. Specified. Government_ Registration Semantic Def.: A governmental registration specified for this trade party.					
Type Code	Government_ Registration. Identification. Identifier Semantic Def.: An identifier for this government registration.					
	Government_ Registration. Type. Code Semantic Def.: A code specifying a type of government registration.					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 36

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Country Code	Government_Registration. Country. Identifier					
Validity Period	Semantic Def.: The identifier of the country for this government registration.					
Start Date Time	Government_Registration. Validity. Specified_Period					
End Date Time	Semantic Def.: The period of time during which this government registration is valid.					
Carrier (NVOCC)	Specified_Period. Start. Date Time					
ID	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of					
Name	Specified_Period. End. Date Time					
Defined Contact Details	Semantic Def.: The date, time, date time or other date time value for the end of this specified period of					
Person Name	Referenced_SupplyChain_Consignment. Carrier. Trade_Party	071				
Department Name	Semantic Def.: The carrier party for this referenced supply chain consignment.					
Telephone	Status: R					
Complete Number	Trade_Party. Identification. Identifier					
Email Address	Semantic Def.: A unique identifier of this trade party.					
URI	Trade_Party. Name. Text					
Postal Address	Semantic Def.: The name, expressed as text, for this trade party.					
Postcode	Trade_Party. Defined. Trade_Contact					
Street Name	Semantic Def.: A trade contact defined for this trade party.					
	Trade_Contact. Person Name. Text					
	Semantic Def.: The name, expressed as text, of this trade contact person.					
	Trade_Contact. Department Name. Text					
	Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within					
	an					
	Trade_Contact. Telephone. Universal_Communication					
	Semantic Def.: Telephone communication information for this trade contact.					
	Universal_Communication. Complete Number. Text					
	Semantic Def.: The text string of characters that make up the complete number for this universal					
	communication.					
	Trade_Contact. Email_URI. Universal_Communication					
	Semantic Def.: The email URI communication information for this trade contact.					
	Universal_Communication. URI. Identifier					
	Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this					
	universal					
	Trade_Party. Postal. Trade_Address					
	Semantic Def.: The postal address for this trade party.					
	Trade_Address. Postcode. Code					
	Semantic Def.: A code specifying the postcode of this trade address.					
	Trade_Address. Street Name. Text					
	Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
City Name	Trade_Address. City Name. Text					
Country Code	Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.					
Country Sub-Division Name	Trade_Address. Country. Identifier					
Telephone	Semantic Def.: The unique identifier of a country for this trade address.					
Complete Number	Trade_Address. Country Sub-Division Name. Text					
	Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address.					
Government Registration	Trade_Party. Telephone. Universal_Communication					
ID	Semantic Def.: A telephone communication for this trade party.					
Type Code	Universal_Communication. Complete Number. Text					
	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Country Code	Trade_Party. Specified. Government_Registration					
	Semantic Def.: A governmental registration specified for this trade party.					
Validity Period	Government_Registration. Identification. Identifier					
Start Date Time	Semantic Def.: An identifier for this government registration.					
End Date Time	Government_Registration. Type. Code					
	Semantic Def.: A code specifying a type of government registration.					
Trade Transaction	Government_Registration. Validity. Specified_Period					
	Semantic Def.: The period of time during which this government registration is valid.					
TUCR - Trade Delivery UCR	Specified_Period. Start. Date Time					096
	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of					
Trade Agreement Details	Specified_Period. End. Date Time					
	Semantic Def.: The date, time, date time or other date time value for the end of this specified period of					
Seller	Referenced_SupplyChain_Consignment. Related. SupplyChain_Trade Transaction					
	Semantic Def.: A trade transaction related to this referenced supply chain consignment.					
ID	SupplyChain_Trade Transaction. Identification. Identifier					
	Semantic Def.: A unique identifier for this supply chain trade transaction.					
Trade Agreement Details	SupplyChain_Trade Transaction. Applicable. Header_Trade Agreement					
	Semantic Def.: A trade agreement header applicable to this supply chain trade transaction, such as payment					
Seller	Header_Trade Agreement. Seller. Trade_Party					097
	Semantic Def.: The seller party for this header trade agreement.					
Status:	R					
Business Usage:	The Seller of the goods is a key field for risk assesment					
ID	Trade_Party. Identification. Identifier					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 38

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Defined Contact Details	Semantic Def.: A unique identifier of this trade party. Trade_Party. Defined. Trade_Contact					
Person Name	Semantic Def.: A trade contact defined for this trade party. Trade_Contact. Person Name. Text					
Department Name	Semantic Def.: The name, expressed as text, of this trade contact person. Trade_Contact. Department Name. Text					
Telephone	Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Complete Number	Trade_Contact. Telephone. Universal_Communication Semantic Def.: Telephone communication information for this trade contact.					
Email Address	Universal_Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
URI	Trade_Contact. Email_URI. Universal_Communication Semantic Def.: The email URI communication information for this trade contact.					
Postal Address	Universal_Communication. URI. Identifier Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal					
Postcode	Trade_Party. Postal. Trade_Address Semantic Def.: The postal address for this trade party.					
Street Name	Trade_Address. Postcode. Code Semantic Def.: A code specifying the postcode of this trade address.					
City Name	Trade_Address. Street Name. Text Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.					
Country Code	Trade_Address. City Name. Text Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.					
Country Sub-Division Name	Trade_Address. Country. Identifier Semantic Def.: The unique identifier of a country for this trade address.					
Telephone	Trade_Address. Country Sub-Division Name. Text Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address.					
Complete Number	Trade_Party. Telephone. Universal_Communication Semantic Def.: A telephone communication for this trade party.					
Government Registration	Universal_Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
ID	Trade_Party. Specified. Government_Registration Semantic Def.: A governmental registration specified for this trade party.					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 39

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Type Code	Semantic Def.: An identifier for this government registration. Government_ Registration. Type. Code					
Country Code	Semantic Def.: A code specifying a type of government registration. Government_ Registration. Country. Identifier					
Validity Period	Semantic Def.: The identifier of the country for this government registration. Government_ Registration. Validity. Specified_Period					
Start Date Time	Semantic Def.: The period of time during which this government registration is valid. Specified_Period. Start. Date Time					
End Date Time	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of Specified_Period. End. Date Time					
Buyer	Header_Trade Agreement. Buyer. Trade_Party					098
	Semantic Def.: The buyer party for this header trade agreement.					
	Status: R					
	Business Usage: The Buyer of the goods is a key field for risk assesment					
ID	Trade_Party. Identification. Identifier					
Name	Semantic Def.: A unique identifier of this trade party. Trade_Party. Name. Text					
Defined Contact Details	Trade_Party. Defined. Trade_Contact					
Person Name	Semantic Def.: A trade contact defined for this trade party. Trade_Contact. Person Name. Text					
Department Name	Semantic Def.: The name, expressed as text, of this trade contact person. Trade_Contact. Department Name. Text					
Telephone	Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Complete Number	Trade_Contact. Telephone. Universal_Communication					
Email Address	Semantic Def.: Telephone communication information for this trade contact. Universal_Communication. Complete Number. Text					
URI	Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Postal Address	Trade_Party. Postal. Trade_Address					
	Semantic Def.: The postal address for this trade party.					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Postcode	Trade_Address. Postcode. Code Semantic Def.: A code specifying the postcode of this trade address.					
Street Name	Trade_Address. Street Name. Text Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.					
City Name	Trade_Address. City Name. Text Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.					
Country Code	Trade_Address. Country. Identifier Semantic Def.: The unique identifier of a country for this trade address.					
Country Sub-Division Name	Trade_Address. Country Sub-Division Name. Text Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address.					
Telephone	Trade_Party. Telephone. Universal_Communication					
Complete Number	Semantic Def.: A telephone communication for this trade party. Universal_Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Government Registration	Trade_Party. Specified. Government_Registration					
ID	Semantic Def.: A governmental registration specified for this trade party.					
Type Code	Government_Registration. Identification. Identifier Semantic Def.: An identifier for this government registration.					
Country Code	Government_Registration. Type. Code Semantic Def.: A code specifying a type of government registration.					
Validity Period	Government_Registration. Validity. Specified_Period					
Start Date Time	Semantic Def.: The period of time during which this government registration is valid.					
End Date Time	Specified_Period. Start. Date Time Semantic Def.: The date, time, date time or other date time value for the start of this specified period of					
Seller Order Document	Specified_Period. End. Date Time Semantic Def.: The date, time, date time or other date time value for the end of this specified period of					
ID	Header_Trade Agreement. Seller_Order. Referenced_Document Semantic Def.: The seller generated order document referenced in this header trade agreement.	100				
Cross Border Regulatory Procedure	Referenced_Document. Identification. Identifier Semantic Def.: A unique identifier for this referenced document.		100			
Import Customs Office Location	Header_Trade Agreement. Applicable. Cross-Border_Regulatory Procedure Semantic Def.: A cross-border regulatory procedure applicable to this header trade agreement.					
	Cross-Border_Regulatory Procedure. Import Customs Office_Specified. Logistics_Location Semantic Def.: The location of the specified customs office which is responsible for import formalities for					103

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 41

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
ID	<p>Status: R</p> <p>Logistics_Location. Identification. Identifier</p> <p>Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).</p>					
Export Customs Office Location	<p>Cross-Border_Regulatory Procedure. Export Customs Office_Specified.</p> <p>Logistics_Location</p> <p>Semantic Def.: The location of the specified customs office which is responsible for export formalities for the goods which are subject to this cross-border regulatory procedure.</p>					104
ID	<p>Logistics_Location. Identification. Identifier</p> <p>Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).</p>					
Trade Delivery Details	<p>Supply Chain_Trade Transaction. Applicable. Header_Trade Delivery</p> <p>Semantic Def.: A trade delivery header applicable to this supply chain trade transaction.</p>					
Ship To Party	<p>Header_Trade Delivery. Ship To. Trade_Party</p> <p>Semantic Def.: The ship to party, at header level, for this trade delivery.</p> <p>Status: O</p> <p>Business Usage: If goods are 'sold on the sea' then the ship to party is unknown at stage 1</p>					106
ID	<p>Trade_Party. Identification. Identifier</p> <p>Semantic Def.: A unique identifier of this trade party.</p>					
Name	<p>Trade_Party. Name. Text</p> <p>Semantic Def.: The name, expressed as text, for this trade party.</p>					
Defined Contact Details	<p>Trade_Party. Defined. Trade_Contact</p> <p>Semantic Def.: A trade contact defined for this trade party.</p>					
Person Name	<p>Trade_Contact. Person Name. Text</p> <p>Semantic Def.: The name, expressed as text, of this trade contact person.</p>					
Department Name	<p>Trade_Contact. Department Name. Text</p> <p>Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an</p>					
Telephone	<p>Trade_Contact. Telephone. Universal_Communication</p> <p>Semantic Def.: Telephone communication information for this trade contact.</p>					
Complete Number	<p>Universal_Communication. Complete Number. Text</p> <p>Semantic Def.: The text string of characters that make up the complete number for this universal communication.</p>					
Email Address	<p>Trade_Contact. Email_URI. Universal_Communication</p> <p>Semantic Def.: The email URI communication information for this trade contact.</p>					
URI	<p>Universal_Communication. URI. Identifier</p> <p>Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this</p>					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019

Page: 42

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Postal Address	communication. Trade_Party. Postal. Trade_Address					
Postcode	Semantic Def.: The postal address for this trade party. Trade_Address. Postcode. Code					
Street Name	Semantic Def.: A code specifying the postcode of this trade address. Trade_Address. Street Name. Text					
City Name	Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address. Trade_Address. City Name. Text					
Country Code	Semantic Def.: The name, expressed as text, of the city, town or village of this trade address. Trade_Address. Country. Identifier					
Country Sub-Division Name	Semantic Def.: The unique identifier of a country for this trade address. Trade_Address. Country Sub-Division Name. Text					
Telephone	Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address. Trade_Party. Telephone. Universal_Communication					
Complete Number	Semantic Def.: A telephone communication for this trade party. Universal_Communication. Complete Number. Text					
Government Registration	Semantic Def.: The text string of characters that make up the complete number for this universal communication. Trade_Party. Specified. Government_Registration					
ID	Semantic Def.: A governmental registration specified for this trade party. Government_Registration. Identification. Identifier					
Type Code	Semantic Def.: An identifier for this government registration. Government_Registration. Type. Code					
Country Code	Semantic Def.: A code specifying a type of government registration. Government_Registration. Country. Identifier					
Validity Period	Semantic Def.: The identifier of the country for this government registration. Government_Registration. Validity. Specified_Period					
Start Date Time	Semantic Def.: The period of time during which this government registration is valid. Specified_Period. Start. Date Time					
End Date Time	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of Specified_Period. End. Date Time					
Ship From Party	Semantic Def.: The date, time, date time or other date time value for the end of this specified period of Header_Trade_Delivery. Ship From. Trade_Party Status: <i>R</i> Business Usage: Party the goods are shipped from i.e. the manufacturer or load site					107
ID	Semantic Def.: A unique identifier of this trade party.					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 43

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Name	Trade_Party. Name. Text Semantic Def.: The name, expressed as text, for this trade party.					
Defined Contact Details	Trade_Party. Defined. Trade_Contact Semantic Def.: A trade contact defined for this trade party.					
Person Name	Trade_Contact. Person Name. Text Semantic Def.: The name, expressed as text, of this trade contact person.					
Department Name	Trade_Contact. Department Name. Text Semantic Def.: The name, expressed as text, of the department to which this trade contact belongs within an					
Telephone	Trade_Contact. Telephone. Universal_Communication Semantic Def.: Telephone communication information for this trade contact.					
Complete Number	Universal_Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Email Address	Trade_Contact. Email_URI. Universal_Communication Semantic Def.: The email URI communication information for this trade contact.					
URI	Universal_Communication. URI. Identifier Semantic Def.: The Uniform Resource Identifier (URI), such as a web or an email address, for this universal					
Postal Address	Trade_Party. Postal. Trade_Address Semantic Def.: The postal address for this trade party.					
Postcode	Trade_Address. Postcode. Code Semantic Def.: A code specifying the postcode of this trade address.					
Street Name	Trade_Address. Street Name. Text Semantic Def.: A name, expressed as text, of a street or thoroughfare for this trade address.					
City Name	Trade_Address. City Name. Text Semantic Def.: The name, expressed as text, of the city, town or village of this trade address.					
Country Code	Trade_Address. Country. Identifier Semantic Def.: The unique identifier of a country for this trade address.					
Country Sub-Division Name	Trade_Address. Country Sub-Division Name. Text Semantic Def.: A name, expressed as text, of the sub-division of a country for this trade address.					
Telephone	Trade_Party. Telephone. Universal_Communication Semantic Def.: A telephone communication for this trade party.					
Complete Number	Universal_Communication. Complete Number. Text Semantic Def.: The text string of characters that make up the complete number for this universal communication.					
Government Registration	Trade_Party. Specified. Government_Registration Semantic Def.: A governmental registration specified for this trade party.					
	Government_Registration. Identification. Identifier					

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 44

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
ID	Semantic Def.: An identifier for this government registration.					
Type Code	Government_ Registration. Type. Code					
Country Code	Semantic Def.: A code specifying a type of government registration. Government_ Registration. Country. Identifier					
Validity Period	Semantic Def.: The identifier of the country for this government registration. Government_ Registration. Validity. Specified_Period					
Start Date Time	Semantic Def.: The period of time during which this government registration is valid. Specified_Period. Start. Date Time					
End Date Time	Semantic Def.: The date, time, date time or other date time value for the start of this specified period of Specified_Period. End. Date Time					
Despatch Country	Header_Trade Delivery. Actual_Despatch. Supply Chain_Event Semantic Def.: An actual despatch event, at header level, for this trade delivery. Status: R Business Usage: Country from which the goods were despatched					109
Location	Supply Chain_Event. Occurrence. Logistics_Location Semantic Def.: A logistics location where this supply chain event occurs.					
Country Code	Logistics_Location. Country. Identifier Semantic Def.: The unique identifier of a country for this logistics location.					109
Final Destination Country	Header_Trade Delivery. Final Destination. Trade_Country Semantic Def.: The country of final destination for this header trade delivery. Status: R Business Usage: Planned final country of destination					110
Code	Trade_Country. Identification. Identifier Semantic Def.: A unique identifier for this trade country.					
Trade Settlement Details	Supply Chain_Trade Transaction. Applicable. Header_Trade Settlement Semantic Def.: The trade settlement header applicable to this supply chain trade transaction.					
Invoice Amount	Header_Trade Settlement. Due Payable. Amount Semantic Def.: A monetary value that is an exact amount due and payable for this header trade settlement, such as the amount due to the creditor. Status: O Business Usage: Value of Goods					111
Invoice Document	Header_Trade Settlement. Invoice. Referenced_Document Semantic Def.: The invoice document referenced by this header trade settlement.					
ID	Referenced_Document. Identification. Identifier Semantic Def.: A unique identifier for this referenced document.					113
Issue Date Time	Referenced_Document. Formatted_Issue. Date Time					112

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 45

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Vanning Event (Container Stuffing)	<p>Semantic Def.: The formatted date or date time for the issuance of this referenced document.</p> <p>Referenced_Supply Chain_Consignment. Vanning. Transport_Event</p> <p>Semantic Def.: The vanning event (the loading of this consignment at the place of its original despatch) for this</p>					
Actual Occurrence Date Time	<p>Transport_Event. Actual_Occurrence. Date Time</p> <p>Semantic Def.: The actual date, time, date time, or other date time value of the occurrence of this transport event.</p> <p>Status: R</p> <p>Business Usage: Date of loading for transport at consignment completion point</p>					076
Occurrence Location	<p>Transport_Event. Occurrence. Logistics_Location</p> <p>Semantic Def.: The logistics location where this transport event occurs.</p> <p>Status: R</p> <p>Business Usage: Location code or name where the loading of goods into the transport equipment took place</p>					077
ID	<p>Logistics_Location. Identification. Identifier</p> <p>Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).</p>					
Name	<p>Logistics_Location. Name. Text</p> <p>Semantic Def.: A name, expressed as text, of this logistics related location.</p>					
Acceptance Location (House B/L)	<p>Referenced_Supply Chain_Consignment. Carrier Acceptance. Logistics_Location</p> <p>Semantic Def.: The location where this referenced supply chain consignment will be or has been accepted by</p>					075
ID	<p>Logistics_Location. Identification. Identifier</p> <p>Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).</p>					
Name	<p>Logistics_Location. Name. Text</p> <p>Semantic Def.: A name, expressed as text, of this logistics related location.</p>					
House Bill Number	<p>Referenced_Supply Chain_Consignment. Transport Contract. Referenced_Document</p> <p>Semantic Def.: The transport contract document for this referenced supply chain consignment, such as an airwaybill or a seawaybill.</p> <p>Status: O</p> <p>Business Usage: Use when the House bill ID is provided</p>					
ID	<p>Referenced_Document. Identification. Identifier</p> <p>Semantic Def.: A unique identifier for this referenced document.</p>					082
Pre-Carriage Transport Movement	<p>Referenced_Supply Chain_Consignment. Pre-Carriage. Logistics_Transport Movement</p> <p>Semantic Def.: A pre-carriage logistics transport movement for this referenced supply chain consignment.</p>					

St = Status: M=Mandatory, O=Optional

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Mode Code	Logistics_Transport Movement. Mode. Code Semantic Def.: The code specifying the mode, such as by air, sea, rail, road or inland waterway, for this logistics transport movement.					085
Used Transport Equipment	Referenced_Supply Chain_Consignment. Utilized. Logistics_Transport Equipment Semantic Def.: Logistics transport equipment utilized for this referenced supply chain consignment.					
ID	Logistics_Transport Equipment. Identification. Identifier Semantic Def.: The unique identifier of this piece of logistics transport equipment. Status: R	8260	31(3)			195
Warehouse Storage Event	Referenced_Supply Chain_Consignment. Warehouse_Storage. Transport_Event Semantic Def.: A warehouse storage event for this referenced supply chain consignment.					
Occurrence Location	Transport_Event. Occurrence. Logistics_Location Semantic Def.: The logistics location where this transport event occurs.					196
ID	Logistics_Location. Identification. Identifier Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).					
Devanning Event	Referenced_Supply Chain_Consignment. Devanning. Transport_Event Semantic Def.: A significant occurrence or happening related to a person, animal, object or process.					173
Occurrence Location	Transport_Event. Occurrence. Logistics_Location Semantic Def.: The logistics location where this transport event occurs.					204
ID	Logistics_Location. Identification. Identifier Semantic Def.: A unique identifier for this logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).					
Name	Logistics_Location. Name. Text Semantic Def.: A name, expressed as text, of this logistics related location.					
Used Transport Equipment	Supply Chain_Consignment. Utilized. Logistics_Transport Equipment Semantic Def.: Logistics transport equipment utilized for this supply chain consignment.					
ID	Logistics_Transport Equipment. Identification. Identifier Semantic Def.: The unique identifier of this piece of logistics transport equipment. Status: D	8260	31(3)			086
Gross Weight	Business Usage. Container Number for maritime traffic Logistics_Transport Equipment. Gross Weight. Measure Semantic Def.: The measure of the gross weight (mass) of this piece of logistics transport equipment which is					087
Tare Weight	the weight (mass) including loaded goods, packing and transport equipment. Logistics_Transport Equipment. Tare Weight. Measure Semantic Def.: The measure of the tare weight (mass) of this piece of logistics transport equipment which					088

St = Status: M=Mandatory, O=Optional

Version: SELIS PDES Demonstrator

Generated by GEFEG.FX

Print date: 22/08/2019
Page: 47

SELIS PDES Demonstrator

Message Implementation Guide (MIG) PDES Demonstrator 1

Elements	Annotations	TDED	UCC	SAD	PDES	ID
Category Code	the weight (mass) including permanent equipment but excluding goods and loose accessories.					
Size/Type Code	Logistics_Transport Equipment. Category. Code Semantic Def.: The code specifying the category for this piece of logistics transport equipment, such as container or trailer. Status: O TE or CN					189
Affixed Seal	Logistics_Transport Equipment. Characteristic. Code Semantic Def.: The code specifying the characteristic or characteristics of this piece of logistics transport equipment, such as the ISO 6346 transport equipment size and type code. Status: R					089
ID	Logistics_Transport Equipment. Affixed. Logistics_SeaL Semantic Def.: A seal affixed to this piece of logistics transport equipment.					090
Condition Code	Logistics_SeaL. Identification. Identifier Semantic Def.: A unique identifier for this logistics seal. Status: R					091
Sealing Party Role Code	Logistics_SeaL. Condition. Code Semantic Def.: A code specifying a condition of this logistics seal. Status: O					092
Final Destination Country	Supply Chain_Consignment. Final_Destination. Trade_Country Semantic Def.: The final destination country for this supply chain consignment. Status: R					047
Code	Trade_Country. Identification. Identifier Semantic Def.: A unique identifier for this trade country.	3217	5/11	17a	(M)	
Export Country	Supply Chain_Consignment. Export. Trade_Country Semantic Def.: The export country for this supply chain consignment. Status: R					048
Code	Trade_Country. Identification. Identifier Semantic Def.: A unique identifier for this trade country.					

St = Status: M=Mandatory, O=Optional