Dewetra backend api

Overview

Dewetra Portal backend API

Version information

Version : v1

Contact information

Contact Email : dario.rubado@cimafoundation.org

License information

License : BSD License
Terms of service : https://www.cimafoundation.org

URI scheme

Host : localhost:8000
BasePath : /
Schemes : HTTP

Consumes

- `application/json`

Produces

- `application/json`

Security

Basic

Type : basic

Paths

GET /chartapi/dds_image/

Description

Generate and return a chart image based on the provided chart ID and request data.

Responses

HTTP Code	Schema
200	No Content

Tags

- chartapi

GET /chartapi/dds_json/

Description

Generate a JSON representation of a chart based on the given request.

Responses

HTTP Code	Schema
200	No Content

Tags

- chartapi

POST /chartapi/dds_punctual_image/{layer_id}/

Description

Generate and return a punctual chart image.

Parameters

Type	Name	Schema
Path	**layer_id** *required*	string

Responses

HTTP Code	Schema
201	No Content

Tags

- chartapi

POST /chartapi/dds_punctual_json/{layer_id}/

Description

Generate a JSON representation of a punctual chart.

Parameters

Type	Name	Schema
Path	**layer_id** *required*	string

Responses

HTTP Code	Schema
201	No Content

Tags

- chartapi

GET /ddsapi/

Responses

HTTP Code	Schema
200	No Content

Tags

- ddsapi

POST /ddsapi/availability/{layer}/

Description

Retrieves the availability of a layer based on the provided request and layer ID.

Parameters

Type	Name	Schema
Path	**layer** *required*	string

Responses

HTTP Code	Schema
201	No Content

Tags

- ddsapi

GET /ddsapi/floodproof/compatibles/{layer}/

Description

Retrieves floodproof compatibles for a given layer.

Parameters

Type	Name	Schema
Path	**layer** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- ddsapi

GET /ddsapi/floodproof/layer/{layer_id}/{now}/

Description

Retrieves floodproof features for a given layer and time range.

Parameters

Type	Name	Schema
Path	**layer_id** *required*	string
Path	**now** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- ddsapi

GET /ddsapi/layerstyle/{layer}/{layer_id}/

Description

Retrieves the layer style for a given layer ID.

Parameters

Type	Name	Schema
Path	**layer** *required*	string
Path	**layer_id** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- ddsapi

GET /ddsapi/properties/{layer_id}/

Description

Retrieve the properties of a layer.

Parameters

Type	Name	Schema
Path	**layer_id** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- ddsapi

POST /ddsapi/publish/{layer}/

Description

Publishes a layer using the provided request and layer ID.

Parameters

Type	Name	Schema
Path	**layer** *required*	string

Responses

HTTP Code	Schema
201	No Content

Tags

- ddsapi

GET /ddsapi/publish_default/{layer_id}/

Description

Publishes the default layer for a given layer ID.

Parameters

Type	Name	Schema
Path	**layer_id** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- ddsapi

POST /ddsapi/punctualserie/{layer}/

Description

Retrieve punctual series data from the DDS client.

Parameters

Type	Name	Schema
Path	**layer** *required*	string

Responses

HTTP Code	Schema
201	No Content

Tags

- ddsapi

POST /ddsapi/republish/{layer_id}/

Description

Republishes a layer with the given layer_id using the provided request.

Parameters

Type	Name	Schema
Path	**layer_id** *required*	string

Responses

HTTP Code	Schema
201	No Content

Tags

- ddsapi

GET /ddsapi/variables/{layer_id}/

Description

Retrieves the variables associated with a layer.

Parameters

Type	Name	Schema
Path	**layer_id** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- ddsapi

A viewset for retrieving LayerCategory objects.

```
GET /dewapi/layercategory/
```

Description

This viewset provides read-only endpoints for retrieving LayerCategory objects.

Responses

HTTP Code	Schema
200	< LayerCategory > array

Tags

- dewapi

A viewset for retrieving LayerCategory objects.

```
GET /dewapi/layercategory/{id}/
```

Description

This viewset provides read-only endpoints for retrieving LayerCategory objects.

Parameters

Type	Name	Description	Schema
Path	**id** *required*	A unique integer value identifying this layer category.	integer

Responses

HTTP Code	Schema
200	LayerCategory

Tags

- dewapi

A viewset for retrieving read-only Layer objects.

```
GET /dewapi/layers/
```

Description

This viewset provides the following actions: - list: Retrieves a list of Layer objects. - retrieve:

Retrieves a specific Layer object by its ID.

Additional filtering can be applied by specifying the 'category' query parameter.

Only authenticated users are allowed to access this viewset.

Responses

HTTP Code	Schema
200	< Layer > array

Tags

- dewapi

A viewset for retrieving read-only Layer objects.

```
GET /dewapi/layers/{id}/
```

Description

This viewset provides the following actions: - list: Retrieves a list of Layer objects. - retrieve: Retrieves a specific Layer object by its ID.

Additional filtering can be applied by specifying the 'category' query parameter.

Only authenticated users are allowed to access this viewset.

Parameters

Type	Name	Description	Schema
Path	**id** *required*	A unique integer value identifying this layer.	integer

Responses

HTTP Code	Schema
200	Layer

Tags

- dewapi

A viewset for retrieving server data.

```
GET /dewapi/server/
```

Description

This viewset provides read-only endpoints for retrieving server objects.

Responses

HTTP Code	Schema
200	< Server > array

Tags

- dewapi

A viewset for retrieving server data.

```
GET /dewapi/server/{id}/
```

Description

This viewset provides read-only endpoints for retrieving server objects.

Parameters

Type	Name	Description	Schema
Path	**id** *required*	A unique integer value identifying this server.	integer

Responses

HTTP Code	Schema
200	Server

Tags

- dewapi

GetCapabilities proxy view with json translation.

```
GET /dewapi/server/{id}/capabilities
```

Description

This view handles the GET and OPTIONS requests for retrieving capabilities. It acts as a proxy to the `capabilities` function, passing the request, primary key (pk), and format as parameters.

Parameters

Type	Name	Schema
Path	**id** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- dewapi

POST /dewapi/server/{id}/proxy/{path}

Description

Handles POST requests to proxy data to the server.

Parameters

Type	Name	Schema
Path	**id** *required*	string
Path	**path** *required*	string

Responses

HTTP Code	Schema
201	No Content

Tags

- dewapi

GET /dewapi/server/{id}/proxy/{path}

Description

Handles GET requests to proxy data to the server.

Parameters

Type	Name	Schema
Path	**id** *required*	string
Path	**path** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- dewapi

A viewset for retrieving Tag objects.

```
GET /dewapi/tags/
```

Description

This viewset provides read-only endpoints for retrieving Tag objects.

Responses

HTTP Code	Schema
200	< Tag > array

Tags

- dewapi

A viewset for retrieving Tag objects.

```
GET /dewapi/tags/{id}/
```

Description

This viewset provides read-only endpoints for retrieving Tag objects.

Parameters

Type	Name	Description	Schema
Path	**id** *required*	A unique integer value identifying this tag.	integer

Responses

HTTP Code	Schema
200	Tag

Tags

- dewapi

GET /dewapi/tools/

Description

A viewset for retrieving tools based on user domain.

Responses

HTTP Code	Schema
200	< Tool > array

Tags

- dewapi

GET /dewapi/tools/{id}/

Description

A viewset for retrieving tools based on user domain.

Parameters

Type	Name	Description	Schema
Path	**id** *required*	A unique integer value identifying this tool.	integer

Responses

HTTP Code	Schema
200	Tool

Tags

- dewapi

GET /sentinelapi/aggregated_layer/{sensor_class}/

Description

Retrieves aggregated sensor data based on the provided parameters.

Parameters

Type	Name	Schema
Path	**sensor_class** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- sentinelapi

GET /sentinelapi/aggregations/

Description

Retrieves the aggregation layers from the Sentinel service.

Responses

HTTP Code	Schema
200	No Content

Tags

- sentinelapi

GET /sentinelapi/sensor_info/{sensor_id}/{db_id}/

Description

Retrieves information about a sensor.

Parameters

Type	Name	Schema
Path	**db_id** *required*	string
Path	**sensor_id** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- sentinelapi

GET /sentinelapi/sensors/{sensor_class}/

Description

Retrieves sensor data based on the provided parameters.

Parameters

Type	Name	Schema
Path	**sensor_class** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- sentinelapi

GET /sentinelapi/stations_sensors/{station_id}/{db_id}/

Description

Retrieve information about sensors for a specific station.

Parameters

Type	Name	Schema
Path	**db_id** *required*	string
Path	**station_id** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- sentinelapi

POST /toolsapi/print/{print_type}/

Description

Prints the request data using the specified print type.

Parameters

Type	Name	Schema
Path	**print_type** *required*	string

Responses

HTTP Code	Schema
201	No Content

Tags

- toolsapi

POST /toolsapi/upload_image/

Description

Uploads an image file.

Responses

HTTP Code	Schema
201	No Content

Tags

- toolsapi

GET /toportal/licenses/

Description

licence data

Responses

HTTP Code	Schema
200	No Content

Tags

- toportal

GET /widgetapi/data/{widget_name}/

Description

Retrieve data for a specific widget.

Parameters

Type	Name	Schema
Path	**widget_name** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- widgetapi

GET /widgetapi/img/{widget_name}/{id}/

Description

Return the image for a specific widget.

Parameters

Type	Name	Schema
Path	**id** *required*	string
Path	**widget_name** *required*	string

Responses

HTTP Code	Schema
200	No Content

Tags

- widgetapi

Definitions

ChartManager

Name	Description	Schema
component *required*	**Length** : 1 - 255	string
id *optional* *read-only*		integer
props *optional*		object

DraCategory

Name	Description	Schema
icon *optional* *read-only*		string
id *optional* *read-only*		integer
name *required*	**Length** : 1 - 255	string

Event

Name	Description	Schema
descr *optional*		string
name *required*	**Length** : 1 - 255	string

EventData

Name	Description	Schema
datatype *required*	**Length** : 1 - 255	string
date *required*		string (date)
event *optional*		Event
hazard *optional*		Hazard

Name	Description	Schema
id *optional* *read-only*		integer
lat *required*		number
lon *required*		number

Hazard

Name	Description	Schema
icon *optional* *read-only*		string
id *optional* *read-only*		integer
name *required*	**Length** : `1 - 255`	string

InfoManager

Name	Description	Schema
component *required*	**Length** : `1 - 255`	string
id *optional* *read-only*		integer
props *optional*		object

IspireTheme

Name	Description	Schema
icon *optional* *read-only*		string
id *optional* *read-only*		integer

Name	Description	Schema
name *required*	**Length** : `1 - 255`	string

Layer

Name	Description	Schema
category *optional* *read-only*		string
chartmanager *optional*		ChartManager
customprops *optional*		object
dataid *required*	**Length** : `1 - 255`	string
descr *optional*		string
dracategories *optional* *read-only*		< DraCategory > array
enabled *optional*		boolean
event *optional*		EventData
geoscale *optional* *read-only*		string
hazards *optional* *read-only*		< Hazard > array
icon *optional* *read-only*		string
id *optional* *read-only*		integer
infomanager *optional*		InfoManager

Name	Description	Schema
inspirethemes *optional* *read-only*		< IspireTheme > array
latn *required*		number
lats *required*		number
layermanager *optional*		LayerManager
legendmanager *optional*		LegendManager
lone *required*		number
lonw *required*		number
mapmanager *optional*		MapManager
metadatamanager *optional*		MetadataManager
name *required*	**Length** : `1 - 255`	string
paths *optional* *read-only*		< PathHierarchy > array
propertiesmanager *optional*		PropertiesManager
related *optional* *read-only*		< integer > array
roles *optional*		< integer > array
server *optional*		Server
source *optional*		Source

Name	Description	Schema
tags *optional* *read-only*		< Tag > array
thumb *optional*	**Maximal length** : 255	string

LayerCategory

Name	Description	Schema
name *required*	**Length** : 1 - 255	string

LayerManager

Name	Description	Schema
component *required*	**Length** : 1 - 255	string
id *optional* *read-only*		integer
props *optional*		object

LegendManager

Name	Description	Schema
component *required*	**Length** : 1 - 255	string
id *optional* *read-only*		integer
props *optional*		object

MapManager

Name	Description	Schema
component *required*	**Length** : 1 - 255	string

Name	Description	Schema
id *optional* *read-only*		integer
props *optional*		object

MetadataManager

Name	Description	Schema
component *required*	**Length** : `1 - 255`	string
id *optional* *read-only*		integer
props *optional*		object

PathHierarchy

Name	Description	Schema
hierarchy *required*	**Length** : `1 - 255`	string
id *optional* *read-only*		integer
path *optional* *read-only*		string

PropertiesManager

Name	Description	Schema
component *required*	**Length** : `1 - 255`	string
id *optional* *read-only*		integer
props *optional*		object

Server

Name	Description	Schema
descr *optional*		string
id *optional* *read-only*		integer
name *required*	**Length** : `1 - 255`	string
url *optional* *read-only*		string

Source

Name	Description	Schema
icon *optional* *read-only*		string
id *optional* *read-only*		integer
name *required*	**Length** : `1 - 255`	string

Tag

Name	Description	Schema
icon *optional* *read-only*		string
id *optional* *read-only*		integer
name *required*	**Length** : `1 - 255`	string

Tool

Name	Description	Schema
component *required*	**Length** : `1 - 255`	string
descr *optional*		string
icon *optional*		integer
id *optional* *read-only*		integer
name *required*	**Length** : `1 - 255`	string
props *optional*		object
roles *optional*		< integer > array