Example Specification Document

Input:

- Tyre dataset (private not shared)
- Global technical regulation on tyres GRBP-70-02 https://unece.org/DAM/trans/doc/2019/wp29grb/GRBP-70-02e.pdf
- Official Journal of the European Union. (2020). REGULATION (EU) 2020/740 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on the labelling of tyres with respect to fuel efficiency and other parameters (Regulation Amending Regulation (EU) 2017/1369 and Repealing Regulation (EC) No 1222/2009). https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32020R0740

Functional requirements

- FR1- Product is a tyre.
- FR2- Characteristics of a tyre can be classified into three groups of information: Dimensions (e.g., section width), Markings (e.g., mud and snow), and Labelling (e.g., wet class) .
- FR3- Two roles are involved in the lifecycle of a tyre: manufacturer and retreader.

Non-functional requirements

- NR1- New ontology must be aligned with ESPR.
- NR2- No other sector-level ontologies and vocabularies

Coverage Table Step 1.3

Data to be modeled	EU DPP CO				
	P_DPP	LCA	SOC	ACTOR	CON
product Tyre	**eudpp:Product**				
tyreUII					
...					
mudAndSnow	**eudpp:Property**				
...					
sectionWidth/value	**eudpp:ProductDimension**				
sectionWidth/oum	**eudpp:ProductDimension** eudpp:hasMeasurementUnit				
...					
brandName				eudpp:actorName eudpp:hasManufacturer	
commercialName	eudpp:productName				
retreatBrandName				eudpp:actorName	
...					
wetClass	**eudpp:Property**				

Coverage Table Step 2.4

Data to be modeled	EU DPP CO				
	P_DPP	LCA	SOC	ACTOR	CON
product Tyre	**eudpp:Product** **eto:Tyre**				
tyreUII	eto:SGTIN				
...					
mudAndSnow	**eto:ProductLabelling** **eto:MudAndSnow**				
...					
sectionWidth/value	**eudpp:ProductDimension** eto:hasValue				
sectionWidth/oum	**eudpp:ProductDimension** eudpp:hasMeasurementUnit				
...					
brandName				eudpp:actorName eudpp:hasManufacturer	
commercialName	eudpp:productName				
retreatBrandName				eudpp:actorName eto:hasRetreater	
...					
wetClass	**eto:ProductMarking** **eto:WetClass**				