

# MIKE ANALYTICAL METHOD

MIKE analytical method used to determine PIKE trends as reported to the 15<sup>th</sup>, 16<sup>th</sup>, 17<sup>th</sup> and 18<sup>th</sup> meetings of the Conference of the Parties to CITES:

- CoP15, Doha, 2010, in document CoP15 Doc. 44.2 (Rev. 1);
- CoP16, Bangkok, 2013, in document CoP16 Doc. 53.1;
- CoP17, Johannesburg, 2016, in document CoP17 Doc. 57.5; and
- CoP18, Geneva, 2019, in document CoP18 Doc. 69.2 and CoP18 Doc. 69.2 Addendum

And the 61<sup>st</sup>, 62<sup>nd</sup>, 65<sup>th</sup>, 66<sup>th</sup>, 69<sup>th</sup> and 70<sup>th</sup> meetings of the CITES Standing Committee:

- SC61, Geneva, 2011, in document SC61 Doc 44.2 (Rev. 1) and its Annex 1
- SC62, Geneva, 2012, in document SC62 Doc 46.1 (Rev. 1) and its Annex 1
- SC65, Geneva, 2014, in document SC65 Doc. 42.1
- SC66, Geneva, 2016, in document SC66 Doc. 47.1
- SC69, Geneva, 2017, in document SC69 Doc. 51.1 and its Annex
- SC70, Russian Federation, in document SC70 Doc. 49.1 and its Annex 1

## CITES MIKE PROGRAMME – CENTRAL COORDINATION UNIT



**MONITORING THE  
ILLEGAL KILLING  
OF ELEPHANTS**



Funded by the European Union

## PIKE TREND ANALYSIS USING THE LEAST-SQUARES MEANS APPROACH

### MIKE DATA

The MIKE program has 68 designated MIKE sites across 32 range states in Africa. MIKE sites are distributed between four sub-regions: Central, Eastern, Southern and West Africa, following the designations outlined in the International Union for Conservation of Nature Species Survival Commission (IUCN/SSC) African Elephants Specialist Group (AfESG) African Elephant Database and derived status reports. In Asia, the programme has 29 MIKE sites in 13 countries across South and South East Asia.

Designated MIKE sites represent elephant populations of different sizes (numbering less than 100 elephants to populations with tens of thousands of elephants) and in markedly different ecotones (from deserts to tropical rainforests). A large number of elephant populations in MIKE sites in Central and West Africa occur in forested ecosystems that can influence the number of elephant carcasses being reported due to challenges relating to locating carcasses. The populations in West Africa also tend to be small and therefore fewer deaths are reported.

In general, both ecological and management factors combine to create high variation in the number of carcasses reported per year and gaps in reporting.

### PIKE INDICATOR

MIKE evaluates relative poaching levels based on the Proportion of Illegally Killed Elephants (PIKE), which is calculated as the number of illegally killed elephants found divided by the total number of elephant carcasses encountered, aggregated by site and across year:

$$PIKE_{st} = \frac{IC_{st}}{TC_{st}}$$

where the  $IC$  is the number of illegally killed carcasses and  $TC$  is the total number of carcasses detected. The subscript  $s$  refers to site and  $t$  to year. PIKE is assumed to represent an effort free metric of the relative causes of elephant death in a population.

While PIKE provides a robust measure of broad-scale poaching trends, it may be affected by a number of potential biases related to data quality, variation in carcass detection probabilities, variation in natural mortality rates and other factors (Burns *et al.* 2011).

### CONTINENTAL AND REGIONAL PIKE TREND

The current approach for summarizing and inferring continental trend from MIKE data models the Proportion of Illegally Killed Elephants (PIKE), specifically the probability of an illegally killed carcass dependent on the total number of detected carcasses, using a weighted linear regression framework with PIKE as the response variable and with year and sub-region as categorical variables; in R, such variables are referred as factors. Algebraically, the PIKE estimate as a function of year and subregion can be expressed as:

$$PIKE = Year + Subregion$$

where subregion refers to the four African sub-regions mentioned above and the weights are the total number of carcasses ( $TC$ ). This weighting scheme was implemented to ensure inference was more strongly influenced by sites with better sampling (or, conversely, poorly sampled sites had less influence on model predictions).

The annual PIKE estimates, based on least-squares means predictions, are determined by averaging across sub-regions while partially accounting for imbalances in reporting. The marginal means are estimates of the expected response for specific levels of a factor by averaging across all levels of other factors.

A good introduction to least-squares means is given in Lenth (2018).

The continental analysis for Asia parallels that for Africa.

The subregional PIKE estimate is also determined using a weighted linear regression model with each subregion modelled independently of each other. The PIKE estimate of a subregion is modelled as a function of year and country, where country refers to the location of the MIKE site and the weights are the total number of carcasses (*TC*). The least-squares means predictions, across countries, give the annual subregional PIKE values, and its confidence bands. The same method is applied separately for each subregion. No subregional trends are estimated for South and Southeast Asia due to low carcass numbers and infrequent reporting.

The analysis is in R using LSMEANS function from the DoBy library (Højsgaard & Ulrich Halekoh, 2018).

## IMPLEMENTATION IN R

The R code for LS means approach for analyzing the Monitoring of the Illegal Killing of Elephants (MIKE) carcass data to derive continental and subregional proportion of illegal killing of elephants (PIKE) follows.

### Preprocessing steps

Load the required libraries.

```
library(gplots) # for barplot2
library(doBy)   # for LSMEANS
library(dplyr)  # for data manipulation
library(knitr)
```

To simplify the coding, a function *PIKE.LSmeans* is defined. This user-defined function calculates LS means estimates, the 90% confidence interval and bounds these estimates to fall in the unit interval, between 0 and 1.

```
#### Define function PIKE.LSmeans #####

# ----- Define SAS-type LS MEANS -----
PIKE.LSmeans <- function(lm.obj) {
  # Purpose: Define SAS-type LS MEANS
  # Purpose: Calculate marginal means & ci for the effect year ("yr")
  # usage: lm.obj <- lm(pike~subregionid+yr,data=carcdat,weights=totcarc) or
  # usage: lm.obj <- lm(pike~ccode+yr, data = ....) for regional estimates
  # usage: To call function: PIKE.LSmeans(lm.obj)

  require(doBy) # Load LSmeans() funtion

  # calculate lsmeans estimates by year ("yr")
  lsmns <- LSmeans(lm.obj, c("yr"))

  # calculate the ci using 90% CI with infinite df
  upper.ci <- lsmns$coef[,1] + qnorm(.05,lower.tail=F)*lsmns$coef[,2]
  lower.ci <- lsmns$coef[,1] - qnorm(.05,lower.tail=F)*lsmns$coef[,2]

  # bound the upper & lower ci between 0-1
  upper.ci <- ifelse(upper.ci > 1, 1, upper.ci)
  upper.ci <- ifelse(upper.ci < 0, 0, upper.ci)

  lower.ci <- ifelse(lower.ci > 1, 1, lower.ci)
  lower.ci <- ifelse(lower.ci < 0, 0, lower.ci)

  # bound pike estimate to be positive
  lsmns$coef$estimate <- ifelse(lsmns$coef$estimate < 0, 0, lsmns$coef$estimate)

  # append ci to model results
  lsmns$coef <- cbind(lsmns$coef,lower.ci, upper.ci)
  lsmns
```

```
}
### end of function
```

### Import and prepare the data

For the analysis a single data file is required. It contains aggregated total number of carcasses and the total number that were illegally killed per year for a specific site. This data is publicly available from the following site: [https://fusiontables.google.com/DataSource?docid=1juiqNCOUwqperYcoq\\_uCWaZ5IEs8t09hfRry\\_I37&usp=drive\\_open#rows:id=4](https://fusiontables.google.com/DataSource?docid=1juiqNCOUwqperYcoq_uCWaZ5IEs8t09hfRry_I37&usp=drive_open#rows:id=4)

The data is read in using the `read.csv()` function and stored in a data frame (`EC.df`):

```
# set file name
file.name <- file.path("data/190307_PikeStatsUpTo2018FusionTableFormat.csv")

EC.df <- read.csv(file.name) # aggregated counts
```

In the code below, as part of preparing the data the variable names are shortened and rows where the total number of carcasses equals zero are excluded. Data from 2003 and onwards is used in the analysis. The MIKE site KSG is excluded from the analysis. Prior analysis shows that the data from this site has influential observations which has a large impact on the fit of the model. This assessment was made by comparing the fit of the model with and without the data from the site. Sites that have reported only once are also excluded from the analysis. This is also the case for the new voluntary MIKE sites that started submitting data in 2018.

*PIKE* is calculated applying the following equation:

$$PIKE = \frac{\text{Number of carcasses killed illegally}}{\text{Total number of carcasses}}$$

and a new column `yr` (year) is assigned as a categorical variable. Finally, MIKE sites from Africa are selected.

```
carcdat <- rename(EC.df,
  siteid = MIKESiteID,
  illegal = NumberOfIllegalCarcasses,
  totcarc = TotalNumberOfCarcasses,
  subregionid = SubregionID,
  un_region = UNRegion,
  ccode = CountryCode)

# remove any rows where the total number of carcasses reported is zero
carcdat <- filter(carcdat, totcarc > 0)

# Select sites with year > 2002
carcdat <- filter(carcdat, year > 2002)
# Select sites that have reported more than once (count > 1)
carcdat <- group_by(carcdat, siteid) %>% mutate(count=n()) %>%
  filter (count > 1) %>%
  ungroup()
# JB: KSG infl. point removed
carcdat <- filter(carcdat, siteid != "KSG")

# new MIKE sites added in 2018: KFE, LGL, LZN, MAN, MJT, NLW and SMN
newMIKESites <- c("KFE", "LGL", "LZN", "MAN", "MJT", "NLW", "SMN")
# exclude newMIKESites data for this analysis
carcdat <- filter(carcdat, !(siteid %in% newMIKESites))

# prepare data - convert year to factor and calculate PIKE index
carcdat$yr <- as.factor(carcdat$year)
carcdat$pike <- carcdat$illegal/carcdat$totcarc # PIKE index

# copy the data to data frame carcdat.all
carcdat.all <- carcdat
```

```
# Select MIKE sites in Africa
carcdat <- carcdat[carcdat$un_region=='Africa',]
carcdat <- droplevels(carcdat)
```

### Continental PIKE Estimate for Africa

Apply the LS means to the weighted linear regression model, where PIKE is the response variable and year (yr) and sub-region (subregionid) are factors. The weights in the linear model are the total number of carcasses (totcars). The LS means *PIKE* estimates are saved in file "output/af\_lsmns\_90CL.csv".

```
# weighted linear regression model with covariates subregion and year,
# weighted by total number of carcasses
af.lm <- lm(pike ~ subregionid + yr, data=carcdat, weights=totcarc)
```

```
# call PIKE.LSmeans function, see above
af_lsmns <- PIKE.LSmeans(af.lm)
```


```
# write LS means coefs to disk
res <- data.frame(region="Africa", af_lsmns$coef, af_lsmns$grid)
write.table(res,"output/af_lsmns_90CL.csv", sep=',', row.names=F)
```

### Plot continental trend

Plot of the continental wide PIKE estimate and its 90% confidence interval across years.

```
par(mfrow=c(1,1))
# include the total number of carcasses in the subtitle
subtitle <- paste(sum(carcdat$totcarc), 'carcasses', sep=' ')

barplot2(af_lsmns$coef[,1], names.arg=af_lsmns$grid[,1],
  plot.ci=TRUE,
  ci.l=af_lsmns$coef[,6],
  ci.u=af_lsmns$coef[,7],
  main="Africa",
  sub=subtitle,
  ylim=c(0,1), cex.main=1, cex.names=0.8,
  cex.axis=1.0, ci.lwd=.8,
  ylab='Estimated PIKE', col="tan2")
```



### Subregional PIKE estimates

The PIKE estimate of a subregion model includes year and country, where country refers to the location of the MIKE site and the weights are the total number of carcasses. For each subregion, the LM means predictions, across countries, give the annual PIKE estimate and its confidence bands. The PIKE estimates are saved in the file "output/sr\_lsmns.csv".

The four subregions in Africa are coded as: FC - Central, FE - Eastern, FS - Southern, FW - West

```
##### Subregional LS means weighted by sample size #####
fc.data <- carcdat[carcdat$subregionid=='FC',] #subset data
fc.lm <- lm(pike~ccode+yr, data=fc.data, weights=totcarc)
fc_lsmns <- PIKE.LSmeans(fc.lm)

fe.data <- carcdat[carcdat$subregionid=='FE',]#subset data
fe.lm <- lm(pike~ccode+yr, data=fe.data, weights=totcarc)
fe_lsmns <- PIKE.LSmeans(fe.lm)

fs.data <- carcdat[carcdat$subregionid=='FS',]#subset data
fs.lm <- lm(pike~ccode+yr, data=fs.data, weights=totcarc)
fs_lsmns <- PIKE.LSmeans(fs.lm)

fw.data <- carcdat[carcdat$subregionid=='FW',]#subset data
fw.lm <- lm(pike~ccode+yr,data=fw.data, weights=totcarc)
fw_lsmns <- PIKE.LSmeans(fw.lm)

#create subregional ids: fc, fe, fs & fw
fc_id <- rep("fc",times=length(fc_lsmns$grid$yr))
fe_id <- rep("fe",times=length(fe_lsmns$grid$yr))
fs_id <- rep("fs",times=length(fs_lsmns$grid$yr))
fw_id <- rep("fw",times=length(fw_lsmns$grid$yr))

#save the lsmeans coefs for fc,fe,fs & fw regions. Note, fc_lsmns$grid
#contains the years
sr_lsmns <- rbind(
  cbind(subreg=fc_id, as.data.frame(fc_lsmns$coef), fc_lsmns$grid),
  cbind(subreg=fe_id, as.data.frame(fe_lsmns$coef), fe_lsmns$grid),
  cbind(subreg=fs_id, as.data.frame(fs_lsmns$coef), fs_lsmns$grid),
  cbind(subreg=fw_id, as.data.frame(fw_lsmns$coef), fw_lsmns$grid)
)

# write subregional lsmeans coefs to a file
write.table(sr_lsmns,"output/sr_lsmns_90CL.csv",sep=',',row.names=F)
```

### Plot subregional trends

Plot trends for Central, Eastern, Southern and West Africa.

```
# plot the subregional results using the function barplot2() from
# the gplots package.
par(mfrow=c(2,2))

barplot2(c(fc_lsmns$coef[,1]), names.arg=fc_lsmns$grid[,1],
  plot.ci=TRUE,
  ci.l=c(fc_lsmns$coef[,6]),
  ci.u=c(fc_lsmns$coef[,7]),
  main="Central Africa",
  sub=paste(sum(fc.data$totcarc),'carcasses',sep=' '),
  ylim=c(0,1),
  cex.main=1.4, cex.names=1.0, cex.axis=1.2,
  ci.lwd=.8, cex.lab=1.4, cex.sub=1.2,
```

```


ylab='Estimated PIKE', col="tan2")

barplot2(fe_lsmns$coef[,1], names.arg=fe_lsmns$grid[,1],
  plot.ci=TRUE,
  ci.l=fe_lsmns$coef[,6],
  ci.u=fe_lsmns$coef[,7],
  main='Eastern Africa',
  sub=paste(sum(fe.data$totcarc), 'carcasses', sep=' '),
  ylim=c(0,1), cex.main=1.4, cex.names=1.0, cex.axis=1.2,
  ci.lwd=.8, cex.lab=1.4, cex.sub=1.2,
  ylab='Estimated PIKE', col="tan2")

barplot2(fs_lsmns$coef[,1], names.arg=fs_lsmns$grid[,1],
  plot.ci=TRUE,
  ci.l=fs_lsmns$coef[,6],
  ci.u=fs_lsmns$coef[,7],
  main='Southern Africa',
  sub=paste(sum(fs.data$totcarc), 'carcasses', sep=' '),
  ylim=c(0,1), cex.main=1.4, cex.names=1.0, cex.axis=1.2,
  ci.lwd=.8, cex.lab=1.4, cex.sub=1.2,
  ylab='Estimated PIKE', col="tan2")

barplot2(fw_lsmns$coef[,1], names.arg=fw_lsmns$grid[,1],
  plot.ci=TRUE,
  ci.l=fw_lsmns$coef[,6],
  ci.u=fw_lsmns$coef[,7],
  main='West Africa',
  sub=paste(sum(fw.data$totcarc), 'carcasses', sep=' '),
  ylim=c(0,1), cex.main=1.4, cex.names=1.0, cex.axis=1.2,
  ci.lwd=.8, cex.lab=1.4, cex.sub=1.2,
  ylab='Estimated PIKE', col="tan2")

```



### Continental PIKE Estimate for Asia

Select data for MIKE sites in Asia and follow the same LS means procedure for Africa.

```
# Select data for MIKE sites in Asia

carcdat <- carcdat.all[carcdat.all$un_region=='Asia',]
carcdat <- droplevels(carcdat)

# Asia lm model
as.lm <- lm(pike~subregionid+yr, data=carcdat, weights=totcarc)

# see PIKE.LSmeans function above
as_lsmns <- PIKE.LSmeans(as.lm)


# write LS means coefs to disk
res <- data.frame(region="Asia", as_lsmns$coef, as_lsmns$grid)
write.table(res,"output/as_lsmns_90CL.csv", sep=',', row.names=F)
```

### Plot PIKE trend for Asia

```
par(mfrow=c(1,1))

subtitle <- paste(sum(carcdat$totcarc), 'carcasses', sep=' ')

barplot2(as_lsmns$coef[,1], names.arg=as_lsmns$grid[,1],
          plot.ci=TRUE,
          ci.l=as_lsmns$coef[,6],
          ci.u=as_lsmns$coef[,7],
          main="Asia",
          sub=subtitle,
          ylim=c(0,1),
          cex.main=1, cex.names=0.8, cex.axis=0.8, ci.lwd=.8,
          ylab='Estimated PIKE', col="tan2")
```



### REFERENCES:

Burn RW, Underwood FM, Blanc J. 2011. *Global Trends and Factors Associated with the Illegal Killing of Elephants: A Hierarchical Bayesian Analysis of Carcass Encounter Data*. PLoS One 6. (doi:e2416510.1371/journal.pone.0024165)



Lenth RV, 2019. *emmeans: Estimated Marginal Means, aka Least-Squares Means*. R package version 1.3.2. <https://CRAN.R-project.org/package=emmeans>

Søren Højsgaard and Ulrich Halekoh. 2018. *doBy: Groupwise Statistics, LSmeans, Linear Contrasts, Utilities*. R package version 4.6-2. <https://CRAN.R-project.org/package=doBy>