

Admin Dashboard Project Analysis

Admin Dashboard Project Analysis

1. Folder Structure & Role

The `app/(dashboard)` directory contains the main application pages, structured by feature. Each folder represents a distinct feature/route group.

- ****address****: Handles features related to address.
- ****administrator****: Handles features related to administrator.
- ****appearance****: Handles features related to appearance.
- ****billing****: Handles features related to billing.
- ****blog****: Handles features related to blog.
- ****blog-category****: Handles features related to blog category.
- ****category****: Handles features related to category.
- ****competition****: Handles features related to competition.
- ****dashboard****: Handles features related to dashboard.
- ****game****: Handles features related to game.
- ****game-sessions****: Handles features related to game sessions.
- ****games****: Handles features related to games.
- ****groups****: Handles features related to groups.
- ****manage-blog****: Handles features related to manage blog.
- ****manage-competitions****: Handles features related to manage competitions.
- ****manage-games****: Handles features related to manage games.
- ****manage-sessions****: Handles features related to manage sessions.
- ****master****: Handles features related to master.
- ****profiles****: Handles features related to profiles.
- ****quiz****: Handles features related to quiz.
- ****quiz-approval****: Handles features related to quiz approval.
- ****quizzes****: Handles features related to quizzes.
- ****receptionist****: Handles features related to receptionist.
- ****rejection-templates****: Handles features related to rejection templates.
- ****reports****: Handles features related to reports.
- ****settings****: Handles features related to settings.
- ****subscriptions****: Handles features related to subscriptions.
- ****support****: Handles features related to support.
- ****trash-bin****: Handles features related to trash bin.
- ****users****: Handles features related to users.

2. Pages, Features, and Supabase Connections

ADDRESS

Files connected/used:

- `app/(dashboard)/address/city/\_components/city-columns.tsx`
- `app/(dashboard)/address/city/\_hooks/use-cities-table.ts`
- `app/(dashboard)/address/city/actions.ts`
- `app/(dashboard)/address/city/city-table.tsx`
- `app/(dashboard)/address/city/page.tsx`
- `app/(dashboard)/address/country/\_components/country-columns.tsx`
- `app/(dashboard)/address/country/\_hooks/use-countries-table.ts`
- `app/(dashboard)/address/country/actions.ts`
- `app/(dashboard)/address/country/country-table.tsx`
- `app/(dashboard)/address/country/page.tsx`
- `app/(dashboard)/address/state/\_components/state-columns.tsx`
- `app/(dashboard)/address/state/\_hooks/use-states-table.ts`
- `app/(dashboard)/address/state/actions.ts`
- `app/(dashboard)/address/state/page.tsx`
- `app/(dashboard)/address/state/state-table.tsx`

Supabase Connections:

- **Tables:** cities, countries, states
- **Columns Selected/Manipulated:** iso2, *, region, country_code

Illustration (DB Connection):

ADMINISTRATOR

Files connected/used:

- `app/(dashboard)/administrator/dashboard/page.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

APPEARANCE

Files connected/used:

- `app/(dashboard)/appearance/\_components/theme-card.tsx`
- `app/(dashboard)/appearance/\_hooks/use-appearance.ts`
- `app/(dashboard)/appearance/page.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

BILLING

Files connected/used:

- ``app/(dashboard)/billing/dashboard/page.tsx``

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

BLOG

Files connected/used:

- ``app/(dashboard)/blog/dashboard/page.tsx``

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

BLOG-CATEGORY

Files connected/used:

- ``app/(dashboard)/blog-category/_components/blog-category-client.tsx``
- ``app/(dashboard)/blog-category/page.tsx``

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

CATEGORY

Files connected/used:

- ``app/(dashboard)/category/_components/category-columns.tsx``

- `app/(dashboard)/category/\_components/category-dialogs.tsx`
- `app/(dashboard)/category/\_components/category-table.tsx`
- `app/(dashboard)/category/\_hooks/use-category-table.ts`
- `app/(dashboard)/category/actions.ts`
- `app/(dashboard)/category/page.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

COMPETITION

Files connected/used:

- `app/(dashboard)/competition/dashboard/page.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

DASHBOARD

Files connected/used:

- `app/(dashboard)/dashboard/\_components/activity-columns.tsx`
- `app/(dashboard)/dashboard/\_components/dashboard-charts.tsx`
- `app/(dashboard)/dashboard/\_components/dashboard-stats-grid.tsx`
- `app/(dashboard)/dashboard/page.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

GAME

Files connected/used:

- `app/(dashboard)/game/dashboard/\_components/game-dashboard-skeleton.tsx`
- `app/(dashboard)/game/dashboard/\_components/horizontal-bar-chart.tsx`
- `app/(dashboard)/game/dashboard/\_components/kpi-cards.tsx`
- `app/(dashboard)/game/dashboard/\_hooks/use-game-dashboard.ts`
- `app/(dashboard)/game/dashboard/actions.ts`

- `app/(dashboard)/game/dashboard/dashboard-filter.tsx`
- `app/(dashboard)/game/dashboard/game-dashboard-client.tsx`
- `app/(dashboard)/game/dashboard/game-dashboard-wrapper.tsx`
- `app/(dashboard)/game/dashboard/loading.tsx`
- `app/(dashboard)/game/dashboard/page.tsx`

Supabase Connections:

- **Tables:** game_sessions, profiles, quizzes
- **Columns Selected/Manipulated:** created_at, total_time_minutes, application, host_id, participants, current_questions, quiz_id, id, fullname, username, avatar_url, id, category

Illustration (DB Connection):

GAME-SESSIONS

Files connected/used:

- `app/(dashboard)/game-sessions/[id]/page.tsx`
- `app/(dashboard)/game-sessions/[id]/session-stats.tsx`
- `app/(dashboard)/game-sessions/[id]/statistic-button.tsx`
- `app/(dashboard)/game-sessions/\_components/game-session-columns.tsx`
- `app/(dashboard)/game-sessions/\_components/game-session-dialogs.tsx`
- `app/(dashboard)/game-sessions/\_hooks/use-game-sessions-table.ts`
- `app/(dashboard)/game-sessions/actions.ts`
- `app/(dashboard)/game-sessions/game-sessions-table.tsx`
- `app/(dashboard)/game-sessions/page.tsx`

Supabase Connections:

- **Tables:** game_sessions, profiles, quizzes
- **Columns Selected/Manipulated:** id, fullname, username, avatar_url, id, category, *, title, category, id, avatar_url

Illustration (DB Connection):

GAMES

Files connected/used:

- `app/(dashboard)/games/[name]/actions.ts`
- `app/(dashboard)/games/[name]/page.tsx`
- `app/(dashboard)/games/[name]/player-map.tsx`
- `app/(dashboard)/games/\_components/game-card.tsx`
- `app/(dashboard)/games/\_hooks/use-games.ts`

- `app/(dashboard)/games/actions.ts`
- `app/(dashboard)/games/page.tsx`

Supabase Connections:

- ****Tables:**** game_sessions, profiles, countries
- ****Columns Selected/Manipulated:**** id, quiz_id, host_id, game_pin, status, difficulty, total_time_minutes, participants, quiz_detail, created_at, started_at, ended_at, participants, country_id, grade, gender, id, name, iso3, numeric_code, latitude, longitude, application, status, host_id, participants, created_at

Illustration (DB Connection):

GROUPS

Files connected/used:

- `app/(dashboard)/groups/[id]/group-detail-client.tsx`
- `app/(dashboard)/groups/[id]/page.tsx`
- `app/(dashboard)/groups/\_components/group-card.tsx`
- `app/(dashboard)/groups/\_components/group-dialogs.tsx`
- `app/(dashboard)/groups/\_hooks/use-groups-table.ts`
- `app/(dashboard)/groups/actions.ts`
- `app/(dashboard)/groups/group-table.tsx`
- `app/(dashboard)/groups/page.tsx`
- `app/(dashboard)/groups/stats-actions.ts`

Supabase Connections:

- ****Tables:**** states, cities, groups, profiles, countries
- ****Columns Selected/Manipulated:**** id, name, country_id, id, name, state_id, *, creator:profiles!groups_creator_id_fkey(fullname, email, avatar_url, username, state:states(name), city:cities(name)), id, fullname, username, avatar_url, members, id, name, iso2, emoji, category

Illustration (DB Connection):

MANAGE-BLOG

Files connected/used:

- `app/(dashboard)/manage-blog/[id]/page.tsx`
- `app/(dashboard)/manage-blog/\_components/manage-blog-columns.tsx`
- `app/(dashboard)/manage-blog/\_components/manage-blog-dialogs.tsx`
- `app/(dashboard)/manage-blog/\_components/manage-blog-form.tsx`
- `app/(dashboard)/manage-blog/\_hooks/use-manage-blog-table.ts`

- `app/(dashboard)/manage-blog/add/page.tsx`
- `app/(dashboard)/manage-blog/manage-blog-client.tsx`
- `app/(dashboard)/manage-blog/page.tsx`

Supabase Connections:

- **Tables:** blogs, blog-images
- **Columns Selected/Manipulated:** *

Illustration (DB Connection):

MANAGE-COMPETITIONS

Files connected/used:

- `app/(dashboard)/manage-competitions/[id]/\_components/assign-participants-dialog.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/bracket-view.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/group-card.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/local-bracket-view.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/phase-completed.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/phase-group-stage.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/phase-payment.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/phase-qualification.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/phase-registration.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/phase-stepper.tsx`
- `app/(dashboard)/manage-competitions/[id]/\_components/round-manager.tsx`
- `app/(dashboard)/manage-competitions/[id]/actions.ts`
- `app/(dashboard)/manage-competitions/[id]/edit/page.tsx`
- `app/(dashboard)/manage-competitions/[id]/page.tsx`
- `app/(dashboard)/manage-competitions/\_components/competition-columns.tsx`
- `app/(dashboard)/manage-competitions/\_components/competition-dialogs.tsx`
- `app/(dashboard)/manage-competitions/\_hooks/use-competitions-table.ts`
- `app/(dashboard)/manage-competitions/add/page.tsx`
- `app/(dashboard)/manage-competitions/manage-competitions-client.tsx`
- `app/(dashboard)/manage-competitions/page.tsx`

Supabase Connections:

- **Tables:** competition_groups, competition_participants, quizzes, groups, game_sessions, notifications, competitions, profiles, competition_group_members
- **Columns Selected/Manipulated:** rounds, id, user_id, id, title, description, category, language, image_url, profiles (username, avatar_url), *, id, id, fullname, username, avatar_url, id, participants, id, participants, created_at, status, application, quiz_detail, id, title, questions, is_public, creator_id, application

Illustration (DB Connection):

MANAGE-GAMES

Files connected/used:

- `app/(dashboard)/manage-games/[id]/page.tsx`
- `app/(dashboard)/manage-games/\_components/manage-game-form.tsx`
- `app/(dashboard)/manage-games/\_components/manage-games-columns.tsx`
- `app/(dashboard)/manage-games/\_components/manage-games-dialogs.tsx`
- `app/(dashboard)/manage-games/\_hooks/use-manage-games-table.ts`
- `app/(dashboard)/manage-games/add/page.tsx`
- `app/(dashboard)/manage-games/manage-games-client.tsx`
- `app/(dashboard)/manage-games/page.tsx`

Supabase Connections:

- **Tables:** master_games
- **Columns Selected/Manipulated:** *

Illustration (DB Connection):

MANAGE-SESSIONS

Files connected/used:

- `app/(dashboard)/manage-sessions/\_components/manage-sessions-columns.tsx`
- `app/(dashboard)/manage-sessions/\_hooks/use-manage-sessions-table.ts`
- `app/(dashboard)/manage-sessions/actions.ts`
- `app/(dashboard)/manage-sessions/manage-sessions-table.tsx`
- `app/(dashboard)/manage-sessions/page.tsx`

Supabase Connections:

- **Tables:** game_sessions, profiles, notifications
- **Columns Selected/Manipulated:** id, game_pin, quiz_id, host_id, created_at, participants, application, quiz_detail, status, id, fullname, username, avatar_url

Illustration (DB Connection):

MASTER

Files connected/used:

- `app/(dashboard)/master/dashboard/actions.ts`
- `app/(dashboard)/master/dashboard/page.tsx`

Supabase Connections:

- **Tables:** countries, states, cities, profiles
- **Columns Selected/Manipulated:** id, name

Illustration (DB Connection):

PROFILES

Files connected/used:

- `app/(dashboard)/profiles/[id]/\_components/profile-client.tsx`
- `app/(dashboard)/profiles/[id]/page.tsx`
- `app/(dashboard)/profiles/[id]/profile-client.tsx`
- `app/(dashboard)/profiles/[id]/profile-view.tsx`
- `app/(dashboard)/profiles/actions.ts`

Supabase Connections:

- **Tables:** profiles, follows, friendships, countries, states, cities, game_sessions, quizzes
- **Columns Selected/Manipulated:** *, id, name, latitude, longitude, quiz_id, participants, id, title, id, title, category, questions, created_at

Illustration (DB Connection):

QUIZ

Files connected/used:

- `app/(dashboard)/quiz/dashboard/page.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

QUIZ-APPROVAL

Files connected/used:

- `app/(dashboard)/quiz-approval/[id]/page.tsx`
- `app/(dashboard)/quiz-approval/\_components/quiz-approval-columns.tsx`
- `app/(dashboard)/quiz-approval/\_components/quiz-approval-dialogs.tsx`
- `app/(dashboard)/quiz-approval/\_hooks/use-quiz-approval-table.ts`
- `app/(dashboard)/quiz-approval/actions.ts`

- `app/(dashboard)/quiz-approval/page.tsx`
- `app/(dashboard)/quiz-approval/quiz-approval-table.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

QUIZZES

Files connected/used:

- `app/(dashboard)/quizzes/[id]/page.tsx`
- `app/(dashboard)/quizzes/[id]/quiz-client.tsx`
- `app/(dashboard)/quizzes/[id]/quiz-detail-view.tsx`
- `app/(dashboard)/quizzes/\_components/quiz-columns.tsx`
- `app/(dashboard)/quizzes/\_components/quiz-dialogs.tsx`
- `app/(dashboard)/quizzes/\_hooks/use-quizzes-table.ts`
- `app/(dashboard)/quizzes/actions.ts`
- `app/(dashboard)/quizzes/page.tsx`
- `app/(dashboard)/quizzes/quiz-table.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

RECEPTIONIST

Files connected/used:

- `app/(dashboard)/receptionist/[id]/page.tsx`
- `app/(dashboard)/receptionist/\_components/receptionist-columns.tsx`
- `app/(dashboard)/receptionist/\_hooks/use-receptionist-table.ts`
- `app/(dashboard)/receptionist/actions.ts`
- `app/(dashboard)/receptionist/page.tsx`
- `app/(dashboard)/receptionist/receptionist-table.tsx`

Supabase Connections:

- ****Tables:**** competitions, competition_groups, competition_group_members, competition_participants, profiles
- ****Columns Selected/Manipulated:**** id, title, status, id, name, stage, id, group_id, participant_id, id, user_id, is_present, id, fullname, username, avatar_url, id, title, slug, status, registration_start_date, registration_end_date, final_end_date, poster_url, category

Illustration (DB Connection):

REJECTION-TEMPLATES

Files connected/used:

- `app/(dashboard)/rejection-templates/\_components/template-columns.tsx`
- `app/(dashboard)/rejection-templates/\_components/template-dialogs.tsx`
- `app/(dashboard)/rejection-templates/\_hooks/use-templates-table.ts`
- `app/(dashboard)/rejection-templates/actions.ts`
- `app/(dashboard)/rejection-templates/page.tsx`
- `app/(dashboard)/rejection-templates/template-table.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

REPORTS

Files connected/used:

- `app/(dashboard)/reports/[id]/page.tsx`
- `app/(dashboard)/reports/\_components/report-columns.tsx`
- `app/(dashboard)/reports/\_components/report-dialogs.tsx`
- `app/(dashboard)/reports/\_hooks/use-reports-table.ts`
- `app/(dashboard)/reports/actions.ts`
- `app/(dashboard)/reports/page.tsx`
- `app/(dashboard)/reports/report-table.tsx`

Supabase Connections:

- ****Tables:**** reports, profiles
- ****Columns Selected/Manipulated:**** id, username, email, fullname, avatar_url, status, *, messages

Illustration (DB Connection):

SETTINGS

Files connected/used:

- `app/(dashboard)/settings/\_components/system-status-card.tsx`

- `app/(dashboard)/settings/page.tsx`
- `app/(dashboard)/settings/profile/page.tsx`
- `app/(dashboard)/settings/security/page.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

SUBSCRIPTIONS

Files connected/used:

- `app/(dashboard)/subscriptions/\_components/subscription-columns.tsx`
- `app/(dashboard)/subscriptions/\_hooks/use-subscriptions-table.ts`
- `app/(dashboard)/subscriptions/actions.ts`
- `app/(dashboard)/subscriptions/page.tsx`
- `app/(dashboard)/subscriptions/subscriptions-table.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

SUPPORT

Files connected/used:

- `app/(dashboard)/support/dashboard/page.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.

TRASH-BIN

Files connected/used:

- `app/(dashboard)/trash-bin/\_components/trash-dialogs.tsx`
- `app/(dashboard)/trash-bin/\_components/trash-group-columns.tsx`
- `app/(dashboard)/trash-bin/\_components/trash-quiz-columns.tsx`
- `app/(dashboard)/trash-bin/\_components/trash-user-columns.tsx`
- `app/(dashboard)/trash-bin/\_hooks/use-trash-table.ts`
- `app/(dashboard)/trash-bin/actions.ts`

- `app/(dashboard)/trash-bin/page.tsx`
- `app/(dashboard)/trash-bin/trash-bin-tabs.tsx`
- `app/(dashboard)/trash-bin/trash-group-table.tsx`
- `app/(dashboard)/trash-bin/trash-quiz-table.tsx`
- `app/(dashboard)/trash-bin/trash-user-table.tsx`

Supabase Connections:

- **Tables:** quizzes, profiles, groups
- **Columns Selected/Manipulated:** id, title, category, questions, deleted_at, creator:profiles!creator_id(fullname, email), id, username, fullname, email, avatar_url, role, deleted_at, id, name, description, avatar_url, members, deleted_at, creator:profiles!groups_creator_id_fkey(fullname, email)

Illustration (DB Connection):

USERS

Files connected/used:

- `app/(dashboard)/users/[id]/page.tsx`
- `app/(dashboard)/users/[id]/profile-client.tsx`
- `app/(dashboard)/users/[id]/user-detail-client.tsx`
- `app/(dashboard)/users/\_components/user-columns.tsx`
- `app/(dashboard)/users/\_components/user-dialogs.tsx`
- `app/(dashboard)/users/\_components/user-filters.tsx`
- `app/(dashboard)/users/\_components/user-table.tsx`
- `app/(dashboard)/users/\_hooks/use-users-table.ts`
- `app/(dashboard)/users/actions.ts`
- `app/(dashboard)/users/page.tsx`
- `app/(dashboard)/users/user-table.tsx`

No direct Supabase `.from()` usage detected in this directory. It might rely on APIs, context, or hooks from other directories.
