

MY NDSU THESIS — SANDBOX

A Dissertation
Submitted to the Graduate Faculty
of the
North Dakota State University
of Agriculture and Applied Science

By

In Partial Fulfillment of the Requirements
for the Degree of
DOCTOR OF PHILOSOPHY

Major :

June 22, 2025

Fargo, North Dakota

North Dakota State University
Graduate School

Title

MY NDSU THESIS — SANDBOX

By

The Supervisory Committee certifies that this *disquisition* complies with North Dakota State University's regulations and meets the accepted standards for the degree of

DOCTOR OF PHILOSOPHY

SUPERVISORY COMMITTEE:

Approved:

Date

Chair

TABLE OF CONTENTS

LIST OF APPENDIX TABLES.....	iv
LIST OF APPENDIX FIGURES	v
1. TEST CHAPTER FOR NDSU THESIS CLASS SANDBOX	1
1.1. References.....	1

LIST OF APPENDIX TABLES

Table

Page

LIST OF APPENDIX FIGURES

Figure

Page

1. TEST CHAPTER FOR NDSU THESIS CLASS SANDBOX

This “`ndsu-sandbox.tex`” file can be used as a sandbox to try out things in the actual NDSU thesis environment. Things tested here (including the bibliography) can be readily inserted into the original thesis/dissertation document. Therefore, this lightweight source will be convenient to test things out. So, go for it — and remember anything is possible by L^AT_EX (almost!?).

1.1. References

- Abbas, M., Saleem, S., Subhan, F., & Bais, A. (2020). Feature points-based image registration between satellite imagery and aerial images of agricultural land. *Turkish Journal of Electrical Engineering and Computer Sciences*, 28(3), 1458–1473.
- Abdi, H. (2007). Z-scores. *Encyclopedia of measurement and statistics*, 3, 1055–1058.
- Abdi, H., & Williams, L. J. (2010). Principal component analysis. *Wiley interdisciplinary reviews: computational statistics*, 2(4), 433–459.
- Abou Chacra, D. (2023). Modern object and visual relationship detection in images from a critical, cognitive and data perspective.
- Acorsi, M. G., das Dores Abati Miranda, F., Martello, M., Smaniotto, D. A., & Sartor, L. R. (2019). Estimating biomass of black oat using uav-based rgb imaging. *Agronomy*, 9(7), 344.
- Adak, A., Murray, S. C., Božinović, S., Lindsey, R., Nakasagga, S., Chatterjee, S., Anderson, S. L., & Wilde, S. (2021). Temporal vegetation indices and plant height from remotely sensed imagery can predict grain yield and flowering time breeding value in maize via machine learning regression. *Remote Sensing*, 13(11), 2141.
- Adamczyk, J., & Osberger, A. (2015). Red-edge vegetation indices for detecting and assessing disturbances in norway spruce dominated mountain forests. *International Journal of Applied Earth Observation and Geoinformation*, 37, 90–99.

- Adeluyi, O., Harris, A., Foster, T., & Clay, G. D. (2022). Exploiting centimetre resolution of drone-mounted sensors for estimating mid-late season above ground biomass in rice. *European Journal of Agronomy*, 132, 126411.
- Agarwal, A., Singh, A. K., Kumar, S., & Singh, D. (2018). Critical analysis of classification techniques for precision agriculture monitoring using satellite and drone. *2018 IEEE 13th international conference on industrial and information systems (ICIIS)*, 83–88.
- Aggarwal, V., Gupta, V., Singh, P., Sharma, K., & Sharma, N. (2019). Detection of spatial outlier by using improved z-score test. *2019 3rd International Conference on Trends in Electronics and Informatics (ICOEI)*, 788–790.
- Ahmad, N., Iqbal, J., Shaheen, A., Ghfar, A., AL-Anazy, M. M., & Ouladsmame, M. (2022). Spatio-temporal analysis of chickpea crop in arid environment by comparing high-resolution UAV image and LANDSAT imagery. *International Journal of Environmental Science and Technology*, 19(7), 6595–6610.
- Ahn, H., Moon, H., Fazzari, M. J., Lim, N., Chen, J. J., & Kodell, R. L. (2007). Classification by ensembles from random partitions of high-dimensional data. *Computational Statistics & Data Analysis*, 51(12), 6166–6179.
- Alebele, Y., Zhang, X., Wang, W., Yang, G., Yao, X., Zheng, H., Zhu, Y., Cao, W., & Cheng, T. (2020). Estimation of canopy biomass components in paddy rice from combined optical and sar data using multi-target gaussian regressor stacking. *Remote Sensing*, 12(16), 2564.
- Alexopoulos, A., Koutras, K., Ali, S. B., Puccio, S., Carella, A., Ottaviano, R., & Kalogeras, A. (2023). Complementary use of ground-based proximal sensing and airborne/spaceborne remote sensing techniques in precision agriculture: A systematic review. *Agronomy*, 13(7), 1942.
- Alibrahim, H., & Ludwig, S. A. (2021). Hyperparameter optimization: Comparing genetic algorithm against grid search and bayesian optimization. *2021 IEEE Congress on Evolutionary Computation (CEC)*, 1551–1559.

- Almeida, A., Gonçalves, F., Silva, G., Souza, R., Treuhaft, R., Santos, W., Loureiro, D., & Fernandes, M. (2020). Estimating structure and biomass of a secondary atlantic forest in brazil using fourier transforms of vertical profiles derived from uav photogrammetry point clouds. *Remote Sensing*, 12(21), 3560.
- Amelunke, M., Anderson, C. P., Waldron, M. C., Raber, G. T., & Carter, G. A. (2024). Influence of flight altitude and surface characteristics on uas-lidar ground height estimate accuracy in juncus roemerianus scheele-dominated marshes. *Remote Sensing*, 16(2), 384.
- Änäkkälä, M., Lajunen, A., Hakojärvi, M., & Alakukku, L. (2022). Evaluation of the influence of field conditions on aerial multispectral images and vegetation indices. *Remote Sensing*, 14(19), 4792.
- Andrew, O., Apan, A., Paudyal, D. R., & Perera, K. (2023). Convolutional neural network-based deep learning approach for automatic flood mapping using novasar-1 and sentinel-1 data. *ISPRS International Journal of Geo-Information*, 12(5), 194.
- Andújar, D., Calle, M., Fernández-Quintanilla, C., Ribeiro, Á., & Dorado, J. (2018). Three-dimensional modeling of weed plants using low-cost photogrammetry. *Sensors*, 18(4), 1077.
- Armi, L., & Fekri-Ershad, S. (2019). Texture image analysis and texture classification methods-a review. *arXiv preprint arXiv:1904.06554*.
- Arriola-Valverde, S., Ruiz-Barquero, A., & Rimolo-Donadio, R. (2023). Comparison of lidar and rgb sensor technologies applied to close-range remote sensing. *2023 IEEE MTT-S Latin America Microwave Conference (LAMC)*, 42–45.
- Astaoui, G., Dadaiss, J. E., Sebari, I., Benmansour, S., & Mohamed, E. (2021). Mapping wheat dry matter and nitrogen content dynamics and estimation of wheat yield using uav multispectral imagery machine learning and a variety-based approach: Case study of morocco. *AgriEngineering*, 3(1), 29–49.

- Astor, T., Dayananda, S., Nautiyal, S., & Wachendorf, M. (2020). Vegetable crop biomass estimation using hyperspectral and rgb 3d uav data. *Agronomy*, 10(10), 1600.
- Astrauskas, P., Staugaitis, G., Masevičienė, A., & Žičkienė, L. (2022). Variation of winter wheat grain yield and its quality in fields with different soil cover. *Zemdirbyste-Agriculture*, 109(4).
- Atla, A., Tada, R., Sheng, V., & Singireddy, N. (2011). Sensitivity of different machine learning algorithms to noise. *Journal of Computing Sciences in Colleges*, 26(5), 96–103.
- Avila-Reyes, S. V., Márquez-Morales, C. E., Moreno-León, G. R., Jiménez-Aparicio, A. R., Arenas-Ocampo, M. L., Solorza-Feria, J., García-Armenta, E., & Villalobos-Espinosa, J. C. (2022). Comparative analysis of fermentation conditions on the increase of biomass and morphology of milk kefir grains. *Applied Sciences*, 12(5), 2459.
- Avneri, A., Aharon, S., Brook, A., Atsmon, G., Smirnov, E., Sadeh, R., Abbo, S., Peleg, Z., Herrmann, I., Bonfil, D. J., et al. (2023). Uas-based imaging for prediction of chickpea crop biophysical parameters and yield. *Computers and Electronics in Agriculture*, 205, 107581.
- Awad, M., Khanna, R., Awad, M., & Khanna, R. (2015). Support vector machines for classification. *Efficient Learning Machines: Theories, Concepts, and Applications for Engineers and System Designers*, 39–66.
- Azadnia, R., & Kheiralipour, K. (2022). Evaluation of hawthorns maturity level by developing an automated machine learning-based algorithm. *Ecological Informatics*, 71, 101804.
- Azizi, A., Zhang, Z., Rui, Z., Li, Y., Igathinathane, C., Flores, P., Mathew, J., Pourreza, A., Han, X., & Zhang, M. (2024). Comprehensive wheat lodging detection after initial lodging using uav rgb images. *Expert Systems with Applications*, 238, 121788.

- Bag, S., & Sanyal, G. (2011). An efficient face recognition approach using pca and minimum distance classifier. *2011 International Conference on Image Information Processing*, 1–6.
- Bahl, A., Hellack, B., Balas, M., Dinischiotu, A., Wiemann, M., Brinkmann, J., Luch, A., Renard, B. Y., & Haase, A. (2019). Recursive feature elimination in random forest classification supports nanomaterial grouping. *NanoImpact*, 15, 100179.
- Bai, G., Ge, Y., Hussain, W., Baenziger, P. S., & Graef, G. (2016). A multi-sensor system for high throughput field phenotyping in soybean and wheat breeding. *Computers and Electronics in Agriculture*, 128, 181–192.
- Ballesta, P., Maldonado, C., Mora-Poblete, F., Mieres-Castro, D., Del Pozo, A., & Lobos, G. A. (2023). Spectral-based classification of genetically differentiated groups in spring wheat grown under contrasting environments. *Plants*, 12(3), 440.
- Ballesteros, R., Ortega, J. F., Hernandez, D., & Moreno, M. A. (2018). Onion biomass monitoring using uav-based rgb imaging. *Precision agriculture*, 19, 840–857.
- Ballesteros, R., Moreno, M. A., Barroso, F., González-Gómez, L., & Ortega, J. F. (2021). Assessment of maize growth and development with high-and medium-resolution remote sensing products. *Agronomy*, 11(5), 940.
- Ban, S., Liu, W., Tian, M., Wang, Q., Yuan, T., Chang, Q., & Li, L. (2022). Rice leaf chlorophyll content estimation using uav-based spectral images in different regions. *Agronomy*, 12(11), 2832.
- Banerjee, B. P., Spangenberg, G., & Kant, S. (2020). Fusion of spectral and structural information from aerial images for improved biomass estimation. *Remote Sensing*, 12(19), 3164.
- Barbedo, J. G. A. (2018). Impact of dataset size and variety on the effectiveness of deep learning and transfer learning for plant disease classification. *Computers and electronics in agriculture*, 153, 46–53.

- Barnetson, J., Phinn, S., & Scarth, P. (2020). Estimating plant pasture biomass and quality from uav imaging across queensland’s rangelands. *AgriEngineering*, 2(4), 523–543.
- Bar-On, Y. M., Phillips, R., & Milo, R. (2018). The biomass distribution on earth. *Proceedings of the National Academy of Sciences*, 115(25), 6506–6511.
- Barradas, A., Correia, P. M., Silva, S., Mariano, P., Pires, M. C., Matos, A. R., da Silva, A. B., & Marques da Silva, J. (2021). Comparing machine learning methods for classifying plant drought stress from leaf reflectance spectra in arabidopsis thaliana. *Applied Sciences*, 11(14), 6392.
- Barzin, R., Lotfi, H., Varco, J. J., & Bora, G. C. (2021). Machine learning in evaluating multispectral active canopy sensor for prediction of corn leaf nitrogen concentration and yield. *Remote Sensing*, 14(1), 120.
- Barzin, R., Pathak, R., Lotfi, H., Varco, J., & Bora, G. C. (2020). Use of uas multispectral imagery at different physiological stages for yield prediction and input resource optimization in corn. *Remote Sensing*, 12(15), 2392.
- Basso, B., Cammarano, D., Chen, D., Cafiero, G., Amato, M., Bitella, G., Rossi, R., & Basso, F. (2009). Landscape position and precipitation effects on spatial variability of wheat yield and grain protein in southern italy. *Journal of Agronomy and Crop Science*, 195(4), 301–312.
- Basso, B., Cammarano, D., De Vita, P., et al. (2004). Remotely sensed vegetation indices: Theory and applications for crop management. *Rivista Italiana di Agrometeorologia*, 1(5), 36–53.
- Bates, J., Jonard, F., Bajracharya, R., Vereecken, H., & Montzka, C. (2022). Machine learning with uas lidar for winter wheat biomass estimations. *AGILE: GIScience Series*, 3, 23.
- Bates, J. S., Montzka, C., Schmidt, M., & Jonard, F. (2021). Estimating canopy density parameters time-series for winter wheat using uas mounted lidar. *Remote Sensing*, 13(4), 710.

- Bazrafkan, A., Delavarpour, N., Oduor, P. G., Bandillo, N., & Flores, P. (2023). An overview of using unmanned aerial system mounted sensors to measure plant above-ground biomass. *Remote Sensing*, 15(14), 3543.
- Bazrafkan, A., Navasca, H., Kim, J.-H., Morales, M., Johnson, J. P., Delavarpour, N., Fareed, N., Bandillo, N., & Flores, P. (2023). Predicting dry pea maturity using machine learning and advanced sensor fusion with unmanned aerial systems (uass). *Remote Sensing*, 15(11), 2758.
- Bazrafkan, A., Navasca, H., Morales, M., Bandillo, N., & Flores, P. (2023). Assessing lentil maturity using machine learning models and uass mounted multispectral and lidar sensors. *2023 ASABE Annual International Meeting*, 1.
- Bazrafkan, A., Navasca, H., Worrall, H., Oduor, P., Delavarpour, N., Morales, M., Bandillo, N., & Flores, P. (2024). Predicting lodging severity in dry peas using uas-mounted rgb, lidar, and multispectral sensors. *Remote Sensing Applications: Society and Environment*, 101157.
- Berhane, T. M., Lane, C. R., Wu, Q., Autrey, B. C., Anenkhonov, O. A., Chepinoga, V. V., & Liu, H. (2018). Decision-tree, rule-based, and random forest classification of high-resolution multispectral imagery for wetland mapping and inventory. *Remote sensing*, 10(4), 580.
- Bhandari, M. (2020). *High-throughput field phenotyping in wheat using unmanned aerial systems (uas)* [Doctoral dissertation].
- Bhandari, M., Baker, S., Rudd, J. C., Ibrahim, A. M., Chang, A., Xue, Q., Jung, J., Landivar, J., & Auvermann, B. (2021). Assessing the effect of drought on winter wheat growth using unmanned aerial system (uas)-based phenotyping. *Remote Sensing*, 13(6), 1144.
- Bhavsar, H., & Panchal, M. H. (2012). A review on support vector machine for data classification. *International Journal of Advanced Research in Computer Engineering & Technology (IJARCET)*, 1(10), 185–189.
- Biau, G., & Scornet, E. (2016). A random forest guided tour. *Test*, 25, 197–227.

- Bidon, S., Besson, O., & Tourneret, J.-Y. (2008). The adaptive coherence estimator is the generalized likelihood ratio test for a class of heterogeneous environments. *IEEE Signal Processing Letters*, 15, 281–284.
- Biswal, S., Chatterjee, C., & Mailapalli, D. R. (2023). Damage assessment due to wheat lodging using uav-based multispectral and thermal imageries. *Journal of the Indian Society of Remote Sensing*, 51(5), 935–948.
- Blanco, V., Blaya-Ros, P. J., Castillo, C., Soto-Vallés, F., Torres-Sánchez, R., & Domingo, R. (2020). Potential of uas-based remote sensing for estimating tree water status and yield in sweet cherry trees. *Remote Sensing*, 12(15), 2359.
- Bollas, N., Kokinou, E., & Polychronos, V. (2021). Comparison of sentinel-2 and UAV multispectral data for use in precision agriculture: An application from northern Greece. *Drones*, 5(2), 35.
- Bommert, A., Sun, X., Bischl, B., Rahnenführer, J., & Lang, M. (2020). Benchmark for filter methods for feature selection in high-dimensional classification data. *Computational Statistics & Data Analysis*, 143, 106839.
- Borra-Serrano, I., De Swaef, T., Muylle, H., Nuytens, D., Vangeyte, J., Mertens, K., Saeys, W., Somers, B., Roldán-Ruiz, I., & Lootens, P. (2019). Canopy height measurements and non-destructive biomass estimation of lolium perenne swards using uav imagery. *Grass and Forage Science*, 74(3), 356–369.
- Bort Escabias, C. (2017). *Tree boosting data competitions with xgboost* [Master’s thesis, Universitat Politècnica de Catalunya].
- Boulesteix, A.-L., Janitza, S., Kruppa, J., & König, I. R. (2012). Overview of random forest methodology and practical guidance with emphasis on computational biology and bioinformatics. *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, 2(6), 493–507.

- Boye, J., Zare, F., & Pletch, A. (2010). Pulse proteins: Processing, characterization, functional properties and applications in food and feed. *Food Research International*, 43, 414–431. <https://doi.org/10.1016/J.FOODRES.2009.09.003>
- Brede, B., Terryn, L., Barbier, N., Bartholomeus, H. M., Bartolo, R., Calders, K., Derroire, G., Moorthy, S. M. K., Lau, A., Levick, S. R., et al. (2022). Non-destructive estimation of individual tree biomass: Allometric models, terrestrial and uav laser scanning. *Remote Sensing of Environment*, 280, 113180.
- Broussard III, W. P., Visser, J. M., & Brooks, R. P. (2022). Quantifying vegetation and landscape metrics with hyperspatial unmanned aircraft system imagery in a coastal oligohaline marsh. *Estuaries and Coasts*, 45(4), 1058–1069.
- Brovkina, O., Navrátilová, B., Novotný, J., Albert, J., Slezák, L., & Cienciala, E. (2022). Influences of vegetation, model, and data parameters on forest aboveground biomass assessment using an area-based approach. *Ecological Informatics*, 70, 101754.
- Brownlee, J. (2018). What is the difference between a batch and an epoch in a neural network. *Machine Learning Mastery*, 20.
- Burns, B. W., Green, V. S., Hashem, A. A., Massey, J. H., Shew, A. M., Adviento-Borbe, M. A. A., & Milad, M. (2022). Determining nitrogen deficiencies for maize using various remote sensing indices. *Precision Agriculture*, 23(3), 791–811.
- Calders, T., & Verwer, S. (2010). Three naive bayes approaches for discrimination-free classification. *Data mining and knowledge discovery*, 21, 277–292.
- Cameron, A. C., & Windmeijer, F. A. (1997). An r-squared measure of goodness of fit for some common nonlinear regression models. *Journal of econometrics*, 77(2), 329–342.
- Candiago, S., Remondino, F., De Giglio, M., Dubbini, M., & Gattelli, M. (2015). Evaluating multispectral images and vegetation indices for precision farming applications from uav images. *Remote sensing*, 7(4), 4026–4047.

- Cao, L., Coops, N. C., Sun, Y., Ruan, H., Wang, G., Dai, J., & She, G. (2019). Estimating canopy structure and biomass in bamboo forests using airborne lidar data. *ISPRS Journal of Photogrammetry and Remote Sensing*, *148*, 114–129.
- Cao, L., Liu, H., Fu, X., Zhang, Z., Shen, X., & Ruan, H. (2019). Comparison of uav lidar and digital aerial photogrammetry point clouds for estimating forest structural attributes in subtropical planted forests. *Forests*, *10*(2), 145.
- Cao, L., Liu, K., Shen, X., Wu, X., & Liu, H. (2019). Estimation of forest structural parameters using uav-lidar data and a process-based model in ginkgo planted forests. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *12*(11), 4175–4190.
- Cao, X., Liu, Y., Yu, R., Han, D., & Su, B. (2021). A comparison of uav rgb and multispectral imaging in phenotyping for stay green of wheat population. *Remote Sensing*, *13*(24), 5173.
- Cao, Y., Li, G. L., Luo, Y. K., Pan, Q., & Zhang, S. Y. (2020). Monitoring of sugar beet growth indicators using wide-dynamic-range vegetation index (wdrvi) derived from uav multispectral images. *Computers and Electronics in Agriculture*, *171*, 105331.
- Carvalho, S. D., & Castillo, J. A. (2018). Influence of light on plant–phyllosphere interaction. *Frontiers in plant science*, *9*, 1482.
- Castro, W., Marcato Junior, J., Polidoro, C., Osco, L. P., Gonçalves, W., Rodrigues, L., Santos, M., Jank, L., Barrios, S., Valle, C., et al. (2020). Deep learning applied to phenotyping of biomass in forages with uav-based rgb imagery. *Sensors*, *20*(17), 4802.
- Cen, H., Wan, L., Zhu, J., Li, Y., Li, X., Zhu, Y., Weng, H., Wu, W., Yin, W., Xu, C., et al. (2019). Dynamic monitoring of biomass of rice under different nitrogen treatments using a lightweight uav with dual image-frame snapshot cameras. *Plant Methods*, *15*, 1–16.
- Chan, E. P. Y., Fung, T., & Wong, F. K. K. (2021). Estimating above-ground biomass of subtropical forest using airborne lidar in hong kong. *Scientific Reports*, *11*(1), 1751.

- Chang, A., Jung, J., Yeom, J., Maeda, M. M., Landivar, J. A., Enciso, J. M., Avila, C. A., & Anciso, J. R. (2021). Unmanned aircraft system-(uas-) based high-throughput phenotyping (htp) for tomato yield estimation. *Journal of Sensors, 2021*, 1–14.
- Chang, G. J., Oh, Y., Goldshleger, N., & Shoshany, M. (2022). Biomass estimation of crops and natural shrubs by combining red-edge ratio with normalized difference vegetation index. *Journal of Applied Remote Sensing, 16*(1), 014501–014501.
- Chao, Z., Liu, N., Zhang, P., Ying, T., & Song, K. (2019). Estimation methods developing with remote sensing information for energy crop biomass: A comparative review. *Biomass and Bioenergy, 122*, 414–425.
- Chavez, J. L., Torres-Rua, A. F., Woldt, W. E., Zhang, H., Robertson, C. C., Marek, G. W., Wang, D., Heeren, D. M., Taghvaeian, S., Neale, C. M., et al. (2020). A decade of unmanned aerial systems in irrigated agriculture in the western us. *Applied Engineering in Agriculture, 36*(4), 423–436.
- Chen, B., Jin, Y., & Brown, P. (2019). An enhanced bloom index for quantifying floral phenology using multi-scale remote sensing observations. *ISPRS Journal of Photogrammetry and Remote Sensing, 156*, 108–120.
- Chen, J., Li, X., Wang, K., Zhang, S., & Li, J. (2022). Estimation of seaweed biomass based on multispectral uav in the intertidal zone of gouqi island. *Remote Sensing, 14*(9), 2143.
- Chen, L., Ren, C., Bao, G., Zhang, B., Wang, Z., Liu, M., Man, W., & Liu, J. (2022). Improved object-based estimation of forest aboveground biomass by integrating lidar data from gedi and icesat-2 with multi-sensor images in a heterogeneous mountainous region. *Remote Sensing, 14*(12), 2743.
- Chen, Q., Zhang, M., & Xue, B. (2017). Feature selection to improve generalization of genetic programming for high-dimensional symbolic regression. *IEEE Transactions on Evolutionary Computation, 21*(5), 792–806.

- Chen, T., & Guestrin, C. (2016). Xgboost: A scalable tree boosting system. *Proceedings of the 22nd acm sigkdd international conference on knowledge discovery and data mining*, 785–794.
- Chiarito, E., Cigna, F., Cuozzo, G., Fontanelli, G., Mejia Aguilar, A., Paloscia, S., Rossi, M., Santi, E., Tapete, D., & Notarnicola, C. (2021). Biomass retrieval based on genetic algorithm feature selection and support vector regression in alpine grassland using ground-based hyperspectral and sentinel-1 sar data. *European Journal of Remote Sensing*, 54(1), 209–225.
- Choudhury, M. R., Christopher, J., Das, S., Apan, A., Menzies, N. W., Chapman, S., Mellor, V., & Dang, Y. P. (2022). Detection of calcium, magnesium, and chlorophyll variations of wheat genotypes on sodic soils using hyperspectral red edge parameters. *Environmental Technology & Innovation*, 27, 102469.
- Clementini, C., Pomente, A., Latini, D., Kanamaru, H., Vuolo, M. R., Heureux, A., Fujisawa, M., Schiavon, G., & Del Frate, F. (2020). Long-term grass biomass estimation of pastures from satellite data. *Remote Sensing*, 12(13), 2160.
- Colorado, J. D., Calderon, F., Mendez, D., Petro, E., Rojas, J. P., Correa, E. S., Mondragon, I. F., Rebolledo, M. C., & Jaramillo-Botero, A. (2020). A novel nir-image segmentation method for the precise estimation of above-ground biomass in rice crops. *PloS one*, 15(10), e0239591.
- Colovic, M., Yu, K., Todorovic, M., Cantore, V., Hamze, M., Albrizio, R., & Stellacci, A. M. (2022). Hyperspectral vegetation indices to assess water and nitrogen status of sweet maize crop. *Agronomy*, 12(9), 2181.
- Concepcion II, R. S., Lauguico, S. C., Alejandrino, J. D., Dadios, E. P., & Sybingco, E. (2020). Lettuce canopy area measurement using static supervised neural networks based on numerical image textural feature analysis of haralick and gray level co-occurrence matrix. *AGRIVITA, Journal of Agricultural Science*, 42(3), 472–486.

- Cook, R. D. (2009). *Regression graphics: Ideas for studying regressions through graphics*. John Wiley & Sons.
- Cuevas, A., Febrero, M., & Fraiman, R. (2004). An anova test for functional data. *Computational statistics & data analysis*, 47(1), 111–122.
- Curcio, A. C., Peralta, G., Aranda, M., & Barbero, L. (2022). Evaluating the performance of high spatial resolution uav-photogrammetry and uav-lidar for salt marshes: The cádis bay study case. *Remote Sensing*, 14(15), 3582.
- Dai, X., Chen, S., Jiang, H., & Nainarbandian, C. (2023). Rice lodging disaster monitoring method based on multi-source remote sensing data. *International Conference on Geographic Information and Remote Sensing Technology (GIRST 2022)*, 12552, 568–573.
- Darra, N., Garcia, B. E., Psomiadis, E., & Fountas, S. (2024). Optimizing crop yield prediction: Inter-dated vegetation indices & automl ensembles in processing tomato crop. *IGARSS 2024-2024 IEEE International Geoscience and Remote Sensing Symposium*, 4320–4324.
- Das, M. (2021). *Deepveg: Deep learning for multiclass segmentation of weed, canola and canola damage*. The University of Regina (Canada).
- Datt, B. (1999). A new reflectance index for remote sensing of chlorophyll content in higher plants: Tests using eucalyptus leaves. *Journal of plant physiology*, 154(1), 30–36.
- David, R. M., Rosser, N. J., & Donoghue, D. N. (2022). Improving above ground biomass estimates of southern africa dryland forests by combining sentinel-1 sar and sentinel-2 multispectral imagery. *Remote Sensing of Environment*, 282, 113232.
- de Almeida, C. T., Galvao, L. S., Ometto, J. P. H. B., Jacon, A. D., de Souza Pereira, F. R., Sato, L. Y., Lopes, A. P., de Alencastro Graça, P. M. L., de Jesus Silva, C. V., Ferreira-Ferreira, J., et al. (2019). Combining lidar and hyperspectral data for aboveground biomass modeling in the brazilian amazon using different regression algorithms. *Remote Sensing of Environment*, 232, 111323.

- Delavarpour, N., Koparan, C., Nowatzki, J., Bajwa, S., & Sun, X. (2021). A technical study on uav characteristics for precision agriculture applications and associated practical challenges. *Remote Sensing*, 13(6), 1204.
- Demidova, L., & Ivkina, M. (2019). Defining the ranges boundaries of the optimal parameters values for the random forest classifier. *2019 1st International Conference on Control Systems, Mathematical Modelling, Automation and Energy Efficiency (SUMMA)*, 518–522.
- Demir, S., & Şahin, E. K. (2022). Liquefaction prediction with robust machine learning algorithms (svm, rf, and xgboost) supported by genetic algorithm-based feature selection and parameter optimization from the perspective of data processing. *Environmental Earth Sciences*, 81(18), 459.
- Deng, Y., Xi, H., Zhou, G., Chen, A., Wang, Y., Li, L., & Hu, Y. (2023). An effective image-based tomato leaf disease segmentation method using mc-unet. *Plant Phenomics*, 5, 0049.
- Dente, L., Guerriero, L., Carvalhais, N., Silva, P. F., Soares, P., Ferrazzoli, P., & Pierdicca, N. (2018). Potential of uav gnss-r for forest biomass mapping. *Active and Passive Microwave Remote Sensing for Environmental Monitoring II*, 10788, 23–34.
- Devia, C. A., Rojas, J. P., Petro, E., Martinez, C., Mondragon, I. F., Patiño, D., Rebolledo, M. C., & Colorado, J. (2019). High-throughput biomass estimation in rice crops using uav multispectral imagery. *Journal of Intelligent & Robotic Systems*, 96, 573–589.
- Devoto, S., Macovaz, V., Mantovani, M., Soldati, M., & Furlani, S. (2020). Advantages of using uav digital photogrammetry in the study of slow-moving coastal landslides. *Remote Sensing*, 12(21), 3566.
- Dhanabal, S., & Chandramathi, S. (2011). A review of various k-nearest neighbor query processing techniques. *International Journal of Computer Applications*, 31(7), 14–22.

- Di Gennaro, S. F., Dainelli, R., Palliotti, A., Toscano, P., & Matese, A. (2019). Sentinel-2 validation for spatial variability assessment in overhead trellis system viticulture versus UAV and agronomic data. *Remote Sensing*, *11*(21), 2573.
- Di Gennaro, S. F., Nati, C., Dainelli, R., Pastonchi, L., Berton, A., Toscano, P., & Matese, A. (2020). An automatic uav based segmentation approach for pruning biomass estimation in irregularly spaced chestnut orchards. *Forests*, *11*(3), 308.
- Di Tommaso, S., Wang, S., & Lobell, D. B. (2021). Combining gedi and sentinel-2 for wall-to-wall mapping of tall and short crops. *Environmental Research Letters*, *16*(12), 125002.
- Di Tommaso, S., Wang, S., Vajipey, V., Gorelick, N., Strey, R., & Lobell, D. B. (2023). Annual field-scale maps of tall and short crops at the global scale using gedi and sentinel-2. *Remote Sensing*, *15*(17), 4123.
- Diara, F., & Roggero, M. (2022). Quality assessment of dji zenmuse l1 and p1 lidar and photogrammetric systems: Metric and statistics analysis with the integration of trimble sx10 data. *Geomatics*, *2*(3), 254–281.
- Didinger, C., & Thompson, H. J. (2022). The role of pulses in improving human health: A review. *Legume Science*, *4*(4), e147.
- Ding, Y., & Zang, R. (2021). Determinants of aboveground biomass in forests across three climatic zones in china. *Forest Ecology and Management*, *482*, 118805.
- Divyanth, L., Marzougui, A., González-Bernal, M. J., McGee, R. J., Rubiales, D., & Sankaran, S. (2022). Evaluation of effective class-balancing techniques for cnn-based assessment of aphanomyces root rot resistance in pea (*pisum sativum* l.) *Sensors*, *22*(19), 7237.
- do Nascimento, D. M., Sales, A. T., Souza, R., da Silva, A. S. A., Sampaio, E. V. d. S. B., & Menezes, R. S. C. (2022). Development of a methodological approach to estimate vegetation biomass using remote sensing in the brazilian semiarid ne region. *Remote Sensing Applications: Society and Environment*, *27*, 100771.

- d'Oliveira, M. V. N., Figueiredo, E. O., de Almeida, D. R. A., Oliveira, L. C., Silva, C. A., Nelson, B. W., da Cunha, R. M., de Almeida Papa, D., Stark, S. C., & Valbuena, R. (2021). Impacts of selective logging on amazon forest canopy structure and biomass with a lidar and photogrammetric survey sequence. *Forest Ecology and Management*, 500, 119648.
- d'Oliveira, M. V., Broadbent, E. N., Oliveira, L. C., Almeida, D. R., Papa, D. A., Ferreira, M. E., Zambrano, A. M. A., Silva, C. A., Avino, F. S., Prata, G. A., et al. (2020). Aboveground biomass estimation in amazonian tropical forests: A comparison of aircraft-and gatoreye uav-borne lidar data in the chico mendes extractive reserve in acre, brazil. *Remote Sensing*, 12(11), 1754.
- Domingo, D., Ørka, H. O., Næsset, E., Kachamba, D., & Gobakken, T. (2019). Effects of uav image resolution, camera type, and image overlap on accuracy of biomass predictions in a tropical woodland. *Remote Sensing*, 11(8), 948.
- Dong, T., Liu, J., Shang, J., Qian, B., Ma, B., Kovacs, J. M., Walters, D., Jiao, X., Geng, X., & Shi, Y. (2019). Assessment of red-edge vegetation indices for crop leaf area index estimation. *Remote Sensing of Environment*, 222, 133–143.
- Döpfer, V., Gränzig, T., Kleinschmit, B., & Förster, M. (2020). Challenges in uas-based tir imagery processing: Image alignment and uncertainty quantification. *Remote Sensing*, 12(10), 1552.
- Dorado-Roda, I., Pascual, A., Godinho, S., Silva, C. A., Botequim, B., Rodríguez-Gonzálvez, P., González-Ferreiro, E., & Guerra-Hernández, J. (2021). Assessing the accuracy of gedi data for canopy height and aboveground biomass estimates in mediterranean forests. *Remote Sensing*, 13(12), 2279.
- Doughty, C. L., & Cavanaugh, K. C. (2019). Mapping coastal wetland biomass from high resolution unmanned aerial vehicle (uav) imagery. *Remote Sensing*, 11(5), 540.

- Du, J., Lu, X., Fan, J., Qin, Y., Yang, X., & Guo, X. (2020). Image-based high-throughput detection and phenotype evaluation method for multiple lettuce varieties. *Frontiers in Plant Science*, *11*, 563386.
- Duncanson, L., Armston, J., Disney, M., Avitabile, V., Barbier, N., Calders, K., Carter, S., Chave, J., Herold, M., Crowther, T. W., et al. (2019). The importance of consistent global forest aboveground biomass product validation. *Surveys in geophysics*, *40*, 979–999.
- Duncanson, L., Niemann, K., & Wulder, M. (2010). Estimating forest canopy height and terrain relief from gls waveform metrics. *Remote Sensing of Environment*, *114*(1), 138–154.
- Durgan, S. D., Zhang, C., Duecater, A., Fournay, F., & Su, H. (2020). Unmanned aircraft system photogrammetry for mapping diverse vegetation species in a heterogeneous coastal wetland. *Wetlands*, *40*, 2621–2633.
- El-Ashmawy, N. T. H. (2015). *Innovative approach for automatic land cover information extraction from lidar data* [Doctoral dissertation, Ryerson University Toronto, ON, Canada].
- Elmenreich, W. (2002). An introduction to sensor fusion. *Vienna University of Technology, Austria*, *502*, 1–28.
- Eltner, A., & Sofia, G. (2020). Structure from motion photogrammetric technique. In *Developments in earth surface processes* (pp. 1–24, Vol. 23). Elsevier.
- Enderle, D. I., & Weih Jr, R. C. (2005). Integrating supervised and unsupervised classification methods to develop a more accurate land cover classification. *Journal of the Arkansas Academy of Science*, *59*(1), 65–73.
- Eng, L. S., Ismail, R., Hashim, W., & Baharum, A. (2019). The use of vari, gli, and vigreen formulas in detecting vegetation in aerial images. *Int. J. Technol*, *10*, 1385–1394.
- Erskine, W., Sarker, A., & Kumar, S. (2011). Crops that feed the world 3. investing in lentil improvement toward a food secure world. *Food Security*, *3*, 127–139.

- Esteban, J., McRoberts, R. E., Fernández-Landa, A., Tomé, J. L., & Næsset, E. (2019). Estimating forest volume and biomass and their changes using random forests and remotely sensed data. *Remote Sensing*, 11(16), 1944.
- Evangelides, C., & Nobajas, A. (2020). Red-edge normalised difference vegetation index (ndvi705) from sentinel-2 imagery to assess post-fire regeneration. *Remote Sensing Applications: Society and Environment*, 17, 100283.
- Fan, J., Ma, X., Wu, L., Zhang, F., Yu, X., & Zeng, W. (2019). Light gradient boosting machine: An efficient soft computing model for estimating daily reference evapotranspiration with local and external meteorological data. *Agricultural water management*, 225, 105758.
- Fang, X., Luo, H., & Tang, J. (2005). Structural damage detection using neural network with learning rate improvement. *Computers & structures*, 83(25-26), 2150–2161.
- Farooq, A., Jia, X., Hu, J., & Zhou, J. (2019). Multi-resolution weed classification via convolutional neural network and superpixel based local binary pattern using remote sensing images. *Remote Sensing*, 11(14), 1692.
- Farris, A. S., Defne, Z., & Ganju, N. K. (2019). Identifying salt marsh shorelines from remotely sensed elevation data and imagery. *Remote Sensing*, 11(15), 1795.
- Fei, S., Hassan, M. A., He, Z., Chen, Z., Shu, M., Wang, J., Li, C., & Xiao, Y. (2021). Assessment of ensemble learning to predict wheat grain yield based on uav-multispectral reflectance. *Remote Sensing*, 13(12), 2338.
- Fei, S., Hassan, M. A., Xiao, Y., Su, X., Chen, Z., Cheng, Q., Duan, F., Chen, R., & Ma, Y. (2023). Uav-based multi-sensor data fusion and machine learning algorithm for yield prediction in wheat. *Precision Agriculture*, 24(1), 187–212.
- Feng, L., Chen, S., Zhang, C., Zhang, Y., & He, Y. (2021). A comprehensive review on recent applications of unmanned aerial vehicle remote sensing with various sensors for high-throughput plant phenotyping. *Computers and electronics in agriculture*, 182, 106033.

- Ferdaus, M. M., Anavatti, S. G., Pratama, M., & Garratt, M. A. (2020). Towards the use of fuzzy logic systems in rotary wing unmanned aerial vehicle: A review. *Artificial Intelligence Review*, 53(1), 257–290.
- Fezai, R., Dhibi, K., Mansouri, M., Trabelsi, M., Hajji, M., Bouzrara, K., Nounou, H., & Nounou, M. (2020). Effective random forest-based fault detection and diagnosis for wind energy conversion systems. *IEEE Sensors Journal*, 21(5), 6914–6921.
- Fischer, R., Knapp, N., Bohn, F., Shugart, H. H., & Huth, A. (2019). The relevance of forest structure for biomass and productivity in temperate forests: New perspectives for remote sensing. *Surveys in Geophysics*, 40, 709–734.
- Fonti, V., & Belitser, E. (2017). Feature selection using lasso. *VU Amsterdam research paper in business analytics*, 30, 1–25.
- Fotis, A. T., Murphy, S. J., Ricart, R. D., Krishnadas, M., Whitacre, J., Wenzel, J. W., Queenborough, S. A., & Comita, L. S. (2018). Above-ground biomass is driven by mass-ratio effects and stand structural attributes in a temperate deciduous forest. *Journal of Ecology*, 106(2), 561–570.
- Freeman, E. A., Moisen, G. G., Coulston, J. W., & Wilson, B. T. (2016). Random forests and stochastic gradient boosting for predicting tree canopy cover: Comparing tuning processes and model performance. *Canadian Journal of Forest Research*, 46(3), 323–339.
- Freitas Moreira, F., Rojas de Oliveira, H., Lopez, M. A., Abughali, B. J., Gomes, G., Cherkauer, K. A., Brito, L. F., & Rainey, K. M. (2021). High-throughput phenotyping and random regression models reveal temporal genetic control of soybean biomass production. *Frontiers in Plant Science*, 12, 715983.
- Frey, J., Kovach, K., Stemmler, S., & Koch, B. (2018). Uav photogrammetry of forests as a vulnerable process. a sensitivity analysis for a structure from motion rgb-image pipeline. *Remote Sensing*, 10(6), 912.

- Fu, Y., Yang, G., Song, X., Li, Z., Xu, X., Feng, H., & Zhao, C. (2021). Improved estimation of winter wheat aboveground biomass using multiscale textures extracted from uav-based digital images and hyperspectral feature analysis. *Remote Sensing*, *13*(4), 581.
- Furlanetto, J., Dal Ferro, N., Longo, M., Sartori, L., Polese, R., Caceffo, D., Nicoli, L., & Morari, F. (2023). LAI estimation through remotely sensed NDVI following hail defoliation in maize (*Zea mays* l.) using sentinel-2 and UAV imagery. *Precision Agriculture*, 1–25.
- Fushiki, T. (2011). Estimation of prediction error by using k-fold cross-validation. *Statistics and Computing*, *21*, 137–146.
- Galán, R. J., Bernal-Vasquez, A.-M., Jebsen, C., Piepho, H.-P., Thorwarth, P., Steffan, P., Gordillo, A., & Miedaner, T. (2020). Integration of genotypic, hyperspectral, and phenotypic data to improve biomass yield prediction in hybrid rye. *Theoretical and Applied Genetics*, *133*(11), 3001–3015.
- Galli, G., Horne, D. W., Collins, S. D., Jung, J., Chang, A., Fritsche-Neto, R., & Rooney, W. L. (2020). Optimization of uas-based high-throughput phenotyping to estimate plant health and grain yield in sorghum. *The Plant Phenome Journal*, *3*(1), e20010.
- Galvão, L. S., Epiphanyo, J. C. N., Breunig, F. M., & Formaggio, A. R. (2018). Crop type discrimination using hyperspectral data: Advances and perspectives. *Biophysical and Biochemical Characterization and Plant Species Studies*, 183–210.
- Gano, B., Dembele, J. S. B., Ndour, A., Luquet, D., Beurier, G., Diouf, D., & Audebert, A. (2021). Using uav borne, multi-spectral imaging for the field phenotyping of shoot biomass, leaf area index and height of west african sorghum varieties under two contrasted water conditions. *Agronomy*, *11*(5), 850.
- Gao, L., & Zhang, X. (2021). Above-ground biomass estimation of plantation with complex forest stand structure using multiple features from airborne laser scanning point cloud data. *Forests*, *12*(12), 1713.

- Gao, M., Yang, F., Wei, H., & Liu, X. (2022). Individual maize location and height estimation in field from uav-borne lidar and rgb images. *Remote Sensing*, *14*(10), 2292.
- Gao, M., Qi, D., Mu, H., & Chen, J. (2021). A transfer residual neural network based on resnet-34 for detection of wood knot defects. *Forests*, *12*(2), 212.
- Gašparović, M., Zrinjski, M., Barković, Đ., & Radočaj, D. (2020). An automatic method for weed mapping in oat fields based on uav imagery. *Computers and Electronics in Agriculture*, *173*, 105385.
- Gatzliolis, D., Lienard, J. F., Vogs, A., & Strigul, N. S. (2015). 3d tree dimensionality assessment using photogrammetry and small unmanned aerial vehicles. *PloS one*, *10*(9), e0137765.
- Gautam, U., Paliwal, D., & Naberia, S. (2007). Improvement in livelihood security for small and marginal farmers through front line demonstrations on oilseed and pulse crops in central india. *Indian Research Journal of Extension Education*, *7*(1), 1–5.
- Ge, J., Hou, M., Liang, T., Feng, Q., Meng, X., Liu, J., Bao, X., & Gao, H. (2022). Spatiotemporal dynamics of grassland aboveground biomass and its driving factors in north china over the past 20 years. *Science of the Total Environment*, *826*, 154226.
- Geipel, J., Bakken, A. K., Jørgensen, M., & Korsæth, A. (2021). Forage yield and quality estimation by means of uav and hyperspectral imaging. *Precision Agriculture*, *22*, 1437–1463.
- Georganos, S., Grippa, T., Vanhuysse, S., Lennert, M., Shimoni, M., Kalogirou, S., & Wolff, E. (2018). Less is more: Optimizing classification performance through feature selection in a very-high-resolution remote sensing object-based urban application. *GI-Science & remote sensing*, *55*(2), 221–242.
- Gevaert, C. M., Suomalainen, J., Tang, J., & Kooistra, L. (2015). Generation of spectral-temporal response surfaces by combining multispectral satellite and hyperspectral UAV imagery for precision agriculture applications. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *8*(6), 3140–3146.

- Gevaert, C. M., Tang, J., García-Haro, F. J., Suomalainen, J., & Kooistra, L. (2014). Combining hyperspectral UAV and multispectral Formosat-2 imagery for precision agriculture applications. *2014 6th Workshop on Hyperspectral Image and Signal Processing: Evolution in Remote Sensing (WHISPERS)*, 1–4.
- Ghamkhar, K., Irie, K., Hagedorn, M., Hsiao, J., Fourie, J., Gebbie, S., Hoyos-Villegas, V., George, R., Stewart, A., Inch, C., et al. (2019). Real-time, non-destructive and in-field foliage yield and growth rate measurement in perennial ryegrass (*lolium perenne* l.) *Plant Methods*, 15(1), 1–12.
- Gharakhanlou, N. M., & Perez, L. (2024). From data to harvest: Leveraging ensemble machine learning for enhanced crop yield predictions across canada amidst climate change. *Science of The Total Environment*, 951, 175764.
- Ghimire, P., Lei, D., & Juan, N. (2020). Effect of image fusion on vegetation index quality—a comparative study from Gaofen-1, Gaofen-2, Gaofen-4, Landsat-8 OLI and MODIS Imagery. *Remote sensing*, 12(10), 1550.
- Gil-Docampo, M. d. l. L., Arza-García, M., Ortiz-Sanz, J., Martínez-Rodríguez, S., Marcos-Robles, J. L., & Sánchez-Sastre, L. F. (2020). Above-ground biomass estimation of arable crops using uav-based sfm photogrammetry. *Geocarto international*, 35(7), 687–699.
- Glenn, N. F., Streutker, D. R., Chadwick, D. J., Thackray, G. D., & Dorsch, S. J. (2006). Analysis of lidar-derived topographic information for characterizing and differentiating landslide morphology and activity. *Geomorphology*, 73(1-2), 131–148.
- Gong, M. (2021). A novel performance measure for machine learning classification. *International Journal of Managing Information Technology (IJMIT) Vol*, 13.
- Goodbody, T. R., Coops, N. C., & White, J. C. (2019). Digital aerial photogrammetry for updating area-based forest inventories: A review of opportunities, challenges, and future directions. *Current Forestry Reports*, 5, 55–75.

- Goodwin, N. R., Coops, N. C., & Culvenor, D. S. (2006). Assessment of forest structure with airborne lidar and the effects of platform altitude. *Remote Sensing of Environment*, 103(2), 140–152.
- Gouveia, A., & Correia, M. (2020). Network intrusion detection with xgboost. *Recent Advances in Security, Privacy, and Trust for Internet of Things (IoT) and Cyber-Physical Systems (CPS)*, 137.
- Gratani, L. (2014). Plant phenotypic plasticity in response to environmental factors. *Advances in botany*, 2014(1), 208747.
- Greco, M., Gini, F., & Farina, A. (2008). Radar detection and classification of jamming signals belonging to a cone class. *IEEE transactions on signal processing*, 56(5), 1984–1993.
- Grüner, E., Astor, T., & Wachendorf, M. (2019). Biomass prediction of heterogeneous temperate grasslands using an sfm approach based on uav imaging. *Agronomy*, 9(2), 54.
- Grüner, E., Astor, T., & Wachendorf, M. (2021). Prediction of biomass and n fixation of legume–grass mixtures using sensor fusion. *Frontiers in plant science*, 11, 603921.
- Grüner, E., Wachendorf, M., & Astor, T. (2020). The potential of uav-borne spectral and textural information for predicting aboveground biomass and n fixation in legume–grass mixtures. *PloS one*, 15(6), e0234703.
- Grybas, H., & Congalton, R. G. (2022). Evaluating the impacts of flying height and forward overlap on tree height estimates using unmanned aerial systems. *Forests*, 13(9), 1462.
- Gu, Y., Wang, Y., Guo, T., Guo, C., Wang, X., Jiang, C., Cheng, T., Zhu, Y., Cao, W., Chen, Q., et al. (2024). Assessment of the influence of uav-borne lidar scan angle and flight altitude on the estimation of wheat structural metrics with different leaf angle distributions. *Computers and Electronics in Agriculture*, 220, 108858.
- Guan, H., Huang, J., Li, X., Zeng, Y., Su, W., Ma, Y., Dong, J., Niu, Q., & Wang, W. (2022). An improved approach to estimating crop lodging percentage with sentinel-2

- imagery using machine learning. *International Journal of Applied Earth Observation and Geoinformation*, 113, 102992.
- Guan, H., Liu, H., Meng, X., Luo, C., Bao, Y., Ma, Y., Yu, Z., & Zhang, X. (2020). A quantitative monitoring method for determining maize lodging in different growth stages. *Remote Sensing*, 12(19), 3149.
- Guascal, E., Rojas, S., Kirby, E., Toulkeridis, T., Fuertes, W., & Heredia, M. (2020). Application of remote sensing techniques in the estimation of forest biomass of a recreation area by uav and radar images in ecuador. *2020 Seventh International Conference on eDemocracy & eGovernment (ICEDEG)*, 183–190.
- Guimarães-Steinicke, C., Weigelt, A., Ebeling, A., Eisenhauer, N., & Wirth, C. (2022). Diversity effects on canopy structure change throughout a growing season in experimental grassland communities. *Remote Sensing*, 14(7), 1557.
- Guo, G., Wang, H., Bell, D., Bi, Y., & Greer, K. (2003). Knn model-based approach in classification. *On The Move to Meaningful Internet Systems 2003: CoopIS, DOA, and ODBASE: OTM Confederated International Conferences, CoopIS, DOA, and ODBASE 2003, Catania, Sicily, Italy, November 3-7, 2003. Proceedings*, 986–996.
- Guo, Q., Wu, F., Pang, S., Zhao, X., Chen, L., Liu, J., Xue, B., Xu, G., Li, L., Jing, H., et al. (2018). Crop 3d—a lidar based platform for 3d high-throughput crop phenotyping. *Science China Life Sciences*, 61, 328–339.
- Guo, W., Carroll, M. E., Singh, A., Swetnam, T. L., Merchant, N., Sarkar, S., Singh, A. K., & Ganapathysubramanian, B. (2021). Uas-based plant phenotyping for research and breeding applications. *Plant Phenomics*.
- Guo, Z.-c., Wang, T., Liu, S.-l., Kang, W.-p., Chen, X., Feng, K., Zhang, X.-q., & Zhi, Y. (2021). Biomass and vegetation coverage survey in the mu us sandy land-based on unmanned aerial vehicle rgb images. *International Journal of Applied Earth Observation and Geoinformation*, 94, 102239.

- Gwathmey, C. O., Tyler, D. D., & Yin, X. (2010). Prospects for monitoring cotton crop maturity with normalized difference vegetation index. *Agronomy journal*, 102(5), 1352–1360.
- Habibi, L. N., Watanabe, T., Matsui, T., & Tanaka, T. S. (2021). Machine learning techniques to predict soybean plant density using UAV and satellite-based remote sensing. *Remote Sensing*, 13(13), 2548.
- Hall, M. A. (1999). *Correlation-based feature selection for machine learning* [Doctoral dissertation, The University of Waikato].
- Halme, E., Pellikka, P., & Mottus, M. (2019). Utility of hyperspectral compared to multispectral remote sensing data in estimating forest biomass and structure variables in finnish boreal forest. *International Journal of Applied Earth Observation and Geoinformation*, 83, 101942.
- Han, L., Yang, G., Dai, H., Xu, B., Yang, H., Feng, H., Li, Z., & Yang, X. (2019). Modeling maize above-ground biomass based on machine learning approaches using uav remote-sensing data. *Plant methods*, 15(1), 1–19.
- Han, L., Yang, G., Yang, X., Song, X., Xu, B., Li, Z., Wu, J., Yang, H., & Wu, J. (2022). An explainable xgboost model improved by smote-enn technique for maize lodging detection based on multi-source unmanned aerial vehicle images. *Computers and Electronics in Agriculture*, 194, 106804.
- Han, S., Zhao, Y., Cheng, J., Zhao, F., Yang, H., Feng, H., Li, Z., Ma, X., Zhao, C., & Yang, G. (2022). Monitoring key wheat growth variables by integrating phenology and uav multispectral imagery data into random forest model. *Remote Sensing*, 14(15), 3723.
- Han, Y., Tang, R., Liao, Z., Zhai, B., & Fan, J. (2022). A novel hybrid goa-xgb model for estimating wheat aboveground biomass using uav-based multispectral vegetation indices. *Remote Sensing*, 14(14), 3506.
- Hanusz, Z., Tarasinska, J., & Zielinski, W. (2016). Shapiro–wilk test with known mean. *REVSTAT-Statistical Journal*, 14(1), 89–100.

- Hasan, B. M. S., & Abdulazeez, A. M. (2021). A review of principal component analysis algorithm for dimensionality reduction. *Journal of Soft Computing and Data Mining*, 2(1), 20–30.
- Haskins, J., Endris, C., Thomsen, A. S., Gerbl, F., Fountain, M. C., & Wasson, K. (2021). Uav to inform restoration: A case study from a california tidal marsh. *Frontiers in Environmental Science*, 9, 642906.
- Hassan, M. A., Yang, M., Fu, L., Rasheed, A., Zheng, B., Xia, X., Xiao, Y., & He, Z. (2019). Accuracy assessment of plant height using an unmanned aerial vehicle for quantitative genomic analysis in bread wheat. *Plant Methods*, 15, 1–12.
- Hassani, K., Gholizadeh, H., Jacob, J., Natalie, V. A., Taghvaeian, S., Raun, W., & Carpenter, J. (2020). Application of unmanned aircraft system (uas)-based rgb and multi-spectral data to monitor winter wheat during the growing season. *AGU Fall Meeting Abstracts*, 2020, B013–01.
- Hassanzadeh, A., Zhang, F., Murphy, S. P., Pethybridge, S. J., & van Aardt, J. (2021). Toward crop maturity assessment via uas-based imaging spectroscopy-a snap bean pod size classification field study. *IEEE Transactions on Geoscience and Remote Sensing*, 60, 1–17.
- Hassanzadeh, A., Zhang, F., van Aardt, J., Murphy, S. P., & Pethybridge, S. J. (2021). Broadacre crop yield estimation using imaging spectroscopy from unmanned aerial systems (uas): A field-based case study with snap bean. *Remote Sensing*, 13(16), 3241.
- Hatfield, J. L., & Prueger, J. H. (2010). Value of using different vegetative indices to quantify agricultural crop characteristics at different growth stages under varying management practices. *Remote Sensing*, 2(2), 562–578.
- Hernández-Stefanoni, J. L., Castillo-Santiago, M. Á., Mas, J. F., Wheeler, C. E., Andres-Mauricio, J., Tun-Dzul, F., George-Chacón, S. P., Reyes-Palomeque, G., Castellanos-Basto, B., Vaca, R., et al. (2020). Improving aboveground biomass maps of tropical

- dry forests by integrating lidar, alos palsar, climate and field data. *Carbon balance and management*, 15, 1–17.
- Hernando, A., Puerto, L., Mola-Yudego, B., Manzanera, J. A., Garcia-Abril, A., Maltamo, M., & Valbuena, R. (2019). Estimation of forest biomass components using airborne lidar and multispectral sensors. *iForest-Biogeosciences and Forestry*, 12(2), 207.
- Herrero-Huerta, M., Bucksch, A., Puttonen, E., & Rainey, K. M. (2020). Canopy roughness: A new phenotypic trait to estimate aboveground biomass from unmanned aerial system. *Plant Phenomics*.
- Herrero-Huerta, M., Felipe-García, B., Belmar-Lizarán, S., Hernández-López, D., Rodríguez-Gonzálvez, P., & González-Aguilera, D. (2016). Dense canopy height model from a low-cost photogrammetric platform and lidar data. *Trees*, 30, 1287–1301.
- Herwitz, S., Johnson, L., Arvesen, J., Higgins, R., Leung, J., & Dunagan, S. (2002). Precision agriculture as a commercial application for solar-powered unmanned aerial vehicles. *1st UAV Conference*, 3404.
- Hodson, T. O. (2022). Root mean square error (rmse) or mean absolute error (mae): When to use them or not. *Geoscientific Model Development Discussions*, 2022, 1–10.
- Holiaka, D., Kato, H., Yoschenko, V., Onda, Y., Igarashi, Y., Nanba, K., Diachuk, P., Holiaka, M., Zadorozhniuk, R., Kashparov, V., et al. (2021). Scots pine stands biomass assessment using 3d data from unmanned aerial vehicle imagery in the chernobyl exclusion zone. *Journal of environmental management*, 295, 113319.
- Holman, F. H., Riche, A. B., Michalski, A., Castle, M., Wooster, M. J., & Hawkesford, M. J. (2016). High throughput field phenotyping of wheat plant height and growth rate in field plot trials using uav based remote sensing. *Remote Sensing*, 8(12), 1031.
- Holzhauser, K., Rübiger, T., Rose, T., Kage, H., & Kühling, I. (2022). Estimation of biomass and n uptake in different winter cover crops from uav-based multispectral canopy reflectance data. *Remote Sensing*, 14(18), 4525.

- Hopkinson, C., Chasmer, L. E., Sass, G., Creed, I. F., Sitar, M., Kalbfleisch, W., & Treitz, P. (2005). Vegetation class dependent errors in lidar ground elevation and canopy height estimates in a boreal wetland environment. *Canadian journal of remote sensing*, 31(2), 191–206.
- Houldcroft, C. J., Campbell, C. L., Davenport, I. J., Gurney, R. J., & Holden, N. (2005). Measurement of canopy geometry characteristics using lidar laser altimetry: A feasibility study. *IEEE Transactions on Geoscience and Remote Sensing*, 43(10), 2270–2282.
- Hu, T., Zhang, Y., Su, Y., Zheng, Y., Lin, G., & Guo, Q. (2020). Mapping the global mangrove forest aboveground biomass using multisource remote sensing data. *Remote sensing*, 12(10), 1690.
- Hu, X., Gu, X., Sun, Q., Yang, Y., Qu, X., Yang, X., & Guo, R. (2023). Comparison of the performance of multi-source three-dimensional structural data in the application of monitoring maize lodging. *Computers and Electronics in Agriculture*, 208, 107782.
- Hu, X., Sun, L., Gu, X., Sun, Q., Wei, Z., Pan, Y., & Chen, L. (2021). Assessing the self-recovery ability of maize after lodging using uav-lidar data. *Remote Sensing*, 13(12), 2270.
- Hu, Y., Shen, J., & Qi, Y. (2021). Estimation of rice biomass at different growth stages by using fractal dimension in image processing. *Applied Sciences*, 11(15), 7151.
- Huang, H., Liu, C., Wang, X., Zhou, X., & Gong, P. (2019). Integration of multi-resource remotely sensed data and allometric models for forest aboveground biomass estimation in china. *Remote Sensing of Environment*, 221, 225–234.
- Huang, J., Hartemink, A. E., & Kucharik, C. J. (2021). Soil-dependent responses of us crop yields to climate variability and depth to groundwater. *Agricultural Systems*, 190, 103085.
- Huang, R., Yao, W., Xu, Z., Cao, L., & Shen, X. (2022). Information fusion approach for biomass estimation in a plateau mountainous forest using a synergistic system com-

- prising uas-based digital camera and lidar. *Computers and Electronics in Agriculture*, 202, 107420.
- Huang, X., Xuan, F., Dong, Y., Su, W., Wang, X., Huang, J., Li, X., Zeng, Y., Miao, S., & Li, J. (2023). Identifying corn lodging in the mature period using chinese gf-1 pms images. *Remote Sensing*, 15(4), 894.
- Huang, Y., Feng, G., Tewolde, H., & Shankle, M. W. (2023). Remote sensing from different sources for crop growth monitoring in the area of the lower Northern Mississippi. *Challenges*, 14(1), 12.
- Hunt Jr, E. R., Daughtry, C., Eitel, J. U., & Long, D. S. (2011). Remote sensing leaf chlorophyll content using a visible band index. *Agronomy journal*, 103(4), 1090–1099.
- Hütt, C., Bolten, A., Hüging, H., & Bareth, G. (2023). Uav lidar metrics for monitoring crop height, biomass and nitrogen uptake: A case study on a winter wheat field trial. *PFG–Journal of Photogrammetry, Remote Sensing and Geoinformation Science*, 91(2), 65–76.
- Ibba, P., Tronstad, C., Moschetti, R., Mimmo, T., Cantarella, G., Petti, L., Martinsen, Ø. G., Cesco, S., & Lugli, P. (2021). Supervised binary classification methods for strawberry ripeness discrimination from bioimpedance data. *Scientific reports*, 11(1), 11202.
- Ignat, T., Alchanatis, V., & Schmilovitch, Z. (2014). Maturity prediction of intact bell peppers by sensor fusion. *Computers and electronics in agriculture*, 104, 9–17.
- Ihuoma, S. O., & Madramootoo, C. A. (2019). Sensitivity of spectral vegetation indices for monitoring water stress in tomato plants. *Computers and Electronics in Agriculture*, 163, 104860.
- Iizuka, K., Yonehara, T., Itoh, M., & Kosugi, Y. (2017). Estimating tree height and diameter at breast height (dbh) from digital surface models and orthophotos obtained with an unmanned aerial system for a japanese cypress (*chamaecyparis obtusa*) forest. *Remote sensing*, 10(1), 13.

- Iniyan, S., & Jebakumar, R. (2022). Mutual information feature selection (mifs) based crop yield prediction on corn and soybean crops using multilayer stacked ensemble regression (msr). *Wireless Personal Communications*, 126(3), 1935–1964.
- Izere, P. (2023). Plant height estimation using rtk-gnss enabled unmanned aerial vehicle (uav) photogrammetry.
- Jain, K., & Pandey, A. (2021). Calibration of satellite imagery with multispectral UAV imagery. *Journal of the Indian Society of Remote Sensing*, 49, 479–490.
- James, F. (1980). Monte carlo theory and practice. *Reports on progress in Physics*, 43(9), 1145.
- Janocha, K., & Czarnecki, W. M. (2017). On loss functions for deep neural networks in classification. *arXiv preprint arXiv:1702.05659*.
- Jaskierniak, D., Lucieer, A., Kuczera, G., Turner, D., Lane, P., Benyon, R., & Haydon, S. (2021). Individual tree detection and crown delineation from unmanned aircraft system (uas) lidar in structurally complex mixed species eucalypt forests. *ISPRS Journal of Photogrammetry and Remote Sensing*, 171, 171–187.
- Jayathunga, S., Owari, T., & Tsuyuki, S. (2019). Digital aerial photogrammetry for uneven-aged forest management: Assessing the potential to reconstruct canopy structure and estimate living biomass. *Remote Sensing*, 11(3), 338.
- Ji, G., Shi, C., & Xue, M. (2022). The application of unmanned aerial vehicles data communication in agriculture. *2022 IEEE Conference on Telecommunications, Optics and Computer Science (TOCS)*, 1378–1382.
- Jiang, F., Kutia, M., Ma, K., Chen, S., Long, J., & Sun, H. (2021). Estimating the above-ground biomass of coniferous forest in northeast china using spectral variables, land surface temperature and soil moisture. *Science of the Total Environment*, 785, 147335.
- Jiang, J., Cai, W., Zheng, H., Cheng, T., Tian, Y., Zhu, Y., Ehsani, R., Hu, Y., Niu, Q., Gui, L., et al. (2019). Using digital cameras on an unmanned aerial vehicle to derive

- optimum color vegetation indices for leaf nitrogen concentration monitoring in winter wheat. *Remote Sensing*, 11(22), 2667.
- Jiang, J., Zhang, Q., Wang, W., Wu, Y., Zheng, H., Yao, X., Zhu, Y., Cao, W., & Cheng, T. (2022). MACA: A relative radiometric correction method for multiflight unmanned aerial vehicle images based on concurrent satellite imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 60, 1–14.
- Jiang, Q., Fang, S., Peng, Y., Gong, Y., Zhu, R., Wu, X., Ma, Y., Duan, B., & Liu, J. (2019). Uav-based biomass estimation for rice-combining spectral, tin-based structural and meteorological features. *Remote Sensing*, 11(7), 890.
- Jiang, S., Jiang, C., & Jiang, W. (2020). Efficient structure from motion for large-scale uav images: A review and a comparison of sfm tools. *ISPRS Journal of Photogrammetry and Remote Sensing*, 167, 230–251.
- Jia-Zhi, D., Wei-Gang, L., Xiao-He, W., Jun-Yu, D., & Wang-Meng, Z. (2018). L-svm: A radius-margin-based svm algorithm with logdet regularization. *Expert Systems with Applications*, 102, 113–125.
- Jin, S., Su, Y., Song, S., Xu, K., Hu, T., Yang, Q., Wu, F., Xu, G., Ma, Q., Guan, H., et al. (2020). Non-destructive estimation of field maize biomass using terrestrial lidar: An evaluation from plot level to individual leaf level. *Plant Methods*, 16, 1–19.
- Johansen, K., Morton, M. J., Malbeteau, Y., Aragon, B., Al-Mashharawi, S., Ziliani, M. G., Angel, Y., Fiene, G., Negrão, S., Mousa, M. A., et al. (2020). Predicting biomass and yield in a tomato phenotyping experiment using uav imagery and random forest. *Frontiers in Artificial Intelligence*, 3, 28.
- Jońca, J., Pawnuk, M., Bezyk, Y., Arsen, A., & Sówka, I. (2022). Drone-assisted monitoring of atmospheric pollution—a comprehensive review. *Sustainability*, 14(18), 11516.
- Jones, A. R., Raja Segaran, R., Clarke, K. D., Waycott, M., Goh, W. S., & Gillanders, B. M. (2020). Estimating mangrove tree biomass and carbon content: A comparison of forest inventory techniques and drone imagery. *Frontiers in Marine Science*, 6, 784.

- Joshi, P., & Rao, P. P. (2017). Global pulses scenario: Status and outlook. *Annals of the New York Academy of Sciences*, 1392(1), 6–17.
- Kaggwa-Asiimwe, R., Andrade-Sanchez, P., & Wang, G. (2013). Plant architecture influences growth and yield response of upland cotton to population density. *Field Crops Research*, 145, 52–59.
- Kaimaris, D., & Kandylas, A. (2020). Small multispectral uav sensor and its image fusion capability in cultural heritage applications. *Heritage*, 3(4), 57.
- Kakraliya, S., Singh, U., Bohra, A., Choudhary, K., Kumar, S., Meena, R. S., & Jat, M. (2018). Nitrogen and legumes: A meta-analysis. *Legumes for soil health and sustainable management*, 277–314.
- Kanke, Y., Tubana, B., Dalen, M., & Harrell, D. (2016). Evaluation of red and red-edge reflectance-based vegetation indices for rice biomass and grain yield prediction models in paddy fields. *Precision Agriculture*, 17, 507–530.
- Karunathilake, E., Le, A. T., Heo, S., Chung, Y. S., & Mansoor, S. (2023). The path to smart farming: Innovations and opportunities in precision agriculture. *Agriculture*, 13(8), 1593.
- Kaur, R., & Kang, S. S. (2015). An enhancement in classifier support vector machine to improve plant disease detection. *2015 IEEE 3rd International Conference on MOOCs, Innovation and Technology in Education (MITE)*, 135–140.
- Khaliq, A., Comba, L., Biglia, A., Ricauda Aimonino, D., Chiaberge, M., & Gay, P. (2019). Comparison of satellite and UAV-based multispectral imagery for vineyard variability assessment. *Remote Sensing*, 11(4), 436.
- Khaliq, A., Mazzia, V., & Chiaberge, M. (2019). Refining satellite imagery by using UAV imagery for vineyard environment: A CNN based approach. *2019 IEEE International Workshop on Metrology for Agriculture and Forestry (MetroAgriFor)*, 25–29.
- Khan, I. A., Khan, W. R., Ali, A., & Nazre, M. (2021). Assessment of above-ground biomass in pakistan forest ecosystem’s carbon pool: A review. *Forests*, 12(5), 586.

- Khot, L., Sankaran, S., Cummings, T., Johnson, D., Carter, A., Serra, S., & Musacchi, S. (2014). Applications of unmanned aerial system in washington state agriculture, paper no. 1637. *Proceedings of the 12th International Conference on Precision Agriculture, Sacramento, CA, USA*, 20–23.
- Khuimphukhieo, I., Marconi, T., Enciso, J., & da Silva, J. A. (2023). The use of uas-based high throughput phenotyping (htp) to assess sugarcane yield. *Journal of Agriculture and Food Research*, 11, 100501.
- Kim, T. K. (2015). T test as a parametric statistic. *Korean journal of anesthesiology*, 68(6), 540–546.
- Klahr, A., Zimmermann, G., Wenzel, G., & Mohler, V. (2007). Effects of environment, disease progress, plant height and heading date on the detection of qtls for resistance to fusarium head blight in an european winter wheat cross. *Euphytica*, 154, 17–28.
- Klein, R., Rodriguez-Herrera, R., Schlueter, J., Klein, P., Yu, Z., & Rooney, W. (2001). Identification of genomic regions that affect grain-mould incidence and other traits of agronomic importance in sorghum. *Theoretical and Applied Genetics*, 102, 307–319.
- Koo, C. L., Liew, M. J., Mohamad, M. S., Mohamed Salleh, A. H., et al. (2013). A review for detecting gene-gene interactions using machine learning methods in genetic epidemiology. *BioMed research international*, 2013.
- Krauss, C., Do, X. A., & Huck, N. (2017). Deep neural networks, gradient-boosted trees, random forests: Statistical arbitrage on the s&p 500. *European Journal of Operational Research*, 259(2), 689–702.
- Kriegeskorte, N., & Golan, T. (2019). Neural network models and deep learning [Publisher: Elsevier]. *Current Biology*, 29(7), R231–R236.
- Ku, N.-W., & Popescu, S. C. (2019). A comparison of multiple methods for mapping local-scale mesquite tree aboveground biomass with remotely sensed data. *Biomass and bioenergy*, 122, 270–279.

- Kucharczyk, M., Hugenholtz, C. H., & Zou, X. (2018). Uav–lidar accuracy in vegetated terrain. *Journal of Unmanned Vehicle Systems*, 6(4), 212–234.
- Kudela, R. M., Hooker, S. B., Houskeeper, H. F., & McPherson, M. (2019). The influence of signal to noise ratio of legacy airborne and satellite sensors for simulating next-generation coastal and inland water products. *Remote Sensing*, 11(18), 2071.
- Kwak, D. A., Lee, W. K., & Son, M. H. (2005). Application of lidar for measuring individual trees and forest stands. *Journal of Korean Society of Forest Science*, 94(6), 431–440.
- Lacerda, L., Snider, J., Cohen, Y., Liakos, V., Levi, M., & Vellidis, G. (2022). Correlation of UAV and satellite-derived vegetation indices with cotton physiological parameters and their use as a tool for scheduling variable rate irrigation in cotton. *Precision Agriculture*, 23(6), 2089–2114.
- Lai, F., Bush, A., Yang, X., & Merrick, D. (2021). Opportunities and challenges of unmanned aircraft systems for urban applications. *Urban Remote Sensing: Monitoring, Synthesis, and Modeling in the Urban Environment*, 47–69.
- Laurin, G. V., Ding, J., Disney, M., Bartholomeus, H., Herold, M., Papale, D., & Valentini, R. (2019). Tree height in tropical forest as measured by different ground, proximal, and remote sensing instruments, and impacts on above ground biomass estimates. *International Journal of Applied Earth Observation and Geoinformation*, 82, 101899.
- Le, V. N. T., Apopei, B., & Alameh, K. (2019). Effective plant discrimination based on the combination of local binary pattern operators and multiclass support vector machine methods. *Information processing in agriculture*, 6(1), 116–131.
- Le Moullec, M., Buchwal, A., van der Wal, R., Sandal, L., & Hansen, B. B. (2019). Annual ring growth of a widespread high arctic shrub reflects past fluctuations in community-level plant biomass. *Journal of Ecology*, 107(1), 436–451.
- Lee, U., Chang, S., Putra, G. A., Kim, H., & Kim, D. H. (2018). An automated, high-throughput plant phenotyping system using machine learning-based plant segmentation and image analysis. *PloS one*, 13(4), e0196615.

- Li, B., Lecourt, J., & Bishop, G. (2018). Advances in non-destructive early assessment of fruit ripeness towards defining optimal time of harvest and yield prediction—a review. *Plants*, 7(1), 3.
- Li, B., Xu, X., Zhang, L., Han, J., Bian, C., Li, G., Liu, J., & Jin, L. (2020). Above-ground biomass estimation and yield prediction in potato by using uav-based rgb and hyperspectral imaging. *ISPRS Journal of Photogrammetry and Remote Sensing*, 162, 161–172.
- Li, D., Gu, X., Pang, Y., Chen, B., & Liu, L. (2018). Estimation of forest aboveground biomass and leaf area index based on digital aerial photograph data in northeast china. *Forests*, 9(5).
- Li, F., Miao, Y., Feng, G., Yuan, F., Yue, S., Gao, X., Liu, Y., Liu, B., Ustin, S. L., & Chen, X. (2014). Improving estimation of summer maize nitrogen status with red edge-based spectral vegetation indices. *Field Crops Research*, 157, 111–123.
- Li, H., Shi, L., Gao, W., Zhang, Z., Zhang, L., Zhao, Y., & Wang, G. (2022). Dpromoter-xgboost: Detecting promoters and strength by combining multiple descriptors and feature selection using xgboost. *Methods*, 204, 215–222.
- Li, J., Schachtman, D. P., Creech, C. F., Wang, L., Ge, Y., & Shi, Y. (2022). Evaluation of uav-derived multimodal remote sensing data for biomass prediction and drought tolerance assessment in bioenergy sorghum. *The Crop Journal*, 10(5), 1363–1375.
- Li, J., Shi, Y., Veeranampalayam-Sivakumar, A.-N., & Schachtman, D. P. (2018). Elucidating sorghum biomass, nitrogen and chlorophyll contents with spectral and morphological traits derived from unmanned aircraft system. *Frontiers in plant science*, 9, 1406.
- Li, J., Tran, M., & Siwabessy, J. (2016). Selecting optimal random forest predictive models: A case study on predicting the spatial distribution of seabed hardness. *PLoS One*, 11(2), e0149089.
- Li, J., Cheng, K., Wang, S., Morstatter, F., Trevino, R. P., Tang, J., & Liu, H. (2017). Feature selection: A data perspective. *ACM computing surveys (CSUR)*, 50(6), 1–45.

- Li, M., Wang, H., Yang, L., Liang, Y., Shang, Z., & Wan, H. (2020). Fast hybrid dimensionality reduction method for classification based on feature selection and grouped feature extraction. *Expert Systems with Applications*, 150, 113277.
- Li, M., Shamshiri, R. R., Weltzien, C., & Schirrmann, M. (2022). Crop monitoring using Sentinel-2 and UAV multispectral imagery: A comparison case study in Northeastern Germany. *Remote Sensing*, 14(17), 4426.
- Li, Q.-C., Xu, S.-W., Zhuang, J.-Y., Liu, J.-J., Yi, Z., & Zhang, Z.-X. (2023). Ensemble learning prediction of soybean yields in china based on meteorological data. *Journal of Integrative Agriculture*, 22(6), 1909–1927.
- Li, W., Niu, Z., Chen, H., Li, D., Wu, M., & Zhao, W. (2016). Remote estimation of canopy height and aboveground biomass of maize using high-resolution stereo images from a low-cost unmanned aerial vehicle system. *Ecological indicators*, 67, 637–648.
- Li, W., Wu, W., Yu, M., Tao, H., Yao, X., Cheng, T., Zhu, Y., Cao, W., & Tian, Y. (2023). Monitoring rice grain protein accumulation dynamics based on uav multispectral data. *Field Crops Research*, 294, 108858.
- Li, Y., Yan, W., An, S., Gao, W., Jia, J., Tao, S., & Wang, W. (2022). A Spatio-Temporal fusion framework of UAV and satellite imagery for winter wheat growth monitoring. *Drones*, 7(1), 23.
- Li, Y., Li, C., Li, M., & Liu, Z. (2019). Influence of variable selection and forest type on forest aboveground biomass estimation using machine learning algorithms. *Forests*, 10(12), 1073.
- Li, Z., & Guo, X. (2016). Remote sensing of terrestrial non-photosynthetic vegetation using hyperspectral, multispectral, sar, and lidar data. *Progress in Physical Geography*, 40(2), 276–304.
- Li, Z., Jin, X., Zhao, C., Wang, J., Xu, X., Yang, G., Li, C., & Shen, J. (2015). Estimating wheat yield and quality by coupling the dssat-ceres model and proximal remote sens-

- ing. *European Journal of Agronomy*, 71, 53–62. <https://doi.org/10.1016/J.EJA.2015.08.006>
- Li, Z., Wang, J., Xu, X., Zhao, C., Jin, X., Yang, G., & Feng, H. (2015). Assimilation of two variables derived from hyperspectral data into the dssat-ceres model for grain yield and quality estimation. *Remote. Sens.*, 7, 12400–12418. <https://doi.org/10.3390/rs70912400>
- Li, Z., Zhao, Y., Taylor, J., Gaulton, R., Jin, X., Song, X., Li, Z., Meng, Y., Chen, P., Feng, H., et al. (2022). Comparison and transferability of thermal, temporal and phenological-based in-season predictions of above-ground biomass in wheat crops from proximal crop reflectance data. *Remote Sensing of Environment*, 273, 112967.
- Li, Z., Chen, Z., Ren, G., Li, Z., & Wang, X. (2016). Estimation of maize lodging area based on worldview-2 image. *Transactions of the Chinese Society of Agricultural Engineering*, 32(2), 1–5.
- Liakos, K. G., Busato, P., Moshou, D., Pearson, S., & Bochtis, D. (2018). Machine learning in agriculture: A review. *Sensors*, 18(8), 2674.
- Li-Hong, X., Wei-Xing, C., & Lin-Zhang, Y. (2007). Predicting grain yield and protein content in winter wheat at different n supply levels using canopy reflectance spectra. *Pedosphere*, 17(5), 646–653.
- Lin, J., Chen, D., Wu, W., & Liao, X. (2022). Estimating aboveground biomass of urban forest trees with dual-source uav acquired point clouds. *Urban Forestry & Urban Greening*, 69, 127521.
- Lin, J., Wang, M., Ma, M., & Lin, Y. (2018). Aboveground tree biomass estimation of sparse subalpine coniferous forest with uav oblique photography. *Remote Sensing*, 10(11), 1849.
- Lindberg, C. L., Hanslin, H. M., Schubert, M., Marcussen, T., Trevaskis, B., Preston, J. C., & Fjellheim, S. (2020). Increased above-ground resource allocation is a likely precursor

- for independent evolutionary origins of annuality in the pooideae grass subfamily. *New Phytologist*, 228(1), 318–329.
- Liu, K.-l., Li, Y.-z., & Hu, H.-w. (2015). Predicting ratoon rice growth rhythm based on ndvi at key growth stages of main rice. *Chilean journal of agricultural research*, 75(4), 410–417.
- Liu, K., Bandara, M., Hamel, C., Knight, J. D., & Gan, Y. (2020). Intensifying crop rotations with pulse crops enhances system productivity and soil organic carbon in semi-arid environments. *Field Crops Research*, 248, 107657. <https://doi.org/10.1016/j.fcr.2019.107657>
- Liu, K., Shen, X., Cao, L., Wang, G., & Cao, F. (2018a). Estimating forest structural attributes using uav-lidar data in ginkgo plantations. *ISPRS journal of photogrammetry and remote sensing*, 146, 465–482.
- Liu, K., Shen, X., Cao, L., Wang, G., & Cao, F. (2018b). The evaluation of parametric and non-parametric models for total forest biomass estimation using uas-lidar. *2018 Fifth International Workshop on Earth Observation and Remote Sensing Applications (EORSA)*, 1–5.
- Liu, L., Cheng, J., Quan, Q., Wu, F.-X., Wang, Y.-P., & Wang, J. (2020). A survey on u-shaped networks in medical image segmentations. *Neurocomputing*, 409, 244–258.
- Liu, L., Knight, J., Lemke, R., & Farrell, R. (2021). Type of pulse crop included in a 2-year rotation with wheat affects total n₂o loss and intensity. *Biology and Fertility of Soils*, 57, 699–713. <https://doi.org/10.1007/s00374-021-01562-4>
- Liu, P., Zheng, P., Yang, S., & Chen, Z. (2019). Modeling and analysis of spatial inter-symbol interference for rgb image sensors based on visible light communication. *Sensors*, 19(22), 4999.
- Liu, S., Baret, F., Abichou, M., Boudon, F., Thomas, S., Zhao, K., Fournier, C., Andrieu, B., Irfan, K., Hemmerlé, M., et al. (2017). Estimating wheat green area index from

- ground-based lidar measurement using a 3d canopy structure model. *Agricultural and Forest Meteorology*, 247, 12–20.
- Liu, W., Li, Y., Liu, J., & Jiang, J. (2021). Estimation of plant height and aboveground biomass of *toona sinensis* under drought stress using rgb-d imaging. *Forests*, 12(12), 1747.
- Liu, X., & Bo, Y. (2015). Object-based crop species classification based on the combination of airborne hyperspectral images and lidar data. *Remote Sensing*, 7(1), 922–950.
- Liu, Y., Feng, H., Yue, J., Jin, X., Li, Z., & Yang, G. (2022). Estimation of potato above-ground biomass based on unmanned aerial vehicle red-green-blue images with different texture features and crop height. *Frontiers in Plant Science*, 13, 938216.
- Liu, Y., Liu, S., Li, J., Guo, X., Wang, S., & Lu, J. (2019). Estimating biomass of winter oilseed rape using vegetation indices and texture metrics derived from uav multispectral images. *Computers and Electronics in Agriculture*, 166, 105026.
- Lobell, D. B., & Field, C. B. (2007). Global scale climate–crop yield relationships and the impacts of recent warming. *Environmental research letters*, 2(1), 014002.
- Lopes, R. H., Reid, I., & Hobson, P. R. (2007). The two-dimensional kolmogorov-smirnov test.
- López-Serrano, P. M., Cárdenas Domínguez, J. L., Corral-Rivas, J. J., Jiménez, E., López-Sánchez, C. A., & Vega-Nieva, D. J. (2019). Modeling of aboveground biomass with landsat 8 oli and machine learning in temperate forests. *Forests*, 11(1), 11.
- Lu, J., Wang, H., Qin, S., Cao, L., Pu, R., Li, G., & Sun, J. (2020). Estimation of aboveground biomass of *robinia pseudoacacia* forest in the yellow river delta based on uav and backpack lidar point clouds. *International Journal of Applied Earth Observation and Geoinformation*, 86, 102014.
- Lu, J., Cheng, D., Geng, C., Zhang, Z., Xiang, Y., & Hu, T. (2021). Combining plant height, canopy coverage and vegetation index from uav-based rgb images to estimate leaf nitrogen concentration of summer maize. *Biosystems Engineering*, 202, 42–54.

- Lu, N., Zhou, J., Han, Z., Li, D., Cao, Q., Yao, X., Tian, Y., Zhu, Y., Cao, W., & Cheng, T. (2019). Improved estimation of aboveground biomass in wheat from rgb imagery and point cloud data acquired with a low-cost unmanned aerial vehicle system. *Plant Methods*, *15*(1), 1–16.
- Luetzenburg, G., Kroon, A., & Bjørk, A. A. (2021). Evaluation of the apple iphone 12 pro lidar for an application in geosciences. *Scientific reports*, *11*(1), 22221.
- Luo, H., Li, M., Dai, S., Li, H., Li, Y., Hu, Y., Zheng, Q., Yu, X., & Fang, J. (2022). Combinations of feature selection and machine learning algorithms for object-oriented betel palms and mango plantations classification based on gaofen-2 imagery. *Remote Sensing*, *14*(7), 1757.
- Luo, M., Wang, Y., Xie, Y., Zhou, L., Qiao, J., Qiu, S., & Sun, Y. (2021). Combination of feature selection and catboost for prediction: The first application to the estimation of aboveground biomass. *Forests*, *12*(2), 216.
- Luo, S., Chen, J. M., Wang, C., Xi, X., Zeng, H., Peng, D., & Li, D. (2016). Effects of lidar point density, sampling size and height threshold on estimation accuracy of crop biophysical parameters. *Optics express*, *24*(11), 11578–11593.
- Luo, S., Wang, C., Xi, X., Nie, S., Fan, X., Chen, H., Ma, D., Liu, J., Zou, J., Lin, Y., et al. (2019). Estimating forest aboveground biomass using small-footprint full-waveform airborne lidar data. *International Journal of Applied Earth Observation and Geoinformation*, *83*, 101922.
- Luo, S., Wang, C., Xi, X., Nie, S., Fan, X., Chen, H., Yang, X., Peng, D., Lin, Y., & Zhou, G. (2019). Combining hyperspectral imagery and lidar pseudo-waveform for predicting crop lai, canopy height and above-ground biomass. *Ecological Indicators*, *102*, 801–812.
- Lupwayi, N. Z., Clayton, G. W., & Rice, W. A. (2006). Rhizobial inoculants for legume crops. *Journal of Crop Improvement*, *15*(2), 289–321.

- Lussem, U., Bolten, A., Menne, J., Gnyp, M. L., Schellberg, J., & Bareth, G. (2019). Estimating biomass in temperate grassland with high resolution canopy surface models from uav-based rgb images and vegetation indices. *Journal of Applied Remote Sensing*, 13(3), 034525–034525.
- Lussem, U., Schellberg, J., & Bareth, G. (2020). Monitoring forage mass with low-cost uav data: Case study at the rengen grassland experiment. *PFG–Journal of Photogrammetry, Remote Sensing and Geoinformation Science*, 88, 407–422.
- Madec, S., Baret, F., De Solan, B., Thomas, S., Dutartre, D., Jezequel, S., Hemmerlé, M., Colombeau, G., & Comar, A. (2017). High-throughput phenotyping of plant height: Comparing unmanned aerial vehicles and ground lidar estimates. *Frontiers in plant science*, 8, 2002.
- Maesano, M., Khoury, S., Nakhle, F., Firrincieli, A., Gay, A., Tauro, F., & Harfouche, A. (2020). Uav-based lidar for high-throughput determination of plant height and above-ground biomass of the bioenergy grass arundo donax. *Remote Sensing*, 12(20), 3464.
- Maimaitijiang, M., Sagan, V., Erkbol, H., Adrian, J., Newcomb, M., LeBauer, D., Pauli, D., Shakoor, N., & Mockler, T. (2020). Uav-based sorghum growth monitoring: A comparative analysis of lidar and photogrammetry. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 3, 489–496.
- Maimaitijiang, M., Sagan, V., Sidike, P., Daloye, A. M., Erkbol, H., & Fritschi, F. B. (2020). Crop monitoring using satellite/uav data fusion and machine learning. *Remote Sensing*, 12(9), 1357.
- Maimaitijiang, M., Sagan, V., Sidike, P., Maimaitiyiming, M., Hartling, S., Peterson, K. T., Maw, M. J., Shakoor, N., Mockler, T., & Fritschi, F. B. (2019). Vegetation index weighted canopy volume model (cvmvi) for soybean biomass estimation from unmanned aerial system-based rgb imagery. *ISPRS Journal of Photogrammetry and Remote Sensing*, 151, 27–41.

- Maldonado, S., Weber, R., & Basak, J. (2011). Simultaneous feature selection and classification using kernel-penalized support vector machines. *Information Sciences*, 181(1), 115–128.
- Mancini, A., Frontoni, E., & Zingaretti, P. (2019). Satellite and uav data for precision agriculture applications. *2019 International Conference on Unmanned Aircraft Systems (ICUAS)*, 491–497.
- Mandal, D., Kumar, V., & Rao, Y. S. (2022). An assessment of temporal radarsat-2 sar data for crop classification using kpca based support vector machine. *Geocarto International*, 37(6), 1547–1559.
- Mann, A., Kumar, A., Sanwal, S. K., & Sharma, P. C. (2020). Sustainable production of pulses under saline lands in india. In *Legume crops-prospects, production and uses*. IntechOpen.
- Mao, P., Qin, L., Hao, M., Zhao, W., Luo, J., Qiu, X., Xu, L., Xiong, Y., Ran, Y., Yan, C., et al. (2021). An improved approach to estimate above-ground volume and biomass of desert shrub communities based on uav rgb images. *Ecological Indicators*, 125, 107494.
- Martin, K. L., Girma, K., Freeman, K., Teal, R., Tubaña, B., Arnall, D., Chung, B., Walsh, O., Solie, J., Stone, M., et al. (2007). Expression of variability in corn as influenced by growth stage using optical sensor measurements. *Agronomy Journal*, 99(2), 384–389.
- Marzougui, A., McGee, R. J., Van Vleet, S., & Sankaran, S. (2023). Remote sensing for field pea yield estimation: A study of multi-scale data fusion approaches in phenomics. *Frontiers in Plant Science*, 14, 1111575.
- Masjedi, A., Zhao, J., Thompson, A. M., Yang, K.-W., Flatt, J. E., Crawford, M. M., Ebert, D. S., Tuinstra, M. R., Hammer, G., & Chapman, S. (2018). Sorghum biomass prediction using uav-based remote sensing data and crop model simulation. *IGARSS 2018-2018 IEEE International Geoscience and Remote Sensing Symposium*, 7719–7722.

- Matese, A., Di Gennaro, S. F., & Berton, A. (2017). Assessment of a canopy height model (chm) in a vineyard using uav-based multispectral imaging. *International Journal of Remote Sensing*, 38(8-10), 2150–2160.
- Maulik, U., & Chakraborty, D. (2017). Remote sensing image classification: A survey of support-vector-machine-based advanced techniques. *IEEE Geoscience and Remote Sensing Magazine*, 5(1), 33–52.
- Mauro, F., Monleon, V. J., Gray, A. N., Kuegler, O., Temesgen, H., Hudak, A. T., Fekety, P. A., & Yang, Z. (2022). Comparison of model-assisted endogenous poststratification methods for estimation of above-ground biomass change in oregon, usa. *Remote Sensing*, 14(23), 6024.
- Maxwell, A. E., Warner, T. A., & Guillén, L. A. (2021). Accuracy assessment in convolutional neural network-based deep learning remote sensing studies—part 1: Literature review. *Remote Sensing*, 13(13), 2450.
- Mazzia, V., Comba, L., Khaliq, A., Chiaberge, M., & Gay, P. (2020). UAV and machine learning based refinement of a satellite-driven vegetation index for precision agriculture. *Sensors*, 20(9), 2530.
- Meena, S. V., Dhaka, V. S., & Sinwar, D. (2020). Exploring the role of vegetation indices in plant diseases identification. *2020 Sixth International Conference on Parallel, Distributed and Grid Computing (PDGC)*, 372–377.
- Messina, G., Peña, J. M., Vizzari, M., & Modica, G. (2020). A comparison of UAV and satellites multispectral imagery in monitoring onion crop. an application in the Cipolla Rossa di Tropea (Italy). *Remote Sensing*, 12(20), 3424.
- Michez, A., Lejeune, P., Bauwens, S., Herinaina, A. A. L., Blaise, Y., Castro Muñoz, E., Lebeau, F., & Bindelle, J. (2019). Mapping and monitoring of biomass and grazing in pasture with an unmanned aerial system. *Remote Sensing*, 11(5), 473.
- Mienye, I. D., & Sun, Y. (2022). A survey of ensemble learning: Concepts, algorithms, applications, and prospects. *IEEE Access*, 10, 99129–99149.

- Min, Y., Chen, L., & Karbasi, A. (2021). The curious case of adversarially robust models: More data can help, double descend, or hurt generalization. *Uncertainty in Artificial Intelligence*, 129–139.
- Minaee, S., Boykov, Y., Porikli, F., Plaza, A., Kehtarnavaz, N., & Terzopoulos, D. (2021). Image segmentation using deep learning: A survey. *IEEE transactions on pattern analysis and machine intelligence*, 44(7), 3523–3542.
- Mlambo, R., Woodhouse, I. H., Gerard, F., & Anderson, K. (2017). Structure from motion (sfm) photogrammetry with drone data: A low cost method for monitoring greenhouse gas emissions from forests in developing countries. *Forests*, 8(3), 68.
- Moeckel, T., Dayananda, S., Nidamanuri, R. R., Nautiyal, S., Hanumaiah, N., Buerkert, A., & Wachendorf, M. (2018). Estimation of vegetable crop parameter by multi-temporal uav-borne images. *Remote Sensing*, 10(5), 805.
- Moeinizade, S., Pham, H., Han, Y., Dobbels, A., & Hu, G. (2022). An applied deep learning approach for estimating soybean relative maturity from uav imagery to aid plant breeding decisions. *Machine Learning with Applications*, 7, 100233.
- Moghimi, A., Yang, C., & Marchetto, P. M. (2018). Ensemble feature selection for plant phenotyping: A journey from hyperspectral to multispectral imaging. *IEEE Access*, 6, 56870–56884.
- Mohandes, M., Deriche, M., & Aliyu, S. O. (2018). Classifiers combination techniques: A comprehensive review. *IEEE Access*, 6, 19626–19639. <https://doi.org/10.1109/ACCESS.2018.2813079>
- Mohsan, S. A. H., Khan, M. A., Noor, F., Ullah, I., & Alsharif, M. H. (2022). Towards the unmanned aerial vehicles (uavs): A comprehensive review. *Drones*, 6(6), 147.
- Molaei, B., Chandel, A., Peters, R. T., Khot, L. R., & Vargas, J. Q. (2022). Investigating lodging in spearmint with overhead sprinklers compared to drag hoses using entropy values from low altitude rgb-imagery. *Information Processing in Agriculture*, 9(2), 335–341.

- Montesinos López, O. A., Montesinos López, A., & Crossa, J. (2022). Overfitting, model tuning, and evaluation of prediction performance. In *Multivariate statistical machine learning methods for genomic prediction* (pp. 109–139). Springer.
- Moradi, F., Darvishsefat, A. A., Pourrahmati, M. R., Deljouei, A., & Borz, S. A. (2022). Estimating aboveground biomass in dense hyrcanian forests by the use of sentinel-2 data. *Forests*, *13*(1), 104.
- Moradi, F., Sadeghi, S. M. M., Heidarlou, H. B., Deljouei, A., Boshkar, E., & Borz, S. A. (2022). Above-ground biomass estimation in a mediterranean sparse coppice oak forest using sentinel-2 data. *Annals of Forest Research*, *65*(1), 165–182.
- Morgan, J. A., Brogan, D. J., & Nelson, P. A. (2017). Application of structure-from-motion photogrammetry in laboratory flumes. *Geomorphology*, *276*, 125–143.
- Moukomla, S., Srestasathiern, P., Siripon, S., Wasuhiranyrith, R., & Koocha, P. (2018). Estimating above ground biomass for eucalyptus plantation using data from unmanned aerial vehicle imagery. *Remote Sensing for Agriculture, Ecosystems, and Hydrology XX*, *10783*, 39–44.
- Muharam, F. M., Nurulhuda, K., Zulkaffi, Z., Tarmizi, M. A., Abdullah, A. N. H., Che Hashim, M. F., Mohd Zad, S. N., Radhwane, D., & Ismail, M. R. (2021). Uav-and random-forest-adaboost (rfa)-based estimation of rice plant traits. *Agronomy*, *11*(5), 915.
- Murtagh, F. (1991). Multilayer perceptrons for classification and regression. *Neurocomputing*, *2*(5-6), 183–197.
- Mustafa, G., Zheng, H., Khan, I. H., Tian, L., Jia, H., Li, G., Cheng, T., Tian, Y., Cao, W., Zhu, Y., et al. (2022). Hyperspectral reflectance proxies to diagnose in-field fusarium head blight in wheat with machine learning. *Remote Sensing*, *14*(12), 2784.
- Mutanga, O., Adam, E., & Cho, M. A. (2012). High density biomass estimation for wet-land vegetation using worldview-2 imagery and random forest regression algorithm. *International Journal of Applied Earth Observation and Geoinformation*, *18*, 399–406.

- Muumbe, T. P., Baade, J., Singh, J., Schmullius, C., & Thau, C. (2021). Terrestrial laser scanning for vegetation analyses with a special focus on savannas. *Remote Sensing*, *13*(3), 507.
- Nagelkerke, N. J., et al. (1991). A note on a general definition of the coefficient of determination. *biometrika*, *78*(3), 691–692.
- Näsi, R., Viljanen, N., Kaivosoja, J., Alhonoja, K., Hakala, T., Markelin, L., & Honkavaara, E. (2018). Estimating biomass and nitrogen amount of barley and grass using uav and aircraft based spectral and photogrammetric 3d features. *Remote Sensing*, *10*(7), 1082.
- Natekin, A., & Knoll, A. (2013). Gradient boosting machines, a tutorial. *Frontiers in neurorobotics*, *7*, 21.
- Navabi, A., Iqbal, M., Strenzke, K., & Spaner, D. (2006). The relationship between lodging and plant height in a diverse wheat population. *Canadian journal of plant science*, *86*(3), 723–726.
- Navarro, A., Young, M., Allan, B., Carnell, P., Macreadie, P., & Ierodiaconou, D. (2020). The application of unmanned aerial vehicles (uavs) to estimate above-ground biomass of mangrove ecosystems. *Remote Sensing of Environment*, *242*, 111747.
- Nguyen, P., Badenhorst, P. E., Shi, F., Spangenberg, G. C., Smith, K. F., & Daetwyler, H. D. (2020). Design of an unmanned ground vehicle and lidar pipeline for the high-throughput phenotyping of biomass in perennial ryegrass. *Remote Sensing*, *13*(1), 20.
- Ni, W., Dong, J., Sun, G., Zhang, Z., Pang, Y., Tian, X., Li, Z., & Chen, E. (2019). Synthesis of leaf-on and leaf-off unmanned aerial vehicle (uav) stereo imagery for the inventory of aboveground biomass of deciduous forests. *Remote Sensing*, *11*(7), 889.
- Ni, W., Sun, G., Pang, Y., Zhang, Z., Liu, J., Yang, A., Wang, Y., & Zhang, D. (2018). Mapping three-dimensional structures of forest canopy using uav stereo imagery: Evaluating impacts of forward overlaps and image resolutions with lidar data as reference.

- IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 11(10), 3578–3589.
- Niazian, M., & Niedbała, G. (2020). Machine learning for plant breeding and biotechnology. *Agriculture*, 10(10), 436.
- Niu, G., Singh, S., Holland, S. W., & Pecht, M. (2011). Health monitoring of electronic products based on mahalanobis distance and weibull decision metrics. *Microelectronics Reliability*, 51(2), 279–284.
- Niu, Y., Zhang, L., Zhang, H., Han, W., & Peng, X. (2019). Estimating above-ground biomass of maize using features derived from uav-based rgb imagery. *Remote Sensing*, 11(11), 1261.
- Noorunnahar, M., Chowdhury, A. H., & Mila, F. A. (2023). A tree based extreme gradient boosting (xgboost) machine learning model to forecast the annual rice production in bangladesh. *PloS one*, 18(3), e0283452.
- Novotný, J., Navrátilová, B., Janoutová, R., Oulehle, F., & Homolová, L. (2020). Influence of site-specific conditions on estimation of forest above ground biomass from airborne laser scanning. *Forests*, 11(3), 268.
- Núñez, H., Gonzalez-Abril, L., & Angulo, C. (2017). Improving svm classification on imbalanced datasets by introducing a new bias. *Journal of Classification*, 34, 427–443.
- Nurmukhametov, A., Sidorchuk, D., Konovalenko, I., Nikonorov, A., & Gracheva, M. (2022). Spectral harmonization of UAV and satellite data for the needs of precision agriculture. *Journal of Communications Technology and Electronics*, 67(Suppl 2), S275–S282.
- Nurunnabi, A., West, G., & Belton, D. (2015). Outlier detection and robust normal-curvature estimation in mobile laser scanning 3d point cloud data. *Pattern Recognition*, 48(4), 1404–1419.

- Nyimbili, P. H., Demirel, H., Seker, D. Z., & Erden, T. (2016). Structure from motion (sfm)-approaches and applications. *Proceedings of the international scientific conference on applied sciences, Antalya, Turkey*, 27–30.
- Oliveira, D. M., Mota, T. R., Grandis, A., de Moraes, G. R., de Lucas, R. C., Polizeli, M. L., Marchiosi, R., Buckeridge, M. S., Ferrarese-Filho, O., & dos Santos, W. D. (2020). Lignin plays a key role in determining biomass recalcitrance in forage grasses. *Renewable Energy*, 147, 2206–2217.
- Olson, D., & Anderson, J. (2021). Review on unmanned aerial vehicles, remote sensors, imagery processing, and their applications in agriculture. *Agronomy Journal*, 113(2), 971–992.
- Omasa, K., Hosoi, F., & Konishi, A. (2007). 3d lidar imaging for detecting and understanding plant responses and canopy structure. *Journal of experimental botany*, 58(4), 881–898.
- Osco, L. P., Junior, J. M., Ramos, A. P. M., Furuya, D. E. G., Santana, D. C., Teodoro, L. P. R., Gonçalves, W. N., Baio, F. H. R., Pistori, H., Junior, C. A. d. S., et al. (2020). Leaf nitrogen concentration and plant height prediction for maize using uav-based multispectral imagery and machine learning techniques. *Remote Sensing*, 12(19), 3237.
- Ostroumov, I., & Kuzmenko, N. (2021). Outliers detection in unmanned aerial system data. *2021 11th International Conference on Advanced Computer Information Technologies*, 591–594.
- Panday, U. S., Pratihast, A. K., Aryal, J., & Kayastha, R. B. (2020). A review on drone-based data solutions for cereal crops. *Drones*, 4(3), 41.
- Pandey, P. C., Anand, A., & Srivastava, P. K. (2019). Spatial distribution of mangrove forest species and biomass assessment using field inventory and earth observation hyperspectral data. *Biodiversity and Conservation*, 28, 2143–2162.

- Pang, H., Zhang, A., Kang, X., He, N., & Dong, G. (2020). Estimation of the grassland aboveground biomass of the inner mongolia plateau using the simulated spectra of sentinel-2 images. *Remote Sensing*, 12(24), 4155.
- Panigrahy, C., Seal, A., & Mahato, N. K. (2020). Fractal dimension of synthesized and natural color images in lab space. *Pattern Analysis and Applications*, 23(2), 819–836.
- Parashar, N., Johri, P., Khan, A. A., Gaur, N., & Kadry, S. (2024). An integrated analysis of yield prediction models: A comprehensive review of advancements and challenges. *Computers, Materials & Continua*, 80(1).
- Parganiha, V., & Verma, M. (2024). An effective soil analysis and crop yield prediction based on optimised light gbm in smart agriculture. *Journal of Agronomy and Crop Science*, 210(4), e12726.
- Pastonchi, L., Di Gennaro, S. F., Toscano, P., & Matese, A. (2020). Comparison between satellite and ground data with UAV-based information to analyse vineyard spatio-temporal variability: This article is published in cooperation with the XIIIth International Terroir Congress November 17-18 2020, Adelaide, Australia. Guest editors: Cassandra Collins and Roberta De Bei. *Oeno One*, 54(4), 919–934.
- Patil Shirish, S., & Bhalerao, S. A. (2013). Precision farming: The most scientific and modern approach to sustainable agriculture. *Int. Res. J. of Sci. & Eng*, 1(2), 21–30.
- Paulo, F., & Zhao, Z. (2021). Wheat lodging ratio detection based on uas imagery coupled with different machine learning and deep learning algorithms. *Smart Agriculture*, 3(2), 23.
- Paulus, S., Dupuis, J., Riedel, S., & Kuhlmann, H. (2014). Automated analysis of barley organs using 3d laser scanning: An approach for high throughput phenotyping. *Sensors*, 14(7), 12670–12686.
- Peña, J. M., de Castro, A. I., Torres-Sánchez, J., Andújar, D., San Martín, C., Dorado, J., Fernández-Quintanilla, C., & López-Granados, F. (2018). Estimating tree height and

- biomass of a poplar plantation with image-based uav technology. *AIMS Agric. Food*, 3(3), 313–326.
- Peng, J., Manevski, K., Kørup, K., Larsen, R., & Andersen, M. N. (2021). Random forest regression results in accurate assessment of potato nitrogen status based on multi-spectral data from different platforms and the critical concentration approach. *Field Crops Research*, 268, 108158.
- Pérez-Cruz, F., & Bousquet, O. (2004). Kernel methods and their potential use in signal processing. *IEEE signal processing magazine*, 21(3), 57–65.
- Peter, B. G., Messina, J. P., Carroll, J. W., Zhi, J., Chimonyo, V., Lin, S., & Snapp, S. S. (2020). Multi-spatial resolution satellite and sUAS imagery for precision agriculture on smallholder farms in Malawi. *Photogrammetric Engineering & Remote Sensing*, 86(2), 107–119.
- Pham, T. D., Xia, J., Ha, N. T., Bui, D. T., Le, N. N., & Takeuchi, W. (2019). A review of remote sensing approaches for monitoring blue carbon ecosystems: Mangroves, seagrasses and salt marshes during 2010–2018. *Sensors*, 19(8), 1933.
- Poley, L., & McDermid, G. (2020). A systematic review of the factors influencing the estimation of vegetation aboveground biomass using unmanned aerial systems. *remote sens.* 12, 1052.
- Pranga, J., Borra-Serrano, I., Aper, J., Swaef, T. D., Ghesquiere, A., Quataert, P., Roldán-Ruiz, I., Janssens, I., Ruyschaert, G., & Lootens, P. (2021). Improving accuracy of herbage yield predictions in perennial ryegrass with uav-based structural and spectral data fusion and machine learning. *Remote. Sens.*, 13, 3459. <https://doi.org/10.3390/rs13173459>
- Prey, L., Ramgraber, L., Seidl-Schulz, J., Hanemann, A., & Noack, P. O. (2023). The transferability of spectral grain yield prediction in wheat breeding across years and trial locations. *Sensors*, 23(8), 4177.

- Příkopa, M., Richter, R., Zimolka, J., Cerkal, R., et al. (2005). The influence of the year, fore-crops and fertilisation on yield and content of crude protein in spring barley. *Plant, Soil and Environment*, 51(3), 144–150.
- Prins, A. J., & Van Niekerk, A. (2021). Crop type mapping using LiDAR, Sentinel-2 and aerial imagery with machine learning algorithms. *Geo-Spatial Information Science*, 24(2), 215–227.
- Quirós Vargas, J. J., Zhang, C., Smitchger, J. A., McGee, R. J., & Sankaran, S. (2019). Phenotyping of plant biomass and performance traits using remote sensing techniques in pea (*pisum sativum*, l.) *Sensors*, 19(9), 2031.
- R. Morgan, G., Hodgson, M. E., Wang, C., & R. Schill, S. (2022). Unmanned aerial remote sensing of coastal vegetation: A review. *Annals of GIS*, 28(3), 385–399.
- Radočaj, D., Jurišić, M., & Gašparović, M. (2022). The role of remote sensing data and methods in a modern approach to fertilization in precision agriculture. *Remote Sensing*, 14(3), 778.
- Rajah, P., Odindi, J., Abdel-Rahman, E., & Mutanga, O. (2017). Determining the optimal phenological stage for predicting common dry bean (*phaseolus vulgaris*) yield using field spectroscopy. *South African Journal of Plant and Soil*, 34(5), 379–388.
- Rajkumara, S. (2008). Lodging in cereals—a review. *Agricultural reviews*, 29(1), 55–60.
- Räsänen, A., Juutinen, S., Kalacska, M., Aurela, M., Heikkinen, P., Mäenpää, K., Rimali, A., & Virtanen, T. (2020). Peatland leaf-area index and biomass estimation with ultra-high resolution remote sensing. *GIScience & Remote Sensing*, 57(7), 943–964.
- Rasel, S. M., Chang, H.-C., Ralph, T. J., Saintilan, N., & Diti, I. J. (2021). Application of feature selection methods and machine learning algorithms for saltmarsh biomass estimation using worldview-2 imagery. *Geocarto International*, 36(10), 1075–1099.
- Rasmussen, J., Azim, S., Boldsen, S. K., Nitschke, T., Jensen, S. M., Nielsen, J., & Christensen, S. (2021). The challenge of reproducing remote sensing data from satellites and

- unmanned aerial vehicles (UAVs) in the context of management zones and precision agriculture. *Precision Agriculture*, 22, 834–851.
- Rasmussen, J., Ntakos, G., Nielsen, J., Svendsgaard, J., Poulsen, R. N., & Christensen, S. (2016). Are vegetation indices derived from consumer-grade cameras mounted on UAVs sufficiently reliable for assessing experimental plots? *European Journal of Agronomy*, 74, 75–92.
- Ray, L. I., Swetha, K., Singh, A., & Singh, N. (2023). Water productivity of major pulses—a review. *Agricultural Water Management*, 281, 108249.
- Ray, S. (2019). A quick review of machine learning algorithms. *2019 International conference on machine learning, big data, cloud and parallel computing (COMITCon)*, 35–39.
- Rehman, T. U., Ma, D., Wang, L., Zhang, L., & Jin, J. (2020). Predictive spectral analysis using an end-to-end deep model from hyperspectral images for high-throughput plant phenotyping. *Computers and Electronics in Agriculture*, 177, 105713.
- Reinert, C. P., Krieg, E.-M., Bösmüller, H., & Horger, M. (2020). Mid-term response assessment in multiple myeloma using a texture analysis approach on dual energy-ct-derived bone marrow images—a proof of principle study. *European Journal of Radiology*, 131, 109214.
- Ren, H., Xiao, W., Zhao, Y., & Hu, Z. (2020). Land damage assessment using maize above-ground biomass estimated from unmanned aerial vehicle in high groundwater level regions affected by underground coal mining. *Environmental Science and Pollution Research*, 27, 21666–21679.
- Ren, P., Li, H., Han, S., Chen, R., Yang, G., Yang, H., Feng, H., & Zhao, C. (2023). Estimation of soybean yield by combining maturity group information and unmanned aerial vehicle multi-sensor data using machine learning. *Remote Sensing*. <https://doi.org/10.3390/rs15174286>

- Renjith, P., et al. (2020). Classification of durian fruits based on ripening with machine learning techniques. *2020 3rd International Conference on Intelligent Sustainable Systems (ICISS)*, 542–547.
- Rex, F. E., Silva, C. A., Dalla Corte, A. P., Klauberg, C., Mohan, M., Cardil, A., Silva, V. S. d., Almeida, D. R. A. d., Garcia, M., Broadbent, E. N., et al. (2020). Comparison of statistical modelling approaches for estimating tropical forest aboveground biomass stock and reporting their changes in low-intensity logging areas using multi-temporal lidar data. *Remote Sensing*, 12(9), 1498.
- Reynolds, M., Chapman, S., Crespo-Herrera, L., Molero, G., Mondal, S., Pequeno, D. N., Pinto, F., Pinera-Chavez, F. J., Poland, J., Rivera-Amado, C., et al. (2020). Breeder friendly phenotyping. *Plant Science*, 295, 110396.
- Rigden, A., Mueller, N. v., Holbrook, N., Pillai, N., & Huybers, P. (2020). Combined influence of soil moisture and atmospheric evaporative demand is important for accurately predicting us maize yields. *Nature Food*, 1(2), 127–133.
- Rodriguez-Galiano, V., Sanchez-Castillo, M., Chica-Olmo, M., & Chica-Rivas, M. (2015). Machine learning predictive models for mineral prospectivity: An evaluation of neural networks, random forest, regression trees and support vector machines. *Ore Geology Reviews*, 71, 804–818.
- Rodriguez-Galiano, V. F., Ghimire, B., Rogan, J., Chica-Olmo, M., & Rigol-Sanchez, J. P. (2012). An assessment of the effectiveness of a random forest classifier for land-cover classification. *ISPRS journal of photogrammetry and remote sensing*, 67, 93–104.
- Rong, L., Duan, X., Gu, Z., & Feng, D. (2021). Climatic and environmental drivers on temporal-spatial variations of grain meteorological yield in high mountainous region. *Archives of Agronomy and Soil Science*, 67(14), 2000–2014.
- Ronoud, G., Fatehi, P., Darvishsefat, A. A., Tomppo, E., Praks, J., & Schaepman, M. E. (2021). Multi-sensor aboveground biomass estimation in the broadleaved hyrcanian forest of iran. *Canadian journal of remote sensing*, 47(6), 818–834.

- Roth, L., & Streit, B. (2018). Predicting cover crop biomass by lightweight uas-based rgb and nir photography: An applied photogrammetric approach. *Precision Agriculture*, *19*, 93–114.
- Roy Choudhury, M., Das, S., Christopher, J., Apan, A., Chapman, S., Menzies, N. W., & Dang, Y. P. (2021). Improving biomass and grain yield prediction of wheat genotypes on sodic soil using integrated high-resolution multispectral, hyperspectral, 3d point cloud, and machine learning techniques. *Remote Sensing*, *13*(17), 3482.
- Royo, S., & Ballesta-Garcia, M. (2019). An overview of lidar imaging systems for autonomous vehicles. *Applied sciences*, *9*(19), 4093.
- Rueda-Ayala, V. P., Peña, J. M., Höglind, M., Bengochea-Guevara, J. M., & Andújar, D. (2019). Comparing uav-based technologies and rgb-d reconstruction methods for plant height and biomass monitoring on grass ley. *Sensors*, *19*(3), 535.
- Rupasinghe, P. A., Simic Milas, A., Arend, K., Simonson, M. A., Mayer, C., & Mackey, S. (2019). Classification of shoreline vegetation in the western basin of lake erie using airborne hyperspectral imager hsi2, pleiades and uav data. *International Journal of Remote Sensing*, *40*(8), 3008–3028.
- Sadeghi, H., & Raie, A.-A. (2019). Human vision inspired feature extraction for facial expression recognition. *Multimedia Tools and Applications*, *78*, 30335–30353.
- Safont, G., Salazar, A., & Vergara, L. (2020). Vector score alpha integration for classifier late fusion. *Pattern Recognition Letters*, *136*, 48–55. <https://doi.org/https://doi.org/10.1016/j.patrec.2020.05.014>
- Sagan, V., Maimaitijiang, M., Sidike, P., Maimaitiyiming, M., Erkbol, H., Hartling, S., Peterson, K., Peterson, J., Burken, J. G., & Fritschi, F. (2019). UAV/satellite multiscale data fusion for crop monitoring and early stress detection.
- Saito, T., & Rehmsmeier, M. (2015). The precision-recall plot is more informative than the roc plot when evaluating binary classifiers on imbalanced datasets. *PLoS one*, *10*(3), e0118432.

- Sakia, R. M. (1992). The box-cox transformation technique: A review. *Journal of the Royal Statistical Society Series D: The Statistician*, 41(2), 169–178.
- Salum, R. B., Souza-Filho, P. W. M., Simard, M., Silva, C. A., Fernandes, M. E., Cougo, M. F., do Nascimento Junior, W., & Rogers, K. (2020). Improving mangrove above-ground biomass estimates using lidar. *Estuarine, Coastal and Shelf Science*, 236, 106585.
- Samantaray, A. K., & Rahulkar, A. D. (2020). New design of adaptive gabor wavelet filter bank for medical image retrieval. *IET Image Processing*, 14(4), 679–687.
- Sanaa, F., Imane, S., Mohamed, B., Kenza, A. E. k., Souhail, K., Lfalah, H., & Khadija, M. (2022). Biomass and carbon stock quantification in cork oak forest of maamora using a new approach based on the combination of aerial laser scanning carried by unmanned aerial vehicle and terrestrial laser scanning data. *Forests*, 13(8), 1211.
- Sandhu, K., Patil, S. S., Pumphrey, M., & Carter, A. (2021). Multitrait machine-and deep-learning models for genomic selection using spectral information in a wheat breeding program. *The Plant Genome*, 14(3), e20119.
- Sankaran, S., Marzougui, A., Hurst, J. P., Zhang, C., Schnable, J. C., & Shi, Y. (2021). Can high-resolution satellite multispectral imagery be used to phenotype canopy traits and yield potential in field conditions? *Transactions of the ASABE*, 64(3), 879–891.
- Santana, D. C., de Oliveira Cunha, M. P., Dos Santos, R. G., Cotrim, M. F., Teodoro, L. P. R., da Silva Junior, C. A., Baio, F. H. R., & Teodoro, P. E. (2022). High-throughput phenotyping allows the selection of soybean genotypes for earliness and high grain yield. *Plant Methods*, 18(1), 13.
- Saravanan, R., & Sujatha, P. (2018). A state of art techniques on machine learning algorithms: A perspective of supervised learning approaches in data classification. *2018 Second international conference on intelligent computing and control systems (ICICCS)*, 945–949.

- Sarkar, S., Zhou, J., Scaboo, A., Zhou, J., Aloysius, N., & Lim, T. T. (2023). Assessment of soybean lodging using uav imagery and machine learning. *Plants*, 12(16), 2893.
- Sarkar, T. K., Roy, D. K., Kang, Y. S., Jun, S. R., Park, J. W., & Ryu, C. S. (2024). Ensemble of machine learning algorithms for rice grain yield prediction using uav-based remote sensing. *Journal of Biosystems Engineering*, 49(1), 1–19.
- Saxena, V., Dwivedi, R. K., & Kumar, A. (2021). Analysis of machine learning algorithms for crop mapping on satellite image data. *2021 10th International Conference on System Modeling & Advancement in Research Trends (SMART)*, 23–28.
- Schonlau, M., & Zou, R. Y. (2020). The random forest algorithm for statistical learning. *The Stata Journal*, 20(1), 3–29.
- Schubert, E., Zimek, A., & Kriegel, H.-P. (2014). Generalized outlier detection with flexible kernel density estimates. *Proceedings of the 2014 SIAM International Conference on Data Mining*, 542–550.
- Schucknecht, A., Seo, B., Krämer, A., Asam, S., Atzberger, C., & Kiese, R. (2022). Estimating dry biomass and plant nitrogen concentration in pre-alpine grasslands with low-cost uas-borne multispectral data—a comparison of sensors, algorithms, and predictor sets. *Biogeosciences*, 19(10), 2699–2727.
- Schulze-Brüninghoff, D., Hensgen, F., Wachendorf, M., & Astor, T. (2019). Methods for lidar-based estimation of extensive grassland biomass. *Computers and Electronics in Agriculture*, 156, 693–699.
- Schut, A. G., Traore, P. C. S., Blaes, X., & de By, R. A. (2018). Assessing yield and fertilizer response in heterogeneous smallholder fields with UAVs and satellites. *Field Crops Research*, 221, 98–107.
- Segal, M. R. (2004). Machine learning benchmarks and random forest regression.
- Seifert, E., Seifert, S., Vogt, H., Drew, D., Van Aardt, J., Kunneke, A., & Seifert, T. (2019). Influence of drone altitude, image overlap, and optical sensor resolution on multi-view reconstruction of forest images. *Remote sensing*, 11(10), 1252.

- Shafian, S., Rajan, N., Schnell, R., Bagavathiannan, M., Valasek, J., Shi, Y., & Olsenholler, J. (2018). Unmanned aerial systems-based remote sensing for monitoring sorghum growth and development. *PloS one*, *13*(5), e0196605.
- Shahhosseini, M., Hu, G., & Archontoulis, S. V. (2020). Forecasting corn yield with machine learning ensembles. *Frontiers in Plant Science*, *11*, 1120.
- Shanthakumar, P., Klepacka, J., Bains, A., Chawla, P., Dhull, S. B., & Najda, A. (2022). The current situation of pea protein and its application in the food industry. *Molecules*, *27*(16), 5354.
- Sharifi, A. (2020). Yield prediction with machine learning algorithms and satellite images. *Journal of the science of food and agriculture*. <https://doi.org/10.1002/jsfa.10696>
- Sharifi, A. (2018). Estimation of biophysical parameters in wheat crops in golestan province using ultra-high resolution images. *Remote Sensing Letters*, *9*(6), 559–568.
- Sharma, B., Yadav, J. K. P. S., & Yadav, S. (2020). Predict crop production in india using machine learning technique: A survey. *2020 8th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions)(ICRITO)*, 993–997.
- Sharma, M., & Biswas, M. (2021). Classification of hyperspectral remote sensing image via rotation-invariant local binary pattern-based weighted generalized closest neighbor. *The Journal of Supercomputing*, *77*, 5528–5561.
- Sharma, P., Leigh, L., Chang, J., Maimaitijiang, M., & Caffé, M. (2022). Above-ground biomass estimation in oats using uav remote sensing and machine learning. *Sensors*, *22*(2), 601.
- Shen, Y., Syrov, L. D., Johnson, E. N., Warkentin, T. D., Ha, T., de Silva, D., & Shirtliffe, S. J. (2022). Optimizing seeding ratio for semi-leafless and leafed pea mixture with precise uav quantification of crop lodging. *Agronomy*, *12*(7), 1532.

- Shi, G., Du, X., Du, M., Li, Q., Tian, X., Ren, Y., Zhang, Y., & Wang, H. (2022). Cotton yield estimation using the remotely sensed cotton boll index from uav images. *Drones*, 6(9), 254.
- Shirzadifar, A., Bajwa, S., Nowatzki, J., & Bazrafkan, A. (2020). Field identification of weed species and glyphosate-resistant weeds using high resolution imagery in early growing season. *Biosystems Engineering*, 200, 200–214.
- Shu, M., Bai, K., Meng, L., Yang, X., Li, B., & Ma, Y. (2023). Assessing maize lodging severity using multitemporal uav-based digital images. *European Journal of Agronomy*, 144, 126754.
- Shu, M., Fei, S., Zhang, B., Yang, X., Guo, Y., Li, B., & Ma, Y. (2022). Application of uav multisensor data and ensemble approach for high-throughput estimation of maize phenotyping traits. *Plant Phenomics*.
- Singh, A., Thakur, N., & Sharma, A. (2016). A review of supervised machine learning algorithms. *2016 3rd international conference on computing for sustainable global development (INDIACom)*, 1310–1315.
- Singh, K. D., Duddu, H. S., Vail, S., Parkin, I., & Shirtliffe, S. J. (2021). Uav-based hyperspectral imaging technique to estimate canola (brassica napus l.) seedpods maturity. *Canadian Journal of Remote Sensing*, 47(1), 33–47.
- Singh, K. K., & Frazier, A. E. (2018). A meta-analysis and review of unmanned aircraft system (uas) imagery for terrestrial applications. *International Journal of Remote Sensing*, 39(15-16), 5078–5098.
- Slavova, V., Ropelewska, E., Sabanci, K., Aslan, M. F., & Nacheva, E. (2022). A comparative evaluation of bayes, functions, trees, meta, rules and lazy machine learning algorithms for the discrimination of different breeding lines and varieties of potato based on spectroscopic data. *European Food Research and Technology*, 248(7), 1765–1775. <https://doi.org/10.1007/s00217-022-04003-0>

- Solomatine, D. P., & Shrestha, D. L. (2004). Adaboost. rt: A boosting algorithm for regression problems. *2004 IEEE international joint conference on neural networks (IEEE Cat. No. 04CH37541)*, 2, 1163–1168.
- Song, Y., Wang, J., Shang, J., & Liao, C. (2020). Using uav-based socp derived lai and safy model for biomass and yield estimation of winter wheat. *Remote Sensing*, 12(15), 2378.
- Song, Z., Zhang, Z., Yang, S., Ding, D., & Ning, J. (2020). Identifying sunflower lodging based on image fusion and deep semantic segmentation with uav remote sensing imaging. *Computers and Electronics in Agriculture*, 179, 105812.
- Sozzi, M., Kayad, A., Gobbo, S., Cogato, A., Sartori, L., & Marinello, F. (2021). Economic comparison of satellite, plane and UAV-acquired NDVI images for site-specific nitrogen application: Observations from Italy. *Agronomy*, 11(11), 2098.
- Stamford, J. D., Violet-Chabrand, S., Cameron, I., & Lawson, T. (2023). Development of an accurate low cost ndvi imaging system for assessing plant health. *Plant Methods*, 19(1), 9.
- Stanton, C., Starek, M. J., Elliott, N., Brewer, M., Maeda, M. M., & Chu, T. (2017). Unmanned aircraft system-derived crop height and normalized difference vegetation index metrics for sorghum yield and aphid stress assessment. *Journal of Applied Remote Sensing*, 11(2), 026035–026035.
- Stepanov, A., Dubrovin, K., Sorokin, A., & Aseeva, T. (2020). Predicting soybean yield at the regional scale using remote sensing and climatic data. *Remote Sensing*, 12(12), 1936.
- Stocco, A., & Tonella, P. (2022). Confidence-driven weighted retraining for predicting safety-critical failures in autonomous driving systems. *Journal of Software: Evolution and Process*, 34(10), e2386.

- Stolarski, O., Fraga, H., Sousa, J. J., & Pádua, L. (2022). Synergistic use of sentinel-2 and UAV multispectral data to improve and optimize viticulture management. *Drones*, 6(11), 366.
- Stow, D., Nichol, C. J., Wade, T., Assmann, J. J., Simpson, G., & Helfter, C. (2019). Illumination geometry and flying height influence surface reflectance and ndvi derived from multispectral uas imagery. *Drones*, 3(3), 55.
- Štroner, M., Urban, R., & Línková, L. (2021). A new method for uav lidar precision testing used for the evaluation of an affordable dji zenmuse l1 scanner. *Remote Sensing*, 13(23), 4811.
- Sun, H. (2023). Crop vegetation indices. In *Encyclopedia of smart agriculture technologies* (pp. 1–7). Springer.
- Sun, Q., Sun, L., Shu, M., Gu, X., Yang, G., & Zhou, L. (2019). Monitoring maize lodging grades via unmanned aerial vehicle multispectral image. *Plant Phenomics*.
- Sun, S., Li, C., & Paterson, A. H. (2017). In-field high-throughput phenotyping of cotton plant height using lidar. *Remote Sensing*, 9(4), 377.
- Sun, S., Li, C., Paterson, A. H., Jiang, Y., Xu, R., Robertson, J. S., Snider, J. L., & Chee, P. W. (2018). In-field high throughput phenotyping and cotton plant growth analysis using lidar. *Frontiers in Plant Science*, 9, 16.
- Sun, Z., Li, Q., Jin, S., Song, Y., Xu, S., Wang, X., Cai, J., Zhou, Q., Ge, Y., Zhang, R., Zang, J., & Jiang, D. (2022). Simultaneous prediction of wheat yield and grain protein content using multitask deep learning from time-series proximal sensing. *Plant Phenomics*, 2022. <https://doi.org/10.34133/2022/9757948>
- Sung, J. (2018). The fourth industrial revolution and precision agriculture. *Automation in Agriculture: Securing Food Supplies for Future Generations*, 1.
- Svensgaard, J., Jensen, S. M., Westergaard, J. C., Nielsen, J., Christensen, S., & Rasmussen, J. (2019). Can reproducible comparisons of cereal genotypes be generated in field ex-

- periments based on UAV imagery using RGB cameras? *European Journal of Agronomy*, 106, 49–57.
- Swayze, N. C., Tinkham, W. T., Creasy, M. B., Vogeler, J. C., Hoffman, C. M., & Hudak, A. T. (2022). Influence of uas flight altitude and speed on aboveground biomass prediction. *Remote Sensing*, 14(9), 1989.
- Swayze, N. C., Tinkham, W. T., Vogeler, J. C., & Hudak, A. T. (2021). Influence of flight parameters on uas-based monitoring of tree height, diameter, and density. *Remote Sensing of Environment*, 263, 112540.
- Sweet, D. D., Tirado, S. B., Springer, N. M., Hirsch, C. N., & Hirsch, C. D. (2022). Opportunities and challenges in phenotyping row crops using drone-based rgb imaging. *The Plant Phenome Journal*, 5(1), e20044.
- Taheri, S., & Mammadov, M. (2013). Learning the naive bayes classifier with optimization models. *International Journal of Applied Mathematics and Computer Science*, 23(4), 787–795.
- Tamiminia, H., Salehi, B., Mahdianpari, M., Beier, C. M., Johnson, L., Phoenix, D. B., & Mahoney, M. (2022). Decision tree-based machine learning models for agb estimation using multi-source remote sensing data and object-based image analysis. *Geocarto international*, 37(26), 12763–12791.
- Tan, S., Mortensen, A. K., Ma, X., Boelt, B., & Gislum, R. (2021). Assessment of grass lodging using texture and canopy height distribution features derived from uav visual-band images. *Agricultural and Forest Meteorology*, 308, 108541.
- Tang, Z., Parajuli, A., Chen, C. J., Hu, Y., Revolinski, S., Medina, C. A., Lin, S., Zhang, Z., & Yu, L.-X. (2021). Validation of uav-based alfalfa biomass predictability using photogrammetry with fully automatic plot segmentation. *Scientific Reports*, 11(1), 3336.

- Tattaris, M., Reynolds, M. P., & Chapman, S. C. (2016). A direct comparison of remote sensing approaches for high-throughput phenotyping in plant breeding. *Frontiers in plant science*, 7, 1131.
- ten Harkel, J., Bartholomeus, H., & Kooistra, L. (2019). Biomass and crop height estimation of different crops using uav-based lidar. *Remote Sensing*, 12(1), 17.
- Teodoro, P. E., Teodoro, L. P. R., Baio, F. H. R., da Silva Junior, C. A., dos Santos, R. G., Ramos, A. P. M., Pinheiro, M. M. F., Osco, L. P., Gonçalves, W. N., Carneiro, A. M., et al. (2021). Predicting days to maturity, plant height, and grain yield in soybean: A machine and deep learning approach using multispectral data. *Remote Sensing*, 13(22), 4632.
- Tharwat, A. (2020). Classification assessment methods. *Applied computing and informatics*, 17(1), 168–192.
- Thavarajah, D., Lawrence, T., Boatwright, L., Windsor, N., Johnson, N., Kay, J., Shipe, E., Kumar, S., & Thavarajah, P. (2023). Organic dry pea (*pisum sativum* l.): A sustainable alternative pulse-based protein for human health. *Plos one*, 18(4), e0284380.
- Théau, J., Lauzier-Hudon, É., Aube, L., & Devillers, N. (2021). Estimation of forage biomass and vegetation cover in grasslands using uav imagery. *PLoS One*, 16(1), e0245784.
- Thenkabail, P. S., Smith, R. B., & De Pauw, E. (2000). Hyperspectral vegetation indices and their relationships with agricultural crop characteristics. *Remote sensing of Environment*, 71(2), 158–182.
- Thompson, C. N., Guo, W., Sharma, B., & Ritchie, G. L. (2019). Using normalized difference red edge index to assess maturity in cotton. *Crop Science*, 59(5), 2167–2177.
- Tian, Y., Huang, H., Zhou, G., Zhang, Q., Tao, J., Zhang, Y., & Lin, J. (2021). Aboveground mangrove biomass estimation in beibu gulf using machine learning and uav remote sensing. *Science of The Total Environment*, 781, 146816.
- Tian, Y., Zhang, Q., Huang, H., Huang, Y., Tao, J., Zhou, G., Zhang, Y., Yang, Y., & Lin, J. (2022). Aboveground biomass of typical invasive mangroves and its distribution

- patterns using uav-lidar data in a subtropical estuary: Maoling river estuary, guangxi, china. *Ecological Indicators*, 136, 108694.
- Ting, K. M., Zhu, Y., Carman, M., Zhu, Y., & Zhou, Z.-H. (2016). Overcoming key weaknesses of distance-based neighbourhood methods using a data dependent dissimilarity measure. *Proceedings of the 22nd ACM SIGKDD international conference on knowledge discovery and data mining*, 1205–1214.
- Togero de Alckmin, G., Kooistra, L., Rawnsley, R., De Bruin, S., & Lucieer, A. (2020). Retrieval of hyperspectral information from multispectral data for perennial ryegrass biomass estimation. *Sensors*, 20(24), 7192.
- Tojal, L.-T., Bastarrika, A., Barrett, B., Sanchez Espeso, J. M., Lopez-Guede, J. M., & Graña, M. (2019). Prediction of aboveground biomass from low-density lidar data: Validation over p. radiata data from a region north of spain. *Forests*, 10(9), 819.
- Torres, J. M., Nieto, P. G., Alejano, L., & Reyes, A. (2011). Detection of outliers in gas emissions from urban areas using functional data analysis. *Journal of hazardous materials*, 186(1), 144–149.
- Torre-Tojal, L., Bastarrika, A., Boyano, A., Lopez-Guede, J. M., & Grana, M. (2022). Above-ground biomass estimation from lidar data using random forest algorithms. *Journal of Computational Science*, 58, 101517.
- Trevisan, R., Pérez, O., Schmitz, N., Diers, B., & Martin, N. (2020). High-throughput phenotyping of soybean maturity using time series uav imagery and convolutional neural networks. *Remote Sensing*, 12(21), 3617.
- Tulbek, M., Lam, R., AsavaJar, P., & Lam, A. (2017). Pea: A sustainable vegetable protein crop. In *Sustainable protein sources* (pp. 145–164). Elsevier.
- Turton, A. E., Augustin, N. H., & Mitchard, E. T. (2022). Improving estimates and change detection of forest above-ground biomass using statistical methods. *Remote Sensing*, 14(19), 4911.

- Varela, S., Pederson, T., Bernacchi, C. J., & Leakey, A. D. (2021). Understanding growth dynamics and yield prediction of sorghum using high temporal resolution uav imagery time series and machine learning. *Remote Sensing*, *13*(9), 1763.
- Vaze, J., Teng, J., & Spencer, G. (2010). Impact of dem accuracy and resolution on topographic indices. *Environmental Modelling & Software*, *25*(10), 1086–1098.
- Viljanen, N., Honkavaara, E., Näsi, R., Hakala, T., Niemeläinen, O., & Kaivosoja, J. (2018). A novel machine learning method for estimating biomass of grass swards using a photogrammetric canopy height model, images and vegetation indices captured by a drone. *Agriculture*, *8*(5), 70.
- Virnodkar, S. S., Pachghare, V. K., Patil, V., & Jha, S. K. (2020). Remote sensing and machine learning for crop water stress determination in various crops: A critical review. *Precision Agriculture*, *21*(5), 1121–1155.
- Vlachopoulos, O., Leblon, B., Wang, J., Haddadi, A., LaRocque, A., & Patterson, G. (2021). Mapping barley lodging with uas multispectral imagery and machine learning. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, *43*, 203–208.
- Vuletić, J., Polić, M., & Orsag, M. (2022). Introducing multispectral-depth (ms-d): Sensor fusion for close range multispectral imaging. *2022 IEEE 18th International Conference on Automation Science and Engineering (CASE)*, 1218–1223.
- Walter, J. D., Edwards, J., McDonald, G., & Kuchel, H. (2019). Estimating biomass and canopy height with lidar for field crop breeding. *Frontiers in plant science*, *10*, 1145.
- Walter, T., Massin, P., Erginay, A., Ordonez, R., Jeulin, C., & Klein, J.-C. (2007). Automatic detection of microaneurysms in color fundus images. *Medical image analysis*, *11*(6), 555–566.
- Wan, L., Zhang, J., Dong, X., Du, X., Zhu, J., Sun, D., Liu, Y., He, Y., & Cen, H. (2021). Unmanned aerial vehicle-based field phenotyping of crop biomass using growth traits retrieved from prosail model. *Computers and Electronics in Agriculture*, *187*, 106304.

- Wan, X., Li, Z., Chen, E., Zhao, L., Zhang, W., & Xu, K. (2021). Forest aboveground biomass estimation using multi-features extracted by fitting vertical backscattered power profile of tomographic sar. *Remote Sensing*, *13*(2), 186.
- Wandinger, U., McCormick, M., Weitkamp, C., et al. (2005). Lidar: Range-resolved optical remote sensing of the atmosphere. *Springer Series in Optical Sciences, edited by: Weitkamp, C., Springer Berlin/Heidelberg*, *102*, 1–18.
- Wang, B. H., Wang, D. B., Ali, Z. A., Ting Ting, B., & Wang, H. (2019). An overview of various kinds of wind effects on unmanned aerial vehicle. *Measurement and Control*, *52*(7-8), 731–739.
- Wang, H., Zhang, W., Yang, G., Lei, L., Han, S., Xu, W., Chen, R., Zhang, C., & Yang, H. (2023). Maize ear height and ear–plant height ratio estimation with lidar data and vertical leaf area profile. *Remote Sensing*, *15*(4), 964.
- Wang, J., Ge, H., Dai, Q., Ahmad, I., Dai, Q., Zhou, G., Qin, M., & Gu, C. (2018). Unsupervised discrimination between lodged and non-lodged winter wheat: A case study using a low-cost unmanned aerial vehicle. *International Journal of Remote Sensing*, *39*, 2079–2088. <https://doi.org/10.1080/01431161.2017.1422875>
- Wang, J., Wu, B., Kohnen, M. V., Lin, D., Yang, C., Wang, X., Qiang, A., Liu, W., Kang, J., Li, H., et al. (2021). Classification of rice yield using uav-based hyperspectral imagery and lodging feature. *Plant Phenomics*.
- Wang, L., Tian, Y., Yao, X., Zhu, Y., & Cao, W. (2014). Predicting grain yield and protein content in wheat by fusing multi-sensor and multi-temporal remote-sensing images. *Field Crops Research*, *164*, 178–188. <https://doi.org/10.1016/J.FCR.2014.05.001>
- Wang, M., Yue, L., Yang, X., Wang, X., Han, Y., & Yu, B. (2021). Fertility-lightgbm: A fertility-related protein prediction model by multi-information fusion and light gradient boosting machine. *Biomedical Signal Processing and Control*, *68*, 102630.
- Wang, T., Liu, Y., Wang, M., Fan, Q., Tian, H., Qiao, X., & Li, Y. (2021). Applications of uas in crop biomass monitoring: A review. *Frontiers in plant science*, *12*, 616689.

- Wang, Z., Ma, Y., Zhang, Y., & Shang, J. (2022). Review of remote sensing applications in grassland monitoring. *Remote Sensing*, 14(12), 2903.
- Waqas, M. M., Wasim, M., Ashraf, M., & Jatoi, W. N. (2023). Engineering principles of precision farming: Pathway for the developing countries to ensure food security. In *Climate change impacts on agriculture: Concepts, issues and policies for developing countries* (pp. 105–133). Springer.
- Wengert, M., Piepho, H.-P., Astor, T., Graß, R., Wijesingha, J., & Wachendorf, M. (2021). Assessing spatial variability of barley whole crop biomass yield and leaf area index in silvoarable agroforestry systems using uav-borne remote sensing. *Remote Sensing*, 13(14), 2751.
- Wiering, N. P., Ehlke, N. J., & Sheaffer, C. C. (2019). Lidar and rgb image analysis to predict hairy vetch biomass in breeding nurseries. *The Plant Phenome Journal*, 2(1), 1–8.
- Wijesingha, J., Moeckel, T., Hensgen, F., & Wachendorf, M. (2019). Evaluation of 3d point cloud-based models for the prediction of grassland biomass. *International Journal of Applied Earth Observation and Geoinformation*, 78, 352–359.
- Wilcox, J., & Sedyama, T. (1981). Interrelationships among height, lodging and yield in determinate and indeterminate soybeans. *Euphytica*, 30, 323–326.
- Wilkes, P., Disney, M., Vicari, M. B., Calders, K., & Burt, A. (2018). Estimating urban above ground biomass with multi-scale lidar. *Carbon balance and management*, 13, 1–20.
- Williams, E. J., & Drexler, J. S. (1981). A non-destructive method for determining peanut pod maturity. *Peanut Science*, 8(2), 134–141.
- Willmott, C. J., & Matsuura, K. (2005). Advantages of the mean absolute error (mae) over the root mean square error (rmse) in assessing average model performance. *Climate research*, 30(1), 79–82.
- Wisniak, J., & Polishuk, A. (1999). Analysis of residuals—a useful tool for phase equilibrium data analysis. *Fluid Phase Equilibria*, 164(1), 61–82.

- Wolpert, D. H. (1992). Stacked generalization. *Neural networks*, 5(2), 241–259.
- Wu, C., Niu, Z., Tang, Q., & Huang, W. (2008). Estimating chlorophyll content from hyperspectral vegetation indices: Modeling and validation. *Agricultural and forest meteorology*, 148(8-9), 1230–1241.
- Wu, H., Yan, Y., Lin, G., Yang, M., Ng, M. K., & Wu, Q. (2020). Iterative refinement for multi-source visual domain adaptation. *IEEE Transactions on Knowledge and Data Engineering*, 34(6), 2810–2823.
- Wu, S., Deng, L., Zhai, J., Lu, Z., Wu, Y., Chen, Y., Guo, L., & Gao, H. (2023). Approach for monitoring spatiotemporal changes in fractional vegetation cover through unmanned aerial system-guided-satellite survey: A case study in mining area. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*.
- Xie, C., & Yang, C. (2020). A review on plant high-throughput phenotyping traits using uav-based sensors. *Computers and Electronics in Agriculture*, 178, 105731.
- Xie, Q., Dash, J., Huang, W., Peng, D., Qin, Q., Mortimer, H., Casa, R., Pignatti, S., Laneve, G., Pascucci, S., et al. (2018). Vegetation indices combining the red and red-edge spectral information for leaf area index retrieval. *IEEE Journal of selected topics in applied earth observations and remote sensing*, 11(5), 1482–1493.
- Xie, Z., Chen, S., Gao, G., Li, H., Wu, X., Meng, L., & Ma, Y. (2022). Evaluation of rapeseed flowering dynamics for different genotypes with uav platform and machine learning algorithm. *Precision Agriculture*, 23(5), 1688–1706.
- Xu, C., Ding, Y., Zheng, X., Wang, Y., Zhang, R., Zhang, H., Dai, Z., & Xie, Q. (2022). A comprehensive comparison of machine learning and feature selection methods for maize biomass estimation using sentinel-1 sar, sentinel-2 vegetation indices, and biophysical variables. *Remote Sensing*, 14(16), 4083.
- Xu, D., Wang, H., Xu, W., Luan, Z., & Xu, X. (2021). Lidar applications to estimate forest biomass at individual tree scale: Opportunities, challenges and future perspectives. *Forests*, 12(5), 550.

- Xu, M., Watanachaturaporn, P., Varshney, P. K., & Arora, M. K. (2005). Decision tree regression for soft classification of remote sensing data. *Remote Sensing of Environment*, 97(3), 322–336.
- Xu, Q., Man, A., Fredrickson, M., Hou, Z., Pitkänen, J., Wing, B., Ramirez, C., Li, B., & Greenberg, J. A. (2018). Quantification of uncertainty in aboveground biomass estimates derived from small-footprint airborne lidar. *Remote sensing of environment*, 216, 514–528.
- Xu, Q.-S., & Liang, Y.-Z. (2001). Monte carlo cross validation. *Chemometrics and Intelligent Laboratory Systems*, 56(1), 1–11.
- Xu, R., Nettleton, D., & Nordman, D. J. (2016). Case-specific random forests. *Journal of Computational and Graphical Statistics*, 25(1), 49–65.
- Yang, H., Li, F., Wang, W., & Yu, K. (2021). Estimating above-ground biomass of potato using random forest and optimized hyperspectral indices. *Remote Sensing*, 13(12), 2339.
- Yang, H., Chen, E., Li, Z., Zhao, C., Yang, G., Pignatti, S., Casa, R., & Zhao, L. (2015). Wheat lodging monitoring using polarimetric index from radarsat-2 data. *International Journal of Applied Earth Observation and Geoinformation*, 34, 157–166.
- Yang, J., Matsushita, B., & Zhang, H. (2023). Improving building rooftop segmentation accuracy through the optimization of unet basic elements and image foreground-background balance. *ISPRS Journal of Photogrammetry and Remote Sensing*, 201, 123–137.
- Yang, M.-D., Tseng, H.-H., Hsu, Y.-C., & Tsai, H. P. (2020). Semantic segmentation using deep learning with vegetation indices for rice lodging identification in multi-date uav visible images. *Remote Sensing*, 12(4), 633.
- Yang, Q., Shi, L., Han, J., Chen, Z., & Yu, J. (2022). A vi-based phenology adaptation approach for rice crop monitoring using uav multispectral images. *Field Crops Research*, 277, 108419.

- Yang, X., Gao, S., Sun, Q., Gu, X., Chen, T., Zhou, J., & Pan, Y. (2022). Classification of maize lodging extents using deep learning algorithms by uav-based rgb and multi-spectral images. *Agriculture*, 12(7), 970.
- Ye, N., van Leeuwen, L., & Nyktas, P. (2019). Analysing the potential of uav point cloud as input in quantitative structure modelling for assessment of woody biomass of single trees. *International Journal of Applied Earth Observation and Geoinformation*, 81, 47–57.
- Yeom, J., Jung, J., Chang, A., Ashapure, A., Maeda, M., Maeda, A., & Landivar, J. (2019). Comparison of vegetation indices derived from uav data for differentiation of tillage effects in agriculture. *Remote Sensing*, 11(13), 1548.
- Yin, X., McClure, M. A., Jaja, N., Tyler, D. D., & Hayes, R. M. (2011). In-season prediction of corn yield using plant height under major production systems. *Agronomy Journal*, 103(3), 923–929.
- Yin, Y., Jang-Jaccard, J., Xu, W., Singh, A., Zhu, J., Sabrina, F., & Kwak, J. (2023). Igrf-rfe: A hybrid feature selection method for mlp-based network intrusion detection on unsw-nb15 dataset. *Journal of Big Data*, 10(1), 1–26.
- You, W., Yang, Z., & Ji, G. (2014). Feature selection for high-dimensional multi-category data using pls-based local recursive feature elimination. *Expert Systems with Applications*, 41(4), 1463–1475.
- Yu, H., Wang, K., Zhang, R., Wu, X., Tong, Y., Wang, R., & He, D. (2021). An improved tool wear monitoring method using local image and fractal dimension of workpiece. *Mathematical Problems in Engineering*, 2021, 1–11.
- Yu, H., Wu, Y., Niu, L., Chai, Y., Feng, Q., Wang, W., & Liang, T. (2021). A method to avoid spatial overfitting in estimation of grassland above-ground biomass on the tibetan plateau. *Ecological Indicators*, 125, 107450.

- Yu, J., Wang, J., Leblon, B., & Song, Y. (2021). Nitrogen estimation for wheat using UAV-based and satellite multispectral imagery, topographic metrics, leaf area index, plant height, soil moisture, and machine learning methods. *Nitrogen*, 3(1), 1–25.
- Yu, J., Cheng, T., Cai, N., Zhou, X.-G., Diao, Z., Wang, T., Du, S., Liang, D., & Zhang, D. (2023). Wheat lodging segmentation based on lstm_pspnet deep learning network. *Drones*, 7(2), 143.
- Yu, N., Li, L., Schmitz, N., Tian, L. F., Greenberg, J. A., & Diers, B. W. (2016). Development of methods to improve soybean yield estimation and predict plant maturity with an unmanned aerial vehicle based platform. *Remote Sensing of Environment*, 187, 91–101.
- Yu, Y., Pan, Y., Yang, X., & Fan, W. (2022). Spatial scale effect and correction of forest aboveground biomass estimation using remote sensing. *Remote Sensing*, 14(12), 2828.
- Yuan, M., Burjel, J., Isermann, J., Goesser, N., & Pittelkow, C. (2019). Unmanned aerial vehicle-based assessment of cover crop biomass and nitrogen uptake variability. *Journal of Soil and Water Conservation*, 74(4), 350–359.
- Yuan, W., Li, J., Bhatta, M., Shi, Y., Baenziger, P. S., & Ge, Y. (2018). Wheat height estimation using lidar in comparison to ultrasonic sensor and uas. *Sensors*, 18(11), 3731.
- Yue, J., Feng, H., Jin, X., Yuan, H., Li, Z., Zhou, C., Yang, G., & Tian, Q. (2018). A comparison of crop parameters estimation using images from uav-mounted snapshot hyperspectral sensor and high-definition digital camera. *Remote Sensing*, 10(7), 1138.
- Yue, J., Yang, G., Tian, Q., Feng, H., Xu, K., & Zhou, C. (2019). Estimate of winter-wheat above-ground biomass based on uav ultrahigh-ground-resolution image textures and vegetation indices. *ISPRS Journal of Photogrammetry and Remote Sensing*, 150, 226–244.
- Yue, J., Zhou, C., Guo, W., Feng, H., & Xu, K. (2021). Estimation of winter-wheat above-ground biomass using the wavelet analysis of unmanned aerial vehicle-based digital

- images and hyperspectral crop canopy images. *International Journal of Remote Sensing*, 42(5), 1602–1622.
- Zakaria, A., Shakaff, A. Y. M., Masnan, M. J., Saad, F. S. A., Adom, A. H., Ahmad, M. N., Jaafar, M. N., Abdullah, A. H., & Kamarudin, L. M. (2012). Improved maturity and ripeness classifications of magnifera indica cv. harumanis mangoes through sensor fusion of an electronic nose and acoustic sensor. *Sensors*, 12(5), 6023–6048.
- Zha, H., Miao, Y., Wang, T., Li, Y., Zhang, J., Sun, W.-W., Feng, Z., & Kusnierek, K. (2020). Improving unmanned aerial vehicle remote sensing-based rice nitrogen nutrition index prediction with machine learning. *Remote. Sens.*, 12, 215. <https://doi.org/10.3390/rs12020215>
- Zhang, A., Yu, H., Huan, Z., Yang, X., Zheng, S., & Gao, S. (2022). Smote-rknn: A hybrid re-sampling method based on smote and reverse k-nearest neighbors. *Information Sciences*, 595, 70–88.
- Zhang, C., Yi, Y., Wang, L., Zhang, X., Chen, S., Su, Z., Zhang, S., & Xue, Y. (2024). Estimation of the bio-parameters of winter wheat by combining feature selection with machine learning using multi-temporal unmanned aerial vehicle multispectral images. *Remote Sensing*, 16(3), 469.
- Zhang, C., Ang, M. H., & Rus, D. (2018). Robust lidar localization for autonomous driving in rain. *2018 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, 3409–3415.
- Zhang, C., Craine, W. A., McGee, R. J., Vandemark, G. J., Davis, J. B., Brown, J., Hulbert, S. H., & Sankaran, S. (2021). High-throughput phenotyping of canopy height in cool-season crops using sensing techniques. *Agronomy Journal*, 113(4), 3269–3280.
- Zhang, C., Marzougui, A., & Sankaran, S. (2020). High-resolution satellite imagery applications in crop phenotyping: An overview. *Computers and Electronics in Agriculture*, 175, 105584.

- Zhang, C., McGee, R. J., Vandemark, G. J., & Sankaran, S. (2021). Crop performance evaluation of chickpea and dry pea breeding lines across seasons and locations using phenomics data. *Frontiers in Plant Science*, 12, 640259.
- Zhang, F., Hassanzadeh, A., Kikkert, J., Pethybridge, S., & van Aardt, J. (2020). Toward a structural description of row crops using uas-based lidar point clouds. *IGARSS 2020-2020 IEEE International Geoscience and Remote Sensing Symposium*, 465–468.
- Zhang, H., Wang, C., Zhu, J., Fu, H., Xie, Q., & Shen, P. (2018). Forest above-ground biomass estimation using single-baseline polarization coherence tomography with p-band polinsar data. *Forests*, 9(4), 163.
- Zhang, H., Wang, L., Tian, T., & Yin, J. (2021). A review of unmanned aerial vehicle low-altitude remote sensing (UAV-LARS) use in agricultural monitoring in china. *Remote Sensing*, 13(6), 1221.
- Zhang, H., Sun, Y., Chang, L., Qin, Y., Chen, J., Qin, Y., Du, J., Yi, S., & Wang, Y. (2018). Estimation of grassland canopy height and aboveground biomass at the quadrat scale using unmanned aerial vehicle. *Remote sensing*, 10(6), 851.
- Zhang, J., Song, Q., Cregan, P. B., Nelson, R. L., Wang, X., Wu, J., & Jiang, G.-L. (2015). Genome-wide association study for flowering time, maturity dates and plant height in early maturing soybean (glycine max) germplasm. *BMC genomics*, 16, 1–11.
- Zhang, J., Pan, Y., Tao, X., Wang, B., Cao, Q., Tian, Y., Zhu, Y., Cao, W., & Liu, X. (2023). In-season mapping of rice yield potential at jointing stage using sentinel-2 images integrated with high-precision uas data. *European Journal of Agronomy*, 146, 126808.
- Zhang, J., Qiu, X., Wu, Y., Zhu, Y., Cao, Q., Liu, X., & Cao, W. (2021). Combining texture, color, and vegetation indices from fixed-wing uas imagery to estimate wheat growth parameters using multivariate regression methods. *Computers and Electronics in Agriculture*, 185, 106138.

- Zhang, L., Shao, Z., Liu, J., & Cheng, Q. (2019). Deep learning based retrieval of forest aboveground biomass from combined lidar and landsat 8 data. *Remote Sensing*, 11(12), 1459.
- Zhang, Q. (2016). *Precision agriculture technology for crop farming*. Taylor & Francis.
- Zhang, S., Zhao, G., Lang, K., Su, B., Chen, X., Xi, X., & Zhang, H. (2019). Integrated satellite, unmanned aerial vehicle (UAV) and ground inversion of the spad of winter wheat in the reviving stage. *Sensors*, 19(7), 1485.
- Zhang, X., Bao, Y., Wang, D., Xin, X., Ding, L., Xu, D., Hou, L., & Shen, J. (2021). Using uav lidar to extract vegetation parameters of inner mongolian grassland. *Remote Sensing*, 13(4), 656.
- Zhang, Y., & Shao, Z. (2021). Assessing of urban vegetation biomass in combination with lidar and high-resolution remote sensing images. *International Journal of Remote Sensing*, 42(3), 964–985.
- Zhang, Y., Qin, Q., Ren, H., Sun, Y., Li, M., Zhang, T., & Ren, S. (2018). Optimal hyperspectral characteristics determination for winter wheat yield prediction. *Remote Sensing*, 10(12), 2015.
- Zhang, Y., Yang, Y., Zhang, Q., Duan, R., Liu, J., Qin, Y., & Wang, X. (2022). Toward multi-stage phenotyping of soybean with multimodal uav sensor data: A comparison of machine learning approaches for leaf area index estimation. *Remote Sensing*, 15(1), 7.
- Zhang, Y., Xia, C., Zhang, X., Cheng, X., Feng, G., Wang, Y., & Gao, Q. (2021). Estimating the maize biomass by crop height and narrowband vegetation indices derived from uav-based hyperspectral images. *Ecological Indicators*, 129, 107985.
- Zhang, Y., Wang, L., Chen, X., Liu, Y., Wang, S., & Wang, L. (2022). Prediction of winter wheat yield at county level in china using ensemble learning. *Progress in Physical Geography: Earth and Environment*, 46(5), 676–696.

- Zhang, Z., Flores, P., Igathinathane, C., L. Naik, D., Kiran, R., & Ransom, J. K. (2020). Wheat lodging detection from uas imagery using machine learning algorithms. *Remote Sensing*, 12(11), 1838.
- Zhanyou, X., York, L. M., Seethepalli, A., Bucciarelli, B., Cheng, H., & Samac, D. A. (2022). Objective phenotyping of root system architecture using image augmentation and machine learning in alfalfa (*medicago sativa* l.)
- Zhao, B., Li, J., Baenziger, P. S., Belamkar, V., Ge, Y., Zhang, J., & Shi, Y. (2020). Automatic wheat lodging detection and mapping in aerial imagery to support high-throughput phenotyping and in-season crop management. *Agronomy*, 10(11), 1762.
- Zhao, H., Shi, J., Qi, X., Wang, X., & Jia, J. (2017). Pyramid scene parsing network. *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2881–2890.
- Zhao, J., Chen, S., Zhou, B., He, H., Zhao, Y., Wang, Y., & Zhou, X. (2024). Multitemporal field-based maize plant height information extraction and verification using solid-state lidar. *Agronomy*, 14(5), 1069.
- Zhao, L., Shi, Y., Liu, B., Hovis, C., Duan, Y., & Shi, Z. (2019). Finer classification of crops by fusing UAV images and sentinel-2a data. *Remote Sensing*, 11(24), 3012.
- Zhao, Q., Yu, S., Zhao, F., Tian, L., & Zhao, Z. (2019). Comparison of machine learning algorithms for forest parameter estimations and application for forest quality assessments. *Forest Ecology and Management*, 434, 224–234.
- Zhao, X., Xia, N., Xu, Y., Huang, X., & Li, M. (2021). Mapping population distribution based on xgboost using multisource data. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 14, 11567–11580.
- Zhao, Y., Liu, X., Wang, Y., Zheng, Z., Zheng, S., Zhao, D., & Bai, Y. (2021). Uav-based individual shrub aboveground biomass estimation calibrated against terrestrial lidar in a shrub-encroached grassland. *International Journal of Applied Earth Observation and Geoinformation*, 101, 102358.

- Zheng, C., Abd-Elrahman, A., Whitaker, V., & Dalid, C. (2022a). Prediction of strawberry dry biomass from uav multispectral imagery using multiple machine learning methods. *Remote Sensing*, *14*(18), 4511.
- Zheng, C., Abd-Elrahman, A., Whitaker, V. M., & Dalid, C. (2022b). Deep learning for strawberry canopy delineation and biomass prediction from high-resolution images. *Plant Phenomics*.
- Zheng, H., Cheng, T., Zhou, M., Li, D., Yao, X., Tian, Y., Cao, W., & Zhu, Y. (2019). Improved estimation of rice aboveground biomass combining textural and spectral analysis of uav imagery. *Precision Agriculture*, *20*, 611–629.
- Zheng, L., Tao, J., Bao, Q., Weng, S., Zhang, Y., Zhao, J., & Huang, L. (2022). Combining spectral and textures of digital imagery for wheat aboveground biomass estimation. *International Conference on Electronic Information Technology (EIT 2022)*, 12254, 304–307.
- Zheng, Y., Guan, F., Fan, S., Yan, X., & Huang, L. (2021). Biomass estimation, nutrient content, and decomposition rate of shoot sheath in moso bamboo forest of yixing forest farm, china. *Forests*, *12*(11), 1555.
- Zhi-yong, W. (2005). Analysis on crude protein content of silage corn in agriculture-animal husbandry ecotone and hyperspectral remote sensing estimation. *Journal of Maize Sciences*.
- Zhou, J., Yungbluth, D., Vong, C. N., Scaboo, A., & Zhou, J. (2019). Estimation of the maturity date of soybean breeding lines using uav-based multispectral imagery. *Remote Sensing*, *11*(18), 2075.
- Zhou, J., Zhou, J., Ye, H., Ali, M. L., Chen, P., & Nguyen, H. T. (2021). Yield estimation of soybean breeding lines under drought stress using unmanned aerial vehicle-based imagery and convolutional neural network. *Biosystems Engineering*, *204*, 90–103.
- Zhou, L., Gu, X., Cheng, S., Yang, G., Shu, M., & Sun, Q. (2020). Analysis of plant height changes of lodged maize using uav-lidar data. *Agriculture*, *10*(5), 146.

- Zhou, X., Kono, Y., Win, A., Matsui, T., & Tanaka, T. S. (2021). Predicting within-field variability in grain yield and protein content of winter wheat using uav-based multi-spectral imagery and machine learning approaches. *Plant Production Science*, *24*(2), 137–151.
- Zhou, Z., Morel, J., Parsons, D., Kucheryavskiy, S. V., & Gustavsson, A.-M. (2019). Estimation of yield and quality of legume and grass mixtures using partial least squares and support vector machine analysis of spectral data. *Computers and Electronics in Agriculture*, *162*, 246–253.
- Zhu, B., Chen, S., Xu, Z., Ye, Y., Han, C., Lu, P., & Song, K. (2023). The estimation of maize grain protein content and yield by assimilating lai and lna, retrieved from canopy remote sensing data, into the dssat model. *Remote. Sens.*, *15*, 2576. <https://doi.org/10.3390/rs15102576>
- Zhu, W., Rezaei, E. E., Nouri, H., Yang, T., Li, B., Gong, H., Lyu, Y., Peng, J., & Sun, Z. (2021). Quick detection of field-scale soil comprehensive attributes via the integration of UAV and sentinel-2b remote sensing data. *Remote Sensing*, *13*(22), 4716.
- Zhu, W., Sun, Z., Peng, J., Huang, Y., Li, J., Zhang, J., Yang, B., & Liao, X. (2019). Estimating maize above-ground biomass using 3d point clouds of multi-source unmanned aerial vehicle data at multi-spatial scales. *Remote Sensing*, *11*(22), 2678.
- Zhu, X., Li, X., Liu, X., Li, J., Zeng, X.-A., Li, Y., Yuan, Y., & Teng, Y.-X. (2023). Pulse protein isolates as competitive food ingredients: Origin, composition, functionalities, and the state-of-the-art manufacturing. *Foods*. <https://doi.org/10.3390/foods13010006>
- Zhu, Y., Zhao, C., Yang, H., Yang, G., Han, L., Li, Z., Feng, H., Xu, B., Wu, J., & Lei, L. (2019). Estimation of maize above-ground biomass based on stem-leaf separation strategy integrated with lidar and optical remote sensing data. *PeerJ*, *7*, e7593.
- Zhu, Y., Liu, K., W. Myint, S., Du, Z., Li, Y., Cao, J., Liu, L., & Wu, Z. (2020). Integration of GF2 optical, GF3 SAR, and UAV data for estimating aboveground biomass of china’s largest artificially planted mangroves. *Remote Sensing*, *12*(12), 2039.

- Zhuo, W., Huang, J., Gao, X., Ma, H., Huang, H., Su, W., Meng, J., Li, Y., Chen, H., & Yin, D. (2020). Prediction of winter wheat maturity dates through assimilating remotely sensed leaf area index into crop growth model. *Remote Sensing*, *12*(18), 2896.
- Ziliani, M. G., Parkes, S. D., Hoteit, I., & McCabe, M. F. (2018). Intra-season crop height variability at commercial farm scales using a fixed-wing uav. *Remote Sensing*, *10*(12), 2007.