IPython Cheat Sheet

Full Documentation: https://ipython.readthedocs.io

Object Introspection and Documentation

obj? or ?obj	Show a brief description of obj, such as its signature and "doc string" (documentation).
obj?? or ??obj	Show the source code of obj.
obj. <tab></tab>	List the attributes of obj.
obj(<tab></tab>	List allowed keyword arguments, and also file and directory names in the current directory.

Command History and Output Cache

<pre><up arrow=""> and <down arrow=""></down></up></pre>	Scroll through recent commands.
text <up arrow=""></up>	commands that began with text.
<ctrl+r>text</ctrl+r>	commands that contained text.
_ or or	First, second, or third most-recent outputs
_5	Output from prompt number 5
_i5	Input string from prompt number 5
%history <i>or</i> %hist	Show complete history of current session.
%history ~2/	complete history of two sessions ago.
%history ~2/5-10	lines 5-10 from history of two sessions ago.
%history -g search_term	Search all sessions' history for search_term.

Python Variables and System Environment Variables

<pre>%who %who ophyd.Device # filter by type %who function str # multiple types</pre>	Show names of all "interactive" variables. Optionally, show only variables of certain type(s). (Built-in Python and IPython variables are omitted.)
%whos	Show a short description for each variable.
%env %env HOME %env http_proxy http://proxy:8888	List, get, or set environment variables (such as HOME, PATH, http_proxy).

Startup Scripts in IPython profiles

Starting IPython with the option ipython --profile=foo executes any scripts in the directory ~/.ipython/profile_foo/startup/ with filenames ending in .py or .ipy. If no --profile option is specified, the default profile is profile_default.

IPython Cheat Sheet

Full Documentation: https://ipython.readthedocs.io

Editing and Running Scripts

%edit	Create a new temporary file, edit it, and execute the code in the local namespace.
%edit filename	Edit a Python script. Execute it upon exiting.
%edit -x filename	Edit a file but do not execute it.
%edit obj	Edit the file where obj or its class was defined, as applicable.
%edit 0/	Open command history of current session as a text file.
%run filename	Run a Python script in fresh namespace. Then export any variables it defines back into the local namespace.
%run -i filename	Run a Python script in the local namesapce.

System Shell Commands

!cp a.txt b.txt	Execute text after ! as a shell command.
%cd	Change directory. (! cd does not work.)
files = !ls	Capture the output of a shell command.
f1 = 'a.txt'; f2 = 'b.txt' !cp \$f1 \$f2	Substitute Python variables into shell commands. (Use \$\$ for a literal \$.)

Debugging

After an exception, you may use the interactive debugger to investigate the problem. Type %debug to activate "post-mortem" debugging mode, where the following commands apply.

1 or 11	"List" some or all source code lines in frame.
u, d	Move up, down between frames.
p varname or pp varname	Print or "pretty-print" varname.
exit	Quit interactive debugger; return to IPython.

Basic Profiling (software jargon for speed-testing, nothing to do with "IPython profiles")

%timeit x = 5	Time code execution (averaged over loops).
<pre>%%timeit x = 5 # don't count setup x + 1</pre>	Execute but do not time the first line. Time execution of all later lines as above.

See also %prun and %1prun (requires line_profiler, a separate Python package).