## **IRSE** Projecet

Jan Cichomski (r1026448)

May 1, 2025

## Outline

#### Architecture

TODO

## 1. Term Vocabulary

## 1.1 Term Vocabulary

- To lower case
- remove punctuation
- tokenize
- remove english stop words (added custom stop words)
- lammatize

## 1.1 Temr Vocabulary - Code

```
def preprocess_text(doc):
doc = doc.translate(str.maketrans("", "",
    string.punctuation)).lower()
words = word_tokenize(doc)
words = [
    lemmatizer.lemmatize(word)
    for word in words
    if word not in stop_words and word.isalpha()
]
return " ".join(words)
```

# 1.1 Term Vocabulary - Custom stop words

```
stop_words.update(
    "add",
    "added",
    "adding",
    "addition",
    "also",
    "almost",
    "another",
    "easily",
    "easy",
```

## 1.2 Term Vocabulary

#### Two types of terms:

- 1-grams
  - min\_df=20
  - max\_df=0.5
- 2-grams
  - 10,000 terms
  - min\_df=50
  - max\_df=0.4

## 1.3 Term Vocabulary

• 2-grams with aggressive filtering

# 2 Document Embedding

## 2.1 Document Embedding

I use all fields for embedding:

- name
- description
- ingredients
- steps
- Tested different combinations
- Make sense as user may ask about any information

TODO: add some data

#### 2.2 Document Embedding

The same approche as for embedding documents

## 2.3 Document Embedding - Edge Cases

- Problem: When query has no terms from vocabulary
  - TF-IDF produces zero vector for the query
  - Cosine similarity returns 0 for all documents
- Consequences:
  - Without similarity threshold: All documents returned (no filtering)
  - With any similarity threshold: No documents returned (empty result)