


GMT Automation Technologies Co., Ltd.







Address:


ELECTRIC SHEMEANTIC






Company/Customer: General						
Project Discription: E-Compressor montážna stanica						
Project Number: SZ23055_OP010						
Manufacturer: GMT						
Project Type:						
General Project Requirements						
Power:		Frecuency:		50Hz		
Supply:	400 VAC	PLC:	SIEMENS			
Control Voltage:	24 VDC	Protection Grade:	IP 54			
Machine Current:	56A	Ambient Temperature:	0°C - +40°C			
AC and DC Power Circuits	Neutral Conductor	Protective Conductor	AC CONTROL Circuits	DC CONTROL Circuits	External AC Circuits	External DC Circuits
Black	Light Blue	Green-and-Yellow	Red	Blue	Orange	Orange
						页数 328






















1.a


1.c




1.b

1.d






0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---




&EFA+S2/2


					Project Discription	Location	Page description	SZ23055_OP010	High level code	= OP010
	Creation date	2023/1/5	Edit date	2025/11/7	E-Compressor montážna stanica	S1	General supply		Location code	+ S1
	Creator	GMT	Redactor	GMT				Zhejiang GMT Automation System Co., Ltd.	Number of pages	10
									Page	14 / 328




Switching power supply 1 power supply





F-ROBOT 1ROBOT1 Power supply





F-ROBOT 1ROBOT2 Power supply








































Valve island 4 controlled power supply





Valve island 5 controlled power supply


RESERVE





Valve island 6 controlled power supply
























-81A1
Ultra-thin Ethernet switch 2

US1
1

GND
2
US

PE
3

FL SWITCH 1008N

1

2

3

4

5

6

7

8

-85A0
&EFA/1.4
PNOZ m ES ETH
PNOZ m ES ETH
772130
Safety PLC
communication module


-85A1
/88.1
/86.0
PNOZ m B0
772100
Security controller
CPU



-85A2
/93.0
/87.0
PNOZ m EF 8DI4DO
772142
Security PLC
expansion module 1


-85A3
/95.1
/87.5
PNOZ m EF 8DI4DO
772142
Security PLC
expansion module 2

-85A4
/97.1
PNOZ m EF 8DI4DO
772142
Security PLC
expansion module 3

-85A5
/98.1
PNOZ m EF 8DI4DO
772142
Security PLC
expansion module 4







Material 1 Safety door ①

Material 1 Safety door ①

Material 2 Safety door ③

Material 2 Safety door ③

Material 3 Safety door ⑤

Material 3 Safety door ⑤

Material 4 safety door ⑦


Material 4 safety door ⑦

Material door 1

Material door 2

Material door 3

Material door 4



Material 1 safety door feedback

Material 2 safety door feedback

Material 3 safety door feedback

Material 4 safety door feedback

High temperature furnace butt safety door (safety door ⑨)

High temperature furnace butt safety door (safety door ⑨)


Robot E-Stopfeedback




Robot safety doorfeedback


Control the output of high temperature furnace


Robot scram output


Robot safety door output











11 12 /90.5
21 22
33 34 /53.2
43 44 /54.2
53 54 +S2/281.7
63 64 +S2/281.0

11 12 /90.5
21 22
33 34 /53.2
43 44 /54.2
53 54 +S2/281.8
63 64 +S2/281.1

11 12 /90.5
21 22
33 34 +S2/281.1
43 44 +S2/281.4
53 54 +S2/281.5
63 64 +S2/281.6

11 12 /90.5
21 22
33 34 +S2/281.2
43 44 +S2/281.4
53 54 +S2/281.5
63 64 +S2/281.7

11 12 /90.6
21 22
33 34 +S2/281.0
43 44 /54.2
53 54
63 64 +S2/281.1


11 12 /90.6
21 22
33 34 +S2/281.1
43 44 /54.2
53 54
63 64 +S2/281.2

11 12 /90.6
21 22
33 34 +S2/281.4
43 44 +S2/281.5
53 54 +S2/281.6
63 64

11 12 /90.6
21 22
33 34 +S2/281.4
43 44 +S2/281.5
53 54 +S2/281.7
63 64

Scram output

Safety door output





Material door 1
output

Material door 2
output

Material door 3
output

Material door 4
output








Control the output
of high temperature
furnace

Robot scram output

Robot safety door
output







11 12 /91.2
21 22
33 34 +S2/281.3
43 44 /55.2
53 54 +S1E/902.5
63 64

11 12 /91.2
21 22
33 34 +S2/281.3
43 44 /55.2
53 54 +S1E/902.5
63 64

11 12 /91.3
21 22
33 34 +S2/281.4
43 44 /56.2
53 54 +S1E/902.4
63 64

11 12 /91.3
21 22
33 34 +S2/281.4
43 44 /56.2
53 54 +S1E/902.4
63 64


11 12 /95.8
21 22
33 34 /220.3
43 44
53 54
63 64

11 12 /95.8
21 22
33 34 /220.4
43 44
53 54
63 64

11 12 /95.8
21 22
33 34 /222.3
43 44
53 54
63 64

11 12 /95.8
21 22
33 34 /222.4
43 44
53 54
63 64

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---



-85A5
/85.5


PNOZ m B0


1
○
| O0


2
○
| O1


3
○
| O2


4
○
| O3




















-110A8
/110.5




-110A9
/110.5



-110A10
/110.6




-110A11
/110.6




/110.7




-110A13
/110.7





-110A14
/110.8





-110A15
/110.8





































lighthouse&buzzer







Cabinet light












14
11




0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---





					Project Discription E-Compressor montážna stanica	Location S2	Page description General supply	SZ23055_OP010 Zhejiang GMT Automation System Co., Ltd.	High level code	= OP010
	Creation date	2023/1/5	Edit date	2025/11/7					Location code	+ S2
	Creator	GMT	Redactor	GMT					Number of pages	202
									Page	96 / 328








Industrial strip




























GMP AUTOMATION TECHNOLOGY				
	Creation date	2023/1/5	Edit date	2025/11/6
	Creator	GMT	Redactor	GMT

Project Discription
E-Compressor montážna stanica


Location
S2


Page description
Ethernet switch power


SZ23055_OP010
Zhejiang GMT Automation System Co., Ltd.


High level code	= OP010
Location code	+ S2
Number of pages	280
Page	109 / 328











				
	Creation date	2023/1/5	Edit date	2025/11/7
	Creator	GMT	Redactor	GMT


Project Discription
E-Compressor montážna stanica


Location
S2


Page description
B- Press assembly module -01 servo press 1_Monitor


SZ23055_OP010
Zhejiang GMT Automation System Co., Ltd.


High level code	= OP010
Location code	+ S2
Number of pages	372
Page	114 / 328



























Cabinet light & fan control

- 14 11 /231.1
- 24 21 /231.2
- 34 31 /231.5
- 44 41 /231.5

-701A1
&EFA+S1/1.2




702.0 / 1P2404B.1

702.0 / 1M2404B.1

703.1 / +S1-PE2.03A

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---




	Creation date	2023/1/5	Edit date	2025/11/6
	Creator	GMT	Redactor	GMT


Project Discription
E-Compressor montážna stanica


Location
B1


Page description
Button part


SZ23055_OP010	High level code	= OP010
	Location code	+ B1
	Number of pages	702
	Page	127 / 328



































8 pin
connection cable /5M 7000-48051-7170500
































-X131 = Material safety door terminal block


0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---
































E-NG Cartridge
-02NG Positioning cylin
der working position

E-NG cartridge
-02NG Positioning cylin
der original position

E-NG translocation
-03shaft dispensing N
G Has no detection


E-NG Translocation
-03magnet Magnet Indi
cates whether to detect
adhesive NG


E-NG
cartridge 02 in place de
tection


Standby _I1003.5


Standby _I1003.6


Standby _I1003.7






































-881U1
&EFA+S1/2a.3
8 point input module
FES.8086600
CPX-AP-I-8DI-M8-3P

E-NG Material box-01n
g Material detection _9

E-NG Material box-01n
g Material detection _1
0

E-NG Material box-01n
g Material detection _1
1


E-NG Material box-01n
g Material detection _1
2


E-NG Material box-01n
g Material detection _1
3

E-NG Material box-01n
g Material detection _1
4

E-NG Material box-01n
g Material detection _1
5

RESERVE_I1081.7





E-NG material box-02N
G material detection _9

E-NG material box-02N
G material detection _1
0

E-NG material box-02N
G material detection _1
1

E-NG material box-02N
G material detection _1
2

E-NG material box-02N
G material detection _1
3

E-NG material box-02N
G material detection _1
4

E-NG material box-02N
G material detection _1
5

RESERVE_I1091.7

				
	Creation date	2023/1/5	Edit date	2025/11/6
	Creator	GMT	Redactor	GMT

Project Discription

E-Compressor montážna stanica

Location

S1E


Page description


CPX-AP-I-8DI-M8-3P

SZ23055_OP010


Zhejiang GMT Automation System Co., Ltd.


High level code	= OP010
Location code	+ S1E
Number of pages	886
Page	187 / 328





- H-shaft top lift cylinder
- J-magnet jacking jacking cylinder
- B- Press assembly module -01 clamp cylinder
- B- Press module -01 transfer cylinder
- A- Turntable feeding -01 horizontal transplanting cylinder
- A- Rotary feed -01 up and down feed cylinder
- C- Glue positioning module standard cylinder
- E-NG cartridge -01NG positioning cylinder
- H-shaft top lift tray positioning cylinder
- J-magnet jacking tray positioning cylinder





Q1000.4

9

5M

10

Q1000.5

11

6M

12

Q1000.6

13

7M

14


Q1000.7

15

8M

16

- H-shaft top lift jacking cylinder to working position
- H-shaft top lift cylinder removed from original position
- J-magnet jacking jacking cylinder to work position
- J-magnet jacking jacking cylinder to original position
- B- Press assembly module -01 clamp cylinder to work position
- B- Press assembly module -01 clamp cylinder to remove original position
- B- Press assembly module -01 transfer cylinder to work position
- B- Press module -01 transfer cylinder to original position



Q1001.4

9

5M

10

Q1001.5

11

6M

12

Q1001.6

13

7M

14


Q1001.7

15

8M

16

- A- Turntable feeding -01 Horizontal transplanting cylinder to work position
- A- Turntable feeding -01 Horizontal transplanting cylinder to original position
- A- Turntable feeding -01 up and down cylinder to work
- A- Turntable feeding -01 up and down cylinder to the original position
- C- Glue position module standard cylinder to work position
- C- Glue position module standard cylinder to the original position
- E-NG cartridge -01NG Positioning cylinder to work position
- E-NG cartridge -01NG Positioning cylinder to original position



Q1002.4

9

5M

10

Q1002.5

11

6M

12

Q1002.6

13

7M

14

Q1002.7

15

8M

16

- H-shaft top lift tray positions cylinder to work position
- H-shaft top lift tray positioning cylinder to original position
- J-magnet jacking tray positions cylinder to work position
- J-magnet jacking tray positions cylinder to original position
- Standby _Q1002.4
- Standby _Q1002.5
- Standby _Q1002.6
- Standby _Q1002.7

H-shaft top lift jacking cylinder to working position

H-shaft top lift cylinder removed from original position

J-magnet jacking jacking cylinder to work position


J-magnet jacking jacking cylinder to original position

B- Press assembly module -01 clamp cylinder to work position


B- Press assembly module -01 clamp cylinder to remove original position


B- Press assembly module -01 transfer cylinder to work position

B- Press module -01 transfer cylinder to original position







0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---





- K- Reserved lift 3 lift cylinder
- L- blanking line body transplanting cylinder
- B- Press assembly module -02 clamp cylinder
- B- Press module -02 transfer cylinder
- A- Turntable feeding -02 horizontal transplanting cylinder
- A- Rotary feed -02 up and down feed cylinder
- E-NG cartridge -02NG positioning cylinder
- K- Reserved top lift 3 pallet positioning cylinder
- L- Blanking line body transplanting tray positioning cylinder
- RESERVE
- RESERVE





K- Reserved lift 3 lift cylinder to work position

K- Reserved lift 3 Lift cylinder to original position

L- Blanking line body transplanted cylinder to work position

L- Blanking line body transplanted cylinder to original position

B- Press assembly module -02 clamp cylinder to work position

B- Press assembly module -02 clamp cylinder to remove original position

B- Press assembly module -02 transfer cylinder to work position

B- Press module -02 transfer cylinder to original position

L- The transfer tray of the blanking line body locates the cylinder to the working position

L- Blanking line body transplanting tray positioning cylinder to original position

Standby_Q1008.2

Standby_Q1008.3

Standby_Q1008.4

Standby_Q1008.5

A- Turntable feeding -02 Horizontal transplanting cylinder to work position

A- Turntable feeding -02 Horizontal transplanting cylinder to original position

A- Turntable feeding -02 up and down cylinder to work

A- Turntable feeding -02 up and down cylinder to the original position


E-NG cartridge -02NG Positioning cylinder to work position

E-NG cartridge -02NG Positioning cylinder to original position


K- Reserved top lift 3 tray positioning cylinder to work position

K- Reserved top lift 3 tray positioning cylinder to original position


A- Turntable feeding -02 Horizontal transplanting cylinder to work position
A- Turntable feeding -02 Horizontal transplanting cylinder to original position
A- Turntable feeding -02 up and down cylinder to work
A- Turntable feeding -02 up and down cylinder to the original position
E-NG cartridge -02NG Positioning cylinder to work position
E-NG cartridge -02NG Positioning cylinder to original position
K- Reserved top lift 3 tray positioning cylinder to work position
K- Reserved top lift 3 tray positioning cylinder to original position




0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---




					Project Discription	Location	Page description	SZ23055_OP010	High level code	= OP010			
									Location code	+ S1E			
	Creation date	2023/1/5	Edit date	2025/11/6				E-Compressor montážna stanica	S1E	FESTO Valve Terminal Q1008	Zhejiang GMT Automation System Co., Ltd.	Number of pages	916
	Creator	GMT	Redactor	GMT								Page	200 / 328



H-shaft feeding line body stop cylinder 1
H-shaft feeding line body stop cylinder 2
H-shaft feeding line body stop cylinder 3
H-shaft feeding line body stop cylinder 4
H-shaft empty disc stop cylinder 1
H-shaft empty disc stop cylinder 2
H-shaft empty disc stop cylinder 3
RESERVE
RESERVE





H-shaft feeding line body stop cylinder 1_1

H-shaft feeding line body stop cylinder 1_2

H-shaft feeding line body stop cylinder 2_1


H-shaft feeding line body stop cylinder 2_2

H-shaft feeding line body stop cylinder 3_1

H-shaft feeding line body stop cylinder 3_2

H-shaft feeding line body stop cylinder 4_1

H-shaft feeding line body stop cylinder 4_2



H-shaft empty disc stop cylinder 1_1

H-shaft empty disc stop cylinder 1_2

H-shaft empty disc stop cylinder 2_1

H-shaft empty disc stop cylinder 2_2


H-shaft empty disc stop cylinder 3_1

H-shaft empty disc stop cylinder 3_2


Standby _Q2001.6

Standby _Q2001.7


H-shaft feeding line body st op cylinder 1_1 H-shaft feeding line body st op cylinder 1_2 H-shaft feeding line body st op cylinder 2_1 H-shaft feeding line body st op cylinder 2_2 H-shaft feeding line body st op cylinder 3_1 H-shaft feeding line body st op cylinder 3_2 H-shaft feeding line body st op cylinder 4_1 H-shaft feeding line body st op cylinder 4_2





0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---



					Project Discription	Location	Page description	SZ23055_OP010	High level code	= OP010
									Location code	+ S1E
	Creation date	2023/1/5	Edit date	2025/11/6				Zhejiang GMT Automation System Co., Ltd.	Number of pages	924
	Creator	GMT	Redactor	GMT					Page	205 / 328







J-magnet feeding line body stop cylinder 1_1

J-magnet feeding line body stop cylinder 1_2

J-magnet feeding line body stop cylinder 2_1


J-magnet feeding line body stop cylinder 2_2

J-magnet feeding line body stop cylinder 3_1

J-magnet feeding line body stop cylinder 3_2

J-magnet feeding line body stop cylinder 4_1

J-magnet feeding line body stop cylinder 4_2



J-magnet empty disk stop cylinder 1_1

J-magnet empty disk stop cylinder 1_2

J-magnet empty disk stop cylinder 2_1

J-magnet empty disk stop cylinder 2_2


J-magnet empty disk stop cylinder 3_1

J-magnet empty disk stop cylinder 3_2


Standby _Q2007.6

Standby _Q2007.7


J-magnet feeding line body stop cylinder 1_1 J-magnet feeding line body stop cylinder 1_2 J-magnet feeding line body stop cylinder 2_1 J-magnet feeding line body stop cylinder 2_2 J-magnet feeding line body stop cylinder 3_1 J-magnet feeding line body stop cylinder 3_2 J-magnet feeding line body stop cylinder 4_1 J-magnet feeding line body stop cylinder 4_2




0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---




						Project Discription	Location	Page description	SZ23055_OP010	High level code	= OP010
										Location code	+ S1E
	Creation date	2023/1/5	Edit date	2025/11/6					Zhejiang GMT Automation System Co., Ltd.	Number of pages	934
	Creator	GMT	Redactor	GMT						Page	210 / 328




K- Reserved feed line body stop cylinder 1
K- Reserved feed line body stop cylinder 2
K- Reserved feed line body stop cylinder 3
K- Reserved feed line body stop cylinder 4
K- Reserved empty disk stop cylinder 1
K- Reserved empty disk stop cylinder 2
K- Reserved empty disk stop cylinder 3
RESERVE
RESERVE






- K- Reserve feeding line body stop cylinder 1_1
- K- Reserve feeding line body stop cylinder 1_2
- K- Reserve feeding line body stop cylinder 2_1
- K- Reserve feeding line body stop cylinder 2_2
- K- Reserve feeding line body stop cylinder 3_1
- K- Reserve feeding line body stop cylinder 3_2
- K- Reserve feeding line body stop cylinder 4_1
- K- Reserve feeding line body stop cylinder 4_2




- K- Reserve empty disk stop cylinder 1_1
- K- Reserve empty disk stop cylinder 1_2
- K- Reserve empty disk stop cylinder 2_1
- K- Reserve empty disk stop cylinder 2_2
- K- Reserve empty disk stop cylinder 3_1
- K- Reserve empty disk stop cylinder 3_2
- Standby _Q2013.6
- Standby _Q2013.7





0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---



						Project Discription	Location	Page description	SZ23055_OP010	High level code	= OP010
										Location code	+ S1E
	Creation date	2023/1/5	Edit date	2025/11/6					Zhejiang GMT Automation System Co., Ltd.	Number of pages	944
	Creator	GMT	Redactor	GMT						Page	215 / 328







L- blanking line body stop cylinder 1_1

L- blanking line body stop cylinder 1_2

L- blanking line body stop cylinder 2_1

L- blanking line body stop cylinder 2_2


L- blanking line body stop cylinder 3_1

L- blanking line body stop cylinder 3_2



Standby _Q2018.6

Standby _Q2018.7

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---



						Project Discription	Location	Page description	SZ23055_OP010	High level code	= OP010			
										Location code	+ S1E			
	Creation date	2023/1/5	Edit date	2025/11/6					E-Compressor montážna stanica	S1E	FESTO Valve Terminal Q2018	Zhejiang GMT Automation System Co., Ltd.	Number of pages	953
	Creator	GMT	Redactor	GMT								Page	219 / 328	



Pin arrangement

No.	Color
1	Brown
2	Blue
3	Purple
4	Yellow
5	Sky
6	Pink
7	Green
8	White/Blue
9	Black
10	White
11	Grey
12	Orange
SHELL	Braid

-800W1
Power supply cable


-800W2
Communication cable



Ethernet switch

Fastening
torque of anti-stick plug screws: 0.4 ~ 0.6N·m

800A1
&EFA+S2/1.5

Fastening
torque of anti-stick plug screws: 0.8 ~ 1.0N·m





Pin arrangement

No.	Color
1	Brown
2	Blue
3	Purple
4	Yellow
5	Sky
6	Pink
7	Green
8	White/Blue
9	Black
10	White
11	Grey
12	Orange
SHELL	Braid

-801W1
Power supply cable


-801W2
Communication cable



Ethernet switch

Fastening torque of anti-stick plug screws: 0.4 ~ 0.6N·m

-801A1
&EFA+S2/1.7

Fastening torque of anti-stick plug screws: 0.8 ~ 1.0N·m





Pin arrangement

No.	Color
1	Brown
2	Blue
3	Purple
4	Yellow
5	Sky
6	Pink
7	Green
8	White/Blue
9	Black
10	White
11	Grey
12	Orange
SHELL	Braid

-802W1
Power supply cable


-802W2
Communication cable


Ethernet switch


Fastening torque of anti-stick plug screws: 0.4 ~ 0.6N·m


-802A1
&EFA+S2/1.8



Fastening torque of anti-stick plug screws: 0.8 ~ 1.0N·m












Pin arrangement

No.	Color
1	Brown
2	Blue
3	Purple
4	Yellow
5	Sky
6	Pink
7	Green
8	White/Blue
9	Black
10	White
11	Grey
12	Orange
SHELL	Braid

-806W1
Power supply cable


-806W2
Communication cable






Ethernet switch



Fastening
torque of anti-stick plug screws: 0.4 ~ 0.6N·m
-806A1
&EFA+S2/1.a.5

Fastening
torque of anti-stick plug screws: 0.8 ~ 1.0N·m











0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---




						Project Discription	Location	Page description	SZ23055_OP010	High level code	= OP010			
										Location code	+ S2E			
	Creation date	2023/1/5	Edit date	2025/11/6					E-Compressor montážna stanica	S2E	E-NG material box -01NG material detection 1	Zhejiang GMT Automation System Co., Ltd.	Number of pages	812
	Creator	GMT	Redactor	GMT									Page	230 / 328

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---



						Project Discription E-Compressor montážna stanica	Location S2E	Page description E-NG material box-02NG material detection 1	SZ23055_OP010	High level code	= OP010
										Location code	+ S2E
	Creation date	2023/1/5	Edit date	2025/11/6					Zhejiang GMT Automation System Co., Ltd.	Number of pages	813
	Creator	GMT	Redactor	GMT						Page	231 / 328



3

List of cabinet equipment

GMT_English ENCLOSURE_LEGEND

Number of rows	Device identifier	Type number	Part number	Manufacturer	Functional text
1	10F1	C10N3TM063	SE.C10N3TM063	Schneider Electric	Main circuit breaker
2	11F1	iC65H-C4A/3P	SE.iC65H-C4A/3P	Schneider Electric	Switching power supply 1 Circuit breaker
3	12F1	IC65H-D16A/2P	SE.iC65H-D16A/2P	Schneider Electric	F-ROBOT 1ROBOT1 Switch off
4	12F2	IC65H-C2A/1P	SE.iC65H-C2A/1P	Schneider Electric	H-shaft feed line body drive motor 1 circuit breaker
5	12F3	iC65H-C2A/1P	SE.iC65H-C2A/1P	Schneider Electric	H-shaft empty disk drive motor 1 on
6	12F4	iC65N-D2A/1P	SE.iC65N-D2A/1P	Schneider Electric	H-shaft top lift drive motor 1 circuit breaker
7	21F1	IC65H-D16A/2P	SE.iC65H-D16A/2P	Schneider Electric	F-ROBOT 1ROBOT2 Switch off
8	21F2	IC65H-C2A/1P	SE.iC65H-C2A/1P	Schneider Electric	J-magnet wire body drive motor 1 circuit breaker
9	21F3	iC65H-C2A/1P	SE.iC65H-C2A/1P	Schneider Electric	J-magnet empty disk drive motor 1 circuit breaker
10	21F4	iC65N-D2A/1P	SE.iC65N-D2A/1P	Schneider Electric	J-magnet jacking drive motor 1 circuit breaker
11	31F1	IC65H-C4A/1P	SE.iC65H-C4A/1P	Schneider Electric	Switching power supply 2 Circuit breaker
12	31F2	IC65H-D16A/2P	SE.iC65H-D16A/2P	Schneider Electric	F-ROBOT 1ROBOT3 Switch off
13	31F3	iC65H-C2A/1P	SE.iC65H-C2A/1P	Schneider Electric	K- Reserve feed line body drive motor 1 circuit breaker
14	31F4	iC65H-C2A/1P	SE.iC65H-C2A/1P	Schneider Electric	K- Reserved empty disk drive motor 1 circuit breaker
15	31F5	iC65N-D2A/1P	SE.iC65N-D2A/1P	Schneider Electric	K- Reserved top lift 3 Drive motor 1 circuit breaker
16	31F6	IC65H-C2A/1P	SE.iC65H-C2A/1P	Schneider Electric	L- Blanking line drive motor 1 on
17	31F7	iC65H-C2A/1P	SE.iC65H-C2A/1P	Schneider Electric	L- blanking line body Transplanting motor 1 on
18	34F1		A9D75216		
22	85A1	PNOZ m B0	PILZ.772100	PILZ	Security controller CPU
23	85A2	PNOZ m EF 8DI4DO	PILZ.772142	PILZ	Security PLC expansion module 1
24	85A3	PNOZ m EF 8DI4DO	PILZ.772142	PILZ	Security PLC expansion module 2
25	85A0	PNOZ m ES ETH	PILZ.772130	PILZ	Safety PLC communication module
26	100A2	6ES7590-1AC40-0AA0	SIE.6ES7590-1AC40-0AA0	SIE	CPU
27	100A2	6ES7515-2AN03-0AB0	SIE.6ES7515-2AN03-0AB0	SIE	=
28	110A1	6ES7155-6AA01-0BN0	SIE.6ES7155-6AA01-0BN0_subassembly	SIE	ET200SP bus module
29	110A2	6ES7131-6BH01-0BA0+6ES7193-6BP00-0DA0	6ES7131-6BH01-0BA0+6ES7193-6BP00-0DA0	SIEMEN	Enter module 1
30	110A3	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	SIEMEN	Enter module 2
31	110A4	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	SIEMEN	Enter module 3
32	110A5	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	SIEMEN	Enter module 4
33	110A6	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	SIEMEN	Enter module 5
34	110A7	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	SIEMEN	Enter module 6
35	110A8	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	SIEMEN	Output module 1
36	110A9	6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0	6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0	SIEMEN	Output module 2
37	110A10	6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0	6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0	SIEMEN	Output module 3
38	110A11	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	SIEMEN	Output module 4
39	110A12	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	SIEMEN	Output module 5
40	110A13	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	SIEMEN	Output module 6
41	110A14	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	SIEMEN	Output module 7
42	110A15	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	SIEMEN	Output module 8
45	172A1	SRAC2-XD01	SRAC2-XD01	鸣志	H-shaft top lift drive motor 1
48	175A1	SRAC2-XD01	SRAC2-XD01	鸣志	J-magnet jacking drive motor 1
49	176A1	ATV320U02M2C	SE.ATV320U02M2C	SE	K- Reserve feed line body drive motor 1
50	177A1	ATV320U02M2C	SE.ATV320U02M2C	SE	K- Reserve empty disk drive motor 1
51	178A1	SRAC2-XD01	SRAC2-XD01	鸣志	K-Reserved jack lift 3 Drive motor 1
52	179A1	ATV320U02M2C	SE.ATV320U02M2C	SE	L- Blanking line body drive motor 1
56	92K1		P7SA-14F-ND+G7SA-4A2B	OMRON	Scram output force relay 1
57	92K2		P7SA-14F-ND+G7SA-4A2B	OMRON	Scram output force relay 2
58	92K3		P7SA-14F-ND+G7SA-4A2B	OMRON	Safety gate output force relay 1
59	92K4		P7SA-14F-ND+G7SA-4A2B	OMRON	Safety gate output force relay 2
60	92K5		P7SA-14F-ND+G7SA-4A2B	OMRON	Raster 1 output force relay 1
61	92K6		P7SA-14F-ND+G7SA-4A2B	OMRON	Raster 1 output force relay 2
62	92K7		P7SA-14F-ND+G7SA-4A2B	OMRON	Raster 2 output force relay 1
63	92K8		P7SA-14F-ND+G7SA-4A2B	OMRON	Raster 2 output force relay 2
64	94K1		P7SA-14F-ND+G7SA-4A2B	OMRON	Material door 1 output force relay 1
65	94K2		P7SA-14F-ND+G7SA-4A2B	OMRON	Material door 1 output force relay 2
66	94K3		P7SA-14F-ND+G7SA-4A2B	OMRON	Material door 2 output force relay 1
67	94K4		P7SA-14F-ND+G7SA-4A2B	OMRON	Material door 2 output force relay 2


GMT_English ENCLOSURE_LEGEND


 GMT TECHNOLOGY				Project Discription E-Compressor montážna stanica	Location S1	Page description Enclosure legend : =OP010+S1-94K5 - =OP010+S1-85A5	SZ23055_OP010	High level code	= OP010				
											Location code	+ S1	
	Creation date	2023/1/5	Edit date					2025/11/7				Number of pages	
	Creator	GMT	Redactor					GMT			Zhejiang GMT Automation System Co., Ltd.	Page	23

List of cabinet equipment

GMT_English ENCLOSURE_LEGEND

[illegible]





List of cabinet equipment

GMT_English ENCLOSURE_LEGEND

[illegible]

Part summary table

F02_001_English

Order number	Quantity	Description Name	Type number Part number	Manufacturer Vendor	Unit Price	Price	Location
1085256	2 Piece	Industrial Ethernet Switch	FL SWITCH 1008N PXC.1085256	PXC	0.00	0.00	
772130	1 piece	SPS communication module	PNOZ m ES ETH PILZ.772130	PILZ	0.00	0.00	
772100	1 piece	SPS - basic device	PNOZ m B0 PILZ.772100	PILZ	0.00	0.00	
772142	2 piece	SPS digital input/output module	PNOZ m EF 8DI4DO PILZ.772142	PILZ	0.00	0.00	
6ES7515-2AN03-0AB0	1 piece	SIMATIC S7-1500 CPU 1515-2 PN	6ES7515-2AN03-0AB0 SIE.6ES7515-2AN03-0AB0	SIE	0.00	0.00	
6ES7590-1AC40-0AA0	1	MOUNTING RAIL 245MM (9.6")	6ES7590-1AC40-0AA0 SIE.6ES7590-1AC40-0AA0	SIE SIE	0.00	0.00	
	1	ET 200SP, IM155-6PN ST INCL. BA 2XRJ45	6ES7155-6AA01-0BN0 SIE.6ES7155-6AA01-0BN0_subassembly	SIE	0.00	0.00	
	1	PLC input module	6ES7131-6BH01-0BA0+6ES7193-6BP00-0DA0 6ES7131-6BH01-0BA0+6ES7193-6BP00-0DA0	SIEMEN	0.00	0.00	
	5	PLC input module	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0 6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0	SIEMEN	0.00	0.00	
	6	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0 6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0	SIEMEN	0.00	0.00	
	2	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0 6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0	SIEMEN	0.00	0.00	
ATV320U02M2C	7	Variable speed drive - 0.18kW - 200...240V - 1 phase - compact	ATV320U02M2C SE.ATV320U02M2C	SE SE	0.00	0.00	
	3	driver	SRAC2-XD01 SRAC2-XD01		0.00	0.00	
	3		KUKA.KRCS_Box-2			0.00	
C10N3TM063	1 a	NSX Plastic-case Circuit Breaker (distribution protection) 3P 63A Breaking capacity N	C10N3TM063 SE.C10N3TM063	Schneider Electric	0.00	0.00	
A9F18101	4 a	Mini circuit breaker Icn=6kA	iC65N-C1A/1P SE.iC65N-C1A/1P	Schneider Electric	0.00	0.00	
A9F18304	1 a	Mini circuit breaker Icn=6kA	iC65N-C4A/3P SE.iC65N-C4A/3P	Schneider Electric	0.00	0.00	
A9F19216	3 a	Mini circuit breaker Icn=6kA	iC65N-D16A/2P SE.iC65N-D16A/2P	Schneider Electric	0.00	0.00	
A9F18102	10 a	Mini circuit breaker Icn=6kA	iC65N-C2A/1P SE.iC65N-C2A/1P	Schneider Electric	0.00	0.00	

Part summary table

F02_001_English

Order number	Quantity	Description Name	Type number Part number	Manufacturer Vendor	Unit Price	Price	Location
A9F18104	2 a	Mini circuit breaker Icn=6kA	iC65N-C4A/1P SE.iC65N-C4A/1P	Schneider Electric	0.00	0.00	
A9P08616	1 a	Miniature circuit breaker	A9P08616 SE.A9P08616	Schneider Electric	0.00	0.00	
6EP1961-2BA21	1 piece	SITOP PSE200U	6EP1961-2BA21 SIE.6EP1961-2BA21	SIE	0.00	0.00	
XB2BVM1LC	3 a	220VAC indicator white	XB2BVM1LC		0.00	0.00	
D242-24	2	D242 series flat explosion-proof working light 24W	D242-24	SIRON SIRON	0.00	0.00	
	26	Forced relay	P7SA-14F-ND+G7SA-4A2B	OMRON	0.00	0.00	
	7	Wafer relay	RSL1PVB		0.00	0.00	
	1	relay	DRM570024LT+FS 4CO	WEI	0.00	0.00	
LC1D09BDC	1		LC1D09BDC LC1D09BDC		0.00	0.00	
Z_15GM22_B	1 PCS	microswitch	Z_15GM22_B OMR.Z_15GM22_B	OMRON	0.00	0.00	
6SL3203-0BE22-0VA0	1	LINE FILTER 3AC 20A	6SL3203-0BE22-0VA0 SIE.6SL3203-0BE22-0VA0	SIE	0.00	0.00	
	1		67910	MURR	0.00	0.00	
XVBC2B6	1	blue light	XVBC2B6		0.00	0.00	
XVBC9B	1	Buzzer	XVBC9B		0.00	0.00	
XVBC2B3	1	Green light	XVBC2B3		0.00	0.00	
XVBC2B4	1	Red light	XVBC2B4		0.00	0.00	
XVBC2B5	1	Yellow light	XVBC2B5		0.00	0.00	
6EP1437-2BA20	1	SITOP PSU300S	6EP1437-2BA20 SIE.6EP1437-2BA20	SIE Siemens AG	0.00	0.00	
6EP1336-3BA10	1	SITOP PSU8200 1ph 24 V/20 A	6EP1336-3BA10 SIE.6EP1336-3BA10	SIE SIE	0.00	0.00	

Part summary table

F02_001_English

Order number	Quantity	Description Name	Type number Part number	Manufacturer Vendor	Unit Price	Price	Location
	4	Communication cable between modules 3m	7000-86001-7960300 MURR.7000-86001-7960300	MURRELEKTRONIK MURRELEKTRONIK	0.00	0.00	
0750203	1		COLAN-FLEX220 3G0.75 COL.0750203	COLAN	0.00	0.00	
1746750000	9 Piece	Feed-through terminal block	ZDU 10 WEI.1746750000	WEI	0.00	0.00	
1746770000	2 Piece	PE terminal	ZPE 10 WEI.1746770000	WEI	0.00	0.00	
1746760000	3 Piece	Through type terminal 10 mm²	ZDU 10 BL WEI.1746760000	WEI	0.00	0.00	
1608510000	59 Piece	Through type terminal 2.5 mm²	ZDU 2.5 WEI.1608510000	WEI	0.00	0.00	
1608520000	18 Piece	Through type terminal 2.5 mm²	ZDU 2.5 BL WEI.1608520000	WEI	0.00	0.00	
1674300000	112 PCS	2.5mm² Double-layer terminal block	ZDK 2.5 WEI.ZDK 2.5	WEI WEI	0.00	0.00	
1674300000	75 Piece	Multi-tier modular terminal	ZDK 2.5 WEI.1674300000	WEI	0.00	0.00	
1690000000	20 Piece	Multi-tier modular terminal	ZDK 2.5PE WEI.1690000000	WEI	0.00	0.00	
6AV2124-0MC01-0AX0	1 piece	SIMATIC HMI TP1200 COMFORT	6AV2124-0MC01-0AX0 SIE.6AV2124-0MC01-0AX0	SIE	0.00	0.00	
XB2BW34B1C	4 PCS	Button with light (white)	XB2BW34B1C SCH.XB2BW31B1C	SCHNEIDER	0.00	0.00	
XB2BA21C	1 PCS	Button (black)	XB2BA21C SCH.XB2BA21C	SCHNEIDER	0.00	0.00	
XB2BW33B1C	1 PCS	Button with light (green)	XB2BW33B1C SCH.XB2BW33B1C	SCHNEIDER	0.00	0.00	
XB2BW34B1C	1 PCS	Button with light (red)	XB2BW34B1C SCH.XB2BW34B1C	SCHNEIDER	0.00	0.00	
XB2BG21C	1 PCS	Key switch	XB2BG21C SCH.XB2BG21C	SCHNEIDER	0.00	0.00	
XB2BW36B1C	1 PCS	Button with light (blue)	XB2BW36B1C SCH.XB2BW36B1C	SCHNEIDER	0.00	0.00	
XB2BS542C	8 PCS	Scram button	XB2BS542C SCH.XB2BS542C	SCHNEIDER	0.00	0.00	
ZB2BE102C	1 PCS	NC contact	ZB2BE102C SCH.ZB2BE102C	SCHNEIDER	0.00	0.00	

Part summary table

F02_001_English

Order number	Quantity	Description Name	Type number Part number	Manufacturer Vendor	Unit Price	Price	Location
ZB2BE101C	1 PCS	NO contact	ZB2BE101C SCH.ZB2BE101C	SCHNEIDER	0.00	0.00	
632089	2 part/piece	Safety light grid for finger protection, protected field height of 1500mm	PSEN opII4F-s-14-150 PILZ.632089	PILZ PILZ	0.00	0.00	
	4		PVR-S4			0.00	
	0		GSE6-P4112			0.00	
8181242	1 piece	Flow sensor	SFAM-62-3000L-M-PNLK-PNVBA-M12 FES.8181242	FES	0.00	0.00	
TYX1/Y	7 PCS	Single hole button box - yellow lid	TYX1/Y TAY.TYX1/Y	TAYEE	0.00	0.00	
570500	18	Safety gate system, coded safety switch	PSENsl-0.5p 1.1/PSENsl-0.5 PILZ.570500	PILZ PILZ	0.00	0.00	
8086607	4 piece	PROFINET interface	CPX-AP-I-PN-M12 FES.8086607	FES	0.00	0.00	
8086600	21 piece	digital input module	CPX-AP-I-8DI-M8-3P FES.8086600	FES	0.00	0.00	
533346	5 piece	Solenoid valve E	VMPA1-M1H-E-PI FES.533346	FES	0.00	0.00	
533345	38 piece	Solenoid valve G	VMPA1-M1H-G-PI FES.533345	FES	0.00	0.00	
533351	12 piece	Vacancy plate L	VMPA1-RP FES.533351	FES	0.00	0.00	
	4		PILZ.630 310			0.00	
8065110	16 piece	Connecting cable	NEBL-M8G4-E-5-N-LE4 FES.8065110	FES	0.00	0.00	
0750102	1		COLAN-FLEX220 2*0.5 COL.0750102	COLAN	0.00	0.00	
0280304	1		COLAN-DATA-FLEX LiYCY 4*0.34 COL.0280304	COLAN	0.00	0.00	

Part summary table

F02_001_English

Order number	Quantity	Description Name	Type number Part number	Manufacturer Vendor	Unit Price	Price	Location
1085256	1 Piece	Industrial Ethernet Switch	FL SWITCH 1008N PXC.1085256	PXC	0.00	0.00	
1085255	2 Piece	Industrial Ethernet Switch	FL SWITCH 1016N PXC.1085255	PXC	0.00	0.00	
	2		HCS02.1E-W0028			0.00	
	1		safety zone box1			0.00	
	1		safety zone box2			0.00	
6SL3210-5FB10-4UF1	4		6SL3210-5FB10-4UF1 SIE.6SL3210-5FB10-4UF1	SIE	0.00	0.00	
RCON-GWG-PRT-FU1	1 PCS	gateway	RCON-GWG-PRT-FU1 IAI.RCON-GWG-PRT-FU1	IAI	0.00	0.00	
RCON-PC-2	1 PCS	Driving module	RCON-PC-2 IAI.RCON-PC-2	IAI	0.00	0.00	
RCON-PC-1	1 PCS	Driving module	RCON-PC-1 IAI.RCON-PC-1	IAI	0.00	0.00	
	1	TP adapter	RCB-LB-TGS IAI.RCB-LB-TGS	IAI	0.00	0.00	
A9N22405	1		C65N-DC 1PC16A SE.A9N22405	Schneider Electric Schneider Electric	0.00	0.00	
A9F18325	1 a	Mini circuit breaker Icn=6kA	iC65N-C25A/3P SE.iC65N-C25A/3P	Schneider Electric	0.00	0.00	
A9F18316	2 a	Mini circuit breaker Icn=6kA	iC65N-C16A/3P SE.iC65N-C16A/3P	Schneider Electric	0.00	0.00	
A9F18104	4 a	Mini circuit breaker Icn=6kA	iC65N-C4A/1P SE.iC65N-C4A/1P	Schneider Electric	0.00	0.00	
A9P08616	1 a	Miniature circuit breaker	A9P08616 SE.A9P08616	Schneider Electric	0.00	0.00	
A9F18102	1 a	Mini circuit breaker Icn=6kA	iC65N-C2A/1P SE.iC65N-C2A/1P	Schneider Electric	0.00	0.00	
	4	relay	DRM570024LT+FS 4CO	WEI	0.00	0.00	
KA1238HA2-2	2	Cooling fan	KA1238HA2-2 KA1238HA2-2	KAGU KAGU	0.00	0.00	
Z_15GM22_B	1 PCS	microswitch	Z_15GM22_B OMR.Z_15GM22_B	OMRON	0.00	0.00	

Parts list

Device identifier	Quantity	Name	Type number	Vendor	Part number
-80A1	1	Industrial Ethernet Switch	FL SWITCH 1008N		PXC.1085256
-81A1	1	Industrial Ethernet Switch	FL SWITCH 1008N		PXC.1085256
-85A0	1	SPS communication module	PNOZ m ES ETH		PILZ.772130
-85A1	1	SPS - basic device	PNOZ m B0		PILZ.772100
-85A2	1	SPS digital input/output module	PNOZ m EF 8DI4DO		PILZ.772142
-85A3	1	SPS digital input/output module	PNOZ m EF 8DI4DO		PILZ.772142
-100A2	1	SIMATIC S7-1500 CPU 1515-2 PN	6ES7515-2AN03-0AB0		SIE.6ES7515-2AN03-0AB0
-100A2	1	MOUNTING RAIL 245MM (9.6")	6ES7590-1AC40-0AA0	SIE	SIE.6ES7590-1AC40-0AA0
-110A1	1	ET 200SP, IM155-6PN ST INCL. BA 2XRJ45	6ES7155-6AA01-0BN0		SIE.6ES7155-6AA01-0BN0_subassembly
-110A2	1	PLC input module	6ES7131-6BH01-0BA0+6ES7193-6BP00-0DA0		6ES7131-6BH01-0BA0+6ES7193-6BP00-0DA0
-110A3	1	PLC input module	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0		6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0
-110A4	1	PLC input module	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0		6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0
-110A5	1	PLC input module	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0		6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0
-110A6	1	PLC input module	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0		6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0
-110A7	1	PLC input module	6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0		6ES7131-6BH01-0BA0+6ES7193-6BP00-0BA0
-110A8	1	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0		6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0
-110A9	1	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0		6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0
-110A10	1	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0		6ES7132-6BH01-0BA0+6ES7193-6BP00-0BA0
-110A11	1	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0		6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0
-110A12	1	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0		6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0
-110A13	1	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0		6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0
-110A14	1	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0		6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0
-110A15	1	PLC output module	6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0		6ES7132-6BH01-0BA0+6ES7193-6BP00-0DA0
-170A1	1	Variable speed drive - 0.18kW - 200...240V - 1 phase - compact	ATV320U02M2C	SE	SE.ATV320U02M2C
-171A1	1	Variable speed drive - 0.18kW - 200...240V - 1 phase - compact	ATV320U02M2C	SE	SE.ATV320U02M2C
-172A1	1	driver	SRAC2-XD01		SRAC2-XD01
-173A1	1	Variable speed drive - 0.18kW - 200...240V - 1 phase - compact	ATV320U02M2C	SE	SE.ATV320U02M2C
-174A1	1	Variable speed drive - 0.18kW - 200...240V - 1 phase - compact	ATV320U02M2C	SE	SE.ATV320U02M2C
-175A1	1	driver	SRAC2-XD01		SRAC2-XD01
-176A1	1	Variable speed drive - 0.18kW - 200...240V - 1 phase - compact	ATV320U02M2C	SE	SE.ATV320U02M2C
-177A1	1	Variable speed drive - 0.18kW - 200...240V - 1 phase - compact	ATV320U02M2C	SE	SE.ATV320U02M2C
-178A1	1	driver	SRAC2-XD01		SRAC2-XD01
-179A1	1	Variable speed drive - 0.18kW - 200...240V - 1 phase - compact	ATV320U02M2C	SE	SE.ATV320U02M2C
-220A1	1				KUKA.KRCS_Box-2
-221A1	1				KUKA.KRCS_Box-2
-222A1	1				KUKA.KRCS_Box-2
-10F1	1	NSX Plastic-case Circuit Breaker (distribution protection) 3P 63A Breaking capacity N	C10N3TM063		SE.C10N3TM063
-10F2	1	Mini circuit breaker Icn=6kA	IC65N-C1A/1P		SE.iC65N-C1A/1P
-10F3	1	Mini circuit breaker Icn=6kA	IC65N-C1A/1P		SE.iC65N-C1A/1P
-10F4	1	Mini circuit breaker Icn=6kA	IC65N-C1A/1P		SE.iC65N-C1A/1P
-11F1	1	Mini circuit breaker Icn=6kA	IC65N-C4A/3P		SE.iC65N-C4A/3P
-12F1	1	Mini circuit breaker Icn=6kA	IC65N-D16A/2P		SE.iC65N-D16A/2P
-12F2	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P
-12F3	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P
-12F4	1	Mini circuit breaker Icn=6kA	IC65N-C4A/1P		SE.iC65N-C4A/1P
-21F1	1	Mini circuit breaker Icn=6kA	IC65N-D16A/2P		SE.iC65N-D16A/2P
-21F2	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P
-21F3	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P
-21F4	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P
-31F1	1	Mini circuit breaker Icn=6kA	IC65N-C4A/1P		SE.iC65N-C4A/1P
-31F2	1	Mini circuit breaker Icn=6kA	IC65N-D16A/2P		SE.iC65N-D16A/2P
-31F3	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P
-31F4	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P
-31F5	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P
-31F6	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P
-31F7	1	Mini circuit breaker Icn=6kA	IC65N-C2A/1P		SE.iC65N-C2A/1P

						Project Discription	Location	Page description	SZ23055_OP010	High level code	= OP010	
										Location code	+ S1	
	Creation date	2023/1/5	Edit date	2025/10/11						Zhejiang GMT Automation System Co., Ltd.	Number of pages	1
	Creator	GMT	Redactor	GMT							Page	247 / 328
						E-Compressor montážna stanica	S1	Zoznam súčiastok : PXC.1085256 - SE.iC65N-C2A/1P				

Parts list

F01_001_English

Device identifier	Quantity	Name	Type number	Vendor	Part number
-34F1	1	Miniature circuit breaker	A9P08616		SE.A9P08616
-34F2	1	Mini circuit breaker Icn=6kA	iC65N-C1A/1P		SE.iC65N-C1A/1P
-45F1	1	SITOP PSE200U	6EP1961-2BA21		SIE.6EP1961-2BA21
-10H1	1	220VAC indicator white			XB2BVM1LC
-10H2	1	220VAC indicator white			XB2BVM1LC
-10H3	1	220VAC indicator white			XB2BVM1LC
-199H1	2	D242 series flat explosion-proof working light 24W			D242-24
-92K1	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K2	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K3	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K4	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K5	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K6	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K7	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K8	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K9	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K10	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K11	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-92K12	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-94K1	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-94K2	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-94K3	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-94K4	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-94K5	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-94K6	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-94K7	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-94K8	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-96K1	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-96K2	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-96K3	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-96K4	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-96K5	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-96K6	1	Forced relay			P7SA-14F-ND+G7SA-4A2B
-180K1	1	Wafer relay			RSL1PVBU
-180K2	1	Wafer relay			RSL1PVBU
-196K1	1	Wafer relay			RSL1PVBU
-196K2	1	Wafer relay			RSL1PVBU
-200K1	1	relay			DRM570024LT+FS 4CO
-220K1	1	Wafer relay			RSL1PVBU
-221K1	1	Wafer relay			RSL1PVBU
-222K1	1	Wafer relay			RSL1PVBU
-180KM1	1		LC1D09BDC		LC1D09BDC
-200S1	1	microswitch	Z_15GM22_B		OMR.Z_15GM22_B
-10U1	1	LINE FILTER 3AC 20A	6SL3203-0BE22-0VA0		SIE.6SL3203-0BE22-0VA0
-34U2	1				67910
-198U1-Blue	1	blue light			XVBC2B6
-198U1-Buzzer	1	Buzzer			XVBC9B
-198U1-Green	1	Green light			XVBC2B3
-198U1-Red	1	Red light			XVBC2B4
-198U1-Yellow	1	Yellow light			XVBC2B5
-11V1	1	SITOP PSU300S	6EP1437-2BA20	Siemens AG	SIE.6EP1437-2BA20
-31V1	1	SITOP PSU8200 1ph 24 V/20 A	6EP1336-3BA10	SIE	SIE.6EP1336-3BA10
-2W64	1	Communication cable between modules 3m	7000-86001-7960300	MURRELEKTRONIK	MURR.7000-86001-7960300
-2W65	1	Communication cable between modules 3m	7000-86001-7960300	MURRELEKTRONIK	MURR.7000-86001-7960300
-3W16	1	Communication cable between modules 3m	7000-86001-7960300	MURRELEKTRONIK	MURR.7000-86001-7960300
-3W23	1	Communication cable between modules 3m	7000-86001-7960300	MURRELEKTRONIK	MURR.7000-86001-7960300

Parts list

F01_001_English

Device identifier	Quantity	Name	Type number	Vendor	Part number
-34W3	1		COLAN-FLEX220 3G0.75		COL.0750203
-X00	3	Feed-through terminal block	ZDU 10		WEI.1746750000
-X00	2	PE terminal	ZPE 10		WEI.1746770000
-X00	1	Through type terminal 10 mm²	ZDU 10 BL		WEI.1746760000
-X01	6	Feed-through terminal block	ZDU 10		WEI.1746750000
-X01	2	Through type terminal 10 mm²	ZDU 10 BL		WEI.1746760000
-X10	21	Through type terminal 2.5 mm²	ZDU 2.5		WEI.1608510000
-X10	14	Through type terminal 2.5 mm²	ZDU 2.5 BL		WEI.1608520000
-X023	4	Through type terminal 2.5 mm²	ZDU 2.5		WEI.1608510000
-X023	4	Through type terminal 2.5 mm²	ZDU 2.5 BL		WEI.1608520000
-X101	4	Through type terminal 2.5 mm²	ZDU 2.5		WEI.1608510000
-X200	16	2.5mm² Double-layer terminal block	ZDK 2.5	WEI	WEI.ZDK 2.5
-X201	16	2.5mm² Double-layer terminal block	ZDK 2.5	WEI	WEI.ZDK 2.5
-X202	16	2.5mm² Double-layer terminal block	ZDK 2.5	WEI	WEI.ZDK 2.5
-X300	16	2.5mm² Double-layer terminal block	ZDK 2.5	WEI	WEI.ZDK 2.5
-X301	24	2.5mm² Double-layer terminal block	ZDK 2.5	WEI	WEI.ZDK 2.5
-X302	24	2.5mm² Double-layer terminal block	ZDK 2.5	WEI	WEI.ZDK 2.5
-1XM24	5	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-1XM24S	10	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-2XM24	5	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-3XM24	10	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-XP24S	6	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-1XP24	5	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-1XP24S	2	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-2XP24	5	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-2XP24S	4	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-3XP24	16	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-3XP24S	1	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-4XP24S	1	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-5XP24S	1	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-6XP24S	1	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-7XP24S	1	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-8XP24S	1	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-9XP24S	1	Multi-tier modular terminal	ZDK 2.5		WEI.1674300000
-XPE1	10	Multi-tier modular terminal	ZDK 2.5PE		WEI.1690000000
-XPE2	10	Multi-tier modular terminal	ZDK 2.5PE		WEI.1690000000
+B1-701A1	1	SIMATIC HMI TP1200 COMFORT	6AV2124-0MC01-0AX0		SIE.6AV2124-0MC01-0AX0
+B1-702PB1-702S1	1	Button with light (white)	XB2BW34B1C		SCH.XB2BW31B1C
+B1-702PB1-702S2	1	Button (black)	XB2BA21C		SCH.XB2BA21C
+B1-702PB1-702S3	1	Button with light (green)	XB2BW33B1C		SCH.XB2BW33B1C
+B1-702PB1-702S4	1	Button with light (red)	XB2BW34B1C		SCH.XB2BW34B1C
+B1-702PB1-702S5	1	Button with light (white)	XB2BW34B1C		SCH.XB2BW31B1C
+B1-702PB1-702S6	1	Key switch	XB2BG21C		SCH.XB2BG21C
+B1-702PB1-702S7	1	Button with light (blue)	XB2BW36B1C		SCH.XB2BW36B1C
+B1-702PB1-702S8	1	Scram button	XB2BS542C		SCH.XB2BS542C
+B1-702PB1-702S8	1	NC contact	ZB2BE102C		SCH.ZB2BE102C
+B1-702PB1-702S8	1	NO contact	ZB2BE101C		SCH.ZB2BE101C
+S1E-820A1	1	Safety light grid for finger protection, protected field height of 1500mm	PSEN opII4F-s-14-150	PILZ	PILZ.632089
+S1E-821A1	1	Safety light grid for finger protection, protected field height of 1500mm	PSEN opII4F-s-14-150	PILZ	PILZ.632089
+S1E-843B2	1				PVR-S4
+S1E-843B3	1				PVR-S4
+S1E-868B2	1				PVR-S4
+S1E-868B3	1				PVR-S4
+S1E-868B5	0				GSE6-P4112
+S1E-842BF1	1	Flow sensor	SFAM-62-3000L-M-PNLK-PNVBA-M12		FES.8181242
+S1E-800PB1	1	Single hole button box - yellow lid	TYX1/Y		TAY.TYX1/Y

Parts list

F01_001_English

Device identifier	Quantity	Name	Type number	Vendor	Part number
+S1E-800PB1-800S1	1	Scram button	XB2BS542C		SCH.XB2BS542C
+S1E-800PB1-800S2	1	Button with light (white)	XB2BW34B1C		SCH.XB2BW31B1C
+S1E-801PB1	1	Single hole button box - yellow lid	TYX1/Y		TAY.TYX1/Y
+S1E-801PB1-801S1	1	Scram button	XB2BS542C		SCH.XB2BS542C
+S1E-801PB1-801S2	1	Button with light (white)	XB2BW34B1C		SCH.XB2BW31B1C
+S1E-802PB1	1	Single hole button box - yellow lid	TYX1/Y		TAY.TYX1/Y
+S1E-802PB1-802S1	1	Scram button	XB2BS542C		SCH.XB2BS542C
+S1E-803PB1	1	Single hole button box - yellow lid	TYX1/Y		TAY.TYX1/Y
+S1E-803PB1-803S1	1	Scram button	XB2BS542C		SCH.XB2BS542C
+S1E-804PB1	1	Single hole button box - yellow lid	TYX1/Y		TAY.TYX1/Y
+S1E-804PB1-804S1	1	Scram button	XB2BS542C		SCH.XB2BS542C
+S1E-805PB1	1	Single hole button box - yellow lid	TYX1/Y		TAY.TYX1/Y
+S1E-805PB1-805S1	1	Scram button	XB2BS542C		SCH.XB2BS542C
+S1E-806U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-807U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-808U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-809U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-810U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-811U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-812U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-813U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-814U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-815U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-815U2	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-816U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-816U2	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-817U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-817U2	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-818U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-819U1	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-819U2	1	Safety gate system, coded safety switch	PSEnsl-0.5p 1.1/PSEnsl-0.5	PILZ	PILZ.570500
+S1E-841U1	2	PROFINET interface	CPX-AP-I-PN-M12		FES.8086607
+S1E-842U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-845U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-846U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-847U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-849U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-850U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-851U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-857U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-860U1	2	PROFINET interface	CPX-AP-I-PN-M12		FES.8086607
+S1E-861U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-864U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-865U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-866U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-868U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-869U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-870U1	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-901U2	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-910U2	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-920U2	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-930U2	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-940U2	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-950U2	1	digital input module	CPX-AP-I-8DI-M8-3P		FES.8086600
+S1E-901V1	1	Solenoid valve E	VMPA1-M1H-E-PI		FES.533346
+S1E-901V2	1	Solenoid valve E	VMPA1-M1H-E-PI		FES.533346

Cable overview

GMT_CABLE_OVERVIEW_V1

Cable name	Source	Target (to)	Cable type	Full conductor	Applied wire	Cross-sectional area [mm]	Functional text	Page of cable diagram
	-XPE2							
	-196K2							
-200W1	-3XP24	-200S1		2	2	0.5	Electrical cabinet limit switch cable	
	-200K1							
-220W1	-220A1	-96K3			8			
		-96K5						
		-96K4						
		-96K6						
-220W2	-XPE1	-220XS2			3			
	-12F1							
-221W1	-221A1	-96K3			8		F-ROBOT 2ROBOT1 Cable	
		-96K5						
		-96K4						
		-96K6						
-221W2	-XPE1	-221XS2			3			
	-21F1							
-222W1	-222A1	-96K3			8		F-ROBOT 3ROBOT1 Cable	
		-96K5						
		-96K4						
		-96K6						
-222W2	-222XS2	-XPE1			3			
		-31F2						
+B1-703W1	+B1-X170	+B1-703XS1			5		HMI cable	
+S1E-843B1	+S1E-843B1	+S1E-843U1			3			
+S1E-843B2	+S1E-843B2	+S1E-843U1			3			
+S1E-843B3	+S1E-843B3	+S1E-843U1			3			
+S1E-843B5	+S1E-843B5	+S1E-843U1			3			
+S1E-843B6	+S1E-843B6	+S1E-843U1			3			
+S1E-843B7	+S1E-843B7	+S1E-843U1			3			
+S1E-843B8	+S1E-843B8	+S1E-843U1			3			
+S1E-844B1	+S1E-844B1	+S1E-844U1			3			
+S1E-844B2					0			
+S1E-845B1	+S1E-845B1	+S1E-845U1			3			
+S1E-845B2	+S1E-845B2	+S1E-845U1			3			
+S1E-845B3	+S1E-845B3	+S1E-845U1			3			
+S1E-845B4	+S1E-845B4	+S1E-845U1			3			
+S1E-846B1	+S1E-846B1	+S1E-846U1			3			
+S1E-846B2	+S1E-846B2	+S1E-846U1			3			
+S1E-846B3					0			
+S1E-846B4					0			
+S1E-846B5	+S1E-846B5	+S1E-846U1			3			
+S1E-847B1	+S1E-847B1	+S1E-847U1			3			
+S1E-847B2	+S1E-847B2	+S1E-847U1			3			
+S1E-847B3	+S1E-847B3	+S1E-847U1			3			
+S1E-848B1	+S1E-848B1	+S1E-848U1			3			
+S1E-848B2	+S1E-848B2	+S1E-848U1			3			

1.a

				
	Creation date	2023/1/5	Edit date	2025/10/11
	Creator	GMT	Redactor	GMT

Project Discription	Location	Page description
E-Compressor montážna stanica	S1	Prehľad káblov

SZ23055_OP010	High level code	= OP010
	Location code	+ S1
Zhejiang GMT Automation System Co., Ltd.	Number of pages	1.b
	Page	258 / 328

1.c

Cable overview

GMT_CABLE_OVERVIEW_V1

Cable name	Source	Target (to)	Cable type	Full conductor	Applied wire	Cross-sectional area [mm]	Functional text	Page of cable diagram
+S1E-849B1	+S1E-849B1	+S1E-849U1			3			
+S1E-849B2	+S1E-849B2	+S1E-849U1			3			
+S1E-849B3	+S1E-849B3	+S1E-849U1			3			
+S1E-849B4	+S1E-849B4	+S1E-849U1			3			
+S1E-850B1	+S1E-850B1	+S1E-850U1			3			
+S1E-850B2	+S1E-850B2	+S1E-850U1			3			
+S1E-850B3	+S1E-850B3	+S1E-850U1			3			
+S1E-850B4	+S1E-850B4	+S1E-850U1			3			
+S1E-850B5	+S1E-850B5	+S1E-850U1			3			
+S1E-850B6	+S1E-850B6	+S1E-850U1			3			
+S1E-850B7	+S1E-850B7	+S1E-850U1			3			
+S1E-851B1	+S1E-851B1	+S1E-851U1			3			
+S1E-851B2	+S1E-851B2	+S1E-851U1			3			
+S1E-851B5	+S1E-851B5	+S1E-851U1			3			
+S1E-852B1	+S1E-852B1	+S1E-852U1			3			
+S1E-852B2	+S1E-852B2	+S1E-852U1			3			
+S1E-852B3	+S1E-852B3	+S1E-852U1			3			
+S1E-852B4	+S1E-852B4	+S1E-852U1			3			
+S1E-853B1	+S1E-853B1	+S1E-853U1			3			
+S1E-853B2	+S1E-853B2	+S1E-853U1			3			
+S1E-854B1	+S1E-854B1	+S1E-854U1			3			
+S1E-854B2	+S1E-854B2	+S1E-854U1			3			
+S1E-854B3	+S1E-854B3	+S1E-854U1			3			
+S1E-854B4	+S1E-854B4	+S1E-854U1			3			
+S1E-855B1	+S1E-855B1	+S1E-855U1			3			
+S1E-855B2	+S1E-855B2	+S1E-855U1			3			
+S1E-856B1	+S1E-856B1	+S1E-856U1			3			
+S1E-856B2	+S1E-856B2	+S1E-856U1			3			
+S1E-856B3	+S1E-856B3	+S1E-856U1			3			
+S1E-856B4	+S1E-856B4	+S1E-856U1			3			
+S1E-857B1	+S1E-857B1	+S1E-857U1			3			
+S1E-857B2	+S1E-857B2	+S1E-857U1			3			
+S1E-857B3					0			
+S1E-861B1	+S1E-861B1	+S1E-861U1			3			
+S1E-861B2	+S1E-861B2	+S1E-861U1			3			
+S1E-861B3	+S1E-861B3	+S1E-861U1			3			
+S1E-861B4	+S1E-861B4	+S1E-861U1			3			
+S1E-862B1	+S1E-862B1	+S1E-862U1			3			
+S1E-862B2	+S1E-862B2	+S1E-862U1			3			
+S1E-862B3	+S1E-862B3	+S1E-862U1			3			
+S1E-862B4	+S1E-862B4	+S1E-862U1			3			
+S1E-862B5	+S1E-862B5	+S1E-862U1			3			
+S1E-863B1	+S1E-863B1	+S1E-863U1			3			
+S1E-863B2	+S1E-863B2	+S1E-863U1			3			
+S1E-863B3	+S1E-863B3	+S1E-863U1			3			
+S1E-863B4	+S1E-863B4	+S1E-863U1			3			

1.b

				
	Creation date	2023/1/5	Edit date	2025/10/11
	Creator	GMT	Redactor	GMT

Project Discription	Location	Page description	SZ23055_OP010	High level code	= OP010
				Location code	+ S1
			Zhejiang GMT Automation System Co., Ltd.	Number of pages	1.c
				Page	259 / 328

E-Compressor montážna stanica

S1

Prehľad káblov

1.d

Cable overview

GMT_CABLE_OVERVIEW_V1

Cable name	Source	Target (to)	Cable type	Full conductor	Applied wire	Cross-sectional area [mm]	Functional text	Page of cable diagram
	+S1E-802PB1-802S2							
	+S1E-802PB1-802S3							
+S1E-803W1	+S1E-803PB1-803S1	+S1E-803XS1			10		magnet Charging button box cable	
	+S1E-803PB1-803S2							
	+S1E-803PB1-803S3							
	+S1E-803PB1-803S4							
+S1E-804W1	+S1E-804PB1-804S1	+S1E-804XS1			10		Reserve cables for the charging level button box	
	+S1E-804PB1-804S2							
	+S1E-804PB1-804S3							
	+S1E-804PB1-804S4							
+S1E-805W1	+S1E-805PB1-805S1	+S1E-805XS1			10		Finish the cable for the button box of the product cut level	
	+S1E-805PB1-805S2							
	+S1E-805PB1-805S3							
	+S1E-805PB1-805S4							
+S1E-806W1			7000-48051-7170500		8			
+S1E-806W2		-3XP24	7000-17197-2920200		8		=	
		+S1E-X130						
		-X201						
		-3XM24						
		-X301						
+S1E-807W1			7000-48051-7170500		8			
+S1E-807W2		+S1E-X130	7000-17197-2920200		8		=	
		-3XP24						
		-X201						
		-3XM24						
		-X301						
+S1E-808W1			7000-48051-7170500		8			
+S1E-808W2		+S1E-X130	7000-17197-2920200		8		=	
		-3XP24						
		-X201						
		-3XM24						
		-X301						
+S1E-809W1			7000-48051-7170500		8			
+S1E-809W2		+S1E-X130	7000-17197-2920200		8		=	
		-3XP24						
		-X201						
		-3XM24						
		-X301						
+S1E-810W1			7000-48051-7170500		8			
+S1E-810W2		+S1E-X130	7000-17197-2920200		8		=	
		-3XP24						
		-X201						
		-3XM24						
		-X301						
+S1E-811W1			7000-48051-7170500		8			
+S1E-811W2		+S1E-X130	7000-17197-2920200		8		=	

Cable overview

GMT_CABLE_OVERVIEW_V1

Cable name	Source	Target (to)	Cable type	Full conductor	Applied wire	Cross-sectional area [mm]	Functional text	Page of cable diagram
		+S1E-X131						
		-X201						
		-3XM24						
		-X301						
+S1E-817W3			7000-48051-7170500		8			
+S1E-817W4		+S1E-X131	7000-17197-2920200		8	=		
		-3XP24						
		-85A2						
		-X201						
		-3XM24						
		-X302						
+S1E-818W1			7000-48051-7170500		8			
+S1E-818W2		-3XP24	7000-17197-2920200		8	=		
		-85A2						
		-X201						
		+S1E-822XS2						
		-X302						
+S1E-819W1			7000-48051-7170500		8			
+S1E-819W2		-3XP24	7000-17197-2920200		4	=		
		-X200						
		-3XM24						
		-X301						
+S1E-819W3			7000-48051-7170500		8			
+S1E-819W4		-3XP24	7000-17197-2920200		4	=		
		-X200						
		-3XM24						
		-X301						
+S1E-820W1		+S2-X132	7000-12241-6350500		2			
+S1E-820W2	+S2-X132	+S1E-820A1	7000-12241-6350500		4	=		
+S1E-820W3		+S2-X132	7000-48051-7170500		6			
+S1E-820W4		-3XP24	7000-17197-2920200		6	=		
		-3XM24						
		-85A1						
+S1E-821W1		+S2-X133	7000-12241-6350500		2			
+S1E-821W2		+S2-X133	7000-48051-7170500		6			
+S1E-821W3		-3XP24	7000-17197-2920200		6	=		
		-3XM24						
		-85A1						
+S1E-821W4	+S2-X133	+S1E-821A1	7000-12241-6350500		4			
+S1E-841W1	-2XM24	+S1E-841U1	NEBL-M8G4-E-5-N-LE4	4	4	0.5		
	-2XP24							
+S1E-842W1	+S1E-842BF1	+S1E-842U1			5		Meter cable	
+S1E-845W1			NEBL-M8G4-E-5-N-LE4	4	0	0.5		
+S1E-852W1			NEBL-M8G4-E-5-N-LE4	4	0	0.5		
+S1E-860W1	-2XM24	+S1E-860U1	NEBL-M8G4-E-5-N-LE4	4	4	0.5		
	-2XP24							

Cable overview

GMT_CABLE_OVERVIEW_V1

Cable name	Source	Target (to)	Cable type	Full conductor	Applied wire	Cross-sectional area [mm]	Functional text	Page of cable diagram
-S2W2	-280A1	-372A1			0			
-S2W3	-280A1	-375A1			0			
-S2W4	-280A1	-384A1			0			
-S2W5	-280A1	+S2E-800A1			0			
-S2W6	-280A1	+S2E-801A1			0			
-S2W7	-280A1	+S2E-802A1			0			
-S2W9	-280A1	+S2E-803A1			0			
-S2W10	-280A1	+S2E-804A1			0			
-S2W11	-280A1	+S2E-805A1			0			
-S2W12	-280A1	+S2E-806A1			0			
-S2W13	-280A1	+S2E-807A1			0			
-S2W14	-280A1	+S1E-841U1	NEBC-D12G4-ES-5-S-R3G4-ET		0		"M12-RJ45, length 5 meters"	
-S2W15	-280A1	+S1E-860U1	NEBC-D12G4-ES-5-S-R3G4-ET		0		=	
-S2W18	+S1-220A1	-280A2			0			
-S2W19	+S1-221A1	-280A2			0			
-S2W20	+S1-222A1	-280A2			0			
-S2W21	-280A2	-380A1			0			
-S2W22	-280A2	+S2E-812A1			0			
-S2W23					0			
-S3W18	-233A2	-280A3			0			
-S3W19	-280A3	-372A1			0			
-S3W20	-280A3	-375A1			0			
-W400	-3XP24	-400S1		2	2	0.5	Electrical cabinet limit switch cable	
	-400K1							
-W403	-370A1	-370M1	KSM341600-10		8			
-W404	-370M1	-372A1	KSM18028883-10		1			
-W405			CB-CON-LB005		0			
-W406	-281XS2	-384A4			3		Safety loop Harting cable	
-W407					0			
-35W1			COLAN-FLEX220 3G2.5		0			
-231W1	-231M1	-400K1	COLAN-FLEX220 3G1.5		5			
		-231M2						
		-XPE1						
-231W2	-XPE1	-231M2	COLAN-FLEX220 3G1.5		1			
-231W3	-231H1	-400K1	COLAN-FLEX220 3G1.5		3			
		-XPE1						
-370W1	-370A1	-371A1	KSM18029161-1		1			
-371W1	-370A1	-370M1			1			
-372W1	-370A1	-372A1	KSM18029160-10		1		Communication cable	
-373W1	-373A1	-373M1	KSM341600-10		8			
-373W2	-373A1	-373M1			1			
-373W3	-373A1	-374A1	KSM18029161-1		1			
-375W1	-373A1	-375A1	KSM18029160-10		1		Communication cable	
-375W2	-373M1	-375A1	KSM18028883-10		1			
-380W1	-380A1	-380U1-M1	6FX30025CL021AF0		4		Power cable	
-380W2	-380K1	-380U1	6FX30025BL031AF0		2		Lock cable	

+S1/1.i

1.a

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X01		
●	1	
●	2	
●	3	
●	4	
●	5	
●	6	
●	7	
●	8	

GMT_TLD_V1

=OP010+S1-X10		
●	1	
●	2	
●	3	
●	4	
●	5	
●	6	
●	7	
●	8	
●	9	
●	10	
●	11	
●	12	
●	13	
●	14	
●	15	
●	16	
●	17	
●	18	
●	19	
●	20	
●	21	
●	22	
●	23	
●	24	
●	25	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X10		
●	26	
●	27	
●	28	
●	29	
●	30	
●	31	
●	32	
●	33	
●	34	
●	35	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X023		
●	1	
●	2	
●	3	
●	4	
●	N	
●	N	
●	N	
●	N	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X101		
1		
2		
3		
4		

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X200			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X201			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X202			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X203			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X204			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X205			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X300			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X302			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X303			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-X304			
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	

GMT_TLD_V1

GMT_TLD_V1

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

The diagram illustrates a 10-bit shift register, labeled **=OP010+S1-2XM24**. It is composed of two identical 5-bit sections. The top section has five inputs labeled 1 through 5 and five outputs labeled 51 through 55. The bottom section is currently empty, showing only the input and output lines without data values.

Input	Output
1	51
2	52
3	53
4	54
5	55

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-3XM24

●	1		●	51
●	2		●	52
●	3		●	53
●	4		●	54
●	5		●	55
●	6		●	56
●	7		●	57
●	8		●	58
●	9		●	59
●	10		●	60

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

The diagram shows a 2x6 grid of cells. The top row is labeled 'Table 1' and the bottom row is labeled 'Table 2'. The cells in the top row are: a box containing '=OP010+S1-XP24S', a box containing '1', and four empty boxes. The cells in the bottom row are: a box containing '1', a box containing '51', and four empty boxes. The grid is labeled 'Table 1' and 'Table 2'.

=OP010+S1-XP24S					
1					
1	51				

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-1XP24

●	1		●	51
●	2		●	52
●	3		●	53
●	4		●	54
●	5		●	55

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

The diagram illustrates a 52-bit bus system. At the top, a box labeled "=OP010+S1-1XP24S" is connected to a horizontal bus. The bus is divided into two main sections. The left section has two rows of pins, labeled "1" and "2", each with a vertical line and a dot indicating a connection point. The right section has two rows of pins, labeled "51" and "52", each with a vertical line and a dot indicating a connection point. The bus is represented by a series of connected rectangles and lines, showing the flow of data or signals between the components.

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible][illegible]

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

The diagram illustrates a 2x4 multiplexer circuit. It features two 4-bit inputs, A and B, and a 4-bit output Y. Input A is connected to the top four data inputs of the multiplexer block, labeled 1, 2, 3, and 4. Input B is connected to the bottom four data inputs, labeled 51, 52, 53, and 54. The output Y is connected to the four outputs of the multiplexer block. The circuit is controlled by two select lines, S1 and S2, and an enable line, OP010. The output Y is labeled as OP010+S1-2XP24S.

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-3XP24				
●	1		●	51
●	2		●	52
●	3		●	53
●	4		●	54
●	5		●	55
●	6		●	56
●	7		●	57
●	8		●	58
●	9		●	59
●	10		●	60
●	11		●	61
●	12		●	62
●	13		●	63
●	14		●	64
●	15		●	65
●	16		●	66

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-3XP24S			
'	1		' 51

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-4XP24S			
'	1	'	51

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-5XP24S			
'	1		' 51

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1-6XP24S			
'	1		' 51

GMT_TLD_V1

GMT_TLD_V1

=OP010+S1-8XP24S			
'	1		' 51

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1


[illegible]

=OP010+S1-9XP24S			
'	1		' 51

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

=OP010+B1-X170	
TOTAL TERMINAL NUMBER	20
TERMINAL	
ERP NUMBER	TYPE NUMBER
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDK 2.5
	ZDK 2.5



TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1E-X120		
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S1E-X130		
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		

F14_001_English

Terminal strips	Terminal strip definition text	端子					Diagram page of the terminal diagram
		first	Last	Sum PE	Sum N	Total	
-X00	Main inlet terminal	1	PE	2	0	6	
-X01	Main power distribution	1	8	0	0	8	
-X10	Power branch terminal _ Circuit breaker	1	35	0	0	35	
-X023	Cabinet leakage power terminal	1	N	0	0	8	
-X101		1	4	0	0	4	
-X200		1	58	0	0	16	
-X201		1	58	0	0	16	
-X202		1	58	0	0	16	
-X203		1	58	0	0	16	
-X204		1	58	0	0	16	
-X205		1	58	0	0	16	
-X300		1	58	0	0	16	
-X301		1	58	0	0	16	
-X302		1	58	0	0	16	
-X303		1	58	0	0	16	
-X304		1	58	0	0	16	
-X305		1	58	0	0	16	
-X306		1	58	0	0	16	
-X307		1	58	0	0	16	
-1XM24	CH1_0V branch terminal	1	55	0	0	10	
-1XM24S	CH4_ Controlled 0V branch terminal	1	60	0	0	20	
-2XM24	CH2_0V branch terminal	1	55	0	0	10	
-3XM24	CH3_0V branch terminal	1	60	0	0	20	
-XP24S	Controlled power branch terminal	1	6	0	0	12	
-1XP24	CH1_24V branch terminal	1	55	0	0	10	
-1XP24S	CH4-1_ Emergency stop controlled power supply	1	52	0	0	4	
-2XP24	CH2_24V branch terminal	1	55	0	0	10	
-2XP24S	CH4-2_ scram or safety gate controlled power supply	1	54	0	0	8	
-3XP24	CH3_24V branch terminal	1	66	0	0	32	
-3XP24S	CH4-3_ Safety grating 1 Controlled power supply	1	51	0	0	2	
-4XP24S	CH4-4_ Safety grating 2 Controlled power supply	1	51	0	0	2	
-5XP24S	CH4-5_ Logistics gate 1 controlled power supply	1	51	0	0	2	
-6XP24S	CH4-6_ Logistics gate 2 controlled power supply	1	51	0	0	2	
-7XP24S	CH4-7_ Logistics gate 3 controlled power supply	1	51	0	0	2	
-8XP24S	CH4-8_ Logistics gate 4 controlled power supply	1	51	0	0	2	
-9XP24S	CH4-9_ Controlled power supply for high temperature furnace	1	51	0	0	2	
-XPE1		1	10	10	0	10	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1


[illegible]

=OP010+S2-X00		
I	1	
I	2	
I	3	
●	N	
●	N	
	PE	
	PE	
	PE	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

=OP010+S2-X10	
TOTAL TERMINAL NUMBER	16
TERMINAL	
ERP NUMBER	TYPE NUMBER
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5
	ZDU 2.5



TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S2-X023		
●	1	
●	2	
●	3	
●	4	
●	N	
●	N	
●	N	
●	N	

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S2-X101		
1		
2		
3		
4		

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S2-X102		
1		
2		
3		
4		

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S2-X103		
1		
2		
3		
4		

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S2-X132		
1		
2		
3		
4		
5		
6		

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S2-X303			
1			
2			

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S2-3XM24

●	1		●	51
●	2		●	52
●	3		●	53
●	4		●	54
●	5		●	55
●	6		●	56
●	7		●	57
●	8		●	58
●	9		●	59
●	10		●	60

GMT_TLD_V1

GMT_TLD_V1

●	1		●	51
●	2		●	52
●	3		●	53
●	4		●	54
●	5		●	55
●	6		●	56
●	7		●	57
●	8		●	58
●	9		●	59
●	10		●	60

TERMINAL LINE-UP DIAGRAM

GMT_TLD_V1

[illegible]

=OP010+S2-XPE1		
●	1	
●	2	
●	3	
●	4	
●	5	
●	6	
●	7	
●	8	
●	9	
●	10	

GMT_TLD_V1

=OP010+S2-XPE2		
●	1	
●	2	
●	3	
●	4	
●	5	
●	6	
●	7	
●	8	
●	9	
●	10	

