

WRAITH SKIMMER

ANTI-GRAV TANK · CLASS: RECON

Hull WRS-2 Mass: 18t (hover) Faction: Cobalt Legion

MOTIVE TYPE: HOVER — ignores rough terrain and rubble

MOVE

5 HEX

RANGE

3 HEX

ARMOR

60

TO-HIT TN

7+

DAMAGE

3

ARMOR & STRUCTURE DIAGRAM

1 row = 10 armor points · up to 10 rows per facing at Ground Assault scale

TURRET (1 ROW)

FRONT (2 ROWS)

LEFT SIDE (1 ROW)

RIGHT SIDE (1 ROW)

REAR (1 ROW)

WEAPONS & EQUIPMENT

WEAPON	LOCATION	HEAT	DMG	MIN/SHT/MED/LNG
Light Autocannon/5	Turret	2	2	– / 4 / 8 / 12
Twin Machine Guns	Front Hull	0	2	– / 1 / 2 / 3
Smoke Dispenser	Rear Hull	0	–	– / 1 / – / –

CRITICAL HIT ALLOCATION (SAMPLE)

TURRET

LIFT FANS

CREW COMPT.

GUNNERY SKILL

DRIVING SKILL

RANGE & MOVEMENT MODIFIERS (REFERENCE)

ATTACK RANGE	MODIFIER	TARGET MOVED
Short	+0	0–2 hex: +0
Medium	+2	3–4 hex: +1
Long	+4	5+ hex: +2

NOTES: _____



SPARROWHAWK
AEROSPACE INTERCEPTOR · CLASS: LIGHT
Model SPH-2 Tonnage: 25 Faction: Cobalt Legion

THRUST
6/9

PILOT SKILL
7+

ALT. BAND
LOW

FUEL
40

VELOCITY RECORD (CIRCLE CURRENT VELOCITY EACH TURN)

0

1

2

3

4

5

6

7

8

9

ARMOR & STRUCTURE

1 row = 10 pts · up to 10 rows/facing

NOSE (2 ROWS)

HEAT SCALE

0	1	2	3	4	5
6	7	8	9	10	11
12	13	14	15	16	17
18	19	20	21	22	23
24	25	26	27	28	29

L WING (1 ROW)

R WING (1 ROW)

AFT (1 ROW)

STRUCTURAL INTEGRITY

WEAPON BAYS

WEAPON BAY	ARC	HEAT	DMG	SHT/MED/LNG/EXT
Nose Autocannon	Nose	3	4	6 / 12 / 18 / 24
Wing Pulse Lasers (2)	Fore	6	3 ea	4 / 8 / 12 / –

CRITICAL HITS — AEROSPACE SYSTEMS


ENGINE

AVIONICS

FUEL TANK

LIFE SUPPORT

NOTES: _____



DAUNTLESS-CLASS CORVETTE

LIGHT WARSHIP · CLASS: ESCORT
Hull DNT-C Displacement: 42,000t Faction: Cobalt Legion

THRUST 4/6	CREW QUALITY 8+	BAYS 5	STRUCT. INT. 8
---------------	--------------------	-----------	-------------------

ARMOR BY FACING

1 row = 10 armor points · up to 20 rows per facing at Capital Fleet scale

NOSE (4 ROWS)

☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

FORE-L (3 ROWS)

☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

FORE-R (3 ROWS)

☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

AFT-L (2 ROWS)

☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

AFT-R (2 ROWS)

☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

AFT (3 ROWS)

☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

HEAT SCALE (FLEET REACTOR LOAD)

0	1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18	19
20	21	22	23	24	25	26	27	28	29
30	31	32	33	34	35	36	37	38	39

WEAPON BAYS

BAY / WEAPON	ARC	HEAT	DMG	SHT/MED/LNG/EXT
Naval Autocannon/25 x2	Nose	12	25 ea	8 / 16 / 24 / 30
Capital Missile Bay	Bcast-L	8	30	10 / 20 / 30 / 40
Capital Missile Bay	Bcast-R	8	30	10 / 20 / 30 / 40
Point Defense AC x2	Aft	4	4 ea	3 / 6 / – / –

CRITICAL HITS — SHIP SYSTEMS

ENGINES

☐	☐	☐
--------------------------	--------------------------	--------------------------

SENSORS

☐	☐	☐
--------------------------	--------------------------	--------------------------

BRIDGE

☐	☐	☐
--------------------------	--------------------------	--------------------------

DOCKING COLLAR

☐	☐	☐
--------------------------	--------------------------	--------------------------

CREW QTRS

☐	☐	☐
--------------------------	--------------------------	--------------------------

NOTES: _____