() multiple inhewbance

Support by java, it we execute it, the antiguity every will occur. Ex To out come from it we how interface. i.e i will Emplain tach.

Eu 1

Clour + {

usid == m(!)

\$.0.P["m(");

3

3 coss

class 3 {

usid m2()

S.O.P ("mz"),

3.

Class C Entends A,B 11 Error.

hur we can't un Two ochors

Entends Some tinu

Interface!

The is 100% Abrheart; here the alone thing can carry over from thes

EL.

con Interface Aft

interface Bo,

publicated mg () 8.

S. O.P ("M2"), 33

De Interface B 8

nublice word my () 8

S. O.P ("My"); 2)

Elaus C'implements AIB I.

Muliu would receive)

Mulius can a done in indepair

2.

for (i=1;i≤5;i++) 2:n-i

for (i=5:i≤5;i++)

S. o. p("-");

or (int-k=1;i-(×i; |

for (i=1;i-(×i; |

for

328.01PIn("11)",

S. O.P (" + " 10 +" -");

3. Abyliact & interfal.

86 the

interface A.C void mi, usid m2°, world m3" Abricon wild my Clay B Entrevel A.S. public wid mills. S. O. P (M, V); 3 P. V M2 (19 S. D. P ("m2"); 3, Pov. m3 (12 S. O.P (11 my11); 1. BOOC unid my () & 3 & Sioplangeye

1111111111111

2

-

p. S. V. m (sting (? enry)).

B object (1=new B;

CI. W. D.,
CI. W. CI.

8.5 (2 = new A;

(2. M2(); (2. M2(); (2. M4(); (1. M();//

4. paranterina content.

int Empld = Ed;

sain name Man;

3.0.0 (Ed 1 is "I nam):

Proud CS P. S. V. M / Sac () ang 12 A en = new 4; G. Mar Brysley, (12, 109 Grum);

9. Enpuls 2 (13, pressal)

5.)

intance navially brain variale,

boo & - scatin navially.

Com Generalis

Sold (Claus Run)

Sold int d=20!

Sold int d=20

int g=40;

int x=20;

int y=g+x;

s.o.p (y);

int y=g+A 11 Euu

Su down uanabe can't

call intane uanabe

State - word m31)

State - word m31)

int d 93 = d+200;