```
IMOkjolhede@Chris-Macbook IMO % git diff
diff --git a/client/public/index.html b/client/public/index.html
index 2d08363..ed5cbd4 100644
--- a/client/public/index.html
+++ b/client/public/index.html
@@ -45,6 +45,8 @@
     To create a production bundle, use `npm run build` or `yarn build`.
   -->
 <script>
+//document.body.classList.add('logged-in');
+//document.body.classList.add('logged-out');
 document.addEventListener("DOMContentLoaded", function() {
     var registerContainer = document.querySelector(".reg-form-container");
     var loginContainer = document.querySelector(".login-form-container");
diff --git a/client/src/components/EditUser.js b/client/src/components/EditUser.js
index 7b5c5bf..82917a8 100644
--- a/client/src/components/EditUser.js
+++ b/client/src/components/EditUser.js
@@ -55,7 +55,7 @@ function EditUser(handleImageClick, handleImageSelect, isModalOpen) {
     return (
         <>
           <div>
-          <img
+          <img
              className="profilePic"
              src={defaultProfilePic}
              name="profilePic"
@@ -68,6 +68,7 @@ function EditUser(handleImageClick, handleImageSelect, isModalOpen) {
        <form onSubmit={formik.handleSubmit}>
           <div className="input-container">
             <input
+              className="input-email"
              id="email"
              name="email"
              type="email"
@@ -83,6 +84,7 @@ function EditUser(handleImageClick, handleImageSelect, isModalOpen) {
          </div>
          <div className="input-container">
            <input
+             className="input-email"
             id="first_name"
             name="first_name"
             type="text"
@@ -98,6 +100,7 @@ function EditUser(handleImageClick, handleImageSelect, isModalOpen) {
          </div>
          <div className="input-container">
            <input
+             className="input-email"
             id="last_name"
             name="last_name"
             type="text"
@@ -113,6 +116,7 @@ function EditUser(handleImageClick, handleImageSelect, isModalOpen) {
          </div>
          <div className="input-container">
            <input
+             className="input-email"
```

```
                    id="phone"
                    name="phone"
                    type="text"
@@ -128,6 +132,7 @@ function EditUser(handleImageClick, handleImageSelect, isModalOpen) {
                </div>
                <div className="input-container">
                  <input
+                    className="input-email"
                    id="zipcode"
                    name="zipcode"
                    type="text"
@@ -141,7 +146,7 @@ function EditUser(handleImageClick, handleImageSelect, isModalOpen) {
                    <p className="error">{formik.errors.zipcode}</p>
                  ) : null}
                </div>
-
+

            <div id="submit-button">
              <button type="submit" className="submit-button">
                Update
diff --git a/client/src/components/FollowCard.js b/client/src/components/FollowCard.js
index 7e3d221..8a3de76 100644
--- a/client/src/components/FollowCard.js
+++ b/client/src/components/FollowCard.js
@@ -25,11 +25,11 @@ function FollowCard({ handleRemoveFriend, handleAcceptFriend,
handleFriendReques
        else if (follow.status === 'accepted') {
          return (
            <div className="follow-card">
-              <img className="card-user-img"
+              <img className="follow-picture"
                src={profilePic}
                alt="profile pic"
              ></img>
-              <div className="follow-card-header">
+              <div className="follow-header">
                <h2>
                  {friendUser.first_name} {friendUser.last_name}
                </h2>
@@ -37,7 +37,7 @@ function FollowCard({ handleRemoveFriend, handleAcceptFriend,
handleFriendReques
                <h3>{friendUser.phone}</h3>
              </div>
              <button
-                className="follow-card-header-btn"
+                className="follow-button"
                onClick={() => {
                  handleRemoveFriend(follow.id);
                }}
diff --git a/client/src/components/Follows.js b/client/src/components/Follows.js
index 79e5621..a45c79e 100644
--- a/client/src/components/Follows.js
+++ b/client/src/components/Follows.js
@@ -82,14 +82,15 @@ function Follows() {

    return (
```

```
            <>
-             <div>
-               <h2>Search for Friends</h2>
+         <div className="follow-container">
+           <div className="follow-search">
+             <h2>Search for Friends
                <UserSearch
                  handleFriendRequest={handleFriendRequest}
-             />
+             /></h2>
            </div>
-             <div>
-             <h1>Friends</h1>
+           <div className="follow-list">
+             <h1>Friends</h1>
              <FollowsList
                handleFriendRequest={handleFriendRequest}
                handleRemoveFriend={handleRemoveFriend}
@@ -97,6 +98,7 @@ function Follows() {
                follows={follows}
              />
            </div>
+         </div >
          </>
      );

diff --git a/client/src/components/FollowsList.js b/client/src/components/FollowsList.js
index ecd9cd1..5a84b7b 100644
--- a/client/src/components/FollowsList.js
+++ b/client/src/components/FollowsList.js
@@ -1,17 +1,56 @@
-import React from "react";
+import React, { useState, useEffect } from "react";
 import FollowCard from "./FollowCard";
 // TODO: Add frame of suggested friends. Algo simply users 2 or 3 degrees of separation through current
friends

 function FollowsList({ handleRemoveFriend, handleAcceptFriend, handleFriendRequest, follows }) {
+   const [acceptedFollows, setAcceptedFollows] = useState([]);
+   const [pendingFollows, setPendingFollows] = useState([]);
+   const [requestedFollows, setRequestedFollows] = useState([]);
+
+   useEffect(() => {
+     setAcceptedFollows(follows?.filter((follow) => follow.status === 'accepted'));
+     setPendingFollows(follows?.filter((follow) => follow.status === 'pending'));
+     setRequestedFollows(follows?.filter((follow) => follow.status === 'requested'));
+   }, [follows]);
+
+
    return (
-
-       <div className="FriendList">
-         {follows?.map((friend) => (
quest} follow={friend} />
-         ))
-         }
```

```
+        <div className="followcards-container">
+          <div className="followcard-accepted-container">
+            {acceptedFollows?.map((friend) => (
+              <FollowCard
+                key={friend.id}
+                handleRemoveFriend={handleRemoveFriend}
+                handleAcceptFriend={handleAcceptFriend}
+                handleFriendRequest={handleFriendRequest}
+                follow={friend}
+              />
+            ))}
+          </div>
+          <div className="followcard-pending-container">
+            {pendingFollows?.map((friend) => (
+              <FollowCard
+                key={friend.id}
+                handleRemoveFriend={handleRemoveFriend}
+                handleAcceptFriend={handleAcceptFriend}
+                handleFriendRequest={handleFriendRequest}
+                follow={friend}
+              />
+            ))}
+          </div>
+          <div className="followcard-requested-container">
+            {requestedFollows?.map((friend) => (
+              <FollowCard
+                key={friend.id}
+                handleRemoveFriend={handleRemoveFriend}
+                handleAcceptFriend={handleAcceptFriend}
+                handleFriendRequest={handleFriendRequest}
+                follow={friend}
+              />
+            ))}
+          </div>
      </div>
-    )
+    );
 }

 export default FollowsList;
diff --git a/client/src/components/Footer.js b/client/src/components/Footer.js
index c61ef43..b1f1445 100644
--- a/client/src/components/Footer.js
+++ b/client/src/components/Footer.js
@@ -1,28 +1,21 @@
 import React from "react";
 import { NavLink } from "react-router-dom";
+import audience from "./images/audience.png"
 function Footer() {

    return (
-        <div>
+        <div className="footer">
          <ul className="footer">
-            <li>
-                <NavLink to="about">
```

```diff
-                    About Us
-                </NavLink>
+            <li className="footer-about">
+                <NavLink to="about">About</NavLink>
            </li>

-            <li>
-                <NavLink to="contact">
-                    Contact
-
-                </NavLink>
+            <li className="footer-contact">
+                <NavLink to="contact">Contact</NavLink>
            </li>
-
-            <li>
-                <NavLink
-                    to="follows" >
-                Friends
-                </NavLink>
+
+            <li className="footer-follows">
+                <NavLink to="follows">Friends</NavLink>
            </li>
            {/*<NavLink
                to="/home/moviesearch"
@@ -31,12 +24,8 @@ function Footer() {
                Find Movies
            </NavLink>*/}

-            <li>
-            <NavLink
-                to="movies"
-            >
-                Browse Movies
-            </NavLink>
+            <li className="footer-movies">
+                <NavLink to="movies">Browse Movies</NavLink>
            </li>
            {/*<li>
            <NavLink
@@ -52,6 +41,7 @@ function Footer() {
                Edit User
            </NavLink>*/}
        </ul>
+        <img className="audience" src={audience} alt="audience" />
        </div>
    );
}
diff --git a/client/src/components/LoginForm.js b/client/src/components/LoginForm.js
index 23370ec..5a50c1c 100644
--- a/client/src/components/LoginForm.js
+++ b/client/src/components/LoginForm.js
@@ -57,7 +57,15 @@ function LoginForm() {
    return (
        <div className="login-form-container">
```

```
            <div>
-             <form className="login-form" onSubmit={formik.handleSubmit}>
+             <form
+               className="login-form"
+               onSubmit={formik.handleSubmit}
+               onKeyDown={(e) => {
+                 if (e.key === "Enter") {
+                   formik.handleSubmit();
+                 }
+               }}
+             >
                <h3 className="login-header">Box Office</h3>
                <div className="input-email">
                  E-mail
@@ -108,7 +116,8 @@ function LoginForm() {
              <div>
                <NavLink
                  className="input-container-registerlink"
-                 to="../registercontainer">
+                 to="../registercontainer"
+               >
                  Create an Account
                </NavLink>
              </div>
diff --git a/client/src/components/MovieSearch.js b/client/src/components/MovieSearch.js
index df6d3c9..b9224a1 100644
--- a/client/src/components/MovieSearch.js
+++ b/client/src/components/MovieSearch.js
@@ -18,17 +18,32 @@ function MovieSearch({handleAddRecommendation}) {

    return (
      <div>
-       <h1>Search Movies</h1>
-       <input type="text" name="searchMovieTerm" value={searchTerm} onChange={(e) =>
setSearchTerm(e.target.value)}
-       placeholder="Search for a movie"/>
-       <button onClick={handleMovieSearch}>Search Movies</button>
+       <h1>Search Movies</h1>
+       <input
+         type="text"
+         name="searchMovieTerm"
+         value={searchTerm}
+         onChange={(e) => setSearchTerm(e.target.value)}
+         onKeyDown={(e) => {
+           if (e.key === "Enter") {
+             handleMovieSearch();
+           }
+         }}
+         placeholder="Search for a movie"/>
+       <button onClick={handleMovieSearch}>
+         Search Movies
+       </button>
        <ul>
          {movies?.map((movie) => (
-           <MovieCard key={movie.tmdb_id} movie={movie}
handleAddRecommendation={handleAddRecommendation}/>
```

```diff
+          <MovieCard
+              key={movie.tmdb_id}
+              movie={movie}
+              handleAddRecommendation={handleAddRecommendation}
+          />
        ))}
      </ul>
    </div>
-);
+  );

};

diff --git a/client/src/components/RecCard.js b/client/src/components/RecCard.js
index 1c44dd5..f8edac6 100644
--- a/client/src/components/RecCard.js
+++ b/client/src/components/RecCard.js
@@ -11,7 +11,7 @@ function RecCard({ recommendation }) {
    const rounded_rating = Math.round(rec.movie.rating * 10) / 10;
    return (
      <>
-        <div className="userprofile-friendRecs">
+        <div >

          <div className="moviecard-body">
            <div className="moviecard-backdrop">
diff --git a/client/src/components/RecFeed.js b/client/src/components/RecFeed.js
index 6aa8192..0291d54 100644
--- a/client/src/components/RecFeed.js
+++ b/client/src/components/RecFeed.js
@@ -5,7 +5,7 @@ function RecFeed({ recommendations }) {
    const recs = recommendations.flat();
    return (
        <>
-        <div className="Reclist">
+        <div >
            {recs?.map((recommendation) => <div >
              <RecCard recommendation={recommendation} />
            </div>)
diff --git a/client/src/components/Recommendations.js b/client/src/components/Recommendations.js
index 90c834c..0291467 100644
--- a/client/src/components/Recommendations.js
+++ b/client/src/components/Recommendations.js
@@ -1,14 +1,16 @@
 import React from "react";
 import RecCard from "./RecCard";
+import { useAuth } from "../contexts/AuthContext";
 import { useRec } from "../contexts/RecContext";

 function Recommendations() {
+    const { user } = useAuth();
    const { recommendations } = useRec();
    return (
        <>
        <div>
-            {recommendations?.map((recommendation) => <div >
```

```
-                    <RecCard  recommendation = {recommendation} />
.id}>
+                     <RecCard recommendation = {recommendation} />
                    </div>)
                }
            </div>
diff --git a/client/src/components/UserProfile.js b/client/src/components/UserProfile.js
index be6e3d2..88164ea 100644
--- a/client/src/components/UserProfile.js
+++ b/client/src/components/UserProfile.js
@@ -11,45 +11,83 @@ import { Link } from "react-router-dom";
 //import Modal from "./Modal";
 import defaultProfilePic from "./images/imo_emu.png";

-const UserProfile = ({updateUserImage}) => {
+const UserProfile = ({ updateUserImage }) => {
    const { user } = useAuth();
    const [friendRecommendations, setFriendRecommendations] = useState([]);
-
-useEffect(() => {
+    const formatPhone = (phone) => {
+        return phone.replace(/(\d{3})(\d{3})(\d{4})/, "($1) $2-$3");
+    }
+    const [friends, setFriends] = useState([]);
+    const [follows, setFollows] = useState([]);
+    useEffect(() => {

-    const fetchFriendRecommendations = async () => {
-        try {
-            const response = await fetch("/follows/" + user.id, {
-                method: "GET",
-            });
-            if (response.ok) {
-                const friends = await response.json();
-                const friendRecommendations = await Promise.all(
-                    friends.map(async (friend) => {
-                        try {
-                            const response = await fetch("/recommendations/" + friend.following_id, {
-                                method: "GET",
-                            });
-                            return await response.json();
-                        } catch (error) {
-                            return console.error(
-                                "Error fetching recommendations for friend:",
-                                error
-                            );
-                        }
-                    })
-                );
-                setFriendRecommendations(friendRecommendations);
-            } else {
-                console.error("Failed to fetch friends:", response.statusText);
+        const fetchFriendRecommendations = async () => {//+
+            try {//+
+                const response = await fetch("/follows/" + user.id, {//+
+                    method: "GET",//+
```

```
+            });//+
+            debugger;
+            if (response.ok) {//+
+                const friends = await response.json();//+
+                setFollows(friends);//+
+                console.log("userprofile friendfetchresults:", friends);//+
+                const friendRecommendations = await Promise.all(//+
+                    friends?.map(async (friend) => {//+
+                        try {//+
+                            const response = await fetch("/recommendations/" + friend.following_id, {//+
+                                method: "GET",//+
+                            });//+
+                            return await response.json();//+
+                        } catch (error) {//+
+                            return console.error(//+
+                                "Error fetching recommendations for friend:",//+
+                                error//+
+                            );//+
+                        }//+
+                    })//+
+                );//+
+                setFriendRecommendations(friendRecommendations);//+
+            } else {//+
+                console.error("Failed to fetch friends:", response.statusText);//+
+            }//+
+        } catch (error) {//+
+            console.error("Error fetching friend recommendations:", error);//+
        }
-        } catch (error) {
-            console.error("Error fetching friend recommendations:", error);
+            console.error("Error fetching friend recommendations:")
+            fetchFriendRecommendations();//+
+        }
+    }, [user.id]);//+
+
+    async function fetchFriends() {
+    if (follows) { //+
+        const friendPromises = follows.map(async (friend) => {
+            const response = await fetch("/users/" + friend.following_id, { method: 'GET' }); //+
+            if (response.ok) { //+
+                return await response.json(); //+
+            } //+
+        }); //+
+        const friendsData = await Promise.all(friendPromises); //+
+        setFriends(friendsData); //+
    }
-    };
-    fetchFriendRecommendations();
-}, [user.id]);

+    }//+
+    fetchFriends();//+
+
+    useEffect(() => {
+
+        // Loop through the follows and fetch the user data for each one
```

```
+        const settingFriends = async () => follows?.map(async (friend) => {
+            const response = await fetch("/users/" + friend.following_id, { method: 'GET' });
+            if (response.ok) {
+                console.log(response)
+                debugger;
+                const data = await response.json();
+                console.log('friend data:', data);
+                setFriends(data);
+            }
+        });
+        settingFriends();
+    }, [follows]);
    return (
        <>
            <Routes>
@@ -62,26 +100,41 @@ useEffect(() => {
                <Route path="/recfeed" element={<RecCard />} />
            </Routes>
            <div className="userprofile-container">
-                <div className="userprofile-card">
-                    <img
-                        className="profilePic"
-                        src={defaultProfilePic}
-                        name="profilePic"
-                        alt="ProfileImage"
-                    />
-                    <h1>
-                        {user.first_name} {user.last_name}
-                    </h1>
-                    <h2>{user.email}</h2>
-                    <h2>{user.phone}</h2>
-                    <h2>{user.zipcode}</h2>
-                    <div>
-                        <Link to="/edituser">
-                            <button className="editProfileLink">
-                                Edit Profile
-                            </button>
-                        </Link>
+                <div className="userprofile-section">
+                    <div className="userprofile-card">
+                        <img
+                            className="profilePic"
+                            src={defaultProfilePic}
+                            name="profilePic"
+                            alt="ProfileImage"
+                        />
+                        <h1>
+                            {user.first_name} {user.last_name}
+                        </h1>
+                        <h2>{user.email}</h2>
+                        <h2>{formatPhone(user.phone)}</h2>
+                        <h2>zipcode: {user.zipcode}</h2>
+                        <div>
+                            <Link to="/edituser">
+                                <button className="editProfileLink">
+                                    Edit Profile
```

```
+                    </button>
+                  </Link>
+               </div>
            </div>
+
+              {/*<div className="userprofile-friends">
+                 <h2>Pending Friend Requests</h2>
+                 <ul className="userfriends-list">
+                    {friends?.map((friend) => (
+                       <li className="userprofile-friend" >
+                          <img src={defaultProfilePic} alt={"ProfileImage"}></img>
+                          <h2>{friend.first_name} {friend.last_name}</h2>
+                       </li>
+
+                    ))}
+                 </ul>
+              </div>*/}
            </div>
            <div className="userprofile-friendRecs">
                {friendRecommendations.length > 0 && (
@@ -102,8 +155,7 @@ useEffect(() => {
        </div>
      </>
    );
-};
-
+}
 export default UserProfile;

 //import { useAuth } from "../contexts/AuthContext";//+
diff --git a/client/src/components/UserSearch.js b/client/src/components/UserSearch.js
index 8b7c261..2eb3b3d 100644
--- a/client/src/components/UserSearch.js
+++ b/client/src/components/UserSearch.js
@@ -20,16 +20,27 @@ const UserSearch = ({handleFriendRequest}) => {
    return (
      <div>
        <input
+           className="reg-input"
          type="text"
          value={name}
          onChange={(e) => setName(e.target.value)}
+          onKeyDown={(e) => {
+            if (e.key === "Enter") {
+               handleSearch();
+            }
+          }}
          placeholder="Search by name"
        />
-       <button onClick={handleSearch}>Search</button>
+       <button className="input-button" onClick={handleSearch}>
+         Search
+       </button>
        <ul>
          {users?.map((user) => (
-           <UserSearchCard key={user.id}
```

```diff
-                        handleFriendRequest={handleFriendRequest} friendUser={user} />
+               <UserSearchCard
+                  key={user.id}
+                  handleFriendRequest={handleFriendRequest}
+                  friendUser={user}
+               />
          ))}
        </ul>
     </div>
diff --git a/client/src/components/UserSearchCard.js b/client/src/components/UserSearchCard.js
index cdbf068..2af1552 100644
--- a/client/src/components/UserSearchCard.js
+++ b/client/src/components/UserSearchCard.js
@@ -8,25 +8,22 @@ function UserSearchCard({
    const { user } = useAuth();
    const friendUserId = friendUser.id;
    const user_Id = user.id;
-   const [searchState, setSearchState] = useState("");
+    //const [searchState, setSearchState] = useState("");
    const handleRequest = () => {
       handleFriendRequest(friendUserId, user_Id);
-      setSearchState("pending");
+       //setSearchState("pending");
    };
       return (
          <div className="card">
            <img
-              className="follow-card-header-img"
               src={imo_emu}
               alt="profile pic"
            ></img>
            <div className="follow-card-header">
               {friendUser.first_name} {friendUser.last_name}
-              <p>Friend Request:{searchState}</p>
            </div>
            <button
-              className="card button"
-              onClick={handleRequest}              >
+               onClick = {handleRequest}>
              Friend Request
            </button>
         </div>
diff --git a/client/src/components/_FriendContext.js b/client/src/components/_FriendContext.js
index 7628bcb..7524b6f 100644
--- a/client/src/components/_FriendContext.js
+++ b/client/src/components/_FriendContext.js
@@ -1,12 +1,14 @@
 // src/contexts/RecContext.js
 import React, { useContext, useState, createContext, useEffect, } from "react";
 import { useAuth } from '../contexts/AuthContext';
+import { useRec } from "../contexts/RecContext";
 const FriendContext = createContext();

 export const useFriend= () => useContext(FriendContext);

 export const FriendProvider = ({ children }) => {
```

```
      const { user } = useAuth();
+     const { recommendations } = useRec();
      const [friends, setFriends] = useState([]);
      console.log("user in Friendprovider", user)
      console.log("Friends in FriendProvider", friends);
@@ -18,6 +20,7 @@ export const FriendProvider = ({ children }) => {
                  if (response.ok) {
                      const data = await response.json();
                      setFriends(data);
+                      console.log(friends)
                  } else {
                      console.error('Failed to fetch friends:', response.statusText);
                  }
diff --git a/client/src/components/images/theater_dark_shadow.png b/client/src/components/images/theater_dark_shadow.png
deleted file mode 100644
index 30cdffd..0000000
Binary files a/client/src/components/images/theater_dark_shadow.png and /dev/null differ
diff --git a/client/src/contexts/AuthContext.js b/client/src/contexts/AuthContext.js
index 35ddc6f..ffc01be 100644
--- a/client/src/contexts/AuthContext.js
+++ b/client/src/contexts/AuthContext.js
@@ -1,5 +1,7 @@
 // src/contexts/AuthContext.js
 import React, { useContext, useState, createContext, useEffect, } from "react";
+
+
 import { useNavigate } from "react-router-dom";
 const AuthContext = createContext();

@@ -35,8 +37,10 @@ export const AuthProvider = ({ children }) => {
          isLoggedIn: true,
          user: user
      });
-      navigate('/home/userprofile/');
+      document.body.classList.add("logged-in");
+      navigate("/");
    };
+

    const logout = async () => {
        const response = await fetch("/logout", {
@@ -47,12 +51,13 @@ export const AuthProvider = ({ children }) => {
          isLoggedIn: false,
          user: null,
        });
+        document.body.classList.remove('logged-in');
        navigate("/");
      }
    };
-
+
    return (
-      <AuthContext.Provider value={{ auth, isLoggedIn: auth.isLoggedIn, user: auth.user, login, logout, onEdit }}>
+      <AuthContext.Provider value={{ auth, isLoggedIn: auth.isLoggedIn, user: auth.user, login, logout,
```

```
      onEdit, }}>
            {children}
        </AuthContext.Provider>
      );
diff --git a/client/src/css/chris.css b/client/src/css/chris.css
deleted file mode 100644
index 7bdc217..0000000
--- a/client/src/css/chris.css
+++ /dev/null
@@ -1,87 +0,0 @@
-* { box-sizing: border-box; }
-
-body {
-margin: 0;}
-
-.header{
-    display: flex;
-    flex-direction: row;
-    flex-wrap: nowrap;
-    justify-content: space-between;
-    align-items: center;
-    background-image: url("./redcurtains.jpg");
-    background-repeat: no-repeat;
-    background-position: center;
-    background-size: cover;
-    color: white;
-    font-family: 'Trayan';
-    padding: 0px 20px 0px 20px;
-    gap: 2rem;
-
-
-}
-
-/*.header .header-in .button-login {
-    display: absolute;
-    justify-content: right;
-    color: green;
-    font-family: 'Trayan';
-    font-size: 25px;
-    align-items: flex-start;
-    text-decoration: none;
-    padding: 0px 0px 0px 0px;
-}*/
-/*
-.banner{
-    position: relative;}
-.banner img{
-    max-width: 100%;}
-.banner .welcome {
-    color: white;
-    position: absolute;
-    left: 0;
-    top: 0;
-    padding: 0px 0px 0px 0px;}*/
-
-.logo {
```

```
-      display: flex;
-      width: 30%;
-      height: 100px;
-      font-family: 'Trayan';
-      padding: 0px 0px 0px 0px;}
-
-
-/*.home {
-      display: relative;
-      width: 100%;
-      height: 100vh;
-      background-image: url("./redcurtains.jpg");
-      background-repeat: no-repeat;
-      background-position: center;
-      background-size: cover;
-      padding: 0px;
-      flex-direction: row;
-      justify-content: space-between;
-      align-items: middle;
-      font-family: 'Trayan';}*/
-
-/*.aside {
-      display: relative;
-      width: 100%;
-      height: 100vh;
-      background-image: url("./redcurtains.jpg");
-      background-repeat: no-repeat;
-      background-position: center;
-      background-size: cover;
-      padding: 0px;
-      justify-content: space-between;
-      font-family: 'Trayan';
-      background-color: #6db607;
-      padding: 20px;
-      position: fixed;
-      text-align: left;
-      font-family: 'Trayan';
-      color:white;
-      }
-
-.bannar: {}*/
diff --git a/client/src/css/footer.css b/client/src/css/footer.css
index da76eec..cee9037 100644
--- a/client/src/css/footer.css
+++ b/client/src/css/footer.css
@@ -7,12 +7,16 @@
    color: var(--text);
    transition: background-color 0.3s ease;
 }
-
 .footer {
-      display: flex;
+      display: grid;
      /*flex-direction: row;*/
-      overflow: hidden;
-      background-color: #000000;
```

```css
+    background-image: url("../components/images/audience.png");
+    background-repeat: repeat-x;
+    grid-template-columns: repeat (4, 1fr);
+    grid-template-rows: 1fr;
+    background-position: center bottom;
+    background-size: 63% 700px;
+    background-attachment: fixed;
     position: fixed;
     bottom: 0;
     right: 0;
@@ -20,9 +24,45 @@
     text-decoration: none;
     gap: 8rem;
     width: 100%;
-    z-index: 20;
+    z-index: 3;
+}
+
+.audience {
+    width: 63%;
+    height: 200px;
+    z-index: 2;
+}
+.footer-about {
+    grid-column: 1;
+    grid-row: 1;
+    display: flex;
+    flex-direction: row;
+    flex-wrap: nowrap;
+    justify-content: center;
+    align-items: center;
+    z-index: 4;
 }

+.footer-movies {
+    grid-column: 2;
+    grid-row: 1;
+    display: flex;
+    z-index: 4;}
+
+.footer-contact {
+    grid-column: 3;
+    grid-row: 1;
+    display: flex;}

+.footer-follows {
+    grid-column: 4;
+    grid-row: 1;
+    z-index: 4;
+    display: flex;
+    flex-direction: row;
+    flex-wrap: nowrap;
+    justify-content: center;
+    align-items: center;
+}
```

```
diff --git a/client/src/css/friends.css b/client/src/css/friends.css
deleted file mode 100644
index e69de29..0000000
diff --git a/client/src/css/index.css b/client/src/css/index.css
index da1966a..8f7d5d6 100644
--- a/client/src/css/index.css
+++ b/client/src/css/index.css
@@ -1,5 +1,7 @@
 * {
    box-sizing: border-box;
+    text-decoration: none;
+    font-family: 'Trayan', sans-serif;
 }

 :root {
@@ -15,12 +17,7 @@
    --border-radius: 8px;
    --nav-size: 60px;
 }
-
-
-
-
-
-body {
+/*body {
    display: block;
    background-color: rgba(0, 0, 0, 0.902);
    background-image: url("../components/images/theater_dark_shadow.png"),
@@ -42,16 +39,41 @@ body {
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
    -ms-font-smoothing: antialiased;
-    text-rendering: optimizeLegibility;
-}
-/*ul {
-    position: fixed;
-    bottom: 0;
-    width: 100%;
-    border: 1px solid #0b0909;
-    border-radius: 10px;
-    list-style-type: none;
+    text-rendering: optimizeLegibility;
 }*/
+
+body {
+    display: block;
+    background-color: rgba(0, 0, 0, 0.902);
+    background-image:
+        url("../components/images/redcurtainsL.jpg"),
+        url("../components/images/redcurtainsR.jpg");
+    background-repeat: no-repeat, no-repeat;
+    background-position: center left, center right;
+    margin: 0, 0;
+    padding: 0, 0;
```

```
+    overflow: hidden, hidden;
+    background-attachment: fixed, fixed;
+    z-index: 0, 0;
+    background-size: 50% 100%, 50% 100%;
+    font-family:
+        -apple-system, BlinkMacSystemFont,
+        "Segoe UI", "Roboto", "Oxygen", "Ubuntu", "Trajan", "Trajan Pro",
+        "Trayan", "Segoe UI", "Showtime", "Roboto", "Oxygen", "Ubuntu",
+        "Cantarell", "Fira Sans", "Droid Sans", "Helvetica Neue", sans-serif;
+    -webkit-font-smoothing: antialiased;
+    -moz-osx-font-smoothing: grayscale;
+    -ms-font-smoothing: antialiased;
+    text-rendering: optimizeLegibility;
+}
+
+body.logged-in {
+    transition: background-position 1.5s ease;
+    background-position:  -95% 100%, 195% 100%;
+    background-size: 50% 100%, 50% 100%;
+
+}
+
 ul {
    list-style-type: none;
    margin: 0;
@@ -70,25 +92,42 @@ li:first-child {
    border-left: none;
 }

-
-.follow-card-header-img {
-    display: flex;
-    flex-direction: column;
-    flex-wrap: nowrap;
-    justify-content: left;
-    align-items: center;
-    width: 100px;
-    height: 150px;
-    object-fit: cover;
-    margin-right: 20px;
-}
-
-
 .isActive {
    background-color: var(--link);
    color: var(--text);
    transition: background-color 0.3s ease;
 }
+
+.card {
+  background-color: var(--bg);
+  text-align: center;
+  z-index: 50;
+}
+
+.card img {
```

```
+  width: 50%;
+  height: auto;
+  position: relative;}
+
+
+.card button {
+  display: inline-block;
+  padding: 12px;
+  background-color: darkred;
+  color: white;
+  text-align: center;
+  cursor: pointer;
+  width: 100%;
+  font-size: 18px;
+  overflow: hidden;
+  position: relative;
+  cursor: pointer;
+}
+
+.card button:hover {
+  opacity: 0.7;
+}
+
 /*
 ul {
   list-style-type: none;
@@ -164,39 +203,3 @@ li.dropdown {

     background-color: var(--bg);}*/

-.card {
-  box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2);
-  max-width: 300px;
-  margin: auto;
-  background-color: var(--bg);
-  text-align: center;
-  font-family: arial;
-}
-
-.card-user-img {
-  width: 100%;
-  height: auto;
-  color: white;
-  cursor: pointer;
-  object-fit: cover;
-  position: absolute;
-  top: 50%;
-  left: 25%;}
-
-.card button {
-  border: none;
-  outline: 0;
-  padding: 12px;
-  background-color: darkred;
-  color: white;
-  text-align: center;
```

```
-   cursor: pointer;
-   width: 100%;
-   font-size: 18px;
-   overflow: hidden;
-}
-
-.card button:hover {
-   opacity: 0.7;
-}
-
diff --git a/client/src/css/login.css b/client/src/css/login.css
index 2f69b4f..19319d6 100644
--- a/client/src/css/login.css
+++ b/client/src/css/login.css
@@ -5,7 +5,7 @@
    align-items: center;
    flex-direction: column;
    font-size: 20px;
-   font-family: "Trayan";
+   font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
    color: var(--bg);
    text-decoration: none;
 }
@@ -39,13 +39,13 @@
    display: flex;
    padding: 0px 0px 0px 0px;
    flex-direction: column;
-   font-size: 18px;
+   font-size: 20px;
    align-content: center;
    align-items: left;
    flex-direction: column;
    column-count: 1;
    color: var(--bg);
-   font-family: "Trayan";
+   font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
    }

 .input-container-password {
@@ -60,7 +60,8 @@
    flex-direction: column;
    column-count: 1;
    color: var(--bg);
-   font-family: "Trayan";
+   font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
+
 }
 .email-input {
    font-size: 20px;
@@ -102,6 +103,7 @@
    align-items: center;
    align-content: center;
    background-image: url("../components/images/loginmarquee.png");
+   font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
    background-repeat:  no-repeat;
    background-position: center;
```

```
     background-attachment: relative;
@@ -125,7 +127,7 @@
     background-repeat: no-repeat;
     /*position: 400px 200px;*/
     background-size: cover;
-    font-family: "Trayan";
+    font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
     z-index: 0;
     justify-content: center;}


@@ -150,6 +152,10 @@
     }
 }

+.input-container{
+    display: block;
+    width: 100%;
+}
 /*.login-form {
     display: flex;
     position: relative;
diff --git a/client/src/css/movie.css b/client/src/css/movie.css
index 25a4cae..c1576d2 100644
--- a/client/src/css/movie.css
+++ b/client/src/css/movie.css
@@ -1,7 +1,7 @@
 .moviecard-name {
     display: block;
     position: relative;
-    grid-column: 2;
+    grid-column: 3;
     grid-row: 1;
     top: 0px;
     font-size: 2em;
@@ -31,27 +31,39 @@
     grid-template-columns: 150px 500px;
     color: var(--text);
     overflow: hidden;
-    border: 2px solid black;
-    border-radius: 10%;
-    margin: 0px 05px;
+    border: 1px solid black;
+    border-radius: 5%;
+    margin: 20px 5px;
     box-shadow: 0px 5px 5px 0px #101010;
     background-color: var(--bg);
     --bg: #00000030;
+
 }
 .moviecard-body:hover {
     grid-template-columns: 150px 500px;
     color: var(--text);
     overflow: hidden;
     border: 2px solid black;
-    border-radius: 10%;
-    margin: 0px 05px;
```

```
-    transition: background-color 0.5s ease;
+    border-radius: 5%;
+    margin: 20px 5px;
+    transition: background-color 1.5s ease;
     display: grid;
     position: relative;
     box-shadow: 5px 5px 5px 1px #101010;
     background-color: var(--bg);
     --bg: #000000;
 }
+.moviecard-details-container {
+    display: grid;
+    position: absolute;
+    /*background-color: var(--bg);*/
+    grid-template-columns: 1fr 1fr 1fr;
+    grid-template-rows: 1fr .5fr 1fr;
+    grid-column: 2;
+    grid-row: 3;
+    width: 100%;
+    height: 100%;
+    z-index: 1;}

 .moviecard-body img {
     max-width: 800px;}
@@ -68,6 +80,7 @@

 .moviecard-header {
     position: relative;
+    align-content: center;
     /*background-color: var(--bg);*/
     border-radius: 10px 0px;
     grid-column: 2;
@@ -82,11 +95,10 @@
     grid-column: 1;
     grid-row: 2;
     width: 100%;
+    padding-left: .75em;
     z-index: 1;
     /*background-color: var(--bg);*/
-
 }
-
 .moviecard-overview {
     grid-column: 2;
     grid-row: 2;
@@ -116,17 +128,6 @@
     height: 100%;
     z-index: 1;}

-.moviecard-details-container {
-    display: grid;
-    position: absolute;
-    /*background-color: var(--bg);*/
-    grid-template-columns: 1fr 1fr 1fr;
-    grid-template-rows: 1fr .5fr 1fr;
-    grid-column: 2;
```

```
-    grid-row: 3;
-    width: 100%;
-    height: 100%;
-    z-index: 1;}

  .moviecard-rating {
     position: relative;
@@ -160,7 +161,6 @@
     z-index: 2;}

  .moviecard-removerec-button button:hover {
-    cursor: not-allowed;
     box-shadow: 1px 1px 1px 0px inset ;
     z-index: 2;
     background-color: darkred;
diff --git a/client/src/css/register.css b/client/src/css/register.css
index c14306c..dcb7e30 100644
--- a/client/src/css/register.css
+++ b/client/src/css/register.css
@@ -35,7 +35,7 @@ h6 .login-form-container {
  .input-container-reg-named {
     display: inline-flex;
     align-content: center;
-    padding: 00px 0px;
+    padding: 0px 0px;
     position: relative;
     align-items: center;
     background-position: center;
diff --git a/client/src/css/userProfile.css b/client/src/css/userProfile.css
index 66ead3d..779ffb1 100644
--- a/client/src/css/userProfile.css
+++ b/client/src/css/userProfile.css
@@ -1,45 +1,61 @@

  .userprofile-container {
+    position: block;
     display: grid;
     border: 5px 5px 2px 0px solid #000;
     height: 650px;
-    background-color: var(--background-color);
-    grid-template-rows: 1fr 1fr 1fr;
-    grid-template-columns: 1fr 2fr .25fr 2fr;}
+    z-index: 3;
+    overflow-y: auto;
+    background-color: transparent;
+    grid-template-rows: .5fr, 1fr;
+    grid-template-columns: 1fr 2fr .1fr 2fr;}

  .userprofile-friendRecs {
     grid-column: 2;
     grid-row: auto;
     display: flex;
     height: 650px;
+    z-index: 4;
     flex-direction: column;
     align-items: center;
```

```
     align-content: center;
-    overflow: auto;
+    overflow-y: auto;
     color: var(--text);
+    margin: 0px 0px 0px 0px;
+    padding: 20px 0px 0 0;
+}
+.userprofile-friendRecs h1 {
+    grid-column: 2;
+    grid-row: 1;
     margin: 0 0 0 0;
-    padding: 50px 0px 0 0;
+    position: sticky;
+    mix-blend-mode: darken;
+    z-index: 3;
+
 }

-/*.userprofile-friendRecs::-webkit-scrollbar {
-    display: none;*/
-/*}*/
-/*.userprofile-recfeed::-webkit-scrollbar {
-    display: none;
-}*/
-
 .userprofile-recfeed {
     grid-column: 4;
-    grid-row: auto;
-    display: flex;
+    grid-row: 1;
+    display: block;
+    z-index: 4;
+    /*height: 650px;*/
     height: 650px;
     flex-direction: column;
     align-items: center;
+    align-content: center;
     overflow-y: auto;
     color: var(--text);
     margin: 0 0 0 0;
-    padding: 50px 100px 0 0px;}
+    padding: 20px 150px 50px 0px;}

+.userprofile-recfeed h1 {
+    margin: 0 0 0 0;
+    position: sticky;
+    mix-blend-mode: darken;
+    z-index: 3;
+
+}
 .userprofile-recfeed::-webkit-scrollbar {
     display: flex;
     width: 10px;
@@ -80,39 +96,95 @@
     width: 1px;
     z-index: 3;}
```

```css
+.userprofile-section {
+    display: grid;
+    grid-template-columns: 1fr;
+    grid-template-rows: 1fr 1fr;
+}
+
 .userprofile-card {
    top: 0;
    left: 0;
    grid-column: 1;
    grid-row: 1;
+    z-index: 4;
    display: grid;
+    background-color: transparent;
    position: relative;
    grid-template-columns: 1fr;
-    grid-template-rows: 300px 2.5em 2.5em 2.5em 2.5em 2.5em;
+    grid-template-rows: 150px 2.0em 2em 2em 2em 2.5em ;
    align-items: center;
    flex-direction: column;
    justify-content: left;
    overflow: hidden;
+    text-decoration: none;
    color: var(--text);
    margin: 0 0 0 0;
-    padding: 50px 0px 0 50px ;
-    overflow-y: overlay;}
-
-
-.editProfileLink {
+    padding: 50px 0px 0px 50px;
+    overflow-y: overlay;
+    overflow-x: hidden;
+}
+.editProfileLink {
+    font-size: 16px;
    display: block;
-    flex-direction: column;
+    position: relative;
    align-items: center;
    justify-content: center;
+    height: 30px;
+    width: 250px;
+    z-index: 3;
+    cursor: pointer;
+    text-decoration: none;
+    box-shadow: 5px 5px 5px 0px #101010;
    color: var(--text);
-    background-color: var(--button);
-    border-radius: 10px;
+    background-color: darkred;;
+    border-radius: 25px;
    margin: 0 0 0 0;
    padding: 0 0 0 0;
-    width: 100px;}
```

```
+    }
+
+.editProfileLink:hover {
+    background-color: rgb(100, 30, 30);
+    text-decoration: none;
+    color: var(--text);
+    transition: background-color 0.2s ease;
+    box-shadow: 5px 5px 5px 0px #101010;
+    z-index: 3}
+
+.editProfileLink:active{
+    top: 5px;
+    left: 5px;
+    z-index: 3;
+    text-decoration: none;
+    box-shadow: 0px 0px 0px 0px #101010;
+    transition: active 0.2s ease;
+}

 .profilePic {
-    position: center;
-    width: 250px;
+    grid-column: 1;
+    grid-row: 1;
+    margin: 0px;
+    position: relative;
+    width: 150px;
     height: auto;
-}
\ No newline at end of file
+}
+
+.userprofile-friend {
+    grid-column: 1;
+    grid-row: 2;
+    display: grid;
+    grid-template-columns: 1fr;
+    grid-template-rows: 1fr .25fr;
+    grid-row-gap: 1em;
+    z-index: 4;
+    overflow-y: auto;
+    flex-direction: column;
+}
+
+.userprofile-friend img {
+    grid-column: 1;
+    grid-row: 1;
+    width: 200px;
+    height: auto;
+    z-index: 4;
+}
diff --git a/client/src/index.js b/client/src/index.js
index 18c32b3..f11f2b1 100644
--- a/client/src/index.js
+++ b/client/src/index.js
@@ -1,6 +1,4 @@
```

```
 import React from "react";
-
-import App from "./components/App";
 import Home from "./components/Home";
 import NotFound from "./components/NotFound";
 import "./css/index.css";
@@ -11,7 +9,7 @@ import "./css/header.css";
 import "./css/register.css"
 import "./css/userProfile.css";
 import "./css/header.css";
-import "./css/friends.css";
+import "./css/follow.css";
 import { createRoot } from "react-dom/client";
 import { BrowserRouter as Router, Routes, Route} from "react-router-dom";
 import { AuthProvider } from "./contexts/AuthContext";
diff --git a/server/images/heads.jpg b/server/images/heads.jpg
index 37e3e42..5e661f9 100644
Binary files a/server/images/heads.jpg and b/server/images/heads.jpg differ
(END)
```