Cloudelligent

ProductX WAFR

User Guide — Super Admin & SA

Field	Value
Version	1.o
Date	7 July; 2026
Owner	Faiza Sattar
Audience	Account Executice, Solutions Architects, Leadership

Cloudelligent


Table of Contents

1. Login
2. Dashboard Overview
3. Onboard a Client
4. Connect AWS Account
4a. Confirmation Emails (Client Portal)
5. View AWS Accounts
6. Connect CUR (Cost & Usage Report)
7. View Cost Explorer
8. Workloads — Create & Manage
9. Run an Assessment
10. View Results & Findings
11. Reports
12. Inventory
13. User Management (Super Admin only)
13a. Roles & Privileges
14. Notifications

1. Login

Who: All users (Super Admin, SA, Client Admin)
ProductX is reached at the URL below. All roles — Cloudelligent Super Admins/SAs and client-side Client Admins — sign in through the same screen; the client sees their own tenant once authenticated.

1. Open a browser and go to your ProductX URL — observed in the recording as productx.cloudelligent.io/login.
2. Enter your Email and Password in the fields shown, or click Continue with Microsoft to sign in with SSO.
3. Click Sign In.
4. If this is your first login (e.g. from a client invite), you'll be prompted to set your password before continuing — see Section 3.




Login screen — productx.cloudelligent.io/login. Left panel: product branding and tagline ("AWS Well-Architected Reviews, simplified") with the 6 pillars / 200+ best practices / unlimited workloads stats. Right panel: email/password sign-in and Microsoft SSO option.

2. Dashboard Overview


Who: Super Admin, SA
After logging in you land on the Dashboard for whichever client/tenant is currently active — shown top-right (e.g. "Cloudelligent" or a specific client name).

- Top bar: breadcrumb, notification bell (with unread count), and the active client/tenant name. Click the tenant name to open the Switch Client panel.

- Left sidebar: + New Client button, then Dashboard, Workloads, AWS Organization, Cost Explorer, Reports, Inventory, and under Users/Management: Users, Roles & Privileges.
- Main area: if AWS isn't connected yet, a "Re-setup AWS account" / "AWS Account Not Connected" banner prompts you to connect it (Section 4). Once connected, workload counts, High Risk Items, and AWS Health show live status.



Dashboard for the Cloudelligent tenant. The yellow banner reads "Re-setup AWS account — we can no longer access your AWS account. The CloudFormation stack may have been removed or the role's trust policy changed," with Re-verify and Setup Account actions.




Switch Client panel (opened from the tenant name, top right). Lists Recently Accessed and All Clients, each with workload count and last-accessed time; the current tenant is flagged "Current."

3. Onboard a Client


Who: Super Admin, SA

Onboarding is a single wizard: client details and contact information are captured on one screen, and the invite goes out as part of saving.


5. From the left sidebar, click + New Client. The Client Onboarding Wizard opens.
6. Under Client Information, fill in Client Name (required, e.g. "Primum health" in the walkthrough) and an optional Description.
7. Under Contacts & Invites, fill in First Name, Last Name, and Email for at least one contact. The email field autocompletes known addresses (e.g. from Outlook/company directory) as you type.
8. Click + Add Another Contact to add more than one seat.
9. Check "Send welcome email and platform invites now" to send the invite immediately — this email includes login instructions and the AWS IAM role deployment guide.
10. Click Save. The client is created and the invite is sent in the same step.



Client Onboarding Wizard — Client Information section (Client Name, Description).



Contacts & Invites section — first/last name and email, with the email autocomplete dropdown shown, plus the "Send welcome email…" note and Save button.



Immediately after Save: a green "Client created" toast appears top-right, and the new client's dashboard shows an "AWS Account Not Connected" banner with a Connect Now button, alongside empty Workloads/Assessments cards.

4. Connect AWS Account

Who: Super Admin, SA, Client Admin


To run assessments and discover resources, the client's AWS account (or AWS Organization) must be connected via a CloudFormation stack that deploys a read-only scanning role. There are three ways this stack can actually get deployed in AWS — who does it depends on who's most convenient at the time.

Three ways to deploy the CloudFormation stack

11. **Open automatically, deploy it yourself.** Click Setup Account (or, for an AWS Organization, Open CloudFormation StackSets during the trusted-access step) and AWS CloudFormation's Create Stack page opens in a new browser tab with the template URL and parameters pre-filled. Whoever is logged in — SA or client — reviews and clicks Create stack right there.
12. **Copy the link, send it to the client.** While ProductX is "Waiting for AWS to confirm setup," the dialog shows the CloudFormation Template URL with a Copy button. Copy it and send it to the client's AWS account owner, who pastes it into their own browser and runs the stack under their own AWS credentials — useful when the SA doesn't have (and shouldn't have) direct access to the client's AWS console.
13. **Client deploys it themselves, end to end.** The client logs into their own ProductX portal account (from the Section 3 invite), goes to AWS Organization, and runs the same Connect AWS Account flow independently — entering their own Management AWS Account ID and deploying the stack in their own AWS Console.


Step-by-step walkthrough

14. From the left sidebar, click AWS Organization, then Connect AWS Account (or the Connect Now / Setup Account button on the dashboard banner).
15. On AWS Account Details, choose Single AWS account or AWS Organization (multi-account). For an Organization, ProductX explains: a single CloudFormation stack creates the hub role and rolls a matching read-only role into every member account in the org (or just the OUs you pick).
16. Enter the Management AWS Account ID. "Sync all member accounts" is checked by default — it auto-targets the AWS Organizations root so every account (including ones added later) is covered; uncheck it to narrow the rollout to specific OUs.
17. If trusted access between CloudFormation StackSets and AWS Organizations hasn't been activated yet (one-time, per organization), a banner/link prompts "View setup steps" before you can proceed.
18. Click Setup Account.




AWS Account Details — AWS Organization (multi-account) tab: Management AWS Account ID field, "Sync all member accounts" checkbox, and the one-time StackSets trusted-access notice.

19. If trusted access isn't active yet, an Activate trusted access dialog walks through it: sign in to the management account, open CloudFormation → StackSets, click Activate on the "Activate trusted access with AWS Organizations" banner, and wait for the banner to disappear. Clicking Open CloudFormation StackSets opens the AWS Console in a new tab automatically (deployment method 1 above).




Activate trusted access dialog, shown once per AWS Organization before the stack can roll out to member accounts.

20. Back in the new AWS Console tab, sign in if prompted. In the walkthrough the AWS session had expired, so an "Amazon Web Services Sign In — Your session has expired" page appeared first; signing back in (or handing this step to whoever owns the AWS account — deployment method 3) let the CloudFormation/StackSets setup continue.




AWS IAM user sign-in page, encountered when the AWS Console session needs re-authentication mid-flow.

21. Back in ProductX, a "Waiting for AWS to confirm setup" dialog appears with the CloudFormation Template URL and a Copy button (deployment method 2 above), plus Reopen AWS Console, Verify Manually, and Go to Dashboard options. ProductX auto-closes this dialog once it confirms the IAM role is in place — usually within a minute of the stack finishing.




"Waiting for AWS to confirm setup" dialog with the CloudFormation Template URL copied — this is the link to hand off to a client for self-service deployment.

22. If ProductX still can't confirm the connection (e.g. trusted access wasn't fully activated, the account is already linked to a different AWS Organization, or a previous stack attempt is still present), the dashboard shows "Still not connected — try Setup Account." Reopening Setup Account surfaces a checklist of common causes and a Re-deploy Stack action, which reuses the existing External ID so no further setup is needed on the ProductX side.




Re-setup AWS account dialog — checklist of common connection-failure causes, with the Management AWS Account ID pre-filled and a Re-deploy Stack button.

23. Once AWS confirms the role, the dashboard clears the warning banner, AWS Health flips to Connected, and a resource-discovery progress bar appears (e.g. "Discovering resources — ap-south-1 (7 of 17 regions)").




Dashboard mid-sync: AWS account shown as connected, resource discovery in progress region-by-region.

24. Open AWS Organization to watch each member account come online individually — Total members / Connected / Pending / Failed counts at the top, and a per-account "Discovering resources (17 regions)" progress bar until each finishes.



AWS Organization page mid-sync — 5 member accounts, each discovering resources across 17 regions.



AWS Organization page once fully connected — 5 of 5 member accounts Connected, 0 Pending, 0 Failed, each with a manual Re-sync option.

Important
Don't share the CloudFormation URL /template URL outside the intended recipient — it's unique to that integration and is the handshake between ProductX and the client's AWS account.
Already deployed the stack? Click "Verify Manually" (or, from a failed state, "Re-deploy Stack") rather than starting over — your existing External ID is reused automatically.

Cloudelligent


4a. Confirmation Emails (Client Portal)

The client portal sends automated, branded emails at two points during AWS connection — Cloudelligent/ProductX staff don't need to send these manually.

Email 1 — AWS Account Connected (single account)

- **From:** noreply@productx.cloudelligent.io
- **Subject:** "AWS Account Connected – WAFR Ready to Scan"

Body (paraphrased): confirms the account (shown by its last 4 digits) is connected, and that resource discovery is starting — cataloguing EC2, RDS, S3, Lambda, and other resources.




"AWS Account Connected – WAFR Ready to Scan" email, sent immediately after ProductX confirms the IAM role.

Email 2 — AWS Organization connected (multi-account)

- **From:** noreply@productx.cloudelligent.io

- **Subject:** "AWS Organization connected — [N] accounts ready" (N = number of member accounts, 5 in the walkthrough)

Body (paraphrased): reports that all member accounts under the management account are connected, and that future assessments will automatically pull resource data from every connected account. Includes two buttons: Open AWS settings and Go to dashboard.



"AWS Organization connected — 5 accounts ready" email, sent once every member account finishes syncing.

Cloudelligent

5. View AWS Accounts

Who: Super Admin, SA
Once AWS is connected, use AWS Organization to view every linked account and its sync status.

25. From the left sidebar, click AWS Organization.
26. Review Total members, Connected, Pending, and Failed counts at the top, and the Member accounts list below (account name, ID, and sync/discovery status).
27. Click Re-sync next to any account to manually trigger a fresh sync.
28. While a sync is in progress, a progress bar and percentage appear directly on that account's row (e.g. "Discovering resources (17 regions) — 8%").


Syncing is read-only — ProductX does not make any changes to the client's AWS environment; existing data is updated, nothing is deleted.
(See the screenshots under Section 4, steps 9–10, for the discovering and fully-connected states of this same page.)

6. Connect CUR (Cost & Usage Report)


Who: Super Admin, SA
To unlock cost visibility in the Cost Explorer, connect an AWS Cost and Usage Report (CUR) from an S3 bucket.

29. From the left sidebar, click Cost Explorer.
30. The page shows a "Select Bucket to connect" table. If valid CURs are found in the connected AWS account, select the one to connect.
31. If none are found, you'll see: "No valid CURs found to connect. Please create one below instead."
32. Click Generate CUR — ProductX automatically creates a CUR in the AWS account and connects it.
33. Once connected, the Detailed Cost Review section populates with cost data.

Note: cost data only appears after the CUR is connected. Once you click Connect to selected, the bucket shows Attached and moves through Queued for sync → Checking for new data before a "Cost data synced" confirmation appears; use Sync now on the Connections tab to trigger a fresh pull, or Reset cost data to start over.



Cost Explorer → Connections tab — "Select Bucket to connect" table listing available CUR sources in the connected AWS account/organization (report name, format, bucket, prefix, region, last delivery).




After selecting a CUR and clicking Connect to selected: the bucket shows Attached, and a "Queued for sync" panel appears ("We're lining up a worker. Sync will start in a few seconds") before moving to "Checking for new data."

7. View Cost Explorer


Who: Super Admin, SA

34. From the left sidebar, click Cost Explorer.
35. Use the Date Range and Group By dropdowns to filter the view.
36. The Cost Over Time chart shows spend trend across the selected period.

37. The Detailed Cost Review table breaks costs down by account or service, with Daily Max, Total, and Percent of Total columns.
38. Click Export CSV (top right) to export the data.



Cost Explorer → Cost overview tab once data has synced: charge-type breakdown (Total Cost, Usage, Savings Plan Covered/Negation/Recurring, Tax, Bundled Discount), List Price, and the Cost Over Time chart grouped by account.



Detailed Cost Review table grouped by Service, with Daily Max, Total, and Percent of Total columns (e.g. AWS Network Firewall, Compute Savings Plans, Amazon VPC).


8. Workloads — Create & Manage

Who: Super Admin, SA

Workloads represent distinct application environments within a client's AWS account (e.g. production, staging); each is assessed independently.

Create a New Workload

39. From the left sidebar, click Workloads.
40. Click + New Workload (top right).
41. Fill in Workload Name, Workload Owner, AWS Account, Regions, and Lens (select WAFR).
42. Click Create — you'll see "Workload has been successfully created."




New Workload panel: Workload Name, Lens (WAFR), Target VPC, and AWS Account selection — checkboxes list every connected account (e.g. Prod, NonProd, Audit, Log Archive, Guaranteed Commit 150) to scope the workload to.

Manage Existing Workloads

Key columns in the Workloads table:

- **Workload Name:** The name of the workload
- **Workload Owner:** The assigned SA or owner
- **Lens:** The review framework (WAFR)
- **Scan Status:** Progress bar showing percentage of scan completed
- **Last Scan:** Date and time of the most recent scan
- **Assessment:** Status badge: Not Started / In Progress / Completed

Click the eye icon on a workload row to view its detail and start an assessment.




Workloads table after creation — Workload Name, Owner, Lens, AWS Account ID, Scan Status (progress bar, e.g. 61% "Sweeping untagged..."), Last Scan timestamp, and Assessment status badge.

9. Run an Assessment

Who: Super Admin, SA

43. From the Workloads table, click the eye icon on the workload to assess.
44. On the Workload Detail page, click Start Assessment (top right).
45. ProductX scans AWS resources against WAFR best practices; a "Scanning your AWS environment" banner shows progress.
46. The scan is read-only — no changes are made to the AWS environment.
47. At 100%, status changes to Scan Completed and results become available.
48. Click Cancel in the scanning banner to stop at any point.

Estimated time: 2–5 minutes depending on the number of resources.
Stage labels observed during a scan: "Setting up scan environment" → "Sweeping untagged resources — [region] ([n] of [total])" → "Evaluating Well-Architected signals — [account-level controls / etc.] ([n] of [total])."
Each stage updates the percentage shown next to the progress bar.



Immediately after creating a workload, a "Workload created" notification appears and the scan begins automatically — Overview tab shown at 5%, "Setting up scan environment."


10. View Results & Findings

Who: Super Admin, SA

Answering the Assessment

Click into a pillar from the AWS Well-Architected Framework table (see Overview Tab below) to answer its questions one by one. Confirmed from the walkthrough:

49. Each question lists the relevant best practices as checkboxes. Practices ProductX could confirm from AWS evidence are pre-checked and tagged Auto-detected, with a banner: "Pre-filled from AWS evidence — adjust if needed. Your selection is saved when you move to another question."
50. Each practice shows live FAILED FINDINGS / PASSED FINDINGS counts, which update as evidence is (re)evaluated.
51. A "Question does not apply" toggle marks a question Not Applicable; an Add a note field lets you record context per question.
52. A per-pillar progress indicator (e.g. "Security – 3/11") and filter chips (All / Unanswered / High Risk / Medium Risk / Not Applicable) sit above the question list; the workload shows In Progress with a Generate Report button available throughout, even before every question is answered.




Assessment questionnaire — Security pillar question shown with per-practice checkboxes. A banner reads "Pre-filled from AWS evidence — adjust if needed. Your selection is saved when you move to another question." Practices already checked from evidence are tagged Auto-detected, and each carries live FAILED/PASSED finding counts. A pillar progress bar (e.g. Security 3/11) and per-question Note field are also visible.

Submitting the Assessment

53. Once every question is answered (Unanswered reaches 0), submitting triggers a confirmation dialog: "Submit assessment? This finalizes the assessment and submits the results to the AWS Well-Architected Tool. You won't be able to change answers afterward."

54. After confirming, the workload status changes from In Progress to Completed, and the header actions change to Re-scan account and View Assessment.



"Submit assessment?" confirmation dialog, shown once every question has been answered: "This finalizes the assessment and submits the results to the AWS Well-Architected Tool. You won't be able to change answers afterward." Cancel / Submit buttons.

Overview Tab — Metric Cards


- **High Risk:** Number of high-risk items identified
- **Medium Risk:** Number of medium-risk items identified
- **Unanswered:** Questions not yet answered or evaluated
- **Passed:** Best practices that are met
- **Failed:** Best practices that are not met
- **Overall Score:** Aggregate health score for the workload

Findings by Pillar

The AWS Well-Architected Framework table below the metric cards breaks results down per pillar (Operational Excellence, Security, Reliability, Performance Efficiency, Cost Optimization, Sustainability). Confirmed columns: Status (answered/total questions), Score (%), High Risk, Medium Risk, and Failed Finding counts. (A per-row Re-scan action was not observed in this walkthrough; if present, it is not confirmed here.)

Findings Tab


A detailed, filterable list of individual findings. Confirmed filters: Status, Pillar, Region, Question, and Practice (shown as removable chips, with a Clear Filters option). Confirmed columns: Resource ID, Type, Status, Pillar, Tags, Question, Region, Account, and an Action column (View Detail), with pagination.




Findings tab — filterable by Status, Pillar, Region, Question, and Practice (chips shown, with a Clear Filters option). The results table shows Resource ID, Type, Status, Pillar, Tags, Question, Region, Account, and an Action column (View Detail), with pagination ("Showing 1–2 of 2 findings").

Remediation History Tab

A log of previously addressed findings.



Workload Detail — Overview tab metric cards (Unanswered, Overall Score, High Risk, Medium Risk, Passed, Failed) shown mid-scan (81%, "Evaluating Well-Architected signals — account-level controls 14 of 23"). A later recording (see below) confirms the same layout once the scan and assessment are complete.



Workload Detail — Overview tab once the assessment is Completed. Header actions change to Re-scan account and View Assessment. Metric cards show Unanswered, Overall Score, High Risk, Medium Risk, Passed, and Failed counts, and the AWS Well-Architected Framework table below breaks these same figures out per pillar (Status as answered/total, Score, High Risk, Medium Risk, Failed Finding).

11. Reports

Who: Super Admin, SA


55. From the left sidebar, click Reports.

56. A list of generated reports appears (Assessment Reports table), each tied to a specific workload. Confirmed columns: Report (name), Workload Name, Lens, Status (In Progress → Completed), and Generated Date. Row actions: Preview, Regenerate, and AWS Report (opens the assessment directly in the native AWS Well-Architected Tool console in a new tab).


57. Click Preview (or Generate Report from the workload) to open the Report Preview page — a paginated, zoomable view listing every finding grouped by pillar with its Risk level (High/Medium) and Status (Open). The page briefly shows "Fetching latest AWS Well-Architected data..." while it loads.

58. Click Print or Download PDF (top-right of the preview) to export the report.

Not confirmed in either recording: a richer report format with Key findings (Critical/High/Medium), Gap analysis, False positive analysis, Compliance mapping (OWASP, PCI-DSS, ISO 27001, SOC 2, NIST, CIS, GDPR), SOW estimation, and a 4-phase implementation plan may exist elsewhere (e.g. the downloaded PDF itself, which was not opened on camera) but the in-app Preview shown here is a simple pillar-grouped findings list. Treat the richer description as design-spec until confirmed on video.



Reports page — Assessment Reports table with Report, Workload Name, Lens, Status (In Progress → Completed), and Generated Date columns, plus Preview, Regenerate, and AWS Report actions (the last opens the assessment directly in the native AWS Well-Architected Tool console).




Report Preview page (reached from Generate Report) — a paginated, zoomable preview listing every finding grouped by pillar, with its Risk level (High/Medium) and Status (Open). Print and Download PDF buttons sit top-right; the page briefly shows "Fetching latest AWS Well-Architected data..." while it loads.

12. Inventory

Who: Super Admin, SA

59. From the left sidebar, click Inventory.
60. Use Search to find specific resources by name or ID.
61. Use the Filter panel to narrow by service type, region, or other attributes. In the walkthrough this appeared as two dropdowns above the table — AWS account and Service Category (e.g. Compute) — plus an Inventory Summary panel on the left listing each resource type in the selected category with its count (e.g. EC2 Snapshots, Lambda Functions, Elastic IPs, EC2 Instances, NAT Gateways).
62. The resource table itself (for the type selected in the summary panel) shows Resource ID, Details, State, Tags, Region, and Account columns, with pagination (e.g. "Showing 1–6 of 6 resources") and an Export CSV button top-right.
63. Click a resource row for a detail panel showing Account ID, Instance/Resource ID, Provider Resource ARN, Region, Service, Instance Type, OS, and other service-specific fields. (This detail-panel click-through was not captured in either walkthrough recording; column names above are carried over from the design spec.)




Inventory page filtered by AWS account and Service Category (Compute) — Inventory Summary panel and resource table (e.g. Lambda Functions) showing Resource ID, Details, State, Tags, Region, and Account columns.

13. User Management (Super Admin only)


Who: Super Admin only

View Users

64. From the left sidebar under System, click Users.
65. Two tabs split the list: Internal Users (Cloudelligent staff — Super Admin/SA roles) and Client Users (client-side Client Admin accounts, grouped by tenant). Each table shows name, email, type, role, assigned client(s), status (Active/Invited), and last-active date.



Users page — Internal Users tab, showing Name/Email, Type, Role (Super Admin or SA), Status, and Last Active for Cloudelligent staff accounts.



Users page — Client Users tab, showing Client Admin accounts grouped by client tenant, with Status (Active/Invited) and Last Active.


Add a New User

66. Click + New User (top right).
67. In the slide-in panel, fill in Full Name, Email Address, Type (Internal/External), Role (Super Admin / SA / Reviewer), and Client Access (All Clients or specific clients).
68. Click Create — the user receives an invite email to set their password.

Role descriptions: Super Admin manages team and platform. SAs execute assessments and manage clients. Client Admins view their own organisation only.

Edit a User

69. Click the action menu (⋯) on a user row and select Edit.
70. Update fields in the pre-filled slide-in panel and click Save. (In the walkthrough this appeared as a centered "Edit User" dialog rather than a slide-in panel, pre-filled with Email, First Name, Last Name, and a Role dropdown.)



Edit User panel — pre-filled Email, First Name, Last Name, and Role dropdown.

Reset a User's Password

71. Click the action menu (⋯) and select Reset Password.
72. Choose Generate Temporary Password (shown once — copy and share via a secure channel) or Send Reset Password Email (link valid 24 hours).
73. Click Continue to complete the action.

Remove a User

74. Click the action menu (⋯) and select Remove User.
75. Confirm: "They will lose access to all assigned clients. This action cannot be undone."
76. Click Remove to confirm.

The + New User creation panel (Full Name, Email Address, Type, Role, Client Access fields) was not captured in either walkthrough recording; screenshot still pending from the design team. The Internal Users, Client Users, and Edit User screenshots above are confirmed from the walkthrough.


13a. Roles & Privileges

Who: Super Admin only

Roles & Privileges sits under System in the left sidebar, alongside Users. It shows a read-only permissions matrix rather than an editor in this walkthrough.

77. From the left sidebar under System, click Roles & Privileges.
78. A table lists each platform feature (Client Onboarding, Users, Connect AWS, Workloads, Assessments, Reports, Inventory, Roles & Privileges, Cost Explorer – View, Cost Explorer – Manage, Tenant Switching, Dashboard, and more) as rows.
79. Three columns — Super Admin, SA, Client Admin — show a checked or unchecked box per feature, with the current user count for each role displayed under its column header (e.g. 11 users, 5 users, 9 users).

80. Use Search to find a specific feature row. Click + New Role (top right) to define a custom role — this action was not exercised in the walkthrough.



Roles & Privileges page — permission matrix showing which actions (Client Onboarding, Users, Connect AWS, Workloads, Assessments, Reports, Inventory, Roles & Privileges, Cost Explorer View/Manage, Tenant Switching) are enabled for each role (Super Admin, SA, Client Admin), with a per-role user count at the top.
In the walkthrough, Client Admin lacked access to Users and Roles & Privileges, while Super Admin and SA had access to nearly everything except SA lacking Users management — consistent with the role descriptions in Section 13.

14. Notifications

Who: Super Admin, SA

Notification Bell (Quick View)

81. Click the bell icon in the top bar for a dropdown of recent notifications with timestamps.
82. Click View all Notifications to go to the full page.
83. Click Mark all as read to clear the unread count.

Full Notifications Page

84. From the left sidebar, click Notifications (or View all from the bell dropdown).
85. Use Search to find specific notifications.
86. Use the Type dropdown to filter by category.
87. Use Mark All as Read or Dismiss All to manage the inbox.

Notification types include: AWS Sync Completed, Assessment Completed, New Workload Created, Scan Warning.

