PRODUCT AND DESIGN BRIEF · VERSION 2

NEIGHBORHOOD OS

A civic community platform where every neighborhood gets a live 3D isometric map. Residents report problems, neighbors confirm them, coordinators verify and assign them, volunteers fix them, and proof of the fix goes back on the map.

This document describes what the app does, every page and panel, the roles that see them, the data each screen needs, and every API endpoint. It was rebuilt on 18 October 2026 by reading the whole codebase at commit `1fb3ed0`, running its tests and taking screenshots of the running demo. It replaces the 15 October version, and page 2 lists what changed. It is meant as the input for redesigning the screens in Claude Design.

Frontend	React 18, Vite 5, TypeScript, Framer Motion, Recharts 3, lucide-react icons. The 3D isometric city is drawn on canvas with SVG pins on top; the world map uses TopoJSON.
Backend	Express (`server/index.ts`) on Node 22, Postgres and sign-in through Supabase, optional AI provider, TinyFish web agent, Twilio SMS and WhatsApp, web push, SMTP email
AI	Optional. Google Gemini by default; Groq, Anthropic or any OpenAI-compatible service can be set instead. Rule-based fallback when there is no key.
Hosting	One Render web service serves the API and the built app (`render.yaml`, health check `/api/health`)
Languages	English and Hindi (India focus)
Modes	Simulated demo (no account, runs in the browser) and Real neighborhoods (Supabase sign-in)
Themes	Light and dark. Follows the device until the person picks one.

What changed since the 15 October brief

Seven commits landed after the first brief (15 to 17 October): a landing page, the TinyFish integration, reporter confirmation of fixes, a rebuilt issue screen, AI provider choice, sturdier map loading, and deployment work. The first table lists that new work. The second lists parts of the old brief that no longer matched the code. Throughout this document, NEW and CHANGED mark what is different from version 1.

New and changed in the product

Area	What changed	See
Landing page NEW	A public page at `/` with a live 3D city in the hero, the five-step loop, a features grid, a Crisis Mode section, roles, trust principles and honest limits.	5.1
Sign-in page CHANGED	Moved to `/signin`. Split layout: animated loop artwork on the left, the form on the right, then the neighborhood picker.	5.2
TinyFish web agent NEW	"Verify this route" finds a city's official complaint page, helplines and tracker from live web pages (free Search and Fetch). "Check complaint status" sends a read-only web agent to a public tracker (coordinators only, uses credits). The landing page has an open "Find your city's real complaint page" box.	5.5, 6
Reporter confirmation NEW	When a fix is submitted, the reporter and everyone who confirmed it are asked "Is the problem fixed?". Yes resolves it ("Confirmed by the reporter"). No sends it back to In progress. After 7 days without an answer, the coordinator who submitted it can close it "without confirmation", and a reporter can reopen it. Text replies FIXED and NOT FIXED work too.	1, 5.4, 8
Issue detail CHANGED	Rebuilt around a plain-language status card, a 6-step bar, a "What happens next" card with one guided button per stage, a confirm step before "Report spam", and collapsible sections.	5.4
Command tab CHANGED	New "How problems get fixed" pipeline card with a count per stage, a separate Fixed list, a collapsible event log, and the notice board moved below the issues.	5.3
Map CHANGED	Canvas-drawn 3D city with rotate and tilt camera, compass, moving cars and a night look in dark mode. "You are here" (location stays on the device), search box, grouped tool buttons, grouped filter chips, map key and scale bar.	4
AI providers NEW	Gemini (default), Groq, Anthropic or an OpenAI-compatible service. The server pauses AI calls and uses the rules when the provider rate-limits.	6
Map data CHANGED	Three OpenStreetMap servers are tried in order. The map note now says whether the server did not answer (it retries after about 50 seconds) or the area has little data.	4, 5.18
Deployment NEW	`render.yaml`, `TRUST_PROXY` so rate limits see real visitor addresses, the theme script moved out of the HTML for the strict content security policy, and a "Cannot reach the server" offline page in the service worker.	6

Corrected from version 1 (these were already out of date on 15 October)

Topic	Version 1 said	The code does
Visual language	Dark "mission control": navy, frosted glass, cyan and blue accents	Violet on warm off-white (light) or near-black (dark), with soft shadows. Real tokens in section 3.
Layout	76px rail; phone and tablet not specified	84px rail (80px under 1280px wide). Under 900px the rail becomes a bottom tab bar with a More sheet.
Header	No theme control	Light/dark toggle in the header; Theme setting in Account.
Public impact	Four numbers	Six numbers: reports, resolved, average hours to fix, volunteer hours, missions done, neighbors helped.

World panel	Filters by type and severity	Filters by hazard type only. Severity is shown, not filterable.
Offline queue	Reports, SOS, confirmations and check-in replies	Also proofs, flags, spam reports, extra-help register, exchange posts and messages, and availability. Photos still need a connection.
Roles	"All" actions include every role	"All" means resident, volunteer and coordinator. Moderators are left out, and flagging is resident-only (section 2 and observation 2).

1. What the product does

The core loop: Report, then Confirm, then Verify and assign, then Fix, then Prove it on the map.

1. **Report.** A resident clicks the map, writes or speaks (Hindi or English) a short description, picks a category and priority, and can add a photo. Nearby reports that look the same are listed with a % match. The AI agent can read the text and suggest the category, priority and an English summary.
2. **Confirm.** Neighbors press "I see this too". Three spam reports from neighbors hide a report until a coordinator reviews it.
3. **Verify and assign.** Only a human coordinator or moderator can mark a report "Verified". A coordinator starts the review, approves the action plan (which creates a community mission) or creates a mission directly, and assigns volunteers.
4. **Fix.** Volunteers join missions and post proof (a photo or a note). The first proof moves the issue to In progress.
5. **Prove.** A coordinator submits the fix for review, which needs proof. It is then resolved in one of three ways, and the issue records which one CHANGED:
   - **Reviewer:** a different coordinator or moderator approves it (the four-eyes rule).
   - **Reporter:** the person who reported it, or someone who confirmed it, answers "Yes, it is fixed". Answering "No, not fully fixed" sends it back to In progress.
   - **Unconfirmed:** after 7 days with no answer, the coordinator who submitted it may close it "without confirmation". This is labelled, never counts as verified, earns no points, and a reporter can reopen it.

   The person who submitted a fix can never approve it, and when more neighbors say "not fully fixed" than "looks fixed", approval is blocked. A before/after slider goes on the issue and the pin turns green.

Feature list (verified against the code)

Group	What it does
Landing and sign-in NEW	Public landing page with a live 3D city, the five-step loop, features, Crisis Mode, roles, trust principles and honest limits. Separate sign-in page with account forms and a neighborhood picker.
Live 3D map CHANGED	Real OpenStreetMap roads, buildings, parks and water drawn as an isometric city, with windows, trees, moving cars and a night palette in dark mode. 3D, Flat and List views. Rotate, tilt and reset the camera. Search, status filters, resources layer, priority heatmap, volunteer overlay, "Then vs now" slider, "You are here", map key, crisis zones, and a picking mode for choosing locations.
Issue reporting and lifecycle	Categories: pothole, garbage, streetlight, water, unsafe, blocked road, other. Priorities: low to critical. Lifecycle: Reported, Under review, Assigned, In progress, Resolution pending review, Resolved, with a guided next-step button for each stage CHANGED. Priority score from 0 to 100 with the reasons listed. Duplicate detection. Spam (with a confirm step), withdraw, hide and restore. At most 15 open reports per person.
Fix confirmation NEW	Reporter confirmation, four-eyes review, close without confirmation after 7 days, reopen, neighbor "Does it look fixed?" feedback, and text replies FIXED / NOT FIXED.
AI agent workflow	Understands a report (language, category, priority, English summary), picks the complaint route and authority, drafts the complaint in English or Hindi from a fixed template, waits for human approval, records reference numbers, prepares escalations on the deadline, and suggests a mission. Never sends anything by itself. Rule-based fallback without a key.

TinyFish web agent NEW	Checks the complaint route against live official pages: sources marked "Government website" (only `gov.in` and `nic.in` in India) or "Not confirmed as official", plus helplines, emails, and complaint and tracker links found on those pages. Read-only status check on a public tracker, with a live view link and a suggested hand-off status that a coordinator still has to record.
Missions and volunteers	Community missions with a progress bar and volunteer hours. Volunteer profile (availability, skills, emergency abilities). Optional approximate area, rounded to about 100 m. Rule-based suggested volunteers for an issue.
Resource radar	Shelters, water points, aid posts, donation drops, assembly points and equipment. Delivery notes and shortage flags. Neighbor exchange: offers and requests with a short message thread.
World layer and Crisis Mode	Global map of official hazard feeds (USGS, NASA EONET, GDACS) plus local CAP feeds. A hazard overlapping the neighborhood at "watch" level shows a heads-up banner; "warning" or "severe" switches on Crisis Mode. A cluster of 3 or more open reports of one type within 250 m also turns on the crisis chip.
SOS (consent-based)	Ask for help with explicit consent and a chosen location. Visible only to the author, coordinators and an assigned volunteer. Location wiped on close or after 24 hours. One active request per person, 3 per day. Always tells the person to call local emergency services first.
Safety and preparedness	Safety check-ins ("I am safe" / "I need help"), optional extra-help register, emergency plan (routes, what to keep ready, contacts), notice board with pinned and urgent notices, and an automated weekly summary posted as a notice.
Reporting to authorities	Council reports with filters, weekly trends, hotspots and a hand-off tracker (acknowledged, overdue). Authorities directory; hand-offs are emailed when the authority has an address. CSV export, print-as-PDF, and a public totals-only impact page.
Analytics	Pulse charts tagged Actual or Estimate, before/after counts, an effort estimate, hotspots, top contributors and AI insights. Badges and points that count only verified work. What-if simulator for coordinators.
Notifications and offline	In-app bell, web push, email, SMS and WhatsApp (Twilio) with the text commands SAFE, NEED HELP, FIXED, NOT FIXED, STATUS and SOS. Installable PWA. Actions made offline are saved on the device and sent when the connection returns.
Accessibility, language, theme CHANGED	English/Hindi switch, voice input, keyboard-accessible map pins, skip link, three text sizes, high contrast, reduced motion, and a light / dark / match-my-device theme.

Trust and honesty principles the design must keep visible: only humans verify; the person who submits a fix can never approve it; a fix closed without confirmation is labelled and never counts as verified; AI output is always labelled a suggestion; TinyFish results are suggestions read from third-party websites; simulated data is always labelled "simulated" or "estimate"; the app states repeatedly that it is **not an emergency service**; location is opt-in and only a ~1 km cell or a user-picked pin is stored; every coordinator action is audit-logged.

2. Roles and what each can do

Checked against the permission table in `src/logic.ts`, which the server enforces on every action. In the code the coordinator role is called `admin`.

Role	Who	Key permissions
Resident	Default member	Report, confirm ("I see this too"), flag, report spam, withdraw own report, add updates, "Does it look fixed?" feedback, answer "Is the problem fixed?" on reports they made or confirmed, SOS, check-in reply, extra-help register, neighbor exchange, start, edit and approve the agent's complaint for their own report, verify the route with TinyFish.
Volunteer	Resident who opted in (Account tab)	Everything a resident can except flagging, plus join missions, set availability, skills and abilities, share an approximate area, post proof of a fix, and update an SOS they are assigned to.
Moderator	Set by a coordinator in the People tab	Verify or dispute reports, hide and restore, approve or reject resolutions (never their own), close without confirmation, see hidden reports, flags and the volunteer overlay. **Cannot** report, confirm, add updates, send SOS or answer check-ins (see observation 2).
Coordinator	Creator of a named neighborhood, or promoted by a coordinator	Report, confirm and SOS like a member, plus advance status, create missions, assign volunteers, approve action plans, add resources and record deliveries, acknowledge, assign and close SOS, run check-ins, post notices, write the emergency plan, keep the authorities directory and hand-offs, prepare escalations, run TinyFish status checks, and use What-if, Reports and People. Cannot approve a fix they submitted.
Platform admin	Emails in `PLATFORM_ADMINS`	Acts as a coordinator in any neighborhood.

The demo has a Role menu in the header, so all four roles can be previewed without an account. A neighborhood cannot lose its last coordinator, and the last coordinator must promote someone before leaving.

3. Current visual language CORRECTED

Mood

A calm, friendly civic look. **Light theme:** warm off-white page with soft violet and peach glows, white cards with thin stone-grey borders and soft shadows, a daytime city. **Dark theme:** near-black with a violet glow, a night city with lit windows, neon roof edges and street lamps. Violet is the brand and action colour; the status colours keep their meaning in both themes.

Type

Sora for the interface, **JetBrains Mono** for timestamps, coordinates and complaint drafts, and **Instrument Serif italic** for the accent word in landing and sign-in headlines ("*Prove it.*", "*together*").

Status colour meaning (pins, dots, chips)

- **Red:** Reported, Under review; critical; SOS; crisis
- **Amber:** Assigned, In progress, Resolution pending review; warnings; Estimate tags
- **Green:** Resolved; Actual tags

Colour tokens (`src/styles.css`, mirrored in `src/theme.ts`)

Token	Light	Dark
bg (page)	`#f7f6f3`	`#111013`
card	`#ffffff`	`#1f1d23`
ink (text)	`#1c1917`	`#f2f0f5`
ink-2	`#57534e`	`#b8b3c0`
line	`#e7e5e4`	`#2c2931`
primary	`#7c3aed`	`#a78bfa`
ai	`#c026d3`	`#e879f9`
red	`#dc2626`	`#ff5d6c`
amber	`#d97706`	`#ffb43f`
green	`#16a34a`	`#34e3a0`

- **Teal:** resources (amber when short), routes
- **Pink:** volunteers on the map; **magenta tint:** AI cards

teal	`#0d9488`	`#2dd4bf`
vol (pink)	`#db2777`	`#f472b6`

Each status colour also has a soft background and a darker text shade (for example `--red-soft`, `--red-text`). High contrast mode darkens the text and borders.

Components in use


- Cards with 14px corners; the shell blocks (rail, header, map, panel) use 18px
- Primary "go" button: solid violet. Warn button: soft amber. SOS button: solid red
- Chips: status, verification, urgency, Actual/Estimate, Shortage, Done, Closed without confirmation
- Issue row: coloured dot with a halo, title, sub-line, time
- Stats trio with a coloured top bar; pipeline card; 6-step bar
- Frosted-glass map controls; toasts with a coloured left edge; bell popover; collapsible sections

Signature interactions


- Camera fly-in when the map opens; drag, scroll, Shift-drag to orbit
- Pulsing rings on open pins; progress ring for the AI agent
- Animated dashed lines: resource to issue, volunteer to mission
- Pulsing red crisis chip, "Crisis active" pill and SOS tab
- Before/after drag slider; panel cross-fade between tabs
- Landing: word-by-word headline, scroll-filled loop rail, typed text, parallax cards. All motion stops with reduced motion.

Current screens NEW


Captured on 18 October 2026 from the simulated demo in Chrome at 1440 × 900 (desktop) and 390 × 844 (phone). Use these as the "before" for the redesign.




App shell, Command tab, light theme. Rail on the left, 3D map in the centre, Command panel on the right. Note the crisis chip, "Crisis active" pill and red SOS tab are already on, caused by the garbage cluster (observation 1).




The same screen in the dark theme: night city with lit windows, violet accents.




Issue detail as a resident: status card, step bar, "What happens next", "I see this too", collapsed sections.




Crisis Mode on the SOS tab as a coordinator after "Simulate an earthquake alert": "Crisis mode: official alert" chip, emergency-first card, SOS form, volunteer overlay (pink) on the map, What-if and Reports in the rail.




Landing page hero (`/`).



Sign-in page (`/signin`).



Phone: the header wraps to three rows; the bottom tab bar holds Command, Report, Missions, Pulse, SOS and More.




Phone, More sheet: Resources, Prepare, World, Account (plus What-if, Reports and People for coordinators).

What the phone shots show

The header uses about a quarter of the screen, the map tool groups stack on top of the map, and the panel sits below the map, so the person scrolls the page to reach it. See observation 3.

4. App shell (after entering a neighborhood) CHANGED

Single-page app. On desktop it is a grid: **left icon rail (84px)**, **centre map**, **right panel (420px)**, with a **64px header** over the map and panel, 12px gaps and 12px outer padding. Each block is its own rounded surface. Under 1280px wide the rail is 80px and the panel 380px. **Under 900px** everything stacks: the header wraps, the map takes 58% of the screen height, the panel follows below, and the rail becomes a fixed bottom tab bar whose More button opens a 4-column sheet. There is no URL routing between tabs; the active tab swaps the panel (and the map layer for World).



Left rail navigation

Tab	Label	Icon	Visible to	On phones
`feed`	Command	Radar	All	Bottom bar
`report`	Report	PlusCircle	All	Bottom bar
`missions`	Missions	Users	All	Bottom bar
`pulse`	Pulse	BarChart3	All	Bottom bar
`sos`	SOS (red text; solid red and pulsing in Crisis Mode)	Siren	All	Bottom bar
`resources`	Resources	Package	All	More sheet
`prepare`	Prepare	ShieldCheck	All	More sheet
`world`	World	Globe	All	More sheet
`sim`	What-if	FlaskConical	Coordinator only	More sheet
`reports`	Reports	FileText	Coordinator only	More sheet
`people`	People	UserCog	Coordinator only, real mode only	More sheet
`account`	Account	User	All (bottom of rail)	More sheet

Panel header NEW: every tab has a sticky header with an icon tile, the title and a one-line purpose, for example Command: "Live overview of the neighborhood: alerts, notices, how much work is in each stage, and every issue." The SOS header is red.

Header bar

- **Brand block:** "NEIGHBORHOOD OS" with the sub-line "Simulated demo" or "Named / Area neighborhood" plus the neighborhood name.
- **Mode chip:** "Demo mode" or "Live · Role" with a green dot.
- **Connectivity chips:** "Offline" when disconnected or showing stale data; "N waiting to send" for the offline queue.
- **Crisis chip:** pulsing red, "Crisis mode: official alert" or "Crisis mode: N cluster(s)".
- **Controls:** language select (English / हिन्दी), **theme toggle** (sun or moon) NEW, notifications bell with an unread badge and a popover of the last 8 events for this person (Escape or an outside click closes it). In demo: Role menu, Reset demo, Exit demo (back to the landing page). In real mode: Switch neighborhood (to `/signin`).

Map overlays (centre) CHANGED

- **Top-left bar:** green live dot, neighborhood name, the coordinates under the cursor, and a search box "Find an issue or resource" (Enter flies to the match and opens it).
- **View switch:** 3D, Flat, List. List replaces the map with a table sorted by priority score (score, issue, type, status, reports, age).
- **Notes:** amber pill for simulated, sparse or unavailable map data; "Click the map to choose a location" on the Report, Resources and SOS tabs; a SIMULATION banner while the What-if overlay colours the pins.
- **Right tool column:** crisis pill ("Official alert" or "Crisis active", flies to the zone); zoom in and out; camera (rotate left, compass that resets and shows north, rotate right, tilt: standard, high or street level); layers (resources, issue heatmap, volunteers and their missions for coordinators and moderators, Then vs now); location (show my location, recenter on the issues).
- **Bottom bar:** filter chips Open, In progress, Fixed (with counts) and Resources.
- **Bottom left:** "Map key" popover (every symbol, plus "Drag to move · scroll to zoom · Shift + drag (or right-drag) to rotate and tilt") and a 120 m scale bar.
- **"You are here"** NEW: after "Show my location", the position is watched on the device only. Inside the area a blue dot reads "YOU ARE HERE". Outside, a card shows the distance and, in real mode, "Open my area", which sends only the ~1 km area code.
- **Then vs now bar:** slider from 0 to 60 days ago, open counts then and now, "Reconstructed from the activity log".
- **Pins:** rounded square with the category icon (round for resources and volunteers) on a stalk to a ground ring, coloured by status; a pulse ring while open; a count badge for neighbor reports; a mission badge "x/y"; a progress ring when the AI agent tracks it; the label on hover, selection or zoom. Also SOS pins (only for people allowed to see them), dashed crisis zones labelled "CRISIS ZONE · N REPORTS", route lines from the nearest resource, and a violet "Chosen location" pin.
- **Loading:** "Loading neighborhood map…" with a spinner.

5. Page and panel inventory

Every item below is a distinct screen or panel to design. "API" lists the endpoints it relies on (section 6). Most writes go through one endpoint, `POST /api/n/:id/action`, with an action type shown as `t: "..."`.

5.1 Landing page NEW

Route `/`. Components `Landing.tsx`, `landing.css`. Shown when no neighborhood is open; a signed-in person returning to their last neighborhood goes straight in.

- **Sticky nav:** logo, section links (How it works, Features, Crisis mode, Roles, Trust), theme toggle, "Sign in" (or "My neighborhoods"), "Try the demo", and a scroll progress line.
- **Hero:** pill "Civic platform · English & हिन्दी · Works offline"; headline "Every neighborhood, live in 3D. Report it. Fix it. *Prove it.*"; lead paragraph; "Try the live demo" and "Sign in"; three ticks (no account needed, runs in your browser, humans verify and AI only suggests). On the right, a slowly orbiting 3D city with five pins cycling Reported, Verified, Fixing, Fixed, and four floating cards (new report, AI draft, mission, proof of fix) that follow the pointer. Caption "Live preview · simulated neighborhood".
- **Sources strip:** scrolling list of OpenStreetMap, USGS, NASA EONET, GDACS, local CAP feeds, SMS and WhatsApp, offline-first PWA, AI suggestions, TinyFish, English and हिन्दी.
- **How it works:** the five steps on a rail that fills as you scroll, each with a small animated mock (typing a report, avatars confirming, the Verified chip, a mission bar, a before/after slider).
- **Stats band:** 5 steps, 4 roles, 3 hazard feeds, 24 h until SOS locations are wiped, 2 languages (counting up).
- **Features grid:** AI agent (animated Hindi report to English summary to draft), World layer, SOS, Missions, Resource radar, Pulse, Council reports, Offline and SMS (animated chat), Hindi and English by voice, Accessible by default.
- **"Find your city's real complaint page"** (only when the server has a TinyFish key): city and problem type, then official sources, helplines, emails and links. A few tries an hour per visitor; results limited to India.
- **Crisis Mode** (dark band): three points and an animated example: hazard, alert banner, check-in counts, SOS card.
- **Roles:** four tabs with each role's powers. **Trust:** six principle cards and "Honest limits".
- **Final call to action** and **footer** with the not-an-emergency-service line and data credits.

API: `GET /api/public/tinyfish` · `POST /api/public/tinyfish/route`

5.2 Sign-in and neighborhood picker CHANGED

Route `/signin`, also shown after an invite link `/?n=<neighborhood id>`. Component `Onboarding.tsx`.

- **Left half** (hidden under 900px): violet-to-magenta artwork, "Fix your street, *together*.", the five steps lighting up in turn, and a sample issue card moving from Reported to Fixed.
- **Top right:** "Home" link, language select, theme toggle. The title changes with the state: "Welcome back", "Create your account", "Reset your password" or "Choose your neighborhood".
- **Account forms:** Sign in / Create account tabs (display name with a privacy note, email, password of 8 or more characters), "Forgot password?" and "Send reset link". An "Explore the live demo" card. An amber notice when accounts are not set up on the server.
- **Signed in:** "Signed in as" card with Sign out; Your neighborhoods (up to 5, with your role); Find a neighborhood: "Use my location" (shares only the ~1 km area) or a place search; then a result card with "Join this area's neighborhood", named neighborhoods nearby (members and radius) and "Create and become its coordinator" (name, radius 300 m to 2 km).
- **Footer:** not an emergency service.

API: `GET /api/me` · `GET /api/neighborhoods/mine` · `POST /api/neighborhoods/cell` · `POST /api/neighborhoods` · `POST /api/neighborhoods/:id/join` · `GET /api/neighborhoods/nearby` · `GET /api/geocode` (Supabase Auth handles sign-in itself)

5.3 Command tab (feed), the home panel CHANGED

Component `Feed` in `App.tsx`. Default tab.

- **Alert banner:** amber "Heads up: hazard activity nearby" or red "Official alert near this neighborhood", with instructions and "See on the world map".
- **Safety check-in card** (compact) when a check-in is open.
- **Stats trio:** Open (red) / In progress (amber) / Fixed (green).
- **"Fixes waiting for review"** card for issues in Resolution pending review.
- **"How problems get fixed"** NEW: a stacked bar and six stage tiles (Reported, Review, Assigned, Fixing, Approval, Fixed) with counts and a tooltip each.
- **Demo only, "Guided AI agent demo":** "Step X of 9" with a description, the Hindi report quote, "Run next step", "Simulate an earthquake alert" / "Clear simulated alert".
- **Empty state** for a new neighborhood: "This neighborhood is just getting started" with "Report a problem".
- **Live issues** with the hint "Tap a pin on the map or a report below…", sorted by priority score. Row: status dot, title, sub-line "Status · N urgency · verified · closed without confirmation · hidden", age. Then a separate **Fixed** group.
- **Notice board:** pinned and urgent notices; coordinators get "Post a notice" (Urgent, Pin to the top).
- **Event log**, collapsed: the last 10 events.
- Selecting an issue replaces the panel content with Issue detail (5.4).

API: `GET /api/n/:id/state` (every 5 s with `?v=version`) · `GET /api/n/:id/map` · action calls

5.4 Issue detail CHANGED

Component `Detail.tsx` (364 lines, the richest screen). Opens inside the Command panel.

- **Top:** "← All reports", title, chips for category, urgency, status, "Closed without confirmation", Hidden, and "N flag(s)" for moderators.
- **Spam:** "Report spam or wrong report" opens an inline confirm card ("Yes, report it" / Cancel), then shows "Thanks. You reported this one."
- **Status card** NEW: one plain sentence for the stage (for example "Waiting for a coordinator to look at this report.") or for how it was resolved (reviewer, reporter or unconfirmed), a verification sentence, and "N people have reported this."
- **6-step bar** with "Step X/6 · Status", the description, and the original photo or the Before/After slider.
- **"Is the problem fixed?"** NEW for reporters and confirmers while a fix waits: optional comment, "Yes, it is fixed" / "No, not fully fixed". On a report closed without confirmation, a reopen card: "It is still broken. Reopen it".
- **Pending review card:** who submitted it and neighbor feedback counts. Reviewers get a reason field, "Approve resolution" (disabled for the submitter) and "Request more work" (reason required). The submitter gets "Close without confirmation", enabled after 7 days with a days-left counter. Demo shortcuts: answer as the reporter, reporter says not fixed, skip the 7-day wait, switch to Moderator.
- **"What happens next"** NEW for open stages, with one guided coordinator button: Start review, then Mark as assigned, then Mark work as started, then Submit fix for review (needs proof). Volunteers get the proof form inline when the issue is assigned or in progress.
- **"Does it look fixed?"** for everyone else while pending or resolved: comment, "It looks fixed" / "Not fully fixed".
- **Action row:** I see this too, Join mission, Create mission, Mark verified, Not fully fixed (reopen). **More options** (collapsed): Flag for attention, Withdraw my report, Mark disputed, Hide or Restore report.
- **AI agent panel** (5.5).
- **Action plan** (collapsed, "a suggestion, a person approves it"): steps, department, volunteers, effort, time, materials, safety notes. "Approve plan and create mission" and "Print action plan" (printable page).
- **How urgent:** level and score out of 100 with the reasons and points. "A fixed set of rules adds these points. It only sorts the list."
- **Evidence and updates** (opens by itself while pending): proof list, neighbor updates, AI photo check and AI before/after comparison (both labelled), "Add an update or evidence".
- **Volunteers and mission:** suggested volunteers (rule-based) with Assign; hand-off to an authority for coordinators (choose authority, reference, status, "No resolution after 7 days" warning), or a "Passed to…" line for others.
- **History:** assignment history and the activity log.

API: actions `verify, advance, merge, flag, withdraw, spam, hide, restore, mission, join, assign, proof, update, feedback, reporterConfirm, closeUnconfirmed, approveResolution, rejectResolution, actionPlanApprove, handoff, handoffStatus` · `POST /api/n/:id/photos` · `GET /api/photos/:pid` · `POST /api/n/:id/ai/compare` · `POST /api/n/:id/ai/image`

5.5 AI agent panel, TinyFish card and Analysis card CHANGED

Components `AgentPanel.tsx`, `AnalysisCard`. Logic in `src/agent.ts`, routes in `src/routes.ts`, web agent in `server/tinyfish.ts`.

- **Before it starts** (author or coordinator): "The agent understands the report, picks the complaint route, drafts the complaint, and suggests a community mission. You approve every step." and "Start the AI agent".
- **Collapsible panel** titled "AI agent · done/total · Next: step". It opens by itself when the person has something to do.
- **Stepper (11 steps):** Understood, Duplicates checked, Route, Draft, Approved, Sent, Reference received, Mission, Volunteers, Proof of fix, Verified resolved.
- **Complaint route** (collapsed): authority, channel, what to include, escalation ladder, and "Check this route against your city's official website before sending."
- **TinyFish web agent card** NEW (only when the server has a TinyFish key; always in the demo):
  - **Verify this route** (author or coordinator, until resolved): optional city field (in the demo, typing a real city runs it live), "Verify this route with TinyFish", then "Reading official pages…". Result: the city searched, each source marked "Government website" or "Not confirmed as official", helplines and emails found, complaint and tracker links, and a note. Demo shows a labelled simulated example.
  - **Check complaint status** (coordinator, after sending with a reference number): tracker address field or "Use this tracker" chips from the route results, "Check status", then a running state with "Watch it live" (up to 2 minutes), then the status text, date, remarks, the warning "This is what the website showed, read by an AI agent…", and "Record as: Acknowledged / Resolved by the authority". A failed state says why.
  - Footer "Powered by TinyFish".
- **Complaint draft:** To, English / हिन्दी switch, editable subject and body, Save edits, Approve. After approval: Copy complaint, "I sent it" (demo: "Send (simulated)"), optional reference number. Caption: "This app does not file on government portals for you."
- **After sending:** sent line with the reference, "Reference number received" field, the escalation date, "Prepare escalation now" (coordinator), and "The issue was resolved, so the escalation is not needed."
- **Suggested mission** (coordinator): cleanup for garbage; a safe follow-up crew for water, lights, roads and hazards (never touching pipes, wires or open manholes).
- **Analysis card** (Report tab): detected language, category, priority, English summary, "Complaint goes to", source (AI or simple rules), "Use these suggestions".

API: `POST /api/n/:id/agent/analyze` · `POST /api/n/:id/tinyfish/route` · `POST /api/n/:id/tinyfish/status` · `GET /api/n/:id/tinyfish/runs/:runId` · actions `agentStart, agentDraft, agentApprove, agentSend, agentRef, agentEscalate, handoffStatus`

5.6 Report tab

Component `Report` in `App.tsx`. The map is in picking mode.

- **Location line:** "Click the map to choose the location." or "Chosen location (lat, lng)".
- **Fields:** Short title (120 characters, voice button), Category, Priority, Description (1000 characters, hint "Please do not include names, phone numbers or faces", voice button), photo picker (re-encoded in the browser to strip GPS), thumbnail, AI photo check (real mode).
- **"Understand and prepare complaint"** shows the Analysis card. If skipped, the agent still reads the report on submit and attaches a complaint draft.
- **Possible duplicates:** likely category, nearby reports with % match and "Add to this report", "Get AI summary" (real mode), "Suggestions are not decisions."

- **Submit report** (primary). Footer: new reports stay Unverified; call your emergency number for life-threatening situations. Toasts: choose the location first, add a title. After submitting, the panel jumps to the new issue.

API: action `report` (and `merge`) · `POST /api/n/:id/photos` · `POST /api/n/:id/agent/analyze` · `POST /api/n/:id/ai/suggest` · `POST /api/n/:id/ai/image`

5.7 Missions tab

- **New community mission** (coordinator): title, volunteers needed (1 to 200).
- **My volunteer profile** (volunteer): Available / Unavailable toggle, skills as chips (the 7 categories), emergency abilities (first aid, medical, driving, boat, tools, cooking, translation, counseling).
- **My approximate area** (volunteer): consent tick, "Use the pin I chose on the map", "Use my current location", Remove. Rounded to about 100 m, visible only to the volunteer and coordinators.
- **Mission cards:** title, Done chip, progress bar, "X of Y volunteers · N volunteer hours", "Join mission". Empty: "No missions yet. A coordinator can create one." Resident hint: switch to volunteer in Account.

API: actions `mission, join, assign, availability, skills, abilities, volunteerArea, volunteerAreaClear`

5.8 Pulse tab (analytics) CHANGED

- **Date range:** last 7 / 30 / 90 days, all time. **Two stats trios:** Reported, Resolved, Avg hours to fix; Open now, Missions done, Contributors.
- **"Before and after"**: open at the start of the range versus now, with the difference.
- **Charts** (Recharts, themed), each tagged Actual: Reported and resolved, Open issues over time, By category, Average hours to resolve, Volunteer hours and participation by mission.
- **"Resource needs for open issues"** tagged Estimate (person-hours). **Recurring problem areas** ("past reports, not a prediction"). **Top contributors** ("Points count only verified reports and completed fixes").
- **Community intelligence:** "Generate insights", labelled AI-generated or rule-based. Demo note: all figures are simulated.

API: `POST /api/n/:id/ai/insights` (everything else is computed in the browser from the neighborhood document)

5.9 SOS tab

Component `SosPanel.tsx`. Red header; the tab turns solid red and pulses in Crisis Mode.

- **Red card:** "Call your local emergency number first" (112, 911 or 999), plus a line when an official alert has switched on Crisis Mode. Others see a count of active requests.
- **Ask for help:** need (medical help, rescue or trapped, shelter, food or water, something else), number of people (1 to 50), note with voice input, location from the map or "Use my current location" (enabled only after the consent tick), consent checkbox, "Send SOS request".
- **Your requests** (resident) or **SOS board** (coordinator): need, people, status chip (Waiting for a coordinator, Seen by a coordinator, Volunteer assigned, Helped, Closed), age, coordinates or "location deleted", text-message contact, nearest shelter or aid post. Coordinator: Acknowledge, "Assign a volunteer…" + Assign, Mark helped, Close. Assigned volunteer: Mark helped. Author: Cancel my request.
- Empty: "No SOS requests right now." Privacy line: closing deletes location, note and contact. Limits: one active request per person, 3 a day, wiped after 24 h.

API: actions `sos, sosAck, sosAssign, sosStatus, sosCancel` · inbound `POST /api/sms` (text "SOS medical 3 …")

5.10 Resources tab

- **Resource radar:** cards with name, kind, note and a "Shortage" chip. Coordinator: delivery note + "Record delivery", "Flag shortage".
- **Add a resource** (coordinator, uses the map pin): name, kind (shelter, water, aid, donation, assembly, equipment), note.
- **Neighbor exchange:** offer or request, category (supplies, tools, ride, food, other), title, details; "I would like this" / "I can help", message thread, Mark done, Remove. Safety copy: no phone numbers or addresses, be careful when meeting people.

API: actions `addResource, delivery, shortage, shareAdd, shareClaim, shareMsg, shareDone, shareRemove`

5.11 Prepare tab

- **Safety check-in** (coordinator starts and closes it; default text "Are you safe after the earthquake?"). Members answer "I am safe" or "I need help". Coordinators see safe and need-help counts, who needs help, and who has not replied, with people on the extra-help register listed first.
- **Emergency plan:** Evacuation routes, Be ready, Contacts; coordinator Edit form; empty state when no plan exists.
- **Assembly points and equipment** (from Resources). **Who can help:** abilities of volunteers who are currently available.
- **Extra help register:** optional, consent-based, visible only to coordinators; type (mobility, medical, elderly alone, other) and a short note without an address; Remove me.

API: actions `checkinStart, checkinReply, checkinClose, planSet, careSet, careRemove`

5.12 World tab CHANGED

Components `WorldMap` (replaces the city) and `WorldPanel`. Server source `server/world.ts`, 10-minute cache.

- **World map:** drag and zoom (up to 14×). Event markers coloured by type (earthquake red, wildfire orange, flood blue, storm cyan, volcano magenta, other grey) and sized by severity, pulsing at warning and above. Dashed lines from nearby alerts to your neighborhood, which is marked in violet.
- **Panel:** "Official public hazard feeds, shown as published. This layer only informs; it never starts a rescue by itself." Type filter chips (earthquake, wildfire, flood, storm, volcano, other), a source status line ("USGS: N events · …, updated X ago"), the event list (severity, source, age, km from your neighborhood), a link to the selected event's source page, and attribution. Loading and "No events match these filters" states. The demo uses labelled simulated events.
- **Alert rules:** hazards overlapping the neighborhood (for example M6+ quake within 150 km, M7+ within 300 km, fire within 25 km, flood 100 km, storm 150 km) raise banners; warning or severe turns on Crisis Mode. CAP alerts count only when they include map coordinates.

API: `GET /api/world` · alerts arrive inside `GET /api/n/:id/state`

5.13 What-if simulator (coordinator)

- "SIMULATION" card: everything is an estimate and changes nothing.
- **Controls:** volunteers available (1 to 40), team size (1 to 8), hours per member per day (1 to 6), days to look ahead (7 to 30), assumed authority delay (0 to 14 days), "Which issue first?" (highest score, oldest, quick wins, recurring areas), and "Show projected completion on the map".
- **Outputs:** stats trio against today's setup (done, backlog, average day), projected issues resolved chart (Estimate), workload and materials, projected order of work, assumptions paragraph.

API: none (in the browser, `src/sim.ts`)

5.14 Reports tab (council reports, coordinator)

- For coordinators, resident associations and local offices; exports contain no resident names.
- **Filters:** last 7 / 30 / 90 days or all time, category. **Actions:** "Download CSV", "Print or save as PDF", "Copy public summary link" (real mode).
- **Report body:** "Neighborhood: report for the last N days", totals, average hours to fix, reports and fixes per week (last 4 weeks), by category, recurring problem areas, "Passed to authorities (N)" with overdue flags, and a table of up to 80 reports (✓ means verified by a human).
- **Authorities directory:** name, email, phone; add and remove.

API: actions `authoritySet, authorityRemove, handoff, handoffStatus` · public link uses `GET /api/public/:id/summary`

5.15 People tab (coordinator, real mode)

- Member list: name, "Wants to coordinate" chip, role menu (Resident, Volunteer, Moderator, Coordinator). A neighborhood cannot lose its last coordinator.
- Coordinator activity log: time, who, action, detail (last 30). Empty: "Nothing recorded yet."

API: `GET /api/n/:id/members` · `POST /api/n/:id/members/:uid/role` · `GET /api/n/:id/audit`

5.16 Account tab CHANGED

- **Identity card:** handle, email, role and neighborhood; "I want to volunteer" / "Stop volunteering", "Ask to become a coordinator", "Copy invite link". In demo: a "Simulated demo" card with "Create an account or sign in" (goes to `/signin`).
- **My neighborhoods:** switch between up to 5, "Find another neighborhood", "Leave this neighborhood" (confirm).
- **My impact:** verified reports, confirmations, proofs of fix, missions, people helped, exchanges, and badges (Verified reporter, Neighborhood watch, Fixer, Volunteer, Responder, Good neighbor). Empty: "No badges yet."
- **Notifications** (real mode): Push on this device, Email, SMS, WhatsApp (international number, 6-digit code, Remove), "Not set up" states, text command help, number of connected official alert feeds.
- **Settings:** language, **Theme** (Match my device, Light, Dark) NEW, text size (Normal, Large, Extra large), high contrast, reduce motion, a note on translations and voice input.
- **Safety and privacy** card (five statements, see the principles in section 1). Sign out, Delete my account (confirm; the name becomes "Former member").

API: `POST /api/n/:id/me/role` · `POST /api/n/:id/coordinator-request` · `POST /api/n/:id/leave` · `GET /api/capabilities` · `GET/POST/DELETE /api/n/:id/channels[/:kind]` · `DELETE /api/me`

5.17 Public impact page (no login) CORRECTED

Route `/?impact=<neighborhood id>`, component `PublicImpact.tsx`.

- Brand, neighborhood name, "Community-reported figures. No names or locations are shown."
- Six numbers in two rows: Reports, Resolved, Avg hours to fix; Volunteer hours, Missions done, Neighbors helped (SOS requests helped plus exchanges completed). Link "Open NEIGHBORHOOD OS".

API: `GET /api/public/:id/summary` (rate-limited, no sign-in)

5.18 Cross-cutting states to design

- **Toasts:** success (green edge), error (red edge), and the offline "Saved on this device and sent automatically" message (not shown as an error).

- **Crisis Mode:** red chip, "Official alert" / "Crisis active" pill, official banner, emergency-services-first notice, solid red pulsing SOS tab, red crisis zones. Two causes: an official alert, or a cluster of reports.
- **Offline and stale:** "Offline" chip, "N waiting to send", the cached last state.
- **Map notes:** simulated neighborhood; few buildings mapped; "OpenStreetMap has little data for this area, so a schematic view is shown"; "The OpenStreetMap server did not answer, so a sample map is shown for now. Trying again soon."; "Could not load map data".
- **Loading:** map spinner, world events, AI ("Checking…", "Comparing…", "Analyzing…"), TinyFish ("Reading official pages…", "Checking…").
- **Empty states** for every list; **role-gated hints** ("To join missions, switch to volunteer in the Account tab").
- **Bell popover** with Escape and outside-click close; skip links ("Skip to the list" in the app, "Skip to content" on the landing page).
- **Printable views:** action plan and council report.
- **PWA:** installable (name "Neighborhood OS", icons 192, 512 and SVG); service worker caches the app shell and maps, shows "Cannot reach the server" when offline with nothing cached, and handles push. The manifest colours are still the old navy `#04060c` (observation 8).

6. API endpoints

Express server on port `8787` (proxied by Vite in development). In production the same server serves the built app with a strict content security policy. Every route except health, the public summary, the public TinyFish routes and the SMS webhook needs a Supabase bearer token. Errors return `{ "error": "message" }`. Rate limits are kept in memory per user (per visitor address on public routes).

Method	Path	Auth	Purpose
GET	`/api/health`	none	Liveness check, returns `{ ok: true }`. Used by Render.
GET	`/api/me`	user	Current user: id, email, handle, platformAdmin.
DELETE	`/api/me`	user	Delete account; removes memberships and photos, author name becomes "Former member".
GET	`/api/capabilities` CHANGED	user	Which optional services are on: ai, tinyfish, push (public key or null), email, sms, whatsapp, and the CAP feed count.
Neighborhoods			
GET	`/api/neighborhoods/mine`	user	Neighborhoods the user belongs to, with role.
POST	`/api/neighborhoods/cell`	user	Join or auto-create the ~1 km area for a cell id. Body `{ cell }`. 30/hour.
POST	`/api/neighborhoods`	user	Create a named neighborhood. Body `{ name (3–60), lat, lng, r (200–2000 m) }`. Creator becomes coordinator. 3/day.
POST	`/api/neighborhoods/:id/join`	user	Join by id (named neighborhood or area cell). 30/hour; at most 5 neighborhoods per person.
GET	`/api/neighborhoods/nearby?lat&lng`	user	Up to 20 named neighborhoods near a point, with member counts. 60/hour.
GET	`/api/neighborhoods/search?q`	user	Name search, up to 10 results. 60/hour.
GET	`/api/geocode?q`	user	Place search through OpenStreetMap Nominatim. 20/min.
Neighborhood state and actions			
GET	`/api/n/:id/state?v=`	member	The neighborhood document filtered for the caller's role, plus `role` and active `alerts`. Returns `{ unchanged: true }` when `v` is current. Polled every 5 s.
POST	`/api/n/:id/action`	member (role checked)	The single write endpoint. Body is an Action `{ t, ... }` (6.1). Returns `{ doc, result, version, role }`. Locks the row, writes the audit log for coordinator actions, sends notifications afterwards. 120 actions a minute plus per-action limits.
GET	`/api/n/:id/map` CHANGED	member	Cached OSM roads, buildings, parks and water (30-day cache). Returns `{ source: "none", reason: "sparse" | "unavailable" }` when data is too thin or the servers did not answer.

GET	`/api/world`	user	Global hazard events from USGS, NASA EONET and GDACS with source status and update time (10-minute cache). 30/min.
Photos			
POST	`/api/n/:id/photos`	member	Upload a base64 data URL (JPEG, PNG or WebP, max 300 KB, checked by magic bytes). Returns `{ id }`. 30/day.
GET	`/api/photos/:pid`	member of its neighborhood	Stream the photo, private cache 1 h.
People and roles			
GET	`/api/n/:id/members`	coordinator	Member list with roles and the coordinator-request flag.
POST	`/api/n/:id/members/:uid/role`	coordinator	Set a member's role. Refuses to remove the last coordinator. Audit-logged.
GET	`/api/n/:id/audit`	coordinator	Last 30 coordinator actions.
POST	`/api/n/:id/me/role`	member	Switch yourself between resident and volunteer (not for moderators or coordinators).
POST	`/api/n/:id/coordinator-request`	member	Ask to become a coordinator (5/day).
POST	`/api/n/:id/leave`	member	Leave a neighborhood; the last coordinator must promote someone first.
Notification channels			
GET	`/api/n/:id/channels`	member	The user's linked channels (push, email, sms, whatsapp) with masked targets and verified flag.
POST	`/api/n/:id/channels/:kind`	member	Link a channel. push: `{ subscription }`. email: no body. sms/whatsapp: `{ phone }` sends a 6-digit code (3/hour), then `{ code }` verifies it (10-minute expiry). 20/hour.
DELETE	`/api/n/:id/channels/:kind`	member	Unlink a channel.
POST	`/api/sms` CHANGED	Twilio signature	Incoming SMS/WhatsApp. Commands: SAFE, NEED HELP, FIXED, NOT FIXED (when exactly one fix waits for you), STATUS, SOS <medical|rescue|shelter|food> <people> <text>. Replies in TwiML XML. 10/hour per number.

Method	Path	Auth	Purpose
AI helpers (all labelled suggestions; rule-based fallback without a key)			
POST	`/api/n/:id/agent/analyze`	member	Body `{ text }`. Returns language, category, priority, English summary, source. 40/hour.
POST	`/api/n/:id/ai/suggest`	member	Body `{ title, desc, cat, lat, lng }`. Summary, likely needs, duplicate id, source. 30/hour.
POST	`/api/n/:id/ai/image`	member	Body `{ photo, mode, cat }`. Photo check for a report or a fix. 20/hour.

POST	`/api/n/:id/ai/compare`	member	Body `{ issueId, photo }`. Compares the original with an after photo. 20/hour.
POST	`/api/n/:id/ai/insights`	member	Community intelligence summary for Pulse. 10/hour.
TinyFish NEW **(needs `TINYFISH_API_KEY` on the server; 503 otherwise)**			
POST	`/api/n/:id/tinyfish/route`	member	Body `{ cat, city? }`; the city is worked out from the area when empty. Official sources, helplines, emails and links. 20/hour; cached 7 days per city and category.
POST	`/api/n/:id/tinyfish/status`	coordinator	Body `{ issueId, url }`. Needs a saved reference number and a public https address. Starts a read-only web agent run, returns `{ runId }`. 10/hour per user, 100/day per server.
GET	`/api/n/:id/tinyfish/runs/:runId`	coordinator who started it	Run state (running, done, failed), live view URL, found, status text, last updated, remarks, suggested hand-off status.
GET	`/api/public/tinyfish`	none	`{ enabled }`, used by the landing page.
POST	`/api/public/tinyfish/route`	none	Body `{ cat, city }`. Same lookup as above, Search and Fetch only. 6/hour per visitor, 300/day for the site.
Public			
GET	`/api/public/:id/summary`	none	Totals only: name, reports, resolved, average hours, volunteer hours, missions done, SOS helped, exchanges done. 30/min per visitor.
GET	`/*` (non-API)	none	In production the server serves the built app and falls back to `index.html`.

Background jobs on the server: official alert watcher every 5 minutes (notifies linked members once per alert), escalation job every 15 minutes, weekly summary checked hourly (posted as a notice and emailed), SOS clean-up every 10 minutes.

6.1 Action catalogue (`POST /api/n/:id/action`)

"All" means resident, volunteer and coordinator. Moderators are not included (observation 2).

Action `t`	Payload	Allowed roles	Used by screen
`report`	title, desc, cat, priority, lat, lng, photo?, agent?	All	Report
`merge`	id	All	Report duplicates, "I see this too"
`flag`	id	Resident	Flag for attention; "Not fully fixed (reopen)"
`withdraw` / `spam`	id	All	Issue detail
`verify`	id, v (verified | disputed | review)	Coordinator, moderator	Issue detail
`advance`	id	Coordinator	"What happens next" buttons
`hide` / `restore`	id	Coordinator, moderator	Issue detail
`approveResolution` / `rejectResolution`	id, note? / reason	Coordinator, moderator	Pending review card

`reporterConfirm` NEW	id, ok, note?	All (only reporters and confirmers, never the submitter)	"Is the problem fixed?", reopen, SMS FIXED / NOT FIXED
`closeUnconfirmed` NEW	id, note?	Coordinator, moderator (after 7 days)	"Close without confirmation"
`feedback`	id, ok, note?	All	"Does it look fixed?"
`update`	id, text, photo?	All	Evidence and updates
`proof`	id, text, photo?	Volunteer, coordinator	Proof of fix
`actionPlanApprove`	id	Coordinator	Action plan
`mission`	title, need, issueId?	Coordinator	Missions, Issue detail
`join`	mid	Volunteer	Missions
`assign`	mid, name	Coordinator	Issue detail; notifies the volunteer
`availability` / `skills` / `abilities`	available / skills[] / abilities[]	Volunteer	Missions profile
`volunteerArea` / `volunteerAreaClear`	lat, lng, consent	Volunteer	Missions, map overlay
`addResource`	name, kind, lat, lng, note	Coordinator	Resources
`delivery` / `shortage`	id, note / id	Coordinator	Resources
`shareAdd` / `shareClaim` / `shareMsg` / `shareDone` / `shareRemove`	kind, cat, title, note / id / id, text	All (remove: author or coordinator)	Neighbor exchange
`sos`	need, people, note, lat, lng, consent	All	SOS
`sosAck` / `sosAssign`	id / id, name	Coordinator	SOS board
`sosStatus`	id, status (helped | closed)	Assigned volunteer, coordinator	SOS board
`sosCancel`	id	All (author)	SOS
`checkinStart` / `checkinClose`	title	Coordinator	Prepare
`checkinReply`	ok, note?	All	Command card, Prepare, SMS
`careSet` / `careRemove`	need, note, consent	All	Extra help register
`planSet`	routes, notes, contacts	Coordinator	Prepare
`noticeAdd` / `noticeRemove`	title, body, urgent, pinned / id	Coordinator	Notice board

`authoritySet` / `authorityRemove`	name, email, phone / id	Coordinator	Reports directory
`handoff` / `handoffStatus`	id, authorityId, ref / id, status, ref?	Coordinator	Issue detail, Reports, TinyFish "Record as"
`agentStart`	id, lang, original, summaryEn, source	All (author, confirmer or coordinator)	AI agent panel
`agentDraft` / `agentApprove` / `agentSend` / `agentRef`	lang or subject, body / id / via (copied | emailed), ref / ref	All (author or coordinator)	AI agent panel
`agentEscalate`	id	Coordinator	AI agent panel
`demo` / `reset`	none	All, demo only (403 on the server)	Demo controls

Daily limits per user per neighborhood: report 10 (and 4 an hour), proof 30, spam 20, merge 40, flag 20, mission 20, addResource 20, sos 3, update 40, feedback 30, reporterConfirm 30, agentStart 20, agentDraft 60, agentSend 30, shareAdd 10, shareMsg 40, careSet 10, noticeAdd 20, checkinStart 10. **Audit-logged:** every coordinator and moderator action (verify, advance, mission, assign, delivery, shortage, addResource, hide, restore, sosAck, sosAssign, handoff, handoffStatus, planSet, notices, check-ins, authorities, agentEscalate, approve/reject resolution, closeUnconfirmed, actionPlanApprove) and role changes.

7. Data model (what screens can display)

Postgres tables (`database/schema.sql`)

Table	Columns and purpose
`neighborhoods`	id, kind (cell | named), name, center lat/lng, radius_m (200-2000), created_by, version, doc (jsonb, the whole neighborhood state), cached OSM map and fetch time.
`members`	neighborhood_id, user_id, display_name, role (resident | volunteer | moderator | admin), coordinator_requested_at, joined_at.
`photos`	id, neighborhood_id, user_id, mime, data (bytea). Photos live in Postgres.
`audit_log`	neighborhood_id, user_id, who, action, detail, at. Coordinator transparency log.
`channels`	user_id, neighborhood_id, kind (push | email | sms | whatsapp), target, verified, verification code and time.

The neighborhood document (`doc`), as the screens receive it

Collection	Content
`issues[]`	id, title, desc, cat, priority, status, verif, lat, lng, author, created, resolvedAt, reports (confirm count), confirmedBy[], flags[] (moderators only), hidden, photo, proof[], updates[], feedback, assignments[], log[], missionId, actionPlan (approvedBy, approvedAt), handoff (to, ref, status, sentAt, by; email for coordinators only), NEW pendingBy, pendingAt, closure, reviewedBy, rejections; agent (lang, original, English summary, source, draft with level, to, language, subject, body, approval and sending, history[], escalateAt).
`missions[]`	id, title, need, joined[], hours, done, issueId.
`volunteers[]`	id, name, available, skills[], abilities[], optional approximate area (shown only to coordinators, moderators and the volunteer).
`resources[]`	id, name, kind, lat, lng, note, low (shortage).
`sos[]`, `sosActive`	need, people, note, lat/lng, contact, status, assigned[], created, expires, log. Others receive only the active count.
`checkin`, `care[]`	Open check-in with replies (members see only their own); extra-help register (coordinators see all, members only their own).
`notices[]`, `shares[]`, `plan`, `authorities[]`	Notice board, neighbor exchange threads, emergency plan, authorities directory (coordinators only).
`events[]`, `memberCount`	Event log (t, text, tone, optional `to` for one person). Also used to rebuild the "Then vs now" map.
hazard `alerts`	Computed on the server per neighborhood: type, severity, distance, radius, source, area, instructions.

Enumerations

- **Status:** reported, review, assigned, progress, pending (Resolution pending review), resolved
- **Verification:** unverified, review, verified, disputed, resolved
- **Closure** NEW: reviewer, reporter, unconfirmed
- **Category:** pothole, garbage, streetlight, water, unsafe, blocked, other. **Priority:** low, medium, high, critical. **Urgency level** (from the score): low, medium, high, critical
- **Resource kind:** shelter, water, aid, donation, assembly, equipment. **Exchange category:** supplies, tools, ride, food, other. **Extra-help need:** mobility, medical, elderly alone, other

- **SOS need:** medical, rescue, shelter, food_water, other. **SOS status:** open, acknowledged, assigned, helped, closed
- **Hand-off status:** sent, acknowledged, resolved, no_response
- **Hazard severity:** info, watch, warning, severe. **Hazard type:** earthquake, wildfire, flood, storm, volcano, other
- **Abilities:** first_aid, medical, driving, boat, tools, cooking, translation, counseling
- **Display settings** (kept on the device): theme system / light / dark; text size normal / large / extra large; high contrast; reduced motion; language en / hi

8. Key user flows to prototype

#	Flow	Steps
1	**First visit** CHANGED	Landing page, scroll the story, "Try the live demo", Command tab with the guided agent card, switch Role in the header, "Run next step" nine times to play the Hindi-report agent flow.
2	**Join a neighborhood**	Landing, Sign in, Create account, "Use my location" or search, then join the area, a named neighborhood nearby, or create one; land on Command. An invite link `/?n=id` joins after sign-in.
3	**Report a problem**	Report tab, click the map, type or speak, pick category and priority, add a photo, "Understand and prepare complaint", review duplicates, Submit, toast, jump to the new issue.
4	**Coordinator triage to fix** CHANGED	Open the issue, Start review, Mark verified, approve the action plan (creates a mission and moves to Assigned), assign volunteers, a volunteer adds proof (In progress), Submit fix for review, then the reporter answers Yes or a moderator approves; before/after slider; pin turns green.
5	**Reporter confirms a fix** NEW	Reporter gets "Is the problem fixed?" (bell, push, email, SMS or WhatsApp), opens the issue, answers Yes (resolved, "confirmed by the reporter") or No with a note (back to In progress; the coordinator submits again). By text: FIXED or NOT FIXED. If nobody answers in 7 days, the submitter closes it without confirmation, and the reporter can still reopen it.
6	**Complaint to an authority** CHANGED	Agent panel: "Verify this route with TinyFish", check the official sources, edit the English or Hindi draft, Approve, Copy, "I sent it" with the reference number; the deadline passes; escalation draft; approve.
7	**Check a complaint's status** NEW	Coordinator, after a reference is saved: paste the tracker address (or "Use this tracker"), "Check status", "Watch it live", read the result, "Record as Acknowledged" or "Resolved by the authority".
8	**Crisis escalation**	World tab shows a hazard, the overlap raises a banner, warning level turns on Crisis Mode (chip, banner, SOS emphasis), coordinator starts a check-in, members reply safe or need help, SOS requests arrive on the board, coordinator assigns volunteers.
9	**Ask for help (SOS)**	SOS tab, read the emergency-first notice, choose need and people, tick consent, place the pin or use the current location, Send, follow the status, request closes and the location is wiped.
10	**Report to the council**	Reports tab, choose range and category, view trends and hotspots, hand off issues to authorities, download CSV or print PDF, copy the public impact link.
11	**Plan with What-if**	What-if tab, change volunteers and hours, compare with today's setup, turn on the map overlay; nothing changes in real reports.
12	**Link SMS or WhatsApp**	Account, Notifications, enter the phone number, receive the code, verify; later text SAFE, STATUS, FIXED or SOS to the service.

9. Observations from checking the code NEW

Problems the redesign should fix or the team should decide on. Each was checked in the code or in the running demo on 18 October 2026.

#	What we found	Where	Suggestion
1	**The demo opens in Crisis Mode.** The four open garbage reports near Lakeview Road count as a crisis cluster (3 or more open reports of one type within 250 m), so the red crisis chip, the "Crisis active" pill and the solid red pulsing SOS tab are on from the first screen, before any hazard alert.	`logic.ts` crisisZones, `App.tsx`	Show a report cluster as an amber hotspot and keep full red Crisis Mode for official alerts, or change the demo data.
2	**Moderators are left out of "all members".** In the demo, "Reset demo" and "Run next step" fail with "The moderator role is not allowed to do this" while the Role menu shows Moderator. A moderator also cannot report, confirm, add updates, give feedback, send SOS or answer check-ins. The tests expect moderators not to use the reporter-confirmation path.	`logic.ts` permission table	Decide what moderators should be able to do. At least allow demo and reset for every role, and SOS and check-in replies for moderators.
3	**The phone header takes about a quarter of the screen.** Under 900px it wraps into three rows, the map tool groups stack over the map, and the panel sits below the map.	`styles.css` (max-width 900px)	Fold header controls into one menu on phones; consider a bottom-sheet panel over a full-height map.
4	**Some copy says only a moderator approves fixes.** The pipeline tooltip ("A different moderator must approve the fix"), the map key ("Fixed and approved by a moderator") and the landing page's Prove step were written before reporter confirmation.	`App.tsx`, `IsoMap.tsx`, `Landing.tsx`	Reword to "the reporter or a second reviewer confirms the fix".
5	**The landing page is English only**, and the sign-in page translates only a few labels, although the hero advertises हिन्दी.	`Landing.tsx`, `Onboarding.tsx`	Add Hindi strings and a language switch to the landing nav.
6	**The sources strip says "Claude AI suggestions"**, but the default provider is Google Gemini and four providers are supported.	`Landing.tsx` SOURCES	Say "AI suggestions", or name the provider that is configured.
7	**The text-command help in Account** lists SAFE, NEED HELP, STATUS and SOS, but not FIXED and NOT FIXED, which the server accepts.	`Settings.tsx`	Add the two commands.
8	**The installed app uses the old navy.** The manifest still sets `#04060c` for theme and background, while the app uses `#f7f6f3` (light) and `#111013` (dark), so the install splash will not match.	`public/manifest.webmanifest`	Update the manifest colours and check the icons against the violet logo.
9	**The World panel cannot filter by severity.** Severity shows on each row and as marker size, but only type chips exist.	`WorldView.tsx`	Add a severity filter or sort if coordinators need it.

10	**The README is behind the code.** Its "Honest limits" still says there are no email or push notifications and that offline queuing and the SMS fallback are not built.	`README.md`	Update it before sharing the repository.

10. Suggested brief for Claude Design

> Design the NEIGHBORHOOD OS web app and its landing page. It is a civic platform with a live 3D isometric neighborhood map at the centre, an 84px icon rail on the left and a 420px contextual panel on the right, topped by a status header; on phones the rail becomes a bottom tab bar with a "More" sheet. Keep the current design system: violet primary on warm off-white (light) and near-black (dark), Sora with JetBrains Mono and an Instrument Serif italic accent; red = open or critical, amber = in progress, green = resolved, teal = resources. Improve hierarchy and density in the side panel (Issue detail is long), the phone layout (header and map controls), and the difference between a report cluster and an official Crisis Mode. Design every screen in section 5 in both themes, every role variant (resident, volunteer, moderator, coordinator), and the empty, loading, offline, simulated and Crisis Mode states.
>
> **Must stay visible in the UI:** "not an emergency service, call your local emergency number first" on SOS, Account, sign-in and the landing page; AI output labelled as a suggestion; TinyFish sources marked "Government website" or "Not confirmed as official", and the read-only warning on status checks; simulated data labelled; Actual vs Estimate tags on charts; consent wording on location and SOS; human-approval gates (verify, approve resolution, reporter confirmation, approve complaint); the "Closed without confirmation" label. Support English and Hindi (Devanagari) text lengths and keyboard and screen-reader use.

Priority order if time is limited

1. App shell (header, rail, panel) on desktop and phone
2. Map with controls, pins and overlays
3. Command feed and Issue detail (status card, next step, fix confirmation, before/after slider)
4. Report form and AI agent panel with TinyFish
5. SOS and Crisis Mode
6. Landing page and sign-in
7. Missions, Resources, Prepare
8. Pulse, Reports, What-if
9. World, People, Account, Public impact

Known limits to reflect in design copy

- Location claims are self-asserted.
- OpenStreetMap coverage varies; a labelled schematic city is drawn when data is thin or the map servers are down.
- Updates arrive by 5-second polling. SOS needs an internet connection.
- Hindi translations have not had native review.
- Authority names and escalation steps are generic and must be checked per city; TinyFish results come from software reading web pages and were tested only against a mock.
- A reporter's "fixed" answer is a weaker check than a second reviewer: a person with a second account could fake it.

How this brief was checked: every source file in `src/`, `server/`, `public/` and `database/` was read at commit `1fb3ed0`. `npm test` (11 test files), `npm run test:render` (8 screens) and `npm run check` (type-check of the web app and server) all passed. Screenshots come from the simulated demo. Features that need real credentials (Supabase sign-in, push, email, SMS, WhatsApp, live AI and TinyFish calls) were checked in the code but not run.