PRODUCT AND DESIGN BRIEF · VERSION 3

NEIGHBOURHOOD OS

A civic community platform where every neighbourhood gets a live 3D isometric map. Residents report problems, neighbors confirm them, coordinators verify and assign them, volunteers fix them, and proof of the fix goes back on the map.

This document describes what the app does, every page and panel, the roles that see them, the data each screen needs, and every API endpoint. It was updated on 21 October 2026 against commit `78daf21`: every change since version 2 (commit `1fb3ed0`) was read, the tests were run again and the screenshots were retaken from the running demo. It replaces the 18 October version, and page 2 lists what changed. It is meant as the input for redesigning the screens in Claude Design.

Frontend	React 18, Vite 5, TypeScript, Framer Motion, Recharts 3, lucide-react icons. The 3D isometric city is drawn on canvas with SVG pins on top; the world map uses TopoJSON.
Backend	Express (`server/index.ts`) on Node 22, Postgres and sign-in through Supabase, optional AI provider, TinyFish web agent, Twilio SMS and WhatsApp, web push, SMTP email
AI	Optional. Google Gemini by default; Groq, Anthropic or any OpenAI-compatible service can be set instead. Rule-based fallback when there is no key.
Hosting	One Render web service serves the API and the built app (`render.yaml`, health check `/api/health`)
Languages	English and Hindi (India focus)
Modes	Simulated demo (no account, runs in the browser) and Real neighbourhoods (Supabase sign-in)
Themes	Light and dark. Follows the device until the person picks one.

What changed since the 18 October brief (version 2)

Six commits landed between 18 and 21 October (`1fb3ed0` to `78daf21`): the British spelling everywhere, a Coordinators tab with a monthly ranking, founding coordinators, meeting spots and pins for missions, society names on the map, faster map loading, and smaller changes to the issue screen, TinyFish and the hazard feeds. Throughout this document, NEW and CHANGED now mark what is different from version 2. The version 2 changes are folded into the text without tags.

New and changed in the product

Area	What changed	See
Name and spelling CHANGED	The product is **NEIGHBOURHOOD OS**, with the British "neighbourhood" in the interface, the API routes (`/api/neighbourhoods/…`), the tables (`neighbourhoods`, `neighbourhood_id`) and the installed app name. `schema.sql` renames older tables, columns, constraints and indexes in place, so existing data is kept. "Neighbor" and "neighbors" are unchanged in the interface, and the Render service keeps the name `neighborhood-os`.	All, 6, 7
Coordinators tab NEW	This month's ranking of the neighbourhood's coordinators and moderators, visible to every member: points, fixes approved, reviews, missions, escalations, fixes sent back, and neighbour feedback once there are 5 ratings. Fixed point rules are printed on the tab, and the table starts again on the 1st of every month (UTC).	4, 5.15
Founding coordinators NEW	The first 3 people to join any neighbourhood, named or automatic area, become coordinators. The promotion is written to the audit log as "founding member".	2, 6, obs. 16
Neighbourhood picker CHANGED	Your neighbourhoods show how many people have joined. Before joining, the area result says how many people have joined and how many of the 3 coordinator spots are left; named neighbourhoods nearby show the spots left too.	5.2
Mission meeting spots NEW	A coordinator must click the map to mark where a new community mission happens. Those missions get their own teal pin with a "joined/needed" badge. Mission cards get "Show on map"; a mission pin opens its card; the map search also finds missions.	4, 5.7
Society names on the map NEW	Named housing societies and area names from OpenStreetMap appear as small labels when zoomed in (up to 14, never overlapping). A "Near …" pill names the society nearest the middle of the view, so people can place themselves without sharing their location. The demo uses made-up names; `MAP_NAMES=off` turns names off.	3, 4
Map loading CHANGED	The real map starts downloading as soon as someone creates or joins a neighbourhood, one download per neighbourhood. A visit waits up to 10 seconds. If it is still running, a sample city shows with "Loading the real map from OpenStreetMap…" and the app asks again every 6 seconds. A saved map shows at once while it refreshes. Servers are asked in a new order, a slow one is backed up by the next after 8 seconds, and buildings near the centre are fetched first.	4, 5.19, 6
Issue detail CHANGED	"Open location in OpenStreetMap" for coordinators and moderators. "It looks fixed" / "Not fully fixed" look the same until one is chosen, then the choice is highlighted with a tick. The safety check-in buttons are also neutral until answered. The After photo is now the newest proof photo.	5.4, 5.11
TinyFish route check CHANGED	Results are ranked by government site first, then by pages about this kind of problem (for example road or PWD pages for a pothole), then by pages that name the place. A locality plus a city ("Dwarka sec-13 Delhi") is searched both ways at once.	5.5
Hazard feeds CHANGED	GDACS is read from its documented search address (last 14 days, all alert levels), with the old address as a fallback.	5.12

README FIXED	Rewritten on 18 October. "Honest limits" now matches the code, and a new "Known issues" section lists observations 1 to 9.	9

Observations at a glance

Observations 1 to 9 from version 2 were checked again on 21 October and all still apply. Observation 10 (the README) is resolved. Observations 11 to 16 are new and come from the changes above (section 9).

1. What the product does

The core loop: Report, then Confirm, then Verify and assign, then Fix, then Prove it on the map.

1. **Report.** A resident clicks the map, writes or speaks (Hindi or English) a short description, picks a category and priority, and can add a photo. Nearby reports that look the same are listed with a % match. The AI agent can read the text and suggest the category, priority and an English summary.
2. **Confirm.** Neighbors press "I see this too". Three spam reports from neighbors hide a report until a coordinator reviews it.
3. **Verify and assign.** Only a human coordinator or moderator can mark a report "Verified". A coordinator starts the review, approves the action plan (which creates a community mission) or creates a mission directly, and assigns volunteers.
4. **Fix.** Volunteers join missions and post proof (a photo or a note). The first proof moves the issue to In progress.
5. **Prove.** A coordinator submits the fix for review, which needs proof. It is then resolved in one of three ways, and the issue records which one:
   - **Reviewer:** a different coordinator or moderator approves it (the four-eyes rule).
   - **Reporter:** the person who reported it, or someone who confirmed it, answers "Yes, it is fixed". Answering "No, not fully fixed" sends it back to In progress.
   - **Unconfirmed:** after 7 days with no answer, the coordinator who submitted it may close it "without confirmation". This is labelled, never counts as verified, earns no points, and a reporter can reopen it.

   The person who submitted a fix can never approve it, and when more neighbors say "not fully fixed" than "looks fixed", approval is blocked. A before/after slider goes on the issue and the pin turns green.

Feature list (verified against the code)

Group	What it does
Landing and sign-in	Public landing page with a live 3D city, the five-step loop, features, Crisis Mode, roles, trust principles and honest limits. Separate sign-in page with account forms and a neighbourhood picker that shows how many people have joined and how many coordinator spots are left CHANGED.
Live 3D map CHANGED	Real OpenStreetMap roads, buildings, parks and water drawn as an isometric city, with windows, trees, moving cars and a night palette in dark mode. Society and area names as soft labels, and a "Near …" pill NEW. 3D, Flat and List views. Rotate, tilt and reset the camera. Search, status filters, resources layer, priority heatmap, volunteer overlay, "Then vs now" slider, "You are here", map key, crisis zones, mission pins NEW, and a picking mode for choosing locations. The real map is downloaded in the background and a labelled sample city fills in while it loads.
Issue reporting and lifecycle	Categories: pothole, garbage, streetlight, water, unsafe, blocked road, other. Priorities: low to critical. Lifecycle: Reported, Under review, Assigned, In progress, Resolution pending review, Resolved, with a guided next-step button for each stage. Priority score from 0 to 100 with the reasons listed. Duplicate detection. Spam (with a confirm step), withdraw, hide and restore. At most 15 open reports per person.
Fix confirmation	Reporter confirmation, four-eyes review, close without confirmation after 7 days, reopen, neighbor "Does it look fixed?" feedback, and text replies FIXED / NOT FIXED.
AI agent workflow	Understands a report (language, category, priority, English summary), picks the complaint route and authority, drafts the complaint in English or Hindi from a fixed template, waits for human approval, records reference numbers, prepares escalations on the deadline, and suggests a mission. Never sends anything by itself. Rule-based fallback without a key.

TinyFish web agent	Checks the complaint route against live official pages: sources marked "Government website" (only `gov.in` and `nic.in` in India) or "Not confirmed as official", ranked by how well they match the problem type and place CHANGED, plus helplines, emails, and complaint and tracker links found on those pages. Read-only status check on a public tracker, with a live view link and a suggested hand-off status that a coordinator still has to record.
Missions and volunteers CHANGED	Community missions with a progress bar and volunteer hours. New missions have a meeting spot marked on the map and their own pin. Volunteer profile (availability, skills, emergency abilities). Optional approximate area, rounded to about 100 m. Rule-based suggested volunteers for an issue.
Coordinator ranking NEW	Coordinators tab: a monthly table of coordinators and moderators scored by verified work under fixed, visible rules. Each kind of action counts once per report, notices count at most 3 times, and a fix that is sent back or reopened costs the person who submitted it 2 points. Restarts on the 1st of each month (UTC). Only activity inside the app counts.
Resource radar	Shelters, water points, aid posts, donation drops, assembly points and equipment. Delivery notes and shortage flags. Neighbor exchange: offers and requests with a short message thread.
World layer and Crisis Mode	Global map of official hazard feeds (USGS, NASA EONET, GDACS) plus local CAP feeds. A hazard overlapping the neighbourhood at "watch" level shows a heads-up banner; "warning" or "severe" switches on Crisis Mode. A cluster of 3 or more open reports of one type within 250 m also turns on the crisis chip.
SOS (consent-based)	Ask for help with explicit consent and a chosen location. Visible only to the author, coordinators and an assigned volunteer. Location wiped on close or after 24 hours. One active request per person, 3 per day. Always tells the person to call local emergency services first.
Safety and preparedness	Safety check-ins ("I am safe" / "I need help"), optional extra-help register, emergency plan (routes, what to keep ready, contacts), notice board with pinned and urgent notices, and an automated weekly summary posted as a notice.
Reporting to authorities	Council reports with filters, weekly trends, hotspots and a hand-off tracker (acknowledged, overdue). Authorities directory; hand-offs are emailed when the authority has an address. CSV export, print-as-PDF, and a public totals-only impact page.
Analytics	Pulse charts tagged Actual or Estimate, before/after counts, an effort estimate, hotspots, top contributors and AI insights. Badges and points that count only verified work. What-if simulator for coordinators.
Notifications and offline	In-app bell, web push, email, SMS and WhatsApp (Twilio) with the text commands SAFE, NEED HELP, FIXED, NOT FIXED, STATUS and SOS. Installable PWA. Actions made offline are saved on the device and sent when the connection returns.
Accessibility, language, theme	English/Hindi switch, voice input, keyboard-accessible map pins, skip link, three text sizes, high contrast, reduced motion, and a light / dark / match-my-device theme.

Trust and honesty principles the design must keep visible: only humans verify; the person who submits a fix can never approve it; a fix closed without confirmation is labelled and never counts as verified; AI output is always labelled a suggestion; TinyFish results are suggestions read from third-party websites; simulated data is always labelled "simulated" or "estimate"; the app states repeatedly that it is **not an emergency service**; location is opt-in and only a ~1 km cell or a user-picked pin is stored; every coordinator action is audit-logged.

2. Roles and what each can do

Checked against the permission table in `src/logic.ts`, which the server enforces on every action. In the code the coordinator role is called `admin`.

Role	Who	Key permissions
Resident	Default member	Report, confirm ("I see this too"), flag, report spam, withdraw own report, add updates, "Does it look fixed?" feedback, answer "Is the problem fixed?" on reports they made or confirmed, SOS, check-in reply, extra-help register, neighbor exchange, start, edit and approve the agent's complaint for their own report, verify the route with TinyFish.
Volunteer	Resident who opted in (Account tab)	Everything a resident can except flagging, plus join missions, set availability, skills and abilities, share an approximate area, post proof of a fix, and update an SOS they are assigned to.
Moderator	Set by a coordinator in the People tab	Verify or dispute reports, hide and restore, approve or reject resolutions (never their own), close without confirmation, see hidden reports, flags and the volunteer overlay. **Cannot** report, confirm, add updates, send SOS or answer check-ins (see observation 2).
Coordinator	One of the first 3 people to join a neighbourhood, including the creator of a named one NEW; or promoted by a coordinator	Report, confirm and SOS like a member, plus advance status, create missions (with a meeting spot), assign volunteers, approve action plans, add resources and record deliveries, acknowledge, assign and close SOS, run check-ins, post notices, write the emergency plan, keep the authorities directory and hand-offs, prepare escalations, run TinyFish status checks, and use What-if, Reports and People. Cannot approve a fix they submitted.
Platform admin	Emails in `PLATFORM_ADMINS`	Acts as a coordinator in any neighbourhood.

The demo has a Role menu in the header, so all four roles can be previewed without an account. A neighbourhood cannot lose its last coordinator, and the last coordinator must promote someone before leaving. Every member can open the Coordinators tab; coordinators and moderators are the ones ranked on it, and their verify, review, mission, escalation and notice actions earn points there NEW. Coordinators and moderators also get "Open location in OpenStreetMap" on an issue.

3. Current visual language

Mood

A calm, friendly civic look. **Light theme:** warm off-white page with soft violet and peach glows, white cards with thin stone-grey borders and soft shadows, a daytime city. **Dark theme:** near-black with a violet glow, a night city with lit windows, neon roof edges and street lamps. Violet is the brand and action colour; the status colours keep their meaning in both themes.

Type

Sora for the interface, **JetBrains Mono** for timestamps, coordinates and complaint drafts, and **Instrument Serif italic** for the accent word in landing and sign-in headlines ("*Prove it.*", "*together*").

Colour tokens (`src/styles.css`, mirrored in `src/theme.ts`)

Token	Light	Dark
bg (page)	`#f7f6f3`	`#111013`
card	`#ffffff`	`#1f1d23`
ink (text)	`#1c1917`	`#f2f0f5`
ink-2	`#57534e`	`#b8b3c0`
line	`#e7e5e4`	`#2c2931`
primary	`#7c3aed`	`#a78bfa`
ai	`#c026d3`	`#e879f9`

Status colour meaning (pins, dots, chips)

- **Red:** Reported, Under review; critical; SOS; crisis
- **Amber:** Assigned, In progress, Resolution pending review; warnings; Estimate tags
- **Green:** Resolved; Actual tags
- **Teal:** resources (amber when short), routes, and mission pins NEW (observation 13)
- **Pink:** volunteers on the map; **magenta tint:** AI cards

red	`#dc2626`	`#ff5d6c`
amber	`#d97706`	`#ffb43f`
green	`#16a34a`	`#34e3a0`
teal	`#0d9488`	`#2dd4bf`
vol (pink)	`#db2777`	`#f472b6`

Each status colour also has a soft background and a darker text shade (for example `--red-soft`, `--red-text`). High contrast mode darkens the text and borders.

Components in use


- Cards with 14px corners; the shell blocks (rail, header, map, panel) use 18px
- Primary "go" button: solid violet. Warn button: soft amber. SOS button: solid red
- Answer buttons NEW: a pair that looks neutral until one is chosen. In "It looks fixed" / "Not fully fixed" the chosen one turns soft amber with a tick; in the safety check-in "I am safe" turns solid violet and "I need help" solid red
- Chips: status, verification, urgency, Actual/Estimate, Shortage, Done, Closed without confirmation
- Issue row: coloured dot with a halo, title, sub-line, time
- Stats trio with a coloured top bar; pipeline card; 6-step bar
- Ranking card NEW: "#rank name", green points chip, grey count chips, an amber "sent back" chip
- Frosted-glass map controls and pills ("Near …"); toasts with a coloured left edge; bell popover; collapsible sections
- Map labels: road names in spaced capitals; society names NEW in small, soft Sora (10.5px, the same size at any zoom) with a dot, hidden when zoomed out

Signature interactions


- Camera fly-in when the map opens; drag, scroll, Shift-drag to orbit
- Pulsing rings on open pins; progress ring for the AI agent
- Animated dashed lines: resource to issue, volunteer to mission
- Pulsing red crisis chip, "Crisis active" pill and SOS tab
- Before/after drag slider; panel cross-fade between tabs
- Landing: word-by-word headline, scroll-filled loop rail, typed text, parallax cards. All motion stops with reduced motion.

Current screens RETAKEN


Captured on 21 October 2026 from the simulated demo in Chrome at 1440 × 900 (desktop) and 390 × 844 (phone). Use these as the "before" for the redesign.




App shell, Command tab, light theme. Rail on the left (now with Coordinators), 3D map in the centre, Command panel on the right. New on the map: made-up society names (Maple Residency, Orchard Court, Lakeview Heights, Sunrise Apartments) and the "Near Lakeview Heights" pill under the view switch. The crisis chip, "Crisis active" pill and red SOS tab are still on from the first screen, caused by the garbage cluster (observation 1).




The same screen in the dark theme: night city with lit windows, violet accents.



Issue detail as a resident: status card, step bar, "What happens next", "I see this too", collapsed sections. Residents do not get "Open location in OpenStreetMap"; coordinators and moderators see it under the chips.




Crisis Mode on the SOS tab as a coordinator after "Simulate an earthquake alert": "Crisis mode: official alert" chip, emergency-first card, SOS form, volunteer overlay (pink) on the map, What-if and Reports in the rail.




Missions tab as a coordinator NEW, right after creating "Park cleanup this Sunday" at a spot clicked on the map. Its teal pin with the "0/5" badge is near the middle of the map, in the same teal as the resources (observation 13). The cards show "Show on map", or "No location marked" for an older mission without a spot. The form's "Create mission" stays disabled until the map is clicked again. Pink pins are the volunteer overlay. The "Near …" pill is hidden here because the map is picking a spot.




Coordinators tab NEW: month, reset date, ranked cards, then the points rules as a paragraph. Taken right after creating that mission, so "Coordinator (you)" has 2 points. Note "(you) (you)" and "1 reviews" / "1 missions" (observation 11).




Landing page hero (`/`).



Sign-in page (`/signin`). The new member counts and coordinator spots appear only after signing in, so they are not in this shot.



Phone: the header wraps to three rows; the bottom tab bar holds Command, Report, Missions, Pulse, SOS and More.



Phone, More sheet: Resources, Coordinators NEW, Prepare, World, Account (plus What-if, Reports and People for coordinators). The "Near Orchard Court" pill adds one more control over the small map.


What the phone shots show

The header uses about a quarter of the screen, the map tool groups stack on top of the map, and the panel sits below the map, so the person scrolls the page to reach it. See observation 3.

4. App shell (after entering a neighbourhood) CHANGED

Changed in version 3: a Coordinators tab in the rail, the "Near …" pill, society labels, mission pins, missions in the map search, and the "loading the real map" state.

Single-page app. On desktop it is a grid: **left icon rail (84px)**, **centre map**, **right panel (420px)**, with a **64px header** over the map and panel, 12px gaps and 12px outer padding. Each block is its own rounded surface. Under 1280px wide the rail is 80px and the panel 380px. **Under 900px** everything stacks: the header wraps, the map takes 58% of the screen height, the panel follows below, and the rail becomes a fixed bottom tab bar whose More button opens a 4-column sheet. There is no URL routing between tabs; the active tab swaps the panel (and the map layer for World).



Left rail navigation

Tab	Label	Icon	Visible to	On phones
`feed`	Command	Radar	All	Bottom bar
`report`	Report	PlusCircle	All	Bottom bar
`missions`	Missions	Users	All	Bottom bar
`pulse`	Pulse	BarChart3	All	Bottom bar
`sos`	SOS (red text; solid red and pulsing in Crisis Mode)	Siren	All	Bottom bar
`resources`	Resources	Package	All	More sheet
`board` NEW	Coordinators	Trophy	All	More sheet
`prepare`	Prepare	ShieldCheck	All	More sheet
`world`	World	Globe	All	More sheet
`sim`	What-if	FlaskConical	Coordinator only	More sheet
`reports`	Reports	FileText	Coordinator only	More sheet
`people`	People	UserCog	Coordinator only, real mode only	More sheet
`account`	Account	User	All (bottom of rail)	More sheet

Panel header: every tab has a sticky header with an icon tile, the title and a one-line purpose, for example Command: "Live overview of the neighbourhood: alerts, notices, how much work is in each stage, and every issue." The SOS header is red.

Header bar

- **Brand block:** "NEIGHBOURHOOD OS" with the sub-line "Simulated demo" or "Named / Area neighbourhood" plus the neighbourhood name.
- **Mode chip:** "Demo mode" or "Live · Role" with a green dot.
- **Connectivity chips:** "Offline" when disconnected or showing stale data; "N waiting to send" for the offline queue.
- **Crisis chip:** pulsing red, "Crisis mode: official alert" or "Crisis mode: N cluster(s)".
- **Controls:** language select (English / हिन्दी), theme toggle (sun or moon), notifications bell with an unread badge and a popover of the last 8 events for this person (Escape or an outside click closes it). In demo: Role menu, Reset demo, Exit demo (back to the landing page). In real mode: Switch neighbourhood (to `/signin`).

Map overlays (centre) CHANGED

- **Top-left bar:** green live dot, neighbourhood name, the coordinates under the cursor, and a search box "Find an issue, mission or resource" CHANGED. Enter flies to the first matching issue, else resource, else a mission that has a spot, and opens it.
- **View switch:** 3D, Flat, List. List replaces the map with a table sorted by priority score (score, issue, type, status, reports, age).
- **"Near …" pill** NEW under the view switch: map-pin icon, "Near", and the society nearest the middle of the view (within 320 m), or else the nearest area name (within 800 m). It follows panning, is computed on the device, and is hidden while picking a location or when the map has no names.
- **Notes:** amber pill for simulated, sparse, loading or unavailable map data; "Click the map to choose a location" on the Report, Resources and SOS tabs, and on Missions for coordinators CHANGED; a SIMULATION banner while the What-if overlay colours the pins.
- **Right tool column:** crisis pill ("Official alert" or "Crisis active", flies to the zone); zoom in and out; camera (rotate left, compass that resets and shows north, rotate right, tilt: standard, high or street level); layers (resources, issue heatmap, volunteers and their missions for coordinators and moderators, Then vs now); location (show my location, recenter on the issues).
- **Bottom bar:** filter chips Open, In progress, Fixed (with counts) and Resources.
- **Bottom left:** "Map key" popover (every symbol, plus "Drag to move · scroll to zoom · Shift + drag (or right-drag) to rotate and tilt") and a 120 m scale bar.
- **"You are here":** after "Show my location", the position is watched on the device only. Inside the area a blue dot reads "YOU ARE HERE". Outside, a card shows the distance and, in real mode, "Open my area", which sends only the ~1 km area code.
- **Then vs now bar:** slider from 0 to 60 days ago, open counts then and now, "Reconstructed from the activity log".
- **Pins:** rounded square with the category icon (round for resources and volunteers) on a stalk to a ground ring, coloured by status; a pulse ring while open; a count badge for neighbor reports; a mission badge "x/y"; a progress ring when the AI agent tracks it; the label on hover, selection or zoom. Also SOS pins (only for people allowed to see them), dashed crisis zones labelled "CRISIS ZONE · N REPORTS", route lines from the nearest resource, and a violet "Chosen location" pin.
- **Mission pins** NEW: teal rounded square with a people icon and a "joined/needed" badge, for open missions with a marked spot (missions linked to a report already show on that report's pin). Selecting one opens the Missions tab with its card outlined.
- **Society labels** NEW: names of housing societies (named residential areas and apartment buildings in OpenStreetMap) drawn on the canvas with a small dot. None when zoomed out, then up to 4, 8 or 14 as you zoom in; the biggest societies win and labels never overlap each other. Not in the map key yet (observation 13).
- **Loading** CHANGED: "Loading neighbourhood map…" with a spinner. If the server is still downloading the real map after about 10 seconds, the labelled sample city appears with "Loading the real map from OpenStreetMap. A sample map is shown until it arrives." and swaps to the real map when it is ready.

5. Page and panel inventory

Every item below is a distinct screen or panel to design. "API" lists the endpoints it relies on (section 6). Most writes go through one endpoint, `POST /api/n/:id/action`, with an action type shown as `t: "..."`.

5.1 Landing page

Route `/`. Components `Landing.tsx`, `landing.css`. Shown when no neighbourhood is open; a signed-in person returning to their last neighbourhood goes straight in.

- **Sticky nav:** logo, section links (How it works, Features, Crisis mode, Roles, Trust), theme toggle, "Sign in" (or "My neighbourhoods"), "Try the demo", and a scroll progress line.
- **Hero:** pill "Civic platform · English & हिन्दी · Works offline"; headline "Every neighbourhood, live in 3D. Report it. Fix it. *Prove it.*"; lead paragraph; "Try the live demo" and "Sign in"; three ticks (no account needed, runs in your browser, humans verify and AI only suggests). On the right, a slowly orbiting 3D city with five pins cycling Reported, Verified, Fixing, Fixed, and four floating cards (new report, AI draft, mission, proof of fix) that follow the pointer. Caption "Live preview · simulated neighbourhood".
- **Sources strip:** scrolling list of OpenStreetMap, USGS, NASA EONET, GDACS, local CAP feeds, SMS and WhatsApp, offline-first PWA, AI suggestions, TinyFish, English and हिन्दी.
- **How it works:** the five steps on a rail that fills as you scroll, each with a small animated mock (typing a report, avatars confirming, the Verified chip, a mission bar, a before/after slider).
- **Stats band:** 5 steps, 4 roles, 3 hazard feeds, 24 h until SOS locations are wiped, 2 languages (counting up).
- **Features grid:** AI agent (animated Hindi report to English summary to draft), World layer, SOS, Missions, Resource radar, Pulse, Council reports, Offline and SMS (animated chat), Hindi and English by voice, Accessible by default.
- **"Find your city's real complaint page"** (only when the server has a TinyFish key): city and problem type, then official sources, helplines, emails and links. A few tries an hour per visitor; results limited to India.
- **Crisis Mode** (dark band): three points and an animated example: hazard, alert banner, check-in counts, SOS card.
- **Roles:** four tabs with each role's powers. **Trust:** six principle cards and "Honest limits".
- **Final call to action** and **footer** with the not-an-emergency-service line and data credits.

API: `GET /api/public/tinyfish` · `POST /api/public/tinyfish/route`

5.2 Sign-in and neighbourhood picker CHANGED

Route `/signin`, also shown after an invite link `/?n=<neighbourhood id>`. Component `Onboarding.tsx`.

- **Left half** (hidden under 900px): violet-to-magenta artwork, "Fix your street, *together*.", the five steps lighting up in turn, and a sample issue card moving from Reported to Fixed.
- **Top right:** "Home" link, language select, theme toggle. The title changes with the state: "Welcome back", "Create your account", "Reset your password" or "Choose your neighbourhood".
- **Account forms:** Sign in / Create account tabs (display name with a privacy note, email, password of 8 or more characters), "Forgot password?" and "Send reset link". An "Explore the live demo" card. An amber notice when accounts are not set up on the server.
- **Signed in:** "Signed in as" card with Sign out; Your neighbourhoods (up to 5, with your role and "N people joined" NEW); Find a neighbourhood: "Use my location" (shares only the ~1 km area) or a place search; then a result card with "Join this area's neighbourhood", named neighbourhoods nearby and "Create and become its coordinator" (name, radius 300 m to 2 km).
- **Coordinator spots** NEW: under the join button, "Nobody has joined yet." or "N people have joined this neighbourhood.", plus "The first 3 people become coordinators: N spots left." while fewer than 3 have joined. Each named neighbourhood nearby reads "N people have joined · R m radius · N coordinator spots left".
- **Footer:** not an emergency service.

API: `GET /api/me` · `GET /api/neighbourhoods/mine` · `GET /api/neighbourhoods/cell-count` NEW · `POST /api/neighbourhoods/cell` · `POST /api/neighbourhoods` · `POST /api/neighbourhoods/:id/join` · `GET /api/neighbourhoods/nearby` · `GET /api/geocode` (Supabase Auth handles sign-in itself)

5.3 Command tab (feed), the home panel

Component `Feed` in `App.tsx`. Default tab.

- **Alert banner:** amber "Heads up: hazard activity nearby" or red "Official alert near this neighbourhood", with instructions and "See on the world map".
- **Safety check-in card** (compact) when a check-in is open.
- **Stats trio:** Open (red) / In progress (amber) / Fixed (green).
- **"Fixes waiting for review"** card for issues in Resolution pending review.
- **"How problems get fixed":** a stacked bar and six stage tiles (Reported, Review, Assigned, Fixing, Approval, Fixed) with counts and a tooltip each, and the line "Report → neighbors confirm → coordinator verifies and assigns → volunteers fix → a moderator approves the proof" (observation 4).
- **Demo only, "Guided AI agent demo":** "Step X of 9" with a description, the Hindi report quote, "Run next step", "Simulate an earthquake alert" / "Clear simulated alert".
- **Empty state** for a new neighbourhood: "This neighbourhood is just getting started" with "Report a problem".
- **Live issues** with the hint "Tap a pin on the map or a report below…", sorted by priority score. Row: status dot, title, sub-line "Status · N urgency · verified · closed without confirmation · hidden", age. Then a separate **Fixed** group.
- **Notice board:** pinned and urgent notices; coordinators get "Post a notice" (Urgent, Pin to the top).
- **Event log**, collapsed: the last 10 events.
- Selecting an issue replaces the panel content with Issue detail (5.4).

API: `GET /api/n/:id/state` (every 5 s with `?v=version`) · `GET /api/n/:id/map` · action calls

5.4 Issue detail CHANGED

Component `Detail.tsx` (372 lines, the richest screen). Opens inside the Command panel.

- **Top:** "← All reports", title, chips for category, urgency, status, "Closed without confirmation", Hidden, and "N flag(s)" for moderators.
- **"Open location in OpenStreetMap"** NEW (coordinators and moderators): a small button under the chips that opens the exact spot in a new tab, the same link the complaint draft uses.
- **Spam:** "Report spam or wrong report" opens an inline confirm card ("Yes, report it" / Cancel), then shows "Thanks. You reported this one."
- **Status card:** one plain sentence for the stage (for example "Waiting for a coordinator to look at this report.") or for how it was resolved (reviewer, reporter or unconfirmed), a verification sentence, and "N people have reported this."
- **6-step bar** with "Step X/6 · Status", the description, and the original photo or the Before/After slider. "After" is now the newest proof photo, so new evidence after a rejected fix replaces the old one; older proof stays in the evidence list CHANGED.
- **"Is the problem fixed?"** for reporters and confirmers while a fix waits: optional comment, "Yes, it is fixed" / "No, not fully fixed". On a report closed without confirmation, a reopen card: "It is still broken. Reopen it".
- **Pending review card:** who submitted it and neighbor feedback counts. Reviewers get a reason field, "Approve resolution" (disabled for the submitter) and "Request more work" (reason required). The submitter gets "Close without confirmation", enabled after 7 days with a days-left counter. Demo shortcuts: answer as the reporter, reporter says not fixed, skip the 7-day wait, switch to Moderator.
- **"What happens next"** for open stages, with one guided coordinator button: Start review, then Mark as assigned, then Mark work as started, then Submit fix for review (needs proof). Volunteers get the proof form inline when the issue is assigned or in progress.
- **"Does it look fixed?"** for everyone else while pending or resolved: comment, "It looks fixed" / "Not fully fixed". Both buttons look the same until the person answers; their answer is then highlighted in soft amber with a tick and stays marked CHANGED.
- **Action row:** I see this too, Join mission, Create mission, Mark verified, Not fully fixed (reopen). **More options** (collapsed): Flag for attention, Withdraw my report, Mark disputed, Hide or Restore report.
- **AI agent panel** (5.5).

- **Action plan** (collapsed, "a suggestion, a person approves it"): steps, department, volunteers, effort, time, materials, safety notes. "Approve plan and create mission" and "Print action plan" (printable page).
- **How urgent:** level and score out of 100 with the reasons and points. "A fixed set of rules adds these points. It only sorts the list."
- **Evidence and updates** (opens by itself while pending): proof list, neighbor updates, AI photo check and AI before/after comparison (both labelled), "Add an update or evidence".
- **Volunteers and mission:** suggested volunteers (rule-based) with Assign; hand-off to an authority for coordinators (choose authority, reference, status, "No resolution after 7 days" warning), or a "Passed to…" line for others.
- **History:** assignment history and the activity log.

API: actions `verify, advance, merge, flag, withdraw, spam, hide, restore, mission, join, assign, proof, update, feedback, reporterConfirm, closeUnconfirmed, approveResolution, rejectResolution, actionPlanApprove, handoff, handoffStatus` · `POST /api/n/:id/photos` · `GET /api/photos/:pid` · `POST /api/n/:id/ai/compare` · `POST /api/n/:id/ai/image`

5.5 AI agent panel, TinyFish card and Analysis card CHANGED

Components `AgentPanel.tsx`, `AnalysisCard`. Logic in `src/agent.ts`, routes in `src/routes.ts`, web agent in `server/tinyfish.ts`.

- **Before it starts** (author or coordinator): "The agent understands the report, picks the complaint route, drafts the complaint, and suggests a community mission. You approve every step." and "Start the AI agent".
- **Collapsible panel** titled "AI agent · done/total · Next: step". It opens by itself when the person has something to do.
- **Stepper (11 steps):** Understood, Duplicates checked, Route, Draft, Approved, Sent, Reference received, Mission, Volunteers, Proof of fix, Verified resolved.
- **Complaint route** (collapsed): authority, channel, what to include, escalation ladder, and "Check this route against your city's official website before sending."
- **TinyFish web agent card** (only when the server has a TinyFish key; always in the demo):
  - **Verify this route** (author or coordinator, until resolved): optional city field (in the demo, typing a real city runs it live), "Verify this route with TinyFish", then "Reading official pages…". Result: the city searched, each source marked "Government website" or "Not confirmed as official", helplines and emails found, complaint and tracker links, and a note. Demo shows a labelled simulated example. Sources are now ordered by government site, then pages about this kind of problem, then pages naming the place, and a locality plus a city is searched both ways CHANGED.
  - **Check complaint status** (coordinator, after sending with a reference number): tracker address field or "Use this tracker" chips from the route results, "Check status", then a running state with "Watch it live" (up to 2 minutes), then the status text, date, remarks, the warning "This is what the website showed, read by an AI agent…", and "Record as: Acknowledged / Resolved by the authority". A failed state says why.
  - Footer "Powered by TinyFish".
- **Complaint draft:** To, English / हिन्दी switch, editable subject and body, Save edits, Approve. After approval: Copy complaint, "I sent it" (demo: "Send (simulated)"), optional reference number. Caption: "This app does not file on government portals for you."
- **After sending:** sent line with the reference, "Reference number received" field, the escalation date, "Prepare escalation now" (coordinator), and "The issue was resolved, so the escalation is not needed."
- **Suggested mission** (coordinator): cleanup for garbage; a safe follow-up crew for water, lights, roads and hazards (never touching pipes, wires or open manholes).
- **Analysis card** (Report tab): detected language, category, priority, English summary, "Complaint goes to", source (AI or simple rules), "Use these suggestions".

API: `POST /api/n/:id/agent/analyze` · `POST /api/n/:id/tinyfish/route` · `POST /api/n/:id/tinyfish/status` · `GET /api/n/:id/tinyfish/runs/:runId` · actions `agentStart, agentDraft, agentApprove, agentSend, agentRef, agentEscalate, handoffStatus`

5.6 Report tab

Component `Report` in `App.tsx`. The map is in picking mode.

- **Location line:** "Click the map to choose the location." or "Chosen location (lat, lng)".
- **Fields:** Short title (120 characters, voice button), Category, Priority, Description (1000 characters, hint "Please do not include names, phone numbers or faces", voice button), photo picker (re-encoded in the browser to strip GPS), thumbnail, AI photo check (real mode).
- **"Understand and prepare complaint"** shows the Analysis card. If skipped, the agent still reads the report on submit and attaches a complaint draft.
- **Possible duplicates:** likely category, nearby reports with % match and "Add to this report", "Get AI summary" (real mode), "Suggestions are not decisions."
- **Submit report** (primary). Footer: new reports stay Unverified; call your emergency number for life-threatening situations. Toasts: choose the location first, add a title. After submitting, the panel jumps to the new issue.

API: action `report` (and `merge`) · `POST /api/n/:id/photos` · `POST /api/n/:id/agent/analyze` · `POST /api/n/:id/ai/suggest` · `POST /api/n/:id/ai/image`

5.7 Missions tab CHANGED

Component `Missions` in `App.tsx`. For coordinators the map is in picking mode on this tab.

- **New community mission** (coordinator): title, volunteers needed (1 to 200), and a meeting spot NEW. The hint reads "Click the map to mark where this mission happens. Volunteers will see it there.", then "Meeting spot chosen on the map. Click the map again to change it." "Create mission" stays disabled until a spot is chosen.
- **My volunteer profile** (volunteer): Available / Unavailable toggle, skills as chips (the 7 categories), emergency abilities (first aid, medical, driving, boat, tools, cooking, translation, counseling).
- **My approximate area** (volunteer): consent tick, "Use the pin I chose on the map", "Use my current location", Remove. Rounded to about 100 m, visible only to the volunteer and coordinators.
- **Mission cards:** title, Done chip, progress bar, "X of Y volunteers · N volunteer hours", then "Show on map" NEW (flies the map to the mission's spot, or to its report) or "No location marked", and "Join mission". The card of a mission picked on the map gets a violet outline. Empty: "No missions yet. A coordinator can create one." Resident hint: switch to volunteer in Account.

API: actions `mission` (now with `lat, lng`), `join, assign, availability, skills, abilities, volunteerArea, volunteerAreaClear`

5.8 Pulse tab (analytics)

- **Date range:** last 7 / 30 / 90 days, all time. **Two stats trios:** Reported, Resolved, Avg hours to fix; Open now, Missions done, Contributors.
- **"Before and after"**: open at the start of the range versus now, with the difference.
- **Charts** (Recharts, themed), each tagged Actual: Reported and resolved, Open issues over time, By category, Average hours to resolve, Volunteer hours and participation by mission.
- **"Resource needs for open issues"** tagged Estimate (person-hours). **Recurring problem areas** ("past reports, not a prediction"). **Top contributors** ("Points count only verified reports and completed fixes").
- **Community intelligence:** "Generate insights", labelled AI-generated or rule-based. Demo note: all figures are simulated.

API: `POST /api/n/:id/ai/insights` (everything else is computed in the browser from the neighbourhood document)

5.9 SOS tab

Component `SosPanel.tsx`. Red header; the tab turns solid red and pulses in Crisis Mode.

- **Red card:** "Call your local emergency number first" (112, 911 or 999), plus a line when an official alert has switched on Crisis Mode. Others see a count of active requests.
- **Ask for help:** need (medical help, rescue or trapped, shelter, food or water, something else), number of people (1 to 50), note with voice input, location from the map or "Use my current location" (enabled only after the consent tick), consent checkbox, "Send SOS request".
- **Your requests** (resident) or **SOS board** (coordinator): need, people, status chip (Waiting for a coordinator, Seen by a coordinator, Volunteer assigned, Helped, Closed), age, coordinates or "location deleted", text-message contact, nearest shelter or aid post. Coordinator: Acknowledge, "Assign a volunteer…" + Assign, Mark helped, Close. Assigned volunteer: Mark helped. Author: Cancel my request.
- Empty: "No SOS requests right now." Privacy line: closing deletes location, note and contact. Limits: one active request per person, 3 a day, wiped after 24 h.

API: actions `sos, sosAck, sosAssign, sosStatus, sosCancel` · inbound `POST /api/sms` (text "SOS medical 3 …")

5.10 Resources tab

- **Resource radar:** cards with name, kind, note and a "Shortage" chip. Coordinator: delivery note + "Record delivery", "Flag shortage".
- **Add a resource** (coordinator, uses the map pin): name, kind (shelter, water, aid, donation, assembly, equipment), note.
- **Neighbor exchange:** offer or request, category (supplies, tools, ride, food, other), title, details; "I would like this" / "I can help", message thread, Mark done, Remove. Safety copy: no phone numbers or addresses, be careful when meeting people.

API: actions `addResource, delivery, shortage, shareAdd, shareClaim, shareMsg, shareDone, shareRemove`

5.11 Prepare tab

- **Safety check-in** (coordinator starts and closes it; default text "Are you safe after the earthquake?"). Members answer "I am safe" or "I need help"; both look neutral until answered, then "I am safe" turns violet or "I need help" red CHANGED. Coordinators see safe and need-help counts, who needs help, and who has not replied, with people on the extra-help register listed first.
- **Emergency plan:** Evacuation routes, Be ready, Contacts; coordinator Edit form; empty state when no plan exists.
- **Assembly points and equipment** (from Resources). **Who can help:** abilities of volunteers who are currently available.
- **Extra help register:** optional, consent-based, visible only to coordinators; type (mobility, medical, elderly alone, other) and a short note without an address; Remove me.

API: actions `checkinStart, checkinReply, checkinClose, planSet, careSet, careRemove`

5.12 World tab

Components `WorldMap` (replaces the city) and `WorldPanel`. Server source `server/world.ts`, 10-minute cache. GDACS is read from its search address (last 14 days, green, orange and red alerts) with the older address as a fallback CHANGED.

- **World map:** drag and zoom (up to 14×). Event markers coloured by type (earthquake red, wildfire orange, flood blue, storm cyan, volcano magenta, other grey) and sized by severity, pulsing at warning and above. Dashed lines from nearby alerts to your neighbourhood, which is marked in violet.
- **Panel:** "Official public hazard feeds, shown as published. This layer only informs; it never starts a rescue by itself." Type filter chips (earthquake, wildfire, flood, storm, volcano, other), a source status line ("USGS: N events · …, updated X ago"), the event list (severity, source, age, km from your neighbourhood), a link to the selected event's source page, and attribution. Loading and "No events match these filters" states. The demo uses labelled simulated events.
- **Alert rules:** hazards overlapping the neighbourhood (for example M6+ quake within 150 km, M7+ within 300 km, fire within 25 km, flood 100 km, storm 150 km) raise banners; warning or severe turns on Crisis Mode. CAP alerts

count only when they include map coordinates.

API: `GET /api/world` · alerts arrive inside `GET /api/n/:id/state`

5.13 What-if simulator (coordinator)

- "SIMULATION" card: everything is an estimate and changes nothing.
- **Controls:** volunteers available (1 to 40), team size (1 to 8), hours per member per day (1 to 6), days to look ahead (7 to 30), assumed authority delay (0 to 14 days), "Which issue first?" (highest score, oldest, quick wins, recurring areas), and "Show projected completion on the map".
- **Outputs:** stats trio against today's setup (done, backlog, average day), projected issues resolved chart (Estimate), workload and materials, projected order of work, assumptions paragraph.

API: none (in the browser, `src/sim.ts`)

5.14 Reports tab (council reports, coordinator)

- For coordinators, resident associations and local offices; exports contain no resident names.
- **Filters:** last 7 / 30 / 90 days or all time, category. **Actions:** "Download CSV", "Print or save as PDF", "Copy public summary link" (real mode).
- **Report body:** "Neighbourhood: report for the last N days", totals, average hours to fix, reports and fixes per week (last 4 weeks), by category, recurring problem areas, "Passed to authorities (N)" with overdue flags, and a table of up to 80 reports (✓ means verified by a human).
- **Authorities directory:** name, email, phone; add and remove.

API: actions `authoritySet, authorityRemove, handoff, handoffStatus` · public link uses `GET /api/public/:id/summary`

5.15 Coordinators tab (monthly ranking) NEW

Component `CoordBoard` in `App.tsx`, rules in `coordinatorBoard` and `COORD_POINTS` in `src/logic.ts`. Every member, every role; in the More sheet on phones. Header: "This month's ranking of coordinators in this neighbourhood, scored by verified work. It starts again on the 1st of every month."

- **Month card:** "October 2026", "Counts work done in this neighbourhood only. The table starts again on 1 November (UTC), so old work never competes with new work." Demo adds "Demo: simulated names and numbers."
- **One card per coordinator or moderator:** "#rank Name" (ties share a rank; "(you)" after your own name), a green "N points" chip; count chips for fixes approved, reviews, missions and escalations, and an amber "N sent back" chip when above zero; then "Coordinator" or "Moderator" and "Neighbour feedback: X% say fixed (N ratings)", or "shown after 5 ratings".
- **States:** "Loading…", "Could not load the coordinator list. Try again later.", "No coordinators yet." In the demo the list is built from the simulated activity.
- **How points work** (a paragraph at the bottom): verifying a report 2, moving it forward 1, asking for review 2, a fix approved by someone else 5 (plus 2 if a reporter confirms it), reviewing someone else's fix 3, sending a weak fix back 1, creating or assigning a mission 2 or 1, sending a complaint to an authority 2, posting a notice 1 (at most 3). A fix that is sent back or reopened costs the person who submitted it 2. Each kind of action counts once per report. Only activity inside the app counts.

API: `GET /api/n/:id/coordinators` (names and roles); the ranking is computed in the browser from `coordLog` and the issues in the neighbourhood document.

5.16 People tab (coordinator, real mode)

- Member list: name, "Wants to coordinate" chip, role menu (Resident, Volunteer, Moderator, Coordinator). The first 3 members of a neighbourhood are already Coordinators NEW. A neighbourhood cannot lose its last coordinator.
- Coordinator activity log: time, who, action, detail (last 30), including the automatic "founding member" promotions. Empty: "Nothing recorded yet."

API: `GET /api/n/:id/members` · `POST /api/n/:id/members/:uid/role` · `GET /api/n/:id/audit`

5.17 Account tab

- **Identity card:** handle, email, role and neighbourhood; "I want to volunteer" / "Stop volunteering", "Ask to become a coordinator", "Copy invite link". In demo: a "Simulated demo" card with "Create an account or sign in" (goes to `/signin`).
- **My neighbourhoods:** switch between up to 5, "Find another neighbourhood", "Leave this neighbourhood" (confirm).
- **My impact:** verified reports, confirmations, proofs of fix, missions, people helped, exchanges, and badges (Verified reporter, Neighbourhood watch, Fixer, Volunteer, Responder, Good neighbor). Empty: "No badges yet."
- **Notifications** (real mode): Push on this device, Email, SMS, WhatsApp (international number, 6-digit code, Remove), "Not set up" states, text command help, number of connected official alert feeds.
- **Settings:** language, Theme (Match my device, Light, Dark), text size (Normal, Large, Extra large), high contrast, reduce motion, a note on translations and voice input.
- **Safety and privacy** card (five statements, see the principles in section 1). Sign out, Delete my account (confirm; the name becomes "Former member").

API: `POST /api/n/:id/me/role` · `POST /api/n/:id/coordinator-request` · `POST /api/n/:id/leave` · `GET /api/capabilities` · `GET/POST/DELETE /api/n/:id/channels[/:kind]` · `DELETE /api/me`

5.18 Public impact page (no login)

Route `/?impact=<neighbourhood id>`, component `PublicImpact.tsx`.

- Brand, neighbourhood name, "Community-reported figures. No names or locations are shown."
- Six numbers in two rows: Reports, Resolved, Avg hours to fix; Volunteer hours, Missions done, Neighbors helped (SOS requests helped plus exchanges completed). Link "Open NEIGHBOURHOOD OS".

API: `GET /api/public/:id/summary` (rate-limited, no sign-in)

5.19 Cross-cutting states to design

- **Toasts:** success (green edge), error (red edge), and the offline "Saved on this device and sent automatically" message (not shown as an error).
- **Crisis Mode:** red chip, "Official alert" / "Crisis active" pill, official banner, emergency-services-first notice, solid red pulsing SOS tab, red crisis zones. Two causes: an official alert, or a cluster of reports.
- **Offline and stale:** "Offline" chip, "N waiting to send", the cached last state.
- **Map notes:** simulated neighbourhood; few buildings mapped; "Loading the real map from OpenStreetMap. A sample map is shown until it arrives." NEW; "OpenStreetMap has little data for this area, so a schematic view is shown"; "The OpenStreetMap server did not answer, so a sample map is shown for now. Trying again soon."; "Could not load map data". Sample cities shown for a real neighbourhood carry no society names.
- **Loading:** map spinner, world events, AI ("Checking…", "Comparing…", "Analyzing…"), TinyFish ("Reading official pages…", "Checking…").
- **Empty states** for every list; **role-gated hints** ("To join missions, switch to volunteer in the Account tab").
- **Bell popover** with Escape and outside-click close; skip links ("Skip to the list" in the app, "Skip to content" on the landing page).

- **Printable views:** action plan and council report.
- **PWA:** installable (name "Neighbourhood OS", icons 192, 512 and SVG); service worker caches the app shell and maps, shows "Cannot reach the server" when offline with nothing cached, and handles push. The manifest colours are still the old navy `#04060c` (observation 8).

6. API endpoints

Express server on port `8787` (proxied by Vite in development). In production the same server serves the built app with a strict content security policy. Every route except health, the public summary, the public TinyFish routes and the SMS webhook needs a Supabase bearer token. Errors return `{ "error": "message" }`. Rate limits are kept in memory per user (per visitor address on public routes).

Method	Path	Auth	Purpose
GET	`/api/health`	none	Liveness check, returns `{ ok: true }`. Used by Render.
GET	`/api/me`	user	Current user: id, email, handle, platformAdmin.
DELETE	`/api/me`	user	Delete account; removes memberships and photos, author name becomes "Former member".
GET	`/api/capabilities`	user	Which optional services are on: ai, tinyfish, push (public key or null), email, sms, whatsapp, and the CAP feed count.
Neighbourhoods CHANGED **(renamed from `/api/neighborhoods/…`; the first 3 members of any neighbourhood become coordinators, and creating or joining starts the map download)**			
GET	`/api/neighbourhoods/mine` CHANGED	user	Neighbourhoods the user belongs to, with role and member count.
GET	`/api/neighbourhoods/cell-count?cell` NEW	user	How many people have joined an automatic area, so the picker can show it before joining. Returns only `{ members }`. 60/hour.
POST	`/api/neighbourhoods/cell`	user	Join or auto-create the ~1 km area for a cell id. Body `{ cell }`. 30/hour.
POST	`/api/neighbourhoods`	user	Create a named neighbourhood. Body `{ name (3–60), lat, lng, r (200–2000 m) }`. Creator becomes coordinator. 3/day.
POST	`/api/neighbourhoods/:id/join`	user	Join by id (named neighbourhood or area cell). 30/hour; at most 5 neighbourhoods per person. Joins are handled one at a time per neighbourhood, so two people cannot take the same founding spot.
GET	`/api/neighbourhoods/nearby?lat&lng`	user	Up to 20 named neighbourhoods near a point, with member counts. 60/hour.
GET	`/api/neighbourhoods/search?q`	user	Name search, up to 10 results. 60/hour.
GET	`/api/geocode?q`	user	Place search through OpenStreetMap Nominatim. 20/min.
Neighbourhood state and actions			
GET	`/api/n/:id/state?v=`	member	The neighbourhood document filtered for the caller's role, plus `role` and active `alerts`. Returns `{ unchanged: true }` when `v` is current. Polled every 5 s.

POST	`/api/n/:id/action`	member (role checked)	The single write endpoint. Body is an Action `{ t, ... }` (6.1). Returns `{ doc, result, version, role }`. Locks the row, writes the audit log for coordinator actions, sends notifications afterwards. 120 actions a minute plus per-action limits.
GET	`/api/n/:id/map` CHANGED	member	Cached OSM roads, buildings, parks, water and `places` (up to 50 society and 10 area names, unless `MAP_NAMES=off`), 30-day cache. One background download per neighbourhood; a visit waits up to 10 s (`MAP_WAIT_MS`). Returns `{ source: "none", reason: "sparse" | "unavailable" | "loading" }`. A saved map is returned at once while a newer one downloads.
GET	`/api/world`	user	Global hazard events from USGS, NASA EONET and GDACS with source status and update time (10-minute cache). 30/min.
Photos			
POST	`/api/n/:id/photos`	member	Upload a base64 data URL (JPEG, PNG or WebP, max 300 KB, checked by magic bytes). Returns `{ id }`. 30/day.
GET	`/api/photos/:pid`	member of its neighbourhood	Stream the photo, private cache 1 h.
People and roles			
GET	`/api/n/:id/coordinators` NEW	member	Display names and roles of the coordinators and moderators (up to 100), for the Coordinators tab.
GET	`/api/n/:id/members`	coordinator	Member list with roles and the coordinator-request flag.
POST	`/api/n/:id/members/:uid/role`	coordinator	Set a member's role. Refuses to remove the last coordinator. Audit-logged.
GET	`/api/n/:id/audit`	coordinator	Last 30 coordinator actions.
POST	`/api/n/:id/me/role`	member	Switch yourself between resident and volunteer (not for moderators or coordinators).
POST	`/api/n/:id/coordinator-request`	member	Ask to become a coordinator (5/day).
POST	`/api/n/:id/leave`	member	Leave a neighbourhood; the last coordinator must promote someone first.
Notification channels			
GET	`/api/n/:id/channels`	member	The user's linked channels (push, email, sms, whatsapp) with masked targets and verified flag.
POST	`/api/n/:id/channels/:kind`	member	Link a channel. push: `{ subscription }`. email: no body. sms/whatsapp: `{ phone }` sends a 6-digit code (3/hour), then `{ code }` verifies it (10-minute expiry). 20/hour.
DELETE	`/api/n/:id/channels/:kind`	member	Unlink a channel.

POST	`/api/sms`	Twilio signature	Incoming SMS/WhatsApp. Commands: SAFE, NEED HELP, FIXED, NOT FIXED (when exactly one fix waits for you), STATUS, SOS <medical|rescue|shelter|food> <people> <text>. Replies in TwiML XML. 10/hour per number.

Method	Path	Auth	Purpose
AI helpers (all labelled suggestions; rule-based fallback without a key)			
POST	`/api/n/:id/agent/analyze`	member	Body `{ text }`. Returns language, category, priority, English summary, source. 40/hour.
POST	`/api/n/:id/ai/suggest`	member	Body `{ title, desc, cat, lat, lng }`. Summary, likely needs, duplicate id, source. 30/hour.
POST	`/api/n/:id/ai/image`	member	Body `{ photo, mode, cat }`. Photo check for a report or a fix. 20/hour.
POST	`/api/n/:id/ai/compare`	member	Body `{ issueId, photo }`. Compares the original with an after photo. 20/hour.
POST	`/api/n/:id/ai/insights`	member	Community intelligence summary for Pulse. 10/hour.
TinyFish (needs `TINYFISH_API_KEY` on the server; 503 otherwise)			
POST	`/api/n/:id/tinyfish/route` CHANGED	member	Body `{ cat, city? }`; the city is worked out from the area when empty. Official sources, helplines, emails and links, ranked by official site, then problem type, then place. 20/hour; cached 7 days per city and category.
POST	`/api/n/:id/tinyfish/status`	coordinator	Body `{ issueId, url }`. Needs a saved reference number and a public https address. Starts a read-only web agent run, returns `{ runId }`. 10/hour per user, 100/day per server.
GET	`/api/n/:id/tinyfish/runs/:runId`	coordinator who started it	Run state (running, done, failed), live view URL, found, status text, last updated, remarks, suggested hand-off status.
GET	`/api/public/tinyfish`	none	`{ enabled }`, used by the landing page.
POST	`/api/public/tinyfish/route`	none	Body `{ cat, city }`. Same lookup as above, Search and Fetch only. 6/hour per visitor, 300/day for the site.
Public			
GET	`/api/public/:id/summary`	none	Totals only: name, reports, resolved, average hours, volunteer hours, missions done, SOS helped, exchanges done. 30/min per visitor.
GET	`/*` (non-API)	none	In production the server serves the built app and falls back to `index.html`.

Background jobs on the server: official alert watcher every 5 minutes (notifies linked members once per alert), escalation job every 15 minutes, weekly summary checked hourly (posted as a notice and emailed), SOS clean-up every 10 minutes.

6.1 Action catalogue (`POST /api/n/:id/action`)

"All" means resident, volunteer and coordinator. Moderators are not included (observation 2).

Action `t`	Payload	Allowed roles	Used by screen
`report`	title, desc, cat, priority, lat, lng, photo?, agent?	All	Report
`merge`	id	All	Report duplicates, "I see this too"
`flag`	id	Resident	Flag for attention; "Not fully fixed (reopen)"
`withdraw` / `spam`	id	All	Issue detail
`verify`	id, v (verified | disputed | review)	Coordinator, moderator	Issue detail
`advance`	id	Coordinator	"What happens next" buttons
`hide` / `restore`	id	Coordinator, moderator	Issue detail
`approveResolution` / `rejectResolution`	id, note? / reason	Coordinator, moderator	Pending review card
`reporterConfirm`	id, ok, note?	All (only reporters and confirmers, never the submitter)	"Is the problem fixed?", reopen, SMS FIXED / NOT FIXED
`closeUnconfirmed`	id, note?	Coordinator, moderator (after 7 days)	"Close without confirmation"
`feedback`	id, ok, note?	All	"Does it look fixed?"
`update`	id, text, photo?	All	Evidence and updates
`proof`	id, text, photo?	Volunteer, coordinator	Proof of fix
`actionPlanApprove`	id	Coordinator	Action plan
`mission` CHANGED	title, need, issueId?, lat?, lng?	Coordinator	Missions (spot clicked on the map, must be inside the neighbourhood), Issue detail
`join`	mid	Volunteer	Missions
`assign`	mid, name	Coordinator	Issue detail; notifies the volunteer
`availability` / `skills` / `abilities`	available / skills[] / abilities[]	Volunteer	Missions profile
`volunteerArea` / `volunteerAreaClear`	lat, lng, consent	Volunteer	Missions, map overlay
`addResource`	name, kind, lat, lng, note	Coordinator	Resources
`delivery` / `shortage`	id, note / id	Coordinator	Resources
`shareAdd` / `shareClaim` / `shareMsg` / `shareDone` / `shareRemove`	kind, cat, title, note / id / id, text	All (remove: author or coordinator)	Neighbor exchange

`sos`	need, people, note, lat, lng, consent	All	SOS
`sosAck` / `sosAssign`	id / id, name	Coordinator	SOS board
`sosStatus`	id, status (helped | closed)	Assigned volunteer, coordinator	SOS board
`sosCancel`	id	All (author)	SOS
`checkinStart` / `checkinClose`	title	Coordinator	Prepare
`checkinReply`	ok, note?	All	Command card, Prepare, SMS
`careSet` / `careRemove`	need, note, consent	All	Extra help register
`planSet`	routes, notes, contacts	Coordinator	Prepare
`noticeAdd` / `noticeRemove`	title, body, urgent, pinned / id	Coordinator	Notice board
`authoritySet` / `authorityRemove`	name, email, phone / id	Coordinator	Reports directory
`handoff` / `handoffStatus`	id, authorityId, ref / id, status, ref?	Coordinator	Issue detail, Reports, TinyFish "Record as"
`agentStart`	id, lang, original, summaryEn, source	All (author, confirmer or coordinator)	AI agent panel
`agentDraft` / `agentApprove` / `agentSend` / `agentRef`	lang or subject, body / id / via (copied | emailed), ref / ref	All (author or coordinator)	AI agent panel
`agentEscalate`	id	Coordinator	AI agent panel
`demo` / `reset`	none	All, demo only (403 on the server)	Demo controls

Daily limits per user per neighbourhood: report 10 (and 4 an hour), proof 30, spam 20, merge 40, flag 20, mission 20, addResource 20, sos 3, update 40, feedback 30, reporterConfirm 30, agentStart 20, agentDraft 60, agentSend 30, shareAdd 10, shareMsg 40, careSet 10, noticeAdd 20, checkinStart 10. **Audit-logged:** every coordinator and moderator action (verify, advance, mission, assign, delivery, shortage, addResource, hide, restore, sosAck, sosAssign, handoff, handoffStatus, planSet, notices, check-ins, authorities, agentEscalate, approve/reject resolution, closeUnconfirmed, actionPlanApprove) and role changes, including automatic "founding member" promotions. **Ranking credit** NEW: verify (verified), advance, approve/reject resolution, mission, assign, agentSend, handoff and noticeAdd by a coordinator or moderator also add an entry to `coordLog` for the Coordinators tab; a rejected or reopened fix adds a minus entry for whoever submitted it.

7. Data model (what screens can display)

Postgres tables (`database/schema.sql`) CHANGED

Renamed from `neighborhoods` and `neighborhood_id`. A block at the top of `schema.sql` renames the tables, columns, constraints and indexes of an older install in place, so its data is kept.

Table	Columns and purpose
`neighbourhoods`	id, kind (cell | named), name, center lat/lng, radius_m (200-2000), created_by, version, doc (jsonb, the whole neighbourhood state), cached OSM map (now with `places`) and fetch time.
`members`	neighbourhood_id, user_id, display_name, role (resident | volunteer | moderator | admin), coordinator_requested_at, joined_at.
`photos`	id, neighbourhood_id, user_id, mime, data (bytea). Photos live in Postgres.
`audit_log`	neighbourhood_id, user_id, who, action, detail, at. Coordinator transparency log.
`channels`	user_id, neighbourhood_id, kind (push | email | sms | whatsapp), target, verified, verification code and time.

The neighbourhood document (`doc`), as the screens receive it

Collection	Content
`issues[]`	id, title, desc, cat, priority, status, verif, lat, lng, author, created, resolvedAt, reports (confirm count), confirmedBy[], flags[] (moderators only), hidden, photo, proof[], updates[], feedback, assignments[], log[], missionId, actionPlan (approvedBy, approvedAt), handoff (to, ref, status, sentAt, by; email for coordinators only), pendingBy, pendingAt, closure, reviewedBy, rejections; agent (lang, original, English summary, source, draft with level, to, language, subject, body, approval and sending, history[], escalateAt).
`missions[]`	id, title, need, joined[], hours, done, issueId, NEW lat, lng (the meeting spot, rounded to about 1 m; optional, older missions have none).
`coordLog[]` NEW	Ranking credit: t, by (name), k (kind), id (report, mission or notice). Kept for this month and last month, at most 800 entries.
`volunteers[]`	id, name, available, skills[], abilities[], optional approximate area (shown only to coordinators, moderators and the volunteer).
`resources[]`	id, name, kind, lat, lng, note, low (shortage).
`sos[]`, `sosActive`	need, people, note, lat/lng, contact, status, assigned[], created, expires, log. Others receive only the active count.
`checkin`, `care[]`	Open check-in with replies (members see only their own); extra-help register (coordinators see all, members only their own).
`notices[]`, `shares[]`, `plan`, `authorities[]`	Notice board, neighbor exchange threads, emergency plan, authorities directory (coordinators only).
`events[]`, `memberCount`	Event log (t, text, tone, optional `to` for one person). Also used to rebuild the "Then vs now" map.
hazard `alerts`	Computed on the server per neighbourhood: type, severity, distance, radius, source, area, instructions.
map `places[]` NEW	From `GET /api/n/:id/map`, not the document: n (name, English if OpenStreetMap has it, at most 36 characters), x, y (metres from the centre), k (society | area), s (size, used for importance). Numbers, symbols and bare words like "Apartments" or "Sector" are dropped.

Enumerations

- **Status:** reported, review, assigned, progress, pending (Resolution pending review), resolved
- **Verification:** unverified, review, verified, disputed, resolved
- **Closure:** reviewer, reporter, unconfirmed
- **Ranking credit kind** NEW : verify 2, step 1, submit 2, approve 3, sendback 1, mission 2, assign 1, escalate 2, notice 1, reopened −2; plus 5 per resolved fix and 2 more when the reporter confirmed it
- **Category:** pothole, garbage, streetlight, water, unsafe, blocked, other. **Priority:** low, medium, high, critical. **Urgency level** (from the score): low, medium, high, critical
- **Resource kind:** shelter, water, aid, donation, assembly, equipment. **Exchange category:** supplies, tools, ride, food, other. **Extra-help need:** mobility, medical, elderly alone, other
- **SOS need:** medical, rescue, shelter, food_water, other. **SOS status:** open, acknowledged, assigned, helped, closed
- **Hand-off status:** sent, acknowledged, resolved, no_response
- **Hazard severity:** info, watch, warning, severe. **Hazard type:** earthquake, wildfire, flood, storm, volcano, other
- **Abilities:** first_aid, medical, driving, boat, tools, cooking, translation, counseling
- **Display settings** (kept on the device): theme system / light / dark; text size normal / large / extra large; high contrast; reduced motion; language en / hi

8. Key user flows to prototype

#	Flow	Steps
1	**First visit**	Landing page, scroll the story, "Try the live demo", Command tab with the guided agent card, switch Role in the header, "Run next step" nine times to play the Hindi-report agent flow.
2	**Join a neighbourhood** CHANGED	Landing, Sign in, Create account, "Use my location" or search, see how many people have joined and how many of the 3 coordinator spots are left, then join the area, a named neighbourhood nearby, or create one; land on Command (as a coordinator if you were among the first 3). The real map may still be loading, with a labelled sample city meanwhile. An invite link `/?n=id` joins after sign-in.
3	**Report a problem**	Report tab, click the map, type or speak, pick category and priority, add a photo, "Understand and prepare complaint", review duplicates, Submit, toast, jump to the new issue.
4	**Coordinator triage to fix**	Open the issue, "Open location in OpenStreetMap" to check the spot, Start review, Mark verified, approve the action plan (creates a mission and moves to Assigned), assign volunteers, a volunteer adds proof (In progress), Submit fix for review, then the reporter answers Yes or a moderator approves; before/after slider; pin turns green.
5	**Reporter confirms a fix**	Reporter gets "Is the problem fixed?" (bell, push, email, SMS or WhatsApp), opens the issue, answers Yes (resolved, "confirmed by the reporter") or No with a note (back to In progress; the coordinator submits again). By text: FIXED or NOT FIXED. If nobody answers in 7 days, the submitter closes it without confirmation, and the reporter can still reopen it.
6	**Complaint to an authority**	Agent panel: "Verify this route with TinyFish", check the official sources, edit the English or Hindi draft, Approve, Copy, "I sent it" with the reference number; the deadline passes; escalation draft; approve.
7	**Check a complaint's status**	Coordinator, after a reference is saved: paste the tracker address (or "Use this tracker"), "Check status", "Watch it live", read the result, "Record as Acknowledged" or "Resolved by the authority".
8	**Crisis escalation**	World tab shows a hazard, the overlap raises a banner, warning level turns on Crisis Mode (chip, banner, SOS emphasis), coordinator starts a check-in, members reply safe or need help, SOS requests arrive on the board, coordinator assigns volunteers.
9	**Ask for help (SOS)**	SOS tab, read the emergency-first notice, choose need and people, tick consent, place the pin or use the current location, Send, follow the status, request closes and the location is wiped.
10	**Report to the council**	Reports tab, choose range and category, view trends and hotspots, hand off issues to authorities, download CSV or print PDF, copy the public impact link.
11	**Plan with What-if**	What-if tab, change volunteers and hours, compare with today's setup, turn on the map overlay; nothing changes in real reports.
12	**Link SMS or WhatsApp**	Account, Notifications, enter the phone number, receive the code, verify; later text SAFE, STATUS, FIXED or SOS to the service.
13	**Organise a mission at a spot** NEW	Coordinator, Missions tab: title and volunteers needed, click the map to mark the meeting spot, Create mission; a teal pin with "0/N" appears. A volunteer taps the pin (or "Show on map" on the card), reads the card and joins.
14	**See this month's coordinator ranking** NEW	Rail (or More on phones), Coordinators: the month and reset date, the ranked cards with points and counts, neighbour feedback once there are 5 ratings, and the points rules.

9. Observations from checking the code CHANGED

Problems the redesign should fix or the team should decide on. Observations 1 to 10 were first written on 18 October; each was checked again in the code at `78daf21` on 21 October 2026. Observations 11 to 16 are new and were checked in the code and the running demo the same day.

#	What we found	Where	Suggestion
1	**The demo opens in Crisis Mode.** The four open garbage reports near Lakeview Road count as a crisis cluster (3 or more open reports of one type within 250 m), so the red crisis chip, the "Crisis active" pill and the solid red pulsing SOS tab are on from the first screen, before any hazard alert.	`logic.ts` crisisZones, `App.tsx`	Show a report cluster as an amber hotspot and keep full red Crisis Mode for official alerts, or change the demo data.
2	**Moderators are left out of "all members".** In the demo, "Reset demo" and "Run next step" fail with "The moderator role is not allowed to do this" while the Role menu shows Moderator. A moderator also cannot report, confirm, add updates, give feedback, send SOS or answer check-ins. The tests expect moderators not to use the reporter-confirmation path.	`logic.ts` permission table	Decide what moderators should be able to do. At least allow demo and reset for every role, and SOS and check-in replies for moderators.
3	**The phone header takes about a quarter of the screen.** Under 900px it wraps into three rows, the map tool groups stack over the map, and the panel sits below the map.	`styles.css` (max-width 900px)	Fold header controls into one menu on phones; consider a bottom-sheet panel over a full-height map.
4	**Some copy says only a moderator approves fixes.** The pipeline tooltip ("A different moderator must approve the fix") and the line under it ("… a moderator approves the proof"), the map key ("Fixed and approved by a moderator"), the landing page's Prove step and Trust card, and the server error "A moderator must review and approve the fix" were written before reporter confirmation.	`App.tsx`, `IsoMap.tsx`, `Landing.tsx`, `logic.ts`	Reword to "the reporter or a second reviewer confirms the fix".
5	**The landing page is English only**, and the sign-in page translates only a few labels, although the hero advertises हिन्दी.	`Landing.tsx`, `Onboarding.tsx`	Add Hindi strings and a language switch to the landing nav.
6	**The sources strip says "Claude AI suggestions"**, but the default provider is Google Gemini and four providers are supported.	`Landing.tsx` SOURCES	Say "AI suggestions", or name the provider that is configured.
7	**The text-command help in Account** lists SAFE, NEED HELP, STATUS and SOS, but not FIXED and NOT FIXED, which the server accepts.	`Settings.tsx`	Add the two commands.
8	**The installed app uses the old navy.** The manifest still sets `#04060c` for theme and background, while the app uses `#f7f6f3` (light) and `#111013` (dark), so the install splash will not match.	`public/manifest.webmanifest`	Update the manifest colours and check the icons against the violet logo.

9	**The World panel cannot filter by severity.** Severity shows on each row and as marker size, but only type chips exist.	`WorldView.tsx`	Add a severity filter or sort if coordinators need it.
10	RESOLVED **The README was behind the code.** Rewritten on 18 October: "Honest limits" now matches the code, and "Known issues" lists observations 1 to 9.	`README.md`	None. Keep "Known issues" in step with this list.
11	NEW **The Coordinators tab shows "(you) (you)" and "1 reviews".** In the demo the coordinator's name is already "Coordinator (you)", and the tab adds " (you)" again. The count chips never switch to the singular: "1 reviews", "1 missions", "1 escalations".	`App.tsx` CoordBoard	Add "(you)" only when the name lacks it; use singular and plural labels.
12	NEW **The Coordinators tab is English only**, including its header line and the scoring rules, which are one long grey paragraph at the bottom of the list.	`App.tsx` CoordBoard, `i18n.ts`	Add Hindi strings. Show the rules as a short table or a "How points work" panel near the top.
13	NEW **Mission pins use the resource teal, and the map key lists neither mission pins nor society names.** A mission pin differs from a resource only by its square shape and people icon.	`IsoMap.tsx`	Give missions their own colour or marker and add both to the map key.
14	NEW **Society names can sit under pins.** The names are drawn on the canvas and the pins are drawn above it, so a pin can cover a name. The screenshots show "Maple Residency" and "Orchard Court" partly hidden.	`city3d.ts` drawPlaces, `places.ts`	Skip or move a name that collides with a pin, as the label layout already does for other names.
15	NEW **The selected mission card uses a colour outside the tokens.** Its outline is the inline style `var(--accent, #8b5cf6)`, but `--accent` is not defined in `styles.css`, so it is always `#8b5cf6`, not the theme primary (`#7c3aed` light, `#a78bfa` dark).	`App.tsx` Missions	Use a class based on `--primary` instead of the inline style.
16	NEW **Founding coordinators are not checked by anyone.** In an automatic ~1 km area, the first 3 people to join become coordinators, and the picker advertises the spots left. Two of them can review each other's fixes, which meets the four-eyes rule.	`server/index.ts` ensureMember, `Onboarding.tsx`	Team decision. If kept, mark founding coordinators as such in People and the Coordinators tab, and say what they can do before people join.

10. Suggested brief for Claude Design

> Design the NEIGHBOURHOOD OS web app and its landing page. It is a civic platform with a live 3D isometric neighbourhood map at the centre, an 84px icon rail on the left and a 420px contextual panel on the right, topped by a status header; on phones the rail becomes a bottom tab bar with a "More" sheet. Keep the current design system: violet primary on warm off-white (light) and near-black (dark), Sora with JetBrains Mono and an Instrument Serif italic accent; red = open or critical, amber = in progress, green = resolved, teal = resources. Improve hierarchy and density in the side panel (Issue detail is long), the phone layout (header and map controls), and the difference between a report cluster and an official Crisis Mode. Give mission pins a look of their own, bring the society labels and the "Near …" pill into the map's visual system (and the map key), and design the Coordinators tab so the ranking reads as recognition for verified work, with its rules easy to find. Design every screen in section 5 in both themes, every role variant (resident, volunteer, moderator, coordinator), and the empty, loading (including "loading the real map"), offline, simulated and Crisis Mode states.
>
> **Must stay visible in the UI:** "not an emergency service, call your local emergency number first" on SOS, Account, sign-in and the landing page; AI output labelled as a suggestion; TinyFish sources marked "Government website" or "Not confirmed as official", and the read-only warning on status checks; simulated data labelled; Actual vs Estimate tags on charts; consent wording on location and SOS; human-approval gates (verify, approve resolution, reporter confirmation, approve complaint); the "Closed without confirmation" label; on the Coordinators tab, that only in-app work counts and when the table restarts. Support English and Hindi (Devanagari) text lengths and keyboard and screen-reader use.

Priority order if time is limited

1. App shell (header, rail, panel) on desktop and phone
2. Map with controls, pins (including mission pins), labels and overlays
3. Command feed and Issue detail (status card, next step, fix confirmation, before/after slider)
4. Report form and AI agent panel with TinyFish
5. SOS and Crisis Mode
6. Landing page and sign-in (with coordinator spots)
7. Missions (with meeting spots), Resources, Prepare
8. Pulse, Reports, What-if, Coordinators
9. World, People, Account, Public impact

Known limits to reflect in design copy

- Location claims are self-asserted.
- OpenStreetMap coverage varies; a labelled schematic city is drawn when data is thin, the map servers are down, or the real map is still downloading. Society names appear only where OpenStreetMap has them; the demo names are made up.
- The coordinator ranking counts only activity inside the app, not work done by phone or in person.
- Updates arrive by 5-second polling. SOS needs an internet connection.
- Hindi translations have not had native review.
- Authority names and escalation steps are generic and must be checked per city; TinyFish results come from software reading web pages and were tested only against a mock.
- A reporter's "fixed" answer is a weaker check than a second reviewer: a person with a second account could fake it.

How this brief was checked: version 2 was written after reading every source file in `src/`, `server/`, `public/` and `database/` at commit `1fb3ed0`. For version 3, every change from `1fb3ed0` to `78daf21` (six commits, 18 to 21 October) was read, and observations 1 to 10 were checked again in the current code. On 21 October `npm test` (16 test files), `npm run test:render` (8 screens plus the new location-button checks) and `npm run check` (type-check of the web app and server) all passed. Screenshots come from the simulated demo. Features that need real credentials (Supabase sign-in, push, email, SMS, WhatsApp, live AI and TinyFish calls, and the founding-coordinator and member-count routes) were checked in the code but not run.