(0)

SEARCH...

HS-45HB 8g Karbonite Gear Analog Micro Servo

Part #: 33045S

$22.99



(0)

1

ADD TO CART

ADD TO WISH LIST

NON-HOBBY CUSTOMERS ORDER HERE

PRODUCT DESCRIPTION

Hitec's HS-45HB offers the economy and durability of our other famous micro servos, but now with a ball bearing supported output shaft and Karbonite gears.

HS-45HB Servo Specifications

(0)

Speed (Second @ 60°)	0.14 ~ 0.12
Maximum Torque Range oz. / in.	14 ~ 17
Maximum Torque Range kg. / cm.	1.0 ~ 1.2
Current Draw at Idle	8 mA
No Load Operating Current Draw	100 mA
Stall Current Draw	440 mA
Dead Band Width	5 µs
Physical Specifications	
Dimensions (Inches)	0.92 x 0.38 x 0.88
Dimensions (Metric)	23.6 x 9.8 x 22.4
Weight (Ounces)	0.28
Weight (Gram)	8.0
Circuit Type	HT7003 Analog SMT
Motor Type	Cored Metal Brush
Gear Material	Karbonite

(0)

Case Material	Plastic
Dust / Water Resistance	N / A
Connector Gauge (AWG) / Strand Count	28 / 20
Radio Control Applications	
Parkflyer	< 36 oz.
Sport Plane	20 - 35 oz.
Sailplane	Foamie
3D Performance	N / A
Scale	200mm
Electric Helicopter	N / A
Gas Helicopter	N / A
On Road	N / A
Monster Truck	N / A
Buggies	N / A
Truggies	N / A