



---

# NGUBANE L.S

---

Student Number: 28691415



4.

```
mysql> select * from customerAccount where balance < 700;
+-----+-----+-----+
| account_number | branch_name | balance |
+-----+-----+-----+
| A-5324         | Newtown     | 500     |
| A-5624         | Sunnyside   | 400     |
| A-2542         | Mamelodi    | 350     |
+-----+-----+-----+
3 rows in set (0.04 sec)
```

i.

```
mysql> select * from customer where customer_city = 'Johannesburg';
+-----+-----+-----+
| customer_name | customer_street | customer_city |
+-----+-----+-----+
| Brooks        | Senator         | Johannesburg   |
+-----+-----+-----+
1 row in set (0.00 sec)
```

ii.

```
mysql> select * from employee where salary > 1500 AND branch_name <> 'Newtown';
+-----+-----+-----+
| employee_name | branch_name | salary |
+-----+-----+-----+
| Gopal         | Sunnyside   | 5300   |
| Sato          | Autin       | 1600   |
+-----+-----+-----+
2 rows in set (0.03 sec)
```

iii.

```
mysql> select AVG(salary) AS avg_salary FROM employee;
+-----+
| avg_salary |
+-----+
| 2062.5     |
+-----+
1 row in set (0.04 sec)
```

iv.

```
mysql> select MAX(assets) from BankBranch;
+-----+
| MAX(assets) |
+-----+
| 90000000    |
+-----+
1 row in set (0.04 sec)
```

v.

5.

```
mysql> select * from employee where branch_name = 'Sunnyside';
+-----+-----+-----+
| employee_name | branch_name | salary |
+-----+-----+-----+
| Brown        | Sunnyside   | 1300   |
| Gopal        | Sunnyside   | 5300   |
| Modise       | Sunnyside   | 1500   |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

i.

```
mysql> select * from borrower;
+-----+-----+
| customer_name | loan_number |
+-----+-----+
| Modise       | L-16       |
| Jooste       | L-93       |
| Johnson      | L-15       |
| Jackson      | L-14       |
| Zwane        | L-17       |
| Smith        | L-11       |
| Smith        | L-23       |
| Williams     | L-17       |
+-----+-----+
```

ii.

```
mysql> select account_number FROM customerAccount where balance > 900;
Empty set (0.00 sec)
```

iii.

```
mysql> select account_number,balance FROM customerAccount where branch_name = 'Newtown' AND balance > 600;
Empty set (0.00 sec)
```

iv.

```
mysql> select branch_name, assets from BankBranch;
+-----+-----+
| branch_name | assets |
+-----+-----+
| Amanzimtoti | 300000 |
| Belgravia   | 3700000 |
| Mabopane    | 400000 |
| Mamelodi    | 8000000 |
| Midrand     | 7100000 |
| Newtown     | 9000000 |
| Sunnyside   | 1700000 |
| Universitas | 2100000 |
+-----+-----+
8 rows in set (0.00 sec)
```

v.