

AddingHabbitFragment

- create new habit as doer required
- add new habit to database

- AllHabitsFragment

AllHabitsFragment

- create a list to display all habits for current doer
- dispaly the detail of the habit which is clicked by doer
- edit the habits which is clicked by doer
- call for the add_habit function when doer clicks on add_habit button

- AddingHabbitFragment

FollowersFragment

- dispaly all the followers who has followed the current doer

- HomePageFragment

Habit

- knows habit title.
- knows reason.
- knows start date.
- knows if habit is completed,
- knows habit ID

- HabitDate
- AllHabitsFragment
- AddingHabbitFragment
- HabitDetailsFragment

HabitData

- get habit data from database
- hold the habit data for the current doer.

- Habit
- HabitDetailsFragment

HabitDetailsFragment

- fetch the habit details from database
- display the current habit detail
- can edit the current habit detail

- Habit
- HabitListAdapter

HabitListAdapter

- Create a custom ListAdapter to display the habits

- HabitData

HomePageFragment

- display home page

- MainActivity

LoginActivity

- Create login UI
- user can log in if input is correct

- HomePageFragment
- RegisterActivity

MainActivity

- setting up toolbar and navigation drawer for fragments/activities
- user have the access to the clicked fragments/activities

- HomePageFragment
- ProfileFragment
- FollowersFragment

ProfileFragment

- display ProfileFragment

- MainActivity

RegisterActivity	
<ul style="list-style-type: none">• Create register UI• Can register for new users• Can jump to login activity	<ul style="list-style-type: none">• HomePageFragment• LoginActivity

SingleHabitListAdapter	
<ul style="list-style-type: none">• Create UI for displaying the detail for single habit	<ul style="list-style-type: none">• Habit• HabitListAdapter

HabitEvent	
<ul style="list-style-type: none">• knows the habit commit• knows the habit photo• knows the habit location	<ul style="list-style-type: none">• Habit