

```
#####  ### #####  #####  #####  ###  #####  #####  
##      ##      ##      ##      ##      ##      ##  
#####  ##  #####  #####  #####  #####  #####  
##      ##      ##      ##      ##      ##      ##  
##      #####  #####  #####  ##      ##      #####
```

You're about to initialize a Firebase project in this directory:

/Users/vi/cmpu301

? Which Firebase features do you want to set up for this directory? Press Space to select features, then Enter to confirm your choices.

- rendering)
- o Hosting: Set up deployments for static web apps
- o Storage: Configure a security rules file for Cloud Storage
- > e Emulators: Set up local emulators for Firebase products
- o Remote Config: Configure a template file for Remote Config
- o Extensions: Set up an empty Extensions manifest
- o Realtime Database: Configure a security rules file for Realtime Database and

⬆⬆ navigate • space select • a all • i invert • ⬆ submit

- Select “Emulators: Set up local emulators for Firebase products”

```

=== Project Setup

First, let's associate this project directory with a Firebase project.
You can create multiple project aliases by running firebase use --add,

? Please select an option:
> Use an existing project
  Create a new project
  Add Firebase to an existing Google Cloud Platform project
  Don't set up a default project

↑↓ navigate • ↵ select

```

- Select “Use an existing project”

```

=== Project Setup

First, let's associate this project directory with a Firebase project.
You can create multiple project aliases by running firebase use --add,

✓ Please select an option: Use an existing project
? Select a default Firebase project for this directory:
  cmpu301-lab05-6a1fb (cmpu301-lab05)
> coolio-events (coolio-events)

↑↓ navigate • ↵ select

```

- Select “coolio-events (coolio-events)”

```

=== Emulators Setup
? Which Firebase emulators do you want to set up? Press Space to select emulators, then Enter to confirm your choices.
  ○ App Hosting Emulator
  ● Authentication Emulator
  ○ Functions Emulator
> ● Firestore Emulator
  ○ Database Emulator
  ○ Hosting Emulator
  ○ Pub/Sub Emulator

↑↓ navigate • space select • a all • i invert • ↵ submit

```

- Select “Authentication Emulator” and “Firestore Emulator”

```

=== Emulators Setup
✓ Which Firebase emulators do you want to set up? Press Space to select emulators, then Enter to confirm your choices.
Authentication Emulator, Firestore Emulator
✓ Which port do you want to use for the auth emulator? 9099
✓ Which port do you want to use for the firestore emulator? 8080
✓ Would you like to enable the Emulator UI? Yes
✓ Which port do you want to use for the Emulator UI (leave empty to use any available port)?
✓ Would you like to download the emulators now? Yes

```

- Next, it will asks you for ports and if you’d like to enable/download stuff
 - For the ports, just press ENTER to select the default port number
 - For any question asking you to type Y/n, just type “Y”
- Then, it will download the emulators you selected.
- Run this command: `firebase init emulators`

```

=== Emulators Setup
✓ Which Firebase emulators do you want to set up? Press Space to select emulators, then Enter to confirm your choices.
Authentication Emulator, Firestore Emulator
i Port for auth already configured: 9099
i Port for firestore already configured: 8080
i Emulator UI already enabled with port: (automatic)
✓ Would you like to download the emulators now? Yes
i ui: downloading ui-v1.15.0.zip...

✓ Wrote configuration info to firebase.json
✓ Wrote project information to .firebaserc

✓ Firebase initialization complete!

```

- For the ports, just press ENTER
- For any question asking you to type Y/n, just enter “Y”

Start the emulator

This step must be completed each time you want to run the tests.

https://firebase.google.com/docs/emulator-suite/install_and_configure

- The following instructions are from the section “Start up emulators” on this website
 - Run this command: `firebase emulators:start`

```

i emulators: Starting emulators: auth, firestore
Δ firestore: Cloud Firestore Emulator does not support multiple databases yet.
Δ firestore: Did not find a Cloud Firestore rules file specified in a firebase.json config file.
Δ firestore: The emulator will default to allowing all reads and writes. Learn more about this option: https://firebase.google.com/docs/emulator-suite/install_and_configure#security_rules_configuration.
i firestore: Firestore Emulator logging to firestore-debug.log
✓ firestore: Firestore Emulator UI websocket is running on 9150.
i ui: downloading ui-v1.15.0.zip...
Progress: =====> (100% of 4MB)

✓ All emulators ready! It is now safe to connect your app.
i View Emulator UI at http://127.0.0.1:4000/


```

Emulator	Host:Port	View in Emulator UI
Authentication	127.0.0.1:9099	http://127.0.0.1:4000/auth
Firestore	127.0.0.1:8080	http://127.0.0.1:4000/firestore


```

Emulator Hub host: 127.0.0.1 port: 4400
Other reserved ports: 4500, 9150

Issues? Report them at https://github.com/firebase/firebase-tools/issues and attach the *-debug.log files.

```

- Then copy the link at “View Emulator UI at <link>” into your browser and go to that link
 - It will navigate you to the Emulator! (Photo below)



Running a Test File

- Before running a test file, ensure that you completed all of the above steps.
- In addition, change the port numbers in the code to the port numbers you chose when setting up your emulators.
 - For example, in SignupLoginTest.java, you may need to change the numbers labelled in red if your port numbers are different:

```
public class SignupLoginTest {  
    no usages  
    FirebaseFirestore db = FirebaseFirestore.getInstance();  
    2 usages  
    private static boolean emulatorStarted = false;  
    2 usages  
    private final int firestorePort = 8080; // PORT OF firestore emulator - change to firestore emulator port  
    2 usages  
    private final int mAuthPort = 9099; // PORT OF firestore emulator - change to firestore emulator port  
    2 usages  
    private final String projectId = "coolio-events"; // String of of project id emulator is running on
```

Optional: Uninstalling Firebase CLI

- This is not needed for running any of the tests

- This is only if you would no longer like Firebase CLI installed on your device

<https://firebase.google.com/docs/cli#install-cli-mac-linux>

- Go to the section “Uninstall the Firebase CLI” on this website and follow the instructions for your OS