

itor ornare. Suspendisse dictum feugiat nisl, id euismod orci venenatis id. Mauris nibh quam, tempus non consectetur quis, condimentum vel nibh. Nullam nec neque nisl. Nulla sed orci sit amet dui ullamcorper porta et sit amet nibh. Etiam eu rhoncus ante, tincidunt consectetur nibh.

Duis lorem elit, vehicula eget sapien nec, venenatis elementum risus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc semper euismod convallis. Cras cursus at ex id ullamcorper. Quisque vel sapien pretium, gravida ante consectetur, feugiat orci. Morbi est nulla, efficitur quis scelerisque sodales, eleifend non sem. Maecenas efficitur id elit vitae fringilla. Interdum et malesuada fames ac ante ipsum primis in faucibus. Ut tincidunt lacinia ante, a imperdiet risus feugiat quis. Fusce vel nisi ligula. Donec imperdiet elit vel volutpat lobortis. Pellentesque maximus rutrum dolor. Integer lobortis dictum dolor suscipit scelerisque.

Pellentesque sit amet bibendum nibh. Duis lacinia porttitor enim, quis semper tellus fringilla non. Vivamus commodo in libero vel tincidunt. Donec nec lacinia nisl. Donec eu blandit enim. Etiam in fringilla ex. Praesent id elit mauris. Curabitur purus felis, laoreet non urna id, accumsan imperdiet dolor. Mauris vitae mollis nisi. Vivamus a nisi tempor, porta turpis vel, tempor odio.

Phasellus cursus, purus eget blandit feugiat, magna lacus ornare turpis, sit amet suscipit nisi lectus sed augue. Nulla mollis, justo id vulputate bibendum, ante velit tincidunt felis, et hendrerit lorem felis ut velit. Praesent vel sapien nibh. Fusce mattis porta nulla, ac posuere est condimentum nec. Aenean sodales justo lectus, vitae dignissim nibh mattis quis. Sed pretium tempus eleifend. Cras sed ligula a tellus convallis vehicula nec id mi. Fusce posuere, enim sit amet mattis feugiat, eros risus varius tortor, ut iaculis nibh ex sit amet sem. Mauris efficitur sagittis nisl sed blandit. Duis luctus mi vel purus varius, a commodo tellus interdum. Donec facilisis sapien nec pretium rhoncus. Sed in euismod metus. Aenean magna massa, ultrices a fermentum eget, tristique non velit. Maecenas fermentum, nulla nec euismod dignissim, nisl risus porta elit, et fringilla sapien sem nec lorem. Maecenas eleifend est vel mi faucibus, at laoreet orci efficitur.

Phasellus commodo nulla eleifend diam vulputate malesuada. Mauris nec pulvinar ligula, sed luctus neque. Vestibulum ac urna purus. Donec sagittis nunc elit, sed condimentum mi euismod aliquam. Proin est ex, rutrum ut feugiat eu, mollis vel tellus. Ut fermentum erat sit amet orci pulvinar, at aliquet eros mollis. Duis rhoncus tempus ipsum id tempor. Duis lobortis risus sit amet velit accumsan elementum.

{

"bomFormat": "CycloneDX",

"specVersion": "1.3",

"serialNumber": "urn:uuid:2aa86747-3b22-4457-910e-875a57b9053b",

"version": 1,

"metadata": {

```
"timestamp": "2022-01-24T10:48:27-06:00",
"tools": [
  {
    "vendor": "CycloneDX",
    "name": "cyclonedx-gomod",
    "version": "v1.1.0",
    "hashes": [
      {
        "alg": "MD5",
        "content": "1b565da796908ad6c6525c609d53c4b7"
      },
      {
        "alg": "SHA-1",
        "content": "6ec9a2fd95f82738eb0e11b5f2edaff8934e07df"
      },
      {
        "alg": "SHA-256",
        "content": "88f1545e253ecc650a85b6240c7fb799aa36f2c16e12cb154ee580d0176bf0ab"
      },
      {
        "alg": "SHA-384",
        "content":
"373dd471f72618cc8583f67e24d6fc5292b2f9913f842c0c1ec53810a60bbcd1f6ff340b635fbb8f8dbb4b4cd7b56b86"
      },
      {
        "alg": "SHA-512",
        "content":
"9635166696be47e2741a95c3d9ae299da43545d06aa8bd8fc9c774dd64b0d0aa3d99136d8e73b9ba0401b
aa4cc67a3b951d9de439eeced4a706a1efd149cb918"
      }
    ]
  }
]
```

```
]
}
],
"component": {
  "bom-ref": "pkg:golang/github.com/panther-labs/panther@v1.26.10-0.20220121152127-80edc37d9704?type=module",
  "type": "application",
  "name": "github.com/panther-labs/panther",
  "version": "v1.26.10-0.20220121152127-80edc37d9704",
  "purl": "pkg:golang/github.com/panther-labs/panther@v1.26.10-0.20220121152127-80edc37d9704?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/panther-labs/panther",
      "type": "vcs"
    }
  ]
},
"components": [
  {
    "bom-ref": "pkg:golang/cloud.google.com/go@v0.100.2?type=module",
    "type": "library",
    "name": "cloud.google.com/go",
    "version": "v0.100.2",
    "scope": "required",
    "hashes": [
      {
        "alg": "SHA-256",
        "content": "b7d230e501f9bf85ed94441a0ad518ef1eac080069b3cb16d1a730eded9643a6"
```

```
}
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/cloud.google.com/go@v0.100.2?type=module"
},
{
  "bom-ref": "pkg:golang/cloud.google.com/go/compute@v0.1.0?type=module",
  "type": "library",
  "name": "cloud.google.com/go/compute",
  "version": "v0.1.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "ad2501bc0c95c0d279b9008a34914cc0fb53bc991f377f1be8fbdbf73668a89f"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
}
```

```
"purl": "pkg:golang/cloud.google.com/go/compute@v0.1.0?type=module"
},
{
  "bom-ref": "pkg:golang/cloud.google.com/go/iam@v0.1.0?type=module",
  "type": "library",
  "name": "cloud.google.com/go/iam",
  "version": "v0.1.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "5b6bdb182ac4dd9ec9ff1dd65cbc711a5f4b312076ba1b0003b4acffabbfa916"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/cloud.google.com/go/iam@v0.1.0?type=module"
},
{
  "bom-ref": "pkg:golang/cloud.google.com/go/monitoring@v1.2.0?type=module",
  "type": "library",
  "name": "cloud.google.com/go/monitoring",
  "version": "v1.2.0",
  "scope": "required",
  "hashes": [
```

```
{
  "alg": "SHA-256",
  "content": "7c4bd0213ae155c3cceafb8341c80f31b53991915e405c19984eefebe4bc04fa"
},
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/cloud.google.com/go/monitoring@v1.2.0?type=module"
},
{
  "bom-ref": "pkg:golang/cloud.google.com/go/pubsub@v1.17.1?type=module",
  "type": "library",
  "name": "cloud.google.com/go/pubsub",
  "version": "v1.17.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "b365064d3a61a67510d16a69929d8ea6b478a52de7941a4fbf22f6195f5ca9d7"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ]
}
```

```
    }
  }
],
  "purl": "pkg:golang/cloud.google.com/go/pubsub@v1.17.1?type=module"
},
{
  "bom-ref": "pkg:golang/cloud.google.com/go/storage@v1.18.2?type=module",
  "type": "library",
  "name": "cloud.google.com/go/storage",
  "version": "v1.18.2",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "e4d430ead3a7dde326d2813cbd391f8dabb5f248cbefd165323cbf0874e99a86"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/cloud.google.com/go/storage@v1.18.2?type=module"
},
{
  "bom-ref": "pkg:golang/github.com/99designs/gqlgen@v0.14.0?type=module",
  "type": "library",
  "name": "github.com/99designs/gqlgen",
```

```
"version": "v0.14.0",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "5a0f1a3584148cc47fe2ff96df10feed28b33b2ea54af55e434e80a1b3500172"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/99designs/gqlgen@v0.14.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/99designs/gqlgen",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/Azure/azure-pipeline-go@v0.2.3?type=module",
  "type": "library",
  "name": "github.com/Azure/azure-pipeline-go",
  "version": "v0.2.3",
  "scope": "required",
  "hashes": [
```



```
{
  "alg": "SHA-256",
  "content": "ed4f47060d4914ade31e5e6a9a8e024d92854d580cc1d147315b4275f044db55"
},
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/Azure/azure-pipeline-go@v0.2.3?type=module",
"externalReferences": [
  {
    "url": "https://github.com/Azure/azure-pipeline-go",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/Azure/azure-storage-blob-go@v0.14.0?type=module",
  "type": "library",
  "name": "github.com/Azure/azure-storage-blob-go",
  "version": "v0.14.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "d410a0ef802655d6303b77652b0b45535574c14d8f65d444917bc09992515253"
```

```
}
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/Azure/azure-storage-blob-go@v0.14.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/Azure/azure-storage-blob-go",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/Azure/go-autorest@v14.2.0+incompatible?type=module",
  "type": "library",
  "name": "github.com/Azure/go-autorest",
  "version": "v14.2.0+incompatible",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "57954c0e30a50f71a2125a8b58eee6cf63313402bfbd37d11dd02e6d220f460b"
    }
  ],
  "licenses": [
```

```
{
  "license": {
    "id": "Apache-2.0"
  }
},
"purl": "pkg:golang/github.com/Azure/go-autorest@v14.2.0+incompatible?type=module",
"externalReferences": [
  {
    "url": "https://github.com/Azure/go-autorest",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/Azure/go-autorest/autorest/adal@v0.9.18?type=module",
  "type": "library",
  "name": "github.com/Azure/go-autorest/autorest/adal",
  "version": "v0.9.18",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "90b9cfb118f3659505dcae5112efca73ea8c42bbeecdad9bc129cd7619b32df4"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
```

```
    }
  }
],
"purl": "pkg:golang/github.com/Azure/go-autorest/autorest/adal@v0.9.18?type=module",
"externalReferences": [
  {
    "url": "https://github.com/Azure/go-autorest/autorest/adal",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/Azure/go-autorest/autorest/date@v0.3.0?type=module",
  "type": "library",
  "name": "github.com/Azure/go-autorest/autorest/date",
  "version": "v0.3.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "ee0524d54e4cfc241ba7d5a8aa29cdcc96abfbc298f8b3c8eb0896acffe6c87c"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
}
```

```
"purl": "pkg:golang/github.com/Azure/go-autorest/autorest/date@v0.3.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/Azure/go-autorest/autorest/date",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/Azure/go-autorest/logger@v0.2.1?type=module",
  "type": "library",
  "name": "github.com/Azure/go-autorest/logger",
  "version": "v0.2.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "206ee2e29fe60dad827b84d1c803bc2079d5840545dd1154f99b5759299fe138"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/Azure/go-autorest/logger@v0.2.1?type=module",
  "externalReferences": [
    {
```

```
    "url": "https://github.com/Azure/go-autorest/logger",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/Azure/go-autorest/tracing@v0.6.0?type=module",
  "type": "library",
  "name": "github.com/Azure/go-autorest/tracing",
  "version": "v0.6.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "4d88b8fb79b9b7a2b8f13188f4051d6fe2336e74b1be7bd431fba2b5f81c7eea"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/Azure/go-autorest/tracing@v0.6.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/Azure/go-autorest/tracing",
      "type": "vcs"
    }
  ]
}
```

```
]
},
{
  "bom-ref": "pkg:golang/github.com/Masterminds/semver/v3@v3.1.1?type=module",
  "type": "library",
  "name": "github.com/Masterminds/semver/v3",
  "version": "v3.1.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "84b837b01ce9344ae7c6142d532fe698b47623d7e80ee8cd2b4df42067a6ad17"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/Masterminds/semver/v3@v3.1.1?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/Masterminds/semver",
      "type": "vcs"
    }
  ]
},
{
```

```
"bom-ref": "pkg:golang/github.com/agnivade/levenshtein@v1.1.1?type=module",
"type": "library",
"name": "github.com/agnivade/levenshtein",
"version": "v1.1.1",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "418f0cf769ebce49abefdf200a8de498ccaa5c5cdd415a712e518f4418a3d0ff"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/agnivade/levenshtein@v1.1.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/agnivade/levenshtein",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/anyascii/go@v0.3.0?type=module",
  "type": "library",
  "name": "github.com/anyascii/go",
```



```
"version": "v0.3.0",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "e34c251dada0d3dc4228cb154db04f3883789d4ed6f8e3e3b08f8c0e4fb384a9"
  }
],
"licenses": [
  {
    "license": {
      "id": "0BSD"
    }
  }
],
"purl": "pkg:golang/github.com/anyascii/go@v0.3.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/anyascii/go",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/apache/arrow/go/arrow@v0.0.0-20211112161151-
bc219186db40?type=module",
  "type": "library",
  "name": "github.com/apache/arrow/go/arrow",
  "version": "v0.0.0-20211112161151-bc219186db40",
  "scope": "required",
```

```
"hashes": [  
  {  
    "alg": "SHA-256",  
    "content": "ab8764b2be880875ea1b9866d195b9207c9e1095e820948e65e04b9963cd7884"  
  }  
,  
  "licenses": [  
    {  
      "license": {  
        "id": "Apache-2.0"  
      }  
    }  
,  
    "purl": "pkg:golang/github.com/apache/arrow/go/arrow@v0.0.0-20211112161151-bc219186db40?  
type=module",  
    "externalReferences": [  
      {  
        "url": "https://github.com/apache/arrow/go/arrow",  
        "type": "vcs"  
      }  
    ]  
  },  
  {  
    "bom-ref": "pkg:golang/github.com/aws-cloudformation/rain@v1.2.0?type=module",  
    "type": "library",  
    "name": "github.com/aws-cloudformation/rain",  
    "version": "v1.2.0",  
    "scope": "required",  
    "hashes": [  
      {
```

```
    "alg": "SHA-256",
    "content": "5c5090aed95ca898d068241e924e962e67cd55c06502b5eaaba3353e7ff1f921"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws-cloudformation/rain@v1.2.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws-cloudformation/rain",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-lambda-go@v1.27.1?type=module",
  "type": "library",
  "name": "github.com/aws/aws-lambda-go",
  "version": "v1.27.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "3001fa85baec92d712aff80640a2ef1de24f7a83a86aca49aa1f8ee20d396e90"
    }
  ]
}
```

```
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws/aws-lambda-go@v1.27.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-lambda-go",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go@v1.42.28?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go",
  "version": "v1.42.28",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "609b602fb20648de35b1a63824b5b4f23c9ae67534bc672e01e01ad4e2f633a7"
    }
  ],
  "licenses": [
    {
```

```
    "license": {
      "id": "Apache-2.0"
    }
  },
  "purl": "pkg:golang/github.com/aws/aws-sdk-go@v1.42.28?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go",
      "type": "vcs"
    }
  ],
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2",
  "version": "v1.13.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "d5721701fc6c1266e16e3e6bcb70f7bd7fba65c518bc8a929b8096584b866420"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ]
}
```

```
}
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/aws/protocol/eventstream@v1.0.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/aws/protocol/eventstream",
  "version": "v1.0.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "c95500c2f242ff458d3dbca5d270378f52fa096d4237cc01b9b091aad1bb24b2"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
}
```

```
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/aws/protocol/eventstream@v1.0.0?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/aws/protocol/eventstream",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/config@v1.11.1?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/config",
  "version": "v1.11.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "2974a36fb64c2d1b63c42945a6dba44d889b88ea894bd37004efbd583dd432da"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/config@v1.11.1?type=module",
  "externalReferences": [
```

```
{
  "url": "https://github.com/aws/aws-sdk-go-v2/config",
  "type": "vcs"
}
],
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/credentials@v1.6.5?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/credentials",
  "version": "v1.6.5",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "66bb0eda3b36bf84fde6bb02216a006ff724e7e535930922cc67591d8fa78b7b"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/credentials@v1.6.5?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/credentials",
      "type": "vcs"
    }
  ]
}
```



```
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue@v1.4.5?
type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue",
  "version": "v1.4.5",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "3a7758840bb79358c214076c813c02663c386511459a0265a0b9f9ea0abcaa05"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue@v1.4.5?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue",
      "type": "vcs"
    }
  ]
}
```

```
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/dynamodb/expression@v1.3.5?
type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/feature/dynamodb/expression",
  "version": "v1.3.5",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "83b69ad89273789b7cbcb9404df7d397266c39a58fe2f3846b095132206e41c0"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/dynamodb/expression@v1.3.5?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/feature/dynamodb/expression",
      "type": "vcs"
    }
  ]
}
```

```
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/ec2/imds@v1.8.2?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/feature/ec2/imds",
  "version": "v1.8.2",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "2a23794cf38bac48db182bdd4d0478b745384fceed57000b679060de3a4ca8f6"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/ec2/imds@v1.8.2?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/feature/ec2/imds",
      "type": "vcs"
    }
  ]
},
{
```

```
"bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/s3/manager@v1.7.5?
type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/feature/s3/manager",
  "version": "v1.7.5",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "298622e9b5d39db569c891c747b1100e6067112d808a659df4f42a9169b350d6"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/s3/manager@v1.7.5?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/feature/s3/manager",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?
type=module",
```

```
"type": "library",
"name": "github.com/aws/aws-sdk-go-v2/internal/configsources",
"version": "v1.1.4",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "0918902781364617c376a6e27b56580e8f10b48a3be4c93ba1374949fc094cc4"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/internal/configsources",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/internal/endpoints/v2",
```

```
"version": "v2.2.0",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "dc00e88a80cc3ad178ba22b9f6f0a9a65a42c2e80453ebf86450f6f630cbdd14"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/internal/endpoints",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/ini@v1.3.2?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/internal/ini",
  "version": "v1.3.2",
  "scope": "required",
  "hashes": [
```

```
{
  "alg": "SHA-256",
  "content": "210ba9f10ea5a2b5de880feb2bbd8f793a16a162bc87b5403e01cd59d4abb601"
},
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/ini@v1.3.2?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/internal/ini",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/athena@v1.10.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/athena",
  "version": "v1.10.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "7c9d4f213bde5b3af8431553a544ac160ec31c609b47e8352345fff3d35ea6a9"
```

```
}
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/athena@v1.10.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/service/athena",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/cloudformation@v1.16.0?
type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/cloudformation",
  "version": "v1.16.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "62619d21b25bfda30451ba18c3170c49120078823aef936a1afe45e6e9e5f705"
    }
  ],

```



```
"licenses": [  
  {  
    "license": {  
      "id": "Apache-2.0"  
    }  
  }  
],  
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/cloudformation@v1.16.0?  
type=module",  
  "externalReferences": [  
    {  
      "url": "https://github.com/aws/aws-sdk-go-v2/service/cloudformation",  
      "type": "vcs"  
    }  
  ]  
},  
{  
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/cloudwatchlogs@v1.11.0?  
type=module",  
  "type": "library",  
  "name": "github.com/aws/aws-sdk-go-v2/service/cloudwatchlogs",  
  "version": "v1.11.0",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "5898043cf3828252c6c846a09e97cffd642f2a1c9ea94f32c6f602da3a842c74"  
    }  
  ],  
  "licenses": [  

```

```
{
  "license": {
    "id": "Apache-2.0"
  }
},
{
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/cloudwatchlogs@v1.11.0?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/service/cloudwatchlogs",
      "type": "vcs"
    }
  ],
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/codebuild@v1.17.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/codebuild",
  "version": "v1.17.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "1b10db92dd1018c8fcdf785e8ace7e72480b69685c7d0fdd9deef212b3997fe2"
    }
  ],
  "licenses": [
    {
      "license": {
```

```
    "id": "Apache-2.0"
  }
}
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/codebuild@v1.17.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/service/codebuild",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodb@v1.11.0?
type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/dynamodb",
  "version": "v1.11.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "b5efa7205c0f7f9062fdc66f77d83ff84174824253ddcd09ff9f8d331d0d0598"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ]
}
```

```
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodb@v1.11.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/service/dynamodb",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodbstreams@v1.9.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/dynamodbstreams",
  "version": "v1.9.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "6f945beed5bddac44218b313526858e953c56690df135bebac6b599bcfbfd53d"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
}
```

```
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodbstreams@v1.9.0?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/service/dynamodbstreams",
      "type": "vcs"
    }
  ],
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/ecr@v1.12.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/ecr",
  "version": "v1.12.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "a032052bd8e2a3f83cf248c48a1b64c6dd8829e966ecb8c4ef9857e31eebc685"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/ecr@v1.12.0?type=module",
  "externalReferences": [
```

```
{
  "url": "https://github.com/aws/aws-sdk-go-v2/service/ecr",
  "type": "vcs"
}
],
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/eventbridge@v1.11.0?
type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/eventbridge",
  "version": "v1.11.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "b62f0f48ff1ac7b080de2feb07f4aae8bd2b4769e46d2b1e6a290aa407619c2c"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/eventbridge@v1.11.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/service/eventbridge",
```

```
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/glue@v1.17.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/glue",
  "version": "v1.17.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "c8702a949d2f62ebf6d827c37496f3de3a2f87a3a6cc64dc3858645b101ad7c2"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/glue@v1.17.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/service/glue",
      "type": "vcs"
    }
  ]
}
```

```
    },
    {
      "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding@v1.5.0?
type=module",
      "type": "library",
      "name": "github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding",
      "version": "v1.5.0",
      "scope": "required",
      "hashes": [
        {
          "alg": "SHA-256",
          "content": "94f2dbc381a7e7dba82aabce7d29e426be785d6939024d4d2b6d191224966f75"
        }
      ],
      "licenses": [
        {
          "license": {
            "id": "Apache-2.0"
          }
        }
      ],
      "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding@v1.5.0?
type=module",
      "externalReferences": [
        {
          "url": "https://github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding",
          "type": "vcs"
        }
      ]
    },
  ],
}
```



```
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/endpoint-
discovery@v1.3.3?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/internal/endpoint-discovery",
  "version": "v1.3.3",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "aeef7e22991522e0ef2249bd4340c48ed5879e1e884c3a19a3c7c7d9d22396a4"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/endpoint-discovery@v1.3.3?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/service/internal/endpoint-discovery",
      "type": "vcs"
    }
  ]
},
{
```

```
"bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/presigned-url@v1.5.2?
type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/internal/presigned-url",
  "version": "v1.5.2",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "08a75434a9ae8a5c3f28d98ed90e7702ff2ef99c97302d8cf5a5fc67e73f8338"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/presigned-url@v1.5.2?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/aws/aws-sdk-go-v2/service/internal/presigned-url",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/s3shared@v1.9.2?
type=module",
```

```
"type": "library",
"name": "github.com/aws/aws-sdk-go-v2/service/internal/s3shared",
"version": "v1.9.2",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "1a73c61f51467387e49f425b9bff2bdbe9cf3b04898d83f21d2a854af6358a2f"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/s3shared@v1.9.2?
type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/service/internal/s3shared",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/lambda@v1.15.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/lambda",
```

```
"version": "v1.15.0",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "6b5f192014cc7994c9bc6058125a8393a596b73541baa55a01a017fbb5f5e5eb"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/lambda@v1.15.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/service/lambda",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/s3@v1.22.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/s3",
  "version": "v1.22.0",
  "scope": "required",
  "hashes": [
```

```
{
  "alg": "SHA-256",
  "content": "27bf1113f60da210866d4c886dcde1afe5309edb5f3a7d9d25490d7ef0e44f7d"
},
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/s3@v1.22.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/service/s3",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sso@v1.7.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/sso",
  "version": "v1.7.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "1387f1020fd413c6baca22d962ff3f10fd2e5ca3cf4489a231abb889fb7a4bf8"
```

```
}
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sso@v1.7.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/service/sso",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sts@v1.12.0?type=module",
  "type": "library",
  "name": "github.com/aws/aws-sdk-go-v2/service/sts",
  "version": "v1.12.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "ee0d36e769364c5dde0350ed7e44d007fb6a238d58bdb50f6a89704d1d3f2137"
    }
  ],
  "licenses": [
```

```
{
  "license": {
    "id": "Apache-2.0"
  }
},
"purl": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sts@v1.12.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/aws-sdk-go-v2/service/sts",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
  "type": "library",
  "name": "github.com/aws/smithy-go",
  "version": "v1.10.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "82ca1940c3479d7f8f6a084dc38ca73ecc863fb6940aac79b18d9d94f42c674c"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
```

```
    }
  }
],
"purl": "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/aws/smithy-go",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/awslabs/aws-lambda-go-api-proxy@v0.12.0?type=module",
  "type": "library",
  "name": "github.com/awslabs/aws-lambda-go-api-proxy",
  "version": "v0.12.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "31363670d6616abd7250f74c18b2ed13f596e759b155b627dfb0b95b0e6d0694"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
}
```



```
"purl": "pkg:golang/github.com/awslabs/aws-lambda-go-api-proxy@v0.12.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/awslabs/aws-lambda-go-api-proxy",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/cenkalti/backoff/v4@v4.1.2?type=module",
  "type": "library",
  "name": "github.com/cenkalti/backoff/v4",
  "version": "v4.1.2",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "e98a3b37c50fd8ae8b5999d6f780cb5524ab6e86dc59d5730183a2b2e0cf205a"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/cenkalti/backoff/v4@v4.1.2?type=module",
  "externalReferences": [
    {
```

```
    "url": "https://github.com/cenkalti/backoff",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/census-instrumentation/opencensus-proto@v0.2.1?
type=module",
  "type": "library",
  "name": "github.com/census-instrumentation/opencensus-proto",
  "version": "v0.2.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "8251178414b93d22cbbf8217ccb039c8f4555f86e29542d5cb1c5badf3ad0c09"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/census-instrumentation/opencensus-proto@v0.2.1?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/census-instrumentation/opencensus-proto",
      "type": "vcs"
    }
  ]
}
```

```
}
]
},
{
  "bom-ref": "pkg:golang/github.com/cespare/xxhash/v2@v2.1.1?type=module",
  "type": "library",
  "name": "github.com/cespare/xxhash/v2",
  "version": "v2.1.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "e8c9d137c353efe601a54216c47b5e7c564e29300f8068e9412c6a2cd9f4faa6"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/cespare/xxhash/v2@v2.1.1?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/cespare/xxhash",
      "type": "vcs"
    }
  ]
},
```

```
{
  "bom-ref": "pkg:golang/github.com/cncf/udpa/go@v0.0.0-20210930031921-04548b0d99d4?
type=module",
  "type": "library",
  "name": "github.com/cncf/udpa/go",
  "version": "v0.0.0-20210930031921-04548b0d99d4",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "8730109ed95a61191548511f8fd3935a5555d47d79e45303f014ca92d2efd102"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/cncf/udpa/go@v0.0.0-20210930031921-04548b0d99d4?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/cncf/udpa/go",
      "type": "vcs"
    }
  ]
},
{
```

```
"bom-ref": "pkg:golang/github.com/cncf/xds/go@v0.0.0-20211011173535-cb28da3451f1?
type=module",
  "type": "library",
  "name": "github.com/cncf/xds/go",
  "version": "v0.0.0-20211011173535-cb28da3451f1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "cc7f258d5861abbc82d0c21e50bfc8be232d63c871da62bc70df701186fc820c"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/cncf/xds/go@v0.0.0-20211011173535-cb28da3451f1?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/cncf/xds/go",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/cpuguy83/go-md2man/v2@v2.0.1?type=module",
```

```
"type": "library",
"name": "github.com/cpuguy83/go-md2man/v2",
"version": "v2.0.1",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "aff9b2116cd5f657ec335b452e00f2bb46ad16d2757d79f6eb52ca623ff70f15"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/cpuguy83/go-md2man/v2@v2.0.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/cpuguy83/go-md2man",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",
  "type": "library",
  "name": "github.com/davecgh/go-spew",
  "version": "v1.1.1",
```

```
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "be3f63feed5baa7bc211f24ec1486d94e011aacdfeae41d8635de36164d4f7b7"
  }
],
"licenses": [
  {
    "license": {
      "id": "0BSD"
    }
  }
],
"purl": "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/davecgh/go-spew",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/davidminor/uint128@v0.0.0-20141227063632-5745f1bf8041?type=module",
  "type": "library",
  "name": "github.com/davidminor/uint128",
  "version": "v0.0.0-20141227063632-5745f1bf8041",
  "scope": "required",
  "hashes": [
```

```

    {
      "alg": "SHA-256",
      "content": "aa88bbc988ccdcdb2dfe3acb061985f9e5043be89a00113d7a07ac78a7d1532be"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/davidminor/uint128@v0.0.0-20141227063632-5745f1bf8041?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/davidminor/uint128",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/dchest/uniuri@v0.0.0-20200228104902-7aecb25e1fe5?
type=module",
  "type": "library",
  "name": "github.com/dchest/uniuri",
  "version": "v0.0.0-20200228104902-7aecb25e1fe5",
  "scope": "required",
  "hashes": [
    {

```



```
    "alg": "SHA-256",
    "content": "440574e5cd313a4277759192d091726f114a67658c2da6e0c77b979ddeeba46b"
  }
],
"licenses": [
  {
    "license": {
      "id": "CC0-1.0"
    }
  }
],
"purl": "pkg:golang/github.com/dchest/uniuri@v0.0.0-20200228104902-7aecb25e1fe5?
type=module",
"externalReferences": [
  {
    "url": "https://github.com/dchest/uniuri",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/decred/dcrd/dcrec/secp256k1/v4@v4.0.1?type=module",
  "type": "library",
  "name": "github.com/decred/dcrd/dcrec/secp256k1/v4",
  "version": "v4.0.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "60bb4eef5bc28c944205cacf32d43d9ea06caa90359b9b04f76714fa977931c7"
```

```
}
],
"licenses": [
  {
    "license": {
      "id": "0BSD"
    }
  }
],
"purl": "pkg:golang/github.com/decred/dcrd/dcrec/secp256k1/v4@v4.0.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/decred/dcrd/dcrec/secp256k1",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/dustin/go-humanize@v1.0.0?type=module",
  "type": "library",
  "name": "github.com/dustin/go-humanize",
  "version": "v1.0.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "5529d3b180a79451da336fe280ed61e97dc703bd637286d0bb17a6824ab8cd8a"
    }
  ],
  "licenses": [
```

```
{
  "license": {
    "id": "MIT"
  }
},
"purl": "pkg:golang/github.com/dustin/go-humanize@v1.0.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/dustin/go-humanize",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/ec2-software/gqlgen-introspect-filter@v0.3.0?type=module",
  "type": "library",
  "name": "github.com/ec2-software/gqlgen-introspect-filter",
  "version": "v0.3.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "f9c808a566cc02c70b47a113ad0303129a51e2a621c1b6db4b0bdec849838f68"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
```

```
    }
  }
],
"purl": "pkg:golang/github.com/ec2-software/gqlgen-introspect-filter@v0.3.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/ec2-software/gqlgen-introspect-filter",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/envoyproxy/go-control-plane@v0.9.10-0.20210907150352-cf90f659a021?type=module",
  "type": "library",
  "name": "github.com/envoyproxy/go-control-plane",
  "version": "v0.9.10-0.20210907150352-cf90f659a021",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "7cff9f174ba9ea83d8e3d3ab8cfae1209f3241f74833ce4d5cc2e4320d445d5b"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ]
}
```

```
],
  "purl": "pkg:golang/github.com/envoyproxy/go-control-plane@v0.9.10-0.20210907150352-
cf90f659a021?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/envoyproxy/go-control-plane",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/envoyproxy/protoc-gen-validate@v0.1.0?type=module",
  "type": "library",
  "name": "github.com/envoyproxy/protoc-gen-validate",
  "version": "v0.1.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "1107220e76eb631cb5dcf816a18f00aa8c4688fae980167547c50d7b775d73e0"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/envoyproxy/protoc-gen-validate@v0.1.0?type=module",
```

```
"externalReferences": [  
  {  
    "url": "https://github.com/envoyproxy/protoc-gen-validate",  
    "type": "vcs"  
  }  
],  
,  
{  
  "bom-ref": "pkg:golang/github.com/fatih/structtag@v1.2.0?type=module",  
  "type": "library",  
  "name": "github.com/fatih/structtag",  
  "version": "v1.2.0",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "fce74d13df4ec6823f3ea696fd2b922bdbb1c53ddffed712660a27fecb0d4b1e"  
    }  
  ],  
  "purl": "pkg:golang/github.com/fatih/structtag@v1.2.0?type=module",  
  "externalReferences": [  
    {  
      "url": "https://github.com/fatih/structtag",  
      "type": "vcs"  
    }  
  ]  
},  
{  
  "bom-ref": "pkg:golang/github.com/form3tech-oss/jwt-go@v3.2.5+incompatible?type=module",  
  "type": "library",
```

```
"name": "github.com/form3tech-oss/jwt-go",
"version": "v3.2.5+incompatible",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "fe5e2405b6f8fef192b1db41e6751ef0bec1f6622654c6813f0f4bff44c11d4f"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/form3tech-oss/jwt-go@v3.2.5+incompatible?type=module",
"externalReferences": [
  {
    "url": "https://github.com/form3tech-oss/jwt-go",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/fsnotify/fsnotify@v1.4.9?type=module",
  "type": "library",
  "name": "github.com/fsnotify/fsnotify",
  "version": "v1.4.9",
  "scope": "required",
```

```
"hashes": [  
  {  
    "alg": "SHA-256",  
    "content": "86c9acd50caed23827c0d5c8c5afbf57f3c3b14e827cb7fa08d3bc1fb216a12e"  
  }  
,  
  "licenses": [  
    {  
      "license": {  
        "id": "BSD-3-Clause"  
      }  
    }  
,  
    "purl": "pkg:golang/github.com/fsnotify/fsnotify@v1.4.9?type=module",  
    "externalReferences": [  
      {  
        "url": "https://github.com/fsnotify/fsnotify",  
        "type": "vcs"  
      }  
    ]  
  },  
  {  
    "bom-ref": "pkg:golang/github.com/gabriel-vasile/mimetype@v1.4.0?type=module",  
    "type": "library",  
    "name": "github.com/gabriel-vasile/mimetype",  
    "version": "v1.4.0",  
    "scope": "required",  
    "hashes": [  
      {  
        "alg": "SHA-256",
```



```
    "content": "0a7f5d91d62c308bb9ead1a1a3e7eace1ed79af636632194d059db8623ac12ba"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/gabriel-vasile/mimetype@v1.4.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/gabriel-vasile/mimetype",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/getsentry/sentry-go@v0.12.0?type=module",
  "type": "library",
  "name": "github.com/getsentry/sentry-go",
  "version": "v0.12.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "7ab6bb834adee62635ddb1d274dff1324c95fb9cd9a698d1550859ad709a1089"
    }
  ]
},
```

```
"licenses": [  
  {  
    "license": {  
      "id": "BSD-2-Clause"  
    }  
  }  
],  
"purl": "pkg:golang/github.com/getsentry/sentry-go@v0.12.0?type=module",  
"externalReferences": [  
  {  
    "url": "https://github.com/getsentry/sentry-go",  
    "type": "vcs"  
  }  
]  
},  
{  
  "bom-ref": "pkg:golang/github.com/go-playground/locales@v0.14.0?type=module",  
  "type": "library",  
  "name": "github.com/go-playground/locales",  
  "version": "v0.14.0",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "bb9d2cdf6de3b551ae80a95c61ecb30b47ad0f51e27cc8ea989a9bf16ba07d45"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {
```

```
    "id": "MIT"
  }
}
],
"purl": "pkg:golang/github.com/go-playground/locales@v0.14.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/go-playground/locales",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/go-playground/universal-translator@v0.18.0?type=module",
  "type": "library",
  "name": "github.com/go-playground/universal-translator",
  "version": "v0.18.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "f36772cbaa783ae26ae3f081c8534e9ff8d8ae744f02b1f001c98ba09671ca1a"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ]
}
```

```

],
"purl": "pkg:golang/github.com/go-playground/universal-translator@v0.18.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/go-playground/universal-translator",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/go-playground/validator@v9.31.0+incompatible?
type=module",
  "type": "library",
  "name": "github.com/go-playground/validator",
  "version": "v9.31.0+incompatible",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "500ef610f1288049eaefa7a119d103a78322b7edc50e1e78f2846ac1580db070"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/go-playground/validator@v9.31.0+incompatible?type=module",

```

```
"externalReferences": [  
  {  
    "url": "https://github.com/go-playground/validator",  
    "type": "vcs"  
  }  
],  
{  
  "bom-ref": "pkg:golang/github.com/goccy/go-json@v0.9.0?type=module",  
  "type": "library",  
  "name": "github.com/goccy/go-json",  
  "version": "v0.9.0",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "d9f956edb91bad1814f15b838b45970ea4e63e29a3bf5b617f190f7bcb2e83ef"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {  
        "id": "MIT"  
      }  
    }  
  ],  
  "purl": "pkg:golang/github.com/goccy/go-json@v0.9.0?type=module",  
  "externalReferences": [  
    {  
      "url": "https://github.com/goccy/go-json",
```

```
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/golang-jwt/jwt@v3.2.2+incompatible?type=module",
  "type": "library",
  "name": "github.com/golang-jwt/jwt",
  "version": "v3.2.2+incompatible",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "21f575d8af3100a02766a757573099f933a36e867691e2e0f357977d6dcefa86"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/golang-jwt/jwt@v3.2.2+incompatible?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/golang-jwt/jwt",
      "type": "vcs"
    }
  ]
}
```

```
},
{
  "bom-ref": "pkg:golang/github.com/golang-jwt/jwt/v4@v4.2.0?type=module",
  "type": "library",
  "name": "github.com/golang-jwt/jwt/v4",
  "version": "v4.2.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "6deb200530bcc3c1e33fa37341dc70287f59e6840c676e13853ac7a77719f1e5"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/golang-jwt/jwt/v4@v4.2.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/golang-jwt/jwt",
      "type": "vcs"
    }
  ]
},
{
```

```
"bom-ref": "pkg:golang/github.com/golang/groupcache@v0.0.0-20210331224755-41bb18bfe9da?
type=module",
  "type": "library",
  "name": "github.com/golang/groupcache",
  "version": "v0.0.0-20210331224755-41bb18bfe9da",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "a08e710aab02a39eb897c88d53e0f00797a9c66b1aa81fab8462f49b98ed62a1"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/golang/groupcache@v0.0.0-20210331224755-41bb18bfe9da?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/golang/groupcache",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
```



```
"type": "library",
"name": "github.com/golang/protobuf",
"version": "v1.5.2",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "44e3ca04d15f4203943227c7c8ff8a61bbe98db76814db3e68aec35e58e2d13c"
  }
],
"licenses": [
  {
    "license": {
      "id": "BSD-3-Clause"
    }
  }
],
"purl": "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
"externalReferences": [
  {
    "url": "https://github.com/golang/protobuf",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/google/flatbuffers@v2.0.5+incompatible?type=module",
  "type": "library",
  "name": "github.com/google/flatbuffers",
  "version": "v2.0.5+incompatible",
```

```
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "00db16d22743017218fa6347cc81f15917da6d5db1e4b504108216730b18801f"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/google/flatbuffers@v2.0.5+incompatible?type=module",
"externalReferences": [
  {
    "url": "https://github.com/google/flatbuffers",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
  "type": "library",
  "name": "github.com/google/go-cmp",
  "version": "v0.5.6",
  "scope": "required",
  "hashes": [
    {
```

```
    "alg": "SHA-256",
    "content": "04a6ca0aabcfe88fab9851edd3a666c90b6f07cc40916761172af46543597314"
  }
],
"licenses": [
  {
    "license": {
      "id": "BSD-3-Clause"
    }
  }
],
"purl": "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
"externalReferences": [
  {
    "url": "https://github.com/google/go-cmp",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/google/go-github@v17.0.0+incompatible?type=module",
  "type": "library",
  "name": "github.com/google/go-github",
  "version": "v17.0.0+incompatible",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "3742e02758fae40ee47d7ad99d40da602b3f49fe2b1233657f20c75bd7689526"
    }
  ]
}
```

```
],
"licenses": [
  {
    "license": {
      "id": "BSD-3-Clause"
    }
  }
],
"purl": "pkg:golang/github.com/google/go-github@v17.0.0+incompatible?type=module",
"externalReferences": [
  {
    "url": "https://github.com/google/go-github",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/google/go-querystring@v1.1.0?type=module",
  "type": "library",
  "name": "github.com/google/go-querystring",
  "version": "v1.1.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "0270aba21ddfbf864181521fd48c2da2f8236b0fc688a268f0cf320ff7e1c89f"
    }
  ],
  "licenses": [
    {
```

```
    "license": {
      "id": "BSD-3-Clause"
    }
  },
  "purl": "pkg:golang/github.com/google/go-querystring@v1.1.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/google/go-querystring",
      "type": "vcs"
    }
  ],
},
{
  "bom-ref": "pkg:golang/github.com/google/gofuzz@v1.2.0?type=module",
  "type": "library",
  "name": "github.com/google/gofuzz",
  "version": "v1.2.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "c51cb803e46165a88a8c9d5b3dfc10f2c79d080f984b661c0875ba79cec9322d"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ]
}
```

```
}
],
"purl": "pkg:golang/github.com/google/gofuzz@v1.2.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/google/gofuzz",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/google/uuid@v1.3.0?type=module",
  "type": "library",
  "name": "github.com/google/uuid",
  "version": "v1.3.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "b7a2625e09b05cc8c4b3c56eb172099360571ec9fec31f0165d4daa19e5fbbb2"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ],
  "purl": "pkg:golang/github.com/google/uuid@v1.3.0?type=module",
```

```
"externalReferences": [  
  {  
    "url": "https://github.com/google/uuid",  
    "type": "vcs"  
  }  
],  
{  
  "bom-ref": "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",  
  "type": "library",  
  "name": "github.com/googleapis/gax-go/v2",  
  "version": "v2.1.1",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "769ddb58287e3cf3b5ce345188249ccc96afd77b01bc6e1484dc954dad4aa9d5"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {  
        "id": "BSD-3-Clause"  
      }  
    }  
  ],  
  "purl": "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",  
  "externalReferences": [  
    {  
      "url": "https://github.com/googleapis/gax-go",
```

```
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/gorhill/cronexpr@v0.0.0-20180427100037-88b0669f7d75?
type=module",
  "type": "library",
  "name": "github.com/gorhill/cronexpr",
  "version": "v0.0.0-20180427100037-88b0669f7d75",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "7f49f5c673129812f355fb0c32fae20f203be4d07fa018082d7d867075c84336"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/gorhill/cronexpr@v0.0.0-20180427100037-88b0669f7d75?
type=module",
  "externalReferences": [
    {
      "url": "https://github.com/gorhill/cronexpr",
      "type": "vcs"
    }
  ]
}
```



```
}
]
},
{
  "bom-ref": "pkg:golang/github.com/gorilla/mux@v1.8.0?type=module",
  "type": "library",
  "name": "github.com/gorilla/mux",
  "version": "v1.8.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "8b8d1aa9f911d61d9294df61a23c15e5903dd7071714ebe474d21e1433f99282"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ],
  "purl": "pkg:golang/github.com/gorilla/mux@v1.8.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/gorilla/mux",
      "type": "vcs"
    }
  ]
},
```

```
{
  "bom-ref": "pkg:golang/github.com/gorilla/websocket@v1.4.2?type=module",
  "type": "library",
  "name": "github.com/gorilla/websocket",
  "version": "v1.4.2",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "fbf4cc69361ce10162b4a271b10ed8c9edf90e45af91d2dcbc62aa33ec7451f7"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-2-Clause"
      }
    }
  ],
  "purl": "pkg:golang/github.com/gorilla/websocket@v1.4.2?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/gorilla/websocket",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/hashicorp/go-cleanhttp@v0.5.2?type=module",
  "type": "library",
```

```
"name": "github.com/hashicorp/go-cleanhttp",
"version": "v0.5.2",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "d37e452982168e650bc8544128fb3c4c14288b4c7a77d1b8c5cf677972560194"
  }
],
"licenses": [
  {
    "license": {
      "id": "MPL-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/hashicorp/go-cleanhttp@v0.5.2?type=module",
"externalReferences": [
  {
    "url": "https://github.com/hashicorp/go-cleanhttp",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/hashicorp/go-retryablehttp@v0.7.0?type=module",
  "type": "library",
  "name": "github.com/hashicorp/go-retryablehttp",
  "version": "v0.7.0",
  "scope": "required",
```

```
"hashes": [  
  {  
    "alg": "SHA-256",  
    "content": "7aed4423f99b8ab5203f90bc855b1335a199ade0439588b00b51595a4bd03d0e"  
  }  
,  
  "licenses": [  
    {  
      "license": {  
        "id": "MPL-2.0"  
      }  
    }  
,  
    "purl": "pkg:golang/github.com/hashicorp/go-retryablehttp@v0.7.0?type=module",  
    "externalReferences": [  
      {  
        "url": "https://github.com/hashicorp/go-retryablehttp",  
        "type": "vcs"  
      }  
    ]  
  },  
  {  
    "bom-ref": "pkg:golang/github.com/hashicorp/go-version@v1.4.0?type=module",  
    "type": "library",  
    "name": "github.com/hashicorp/go-version",  
    "version": "v1.4.0",  
    "scope": "required",  
    "hashes": [  
      {  
        "alg": "SHA-256",
```

```
    "content": "68043382a22b44a45aef0ef908aa5b07162c994a0f8f3566d56e7d71ad4bd09e"
  }
],
"licenses": [
  {
    "license": {
      "id": "MPL-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/hashicorp/go-version@v1.4.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/hashicorp/go-version",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/hashicorp/golang-lru@v0.5.4?type=module",
  "type": "library",
  "name": "github.com/hashicorp/golang-lru",
  "version": "v0.5.4",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "6038eeb27dbd408fc36acda23bd3340479c86f13decae087b23316fa525fc937"
    }
  ]
},
```

```
"licenses": [  
  {  
    "license": {  
      "id": "MPL-2.0"  
    }  
  }  
],  
"purl": "pkg:golang/github.com/hashicorp/golang-lru@v0.5.4?type=module",  
"externalReferences": [  
  {  
    "url": "https://github.com/hashicorp/golang-lru",  
    "type": "vcs"  
  }  
]  
},  
{  
  "bom-ref": "pkg:golang/github.com/hashicorp/hcl@v1.0.0?type=module",  
  "type": "library",  
  "name": "github.com/hashicorp/hcl",  
  "version": "v1.0.0",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "d009e5ce3a62e2f11ab1378d167da62c98134b0b74fbab1fb224c6f2a7161b1e"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {
```

```
    "id": "MPL-2.0"
  }
}
],
"purl": "pkg:golang/github.com/hashicorp/hcl@v1.0.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/hashicorp/hcl",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/iancoleman/strcase@v0.2.0?type=module",
  "type": "library",
  "name": "github.com/iancoleman/strcase",
  "version": "v0.2.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "d392384119c6a48d26dfb899411bac91787ec3bee6afa678d65c10cee1cbc16d"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ]
}
```

```
],
  "purl": "pkg:golang/github.com/iancoleman/strcase@v0.2.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/iancoleman/strcase",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/inconshreveable/mousetrap@v1.0.0?type=module",
  "type": "library",
  "name": "github.com/inconshreveable/mousetrap",
  "version": "v1.0.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "67cb6ee6cada2d709721c011c41a7ff1c6ef97055aed9d4d1e0f5710a86d4af3"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/inconshreveable/mousetrap@v1.0.0?type=module",
  "externalReferences": [
```



```
{
  "url": "https://github.com/inconshreveable/mousetrap",
  "type": "vcs"
}
],
},
{
  "bom-ref": "pkg:golang/github.com/influxdata/go-syslog/v3@v3.0.0?type=module",
  "type": "library",
  "name": "github.com/influxdata/go-syslog/v3",
  "version": "v3.0.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "8e27219a34999582b454c9a5cfe93859e39077bcfbe3960bb2f18cab0b58b782"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/influxdata/go-syslog/v3@v3.0.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/influxdata/go-syslog",
      "type": "vcs"
    }
  ]
}
```

```
}
]
},
{
  "bom-ref": "pkg:golang/github.com/itchyny/timefmt-go@v0.1.3?type=module",
  "type": "library",
  "name": "github.com/itchyny/timefmt-go",
  "version": "v0.1.3",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "eccdcb1950eca9c7745591f653ec77f77a1baf3662b29ec2d2e11ef76d624645"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/itchyny/timefmt-go@v0.1.3?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/itchyny/timefmt-go",
      "type": "vcs"
    }
  ]
},
```

```
{
  "bom-ref": "pkg:golang/github.com/jmespath/go-jmespath@v0.4.0?type=module",
  "type": "library",
  "name": "github.com/jmespath/go-jmespath",
  "version": "v0.4.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "04480b9f97298e7f14375980c38363c03ad2df939d79bc84b457bef583e84148"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/jmespath/go-jmespath@v0.4.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/jmespath/go-jmespath",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/joho/godotenv@v1.4.0?type=module",
  "type": "library",
```

```
"name": "github.com/joho/godotenv",
"version": "v1.4.0",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "de5e3e37acdf3169e46cf1172a7836a36fcc479992c13ac18a1e19124933d658"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/joho/godotenv@v1.4.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/joho/godotenv",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/json-iterator/go@v1.1.12?type=module",
  "type": "library",
  "name": "github.com/json-iterator/go",
  "version": "v1.1.12",
  "scope": "required",
```

```
"hashes": [  
  {  
    "alg": "SHA-256",  
    "content": "3d5f29788e1ad32b27733ae0f8bb71ca40fc2df298f4c2fabb68e7c5a127ae73"  
  }  
,  
  "licenses": [  
    {  
      "license": {  
        "id": "MIT"  
      }  
    }  
,  
    "purl": "pkg:golang/github.com/json-iterator/go@v1.1.12?type=module",  
    "externalReferences": [  
      {  
        "url": "https://github.com/json-iterator/go",  
        "type": "vcs"  
      }  
    ]  
  },  
  {  
    "bom-ref": "pkg:golang/github.com/jszwec/csvutil@v1.6.0?type=module",  
    "type": "library",  
    "name": "github.com/jszwec/csvutil",  
    "version": "v1.6.0",  
    "scope": "required",  
    "hashes": [  
      {  
        "alg": "SHA-256",
```

```
    "content": "40e457aae093d2df2750a0fbbad003e070e640c806d08afd5a27995f3a5aee6b"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/jszwec/csvutil@v1.6.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/jszwec/csvutil",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/kelseyhightower/envconfig@v1.4.0?type=module",
  "type": "library",
  "name": "github.com/kelseyhightower/envconfig",
  "version": "v1.4.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "226ea138d85dde92e47c316c6d182eebc443364185d6bdddbscc52d0d3a3672ff"
    }
  ]
},
```

```
"licenses": [  
  {  
    "license": {  
      "id": "MIT"  
    }  
  }  
,  
  "purl": "pkg:golang/github.com/kelseyhightower/envconfig@v1.4.0?type=module",  
  "externalReferences": [  
    {  
      "url": "https://github.com/kelseyhightower/envconfig",  
      "type": "vcs"  
    }  
  ]  
},  
{  
  "bom-ref": "pkg:golang/github.com/klauspost/compress@v1.13.6?type=module",  
  "type": "library",  
  "name": "github.com/klauspost/compress",  
  "version": "v1.13.6",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "3f8e82a292442d2d1388eda679b9a7ce059a6a3b2c3ff12cce996db604317207"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {
```

```
    "id": "Apache-2.0"
  }
}
],
"purl": "pkg:golang/github.com/klauspost/compress@v1.13.6?type=module",
"externalReferences": [
  {
    "url": "https://github.com/klauspost/compress",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/leodido/go-urn@v1.2.1?type=module",
  "type": "library",
  "name": "github.com/leodido/go-urn",
  "version": "v1.2.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "06aa406800aecd54a08bf54bcc6648a1b4f6cf8bf9de98e8b3235df58bfa9ffc"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ]
}
```



```
],
  "purl": "pkg:golang/github.com/leodido/go-urn@v1.2.1?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/leodido/go-urn",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/lestrrat-go/backoff/v2@v2.0.8?type=module",
  "type": "library",
  "name": "github.com/lestrrat-go/backoff/v2",
  "version": "v2.0.8",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "a0d6f91398ac6f2da48aba3d0207472efe4de6d8a7b750270d555fd84dae9f90"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/lestrrat-go/backoff/v2@v2.0.8?type=module",
  "externalReferences": [
```

```
{
  "url": "https://github.com/lestrrat-go/backoff",
  "type": "vcs"
}
],
},
{
  "bom-ref": "pkg:golang/github.com/lestrrat-go/blackmagic@v1.0.0?type=module",
  "type": "library",
  "name": "github.com/lestrrat-go/blackmagic",
  "version": "v1.0.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "5f37710dbb904f3d11659126754edc9d0c54b4553380248fab442cf8071222e"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/lestrrat-go/blackmagic@v1.0.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/lestrrat-go/blackmagic",
      "type": "vcs"
    }
  ]
}
```

```
}
]
},
{
  "bom-ref": "pkg:golang/github.com/lestrrat-go/httpcc@v1.0.0?type=module",
  "type": "library",
  "name": "github.com/lestrrat-go/httpcc",
  "version": "v1.0.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "16ccd50ba70a7c3bc129c26feb8ebe9648781b2750836676f6c72051f90ea587"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/lestrrat-go/httpcc@v1.0.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/lestrrat-go/httpcc",
      "type": "vcs"
    }
  ]
},
```

```
{
  "bom-ref": "pkg:golang/github.com/lestrrat-go/iter@v1.0.1?type=module",
  "type": "library",
  "name": "github.com/lestrrat-go/iter",
  "version": "v1.0.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "abc7da6a5af6758ea8f1b578e6ec2bc6ad766d16b57b32ab07aa0cf455203780"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/lestrrat-go/iter@v1.0.1?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/lestrrat-go/iter",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/lestrrat-go/jwx@v1.2.14?type=module",
  "type": "library",
```

```
"name": "github.com/lestrrat-go/jwx",
"version": "v1.2.14",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "ebd39e6a214a0939fcc439811b31d382ffc60683b52c9717c3df467d80832b38"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/lestrrat-go/jwx@v1.2.14?type=module",
"externalReferences": [
  {
    "url": "https://github.com/lestrrat-go/jwx",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/lestrrat-go/option@v1.0.0?type=module",
  "type": "library",
  "name": "github.com/lestrrat-go/option",
  "version": "v1.0.0",
  "scope": "required",
```

```
"hashes": [  
  {  
    "alg": "SHA-256",  
    "content": "5aa0162fc921f15712a03eb18d21f7e3fd66f32c65b9741b0de28d7ef15e10ee"  
  }  
,  
  "licenses": [  
    {  
      "license": {  
        "id": "MIT"  
      }  
    }  
,  
    "purl": "pkg:golang/github.com/lestrrat-go/option@v1.0.0?type=module",  
    "externalReferences": [  
      {  
        "url": "https://github.com/lestrrat-go/option",  
        "type": "vcs"  
      }  
    ]  
  },  
  {  
    "bom-ref": "pkg:golang/github.com/magefile/mage@v1.12.1?type=module",  
    "type": "library",  
    "name": "github.com/magefile/mage",  
    "version": "v1.12.1",  
    "scope": "required",  
    "hashes": [  
      {  
        "alg": "SHA-256",
```

```
    "content": "a067406e121477a88a6a62a50c656d53a5c6772e5280db825a7ee00938070ed5"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/magefile/mage@v1.12.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/magefile/mage",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/magiconair/properties@v1.8.1?type=module",
  "type": "library",
  "name": "github.com/magiconair/properties",
  "version": "v1.8.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "642d9573bfd91641a6b150bd2af3a3ba60fe1b9957cb646d4cacb344a3b6050e"
    }
  ]
},
```

```
"licenses": [  
  {  
    "license": {  
      "id": "BSD-2-Clause"  
    }  
  }  
],  
"purl": "pkg:golang/github.com/magiconair/properties@v1.8.1?type=module",  
"externalReferences": [  
  {  
    "url": "https://github.com/magiconair/properties",  
    "type": "vcs"  
  }  
]  
},  
{  
  "bom-ref": "pkg:golang/github.com/matttn/go-ieproxy@v0.0.1?type=module",  
  "type": "library",  
  "name": "github.com/matttn/go-ieproxy",  
  "version": "v0.0.1",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "aa2ca8a7b8027e57e1c02cc6c9e4f482ba37b05f40220f4753df093914e4a9f2"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {
```



```
    "id": "MIT"
  }
}
],
"purl": "pkg:golang/github.com/mattn/go-ieproxy@v0.0.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/mattn/go-ieproxy",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/mattn/go-sqlite3@v1.14.10?type=module",
  "type": "library",
  "name": "github.com/mattn/go-sqlite3",
  "version": "v1.14.10",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "30b9fee5b151956306a12466268babdc22f5c3fa8bf7a9af8a9aa9c105bf49f9"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ]
}
```

```
],
  "purl": "pkg:golang/github.com/mattn/go-sqlite3@v1.14.10?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/mattn/go-sqlite3",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/maxbrunsfeld/counterfeiter/v6@v6.4.1?type=module",
  "type": "library",
  "name": "github.com/maxbrunsfeld/counterfeiter/v6",
  "version": "v6.4.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "8590fff2f06ec3bc755aa4570ff5868d58e2a5b6e8fc7703060c926186eb5129"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/maxbrunsfeld/counterfeiter/v6@v6.4.1?type=module",
  "externalReferences": [
```

```
{
  "url": "https://github.com/maxbrunsfeld/counterfeiter",
  "type": "vcs"
}
],
},
{
  "bom-ref": "pkg:golang/github.com/mitchellh/copystructure@v1.2.0?type=module",
  "type": "library",
  "name": "github.com/mitchellh/copystructure",
  "version": "v1.2.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "be92974cde1ec1c8b4dd596383fabd42f086503b6d04e18121ad795af789246c"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/mitchellh/copystructure@v1.2.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/mitchellh/copystructure",
      "type": "vcs"
    }
  ]
}
```

```
}
]
},
{
  "bom-ref": "pkg:golang/github.com/mitchellh/go-homedir@v1.1.0?type=module",
  "type": "library",
  "name": "github.com/mitchellh/go-homedir",
  "version": "v1.1.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "96e905f738971710c53e4035becaf9ce97355ee3c39ffc059edab9986fb81346"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/mitchellh/go-homedir@v1.1.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/mitchellh/go-homedir",
      "type": "vcs"
    }
  ]
},
```

```
{
  "bom-ref": "pkg:golang/github.com/mitchellh/mapstructure@v1.4.3?type=module",
  "type": "library",
  "name": "github.com/mitchellh/mapstructure",
  "version": "v1.4.3",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "395a300d20a5970fd88dd2e46a6dffb26ef012d3b2e7d77c9dd1a009cca3f1cb"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/mitchellh/mapstructure@v1.4.3?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/mitchellh/mapstructure",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/mitchellh/reflectwalk@v1.0.2?type=module",
  "type": "library",
```

```
"name": "github.com/mitchellh/reflectwalk",
"version": "v1.0.2",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "1b62f358a8b9db83d681dde62c757c63993bb3a5d4bd3d0679feb3c5221e5da4"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/mitchellh/reflectwalk@v1.0.2?type=module",
"externalReferences": [
  {
    "url": "https://github.com/mitchellh/reflectwalk",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/modern-go/concurrent@v0.0.0-20180306012644-bacd9c7ef1dd?type=module",
  "type": "library",
  "name": "github.com/modern-go/concurrent",
  "version": "v0.0.0-20180306012644-bacd9c7ef1dd",
```

```
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "4d12da67d703ff0f561f779ec3d76b556b43a8e5c0be6837c975e1095c35f8"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/modern-go/concurrent@v0.0.0-20180306012644-bacd9c7ef1dd?
type=module",
"externalReferences": [
  {
    "url": "https://github.com/modern-go/concurrent",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/modern-go/reflect2@v1.0.2?type=module",
  "type": "library",
  "name": "github.com/modern-go/reflect2",
  "version": "v1.0.2",
  "scope": "required",
  "hashes": [
```

```
{
  "alg": "SHA-256",
  "content": "c416a0a0bb45b3de02067b7196e29e696813329bcbc42e2eaf79cc682f46cf43"
},
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/modern-go/reflect2@v1.0.2?type=module",
"externalReferences": [
  {
    "url": "https://github.com/modern-go/reflect2",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/pelletier/go-toml@v1.2.0?type=module",
  "type": "library",
  "name": "github.com/pelletier/go-toml",
  "version": "v1.2.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "4f9ccc18c2fad56a7e16571b5a34434fbc80c6124d0223cf2ce1440aad7cd737"
```



```
}
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/pelletier/go-toml@v1.2.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/pelletier/go-toml",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/pierrec/lz4/v4@v4.1.12?type=module",
  "type": "library",
  "name": "github.com/pierrec/lz4/v4",
  "version": "v4.1.12",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "e3897cf1e8536405065b85653b5402e3392294bf7d33a63d31737012cd2eccff"
    }
  ],
  "licenses": [
```

```
{
  "license": {
    "id": "BSD-3-Clause"
  }
},
"purl": "pkg:golang/github.com/pierrec/lz4/v4@v4.1.12?type=module",
"externalReferences": [
  {
    "url": "https://github.com/pierrec/lz4",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/pkg/browser@v0.0.0-20210911075715-681adbf594b8?
type=module",
  "type": "library",
  "name": "github.com/pkg/browser",
  "version": "v0.0.0-20210911075715-681adbf594b8",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "2a85a68efc3e9ec60ea36f5824af6f0c0eb944613736b3a752d3bb6be445f475"
    }
  ],
  "licenses": [
    {
      "license": {
```

```
        "id": "BSD-2-Clause"
    }
}
],
    "purl": "pkg:golang/github.com/pkg/browser@v0.0.0-20210911075715-681adbf594b8?
type=module",
    "externalReferences": [
        {
            "url": "https://github.com/pkg/browser",
            "type": "vcs"
        }
    ]
},
{
    "bom-ref": "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
    "type": "library",
    "name": "github.com/pkg/errors",
    "version": "v0.9.1",
    "scope": "required",
    "hashes": [
        {
            "alg": "SHA-256",
            "content": "14404bc75cd2db5e28c298f2eeab017a2c5b51192e850030acae54c0b193c2de"
        }
    ],
    "licenses": [
        {
            "license": {
                "id": "BSD-2-Clause"
            }
        }
    ]
}
```

```
}
],
"purl": "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/pkg/errors",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/pmezard/go-difflib@v1.0.0?type=module",
  "type": "library",
  "name": "github.com/pmezard/go-difflib",
  "version": "v1.0.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "e030700c4d0d1b24280476cb4183f04943e808c591e41133224fd6565b0103"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ],
  "purl": "pkg:golang/github.com/pmezard/go-difflib@v1.0.0?type=module",
```

```
"externalReferences": [  
  {  
    "url": "https://github.com/pmezard/go-difflib",  
    "type": "vcs"  
  }  
]  
,  
{  
  "bom-ref": "pkg:golang/github.com/rs/cors@v1.8.2?type=module",  
  "type": "library",  
  "name": "github.com/rs/cors",  
  "version": "v1.8.2",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "282a2800b7c0606b38d790b0bb9001beff67f79d3d7d2886e524099ff010a385"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {  
        "id": "MIT"  
      }  
    }  
  ],  
  "purl": "pkg:golang/github.com/rs/cors@v1.8.2?type=module",  
  "externalReferences": [  
    {  
      "url": "https://github.com/rs/cors",
```

```
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/rs/zerolog@v1.18.0?type=module",
  "type": "library",
  "name": "github.com/rs/zerolog",
  "version": "v1.18.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "09b026de43f64e9b5bcb58bdb18cb6306460d2ec4837d7320dbe7d62ced6f33f"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/rs/zerolog@v1.18.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/rs/zerolog",
      "type": "vcs"
    }
  ]
}
```

```
},
{
  "bom-ref": "pkg:golang/github.com/russross/blackfriday/v2@v2.1.0?type=module",
  "type": "library",
  "name": "github.com/russross/blackfriday/v2",
  "version": "v2.1.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "248387e79ff4716c8eba296bf7faa5ae6d0149795daa7ab032c7f7e4b77aee69"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-2-Clause"
      }
    }
  ],
  "purl": "pkg:golang/github.com/russross/blackfriday/v2@v2.1.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/russross/blackfriday",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/github.com/sirupsen/logrus@v1.8.1?type=module",
```

```
"type": "library",
"name": "github.com/sirupsen/logrus",
"version": "v1.8.1",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "7492ae1e0aa4d4d35096aa00e814e533559ff43387dcd063432bb487df806591"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/sirupsen/logrus@v1.8.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/sirupsen/logrus",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/panther-labs/gosnowflake@v1.6.3-fix-error-bug?type=module",
  "type": "library",
  "name": "github.com/panther-labs/gosnowflake",
```



```
"version": "v1.6.3-fix-error-bug",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "8cb1bac54d50dcad609a8fbce1759c8f2dd67168a780437badfcd2eea59038b5"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/panther-labs/gosnowflake@v1.6.3-fix-error-bug?type=module",
"externalReferences": [
  {
    "url": "https://github.com/panther-labs/gosnowflake",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/spf13/afero@v1.1.2?type=module",
  "type": "library",
  "name": "github.com/spf13/afero",
  "version": "v1.1.2",
  "scope": "required",
  "hashes": [
```

```
{
  "alg": "SHA-256",
  "content": "9bcff3d6deff7f08f2b2341161b3f4443f9b50817ff2d2703dd119b08f370022"
},
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/github.com/spf13/afero@v1.1.2?type=module",
"externalReferences": [
  {
    "url": "https://github.com/spf13/afero",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/spf13/cast@v1.3.0?type=module",
  "type": "library",
  "name": "github.com/spf13/cast",
  "version": "v1.3.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "a207adfff095384a057b0a90c70af4123e728f2827a8692f820484fe0077e50f"
```

```
}
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/spf13/cast@v1.3.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/spf13/cast",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/spf13/cobra@v1.1.3?type=module",
  "type": "library",
  "name": "github.com/spf13/cobra",
  "version": "v1.1.3",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "c6085b7ea3e4c73c4fdc2fdfe7e4376901b74a2e3e19138056408dfada5e773"
    }
  ],
  "licenses": [
```

```
{
  "license": {
    "id": "Apache-2.0"
  }
},
"purl": "pkg:golang/github.com/spf13/cobra@v1.1.3?type=module",
"externalReferences": [
  {
    "url": "https://github.com/spf13/cobra",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/spf13/jwalterweatherman@v1.0.0?type=module",
  "type": "library",
  "name": "github.com/spf13/jwalterweatherman",
  "version": "v1.0.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "5c711dc81f8472f96a65a99233864e30695cf77b7a01cb0112ef46735be7ef29"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
```

```
    }
  }
],
"purl": "pkg:golang/github.com/spf13/jwalterweatherman@v1.0.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/spf13/jwalterweatherman",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/spf13/pflag@v1.0.5?type=module",
  "type": "library",
  "name": "github.com/spf13/pflag",
  "version": "v1.0.5",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "8b2f951543823f56bef3216da3f76b836089e6ed3246807b7d9c370cabff2570"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ],
}
```

```
"purl": "pkg:golang/github.com/spf13/pflag@v1.0.5?type=module",
"externalReferences": [
  {
    "url": "https://github.com/spf13/pflag",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/spf13/viper@v1.7.0?type=module",
  "type": "library",
  "name": "github.com/spf13/viper",
  "version": "v1.7.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "c552b1bc8ee8b8e23923e53db3679e8947cc696055a17037016b2492ba8ad153"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/spf13/viper@v1.7.0?type=module",
  "externalReferences": [
    {
```

```
    "url": "https://github.com/spf13/viper",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/stretchr/objx@v0.3.0?type=module",
  "type": "library",
  "name": "github.com/stretchr/objx",
  "version": "v0.3.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "3465cade51eab92374f2fe6f59a95523f2fc5d4f6177313f1bac6caf37b8ec0b"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/stretchr/objx@v0.3.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/stretchr/objx",
      "type": "vcs"
    }
  ]
}
```

```
]
},
{
  "bom-ref": "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
  "type": "library",
  "name": "github.com/stretchr/testify",
  "version": "v1.7.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "9f07370c47879a62c07e866e71547cf35b804a4d0c7e3c3cc5827df6d6f909c6"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/stretchr/testify",
      "type": "vcs"
    }
  ]
},
{
```



```
"bom-ref": "pkg:golang/github.com/subosito/gotenv@v1.2.0?type=module",
"type": "library",
"name": "github.com/subosito/gotenv",
"version": "v1.2.0",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "4a5af547d1f102510a79f82ae639fd53e0e711394851ae877e01338f483977bb"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/subosito/gotenv@v1.2.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/subosito/gotenv",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/tidwall/gjson@v1.12.1?type=module",
  "type": "library",
  "name": "github.com/tidwall/gjson",
```

```
"version": "v1.12.1",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "8a4b99b0b761afc5acd08751397512d468b8bfd678a46aa95ff0af264c6f7e9a"
  }
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/tidwall/gjson@v1.12.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/tidwall/gjson",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/tidwall/match@v1.1.1?type=module",
  "type": "library",
  "name": "github.com/tidwall/match",
  "version": "v1.1.1",
  "scope": "required",
  "hashes": [
```

```
{
  "alg": "SHA-256",
  "content": "f87a3bd7926994edfa41883037d3c660d86066fa1449cf57d9cf342954e2f860"
},
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/tidwall/match@v1.1.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/tidwall/match",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/tidwall/pretty@v1.2.0?type=module",
  "type": "library",
  "name": "github.com/tidwall/pretty",
  "version": "v1.2.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "456219120da227cfe0e9f0c3633329a1b99aa0687938b978017b465063dca82b"
```

```
}
],
"licenses": [
  {
    "license": {
      "id": "MIT"
    }
  }
],
"purl": "pkg:golang/github.com/tidwall/pretty@v1.2.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/tidwall/pretty",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/urfave/cli/v2@v2.3.0?type=module",
  "type": "library",
  "name": "github.com/urfave/cli/v2",
  "version": "v2.3.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "aa987dd98eb8f69ae07ac7a1cceed08dd5b2c453a9fd054cfba8a628769df753"
    }
  ],
  "licenses": [
```

```
{
  "license": {
    "id": "MIT"
  }
},
"purl": "pkg:golang/github.com/urfave/cli/v2@v2.3.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/urfave/cli",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/valyala/bytebufferpool@v1.0.0?type=module",
  "type": "library",
  "name": "github.com/valyala/bytebufferpool",
  "version": "v1.0.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "1aa0394c2ff4d36d58fdbf451b83a2f4caf7abb5d8c7a2a59736b014885c74fc"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
```

```
    }
  }
],
"purl": "pkg:golang/github.com/valyala/bytebufferpool@v1.0.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/valyala/bytebufferpool",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/valyala/fasttemplate@v1.2.1?type=module",
  "type": "library",
  "name": "github.com/valyala/fasttemplate",
  "version": "v1.2.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "4d5127c5aca86c075592141fadf7acd88cce07aa3ecf8ae84643c5e76580d6ee"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
}
```

```
"purl": "pkg:golang/github.com/valyala/fasttemplate@v1.2.1?type=module",
"externalReferences": [
  {
    "url": "https://github.com/valyala/fasttemplate",
    "type": "vcs"
  }
],
},
{
  "bom-ref": "pkg:golang/github.com/vektah/gqlparser/v2@v2.2.0?type=module",
  "type": "library",
  "name": "github.com/vektah/gqlparser/v2",
  "version": "v2.2.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "6c0737b257a4000256eac6538b4eda1aad0eadf6828e3e23c40440682ee0d843"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/github.com/vektah/gqlparser/v2@v2.2.0?type=module",
  "externalReferences": [
    {
```

```
    "url": "https://github.com/vektah/gqlparser",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/github.com/vektra/mockery/v2@v2.9.4?type=module",
  "type": "library",
  "name": "github.com/vektra/mockery/v2",
  "version": "v2.9.4",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "663a58598f982e40c82ab2ad16760fc496b1d74964b5c51aa5666d39283883b8"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ],
  "purl": "pkg:golang/github.com/vektra/mockery/v2@v2.9.4?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/vektra/mockery",
      "type": "vcs"
    }
  ]
}
```



```
]
},
{
  "bom-ref": "pkg:golang/github.com/xeipuvv/gojsonpointer@v0.0.0-20190905194746-02993c407bfb?type=module",
  "type": "library",
  "name": "github.com/xeipuvv/gojsonpointer",
  "version": "v0.0.0-20190905194746-02993c407bfb",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "cc658502d88c732af2507a148d4257d3f96dd47dbe8b629ada7f83dc322648da"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/xeipuvv/gojsonpointer@v0.0.0-20190905194746-02993c407bfb?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/xeipuvv/gojsonpointer",
      "type": "vcs"
    }
  ]
}
```

```
  },
  {
    "bom-ref": "pkg:golang/github.com/xeipuuv/gojsonreference@v0.0.0-20180127040603-
bd5ef7bd5415?type=module",
    "type": "library",
    "name": "github.com/xeipuuv/gojsonreference",
    "version": "v0.0.0-20180127040603-bd5ef7bd5415",
    "scope": "required",
    "hashes": [
      {
        "alg": "SHA-256",
        "content": "133256807a2fa27b7b36c723a40c57b0303c4bc04c62f7bc639fbb72e444ed1d"
      }
    ],
    "licenses": [
      {
        "license": {
          "id": "Apache-2.0"
        }
      }
    ],
    "purl": "pkg:golang/github.com/xeipuuv/gojsonreference@v0.0.0-20180127040603-
bd5ef7bd5415?type=module",
    "externalReferences": [
      {
        "url": "https://github.com/xeipuuv/gojsonreference",
        "type": "vcs"
      }
    ]
  },
}
```

```
{
  "bom-ref": "pkg:golang/github.com/xeipuv/gojsonschema@v1.2.0?type=module",
  "type": "library",
  "name": "github.com/xeipuv/gojsonschema",
  "version": "v1.2.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "2e160946cf8be1f06d8d951fb92648286795bb4411cbc7b95e2ec3d7b53167be"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/github.com/xeipuv/gojsonschema@v1.2.0?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/xeipuv/gojsonschema",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/go.opencensus.io@v0.23.0?type=module",
  "type": "library",
```

```
"name": "go.opencensus.io",
"version": "v0.23.0",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "82a0b0d0b7cbc52733f22ad28bc7b141cedfc90d1f29053faa70bf5fcf95ff53"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/go.opencensus.io@v0.23.0?type=module"
},
{
  "bom-ref": "pkg:golang/go.uber.org/atomic@v1.9.0?type=module",
  "type": "library",
  "name": "go.uber.org/atomic",
  "version": "v1.9.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "102984f019ff5854d8c045bf6e9283dccf15b51ff34156dabc0a1a942d4f6321"
    }
  ]
},
```

```
"licenses": [  
  {  
    "license": {  
      "id": "MIT"  
    }  
  }  
],  
"purl": "pkg:golang/go.uber.org/atomic@v1.9.0?type=module"  
},  
{  
  "bom-ref": "pkg:golang/go.uber.org/multierr@v1.7.0?type=module",  
  "type": "library",  
  "name": "go.uber.org/multierr",  
  "version": "v1.7.0",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "cda88efeb9a01636e609775260959071dbce0acb6199d6877ebdc69b62b1e047"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {  
        "id": "MIT"  
      }  
    }  
  ],  
  "purl": "pkg:golang/go.uber.org/multierr@v1.7.0?type=module"  
},
```

```
{
  "bom-ref": "pkg:golang/go.uber.org/zap@v1.20.0?type=module",
  "type": "library",
  "name": "go.uber.org/zap",
  "version": "v1.20.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "378a0f960859c181b9e4c954e8b5e4fd9a74d0554d13d5fdc2b60ef0212ce257"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "MIT"
      }
    }
  ],
  "purl": "pkg:golang/go.uber.org/zap@v1.20.0?type=module"
},
{
  "bom-ref": "pkg:golang/golang.org/x/crypto@v0.0.0-20211215153901-e495a2d5b3d3?
type=module",
  "type": "library",
  "name": "golang.org/x/crypto",
  "version": "v0.0.0-20211215153901-e495a2d5b3d3",
  "scope": "required",
  "hashes": [
    {
```

```
    "alg": "SHA-256",
    "content": "d1eb3eff9df7d511903dc5e531f3fe5ab9c8212e9d3673517b4581d365b41783"
  }
],
"licenses": [
  {
    "license": {
      "id": "BSD-3-Clause"
    }
  }
],
"purl": "pkg:golang/golang.org/x/crypto@v0.0.0-20211215153901-e495a2d5b3d3?type=module"
},
{
  "bom-ref": "pkg:golang/golang.org/x/mod@v0.5.1?type=module",
  "type": "library",
  "name": "golang.org/x/mod",
  "version": "v0.5.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "389c6843faf29e817475c09d23b70b3e4b70fe147672e7aa61f8e6e37a2a2b7f"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ]
}
```

```
    }
  ],
  "purl": "pkg:golang/golang.org/x/mod@v0.5.1?type=module"
},
{
  "bom-ref": "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
  "type": "library",
  "name": "golang.org/x/net",
  "version": "v0.0.0-20220105145211-5b0dc2dfae98",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "fba5893112c7943ed7edfae0a7b4d4677e919d0cd27fdc1555335a904a7e9ea6"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ],
  "purl": "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module"
},
{
  "bom-ref": "pkg:golang/golang.org/x/oauth2@v0.0.0-20211104180415-d3ed0bb246c8?
type=module",
  "type": "library",
  "name": "golang.org/x/oauth2",
```



```
"version": "v0.0.0-20211104180415-d3ed0bb246c8",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "45eacffa7a2a607510f0231170f942da7bd36b875c0488de824b9675c503baa8"
  }
],
"licenses": [
  {
    "license": {
      "id": "BSD-3-Clause"
    }
  }
],
"purl": "pkg:golang/golang.org/x/oauth2@v0.0.0-20211104180415-d3ed0bb246c8?type=module"
},
{
  "bom-ref": "pkg:golang/golang.org/x/sync@v0.0.0-20210220032951-036812b2e83c?
type=module",
  "type": "library",
  "name": "golang.org/x/sync",
  "version": "v0.0.0-20210220032951-036812b2e83c",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "e4ab25198c05a6484687e435e9bc0c3f770ea27b47f0539ea7bb4657ce98ed24"
    }
  ]
},
```

```
"licenses": [  
  {  
    "license": {  
      "id": "BSD-3-Clause"  
    }  
  }  
],  
"purl": "pkg:golang/golang.org/x/sys@v0.0.0-20210220032951-036812b2e83c?type=module"  
},  
{  
  "bom-ref": "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",  
  "type": "library",  
  "name": "golang.org/x/sys",  
  "version": "v0.0.0-20211216021012-1d35b9e2eb4e",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "7cb392939434d1e7e44af026fb8c5ca170fe45198b9a6ba53e7e48dd8f45d843"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {  
        "id": "BSD-3-Clause"  
      }  
    }  
  ],  
  "purl": "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module"  
},
```

```

{
  "bom-ref": "pkg:golang/golang.org/x/term@v0.0.0-20210406210042-72f3dc4e9b72?
type=module",
  "type": "library",
  "name": "golang.org/x/term",
  "version": "v0.0.0-20210406210042-72f3dc4e9b72",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "56a13d81db8567875b47b5e82fbee51c5a74fc3c835012925caec2305915715d"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ],
  "purl": "pkg:golang/golang.org/x/term@v0.0.0-20210406210042-72f3dc4e9b72?type=module"
},
{
  "bom-ref": "pkg:golang/golang.org/x/text@v0.3.7?type=module",
  "type": "library",
  "name": "golang.org/x/text",
  "version": "v0.3.7",
  "scope": "required",
  "hashes": [
    {

```

```
    "alg": "SHA-256",
    "content": "a25a70bcfd8a69c5b5656bec47bb90868c9362f280ba97d0ad118114cdf9d869"
  }
],
"licenses": [
  {
    "license": {
      "id": "BSD-3-Clause"
    }
  }
],
"purl": "pkg:golang/golang.org/x/text@v0.3.7?type=module"
},
{
  "bom-ref": "pkg:golang/golang.org/x/time@v0.0.0-20211116232009-f0f3c7e86c11?type=module",
  "type": "library",
  "name": "golang.org/x/time",
  "version": "v0.0.0-20211116232009-f0f3c7e86c11",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "199a243487ae5649776991c972146baf5dd60aca25b34d8c2d4733d54f62b3a3"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ]
}
```

```
    }
  ],
  "purl": "pkg:golang/golang.org/x/time@v0.0.0-20211116232009-f0f3c7e86c11?type=module"
},
{
  "bom-ref": "pkg:golang/golang.org/x/tools@v0.1.8?type=module",
  "type": "library",
  "name": "golang.org/x/tools",
  "version": "v0.1.8",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "3f51e1186b8b5b8680725ce3b6625d7f49893a3554654cce4ea9009162fe97ac"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ],
  "purl": "pkg:golang/golang.org/x/tools@v0.1.8?type=module"
},
{
  "bom-ref": "pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module",
  "type": "library",
  "name": "golang.org/x/xerrors",
```

```
"version": "v0.0.0-20200804184101-5ec99f83aff1",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "828d5b2bf0ff045655d88f1c21077534a119fb4a304931b57c34dc8b822a15c1"
  }
],
"licenses": [
  {
    "license": {
      "id": "BSD-3-Clause"
    }
  }
],
"purl": "pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module"
},
{
  "bom-ref": "pkg:golang/google.golang.org/api@v0.63.0?type=module",
  "type": "library",
  "name": "google.golang.org/api",
  "version": "v0.63.0",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "9f66eaa8af3de7282706974f0d87ad7f2db72bb7c9db6c2cad9282c9fb919240"
    }
  ]
},
"licenses": [
```

```
{
  "license": {
    "id": "BSD-3-Clause"
  }
},
"purl": "pkg:golang/google.golang.org/api@v0.63.0?type=module"
},
{
  "bom-ref": "pkg:golang/google.golang.org/appengine@v1.6.7?type=module",
  "type": "library",
  "name": "google.golang.org/appengine",
  "version": "v1.6.7",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "159475ab47b1830c733f3a7f685f9571c1ab49fc5f3e9901aa320812adebbba7"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/google.golang.org/appengine@v1.6.7?type=module"
},
{
```

```
"bom-ref": "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?
type=module",
```

```
"type": "library",
```

```
"name": "google.golang.org/genproto",
```

```
"version": "v0.0.0-20220112215332-a9c7c0acf9f2",
```

```
"scope": "required",
```

```
"hashes": [
```

```
{
```

```
"alg": "SHA-256",
```

```
"content": "cfe47833f4aec9a46c8f5ceedd60be9c84327d2ad2229b83718d35fd1dee0ad8"
```

```
}
```

```
],
```

```
"licenses": [
```

```
{
```

```
"license": {
```

```
"id": "Apache-2.0"
```

```
}
```

```
}
```

```
],
```

```
"purl": "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?
type=module"
```

```
},
```

```
{
```

```
"bom-ref": "pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
```

```
"type": "library",
```

```
"name": "google.golang.org/grpc",
```

```
"version": "v1.43.0",
```

```
"scope": "required",
```

```
"hashes": [
```

```
{
```



```
    "alg": "SHA-256",
    "content": "11ebbb6d9b436760e9442b0b85495cacb9ef61a30ad46cfce9afa1315bc42e63"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/google.golang.org/grpc@v1.43.0?type=module"
},
{
  "bom-ref": "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module",
  "type": "library",
  "name": "google.golang.org/protobuf",
  "version": "v1.27.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "4a7a9b9c3c3557b46265c5cfc793047aa3efdacefd2fd8bb0495251bff91bab4"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "BSD-3-Clause"
      }
    }
  ]
}
```

```
}  
],  
  "purl": "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"  
},  
{  
  "bom-ref": "pkg:golang/gopkg.in/go-playground/validator.v9@v9.31.0?type=module",  
  "type": "library",  
  "name": "gopkg.in/go-playground/validator.v9",  
  "version": "v9.31.0",  
  "scope": "required",  
  "hashes": [  
    {  
      "alg": "SHA-256",  
      "content": "6e65e63f645236d1444be6e7e2e62e1d3ee224526fed58fe6a7f9941d0da0f53"  
    }  
  ],  
  "licenses": [  
    {  
      "license": {  
        "id": "MIT"  
      }  
    }  
  ],  
  "purl": "pkg:golang/gopkg.in/go-playground/validator.v9@v9.31.0?type=module",  
  "externalReferences": [  
    {  
      "url": "https://github.com/go-playground/validator",  
      "type": "vcs"  
    }  
  ]  
}
```

```
},
{
  "bom-ref": "pkg:golang/gopkg.in/ini.v1@v1.51.1?type=module",
  "type": "library",
  "name": "gopkg.in/ini.v1",
  "version": "v1.51.1",
  "scope": "required",
  "hashes": [
    {
      "alg": "SHA-256",
      "content": "1b26e81ebe14a8c88b5326d88dddb6663408284244a60b4b5edb866d1db53a1a"
    }
  ],
  "licenses": [
    {
      "license": {
        "id": "Apache-2.0"
      }
    }
  ],
  "purl": "pkg:golang/gopkg.in/ini.v1@v1.51.1?type=module",
  "externalReferences": [
    {
      "url": "https://github.com/go-ini/ini",
      "type": "vcs"
    }
  ]
},
{
  "bom-ref": "pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module",
```

```
"type": "library",
"name": "gopkg.in/yaml.v2",
"version": "v2.4.0",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "0fcc60c04098ec262fc7e6369f8b01cfddc99fd251bf1762cb2a3c0937ee29a6"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module",
"externalReferences": [
  {
    "url": "https://github.com/go-yaml/yaml",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/gopkg.in/yaml.v3@v3.0.0-20210107192922-496545a6307b?type=module",
  "type": "library",
  "name": "gopkg.in/yaml.v3",
```

```
"version": "v3.0.0-20210107192922-496545a6307b",
"scope": "required",
"hashes": [
  {
    "alg": "SHA-256",
    "content": "87ca83a2d6843ee2404eb3265b4e0d0b083bbf6d9a1c7dbcc30a5ab9484af4ea"
  }
],
"licenses": [
  {
    "license": {
      "id": "Apache-2.0"
    }
  }
],
"purl": "pkg:golang/gopkg.in/yaml.v3@v3.0.0-20210107192922-496545a6307b?type=module",
"externalReferences": [
  {
    "url": "https://github.com/go-yaml/yaml",
    "type": "vcs"
  }
]
},
{
  "bom-ref": "pkg:golang/std@go1.17.6?type=module",
  "type": "library",
  "name": "std",
  "version": "go1.17.6",
  "scope": "required",
  "purl": "pkg:golang/std@go1.17.6?type=module"
```

```

    }
  ],
  "dependencies": [
    {
      "ref": "pkg:golang/github.com/panther-labs/panther@v1.26.10-0.20220121152127-80edc37d9704?
type=module",
      "dependsOn": [
        "pkg:golang/cloud.google.com/go/monitoring@v1.2.0?type=module",
        "pkg:golang/cloud.google.com/go/pubsub@v1.17.1?type=module",
        "pkg:golang/cloud.google.com/go/storage@v1.18.2?type=module",
        "pkg:golang/github.com/99designs/gqlgen@v0.14.0?type=module",
        "pkg:golang/github.com/Azure/go-autorest/autorest/adal@v0.9.18?type=module",
        "pkg:golang/github.com/Masterminds/semver/v3@v3.1.1?type=module",
        "pkg:golang/github.com/anyascii/go@v0.3.0?type=module",
        "pkg:golang/github.com/aws-cloudformation/rain@v1.2.0?type=module",
        "pkg:golang/github.com/aws/aws-lambda-go@v1.27.1?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go@v1.42.28?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/config@v1.11.1?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/credentials@v1.6.5?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue@v1.4.5?
type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/dynamodb/expression@v1.3.5?
type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/s3/manager@v1.7.5?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/service/athena@v1.10.0?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/service/cloudformation@v1.16.0?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/service/cloudwatchlogs@v1.11.0?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/service/codebuild@v1.17.0?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodb@v1.11.0?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/service/ecr@v1.12.0?type=module",

```

"pkg:golang/github.com/aws/aws-sdk-go-v2/service/eventbridge@v1.11.0?type=module",  
"pkg:golang/github.com/aws/aws-sdk-go-v2/service/glue@v1.17.0?type=module",  
"pkg:golang/github.com/aws/aws-sdk-go-v2/service/lambda@v1.15.0?type=module",  
"pkg:golang/github.com/aws/aws-sdk-go-v2/service/s3@v1.22.0?type=module",  
"pkg:golang/github.com/aws/aws-sdk-go-v2/service/sso@v1.7.0?type=module",  
"pkg:golang/github.com/aws/aws-sdk-go-v2/service/sts@v1.12.0?type=module",  
"pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",  
"pkg:golang/github.com/awslabs/aws-lambda-go-api-proxy@v0.12.0?type=module",  
"pkg:golang/github.com/cenkalti/backoff/v4@v4.1.2?type=module",  
"pkg:golang/github.com/davidminor/uint128@v0.0.0-20141227063632-5745f1bf8041?type=module",  
"pkg:golang/github.com/dchest/uniuri@v0.0.0-20200228104902-7aecb25e1fe5?type=module",  
"pkg:golang/github.com/dustin/go-humanize@v1.0.0?type=module",  
"pkg:golang/github.com/ec2-software/gqlgen-introspect-filter@v0.3.0?type=module",  
"pkg:golang/github.com/fatih/structtag@v1.2.0?type=module",  
"pkg:golang/github.com/getsentry/sentry-go@v0.12.0?type=module",  
"pkg:golang/github.com/go-playground/validator@v9.31.0+incompatible?type=module",  
"pkg:golang/github.com/golang-jwt/jwt@v3.2.2+incompatible?type=module",  
"pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",  
"pkg:golang/github.com/google/go-github@v17.0.0+incompatible?type=module",  
"pkg:golang/github.com/google/gofuzz@v1.2.0?type=module",  
"pkg:golang/github.com/google/uuid@v1.3.0?type=module",  
"pkg:golang/github.com/gorhill/cronexpr@v0.0.0-20180427100037-88b0669f7d75?type=module",  
"pkg:golang/github.com/gorilla/mux@v1.8.0?type=module",  
"pkg:golang/github.com/hashicorp/go-cleanhttp@v0.5.2?type=module",  
"pkg:golang/github.com/hashicorp/go-retryablehttp@v0.7.0?type=module",  
"pkg:golang/github.com/hashicorp/go-version@v1.4.0?type=module",  
"pkg:golang/github.com/hashicorp/golang-lru@v0.5.4?type=module",  
"pkg:golang/github.com/iancoleman/strcase@v0.2.0?type=module",

"pkg:golang/github.com/influxdata/go-syslog/v3@v3.0.0?type=module",  
"pkg:golang/github.com/itchyny/timefmt-go@v0.1.3?type=module",  
"pkg:golang/github.com/joho/godotenv@v1.4.0?type=module",  
"pkg:golang/github.com/json-iterator/go@v1.1.12?type=module",  
"pkg:golang/github.com/jszwec/csvutil@v1.6.0?type=module",  
"pkg:golang/github.com/kelseyhightower/envconfig@v1.4.0?type=module",  
"pkg:golang/github.com/lestrrat-go/jwx@v1.2.14?type=module",  
"pkg:golang/github.com/magefile/mage@v1.12.1?type=module",  
"pkg:golang/github.com/mattn/go-sqlite3@v1.14.10?type=module",  
"pkg:golang/github.com/maxbrunsfeld/counterfeiter/v6@v6.4.1?type=module",  
"pkg:golang/github.com/mitchellh/copystructure@v1.2.0?type=module",  
"pkg:golang/github.com/mitchellh/mapstructure@v1.4.3?type=module",  
"pkg:golang/github.com/modern-go/reflect2@v1.0.2?type=module",  
"pkg:golang/github.com/panther-labs/gosnowflake@v1.6.3-fix-error-bug?type=module",  
"pkg:golang/github.com/pkg/errors@v0.9.1?type=module",  
"pkg:golang/github.com/rs/cors@v1.8.2?type=module",  
"pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",  
"pkg:golang/github.com/tidwall/gjson@v1.12.1?type=module",  
"pkg:golang/github.com/urfave/cli/v2@v2.3.0?type=module",  
"pkg:golang/github.com/valyala/fasttemplate@v1.2.1?type=module",  
"pkg:golang/github.com/vektah/gqlparser/v2@v2.2.0?type=module",  
"pkg:golang/github.com/vektra/mockery/v2@v2.9.4?type=module",  
"pkg:golang/github.com/xeipuuv/gojsonschema@v1.2.0?type=module",  
"pkg:golang/go.uber.org/atomic@v1.9.0?type=module",  
"pkg:golang/go.uber.org/multierr@v1.7.0?type=module",  
"pkg:golang/go.uber.org/zap@v1.20.0?type=module",  
"pkg:golang/golang.org/x/mod@v0.5.1?type=module",  
"pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",  
"pkg:golang/golang.org/x/oauth2@v0.0.0-20211104180415-d3ed0bb246c8?type=module",  
"pkg:golang/golang.org/x/sync@v0.0.0-20210220032951-036812b2e83c?type=module",



```
"pkg:golang/golang.org/x/time@v0.0.0-20211116232009-f0f3c7e86c11?type=module",
"pkg:golang/golang.org/x/tools@v0.1.8?type=module",
"pkg:golang/google.golang.org/api@v0.63.0?type=module",
"pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
"pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
"pkg:golang/gopkg.in/go-playground/validator.v9@v9.31.0?type=module",
"pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module",
"pkg:golang/gopkg.in/yaml.v3@v3.0.0-20210107192922-496545a6307b?type=module",
"pkg:golang/std@go1.17.6?type=module"
]
},
{
  "ref": "pkg:golang/cloud.google.com/go@v0.100.2?type=module",
  "dependsOn": [
    "pkg:golang/cloud.google.com/go/compute@v0.1.0?type=module",
    "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",
    "pkg:golang/go.opencensus.io@v0.23.0?type=module",
    "pkg:golang/golang.org/x/oauth2@v0.0.0-20211104180415-d3ed0bb246c8?type=module",
    "pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module",
    "pkg:golang/google.golang.org/api@v0.63.0?type=module",
    "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
    "pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
    "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
  ]
},
{
  "ref": "pkg:golang/cloud.google.com/go/compute@v0.1.0?type=module",
  "dependsOn": [
```

```

    "pkg:golang/cloud.google.com/go@v0.100.2?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",
    "pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module",
    "pkg:golang/google.golang.org/api@v0.63.0?type=module",
    "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
    "pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
    "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
  ]
},
{
  "ref": "pkg:golang/cloud.google.com/go/iam@v0.1.0?type=module",
  "dependsOn": [
    "pkg:golang/cloud.google.com/go@v0.100.2?type=module",
    "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
    "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",
    "pkg:golang/google.golang.org/api@v0.63.0?type=module",
    "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
    "pkg:golang/google.golang.org/grpc@v1.43.0?type=module"
  ]
},
{
  "ref": "pkg:golang/cloud.google.com/go/monitoring@v1.2.0?type=module",
  "dependsOn": [
    "pkg:golang/cloud.google.com/go@v0.100.2?type=module",
    "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
    "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",
    "pkg:golang/google.golang.org/api@v0.63.0?type=module",
    "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
    "pkg:golang/google.golang.org/grpc@v1.43.0?type=module",

```

```

    "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
  ]
},
{
  "ref": "pkg:golang/cloud.google.com/go/pubsub@v1.17.1?type=module",
  "dependsOn": [
    "pkg:golang/cloud.google.com/go@v0.100.2?type=module",
    "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",
    "pkg:golang/go.opencensus.io@v0.23.0?type=module",
    "pkg:golang/golang.org/x/oauth2@v0.0.0-20211104180415-d3ed0bb246c8?type=module",
    "pkg:golang/golang.org/x/sync@v0.0.0-20210220032951-036812b2e83c?type=module",
    "pkg:golang/golang.org/x/time@v0.0.0-20211116232009-f0f3c7e86c11?type=module",
    "pkg:golang/google.golang.org/api@v0.63.0?type=module",
    "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
    "pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
    "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
  ]
},
{
  "ref": "pkg:golang/cloud.google.com/go/storage@v1.18.2?type=module",
  "dependsOn": [
    "pkg:golang/cloud.google.com/go@v0.100.2?type=module",
    "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",
    "pkg:golang/golang.org/x/oauth2@v0.0.0-20211104180415-d3ed0bb246c8?type=module",
    "pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module",
    "pkg:golang/google.golang.org/api@v0.63.0?type=module",

```

```
"pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
"pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
"pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
]
},
{
  "ref": "pkg:golang/github.com/99designs/gqlgen@v0.14.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/agnivade/levenshtein@v1.1.1?type=module",
    "pkg:golang/github.com/gorilla/mux@v1.8.0?type=module",
    "pkg:golang/github.com/gorilla/websocket@v1.4.2?type=module",
    "pkg:golang/github.com/hashicorp/golang-lru@v0.5.4?type=module",
    "pkg:golang/github.com/mitchellh/mapstructure@v1.4.3?type=module",
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
    "pkg:golang/github.com/rs/cors@v1.8.2?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
    "pkg:golang/github.com/urfave/cli/v2@v2.3.0?type=module",
    "pkg:golang/github.com/vektah/gqlparser/v2@v2.2.0?type=module",
    "pkg:golang/golang.org/x/tools@v0.1.8?type=module",
    "pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/Azure/azure-pipeline-go@v0.2.3?type=module",
  "dependsOn": [
    "pkg:golang/github.com/mattn/go-ieproxy@v0.0.1?type=module",
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module"
  ]
},
{
```

```
"ref": "pkg:golang/github.com/Azure/azure-storage-blob-go@v0.14.0?type=module",
"dependsOn": [
  "pkg:golang/github.com/Azure/azure-pipeline-go@v0.2.3?type=module",
  "pkg:golang/github.com/Azure/go-autorest/autorest/adal@v0.9.18?type=module",
  "pkg:golang/github.com/google/uuid@v1.3.0?type=module",
  "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module"
],
{
  "ref": "pkg:golang/github.com/Azure/go-autorest@v14.2.0+incompatible?type=module"
},
{
  "ref": "pkg:golang/github.com/Azure/go-autorest/autorest/adal@v0.9.18?type=module",
  "dependsOn": [
    "pkg:golang/github.com/Azure/go-autorest@v14.2.0+incompatible?type=module",
    "pkg:golang/github.com/Azure/go-autorest/autorest/date@v0.3.0?type=module",
    "pkg:golang/github.com/Azure/go-autorest/logger@v0.2.1?type=module",
    "pkg:golang/github.com/Azure/go-autorest/tracing@v0.6.0?type=module",
    "pkg:golang/github.com/golang-jwt/jwt/v4@v4.2.0?type=module",
    "pkg:golang/golang.org/x/crypto@v0.0.0-20211215153901-e495a2d5b3d3?type=module"
  ],
},
{
  "ref": "pkg:golang/github.com/Azure/go-autorest/autorest/date@v0.3.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/Azure/go-autorest@v14.2.0+incompatible?type=module"
  ],
},
{
  "ref": "pkg:golang/github.com/Azure/go-autorest/logger@v0.2.1?type=module",
```

```
"dependsOn": [
  "pkg:golang/github.com/Azure/go-autorest@v14.2.0+incompatible?type=module"
],
{
  "ref": "pkg:golang/github.com/Azure/go-autorest/tracing@v0.6.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/Azure/go-autorest@v14.2.0+incompatible?type=module"
  ],
},
{
  "ref": "pkg:golang/github.com/Masterminds/semver/v3@v3.1.1?type=module"
},
{
  "ref": "pkg:golang/github.com/agnivade/levenshtein@v1.1.1?type=module"
},
{
  "ref": "pkg:golang/github.com/anyascii/go@v0.3.0?type=module"
},
{
  "ref": "pkg:golang/github.com/apache/arrow/go/arrow@v0.0.0-20211112161151-bc219186db40?type=module",
  "dependsOn": [
    "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",
    "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
    "pkg:golang/github.com/google/flatbuffers@v2.0.5+incompatible?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/klauspost/compress@v1.13.6?type=module",
    "pkg:golang/github.com/pierrec/lz4/v4@v4.1.12?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
```

```
"pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
"pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",
"pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module",
"pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
"pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
"pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
]
},
{
  "ref": "pkg:golang/github.com/aws-cloudformation/rain@v1.2.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/config@v1.11.1?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/credentials@v1.6.5?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/cloudformation@v1.16.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/s3@v1.22.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sts@v1.12.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/google/uuid@v1.3.0?type=module",
    "pkg:golang/github.com/spf13/cobra@v1.1.3?type=module",
    "pkg:golang/github.com/spf13/pflag@v1.0.5?type=module",
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",
    "pkg:golang/golang.org/x/term@v0.0.0-20210406210042-72f3dc4e9b72?type=module",
    "pkg:golang/gopkg.in/yaml.v3@v3.0.0-20210107192922-496545a6307b?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-lambda-go@v1.27.1?type=module",
  "dependsOn": [
```

```

    "pkg:golang/github.com/cpuguy83/go-md2man/v2@v2.0.1?type=module",
    "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
    "pkg:golang/github.com/urfave/cli/v2@v2.3.0?type=module",
    "pkg:golang/gopkg.in/yaml.v3@v3.0.0-20210107192922-496545a6307b?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go@v1.42.28?type=module",
  "dependsOn": [
    "pkg:golang/github.com/jmespath/go-jmespath@v0.4.0?type=module",
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/jmespath/go-jmespath@v0.4.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/aws/protocol/eventstream@v1.0.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
}

```



```

},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/config@v1.11.1?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/credentials@v1.6.5?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/ec2/imds@v1.8.2?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/ini@v1.3.2?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sso@v1.7.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sts@v1.12.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/credentials@v1.6.5?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/ec2/imds@v1.8.2?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sso@v1.7.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sts@v1.12.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue@v1.4.5?
type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",

```

```

    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodb@v1.11.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodbstreams@v1.9.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/dynamodb/expression@v1.3.5?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue@v1.4.5?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodb@v1.11.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/ec2/imds@v1.8.2?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/s3/manager@v1.7.5?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/config@v1.11.1?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/s3@v1.22.0?type=module",

```

```
"pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
"pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/ini@v1.3.2?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/athena@v1.10.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
```

```

    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/cloudformation@v1.16.0?
type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/jmespath/go-jmespath@v0.4.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/cloudwatchlogs@v1.11.0?
type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/codebuild@v1.17.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",

```

```

    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodb@v1.11.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding@v1.5.0?
type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/endpoint-discovery@v1.3.3?
type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/jmespath/go-jmespath@v0.4.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/dynamodbstreams@v1.9.0?
type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/ecr@v1.12.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",

```

```

    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/jmespath/go-jmespath@v0.4.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/eventbridge@v1.11.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/glue@v1.17.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding@v1.5.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
  ]
}

```

```

    },
    {
      "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/endpoint-discovery@v1.3.3?
type=module",
      "dependsOn": [
        "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
        "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
      ]
    },
    {
      "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/presigned-url@v1.5.2?
type=module",
      "dependsOn": [
        "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
        "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
        "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
      ]
    },
    {
      "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/s3shared@v1.9.2?
type=module",
      "dependsOn": [
        "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
        "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
      ]
    },
    {
      "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/lambda@v1.15.0?type=module",
      "dependsOn": [
        "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
        "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",

```

```

    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/jmespath/go-jmespath@v0.4.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/s3@v1.22.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/aws/protocol/eventstream@v1.0.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding@v1.5.0?
type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/presigned-url@v1.5.2?
type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/s3shared@v1.9.2?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sso@v1.7.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
  ]
},

```



```

{
  "ref": "pkg:golang/github.com/aws/aws-sdk-go-v2/service/sts@v1.12.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/configsources@v1.1.4?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/internal/endpoints/v2@v2.2.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/internal/presigned-url@v1.5.2?
type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/awslabs/aws-lambda-go-api-proxy@v0.12.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/aws/aws-lambda-go@v1.27.1?type=module",
    "pkg:golang/github.com/google/go-querystring@v1.1.0?type=module",
    "pkg:golang/github.com/gorilla/mux@v1.8.0?type=module",
    "pkg:golang/github.com/json-iterator/go@v1.1.12?type=module",
    "pkg:golang/github.com/klauspost/compress@v1.13.6?type=module",
    "pkg:golang/github.com/modern-go/concurrent@v0.0.0-20180306012644-bacd9c7ef1dd?
type=module",
    "pkg:golang/github.com/modern-go/reflect2@v1.0.2?type=module",
    "pkg:golang/github.com/xeipuuv/gojsonschema@v1.2.0?type=module",
    "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
  ]
}

```

```

    ]
  },
  {
    "ref": "pkg:golang/github.com/cenkalti/backoff/v4@v4.1.2?type=module"
  },
  {
    "ref": "pkg:golang/github.com/census-instrumentation/opencensus-proto@v0.2.1?type=module"
  },
  {
    "ref": "pkg:golang/github.com/cespare/xxhash/v2@v2.1.1?type=module"
  },
  {
    "ref": "pkg:golang/github.com/cncf/udpa/go@v0.0.0-20210930031921-04548b0d99d4?
type=module",
    "dependsOn": [
      "pkg:golang/github.com/cncf/xds/go@v0.0.0-20211011173535-cb28da3451f1?type=module"
    ]
  },
  {
    "ref": "pkg:golang/github.com/cncf/xds/go@v0.0.0-20211011173535-cb28da3451f1?
type=module",
    "dependsOn": [
      "pkg:golang/github.com/envoyproxy/protoc-gen-validate@v0.1.0?type=module",
      "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
      "pkg:golang/google.golang.org/grpc@v1.43.0?type=module"
    ]
  },
  {
    "ref": "pkg:golang/github.com/cpuguy83/go-md2man/v2@v2.0.1?type=module",
    "dependsOn": [

```

```
    "pkg:golang/github.com/russross/blackfriday/v2@v2.1.0?type=module"
  ],
},
{
  "ref": "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module"
},
{
  "ref": "pkg:golang/github.com/davidminor/uint128@v0.0.0-20141227063632-5745f1bf8041?type=module"
},
{
  "ref": "pkg:golang/github.com/dchest/uniuri@v0.0.0-20200228104902-7aecb25e1fe5?type=module"
},
{
  "ref": "pkg:golang/github.com/decred/dcrd/dcrec/secp256k1/v4@v4.0.1?type=module"
},
{
  "ref": "pkg:golang/github.com/dustin/go-humanize@v1.0.0?type=module"
},
{
  "ref": "pkg:golang/github.com/ec2-software/gqlgen-introspect-filter@v0.3.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/99designs/gqlgen@v0.14.0?type=module",
    "pkg:golang/github.com/agnivade/levenshtein@v1.1.1?type=module",
    "pkg:golang/github.com/vektah/gqlparser/v2@v2.2.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/envoyproxy/go-control-plane@v0.9.10-0.20210907150352-cf90f659a021?type=module",
```

```

"dependsOn": [
  "pkg:golang/github.com/census-instrumentation/opencensus-proto@v0.2.1?type=module",
  "pkg:golang/github.com/cncf/xds/go@v0.0.0-20211011173535-cb28da3451f1?type=module",
  "pkg:golang/github.com/envoyproxy/protoc-gen-validate@v0.1.0?type=module",
  "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
  "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
  "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
  "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
  "pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
  "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
]
},
{
  "ref": "pkg:golang/github.com/envoyproxy/protoc-gen-validate@v0.1.0?type=module"
},
{
  "ref": "pkg:golang/github.com/fatih/structtag@v1.2.0?type=module"
},
{
  "ref": "pkg:golang/github.com/form3tech-oss/jwt-go@v3.2.5+incompatible?type=module"
},
{
  "ref": "pkg:golang/github.com/fsnotify/fsnotify@v1.4.9?type=module",
  "dependsOn": [
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/gabriel-vasile/mimetype@v1.4.0?type=module",
  "dependsOn": [

```

```
"pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module"
]
},
{
  "ref": "pkg:golang/github.com/getsentry/sentry-go@v0.12.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/google/go-querystring@v1.1.0?type=module",
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
    "pkg:golang/github.com/xeipuuv/gojsonschema@v1.2.0?type=module",
    "pkg:golang/golang.org/x/crypto@v0.0.0-20211215153901-e495a2d5b3d3?type=module",
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",
    "pkg:golang/golang.org/x/text@v0.3.7?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/go-playground/locales@v0.14.0?type=module",
  "dependsOn": [
    "pkg:golang/golang.org/x/text@v0.3.7?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/go-playground/universal-translator@v0.18.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/go-playground/locales@v0.14.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/go-playground/validator@v9.31.0+incompatible?type=module"
```

```
},
{
  "ref": "pkg:golang/github.com/goccy/go-json@v0.9.0?type=module"
},
{
  "ref": "pkg:golang/github.com/golang-jwt/jwt@v3.2.2+incompatible?type=module"
},
{
  "ref": "pkg:golang/github.com/golang-jwt/jwt/v4@v4.2.0?type=module"
},
{
  "ref": "pkg:golang/github.com/golang/groupcache@v0.0.0-20210331224755-41bb18bfe9da?
type=module"
},
{
  "ref": "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
  "dependsOn": [
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/google/flatbuffers@v2.0.5+incompatible?type=module"
},
{
  "ref": "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
  "dependsOn": [
    "pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module"
  ]
},
}
```

```

{
  "ref": "pkg:golang/github.com/google/go-github@v17.0.0+incompatible?type=module"
},
{
  "ref": "pkg:golang/github.com/google/go-querystring@v1.1.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/google/gofuzz@v1.2.0?type=module"
},
{
  "ref": "pkg:golang/github.com/google/uuid@v1.3.0?type=module"
},
{
  "ref": "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",
  "dependsOn": [
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/google.golang.org/api@v0.63.0?type=module",
    "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
    "pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
    "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/gorhill/cronexpr@v0.0.0-20180427100037-88b0669f7d75?type=module"
},
{

```

```
"ref": "pkg:golang/github.com/gorilla/mux@v1.8.0?type=module"
},
{
  "ref": "pkg:golang/github.com/gorilla/websocket@v1.4.2?type=module"
},
{
  "ref": "pkg:golang/github.com/hashicorp/go-cleanhttp@v0.5.2?type=module"
},
{
  "ref": "pkg:golang/github.com/hashicorp/go-retryablehttp@v0.7.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/hashicorp/go-cleanhttp@v0.5.2?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/hashicorp/go-version@v1.4.0?type=module"
},
{
  "ref": "pkg:golang/github.com/hashicorp/golang-lru@v0.5.4?type=module"
},
{
  "ref": "pkg:golang/github.com/hashicorp/hcl@v1.0.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/iancoleman/strcase@v0.2.0?type=module"
},
{
```



```

    "ref": "pkg:golang/github.com/inconshreveable/mousetrap@v1.0.0?type=module"
  },
  {
    "ref": "pkg:golang/github.com/influxdata/go-syslog/v3@v3.0.0?type=module",
    "dependsOn": [
      "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",
      "pkg:golang/github.com/pmezard/go-difflib@v1.0.0?type=module",
      "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
    ]
  },
  {
    "ref": "pkg:golang/github.com/itchyny/timefmt-go@v0.1.3?type=module"
  },
  {
    "ref": "pkg:golang/github.com/jmespath/go-jmespath@v0.4.0?type=module"
  },
  {
    "ref": "pkg:golang/github.com/joho/godotenv@v1.4.0?type=module"
  },
  {
    "ref": "pkg:golang/github.com/json-iterator/go@v1.1.12?type=module",
    "dependsOn": [
      "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",
      "pkg:golang/github.com/google/gofuzz@v1.2.0?type=module",
      "pkg:golang/github.com/modern-go/concurrent@v0.0.0-20180306012644-bacd9c7ef1dd?
type=module",
      "pkg:golang/github.com/modern-go/reflect2@v1.0.2?type=module",
      "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
    ]
  },
  },

```

```
{
  "ref": "pkg:golang/github.com/jszwec/csvutil@v1.6.0?type=module"
},
{
  "ref": "pkg:golang/github.com/kelseyhightower/envconfig@v1.4.0?type=module"
},
{
  "ref": "pkg:golang/github.com/klauspost/compress@v1.13.6?type=module"
},
{
  "ref": "pkg:golang/github.com/leodido/go-urn@v1.2.1?type=module",
  "dependsOn": [
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/lestrrat-go/backoff/v2@v2.0.8?type=module",
  "dependsOn": [
    "pkg:golang/github.com/lestrrat-go/option@v1.0.0?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/lestrrat-go/blackmagic@v1.0.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
  ]
},
{
```

```
"ref": "pkg:golang/github.com/lestrrat-go/httpcc@v1.0.0?type=module",
"dependsOn": [
  "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
  "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
]
},
{
  "ref": "pkg:golang/github.com/lestrrat-go/iter@v1.0.1?type=module",
  "dependsOn": [
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/lestrrat-go/jwx@v1.2.14?type=module",
  "dependsOn": [
    "pkg:golang/github.com/decred/dcrd/dcrec/secp256k1/v4@v4.0.1?type=module",
    "pkg:golang/github.com/goccy/go-json@v0.9.0?type=module",
    "pkg:golang/github.com/lestrrat-go/backoff/v2@v2.0.8?type=module",
    "pkg:golang/github.com/lestrrat-go/blackmagic@v1.0.0?type=module",
    "pkg:golang/github.com/lestrrat-go/httpcc@v1.0.0?type=module",
    "pkg:golang/github.com/lestrrat-go/iter@v1.0.1?type=module",
    "pkg:golang/github.com/lestrrat-go/option@v1.0.0?type=module",
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
    "pkg:golang/golang.org/x/crypto@v0.0.0-20211215153901-e495a2d5b3d3?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/lestrrat-go/option@v1.0.0?type=module",
```

```
"dependsOn": [  
  "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"  
]  
},  
{  
  "ref": "pkg:golang/github.com/magefile/mage@v1.12.1?type=module"  
},  
{  
  "ref": "pkg:golang/github.com/magiconair/properties@v1.8.1?type=module"  
},  
{  
  "ref": "pkg:golang/github.com/mattn/go-ieproxy@v0.0.1?type=module",  
  "dependsOn": [  
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",  
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",  
    "pkg:golang/golang.org/x/text@v0.3.7?type=module"  
  ]  
},  
{  
  "ref": "pkg:golang/github.com/mattn/go-sqlite3@v1.14.10?type=module"  
},  
{  
  "ref": "pkg:golang/github.com/maxbrunsfeld/counterfeiter/v6@v6.4.1?type=module",  
  "dependsOn": [  
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",  
    "pkg:golang/golang.org/x/text@v0.3.7?type=module",  
    "pkg:golang/golang.org/x/tools@v0.1.8?type=module"  
  ]  
},  
{
```

```
"ref": "pkg:golang/github.com/mitchellh/copystructure@v1.2.0?type=module",
"dependsOn": [
  "pkg:golang/github.com/mitchellh/reflectwalk@v1.0.2?type=module"
],
{
  "ref": "pkg:golang/github.com/mitchellh/go-homedir@v1.1.0?type=module"
},
{
  "ref": "pkg:golang/github.com/mitchellh/mapstructure@v1.4.3?type=module"
},
{
  "ref": "pkg:golang/github.com/mitchellh/reflectwalk@v1.0.2?type=module"
},
{
  "ref": "pkg:golang/github.com/modern-go/concurrent@v0.0.0-20180306012644-bacd9c7ef1dd?
type=module"
},
{
  "ref": "pkg:golang/github.com/modern-go/reflect2@v1.0.2?type=module"
},
{
  "ref": "pkg:golang/github.com/pelletier/go-toml@v1.2.0?type=module"
},
{
  "ref": "pkg:golang/github.com/pierrec/lz4/v4@v4.1.12?type=module"
},
{
  "ref": "pkg:golang/github.com/pkg/browser@v0.0.0-20210911075715-681adbf594b8?
type=module",
```

```
"dependsOn": [  
  "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module"  
]  
},  
{  
  "ref": "pkg:golang/github.com/pkg/errors@v0.9.1?type=module"  
},  
{  
  "ref": "pkg:golang/github.com/pmezard/go-difflib@v1.0.0?type=module"  
},  
{  
  "ref": "pkg:golang/github.com/rs/cors@v1.8.2?type=module"  
},  
{  
  "ref": "pkg:golang/github.com/rs/zerolog@v1.18.0?type=module",  
  "dependsOn": [  
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",  
    "pkg:golang/golang.org/x/tools@v0.1.8?type=module"  
  ]  
},  
{  
  "ref": "pkg:golang/github.com/russross/blackfriday/v2@v2.1.0?type=module"  
},  
{  
  "ref": "pkg:golang/github.com/sirupsen/logrus@v1.8.1?type=module",  
  "dependsOn": [  
    "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",  
    "pkg:golang/github.com/pmezard/go-difflib@v1.0.0?type=module",  
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",  
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module"
```

```

]
},
{
  "ref": "pkg:golang/github.com/panther-labs/gosnowflake@v1.6.3-fix-error-bug?type=module",
  "dependsOn": [
    "pkg:golang/github.com/Azure/azure-storage-blob-go@v0.14.0?type=module",
    "pkg:golang/github.com/apache/arrow/go/arrow@v0.0.0-20211112161151-bc219186db40?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2@v1.13.0?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/credentials@v1.6.5?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/feature/s3/manager@v1.7.5?type=module",
    "pkg:golang/github.com/aws/aws-sdk-go-v2/service/s3@v1.22.0?type=module",
    "pkg:golang/github.com/aws/smithy-go@v1.10.0?type=module",
    "pkg:golang/github.com/form3tech-oss/jwt-go@v3.2.5+incompatible?type=module",
    "pkg:golang/github.com/gabriel-vasile/mimetype@v1.4.0?type=module",
    "pkg:golang/github.com/google/uuid@v1.3.0?type=module",
    "pkg:golang/github.com/klauspost/compress@v1.13.6?type=module",
    "pkg:golang/github.com/pkg/browser@v0.0.0-20210911075715-681adbf594b8?type=module",
    "pkg:golang/github.com/sirupsen/logrus@v1.8.1?type=module",
    "pkg:golang/golang.org/x/crypto@v0.0.0-20211215153901-e495a2d5b3d3?type=module",
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",
    "pkg:golang/golang.org/x/text@v0.3.7?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/spf13/afero@v1.1.2?type=module"
},
{
  "ref": "pkg:golang/github.com/spf13/cast@v1.3.0?type=module",

```

```

"dependsOn": [
  "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",
  "pkg:golang/github.com/pmezard/go-difflib@v1.0.0?type=module",
  "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
]
},
{
  "ref": "pkg:golang/github.com/spf13/cobra@v1.1.3?type=module",
  "dependsOn": [
    "pkg:golang/github.com/cpuguy83/go-md2man/v2@v2.0.1?type=module",
    "pkg:golang/github.com/inconshreveable/mousetrap@v1.0.0?type=module",
    "pkg:golang/github.com/mitchellh/go-homedir@v1.1.0?type=module",
    "pkg:golang/github.com/spf13/pflag@v1.0.5?type=module",
    "pkg:golang/github.com/spf13/viper@v1.7.0?type=module",
    "pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/spf13/jwalterweatherman@v1.0.0?type=module"
},
{
  "ref": "pkg:golang/github.com/spf13/pflag@v1.0.5?type=module"
},
{
  "ref": "pkg:golang/github.com/spf13/viper@v1.7.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/fsnotify/fsnotify@v1.4.9?type=module",
    "pkg:golang/github.com/golang/groupcache@v0.0.0-20210331224755-41bb18bfe9da?type=module",
    "pkg:golang/github.com/gorilla/websocket@v1.4.2?type=module",

```



```
"pkg:golang/github.com/hashicorp/hcl@v1.0.0?type=module",
"pkg:golang/github.com/magiconair/properties@v1.8.1?type=module",
"pkg:golang/github.com/mitchellh/mapstructure@v1.4.3?type=module",
"pkg:golang/github.com/pelletier/go-toml@v1.2.0?type=module",
"pkg:golang/github.com/spf13/afero@v1.1.2?type=module",
"pkg:golang/github.com/spf13/cast@v1.3.0?type=module",
"pkg:golang/github.com/spf13/jwalterweatherman@v1.0.0?type=module",
"pkg:golang/github.com/spf13/pflag@v1.0.5?type=module",
"pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
"pkg:golang/github.com/subosito/gotenv@v1.2.0?type=module",
"pkg:golang/go.uber.org/atomic@v1.9.0?type=module",
"pkg:golang/go.uber.org/multierr@v1.7.0?type=module",
"pkg:golang/go.uber.org/zap@v1.20.0?type=module",
"pkg:golang/gopkg.in/ini.v1@v1.51.1?type=module",
"pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module"
]
},
{
  "ref": "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",
    "pkg:golang/github.com/pmezard/go-difflib@v1.0.0?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"
```

```
"pkg:golang/gopkg.in/yaml.v3@v3.0.0-20210107192922-496545a6307b?type=module"
]
},
{
  "ref": "pkg:golang/github.com/subosito/gotenv@v1.2.0?type=module"
},
{
  "ref": "pkg:golang/github.com/tidwall/gjson@v1.12.1?type=module",
  "dependsOn": [
    "pkg:golang/github.com/tidwall/match@v1.1.1?type=module",
    "pkg:golang/github.com/tidwall/pretty@v1.2.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/tidwall/match@v1.1.1?type=module"
},
{
  "ref": "pkg:golang/github.com/tidwall/pretty@v1.2.0?type=module"
},
{
  "ref": "pkg:golang/github.com/urfave/cli/v2@v2.3.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/cpuguy83/go-md2man/v2@v2.0.1?type=module",
    "pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module"
  ]
},
{
  "ref": "pkg:golang/github.com/valyala/bytebufferpool@v1.0.0?type=module"
},
{
```

```
"ref": "pkg:golang/github.com/valyala/fasttemplate@v1.2.1?type=module",
"dependsOn": [
  "pkg:golang/github.com/valyala/bytebufferpool@v1.0.0?type=module"
],
},
{
  "ref": "pkg:golang/github.com/vektah/gqlparser/v2@v2.2.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/agnivade/levenshtein@v1.1.1?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
    "pkg:golang/golang.org/x/tools@v0.1.8?type=module",
    "pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module"
  ],
},
{
  "ref": "pkg:golang/github.com/vektra/mockery/v2@v2.9.4?type=module",
  "dependsOn": [
    "pkg:golang/github.com/mitchellh/go-homedir@v1.1.0?type=module",
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",
    "pkg:golang/github.com/rs/zerolog@v1.18.0?type=module",
    "pkg:golang/github.com/spf13/cobra@v1.1.3?type=module",
    "pkg:golang/github.com/spf13/viper@v1.7.0?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
    "pkg:golang/golang.org/x/crypto@v0.0.0-20211215153901-e495a2d5b3d3?type=module",
    "pkg:golang/golang.org/x/tools@v0.1.8?type=module",
    "pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module"
  ],
},
{
```

```
"ref": "pkg:golang/github.com/xeipuuv/gojsonpointer@v0.0.0-20190905194746-02993c407bfb?
type=module"
},
{
  "ref": "pkg:golang/github.com/xeipuuv/gojsonreference@v0.0.0-20180127040603-bd5ef7bd5415?
type=module"
},
{
  "ref": "pkg:golang/github.com/xeipuuv/gojsonschema@v1.2.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
    "pkg:golang/github.com/xeipuuv/gojsonpointer@v0.0.0-20190905194746-02993c407bfb?
type=module",
    "pkg:golang/github.com/xeipuuv/gojsonreference@v0.0.0-20180127040603-bd5ef7bd5415?
type=module"
  ]
},
{
  "ref": "pkg:golang/go.opencensus.io@v0.23.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/golang/groupcache@v0.0.0-20210331224755-41bb18bfe9da?
type=module",
    "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
    "pkg:golang/google.golang.org/grpc@v1.43.0?type=module"
  ]
},
{
  "ref": "pkg:golang/go.uber.org/atomic@v1.9.0?type=module",
```

```
"dependsOn": [  
  "pkg:golang/github.com/davecgh/go-spew@v1.1.1?type=module",  
  "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module"  
]  
,  
{  
  "ref": "pkg:golang/go.uber.org/multierr@v1.7.0?type=module",  
  "dependsOn": [  
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",  
    "pkg:golang/go.uber.org/atomic@v1.9.0?type=module",  
    "pkg:golang/gopkg.in/yaml.v3@v3.0.0-20210107192922-496545a6307b?type=module"  
  ]  
},  
{  
  "ref": "pkg:golang/go.uber.org/zap@v1.20.0?type=module",  
  "dependsOn": [  
    "pkg:golang/github.com/pkg/errors@v0.9.1?type=module",  
    "pkg:golang/github.com/stretchr/testify@v1.7.0?type=module",  
    "pkg:golang/go.uber.org/atomic@v1.9.0?type=module",  
    "pkg:golang/go.uber.org/multierr@v1.7.0?type=module",  
    "pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module",  
    "pkg:golang/gopkg.in/yaml.v3@v3.0.0-20210107192922-496545a6307b?type=module"  
  ]  
},  
{  
  "ref": "pkg:golang/golang.org/x/crypto@v0.0.0-20211215153901-e495a2d5b3d3?type=module",  
  "dependsOn": [  
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",  
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",  
    "pkg:golang/golang.org/x/term@v0.0.0-20210406210042-72f3dc4e9b72?type=module",
```

```
"pkg:golang/golang.org/x/text@v0.3.7?type=module"
]
},
{
  "ref": "pkg:golang/golang.org/x/mod@v0.5.1?type=module",
  "dependsOn": [
    "pkg:golang/golang.org/x/crypto@v0.0.0-20211215153901-e495a2d5b3d3?type=module",
    "pkg:golang/golang.org/x/tools@v0.1.8?type=module",
    "pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module"
  ]
},
{
  "ref": "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
  "dependsOn": [
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",
    "pkg:golang/golang.org/x/term@v0.0.0-20210406210042-72f3dc4e9b72?type=module",
    "pkg:golang/golang.org/x/text@v0.3.7?type=module"
  ]
},
{
  "ref": "pkg:golang/golang.org/x/oauth2@v0.0.0-20211104180415-d3ed0bb246c8?type=module",
  "dependsOn": [
    "pkg:golang/cloud.google.com/go@v0.100.2?type=module",
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
    "pkg:golang/google.golang.org/appengine@v1.6.7?type=module"
  ]
},
{
  "ref": "pkg:golang/golang.org/x/sync@v0.0.0-20210220032951-036812b2e83c?type=module"
},
}
```

```
{
  "ref": "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module"
},
{
  "ref": "pkg:golang/golang.org/x/term@v0.0.0-20210406210042-72f3dc4e9b72?type=module",
  "dependsOn": [
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module"
  ]
},
{
  "ref": "pkg:golang/golang.org/x/text@v0.3.7?type=module",
  "dependsOn": [
    "pkg:golang/golang.org/x/tools@v0.1.8?type=module"
  ]
},
{
  "ref": "pkg:golang/golang.org/x/time@v0.0.0-20211116232009-f0f3c7e86c11?type=module"
},
{
  "ref": "pkg:golang/golang.org/x/tools@v0.1.8?type=module",
  "dependsOn": [
    "pkg:golang/golang.org/x/mod@v0.5.1?type=module",
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
    "pkg:golang/golang.org/x/sync@v0.0.0-20210220032951-036812b2e83c?type=module",
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",
    "pkg:golang/golang.org/x/text@v0.3.7?type=module",
    "pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module"
  ]
},
{
  
```

```

    "ref": "pkg:golang/golang.org/x/xerrors@v0.0.0-20200804184101-5ec99f83aff1?type=module"
  },
  {
    "ref": "pkg:golang/google.golang.org/api@v0.63.0?type=module",
    "dependsOn": [
      "pkg:golang/cloud.google.com/go@v0.100.2?type=module",
      "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
      "pkg:golang/github.com/googleapis/gax-go/v2@v2.1.1?type=module",
      "pkg:golang/go.opencensus.io@v0.23.0?type=module",
      "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
      "pkg:golang/golang.org/x/oauth2@v0.0.0-20211104180415-d3ed0bb246c8?type=module",
      "pkg:golang/golang.org/x/sync@v0.0.0-20210220032951-036812b2e83c?type=module",
      "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",
      "pkg:golang/google.golang.org/appengine@v1.6.7?type=module",
      "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
      "pkg:golang/google.golang.org/grpc@v1.43.0?type=module"
    ]
  },
  {
    "ref": "pkg:golang/google.golang.org/appengine@v1.6.7?type=module",
    "dependsOn": [
      "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
      "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
      "pkg:golang/golang.org/x/text@v0.3.7?type=module"
    ]
  },
  {
    "ref": "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
    "dependsOn": [

```



```
"pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
"pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
"pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",
"pkg:golang/golang.org/x/text@v0.3.7?type=module",
"pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
"pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
]
},
{
  "ref": "pkg:golang/google.golang.org/grpc@v1.43.0?type=module",
  "dependsOn": [
    "pkg:golang/github.com/cespare/xxhash/v2@v2.1.1?type=module",
    "pkg:golang/github.com/cncf/udpa/go@v0.0.0-20210930031921-04548b0d99d4?type=module",
    "pkg:golang/github.com/cncf/xds/go@v0.0.0-20211011173535-cb28da3451f1?type=module",
    "pkg:golang/github.com/envoyproxy/go-control-plane@v0.9.10-0.20210907150352-cf90f659a021?type=module",
    "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module",
    "pkg:golang/github.com/google/uuid@v1.3.0?type=module",
    "pkg:golang/golang.org/x/net@v0.0.0-20220105145211-5b0dc2dfae98?type=module",
    "pkg:golang/golang.org/x/oauth2@v0.0.0-20211104180415-d3ed0bb246c8?type=module",
    "pkg:golang/golang.org/x/sys@v0.0.0-20211216021012-1d35b9e2eb4e?type=module",
    "pkg:golang/google.golang.org/genproto@v0.0.0-20220112215332-a9c7c0acf9f2?type=module",
    "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module"
  ]
}
},
{
  "ref": "pkg:golang/google.golang.org/protobuf@v1.27.1?type=module",
  "dependsOn": [
    "pkg:golang/github.com/golang/protobuf@v1.5.2?type=module",
```

```

    "pkg:golang/github.com/google/go-cmp@v0.5.6?type=module"
  ]
},
{
  "ref": "pkg:golang/gopkg.in/go-playground/validator.v9@v9.31.0?type=module"
},
{
  "ref": "pkg:golang/gopkg.in/ini.v1@v1.51.1?type=module"
},
{
  "ref": "pkg:golang/gopkg.in/yaml.v2@v2.4.0?type=module"
},
{
  "ref": "pkg:golang/gopkg.in/yaml.v3@v3.0.0-20210107192922-496545a6307b?type=module"
},
{
  "ref": "pkg:golang/std@go1.17.6?type=module"
}
]
}

```

Suspendisse maximus mi non semper fringilla. Sed commodo sed nisi id facilisis. Duis in vestibulum nisi. Donec auctor tellus quam, a aliquet massa ultrices in. Quisque eget risus pulvinar, varius nibh vitae, posuere diam. Mauris pharetra tristique quam id tincidunt. Aliquam erat volutpat. Donec malesuada risus metus, eget posuere est tempus in. Pellentesque vulputate lorem in accumsan efficitur. Aenean tempor a ante ac dignissim. Proin accumsan leo nec ipsum tempor, id interdum felis viverra. Nunc pellentesque accumsan maximus. In hac habitasse platea dictumst. Vivamus quis tortor rhoncus, lobortis ex nec, interdum dui. Quisque sit amet porttitor magna.

Proin eu odio ultricies, condimentum urna at, vehicula lectus. Suspendisse lobortis erat nec diam ultrices ultrices. Cras mollis nulla eu faucibus tincidunt. Nunc placerat libero sapien. Vestibulum congue a magna et elementum. Quisque gravida lobortis mauris, ut dictum arcu

euismod eget. Praesent eget porttitor purus. Duis eget justo sed velit scelerisque ullamcorper a vel sem.

Aliquam erat volutpat. Curabitur metus felis, euismod at congue at, suscipit et mauris. Praesent nec sapien arcu. Aenean et tortor id ex euismod consequat. Etiam congue et turpis sit amet tempus. Cras quis vestibulum elit, et varius erat. Praesent posuere libero fringilla mauris scelerisque, eu accumsan magna semper. Aliquam nulla ligula, consequat sed lorem vitae, gravida laoreet velit. Sed quis sapien leo. Curabitur ac neque sit amet turpis dapibus lobortis nec vel tortor. Praesent ut magna sem. Vivamus malesuada eros at lectus scelerisque congue. Integer dapibus velit id ultricies commodo.

Sed sed neque dui. Nam convallis tempus nulla, ut congue sem tempus sit amet. Proin quis elit at augue dictum sodales et sed urna. Sed pellentesque nisi sem, in tincidunt leo placerat quis. Nullam at dignissim justo. Vivamus lobortis eros porttitor massa ullamcorper egestas ut non urna. Nulla facilisi. Interdum et malesuada fames ac ante ipsum primis in faucibus. Aenean pellentesque lorem quis orci interdum dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Praesent ac pretium ligula. Curabitur eget hendrerit arcu. Mauris nec ultrices massa, rhoncus luctus mauris. Donec convallis ante in nunc eleifend, sit amet venenatis nibh ultrices. Duis vehicula, ipsum quis accumsan egestas, metus arcu semper tellus, sed laoreet tellus magna sit amet velit.

Nulla non ipsum nec dolor bibendum laoreet vitae nec eros. Sed scelerisque aliquam gravida. Nam consectetur tortor nisi, eu consectetur nibh vehicula vel. Ut vel elit at mauris luctus placerat. Fusce finibus hendrerit lectus, vitae blandit felis mollis sit amet. Nunc mauris lorem, sodales vel purus in, tempor ultricies purus. Praesent faucibus, neque ut luctus vestibulum, sapien felis malesuada