

Order Details

Ordered Services Description *	Type a value
Which one of the following PT Services is being ordered? *	☐ Restorative ☐ Maintenance ☐ PT eval needed for recommendation
Why is a Physical Therapist Required? *	☐ Physical therapist's skills are needed to establish or design a maintenance program ☐ Other
Specify Other *	Type a value
PT/HHA Order date *	MM/DD/YYYY
Order ID *	Type a value
Physical Therapy is medically necessary due to:	
1. Condition/Illness requiring PT. *	☐ Yes ☐ No ☒ Not Answered
2. Functional limitations are present and documented that are interfering with the patients ability and capacity to perform daily tasks. *	☐ Yes ☐ No ☒ Not Answered
3. Patient is confined to their home due to the burden of the condition/injury, and subsequent functional limitations *	☐ Yes ☐ No ☒ Not Answered
Prior Physical Therapy Treatments? *	☐ Yes ☐ No ☒ Not Answered
Inpatient Physical Therapy Encounter/Reason for Encounter	
Date of encounters	MM/DD/YYYY
PT Goals	Type a value
Status of PT Goals	Type a value
Outpatient Physical Therapy Encounter/Reason for Encounter	
Date of encounters	MM/DD/YYYY
PT Goals	Type a value
Status of PT Goals	Type a value
Order Provider NPI *	Type a value

Limitations and Measurement Tool Scores/Results

Functional Limitations *	☐ Yes ☐ No ☒ Not Answered
Specify Condition *	☐ Ambulation ☐ Amputation ☐ Bowel/Bladder (Incontinence) ☐ Cognitive ☐ Contracture ☐ Dyspnea with Mild Exertion ☐ Endurance ☐ Hearing ☐ Legally Blind ☐ Muscle Weakness ☐ Paralysis ☐ Speech ☐ Pain ☐ Other
Specify Other *	Type a value
Activity Restrictions *	☐ Yes ☐ No ☒ Not Answered
Specify Condition *	☐ Complete Bedrest ☐ Bedrest BRP ☐ Up as tolerated ☐ Transfer Bed/Chair ☐ Exercises Prescribed ☐ Partial Weight Bearing ☐ Crutches ☐ Cane ☐ Wheelchair ☐ Walker ☐ Other
Specify Other *	Type a value
Does the Patient meet homebound status reasons *	☐ Yes ☐ No ☒ Not Answered
Select all that apply *	☐ Because of the illness/injury, the patient requires supportive device(s), the use of special transportation, or the assistance of another person to leave their home ☐ Leaving their home is medically contraindicated
There exist a normal inability to leave the home and leaving the home requires a considerable and taxing effort. *	☐ Yes ☐ No ☒ Not Answered
Is pain a symptom? *	☐ Yes ☐ No ☒ Not Answered
How severe is the pain? *	☐ Mild ☐ Moderate ☐ Severe
Fall risk assessment findings	☐ No multi-factor falls risk assessment conducted. ☐ Yes, and it does not indicate a risk for falls. ☐ Yes, and it indicates a risk for falls.
ADL/IADLs baseline results: *	☐ Yes ☐ No ☒ Not Answered
ADL/IADLs baseline results. Answer all that apply:	
Grooming	☐ Able to groom self unaided, with or without the use of assistive devices or adapted methods. ☐ Grooming utensils must be placed within reach before able to complete grooming activities. ☐ Someone must assist the patient to groom self. ☐ Patient depends entirely upon someone else for grooming needs.
Dress Upper Body	☐ Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance. ☐ Able to dress upper body without assistance if clothing is laid out or handed to the patient.

	Someone must help the patient put on upper body clothing. Patient depends entirely upon another person to dress the upper body. Able to obtain, put on, and remove clothing and shoes without assistance. Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient. Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes. Patient depends entirely upon another person to dress lower body.
Bathing	Able to bathe self in shower or tub independently, including getting in and out of tub/shower. With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower. Able to bathe in shower or tub with the intermittent assistance of another person: (a) for intermittent supervision or encouragement or reminders, OR (b) to get in and out of the shower or tub, OR (c) for washing difficult to reach areas. Able to participate in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision. Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode. Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person. Unable to participate effectively in bathing and is bathed totally by another person.
Toilet Transferring	Able to get to and from the toilet and transfer independently with or without a device. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance). Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. Is totally dependent in toileting.
Toileting Hygiene	Able to manage toileting hygiene and clothing management without assistance. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. Someone must help the patient to maintain toileting hygiene and/or adjust clothing. Patient depends entirely upon another person to maintain toileting hygiene.
Transferring	Able to independently transfer. Transfers with minimal human assistance or with use of an assistive device. Unable to transfer self but is able to bear weight and pivot during the transfer process. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. Bedfast, unable to transfer but is able to turn and position self in bed. Bedfast, unable to transfer and is unable to turn and position self.
Ambulation/Locomotion	Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings. Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces. Able to walk only with the supervision or assistance of another person at all times. Chairfast, unable to ambulate but is able to wheel self independently. Chairfast, unable to ambulate and is unable to wheel self. Bedfast, unable to ambulate or be up in a chair.
Functional independence measure results:	Yes No Not Answered
Functional independence measure results. Answer all that apply.	
Self Care - Performance	Yes No Not Answered
Self Care - Performance. Answer all that apply.	
Eating	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
Oral Hygiene	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or

	intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
--	--

Putting on/taking off footwear		Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
Self Care - Discharge Goal		Yes No Not Answered
Self Care - Discharge Goal. Answer all that apply.		
Eating		Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
Oral Hygiene		Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
Toileting hygiene		Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns

	Shower/bathe self	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
	Upper body dressing	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
	Lower body dressing	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
	Putting on/taking off footwear	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns

Mobility - Performance		☐ Yes	☐ No	☒ Not Answered
Mobility - Performance. Answer all that apply.				
Roll left and right	☐ Independent - Person completes the activity by themselves with no assistance from a helper. ☐ Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. ☐ Person refused. ☐ Not applicable - Person does not usually do this activity. ☐ Not attempted due to short-term medical condition or safety concerns.			
Sit to lying	☐ Independent - Person completes the activity by themselves with no assistance from a helper. ☐ Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. ☐ Person refused. ☐ Not applicable - Person does not usually do this activity. ☐ Not attempted due to short-term medical condition or safety concerns.			
Lying to sitting on side of bed	☐ Independent - Patient completes the activity by themselves with no assistance from a helper. ☐ Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. ☐ Patient refused ☐ Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. ☐ Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). ☐ Not attempted due to medical condition or safety concerns			
Sit to stand	☐ Independent - Person completes the activity by themselves with no assistance from a helper. ☐ Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. ☐ Person refused. ☐ Not applicable - Person does not usually do this activity. ☐ Not attempted due to short-term medical condition or safety concerns.			
Chair/bed-to-chair transfer	☐ Independent - Person completes the activity by themselves with no assistance from a helper. ☐ Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently.			

— Toilet transfer					
— Car transfer					
— Walk 10 feet					
— Walk 50 feet with two turns					

Walk 150 feet	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
Walking 10 feet on uneven surfaces	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
1 step (curb)	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
4 steps	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
12 steps	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity.

	Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
Picking up object	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.

Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.

Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity.

Person refused.

Not applicable - Person does not usually do this activity.

Not attempted due to short-term medical condition or safety concerns.

Sit to lying	☐ Independent - Patient completes the activity by themselves with no assistance from a helper. ☐ Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. ☐ Patient refused ☐ Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. ☐ Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). ☐ Not attempted due to medical condition or safety concerns
Lying to sitting on side of bed	☐ Independent - Patient completes the activity by themselves with no assistance from a helper. ☐ Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. ☐ Patient refused ☐ Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. ☐ Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). ☐ Not attempted due to medical condition or safety concerns
Sit to stand	☐ Independent - Patient completes the activity by themselves with no assistance from a helper. ☐ Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. ☐ Patient refused ☐ Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. ☐ Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). ☐ Not attempted due to medical condition or safety concerns
Chair/bed-to-chair transfer	☐ Independent - Patient completes the activity by themselves with no assistance from a helper. ☐ Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. ☐ Patient refused ☐ Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. ☐ Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). ☐ Not attempted due to medical condition or safety concerns

Toilet transfer	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
Car transfer	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
Walk 10 feet	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
Walk 50 feet with two turns	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns

Walk 150 feet	☐ Independent - Patient completes the activity by themselves with no assistance from a helper. ☐ Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. ☐ Patient refused ☐ Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. ☐ Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). ☐ Not attempted due to medical condition or safety concerns
Walking 10 feet on uneven surfaces	☐ Independent - Patient completes the activity by themselves with no assistance from a helper. ☐ Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. ☐ Patient refused ☐ Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. ☐ Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). ☐ Not attempted due to medical condition or safety concerns
1 step (curb)	☐ Independent - Patient completes the activity by themselves with no assistance from a helper. ☐ Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. ☐ Patient refused ☐ Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. ☐ Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). ☐ Not attempted due to medical condition or safety concerns
4 steps	☐ Independent - Patient completes the activity by themselves with no assistance from a helper. ☐ Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. ☐ Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. ☐ Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. ☐ Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. ☐ Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. ☐ Patient refused ☐ Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. ☐ Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). ☐ Not attempted due to medical condition or safety concerns

12 steps	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
Picking up object	Independent - Patient completes the activity by themselves with no assistance from a helper. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. Patient refused Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints). Not attempted due to medical condition or safety concerns
Does patient use a wheelchiar and/or scooter?	Yes No Not Answered
Wheel 50 feet with two turns.	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
Indicate the type of wheelchair or scooter used:	Manual Motorized
Wheel 150 feet	Independent - Person completes the activity by themselves with no assistance from a helper. Setup or cleanup assistance - Helper sets up or cleans up; person completes activity. Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as person completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does less than half the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. Substantial/maximal assistance - Helper does more than half the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. Dependent - Helper does all of the effort. Person does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the person to complete the activity. Person refused. Not applicable - Person does not usually do this activity. Not attempted due to short-term medical condition or safety concerns.
Indicate the type of wheelchair or scooter used:	Manual Motorized
Are there other validated tools/test completed during evaluation?	Yes No Not Answered

Active Range of Motion

YesNo

Not Answered

Select all joints where active range of motion is performed.

NeckShoulderElbowKneeHipAnkleFootWrist

Metatarsophalangeal joint of the footThumb/Finger Joints Left Metacarpophalangeal

Thumb/Finger Left Proximal Interphalangeal (PIP)Finger Left Distal Interphalangeal (PIP)

Thumb/Finger Joints Right MetacarpophalangealThumb/Finger Right Proximal Interphalangeal (PIP)

Finger Right Distal Interphalangeal (PIP)

Neck: Enter the range of motion degrees in +/- number.

Left Flexion

Type a number

Left Extension

Type a number

Left Rotation

Type a number

Left Lateral Bending

Type a number

Right Flexion

Type a number

Right Extension

Type a number

Right Rotation

Type a number

Right Lateral Bending

Type a number

Shoulder: Enter the range of motion degrees in +/- number.

Shoulder - left Flexion Active Range of Motion Quantitative

Type a number

Shoulder - left External rotation Active Range of Motion Quantitative

Type a number

Shoulder - left Extension Active Range of Motion Quantitative

Type a number

Shoulder - left Abduction Active Range of Motion Quantitative

Type a number

Shoulder - left Horizontal adduction Active Range of Motion Quantitative

Type a number

Shoulder - left Internal rotation Active Range of Motion Quantitative

Type a number

Shoulder - right Flexion Active Range of Motion Quantitative

Type a number

Shoulder - right Extension Active Range of Motion Quantitative

Type a number

Shoulder - right Abduction Active Range of Motion Quantitative

Type a number

Shoulder - right Horizontal adduction Active Range of Motion Quantitative

Type a number

Shoulder - right Internal rotation Active Range of Motion Quantitative

Type a number

Shoulder - right External rotation Active Range of Motion Quantitative

Type a number

Elbow: Enter the range of motion degrees in +/- number.

Elbow - left Flexion Active Range of Motion Quantitative

Type a number

Elbow - left Extension Active Range of Motion Quantitative

Type a number

Elbow - right Flexion Active Range of Motion Quantitative

Type a number

Elbow - right Extension Active Range of Motion Quantitative

Type a number

Knee: Enter the range of motion degrees in +/- number.

Knee - left Flexion Active Range of Motion Quantitative

Type a number

Knee - left Extension Active Range of Motion Quantitative

Type a number

Knee - right Flexion Active Range of Motion Quantitative

Type a number

Knee - right Extension Active Range of Motion Quantitative

Type a number

Hip: Enter the range of motion degrees in +/- number.

Hip - left Flexion Active Range of Motion Quantitative

Type a number

Hip - left Extension Active Range of Motion Quantitative

Type a number

Hip - left Abduction Active Range of Motion Quantitative

Type a number

Hip - left Adduction Active Range of Motion Quantitative

Type a number

Hip - left Internal rotation Active Range of Motion Quantitative

Type a number

Hip - left External rotation Active Range of Motion Quantitative

Type a number

Hip - right Flexion Active Range of Motion Quantitative

Type a number

Hip - right Extension Active Range of Motion Quantitative

Type a number

Hip - right Abduction Active Range of Motion Quantitative

Type a number

— Hip - right Adduction Active Range of Motion Quantitative	Type a number
— Hip - right Internal rotation Active Range of Motion Quantitative	Type a number
— Hip - right External rotation Active Range of Motion Quantitative	Type a number
Ankle: Enter the range of motion degrees in +/- number.	
— Ankle - left plantar flexion	Type a number
— Ankle - left dorsiflexion	Type a number
— Ankle - right plantar flexion	Type a number
— Ankle - right dorsiflexion	Type a number
Foot: Enter the range of motion degrees in +/- number.	
— Foot - Left inversion	Type a number
— Foot - Left eversion	Type a number
— Foot - Right inversion	Type a number
— Foot - Right eversion	Type a number
Wrist: Enter the range of motion degrees in +/- number.	
— Wrist - left Flexion	Type a number
— Wrist - left Extension	Type a number
— Wrist - left Abduction	Type a number
— Wrist - left Adduction	Type a number
— Wrist - right Flexion	Type a number
— Wrist - right Extension	Type a number
— Wrist - right Abduction	Type a number
— Wrist - right Adduction	Type a number
Metatarsophalangeal joint of the foot: Enter the range of motion degrees in +/- number.	
— Metatarsophalangeal - left flexion	Type a number
— Metatarsophalangeal - left extension	Type a number
— Metatarsophalangeal - right flexion	Type a number
— Metatarsophalangeal - right extension	Type a number
Thumb/Finger Joints Left Metacarpophalangeal: Enter the range of motion degrees in +/- number.	
— Metacarpophalangeal (MCP) thumb left flexion	Type a number
— Metacarpophalangeal (MCP) thumb left extension	Type a number
— Metacarpophalangeal (MCP) thumb left abduction	Type a number
— Metacarpophalangeal (MCP) thumb left adduction	Type a number
— Metacarpophalangeal (MCP) thumb left opposition	Type a number
— Metacarpophalangeal (MCP) 1st finger left flexion	Type a number
— Metacarpophalangeal (MCP) 1st finger left extension	Type a number
— Metacarpophalangeal (MCP) 2nd finger left flexion	Type a number
— Metacarpophalangeal (MCP) 2nd finger left extension	Type a number
— Metacarpophalangeal (MCP) 3rd finger left flexion	Type a number
— Metacarpophalangeal (MCP) 3rd finger left extension	Type a number
— Metacarpophalangeal (MCP) 4th finger left flexion	Type a number
— Metacarpophalangeal (MCP) 4th finger left extension	Type a number
— Metacarpophalangeal (MCP) 5th finger left flexion	Type a number
— Metacarpophalangeal (MCP) 5th finger left extension	Type a number
Thumb/Finger Left Proximal Interphalangeal (PIP): Enter the range of motion degrees in +/- number.	
— Proximal Interphalangeal (PIP) thumb left flexion	Type a number
— Proximal Interphalangeal (PIP) thumb left extension	Type a number

Proximal Interphalangeal (PIP) 1st finger left flexion	Type a number
Proximal Interphalangeal (PIP) 1st finger left extension	Type a number
Proximal Interphalangeal (PIP) 2nd finger left flexion	Type a number
Proximal Interphalangeal (PIP) 2nd finger left extension	Type a number
Proximal Interphalangeal (PIP) 3rd finger left flexion	Type a number
Proximal Interphalangeal (PIP) 3rd finger left extension	Type a number
Proximal Interphalangeal (PIP) 4th finger left flexion	Type a number
Proximal Interphalangeal (PIP) 4th finger left extension	Type a number
Proximal Interphalangeal (PIP) 5th finger left flexion	Type a number
Proximal Interphalangeal (PIP) 5th finger left extension	Type a number
Finger Left Distal Interphalangeal (PIP): Enter the range of motion degrees in +/- number.	
Distal Interphalangeal (PIP) 1st finger left flexion	Type a number
Distal Interphalangeal (PIP) 1st finger left extension	Type a number
Distal Interphalangeal (PIP) 2nd finger left flexion	Type a number
Distal Interphalangeal (PIP) 2nd finger left extension	Type a number
Distal Interphalangeal (PIP) 3rd finger left flexion	Type a number
Distal Interphalangeal (PIP) 3rd finger left extension	Type a number
Distal Interphalangeal (PIP) 4th finger left flexion	Type a number
Distal Interphalangeal (PIP) 4th finger left extension	Type a number
Distal Interphalangeal (PIP) 5th finger left flexion	Type a number
Distal Interphalangeal (PIP) 5th finger left extension	Type a number
Thumb/Finger Joints Right Metacarpophalangeal: Enter the range of motion degrees in +/- number.	
Metacarpophalangeal (MCP) thumb right flexion	Type a number
Metacarpophalangeal (MCP) thumb right extension	Type a number
Metacarpophalangeal (MCP) thumb right abduction	Type a number
Metacarpophalangeal (MCP) thumb right adduction	Type a number
Metacarpophalangeal (MCP) thumb right opposition	Type a number
Metacarpophalangeal (MCP) 1st finger right flexion	Type a number
Metacarpophalangeal (MCP) 1st finger right extension	Type a number
Metacarpophalangeal (MCP) 2nd finger right flexion	Type a number
Metacarpophalangeal (MCP) 2nd finger right extension	Type a number
Metacarpophalangeal (MCP) 3rd finger right flexion	Type a number
Metacarpophalangeal (MCP) 3rd finger right extension	Type a number
Metacarpophalangeal (MCP) 4th finger right flexion	Type a number
Metacarpophalangeal (MCP) 4th finger right extension	Type a number
Metacarpophalangeal (MCP) 5th finger right flexion	Type a number
Metacarpophalangeal (MCP) 5th finger right extension	Type a number
Thumb/Finger Right Proximal Interphalangeal (PIP): Enter the range of motion degrees in +/- number.	
Proximal Interphalangeal (PIP) thumb right flexion	Type a number
Proximal Interphalangeal (PIP) thumb right extension	Type a number
Proximal Interphalangeal (PIP) 1st finger right flexion	Type a number
Proximal Interphalangeal (PIP) 1st finger right extension	Type a number
Proximal Interphalangeal (PIP) 2nd finger right flexion	Type a number
Proximal Interphalangeal (PIP) 2nd finger right extension	Type a number
Proximal Interphalangeal (PIP) 3rd finger right flexion	Type a number
Proximal Interphalangeal (PIP) 3rd finger right extension	Type a number

Proximal Interphalangeal (PIP) 4th finger right flexion	Type a number
Proximal Interphalangeal (PIP) 4th finger right extension	Type a number
Proximal Interphalangeal (PIP) 5th finger right flexion	Type a number
Proximal Interphalangeal (PIP) 5th finger right extension	Type a number
Finger Right Distal Interphalangeal (PIP): Enter the range of motion degrees in +/- number.	
Distal Interphalangeal (PIP) 1st finger right flexion	Type a number
Distal Interphalangeal (PIP) 1st finger right extension	Type a number
Distal Interphalangeal (PIP) 2nd finger right flexion	Type a number
Distal Interphalangeal (PIP) 2nd finger right extension	Type a number
Distal Interphalangeal (PIP) 3rd finger right flexion	Type a number
Distal Interphalangeal (PIP) 3rd finger right extension	Type a number
Distal Interphalangeal (PIP) 4th finger right flexion	Type a number
Distal Interphalangeal (PIP) 4th finger right extension	Type a number
Distal Interphalangeal (PIP) 5th finger right flexion	Type a number
Distal Interphalangeal (PIP) 5th finger right extension	Type a number
6 Minute Walk Test: Walking Distance(in meters) in 6 minutes was:	Type a number
2 Minute Walk Test: Walking Distance(in meters) in 2 minutes was:	Type a number
The Tinetti Balance and Gait Evaluation	Type a number
Timed Up and Go test and physical findings of gait panel	
Time to rise from chair, walk 10 feet and back, and return to sitting [TUG]	Type a number
Physical findings of Gait	Type a value
Sit to Stand Frequency in 30 seconds	Type a number
The functional reach test	Type a number
Postural stability (Retropulsion Test)	Type a number
Dix-Hallpike Maneuver	Type a number
Berg Balance Scale Total Score	Type a number
Head Thrust Test	Type a number
Dynamic Gait Index score	Type a number
Pain Severity Score	Type a number
Other tests:	☐ Yes ☐ No ☒ Not Answered
Specify Other *	Type a value
Clinical Findings Summary:	Type a value
Diagnosis *	
Primary Diagnosis *	Type a value
Other Diagnosis	Type a value
Other pertinent conditions or procedures	Type a value
F2F Encounter contains primary condition/injury for PT services to be provided by Home Health	Type a value
Primary Details *	
F2F encounter documented *	☐ Yes ☐ No ☒ Not Answered
Date of the F2F encounter (No greater than 90 days prior and 30 days after SOC date) *	MM/DD/YYYY
Allowable provider that performed F2F encounter NPI *	Type a value
The PT services requested is for:	☐ New Problem ☐ Exacerbation of a previous problem
Patient is post-operative?	☐ Yes ☐ No ☒ Not Answered
How long ago was surgery??	MM/DD/YYYY
Were there any complications?	Type a value
National Provider Identifier (NPI) for the attending physician who has signed the plan of care	Type a value

Start of Care Date	MM/DD/YYYY
Discipline of Person Completing Assessment	☐ RN ☐ PT ☐ SLP/ST ☐ OT
This Assessment is Currently Being Completed for the Following Reason	☐ Start of care - further visits planned ☐ Resumption of care (after inpatient stay) ☐ Recertification (follow-up) reassessment ☐ Other follow-up ☐ Transferred to an inpatient facility - patient not discharged from agency ☐ Transferred to an inpatient facility - patient discharged from agency ☐ Death at home ☐ Discharge from agency
Date of Physician-ordered Start of Care (Resumption of Care)	MM/DD/YYYY
Date of Referral	MM/DD/YYYY
From which of the following Inpatient Facilities was the patient discharged within the past 14 days?	☐ Long-term nursing facility (NF) ☐ Skilled nursing facility (SNF/TCU) ☐ Short-stay acute hospital (IPPS) ☐ Long-Term Care Hospital (LTCH) ☐ Inpatient rehabilitation hospital or unit (IRF) ☐ Psychiatric hospital or unit ☐ Patient was not discharged from an inpatient facility ☐ Other
Specify Other *	Type a value
Inpatient Discharge Date (most recent)	MM/DD/YYYY
Patient representative if any	Type a value
Initial physical therapy encounter date: *	MM/DD/YYYY
Physical Therapy Services being provided:	☐ Restore patient function ☐ Design or establish a maintenance program ☐ Perform maintenance therapy
Therapeutic treatments to be provided under the treatment plan	☐ Yes ☐ No ☒ Not Answered
Therapeutic treatments to be provided under the treatment plan. Select all that apply	
Patient/Caregiver Education Provided	☐ Yes ☐ No ☒ Not Answered
Cold Pack Therapy Planned/Performed	☐ Yes ☐ No ☒ Not Answered
Therapeutic Exercise Planned	☐ Yes ☐ No ☒ Not Answered
Therapeutic Exercise Planned. Select all that apply.	☐ Not performed ☐ Aerobic capacity/endurance conditioning or reconditioning ☐ Flexibility exercises ☐ Neuromotor development training ☐ Relaxation ☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles ☐ Other
Aerobic capacity/endurance conditioning or reconditioning	☐ Aerobic capacity/endurance conditioning or reconditioning: Aquatic programs ☐ Aerobic capacity/endurance conditioning or reconditioning: Gait and locomotor training ☐ Aerobic capacity/endurance conditioning or reconditioning: Increased workload over time ☐ Aerobic capacity/endurance conditioning or reconditioning: Movement efficiency and energy conservation training ☐ Aerobic capacity/endurance conditioning or reconditioning: Walking and wheelchair propulsion programs
Flexibility exercises	☐ Flexibility exercises: Muscle lengthening ☐ Flexibility exercises: Range of motion ☐ Flexibility exercises: Stretching
Neuromotor development training	☐ Neuromotor development training: Developmental activities training ☐ Neuromotor development training: Motor training ☐ Neuromotor development training: Movement pattern training ☐ Neuromotor development training: Neuromuscular education or reeducation
Relaxation	☐ Relaxation: Breathing strategies ☐ Relaxation: Movement strategies ☐ Relaxation: Relaxation techniques ☐ Relaxation: Standardized, programmatic, complementary exercise approaches
Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles	☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles: Active assistive, active, and resistive exercises (including concentric, dynamic/isotonic, eccentric, isokinetic, isometric, and plyometric) ☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles: Aquatic programs ☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles: Standardized, programmatic, or complementary exercise approaches ☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles: Task-specific performance training
Specify Other *	Type a value
Therapeutic Exercise Performed	☐ Yes ☐ No ☒ Not Answered
Therapeutic Exercise Performed. Select all that apply.	☐ Not performed ☐ Aerobic capacity/endurance conditioning or reconditioning ☐ Flexibility exercises ☐ Neuromotor development training ☐ Relaxation ☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles ☐ Other
Aerobic capacity/endurance conditioning or reconditioning	☐ Aerobic capacity/endurance conditioning or reconditioning: Aquatic programs ☐ Aerobic capacity/endurance conditioning or reconditioning: Gait and locomotor training ☐ Aerobic capacity/endurance conditioning or reconditioning: Increased workload over time ☐ Aerobic capacity/endurance conditioning or reconditioning: Movement efficiency and energy conservation training ☐ Aerobic capacity/endurance conditioning or reconditioning: Walking and wheelchair propulsion programs

Flexibility exercises	☐ Flexibility exercises: Muscle lengthening ☐ Flexibility exercises: Range of motion ☐ Flexibility exercises: Stretching
Neuromotor development training	☐ Neuromotor development training: Developmental activities training ☐ Neuromotor development training: Motor training ☐ Neuromotor development training: Movement pattern training ☐ Neuromotor development training: Neuromuscular education or reeducation
Relaxation	☐ Relaxation: Breathing strategies ☐ Relaxation: Movement strategies ☐ Relaxation: Relaxation techniques ☐ Relaxation: Standardized, programmatic, complementary exercise approaches
Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles	☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles: Active assistive, active, and resistive exercises (including concentric, dynamic/isotonic, eccentric, isokinetic, isometric, and plyometric) ☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles: Aquatic programs ☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles: Standardized, programmatic, or complementary exercise approaches ☐ Strength, power, and endurance training for head, neck, limb, pelvic-floor, trunk, and ventilatory muscles: Task-specific performance training
Specify Other *	Type a value
Manual Therapy technique Planned	☐ Yes ☐ No ☒ Not Answered
Manual Therapy technique Planned. Select all that apply.	☐ Not performed ☐ Manual lymphatic drainage ☐ Manual traction ☐ Massage ☐ Mobilization/manipulation ☐ Neural tissue mobilization ☐ Passive range of motion ☐ Other
Massage	☐ Massage: Connective tissue massage ☐ Massage: Therapeutic massage
Mobilization/manipulation	☐ Mobilization/manipulation: Dry needling ☐ Mobilization/manipulation: Soft tissue ☐ Mobilization/manipulation: Spinal and peripheral joints
Specify Other *	Type a value
Manual Therapy technique Performed	☐ Yes ☐ No ☒ Not Answered
Manual Therapy technique Performed. Select all that apply.	☐ Not performed ☐ Manual lymphatic drainage ☐ Manual traction ☐ Massage ☐ Mobilization/manipulation ☐ Neural tissue mobilization ☐ Passive range of motion ☐ Other
Massage	☐ Massage: Connective tissue massage ☐ Massage: Therapeutic massage
Mobilization/manipulation	☐ Mobilization/manipulation: Dry needling ☐ Mobilization/manipulation: Soft tissue ☐ Mobilization/manipulation: Spinal and peripheral joints
Specify Other *	Type a value
Functional Training Planned	☐ Yes ☐ No ☒ Not Answered
Functional Training Planned. Select all that apply.	☐ Not performed ☐ ADL training ☐ Barrier accommodations or modifications ☐ Developmental activities ☐ Device and equipment use and training ☐ Functional training programs ☐ IADL training ☐ Injury prevention or reduction ☐ Other
ADL training	☐ ADL training: Bathing ☐ ADL training: Bed mobility and transfer training ☐ ADL training: Dressing ☐ ADL training: Eating ☐ ADL training: Grooming ☐ ADL training: Toileting
Device and equipment use and training	☐ Device and equipment use and training: Assistive and adaptive device or equipment training during IADL ☐ Device and equipment use and training: Orthotic, protective, or supportive device or equipment training during IADL ☐ Device and equipment use and training: Prosthetic device or equipment training during IADL
Functional training programs	☐ Functional training programs: Back schools ☐ Functional training programs: Job coaching ☐ Functional training programs: Simulated environments and tasks ☐ Functional training programs: Task adaptation ☐ Functional training programs: Task training ☐ Functional training programs: Travel training ☐ Functional training programs: Work conditioning ☐ Functional training programs: Work hardening
IADL training	☐ IADL training: Community service training ☐ IADL training: School and play activities training ☐ IADL training: Work training
Injury prevention or reduction	☐ Injury prevention or reduction: Injury prevention education during domestic, education, work, community, social, and civic integration or reintegration ☐ Injury prevention or reduction: Injury prevention education with the use of devices and equipment ☐ Injury prevention or reduction: Safety awareness training during work, community, social, and civic life integration or reintegration
Specify Other *	Type a value
Functional Training Performed	☐ Yes ☐ No ☒ Not Answered
Functional Training Performed. Select all that apply.	☐ Not performed ☐ ADL training ☐ Barrier accommodations or modifications ☐ Developmental activities ☐ Device and equipment use and training ☐ Functional training programs ☐ IADL training ☐ Injury prevention or reduction ☐ Other
ADL training	☐ ADL training: Bathing ☐ ADL training: Bed mobility and transfer training ☐ ADL training: Dressing ☐ ADL training: Eating ☐ ADL training: Grooming ☐ ADL training: Toileting
Device and equipment use and training	☐ Device and equipment use and training: Assistive and adaptive device or equipment training during IADL ☐ Device and equipment use and training: Orthotic, protective, or supportive device or equipment training during

	IADL
Functional training programs	☐ Device and equipment use and training: Prosthetic device or equipment training during IADL ☐ Functional training programs: Back schools ☐ Functional training programs: Job coaching ☐ Functional training programs: Simulated environments and tasks ☐ Functional training programs: Task adaptation ☐ Functional training programs: Task training ☐ Functional training programs: Travel training ☐ Functional training programs: Work conditioning ☐ Functional training programs: Work hardening
IADL training	☐ IADL training: Community service training ☐ IADL training: School and play activities training ☐ IADL training: Work training
Injury prevention or reduction	☐ Injury prevention or reduction: Injury prevention education during domestic, education, work, community, social, and civic integration or reintegration ☐ Injury prevention or reduction: Injury prevention education with the use of devices and equipment ☐ Injury prevention or reduction: Safety awareness training during work, community, social, and civic life integration or reintegration
Specify Other *	Type a value
Functional retraining	☐ Yes ☐ No ☒ Not Answered
Fabrication/application of splints & strapping	☐ Yes ☐ No ☒ Not Answered
Gait Training Therapy	☐ Yes ☐ No ☒ Not Answered
Heat Pack Therapy	☐ Yes ☐ No ☒ Not Answered
Neuromuscular reeducation	☐ Yes ☐ No ☒ Not Answered
Electrotherapeutic	☐ Yes ☐ No ☒ Not Answered
Electrical Stimulation Therapy	☐ Yes ☐ No ☒ Not Answered
Electromagnetic Therapy	☐ Yes ☐ No ☒ Not Answered
Diathermy Treatment	☐ Yes ☐ No ☒ Not Answered
Infrared Therapy	☐ Yes ☐ No ☒ Not Answered
Ultrasound	☐ Yes ☐ No ☒ Not Answered
Hydrotherapy	☐ Yes ☐ No ☒ Not Answered
Mechanical Traction Therapy	☐ Yes ☐ No ☒ Not Answered
Self-Care/Home Management Training	☐ Yes ☐ No ☒ Not Answered
Wheelchair Management Training	☐ Yes ☐ No ☒ Not Answered
Vasopneumatic Device Therapy	☐ Yes ☐ No ☒ Not Answered
Integumentary repair and protection techniques Planned	☐ Yes ☐ No ☒ Not Answered
Integumentary repair and protection techniques Planned. Select all that apply. *	☐ Not Performed ☐ Biophysical agents ☐ Debridement ☐ Dressings ☐ Topical agents ☐ Other
Biophysical agents *	☐ Biophysical agents: Electrical stimulation ☐ Biophysical agents: Hyperbaric oxygen therapy ☐ Biophysical agents: Light therapies (eg, ultraviolet-C, low-level laser) ☐ Biophysical agents: Negative pressure wound therapy ☐ Biophysical agents: Pneumatic compression therapy ☐ Biophysical agents: Ultrasound (high and low frequency)
Debridement *	☐ Debridement: Autolytic (support through proper dressing utilization) ☐ Debridement: Biologic (maggots or leeches) ☐ Debridement: Low-frequency, contact ultrasound ☐ Debridement: Mechanical ☐ Debridement: Pulsed lavage with suction ☐ Debridement: Sharp or selective (with instruments such as forceps, scalpels, or scissors)
Dressings *	☐ Dressings: Antimicrobial dressings ☐ Dressings: Cellular-based and tissue-based products ☐ Dressings: Compression bandages/systems ☐ Dressings: Primary and secondary dressings
Topical agents *	☐ Topical agents: Anti-inflammatories ☐ Topical agents: Cleansers ☐ Topical agents: Creams ☐ Topical agents: Enzymes ☐ Topical agents: Moisturizers ☐ Topical agents: Ointments ☐ Topical agents: Sealants
Specify Other *	Type a value
Integumentary repair and protection techniques Used	☐ Yes ☐ No ☒ Not Answered
Integumentary repair and protection techniques Used. Select all that apply. *	☐ Not Performed ☐ Biophysical agents ☐ Debridement ☐ Dressings ☐ Topical agents ☐ Other
Biophysical agents *	☐ Biophysical agents: Electrical stimulation ☐ Biophysical agents: Hyperbaric oxygen therapy ☐ Biophysical agents: Light therapies (eg, ultraviolet-C, low-level laser) ☐ Biophysical agents: Negative pressure wound therapy ☐ Biophysical agents: Pneumatic compression therapy ☐ Biophysical agents: Ultrasound (high and low frequency)
Debridement *	☐ Debridement: Autolytic (support through proper dressing utilization) ☐ Debridement: Biologic (maggots or leeches) ☐ Debridement: Low-frequency, contact ultrasound ☐ Debridement: Mechanical ☐ Debridement: Pulsed lavage with suction ☐ Debridement: Sharp or selective (with instruments such as forceps, scalpels, or scissors)
Dressings *	☐ Dressings: Antimicrobial dressings ☐ Dressings: Cellular-based and tissue-based products ☐ Dressings: Compression bandages/systems ☐ Dressings: Primary and secondary dressings

Topical agents *	☐ Topical agents: Anti-inflammatories ☐ Topical agents: Cleansers ☐ Topical agents: Creams ☐ Topical agents: Enzymes ☐ Topical agents: Moisturizers ☐ Topical agents: Ointments ☐ Topical agents: Sealants
Specify Other *	Type a value
Cardiopulmonary rehabilitation	☐ Yes ☐ No ☒ Not Answered
Prognosis for rehabilitation	☐ Poor ☐ Guarded ☐ Fair ☐ Good ☐ Excellent
Relevant Patient Observations *	
Hearing	☐ Adequate - no difficulty in normal conversation, social interaction, listening to TV ☐ Minimal difficulty - difficulty in some environments (e.g. when person speaks softly or setting is noisy) ☐ Moderate difficulty - speaker has to increase volume and speak distinctly ☐ Highly impaired - absence of useful hearing
Vision	☐ Adequate - sees fine detail, such as regular print in newspapers/books ☐ Impaired - sees large print, but not regular print in newspapers/books ☐ Moderately impaired - limited vision; not able to see newspaper headlines but can identify objects ☐ Highly impaired - object identification in question, but eyes appear to follow objects ☐ Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects
Should Brief Interview for Mental Status be Conducted?	☐ No (resident is rarely/never understood) ☐ Yes
Repetition of Three Words	☐ Three ☐ Two ☐ One ☐ None
Temporal Orientation	
Able to report correct year	☐ Correct ☐ Missed by 1 year ☐ Missed by 2-5 years ☐ Missed by > 5 years or no answer
Able to report correct month	☐ Accurate within 5 days ☐ Missed by 6 days to 1 month ☐ Missed by > 1 month or no answer
Able to report correct day of the week	☐ Correct ☐ Incorrect or no answer
Recall	
Able to recall (sock)	☐ Yes, no cue required ☐ Yes, after cueing (something to wear) ☐ No - could not recall
Able to recall blue	☐ Yes, no cue required ☐ Yes, after cueing (a color) ☐ No - could not recall
Able to recall bed	☐ Yes, no cue required ☐ Yes, after cueing (a piece of furniture) ☐ No - could not recall
BIMS Summary Score	Type a number
Signs and Symptoms of Delirium (from CAMS)	☐ Yes ☐ No ☒ Not Answered
Acute Onset Mental Status Change. Is there evidence of an acute change in mental status from the patient's baseline?	☐ No ☐ Yes
Inattention - Did the patient have difficulty focusing attention, for example, being easily distractible or having difficulty keeping track of what was being said?	☐ Behavior not present ☐ Behavior continuously present, does not fluctuate ☐ Behavior present, fluctuates (comes and goes, changes in severity)
Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?	☐ Behavior not present ☐ Behavior continuously present, does not fluctuate ☐ Behavior present, fluctuates (comes and goes, changes in severity)
Altered level of consciousness - Did the patient have altered level of consciousness, as indicated by any of the following criteria?	☐ Behavior not present ☐ Behavior continuously present, does not fluctuate ☐ Behavior present, fluctuates (comes and goes, changes in severity)
Cognitive Functioning	☐ Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. ☐ Requires prompting (cueing, repetition, reminders) only under stressful or unfamiliar conditions. ☐ Requires assistance and some direction in specific situations (for example, all tasks involving shifting of attention) or consistently requires low stimulus environment due to distractibility. ☐ Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. ☐ Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.
When Confused	☐ Never ☐ In new or complex situations only ☐ On awakening or at night only ☐ During the day and evening, but not constantly ☐ Constantly ☐ Patient nonresponsive
When Anxious	☐ None of the time ☐ Less often than daily ☐ Daily, but not constantly ☐ All of the time ☐ Patient nonresponsive
Patient Mood Interview (PHQ2 to 9)	☐ Yes ☐ No ☒ Not Answered
Symptom Presence	
Little interest or pleasure in doing things	☐ No ☐ Yes
Feeling down, depressed or hopeless	☐ No ☐ Yes
Trouble falling or staying asleep, or sleeping too much	☐ No ☐ Yes
Feeling tired or having little energy	☐ No ☐ Yes
Poor appetite or overeating	☐ No ☐ Yes
Feeling bad about yourself - or that you are a failure or have let yourself or your family down	☐ No ☐ Yes
Trouble concentrating on things, such as reading the newspaper or watching television	☐ No ☐ Yes
Moving or speaking so slowly that other people could have noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual	☐ No ☐ Yes

	Thoughts that you would be better off dead, or of hurting yourself in some way ☐ No ☐ Yes
Symptom Frequency	
Little interest or pleasure in doing things	☐ Never or 1 day ☐ 2-6 days (several days) ☐ 7-11 days (half or more of the days) ☐ 12-14 days (nearly every day)
Feeling down, depressed or hopeless	☐ Never or 1 day ☐ 2-6 days (several days) ☐ 7-11 days (half or more of the days) ☐ 12-14 days (nearly every day)
Trouble falling or staying asleep, or sleeping too much	☐ Never or 1 day ☐ 2-6 days (several days) ☐ 7-11 days (half or more of the days) ☐ 12-14 days (nearly every day)
Feeling tired or having little energy	☐ Never or 1 day ☐ 2-6 days (several days) ☐ 7-11 days (half or more of the days) ☐ 12-14 days (nearly every day)
Poor appetite or overeating	☐ Never or 1 day ☐ 2-6 days (several days) ☐ 7-11 days (half or more of the days) ☐ 12-14 days (nearly every day)
Feeling bad about yourself - or that you are a failure or have let yourself or your family down	☐ Never or 1 day ☐ 2-6 days (several days) ☐ 7-11 days (half or more of the days) ☐ 12-14 days (nearly every day)
Trouble concentrating on things, such as reading the newspaper or watching television	☐ Never or 1 day ☐ 2-6 days (several days) ☐ 7-11 days (half or more of the days) ☐ 12-14 days (nearly every day)
Moving or speaking so slowly that other people could have noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual	☐ Never or 1 day ☐ 2-6 days (several days) ☐ 7-11 days (half or more of the days) ☐ 12-14 days (nearly every day)
Thoughts that you would be better off dead, or of hurting yourself in some way	☐ Never or 1 day ☐ 2-6 days (several days) ☐ 7-11 days (half or more of the days) ☐ 12-14 days (nearly every day)
Total Severity Score	Type a number
Social Isolation	☐ Never ☐ Rarely ☐ Sometimes ☐ Often ☐ Always ☐ Patient unable to respond
Cognitive, Behavioral, and Psychiatric Symptoms that are demonstrated at least once a week	☐ Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required ☐ Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions ☐ Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc. ☐ Physical aggression: aggressive or combative to self and others (for example, hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects) ☐ Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions) ☐ Delusional, hallucinatory, or paranoid behavior ☐ None of the above behaviors demonstrated
Frequency of Disruptive Behavior Symptoms	☐ Never ☐ Less than once a month ☐ Once a month ☐ Several times each month ☐ Several times a week ☐ At least daily
Patient Living Situation	☐ Patient lives alone - around the clock ☐ Patient lives alone - regular daytime ☐ Patient lives alone - regular nighttime ☐ Patient lives alone - occasional/short-term assistance ☐ Patient lives alone - no assistance available ☐ Patient lives with other person(s) in the home - around the clock ☐ Patient lives with other person(s) in the home - regular daytime ☐ Patient lives with other person(s) in the home - regular nighttime ☐ Patient lives with other person(s) in the home - occasional/short-term assistance ☐ Patient lives with other person(s) in the home - no assistance available ☐ Patient lives in congregate situation (for example, assisted living, residential care home) - around the clock ☐ Patient lives in congregate situation (for example, assisted living, residential care home) - regular daytime ☐ Patient lives in congregate situation (for example, assisted living, residential care home) - regular nighttime ☐ Patient lives in congregate situation (for example, assisted living, residential care home) - occasional/short-term assistance ☐ Patient lives in congregate situation (for example, assisted living, residential care home) - no assistance available
Types and Sources of Assistance	☐ No assistance needed -patient is independent or does not have needs in this area ☐ Non-agency caregiver(s) currently provide assistance ☐ Non-agency caregiver(s) need training/ supportive services to provide assistance ☐ Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance ☐ Assistance needed, but no non-agency caregiver(s) available
Prior Functioning: Everyday Activities *	
Self Care	☐ Independent - Patient completed all the activities by themselves, with or without an assistive device, with no assistance from a helper. ☐ Needed some help - Patient needed partial assistance from another person to complete any activities. ☐ Dependent - A helper completed all the activities for the patient. ☐ Unknown ☐ Not applicable
Indoor Mobility (Ambulation)	☐ Independent - Patient completed all the activities by themselves, with or without an assistive device, with no assistance from a helper. ☐ Needed some help - Patient needed partial assistance from another person to complete any activities. ☐ Dependent - A helper completed all the activities for the patient. ☐ Unknown ☐ Not applicable
Stairs	☐ Independent - Patient completed all the activities by themselves, with or without an assistive device, with no assistance from a helper. ☐ Needed some help - Patient needed partial assistance from another person to complete any activities.

Functional Cognition	Dependent - A helper completed all the activities for the patient. Unknown Not applicable Independent - Patient completed all the activities by themselves, with or without an assistive device, with no assistance from a helper. Needed some help - Patient needed partial assistance from another person to complete any activities. Dependent - A helper completed all the activities for the patient. Unknown Not applicable
Prior Device Use. Check all that apply	☐ Manual wheelchair ☐ Motorized wheelchair and/or scooter ☐ Mechanical lift ☐ Walker ☐ Orthotics/Prosthetics ☐ None of the above

Is the safety and effectiveness of the services being provided present?		☐ Helped a lot	☐ Helped	☐ Helped only a little	☐ Didn't help	☐ Made things worse
Review of Systems *		☐ Yes	☐ No	☒ Not Answered		
Review of Systems *						
- 'General' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- General		☐ chills ☐ fatigue ☐ fever ☐ night sweats/diaphoresis ☐ sleeping problems ☐ weight gain				
		☐ weight loss ☐ other				
- Specify Other *		Type a value				
- 'HEENT' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- HEENT		☐ lumps ☐ nasal polyps ☐ pain on neck movement ☐ other				
- Specify Other *		Type a value				
- 'Pulmonary' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Pulmonary		☐ cough ☐ hemoptysis ☐ pain ☐ shortness of breath ☐ sputum production ☐ wheezing ☐ other				
- Specify Other *		Type a value				
- 'Cardiovascular' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Cardiovascular		☐ arterial ulcers ☐ chest pain ☐ claudication ☐ edema ☐ murmur ☐ orthopnea ☐ palpitations				
		☐ syncope ☐ thrombophlebitis ☐ varicose veins ☐ venous stasis ulcers ☐ other				
- Specify Other *		Type a value				
- 'Gastrointestinal' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Gastrointestinal		☐ abdominal pain ☐ constipation ☐ diarrhea ☐ heartburn ☐ hematemesis ☐ incontinence ☐ jaundice				
		☐ melena ☐ nausea ☐ rectal bleeding ☐ swallowing problems ☐ ulcers ☐ vomiting ☐ other				
- Specify Other *		Type a value				
- 'Musculoskeletal' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Musculoskeletal		☐ arthritis ☐ atrophy ☐ cramps ☐ deformity ☐ fasciculation ☐ fracture ☐ gout				
		☐ limitation of range of motion ☐ myalgia ☐ pain ☐ swelling ☐ stiffness ☐ weakness ☐ other				
- Specify Other *		Type a value				
- 'Neurological' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Neurological		☐ dysesthesia ☐ fall ☐ headache ☐ hyperpathis ☐ involuntary movements ☐ numbness/tingling				
		☐ paralysis ☐ pins and needles sensation ☐ poor concentration ☐ poor memory ☐ seizures				
		☐ speech disorders ☐ stroke ☐ tremors ☐ unstable gait ☐ vertigo ☐ weakness ☐ other				
- Specify Other *		Type a value				
- 'Integumentary' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Integumentary		☐ acne ☐ atopic dermatitis ☐ cellulitis ☐ vitiligo ☐ other				
- Specify Other *		Type a value				
- 'Genitourinary' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Genitourinary		☐ frequent urinary tract infections ☐ incontinence ☐ indwelling catheter required due to medical condition				
- 'Psychological' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Psychological		☐ anxiety ☐ delusions ☐ depression ☐ hallucinations ☐ mental health crisis ☐ mood changes ☐ other				
- Specify Other *		Type a value				
- 'Hematology' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Hematology		☐ anemia ☐ bleeding disorders ☐ bruising ☐ other				
- Specify Other *		Type a value				
- 'Immunology' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Immunology		☐ celiac disease ☐ infectious conditions ☐ inflammatory bowel disease ☐ multiple sclerosis				
		☐ rheumatoid arthritis ☐ other				
- Specify Other *		Type a value				
- 'Endocrine' within normative limits for patient		☐ Yes	☐ No	☒ Not Answered		
- Endocrine		☐ diabetes ☐ goiter ☐ heat or cold intolerance ☐ lipid disorders ☐ other				
- Specify Other *		Type a value				
Plan of Care *						
- Date F2F was Performed		MM/DD/YYYY				
- SOC Date		MM/DD/YYYY				

Home bound has been defined and written in the cert statement.	☐ Yes	☐ No	☒ Not Answered
Principal Diagnosis	Type a value		
Other Pertinent Diagnosis	Type a value		
Relevant Procedures	Type a value		
Medications: Does/Frequency/Route	Type a value		
Allergies	Type a value		
Mental Status	Type a value		
Cognitive Status	Type a value		
Psychosocial status	Type a value		
Safety Measures to protect against injury	Type a value		
DME	Type a value		
Supplies	Type a value		
Nutritional requirements	Type a value		
Functional limitations	☐ Yes ☐ No ☒ Not Answered		
Functional limitations. Select all that apply.	☐ Amputation ☐ Bowel/Bladder (incontinence) ☐ Contracture ☐ Cognitive ☐ Hearing ☐ Paralysis ☐ Endurance ☐ Ambulation ☐ Speech ☐ Legally blind ☐ Dyspnea with mild exertion ☐ Muscle weakness ☐ Pain ☐ other		
Specify Other *	Type a value		
Activities permitted	☐ Yes ☐ No ☒ Not Answered		
Activities permitted. Select all that apply.	☐ Complete Bedrest ☐ Bedrest BRP ☐ Up as tolerated ☐ Transfer Bed/Chair ☐ Exercises Prescribed ☐ Partial Weight Bearing ☐ Crutches ☐ Cane ☐ Wheelchair ☐ Walker ☐ other		
Specify Other *	Type a value		
Orders for physical therapy & treatments (Amount/Frequency/Duration) *			
Treatments/Modalities	Type a value		
Amount	Type a number		
Frequency	Type a number		
Duration	Type a number		
Physical Therapy Treatment Plan: *			
Physical Therapy patient-specific interventions	Type a value		
Physical Therapy patient-specific education	Type a value		
Physical Therapy patient-specific measureable goals	Type a value		
Physical Therapy patient-specific measureable outcomes	Type a value		
Rehabilitation potential *			
Prognosis	☐ Poor ☐ Guarded ☐ Fair ☐ Good ☐ Excellent		
Description of the patient's risk for emergency dept visits and hospital re-admission, and all necessary interventions to address the underlying risk factors	☐ Recent decline in mental, emotional, or behavioral status ☐ Multiple hospitalizations (2 or more) in the past 12 months ☐ History of falls (2 or more falls - or any fall with an injury - in the past year) ☐ Taking five or more medications ☐ Frailty indicators, e.g., weight loss, self-reported exhaustion ☐ Other ☐ None of the above		
Advance Directives *			
National POLST form: portable medical order panel *			
Cardiopulmonary resuscitation orders	☐ Yes CPR ☐ No CPR: Do Not Attempt Resuscitation.		
Initial portable medical treatment orders	☐ Full treatments ☐ Selective treatments ☐ Comfort-focused treatments		
Additional portable medical orders or instructions	Type a value		
Medically assisted nutrition orders	☐ Provide feeding through new or existing surgically-placed tubes ☐ Trial period for artificial nutrition but no surgically-placed tubes ☐ No artificial means of nutrition desired ☐ Not discussed or no decision made (provide standard of care)		
Portable medical order completion information *			
Portable medical order &or advance directive review	☐ Yes the document was reviewed ☐ Conflict exists, notified patient ☐ Advance directive not available ☐ No advance directive exists		
Portable medical order discussion participants	☐ Patient with decision-making capacity ☐ Court appointed guardian ☐ Parent of minor ☐ Legal surrogate/health care agent ☐ Other		
Portable medical order administrative information *			

Living Will

Patient and caregiver education and training to facilitate timely discharge

Any additional items the HHA or physician may choose to include

All patient care orders, including verbal orders

Signature and date of HHA licensed professional that prepared the plan of care, The physician/allowed practitioner signature and date plan of care was signed and Date HHA received the signed plan of care from physician or allowed practitioner.

Certification *

Patient is homebound

Yes

No

Not Answered

The patient needs/needed physical therapy and it is authorized;

Yes

No

Not Answered

The patient is under their care while receiving PT/HHA services;

Yes

No

Not Answered

The certifying provider will periodically review the plan of care;

Yes

No

Not Answered

A qualifying face-to-face encounter related to the primary reason for home health services was performed:

Yes

No

Not Answered

The date of the face-to-face encounter;

MM/DD/YYYY

The certification statement includes authentication of the verbal orders and it is signed and dated by the certifying provider

Yes

No

Not Answered

Date physician signed POC was received by HHA

MM/DD/YYYY

ReCertification Statement *

Patient is homebound

Yes

No

Not Answered

The patient needs/needed physical therapy and it is authorized;

Yes

No

Not Answered

The patient is under their care while receiving PT/HHA services;

Yes

No

Not Answered

The certifying provider will periodically review the plan of care;

Yes

No

Not Answered

A qualifying face-to-face encounter related to the primary reason for home health services was performed:

Yes

No

Not Answered

The date of the face-to-face encounter;

MM/DD/YYYY

The certification statement includes authentication of the verbal orders and it is signed and dated by the certifying provider

Yes

No

Not Answered

Date physician signed POC was received by HHA

MM/DD/YYYY

If a subsequent episode (recertification), the physician or allowed provider states how much longer skilled services will be needed.

Yes

No

Not Answered