

Medical Coding & Procedure Details

Request type *	☐ Initial ☐ Resubmission ☐ Expedited Initial ☐ Expedited Resubmission
Expedited Reason *	Type a value
Requested Vein Ablation HCPCS/CPT (Maximum of 4) *	☐ 36473 ENDOVENOUS ABLATION THERAPY OF INCOMPETENT VEIN, EXTREMITY, INCLUSIVE OF ALL IMAGING GUIDANCE AND MONITORING, PERCUTANEOUS, MECHANOCHEMICAL; FIRST VEIN TREATED ☐ 36474 ENDOVENOUS ABLATION THERAPY OF INCOMPETENT VEIN, EXTREMITY, INCLUSIVE OF ALL IMAGING GUIDANCE AND MONITORING, PERCUTANEOUS, MECHANOCHEMICAL; SUBSEQUENT VEIN(S) TREATED IN A SINGLE EXTREMITY, EACH THROUGH SEPARATE ACCESS SITES (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) ☐ 36475 ENDOVENOUS ABLATION THERAPY OF INCOMPETENT VEIN, EXTREMITY, INCLUSIVE OF ALL IMAGING GUIDANCE AND MONITORING, PERCUTANEOUS, RADIOFREQUENCY; FIRST VEIN TREATED ☐ 36476 ENDOVENOUS ABLATION THERAPY OF INCOMPETENT VEIN, EXTREMITY, INCLUSIVE OF ALL IMAGING GUIDANCE AND MONITORING, PERCUTANEOUS, RADIOFREQUENCY; SUBSEQUENT VEIN(S) TREATED IN A SINGLE EXTREMITY, EACH THROUGH SEPARATE ACCESS SITES (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) ☐ 36478 ENDOVENOUS ABLATION THERAPY OF INCOMPETENT VEIN, EXTREMITY, INCLUSIVE OF ALL IMAGING GUIDANCE AND MONITORING, PERCUTANEOUS, LASER; FIRST VEIN TREATED ☐ 36479 ENDOVENOUS ABLATION THERAPY OF INCOMPETENT VEIN, EXTREMITY, INCLUSIVE OF ALL IMAGING GUIDANCE AND MONITORING, PERCUTANEOUS, LASER; SUBSEQUENT VEIN(S) TREATED IN A SINGLE EXTREMITY, EACH THROUGH SEPARATE ACCESS SITES (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE) ☐ 36482 ENDOVENOUS ABLATION THERAPY OF INCOMPETENT VEIN, EXTREMITY, BY TRANSCATHETER DELIVERY OF A CHEMICAL ADHESIVE (EG, CYANOACRYLATE) REMOTE FROM THE ACCESS SITE, INCLUSIVE OF ALL IMAGING GUIDANCE AND MONITORING, PERCUTANEOUS; FIRST VEIN TREATED ☐ 36483 ENDOVENOUS ABLATION THERAPY OF INCOMPETENT VEIN, EXTREMITY, BY TRANSCATHETER DELIVERY OF A CHEMICAL ADHESIVE (EG, CYANOACRYLATE) REMOTE FROM THE ACCESS SITE, INCLUSIVE OF ALL IMAGING GUIDANCE AND MONITORING, PERCUTANEOUS; SUBSEQUENT VEIN(S) TREATED IN A SINGLE EXTREMITY, EACH THROUGH SEPARATE ACCESS SITES (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)

Baseline Documentation Required

The beneficiary has a supporting symptomatic diagnosis. *	Select one
Supporting H & P documentation that support venous insufficiency. *	☐ Yes ☐ No ☒ Not Answered
Venous duplex scan documenting reflux is present. *	☐ Yes, scan results are positive for reflux ☐ No, scan results absent, negative, or inadequate to support reflux requirement ☐ NA - Not required by LCD
If required, does the documented reflux show a time greater than or equal to 500 msec? (>= 500 msec) *	☐ Yes, reflux time >= 500 msec ☐ No, reflux time < 500 msec or absent ☐ NA - Not required by LCD
The beneficiary has not had a vein of the same extremity treated within the last 90 days. *	☐ Yes ☐ No ☐ NA - Not required by LCD
If yes, documentation must be present to clearly support why the procedure(s) could not be performed on a single day *	Type a value
VCSS – Venous Clinical Severity Score	☐ Yes ☐ No ☐ N/A if not required
Score *	Type a value
The beneficiary's clinical classification *	☐ C0 - No visible or palpable signs of venous disease ☐ C1 - Telangiectasias, reticular veins ☐ C2 - Varicose veins ☐ C2r - Recurrent varicose veins ☐ C3 - Edema ☐ C4 - Changes in skin and subcutaneous tissue ☐ C4a - Pigmentation or eczema ☐ C4b - Lipodermatosclerosis or atrophie blanche ☐ C4c - Corona phlebectatica ☐ C5 - Healed ☐ C6 - Active venous ulcer ☐ C6r - Recurrent active venous ulcer ☐ S - With symptoms attributable to venous disease ☐ A - Absence of symptoms attributable to venous disease ☐ NA - Not required by LCD
Documentation demonstrates clinical findings that support CEAP C2 - C6 disease AND reflux is present per diagnostic test results documentation. *	☐ Yes (both clinical documentation and reflux requirement found) ☐ No, either clinical documentation and/or reflux documentation are missing
Beneficiary is symptomatic and has documented evidence of any of the following signs and symptoms of the significantly diseased vessel(s) of the lower extremity(s) *	☐ Stasis ulcer of lower leg (secondary to venous stasis) ☐ Evidence of significant lower extremity pain and edema secondary to documented venous insufficiency. The symptoms interfere with activities of daily living. ☐ Recurrent episodes of superficial phlebitis ☐ Stasis dermatitis (thickened, discolored skin on the ankle, itching and discomfort in the affected area around the ankles, may worsen through open sores that may ooze or crust over, discoloration of the skin associated with poor circulation) ☐ Refractory dependent edema ☐ Bleeding from diseased vessels of the lower extremities ☐ Bleeding associated with ruptured superficial varicosity
Conservative therapy waived? *	☐ Yes ☐ No ☒ Not Answered
Vein ablation therapy is not medically necessary if any of the stated conditions are present. (select all that apply)	☐ No contraindications ☐ Venous obstruction ☐ Thrombosis/thrombus/DVT ☐ Vein tortuosity that would prevent catheter advancement ☐ Significant peripheral artery disease ☐ Recurrent superficial thrombophlebitis ☐ NA - Not required by LCD
36475/36478 radiofrequency/laser ablation limited to greater/lesser saphenous veins? *	☐ Yes ☐ No ☐ NA - Not required by LCD
Only FDA approved devices will be used? *	☐ Yes ☐ No ☒ Not Answered
36473/36474 MOCA: Maximum vein diameter of 12 mm *	☐ Yes, diameter <= 12 mm ☐ No, diameter > 12 mm ☐ NA - Not required by LCD
36475/36476 ERFA: Maximum vein diameter of 12 mm. *	☐ Yes, diameter <= 12 mm ☐ No, diameter > 12 mm ☐ NA - Not required by LCD
36475/36476 ERFA: Maximum vein diameter of 20 mm. *	☐ Yes, diameter <= 20 mm ☐ No, diameter > 20 mm ☐ NA - Not required by LCD
36478/36479 Laser Ablation: Maximum vein diameter of 30 mm. *	☐ Yes, diameter <= 30 mm ☐ No, diameter > 30 mm ☐ NA - Not required by LCD
36478/36479 Laser ablation: Maximum vein diameter of 20 mm. *	☐ Yes, diameter <= 20 mm ☐ No, diameter > 20 mm ☐ NA - Not required by LCD
36482/36483 CAE: Maximum vein diameter 12 mm. *	☐ Yes, diameter <= 12 mm ☐ No, diameter > 12 mm ☐ NA - Not required by LCD
Evidence of conservative treatment. *	☐ Yes, meets LCD guidance ☐ No, does not meet LCD guidance ☐ NA - Not required by LCD
Documentation that conservative therapy discussed or waiver criteria met.	☐ Yes ☐ No ☒ Not Answered
Conservative treatment which may include but is not limited to the following treatments	☐ Weight reduction efforts ☐ Daily plan and prescribed physical activity ☐ Graduated compression therapy ☐ Elevate legs instructions/periodic leg elevation
Beneficiary therapeutic response. (select all that apply) *	☐ Minimum trial period documented if applicable ☐ Evidence beneficiary tried recommended treatments ☐ Failed to resolve clinically significant symptoms ☐ Symptoms have persisted or worsened ☐ Symptoms interfered with activities of daily living