

PG No. 29     $T_h$      $m\bar{3}$     [ cubic ] (lg basis)

bra: =  $\langle s|$   
ket: =  $|s\rangle$

Table 1: (s,s) block.

No.	multipole	matrix
1	symmetry	1
	$\mathbb{Q}_0^{(a)}(A_g)$	$\begin{bmatrix} 1 \end{bmatrix}$

bra: =  $\langle s|$   
ket: =  $|p_x\rangle, |p_y\rangle, |p_z\rangle$

Table 2: (s,p) block.

No.	multipole	matrix
2	symmetry	$x$
	$\mathbb{Q}_{1,0}^{(a)}(T_u)$	$\begin{bmatrix} \frac{\sqrt{2}}{2} & 0 & 0 \end{bmatrix}$
3	symmetry	$y$
	$\mathbb{Q}_{1,1}^{(a)}(T_u)$	$\begin{bmatrix} 0 & \frac{\sqrt{2}}{2} & 0 \end{bmatrix}$
4	symmetry	$z$
	$\mathbb{Q}_{1,2}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{2} \end{bmatrix}$
5	symmetry	$x$
	$\mathbb{T}_{1,0}^{(a)}(T_u)$	$\begin{bmatrix} \frac{\sqrt{2}i}{2} & 0 & 0 \end{bmatrix}$
6	symmetry	$y$
	$\mathbb{T}_{1,1}^{(a)}(T_u)$	$\begin{bmatrix} 0 & \frac{\sqrt{2}i}{2} & 0 \end{bmatrix}$
7	symmetry	$z$
	$\mathbb{T}_{1,2}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{2} \end{bmatrix}$

bra: =  $\langle s|$   
ket: =  $|d_u\rangle, |d_v\rangle, |d_{yz}\rangle, |d_{xz}\rangle, |d_{xy}\rangle$

Table 3: (s,d) block.

No.	multipole	matrix
8	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
	$\mathbb{Q}_{2,0}^{(a)}(E_g)$	$\begin{bmatrix} \frac{\sqrt{2}}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$
9	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
	$\mathbb{Q}_{2,1}^{(a)}(E_g)$	$\begin{bmatrix} 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 \end{bmatrix}$
10	symmetry	$\sqrt{3}yz$
	$\mathbb{Q}_{2,0}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{2} & 0 & 0 \end{bmatrix}$
11	symmetry	$\sqrt{3}xz$
	$\mathbb{Q}_{2,1}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}}{2} & 0 \end{bmatrix}$
12	symmetry	$\sqrt{3}xy$
	$\mathbb{Q}_{2,2}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{2} \end{bmatrix}$
13	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
	$\mathbb{T}_{2,0}^{(a)}(E_g)$	$\begin{bmatrix} \frac{\sqrt{2}i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$
14	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
	$\mathbb{T}_{2,1}^{(a)}(E_g)$	$\begin{bmatrix} 0 & \frac{\sqrt{2}i}{2} & 0 & 0 & 0 \end{bmatrix}$
15	symmetry	$\sqrt{3}yz$
	$\mathbb{T}_{2,0}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{2} & 0 & 0 \end{bmatrix}$
16	symmetry	$\sqrt{3}xz$
	$\mathbb{T}_{2,1}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}i}{2} & 0 \end{bmatrix}$
17	symmetry	$\sqrt{3}xy$
	$\mathbb{T}_{2,2}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{2} \end{bmatrix}$

bra: =  $\langle s|$ ket: =  $|f_3\rangle, |f_{ax}\rangle, |f_{ay}\rangle, |f_{az}\rangle, |f_{bx}\rangle, |f_{by}\rangle, |f_{bz}\rangle$

Table 4: (s,f) block.

No.	multipole	matrix
18	symmetry	$\sqrt{15}xyz$
	$\mathbb{Q}_3^{(a)}(A_u)$	$\begin{bmatrix} \frac{\sqrt{2}}{2} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
19	symmetry	$\frac{x(2x^2-3y^2-3z^2)}{2}$
	$\mathbb{Q}_{3,0}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
20	symmetry	$-\frac{y(3x^2-2y^2+3z^2)}{2}$
	$\mathbb{Q}_{3,1}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$
21	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
	$\mathbb{Q}_{3,2}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 \end{bmatrix}$
22	symmetry	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$
	$\mathbb{Q}_{3,0}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{2} & 0 & 0 \end{bmatrix}$
23	symmetry	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
	$\mathbb{Q}_{3,1}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{2} & 0 \end{bmatrix}$
24	symmetry	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
	$\mathbb{Q}_{3,2}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{2} \end{bmatrix}$
25	symmetry	$\sqrt{15}xyz$
	$\mathbb{T}_3^{(a)}(A_u)$	$\begin{bmatrix} \frac{\sqrt{2}i}{2} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
26	symmetry	$\frac{x(2x^2-3y^2-3z^2)}{2}$
	$\mathbb{T}_{3,0}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & \frac{\sqrt{2}i}{2} & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
27	symmetry	$-\frac{y(3x^2-2y^2+3z^2)}{2}$
	$\mathbb{T}_{3,1}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$
28	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
	$\mathbb{T}_{3,2}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}i}{2} & 0 & 0 & 0 \end{bmatrix}$
29	symmetry	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$
	$\mathbb{T}_{3,0}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{2} & 0 & 0 \end{bmatrix}$
30	symmetry	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
	$\mathbb{T}_{3,1}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{2} & 0 \end{bmatrix}$
31	symmetry	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$

continued ...

Table 4

No.	multipole	matrix
	$\mathbb{T}_{3,2}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{2} \end{bmatrix}$

bra: =  $\langle p_x |, \langle p_y |, \langle p_z |$   
ket: =  $|p_x\rangle, |p_y\rangle, |p_z\rangle$

Table 5: (p,p) block.

No.	multipole	matrix
32	symmetry	1
	$\mathbb{Q}_0^{(a)}(A_g)$	$\begin{bmatrix} \frac{\sqrt{3}}{3} & 0 & 0 \\ 0 & \frac{\sqrt{3}}{3} & 0 \\ 0 & 0 & \frac{\sqrt{3}}{3} \end{bmatrix}$
33	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
	$\mathbb{Q}_{2,0}^{(a)}(E_g)$	$\begin{bmatrix} -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{3} \end{bmatrix}$
34	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
	$\mathbb{Q}_{2,1}^{(a)}(E_g)$	$\begin{bmatrix} \frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & -\frac{\sqrt{2}}{2} & 0 \\ 0 & 0 & 0 \end{bmatrix}$
35	symmetry	$\sqrt{3}yz$
	$\mathbb{Q}_{2,0}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & \frac{\sqrt{2}}{2} & 0 \end{bmatrix}$
36	symmetry	$\sqrt{3}xz$
	$\mathbb{Q}_{2,1}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & 0 & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 \end{bmatrix}$

continued ...

Table 5

No.	multipole	matrix
37	symmetry	$\sqrt{3}xy$
	$\mathbb{Q}_{2,2}^{(a)}(T_g)$	$\begin{bmatrix} 0 & \frac{\sqrt{2}}{2} & 0 \\ \frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$
38	symmetry	$x$
	$\mathbb{M}_{1,0}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{2}i}{2} \\ 0 & \frac{\sqrt{2}i}{2} & 0 \end{bmatrix}$
39	symmetry	$y$
	$\mathbb{M}_{1,1}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{2} \\ 0 & 0 & 0 \\ -\frac{\sqrt{2}i}{2} & 0 & 0 \end{bmatrix}$
40	symmetry	$z$
	$\mathbb{M}_{1,2}^{(a)}(T_g)$	$\begin{bmatrix} 0 & -\frac{\sqrt{2}i}{2} & 0 \\ \frac{\sqrt{2}i}{2} & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$

bra:  $= \langle p_x |, \langle p_y |, \langle p_z |$   
ket:  $= |d_u\rangle, |d_v\rangle, |d_{yz}\rangle, |d_{xz}\rangle, |d_{xy}\rangle$

Table 6: (p,d) block.

No.	multipole	matrix
41	symmetry	$x$
	$\mathbb{Q}_{1,0}^{(a)}(T_u)$	$\begin{bmatrix} -\frac{\sqrt{5}}{10} & \frac{\sqrt{15}}{10} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{15}}{10} \\ 0 & 0 & 0 & \frac{\sqrt{15}}{10} & 0 \end{bmatrix}$
42	symmetry	$y$

*continued ...*

Table 6

No.	multipole	matrix
	$\mathbb{Q}_{1,1}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{15}}{10} \\ -\frac{\sqrt{5}}{10} & -\frac{\sqrt{15}}{10} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{15}}{10} & 0 & 0 \end{bmatrix}$
43	symmetry	$z$ $\mathbb{Q}_{1,2}^{(a)}(T_u) \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{15}}{10} & 0 \\ 0 & 0 & \frac{\sqrt{15}}{10} & 0 & 0 \\ \frac{\sqrt{5}}{5} & 0 & 0 & 0 & 0 \end{bmatrix}$
44	symmetry	$\sqrt{15}xyz$ $\mathbb{Q}_3^{(a)}(A_u) \begin{bmatrix} 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$
45	symmetry	$\frac{x(2x^2-3y^2-3z^2)}{2}$ $\mathbb{Q}_{3,0}^{(a)}(T_u, 1) \begin{bmatrix} -\frac{\sqrt{30}}{20} & \frac{3\sqrt{10}}{20} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{10}}{10} \\ 0 & 0 & 0 & -\frac{\sqrt{10}}{10} & 0 \end{bmatrix}$
46	symmetry	$-\frac{y(3x^2-2y^2+3z^2)}{2}$ $\mathbb{Q}_{3,1}^{(a)}(T_u, 1) \begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{10}}{10} \\ -\frac{\sqrt{30}}{20} & -\frac{3\sqrt{10}}{20} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{10}}{10} & 0 & 0 \end{bmatrix}$
47	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$ $\mathbb{Q}_{3,2}^{(a)}(T_u, 1) \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{10}}{10} & 0 \\ 0 & 0 & -\frac{\sqrt{10}}{10} & 0 & 0 \\ \frac{\sqrt{30}}{10} & 0 & 0 & 0 & 0 \end{bmatrix}$
48	symmetry	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$ $\mathbb{Q}_{3,0}^{(a)}(T_u, 2) \begin{bmatrix} -\frac{\sqrt{2}}{4} & -\frac{\sqrt{6}}{12} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 \end{bmatrix}$
49	symmetry	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$

continued ...

Table 6

No.	multipole	matrix
	$\mathbb{Q}_{3,1}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ \frac{\sqrt{2}}{4} & -\frac{\sqrt{6}}{12} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \end{bmatrix}$
50	symmetry	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
	$\mathbb{Q}_{3,2}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \end{bmatrix}$
51	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
	$\mathbb{G}_{2,0}^{(a)}(E_u)$	$\begin{bmatrix} 0 & 0 & \frac{1}{2} & 0 & 0 \\ 0 & 0 & 0 & -\frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
52	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
	$\mathbb{G}_{2,1}^{(a)}(E_u)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{3}}{3} \end{bmatrix}$
53	symmetry	$\sqrt{3}yz$
	$\mathbb{G}_{2,0}^{(a)}(T_u)$	$\begin{bmatrix} -\frac{1}{2} & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{3}}{6} \\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \end{bmatrix}$
54	symmetry	$\sqrt{3}xz$
	$\mathbb{G}_{2,1}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ \frac{1}{2} & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \end{bmatrix}$
55	symmetry	$\sqrt{3}xy$
	$\mathbb{G}_{2,2}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & \frac{\sqrt{3}}{3} & 0 & 0 & 0 \end{bmatrix}$
56	symmetry	$x$

continued ...

Table 6

No.	multipole	matrix
	$\mathbb{T}_{1,0}^{(a)}(T_u)$	$\begin{bmatrix} -\frac{\sqrt{5}i}{10} & \frac{\sqrt{15}i}{10} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{15}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{15}i}{10} & 0 \end{bmatrix}$
57	symmetry	$y$
	$\mathbb{T}_{1,1}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{15}i}{10} \\ -\frac{\sqrt{5}i}{10} & -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{15}i}{10} & 0 & 0 \end{bmatrix}$
58	symmetry	$z$
	$\mathbb{T}_{1,2}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{15}i}{10} & 0 \\ 0 & 0 & \frac{\sqrt{15}i}{10} & 0 & 0 \\ \frac{\sqrt{5}i}{5} & 0 & 0 & 0 & 0 \end{bmatrix}$
59	symmetry	$\sqrt{15}xyz$
	$\mathbb{T}_3^{(a)}(A_u)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \end{bmatrix}$
60	symmetry	$\frac{x(2x^2-3y^2-3z^2)}{2}$
	$\mathbb{T}_{3,0}^{(a)}(T_u, 1)$	$\begin{bmatrix} -\frac{\sqrt{30}i}{20} & \frac{3\sqrt{10}i}{20} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 \end{bmatrix}$
61	symmetry	$-\frac{y(3x^2-2y^2+3z^2)}{2}$
	$\mathbb{T}_{3,1}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} \\ -\frac{\sqrt{30}i}{20} & -\frac{3\sqrt{10}i}{20} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 \end{bmatrix}$
62	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
	$\mathbb{T}_{3,2}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 \\ \frac{\sqrt{30}i}{10} & 0 & 0 & 0 & 0 \end{bmatrix}$
63	symmetry	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$

continued ...



Table 6

No.	multipole	matrix
	$\mathbb{T}_{3,0}^{(a)}(T_u, 2)$	$\begin{bmatrix} -\frac{\sqrt{2}i}{4} & -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$
64	symmetry	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
	$\mathbb{T}_{3,1}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ \frac{\sqrt{2}i}{4} & -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \end{bmatrix}$
65	symmetry	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
	$\mathbb{T}_{3,2}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \end{bmatrix}$
66	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
	$\mathbb{M}_{2,0}^{(a)}(E_u)$	$\begin{bmatrix} 0 & 0 & -\frac{i}{2} & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
67	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
	$\mathbb{M}_{2,1}^{(a)}(E_u)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{3} \end{bmatrix}$
68	symmetry	$\sqrt{3}yz$
	$\mathbb{M}_{2,0}^{(a)}(T_u)$	$\begin{bmatrix} \frac{i}{2} & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 \end{bmatrix}$
69	symmetry	$\sqrt{3}xz$
	$\mathbb{M}_{2,1}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ -\frac{i}{2} & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \end{bmatrix}$
70	symmetry	$\sqrt{3}xy$

continued ...

Table 6

No.	multipole	matrix				
	$\mathbb{M}_{2,2}^{(a)}(T_u)$	0	0	0	$\frac{\sqrt{3}i}{6}$	0
		0	0	$-\frac{\sqrt{3}i}{6}$	0	0
		0	$-\frac{\sqrt{3}i}{3}$	0	0	0

$$\text{bra:} = \langle p_x |, \langle p_y |, \langle p_z |$$

$$\text{ket:} = |f_3\rangle, |f_{ax}\rangle, |f_{ay}\rangle, |f_{az}\rangle, |f_{bx}\rangle, |f_{by}\rangle, |f_{bz}\rangle$$

Table 7: (p,f) block.

No.	multipole	matrix						
71	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$						
	$\mathbb{Q}_{2,0}^{(a)}(E_g)$	0	$-\frac{\sqrt{42}}{28}$	0	0	$-\frac{\sqrt{70}}{28}$	0	0
		0	0	$-\frac{\sqrt{42}}{28}$	0	0	$\frac{\sqrt{70}}{28}$	0
		0	0	0	$\frac{\sqrt{42}}{14}$	0	0	0
72	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$						
	$\mathbb{Q}_{2,1}^{(a)}(E_g)$	0	$\frac{3\sqrt{14}}{28}$	0	0	$-\frac{\sqrt{210}}{84}$	0	0
		0	0	$-\frac{3\sqrt{14}}{28}$	0	0	$-\frac{\sqrt{210}}{84}$	0
		0	0	0	0	0	0	$\frac{\sqrt{210}}{42}$
73	symmetry	$\sqrt{3}yz$						
	$\mathbb{Q}_{2,0}^{(a)}(T_g)$	$\frac{\sqrt{210}}{42}$	0	0	0	0	0	0
		0	0	0	$-\frac{\sqrt{14}}{14}$	0	0	$-\frac{\sqrt{210}}{42}$
		0	0	$-\frac{\sqrt{14}}{14}$	0	0	$\frac{\sqrt{210}}{42}$	0
74	symmetry	$\sqrt{3}xz$						
	$\mathbb{Q}_{2,1}^{(a)}(T_g)$	0	0	0	$-\frac{\sqrt{14}}{14}$	0	0	$\frac{\sqrt{210}}{42}$
		$\frac{\sqrt{210}}{42}$	0	0	0	0	0	0
		0	$-\frac{\sqrt{14}}{14}$	0	0	$-\frac{\sqrt{210}}{42}$	0	0
75	symmetry	$\sqrt{3}xy$						

*continued ...*

Table 7

No.	multipole	matrix
	$\mathbb{Q}_{2,2}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{14}}{14} & 0 & 0 & -\frac{\sqrt{210}}{42} & 0 \\ 0 & -\frac{\sqrt{14}}{14} & 0 & 0 & \frac{\sqrt{210}}{42} & 0 & 0 \\ \frac{\sqrt{210}}{42} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
76	symmetry	$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$
	$\mathbb{Q}_4^{(a)}(A_g)$	$\begin{bmatrix} 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \end{bmatrix}$
77	symmetry	$-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$
	$\mathbb{Q}_{4,0}^{(a)}(E_g)$	$\begin{bmatrix} 0 & -\frac{\sqrt{210}}{84} & 0 & 0 & \frac{3\sqrt{14}}{28} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{210}}{84} & 0 & 0 & -\frac{3\sqrt{14}}{28} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{210}}{42} & 0 & 0 & 0 \end{bmatrix}$
78	symmetry	$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$
	$\mathbb{Q}_{4,1}^{(a)}(E_g)$	$\begin{bmatrix} 0 & \frac{\sqrt{70}}{28} & 0 & 0 & \frac{\sqrt{42}}{28} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{70}}{28} & 0 & 0 & \frac{\sqrt{42}}{28} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{42}}{14} \end{bmatrix}$
79	symmetry	$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$
	$\mathbb{Q}_{4,0}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & -\frac{\sqrt{6}}{8} \\ 0 & 0 & \frac{\sqrt{10}}{8} & 0 & 0 & -\frac{\sqrt{6}}{8} & 0 \end{bmatrix}$
80	symmetry	$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$
	$\mathbb{Q}_{4,1}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{10}}{8} & 0 & 0 & -\frac{\sqrt{6}}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & -\frac{\sqrt{6}}{8} & 0 & 0 \end{bmatrix}$
81	symmetry	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$
	$\mathbb{Q}_{4,2}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & -\frac{\sqrt{6}}{8} & 0 \\ 0 & \frac{\sqrt{10}}{8} & 0 & 0 & -\frac{\sqrt{6}}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
82	symmetry	$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$

continued ...

Table 7

No.	multipole	matrix
	$\mathbb{Q}_{4,0}^{(a)}(T_g, 2)$	$\begin{bmatrix} \frac{\sqrt{42}}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{70}}{56} & 0 & 0 & \frac{3\sqrt{42}}{56} \\ 0 & 0 & -\frac{\sqrt{70}}{56} & 0 & 0 & -\frac{3\sqrt{42}}{56} & 0 \end{bmatrix}$
83	symmetry	$-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$
	$\mathbb{Q}_{4,1}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{70}}{56} & 0 & 0 & -\frac{3\sqrt{42}}{56} \\ \frac{\sqrt{42}}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{70}}{56} & 0 & 0 & \frac{3\sqrt{42}}{56} & 0 & 0 \end{bmatrix}$
84	symmetry	$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$
	$\mathbb{Q}_{4,2}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{70}}{56} & 0 & 0 & \frac{3\sqrt{42}}{56} & 0 \\ 0 & -\frac{\sqrt{70}}{56} & 0 & 0 & -\frac{3\sqrt{42}}{56} & 0 & 0 \\ \frac{\sqrt{42}}{14} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
85	symmetry	$\sqrt{15}xyz$
	$\mathbb{G}_3^{(a)}(A_g)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$
86	symmetry	$\frac{x(2x^2-3y^2-3z^2)}{2}$
	$\mathbb{G}_{3,0}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{8} & 0 & 0 & \frac{\sqrt{10}}{8} \\ 0 & 0 & \frac{\sqrt{6}}{8} & 0 & 0 & \frac{\sqrt{10}}{8} & 0 \end{bmatrix}$
87	symmetry	$-\frac{y(3x^2-2y^2+3z^2)}{2}$
	$\mathbb{G}_{3,1}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}}{8} & 0 & 0 & \frac{\sqrt{10}}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{8} & 0 & 0 & \frac{\sqrt{10}}{8} & 0 & 0 \end{bmatrix}$
88	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
	$\mathbb{G}_{3,2}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}}{8} & 0 & 0 & \frac{\sqrt{10}}{8} & 0 \\ 0 & \frac{\sqrt{6}}{8} & 0 & 0 & \frac{\sqrt{10}}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
89	symmetry	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$

continued ...

Table 7

No.	multipole	matrix
	$\mathbb{G}_{3,0}^{(a)}(T_g, 2)$	$\begin{bmatrix} -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & \frac{\sqrt{6}}{24} \\ 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & -\frac{\sqrt{6}}{24} & 0 \end{bmatrix}$
90	symmetry	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
	$\mathbb{G}_{3,1}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & -\frac{\sqrt{6}}{24} \\ -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & \frac{\sqrt{6}}{24} & 0 & 0 \end{bmatrix}$
91	symmetry	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
	$\mathbb{G}_{3,2}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & \frac{\sqrt{6}}{24} & 0 \\ 0 & -\frac{\sqrt{10}}{8} & 0 & 0 & -\frac{\sqrt{6}}{24} & 0 & 0 \\ -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
92	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
	$\mathbb{T}_{2,0}^{(a)}(E_g)$	$\begin{bmatrix} 0 & -\frac{\sqrt{42}i}{28} & 0 & 0 & -\frac{\sqrt{70}i}{28} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{42}i}{28} & 0 & 0 & \frac{\sqrt{70}i}{28} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{42}i}{14} & 0 & 0 & 0 \end{bmatrix}$
93	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
	$\mathbb{T}_{2,1}^{(a)}(E_g)$	$\begin{bmatrix} 0 & \frac{3\sqrt{14}i}{28} & 0 & 0 & -\frac{\sqrt{210}i}{84} & 0 & 0 \\ 0 & 0 & -\frac{3\sqrt{14}i}{28} & 0 & 0 & -\frac{\sqrt{210}i}{84} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{210}i}{42} \end{bmatrix}$
94	symmetry	$\sqrt{3}yz$
	$\mathbb{T}_{2,0}^{(a)}(T_g)$	$\begin{bmatrix} \frac{\sqrt{210}i}{42} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 & -\frac{\sqrt{210}i}{42} \\ 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 & \frac{\sqrt{210}i}{42} & 0 \end{bmatrix}$
95	symmetry	$\sqrt{3}xz$
	$\mathbb{T}_{2,1}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 & \frac{\sqrt{210}i}{42} \\ \frac{\sqrt{210}i}{42} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 & -\frac{\sqrt{210}i}{42} & 0 & 0 \end{bmatrix}$
96	symmetry	$\sqrt{3}xy$

continued ...

Table 7

No.	multipole	matrix
	$\mathbb{T}_{2,2}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 & -\frac{\sqrt{210}i}{42} & 0 \\ 0 & -\frac{\sqrt{14}i}{14} & 0 & 0 & \frac{\sqrt{210}i}{42} & 0 & 0 \\ \frac{\sqrt{210}i}{42} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
97	symmetry	$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$
	$\mathbb{T}_4^{(a)}(A_g)$	$\begin{bmatrix} 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \end{bmatrix}$
98	symmetry	$-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$
	$\mathbb{T}_{4,0}^{(a)}(E_g)$	$\begin{bmatrix} 0 & -\frac{\sqrt{210}i}{84} & 0 & 0 & \frac{3\sqrt{14}i}{28} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{210}i}{84} & 0 & 0 & -\frac{3\sqrt{14}i}{28} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{210}i}{42} & 0 & 0 & 0 \end{bmatrix}$
99	symmetry	$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$
	$\mathbb{T}_{4,1}^{(a)}(E_g)$	$\begin{bmatrix} 0 & \frac{\sqrt{70}i}{28} & 0 & 0 & \frac{\sqrt{42}i}{28} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{70}i}{28} & 0 & 0 & \frac{\sqrt{42}i}{28} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{42}i}{14} \end{bmatrix}$
100	symmetry	$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$
	$\mathbb{T}_{4,0}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 & -\frac{\sqrt{6}i}{8} \\ 0 & 0 & \frac{\sqrt{10}i}{8} & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 \end{bmatrix}$
101	symmetry	$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$
	$\mathbb{T}_{4,1}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{10}i}{8} & 0 & 0 & -\frac{\sqrt{6}i}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 \end{bmatrix}$
102	symmetry	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$
	$\mathbb{T}_{4,2}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 \\ 0 & \frac{\sqrt{10}i}{8} & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
103	symmetry	$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$

continued ...

Table 7

No.	multipole	matrix
	$\mathbb{T}_{4,0}^{(a)}(T_g, 2)$	$\begin{bmatrix} \frac{\sqrt{42}i}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{70}i}{56} & 0 & 0 & \frac{3\sqrt{42}i}{56} \\ 0 & 0 & -\frac{\sqrt{70}i}{56} & 0 & 0 & -\frac{3\sqrt{42}i}{56} & 0 \end{bmatrix}$
104	symmetry	$-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$
	$\mathbb{T}_{4,1}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{70}i}{56} & 0 & 0 & -\frac{3\sqrt{42}i}{56} \\ \frac{\sqrt{42}i}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{70}i}{56} & 0 & 0 & \frac{3\sqrt{42}i}{56} & 0 & 0 \end{bmatrix}$
105	symmetry	$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$
	$\mathbb{T}_{4,2}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{70}i}{56} & 0 & 0 & \frac{3\sqrt{42}i}{56} & 0 \\ 0 & -\frac{\sqrt{70}i}{56} & 0 & 0 & -\frac{3\sqrt{42}i}{56} & 0 & 0 \\ \frac{\sqrt{42}i}{14} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
106	symmetry	$\sqrt{15}xyz$
	$\mathbb{M}_3^{(a)}(A_g)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \end{bmatrix}$
107	symmetry	$\frac{x(2x^2-3y^2-3z^2)}{2}$
	$\mathbb{M}_{3,0}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{8} & 0 & 0 & -\frac{\sqrt{10}i}{8} \\ 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 \end{bmatrix}$
108	symmetry	$-\frac{y(3x^2-2y^2+3z^2)}{2}$
	$\mathbb{M}_{3,1}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & -\frac{\sqrt{10}i}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}i}{8} & 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 \end{bmatrix}$
109	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
	$\mathbb{M}_{3,2}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{6}i}{8} & 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 \\ 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
110	symmetry	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$

continued ...

Table 7

No.	multipole	matrix
	$\mathbb{M}_{3,0}^{(a)}(T_g, 2)$	$\begin{bmatrix} \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{10}i}{8} & 0 & 0 & -\frac{\sqrt{6}i}{24} \\ 0 & 0 & \frac{\sqrt{10}i}{8} & 0 & 0 & \frac{\sqrt{6}i}{24} & 0 \end{bmatrix}$
111	symmetry	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
	$\mathbb{M}_{3,1}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{10}i}{8} & 0 & 0 & \frac{\sqrt{6}i}{24} \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{10}i}{8} & 0 & 0 & -\frac{\sqrt{6}i}{24} & 0 & 0 \end{bmatrix}$
112	symmetry	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
	$\mathbb{M}_{3,2}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{10}i}{8} & 0 & 0 & -\frac{\sqrt{6}i}{24} & 0 \\ 0 & \frac{\sqrt{10}i}{8} & 0 & 0 & \frac{\sqrt{6}i}{24} & 0 & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$

bra:  $= \langle d_u |, \langle d_v |, \langle d_{yz} |, \langle d_{xz} |, \langle d_{xy} |$   
ket:  $= |d_u\rangle, |d_v\rangle, |d_{yz}\rangle, |d_{xz}\rangle, |d_{xy}\rangle$

Table 8: (d,d) block.

No.	multipole	matrix
113	symmetry	1
	$\mathbb{Q}_0^{(a)}(A_g)$	$\begin{bmatrix} \frac{\sqrt{5}}{5} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{5}}{5} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{5}}{5} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{5}}{5} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{5}}{5} \end{bmatrix}$
114	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$

*continued ...*



Table 8

No.	multipole	matrix
	$\mathbb{Q}_{2,0}^{(a)}(E_g)$	$\begin{bmatrix} \frac{\sqrt{14}}{7} & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{14}}{7} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{14}}{14} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{14}}{7} \end{bmatrix}$
115	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$ $\mathbb{Q}_{2,1}^{(a)}(E_g) \begin{bmatrix} 0 & -\frac{\sqrt{14}}{7} & 0 & 0 & 0 \\ -\frac{\sqrt{14}}{7} & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{42}}{14} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{42}}{14} & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
116	symmetry	$\sqrt{3}yz$ $\mathbb{Q}_{2,0}^{(a)}(T_g) \begin{bmatrix} 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{42}}{14} & 0 & 0 \\ \frac{\sqrt{14}}{14} & -\frac{\sqrt{42}}{14} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{42}}{14} \\ 0 & 0 & 0 & \frac{\sqrt{42}}{14} & 0 \end{bmatrix}$
117	symmetry	$\sqrt{3}xz$ $\mathbb{Q}_{2,1}^{(a)}(T_g) \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{14}}{14} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{42}}{14} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{42}}{14} \\ \frac{\sqrt{14}}{14} & \frac{\sqrt{42}}{14} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{42}}{14} & 0 & 0 \end{bmatrix}$
118	symmetry	$\sqrt{3}xy$

continued ...

Table 8

No.	multipole	matrix
	$\mathbb{Q}_{2,2}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{14}}{7} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{42}}{14} & 0 \\ 0 & 0 & \frac{\sqrt{42}}{14} & 0 & 0 \\ -\frac{\sqrt{14}}{7} & 0 & 0 & 0 & 0 \end{bmatrix}$
119	symmetry	$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$
	$\mathbb{Q}_4^{(a)}(A_g)$	$\begin{bmatrix} \frac{\sqrt{30}}{10} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{30}}{10} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{30}}{15} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{30}}{15} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{30}}{15} \end{bmatrix}$
120	symmetry	$-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$
	$\mathbb{Q}_{4,0}^{(a)}(E_g)$	$\begin{bmatrix} \frac{\sqrt{42}}{14} & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{42}}{14} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{42}}{21} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{42}}{21} & 0 \\ 0 & 0 & 0 & 0 & \frac{2\sqrt{42}}{21} \end{bmatrix}$
121	symmetry	$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$
	$\mathbb{Q}_{4,1}^{(a)}(E_g)$	$\begin{bmatrix} 0 & -\frac{\sqrt{42}}{14} & 0 & 0 & 0 \\ -\frac{\sqrt{42}}{14} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{14}}{7} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{14}}{7} & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
122	symmetry	$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$

continued ...

Table 8

No.	multipole	matrix
	$\mathbb{Q}_{4,0}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}}{4} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{6}}{4} & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
123	symmetry	$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$
	$\mathbb{Q}_{4,1}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}}{4} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}}{4} & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
124	symmetry	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$
	$\mathbb{Q}_{4,2}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}}{2} & 0 & 0 & 0 \end{bmatrix}$
125	symmetry	$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$
	$\mathbb{Q}_{4,0}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{42}}{28} & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{14}}{28} & 0 & 0 \\ -\frac{\sqrt{42}}{28} & \frac{3\sqrt{14}}{28} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{14}}{7} \\ 0 & 0 & 0 & \frac{\sqrt{14}}{7} & 0 \end{bmatrix}$
126	symmetry	$-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$

continued ...

Table 8

No.	multipole	matrix
	$\mathbb{Q}_{4,1}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{42}}{28} & 0 \\ 0 & 0 & 0 & -\frac{3\sqrt{14}}{28} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{14}}{7} \\ -\frac{\sqrt{42}}{28} & -\frac{3\sqrt{14}}{28} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{14}}{7} & 0 & 0 \end{bmatrix}$
127	symmetry	$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$
	$\mathbb{Q}_{4,2}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{42}}{14} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{14}}{7} & 0 \\ 0 & 0 & \frac{\sqrt{14}}{7} & 0 & 0 \\ \frac{\sqrt{42}}{14} & 0 & 0 & 0 & 0 \end{bmatrix}$
128	symmetry	$x$
	$\mathbb{M}_{1,0}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{30i}}{10} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{10i}}{10} & 0 & 0 \\ -\frac{\sqrt{30i}}{10} & -\frac{\sqrt{10i}}{10} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{10i}}{10} \\ 0 & 0 & 0 & -\frac{\sqrt{10i}}{10} & 0 \end{bmatrix}$
129	symmetry	$y$
	$\mathbb{M}_{1,1}^{(a)}(T_g)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{30i}}{10} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{10i}}{10} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{10i}}{10} \\ \frac{\sqrt{30i}}{10} & -\frac{\sqrt{10i}}{10} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{10i}}{10} & 0 & 0 \end{bmatrix}$
130	symmetry	$z$

continued ...

Table 8

No.	multipole	matrix
		$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{10}i}{5} \\ 0 & 0 & 0 & \frac{\sqrt{10}i}{10} & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 \\ 0 & \frac{\sqrt{10}i}{5} & 0 & 0 & 0 \end{bmatrix}$
131	symmetry	$\begin{aligned} &\sqrt{15}xyz \\ &\mathbb{M}_3^{(a)}(A_g) \end{aligned} \begin{bmatrix} 0 & -\frac{\sqrt{2}i}{2} & 0 & 0 & 0 \\ \frac{\sqrt{2}i}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
132	symmetry	$\begin{aligned} &\frac{x(2x^2-3y^2-3z^2)}{2} \\ &\mathbb{M}_{3,0}^{(a)}(T_g, 1) \end{aligned} \begin{bmatrix} 0 & 0 & -\frac{\sqrt{30}i}{20} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{20} & 0 & 0 \\ \frac{\sqrt{30}i}{20} & \frac{\sqrt{10}i}{20} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{10}i}{5} \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{5} & 0 \end{bmatrix}$
133	symmetry	$\begin{aligned} &-\frac{y(3x^2-2y^2+3z^2)}{2} \\ &\mathbb{M}_{3,1}^{(a)}(T_g, 1) \end{aligned} \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{30}i}{20} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{20} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{10}i}{5} \\ -\frac{\sqrt{30}i}{20} & \frac{\sqrt{10}i}{20} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{10}i}{5} & 0 & 0 \end{bmatrix}$
134	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$

continued ...

Table 8

No.	multipole	matrix
		$ \begin{bmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{10}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{10}i}{5} & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{5} & 0 & 0 \\ 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 \end{bmatrix} $
135	symmetry	$ \begin{aligned} & \frac{\sqrt{15}x(y-z)(y+z)}{2} \\ & \mathbb{M}_{3,0}^{(a)}(T_g, 2) \begin{bmatrix} 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{4} & 0 & 0 \\ \frac{\sqrt{2}i}{4} & -\frac{\sqrt{6}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix} \end{aligned} $
136	symmetry	$ \begin{aligned} & -\frac{\sqrt{15}y(x-z)(x+z)}{2} \\ & \mathbb{M}_{3,1}^{(a)}(T_g, 2) \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{2}i}{4} & \frac{\sqrt{6}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix} \end{aligned} $
137	symmetry	$ \begin{aligned} & \frac{\sqrt{15}z(x-y)(x+y)}{2} \\ & \mathbb{M}_{3,2}^{(a)}(T_g, 2) \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{2} \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}i}{2} & 0 & 0 & 0 & 0 \end{bmatrix} \end{aligned} $

bra:  $= \langle d_u |, \langle d_v |, \langle d_{yz} |, \langle d_{xz} |, \langle d_{xy} |$

ket:  $= |f_3\rangle, |f_{ax}\rangle, |f_{ay}\rangle, |f_{az}\rangle, |f_{bx}\rangle, |f_{by}\rangle, |f_{bz}\rangle$

Table 9: (d,f) block.

No.	multipole	matrix
138	symmetry	$x$
	$\mathbb{Q}_{1,0}^{(a)}(T_u)$	$\begin{bmatrix} 0 & -\frac{3\sqrt{70}}{140} & 0 & 0 & -\frac{\sqrt{42}}{28} & 0 & 0 \\ 0 & \frac{3\sqrt{210}}{140} & 0 & 0 & -\frac{\sqrt{14}}{28} & 0 & 0 \\ \frac{\sqrt{14}}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{210}}{70} & 0 & 0 & \frac{\sqrt{14}}{14} \\ 0 & 0 & -\frac{\sqrt{210}}{70} & 0 & 0 & -\frac{\sqrt{14}}{14} & 0 \end{bmatrix}$
139	symmetry	$y$
	$\mathbb{Q}_{1,1}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & -\frac{3\sqrt{70}}{140} & 0 & 0 & \frac{\sqrt{42}}{28} & 0 \\ 0 & 0 & -\frac{3\sqrt{210}}{140} & 0 & 0 & -\frac{\sqrt{14}}{28} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{210}}{70} & 0 & 0 & -\frac{\sqrt{14}}{14} \\ \frac{\sqrt{14}}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{210}}{70} & 0 & 0 & \frac{\sqrt{14}}{14} & 0 & 0 \end{bmatrix}$
140	symmetry	$z$
	$\mathbb{Q}_{1,2}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{3\sqrt{70}}{70} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{14}}{14} \\ 0 & 0 & -\frac{\sqrt{210}}{70} & 0 & 0 & \frac{\sqrt{14}}{14} & 0 \\ 0 & -\frac{\sqrt{210}}{70} & 0 & 0 & -\frac{\sqrt{14}}{14} & 0 & 0 \\ \frac{\sqrt{14}}{14} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
141	symmetry	$\sqrt{15}xyz$
	$\mathbb{Q}_3^{(a)}(A_u)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \end{bmatrix}$
142	symmetry	$\frac{x(2x^2-3y^2-3z^2)}{2}$

*continued ...*

Table 9

No.	multipole	matrix
	$\mathbb{Q}_{3,0}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ 0 & \frac{\sqrt{10}}{10} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 & 0 \\ -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}}{40} & 0 & 0 & \frac{\sqrt{6}}{24} \\ 0 & 0 & -\frac{\sqrt{10}}{40} & 0 & 0 & -\frac{\sqrt{6}}{24} & 0 \end{bmatrix}$
143	symmetry	$-\frac{y(3x^2-2y^2+3z^2)}{2}$ $\mathbb{Q}_{3,1}^{(a)}(T_u, 1) \begin{bmatrix} 0 & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & -\frac{\sqrt{10}}{10} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}}{40} & 0 & 0 & -\frac{\sqrt{6}}{24} \\ -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{10}}{40} & 0 & 0 & \frac{\sqrt{6}}{24} & 0 & 0 \end{bmatrix}$
144	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$ $\mathbb{Q}_{3,2}^{(a)}(T_u, 1) \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{30}}{15} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & 0 & -\frac{\sqrt{10}}{40} & 0 & 0 & \frac{\sqrt{6}}{24} & 0 \\ 0 & -\frac{\sqrt{10}}{40} & 0 & 0 & -\frac{\sqrt{6}}{24} & 0 & 0 \\ -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
145	symmetry	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$ $\mathbb{Q}_{3,0}^{(a)}(T_u, 2) \begin{bmatrix} 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{24} & 0 & 0 & -\frac{\sqrt{10}}{8} \\ 0 & 0 & \frac{\sqrt{6}}{24} & 0 & 0 & -\frac{\sqrt{10}}{8} & 0 \end{bmatrix}$
146	symmetry	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$

continued ...



Table 9

No.	multipole	matrix
	$\mathbb{Q}_{3,1}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{24} & 0 & 0 & -\frac{\sqrt{10}}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{24} & 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 \end{bmatrix}$
147	symmetry	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$ $\mathbb{Q}_{3,2}^{(a)}(T_u, 2) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{24} & 0 & 0 & -\frac{\sqrt{10}}{8} & 0 \\ 0 & \frac{\sqrt{6}}{24} & 0 & 0 & -\frac{\sqrt{10}}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
148	symmetry	$\frac{3\sqrt{35}xyz(x-y)(x+y)}{2}$ $\mathbb{Q}_{5,0}^{(a)}(E_u) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{4} & 0 & 0 & -\frac{\sqrt{15}}{20} & 0 & 0 \\ 0 & 0 & -\frac{1}{4} & 0 & 0 & -\frac{\sqrt{15}}{20} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{15}}{10} \end{bmatrix}$
149	symmetry	$\frac{\sqrt{105}xyz(x^2+y^2-2z^2)}{2}$ $\mathbb{Q}_{5,1}^{(a)}(E_u) \begin{bmatrix} -\frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{3}}{12} & 0 & 0 & \frac{3\sqrt{5}}{20} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}}{12} & 0 & 0 & -\frac{3\sqrt{5}}{20} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \end{bmatrix}$
150	symmetry	$\frac{x(8x^4-40x^2y^2-40x^2z^2+15y^4+30y^2z^2+15z^4)}{8}$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{Q}_{5,0}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & -\frac{\sqrt{105}}{42} & 0 & 0 & -\frac{\sqrt{7}}{28} & 0 & 0 \\ 0 & \frac{\sqrt{35}}{14} & 0 & 0 & -\frac{\sqrt{21}}{84} & 0 & 0 \\ \frac{\sqrt{21}}{42} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{35}}{28} & 0 & 0 & -\frac{5\sqrt{21}}{84} \\ 0 & 0 & \frac{\sqrt{35}}{28} & 0 & 0 & \frac{5\sqrt{21}}{84} & 0 \end{bmatrix}$
151	symmetry	$\frac{y(15x^4 - 40x^2y^2 + 30x^2z^2 + 8y^4 - 40y^2z^2 + 15z^4)}{8}$
	$\mathbb{Q}_{5,1}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{105}}{42} & 0 & 0 & \frac{\sqrt{7}}{28} & 0 \\ 0 & 0 & -\frac{\sqrt{35}}{14} & 0 & 0 & -\frac{\sqrt{21}}{84} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{35}}{28} & 0 & 0 & \frac{5\sqrt{21}}{84} \\ \frac{\sqrt{21}}{42} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{35}}{28} & 0 & 0 & -\frac{5\sqrt{21}}{84} & 0 & 0 \end{bmatrix}$
152	symmetry	$\frac{z(15x^4 + 30x^2y^2 - 40x^2z^2 + 15y^4 - 40y^2z^2 + 8z^4)}{8}$
	$\mathbb{Q}_{5,2}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{105}}{21} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{21}}{42} \\ 0 & 0 & \frac{\sqrt{35}}{28} & 0 & 0 & -\frac{5\sqrt{21}}{84} & 0 \\ 0 & \frac{\sqrt{35}}{28} & 0 & 0 & \frac{5\sqrt{21}}{84} & 0 & 0 \\ \frac{\sqrt{21}}{42} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
153	symmetry	$\frac{3\sqrt{35}x(y^2 - 2yz - z^2)(y^2 + 2yz - z^2)}{8}$
	$\mathbb{Q}_{5,0}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{3\sqrt{5}}{20} & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{15}}{20} & 0 & 0 \\ -\frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{4} & 0 & 0 & \frac{\sqrt{15}}{20} \\ 0 & 0 & \frac{1}{4} & 0 & 0 & -\frac{\sqrt{15}}{20} & 0 \end{bmatrix}$
154	symmetry	$\frac{3\sqrt{35}y(x^2 - 2xz - z^2)(x^2 + 2xz - z^2)}{8}$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{Q}_{5,1}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{3\sqrt{5}}{20} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{15}}{20} & 0 \\ 0 & 0 & 0 & \frac{1}{4} & 0 & 0 & -\frac{\sqrt{15}}{20} \\ -\frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{4} & 0 & 0 & \frac{\sqrt{15}}{20} & 0 & 0 \end{bmatrix}$
155	symmetry	$\frac{3\sqrt{35}z(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$
	$\mathbb{Q}_{5,2}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{15}}{10} \\ 0 & 0 & \frac{1}{4} & 0 & 0 & \frac{\sqrt{15}}{20} & 0 \\ 0 & \frac{1}{4} & 0 & 0 & -\frac{\sqrt{15}}{20} & 0 & 0 \\ -\frac{\sqrt{15}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
156	symmetry	$\frac{\sqrt{105}x(y-z)(y+z)(2x^2-y^2-z^2)}{4}$
	$\mathbb{Q}_{5,0}^{(a)}(T_u, 3)$	$\begin{bmatrix} 0 & -\frac{1}{4} & 0 & 0 & -\frac{\sqrt{15}}{20} & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{12} & 0 & 0 & \frac{3\sqrt{5}}{20} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{5}}{10} \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{5}}{10} & 0 \end{bmatrix}$
157	symmetry	$\frac{\sqrt{105}y(x-z)(x+z)(x^2-2y^2+z^2)}{4}$
	$\mathbb{Q}_{5,1}^{(a)}(T_u, 3)$	$\begin{bmatrix} 0 & 0 & \frac{1}{4} & 0 & 0 & -\frac{\sqrt{15}}{20} & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{12} & 0 & 0 & -\frac{3\sqrt{5}}{20} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{5}}{10} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 \end{bmatrix}$
158	symmetry	$-\frac{\sqrt{105}z(x-y)(x+y)(x^2+y^2-2z^2)}{4}$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{Q}_{5,2}^{(a)}(T_u, 3)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{15}}{10} \\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{5}}{10} & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
159	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
	$\mathbb{G}_{2,0}^{(a)}(E_u)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{35}}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{21}}{28} & 0 & 0 & \frac{\sqrt{35}}{28} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{21}}{28} & 0 & 0 & \frac{\sqrt{35}}{28} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{35}}{14} \end{bmatrix}$
160	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
	$\mathbb{G}_{2,1}^{(a)}(E_u)$	$\begin{bmatrix} -\frac{\sqrt{35}}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{7}}{28} & 0 & 0 & -\frac{\sqrt{105}}{28} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{7}}{28} & 0 & 0 & \frac{\sqrt{105}}{28} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{7}}{14} & 0 & 0 & 0 \end{bmatrix}$
161	symmetry	$\sqrt{3}yz$
	$\mathbb{G}_{2,0}^{(a)}(T_u)$	$\begin{bmatrix} 0 & -\frac{\sqrt{21}}{28} & 0 & 0 & -\frac{\sqrt{35}}{28} & 0 & 0 \\ 0 & -\frac{\sqrt{7}}{28} & 0 & 0 & \frac{\sqrt{105}}{28} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{7}}{7} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{7}}{7} & 0 & 0 & 0 & 0 \end{bmatrix}$
162	symmetry	$\sqrt{3}xz$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{G}_{2,1}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & \frac{\sqrt{21}}{28} & 0 & 0 & -\frac{\sqrt{35}}{28} & 0 \\ 0 & 0 & -\frac{\sqrt{7}}{28} & 0 & 0 & -\frac{\sqrt{105}}{28} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{7}}{7} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{7}}{7} & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
163	symmetry	$\begin{array}{c} \sqrt{3}xy \\ \mathbb{G}_{2,2}^{(a)}(T_u) \end{array}$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{35}}{14} \\ 0 & 0 & 0 & \frac{\sqrt{7}}{14} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{7}}{7} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{7}}{7} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
164	symmetry	$\begin{array}{c} \frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6} \\ \mathbb{G}_4^{(a)}(A_u) \end{array}$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$
165	symmetry	$\begin{array}{c} -\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12} \\ \mathbb{G}_{4,0}^{(a)}(E_u) \end{array}$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{210}}{35} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{3\sqrt{14}}{28} & 0 & 0 & \frac{\sqrt{210}}{420} & 0 & 0 \\ 0 & 0 & -\frac{3\sqrt{14}}{28} & 0 & 0 & \frac{\sqrt{210}}{420} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{210}}{210} \end{bmatrix}$
166	symmetry	$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{G}_{4,1}^{(a)}(E_u)$	$\begin{bmatrix} \frac{\sqrt{210}}{35} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{42}}{28} & 0 & 0 & -\frac{\sqrt{70}}{140} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{42}}{28} & 0 & 0 & \frac{\sqrt{70}}{140} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{42}}{14} & 0 & 0 & 0 \end{bmatrix}$
167	symmetry	$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$ $\mathbb{G}_{4,0}^{(a)}(T_u, 1) \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{20} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{10}}{20} & 0 & 0 \\ \frac{\sqrt{10}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{8} & 0 & 0 & \frac{3\sqrt{10}}{40} \\ 0 & 0 & \frac{\sqrt{6}}{8} & 0 & 0 & -\frac{3\sqrt{10}}{40} & 0 \end{bmatrix}$
168	symmetry	$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$ $\mathbb{G}_{4,1}^{(a)}(T_u, 1) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{30}}{20} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{10}}{20} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{8} & 0 & 0 & -\frac{3\sqrt{10}}{40} \\ \frac{\sqrt{10}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{8} & 0 & 0 & \frac{3\sqrt{10}}{40} & 0 & 0 \end{bmatrix}$
169	symmetry	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$ $\mathbb{G}_{4,2}^{(a)}(T_u, 1) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{10}}{10} \\ 0 & 0 & \frac{\sqrt{6}}{8} & 0 & 0 & \frac{3\sqrt{10}}{40} & 0 \\ 0 & \frac{\sqrt{6}}{8} & 0 & 0 & -\frac{3\sqrt{10}}{40} & 0 & 0 \\ \frac{\sqrt{10}}{10} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
170	symmetry	$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{G}_{4,0}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & \frac{3\sqrt{14}}{28} & 0 & 0 & -\frac{\sqrt{210}}{70} & 0 & 0 \\ 0 & \frac{\sqrt{42}}{28} & 0 & 0 & \frac{3\sqrt{70}}{70} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{42}}{56} & 0 & 0 & \frac{\sqrt{70}}{40} \\ 0 & 0 & -\frac{\sqrt{42}}{56} & 0 & 0 & \frac{\sqrt{70}}{40} & 0 \end{bmatrix}$
171	symmetry	$-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$ $\mathbb{G}_{4,1}^{(a)}(T_u, 2) \begin{bmatrix} 0 & 0 & -\frac{3\sqrt{14}}{28} & 0 & 0 & -\frac{\sqrt{210}}{70} & 0 \\ 0 & 0 & \frac{\sqrt{42}}{28} & 0 & 0 & -\frac{3\sqrt{70}}{70} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{42}}{56} & 0 & 0 & \frac{\sqrt{70}}{40} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{42}}{56} & 0 & 0 & \frac{\sqrt{70}}{40} & 0 & 0 \end{bmatrix}$
172	symmetry	$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$ $\mathbb{G}_{4,2}^{(a)}(T_u, 2) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{210}}{35} \\ 0 & 0 & 0 & -\frac{\sqrt{42}}{14} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{42}}{56} & 0 & 0 & \frac{\sqrt{70}}{40} & 0 \\ 0 & -\frac{\sqrt{42}}{56} & 0 & 0 & \frac{\sqrt{70}}{40} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
173	symmetry	$x$ $\mathbb{T}_{1,0}^{(a)}(T_u) \begin{bmatrix} 0 & -\frac{3\sqrt{70}i}{140} & 0 & 0 & -\frac{\sqrt{42}i}{28} & 0 & 0 \\ 0 & \frac{3\sqrt{210}i}{140} & 0 & 0 & -\frac{\sqrt{14}i}{28} & 0 & 0 \\ \frac{\sqrt{14}i}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{210}i}{70} & 0 & 0 & \frac{\sqrt{14}i}{14} \\ 0 & 0 & -\frac{\sqrt{210}i}{70} & 0 & 0 & -\frac{\sqrt{14}i}{14} & 0 \end{bmatrix}$
174	symmetry	$y$

continued ...

Table 9

No.	multipole	matrix						
	$\mathbb{T}_{1,1}^{(a)}(T_u)$	0	0	$-\frac{3\sqrt{70}i}{140}$	0	0	$\frac{\sqrt{42}i}{28}$	0
		0	0	$-\frac{3\sqrt{210}i}{140}$	0	0	$-\frac{\sqrt{14}i}{28}$	0
		0	0	0	$-\frac{\sqrt{210}i}{70}$	0	0	$-\frac{\sqrt{14}i}{14}$
		$\frac{\sqrt{14}i}{14}$	0	0	0	0	0	0
		0	$-\frac{\sqrt{210}i}{70}$	0	0	$\frac{\sqrt{14}i}{14}$	0	0
175	symmetry	$z$						
	$\mathbb{T}_{1,2}^{(a)}(T_u)$	0	0	0	$\frac{3\sqrt{70}i}{70}$	0	0	0
		0	0	0	0	0	0	$\frac{\sqrt{14}i}{14}$
		0	0	$-\frac{\sqrt{210}i}{70}$	0	0	$\frac{\sqrt{14}i}{14}$	0
		0	$-\frac{\sqrt{210}i}{70}$	0	0	$-\frac{\sqrt{14}i}{14}$	0	0
		$\frac{\sqrt{14}i}{14}$	0	0	0	0	0	0
176	symmetry	$\sqrt{15}xyz$						
	$\mathbb{T}_3^{(a)}(A_u)$	0	0	0	0	0	0	0
		0	0	0	0	0	0	0
		0	$-\frac{\sqrt{6}i}{6}$	0	0	0	0	0
		0	0	$-\frac{\sqrt{6}i}{6}$	0	0	0	0
		0	0	0	$-\frac{\sqrt{6}i}{6}$	0	0	0
177	symmetry	$\frac{x(2x^2-3y^2-3z^2)}{2}$						
	$\mathbb{T}_{3,0}^{(a)}(T_u, 1)$	0	$-\frac{\sqrt{30}i}{30}$	0	0	$\frac{\sqrt{2}i}{4}$	0	0
		0	$\frac{\sqrt{10}i}{10}$	0	0	$\frac{\sqrt{6}i}{12}$	0	0
		$-\frac{\sqrt{6}i}{6}$	0	0	0	0	0	0
		0	0	0	$-\frac{\sqrt{10}i}{40}$	0	0	$\frac{\sqrt{6}i}{24}$
		0	0	$-\frac{\sqrt{10}i}{40}$	0	0	$-\frac{\sqrt{6}i}{24}$	0
178	symmetry	$-\frac{y(3x^2-2y^2+3z^2)}{2}$						

continued ...



Table 9

No.	multipole	matrix
	$\mathbb{T}_{3,1}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{30}i}{30} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & -\frac{\sqrt{10}i}{10} & 0 & 0 & \frac{\sqrt{6}i}{12} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{10}i}{40} & 0 & 0 & -\frac{\sqrt{6}i}{24} \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{10}i}{40} & 0 & 0 & \frac{\sqrt{6}i}{24} & 0 & 0 \end{bmatrix}$
179	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
	$\mathbb{T}_{3,2}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{30}i}{15} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & 0 & -\frac{\sqrt{10}i}{40} & 0 & 0 & \frac{\sqrt{6}i}{24} & 0 \\ 0 & -\frac{\sqrt{10}i}{40} & 0 & 0 & -\frac{\sqrt{6}i}{24} & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
180	symmetry	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$
	$\mathbb{T}_{3,0}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}i}{12} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{24} & 0 & 0 & -\frac{\sqrt{10}i}{8} \\ 0 & 0 & \frac{\sqrt{6}i}{24} & 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 \end{bmatrix}$
181	symmetry	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
	$\mathbb{T}_{3,1}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{12} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{24} & 0 & 0 & -\frac{\sqrt{10}i}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}i}{24} & 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 \end{bmatrix}$
182	symmetry	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{T}_{3,2}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{24} & 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 \\ 0 & \frac{\sqrt{6}i}{24} & 0 & 0 & -\frac{\sqrt{10}i}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
183	symmetry	$\frac{3\sqrt{35}xyz(x-y)(x+y)}{2}$ $\mathbb{T}_{5,0}^{(a)}(E_u) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{4} & 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 & 0 \\ 0 & 0 & -\frac{i}{4} & 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{15}i}{10} \end{bmatrix}$
184	symmetry	$\frac{\sqrt{105}xyz(x^2+y^2-2z^2)}{2}$ $\mathbb{T}_{5,1}^{(a)}(E_u) = \begin{bmatrix} -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{3}i}{12} & 0 & 0 & \frac{3\sqrt{5}i}{20} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}i}{12} & 0 & 0 & -\frac{3\sqrt{5}i}{20} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 \end{bmatrix}$
185	symmetry	$\frac{x(8x^4-40x^2y^2-40x^2z^2+15y^4+30y^2z^2+15z^4)}{8}$ $\mathbb{T}_{5,0}^{(a)}(T_u, 1) = \begin{bmatrix} 0 & -\frac{\sqrt{105}i}{42} & 0 & 0 & -\frac{\sqrt{7}i}{28} & 0 & 0 \\ 0 & \frac{\sqrt{35}i}{14} & 0 & 0 & -\frac{\sqrt{21}i}{84} & 0 & 0 \\ \frac{\sqrt{21}i}{42} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{35}i}{28} & 0 & 0 & -\frac{5\sqrt{21}i}{84} \\ 0 & 0 & \frac{\sqrt{35}i}{28} & 0 & 0 & \frac{5\sqrt{21}i}{84} & 0 \end{bmatrix}$
186	symmetry	$\frac{y(15x^4-40x^2y^2+30x^2z^2+8y^4-40y^2z^2+15z^4)}{8}$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{T}_{5,1}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{105}i}{42} & 0 & 0 & \frac{\sqrt{7}i}{28} & 0 \\ 0 & 0 & -\frac{\sqrt{35}i}{14} & 0 & 0 & -\frac{\sqrt{21}i}{84} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{35}i}{28} & 0 & 0 & \frac{5\sqrt{21}i}{84} \\ \frac{\sqrt{21}i}{42} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{35}i}{28} & 0 & 0 & -\frac{5\sqrt{21}i}{84} & 0 & 0 \end{bmatrix}$
187	symmetry	$\frac{z(15x^4+30x^2y^2-40x^2z^2+15y^4-40y^2z^2+8z^4)}{8}$ $\mathbb{T}_{5,2}^{(a)}(T_u, 1) \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{105}i}{21} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{21}i}{42} \\ 0 & 0 & \frac{\sqrt{35}i}{28} & 0 & 0 & -\frac{5\sqrt{21}i}{84} & 0 \\ 0 & \frac{\sqrt{35}i}{28} & 0 & 0 & \frac{5\sqrt{21}i}{84} & 0 & 0 \\ \frac{\sqrt{21}i}{42} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
188	symmetry	$\frac{3\sqrt{35}x(y^2-2yz-z^2)(y^2+2yz-z^2)}{8}$ $\mathbb{T}_{5,0}^{(a)}(T_u, 2) \begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{3\sqrt{5}i}{20} & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 & 0 \\ -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{4} & 0 & 0 & \frac{\sqrt{15}i}{20} \\ 0 & 0 & \frac{i}{4} & 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 \end{bmatrix}$
189	symmetry	$\frac{3\sqrt{35}y(x^2-2xz-z^2)(x^2+2xz-z^2)}{8}$ $\mathbb{T}_{5,1}^{(a)}(T_u, 2) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{3\sqrt{5}i}{20} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 \\ 0 & 0 & 0 & \frac{i}{4} & 0 & 0 & -\frac{\sqrt{15}i}{20} \\ -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{4} & 0 & 0 & \frac{\sqrt{15}i}{20} & 0 & 0 \end{bmatrix}$
190	symmetry	$\frac{3\sqrt{35}z(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{T}_{5,2}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{15}i}{10} \\ 0 & 0 & \frac{i}{4} & 0 & 0 & \frac{\sqrt{15}i}{20} & 0 \\ 0 & \frac{i}{4} & 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 & 0 \\ -\frac{\sqrt{15}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
191	symmetry	$\frac{\sqrt{105}x(y-z)(y+z)(2x^2-y^2-z^2)}{4}$ $\mathbb{T}_{5,0}^{(a)}(T_u, 3)$ $\begin{bmatrix} 0 & -\frac{i}{4} & 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 & 0 \\ 0 & -\frac{\sqrt{3}i}{12} & 0 & 0 & \frac{3\sqrt{5}i}{20} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{5}i}{10} \\ 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{5}i}{10} & 0 \end{bmatrix}$
192	symmetry	$\frac{\sqrt{105}y(x-z)(x+z)(x^2-2y^2+z^2)}{4}$ $\mathbb{T}_{5,1}^{(a)}(T_u, 3)$ $\begin{bmatrix} 0 & 0 & \frac{i}{4} & 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 \\ 0 & 0 & -\frac{\sqrt{3}i}{12} & 0 & 0 & -\frac{3\sqrt{5}i}{20} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{5}i}{10} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{5}i}{10} & 0 & 0 \end{bmatrix}$
193	symmetry	$-\frac{\sqrt{105}z(x-y)(x+y)(x^2+y^2-2z^2)}{4}$ $\mathbb{T}_{5,2}^{(a)}(T_u, 3)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{15}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{5}i}{10} & 0 \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{5}i}{10} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
194	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{M}_{2,0}^{(a)}(E_u)$	$ \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{35}i}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{21}i}{28} & 0 & 0 & -\frac{\sqrt{35}i}{28} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{21}i}{28} & 0 & 0 & -\frac{\sqrt{35}i}{28} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{35}i}{14} \end{bmatrix} $
195	symmetry	$ \begin{array}{c} \frac{\sqrt{3}(x-y)(x+y)}{2} \\ \mathbb{M}_{2,1}^{(a)}(E_u) \end{array} \begin{bmatrix} \frac{\sqrt{35}i}{14} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{7}i}{28} & 0 & 0 & \frac{\sqrt{105}i}{28} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{7}i}{28} & 0 & 0 & -\frac{\sqrt{105}i}{28} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{7}i}{14} & 0 & 0 & 0 \end{bmatrix} $
196	symmetry	$ \begin{array}{c} \sqrt{3}yz \\ \mathbb{M}_{2,0}^{(a)}(T_u) \end{array} \begin{bmatrix} 0 & \frac{\sqrt{21}i}{28} & 0 & 0 & \frac{\sqrt{35}i}{28} & 0 & 0 \\ 0 & \frac{\sqrt{7}i}{28} & 0 & 0 & -\frac{\sqrt{105}i}{28} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{7}i}{7} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{7}i}{7} & 0 & 0 & 0 & 0 \end{bmatrix} $
197	symmetry	$ \begin{array}{c} \sqrt{3}xz \\ \mathbb{M}_{2,1}^{(a)}(T_u) \end{array} \begin{bmatrix} 0 & 0 & -\frac{\sqrt{21}i}{28} & 0 & 0 & \frac{\sqrt{35}i}{28} & 0 \\ 0 & 0 & \frac{\sqrt{7}i}{28} & 0 & 0 & \frac{\sqrt{105}i}{28} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{7}i}{7} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{7}i}{7} & 0 & 0 & 0 & 0 & 0 \end{bmatrix} $
198	symmetry	$\sqrt{3}xy$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{M}_{2,2}^{(a)}(T_u)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{35}i}{14} \\ 0 & 0 & 0 & -\frac{\sqrt{7}i}{14} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{7}i}{7} & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{7}i}{7} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
199	symmetry	$\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$
	$\mathbb{M}_4^{(a)}(A_u)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \end{bmatrix}$
200	symmetry	$-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$
	$\mathbb{M}_{4,0}^{(a)}(E_u)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{210}i}{35} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{3\sqrt{14}i}{28} & 0 & 0 & -\frac{\sqrt{210}i}{420} & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{14}i}{28} & 0 & 0 & -\frac{\sqrt{210}i}{420} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{210}i}{210} \end{bmatrix}$
201	symmetry	$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$
	$\mathbb{M}_{4,1}^{(a)}(E_u)$	$\begin{bmatrix} -\frac{\sqrt{210}i}{35} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{42}i}{28} & 0 & 0 & \frac{\sqrt{70}i}{140} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{42}i}{28} & 0 & 0 & -\frac{\sqrt{70}i}{140} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{42}i}{14} & 0 & 0 & 0 \end{bmatrix}$
202	symmetry	$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$

continued ...

Table 9

No.	multipole	matrix
	$\mathbb{M}_{4,0}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{\sqrt{30}i}{20} & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{10}i}{20} & 0 & 0 \\ -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & -\frac{3\sqrt{10}i}{40} \\ 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & \frac{3\sqrt{10}i}{40} & 0 \end{bmatrix}$
203	symmetry	$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$
	$\mathbb{M}_{4,1}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{30}i}{20} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{10}i}{20} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & \frac{3\sqrt{10}i}{40} \\ -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & -\frac{3\sqrt{10}i}{40} & 0 & 0 \end{bmatrix}$
204	symmetry	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$
	$\mathbb{M}_{4,2}^{(a)}(T_u, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{10}i}{10} \\ 0 & 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & -\frac{3\sqrt{10}i}{40} & 0 \\ 0 & -\frac{\sqrt{6}i}{8} & 0 & 0 & \frac{3\sqrt{10}i}{40} & 0 & 0 \\ -\frac{\sqrt{10}i}{10} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
205	symmetry	$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$
	$\mathbb{M}_{4,0}^{(a)}(T_u, 2)$	$\begin{bmatrix} 0 & -\frac{3\sqrt{14}i}{28} & 0 & 0 & \frac{\sqrt{210}i}{70} & 0 & 0 \\ 0 & -\frac{\sqrt{42}i}{28} & 0 & 0 & -\frac{3\sqrt{70}i}{70} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{42}i}{56} & 0 & 0 & -\frac{\sqrt{70}i}{40} \\ 0 & 0 & \frac{\sqrt{42}i}{56} & 0 & 0 & -\frac{\sqrt{70}i}{40} & 0 \end{bmatrix}$
206	symmetry	$-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$

continued ...

Table 9

No.	multipole	matrix						
	$\mathbb{M}_{4,1}^{(a)}(T_u, 2)$	0	0	$\frac{3\sqrt{14}i}{28}$	0	0	$\frac{\sqrt{210}i}{70}$	0
		0	0	$-\frac{\sqrt{42}i}{28}$	0	0	$\frac{3\sqrt{70}i}{70}$	0
		0	0	0	$\frac{\sqrt{42}i}{56}$	0	0	$-\frac{\sqrt{70}i}{40}$
		0	0	0	0	0	0	0
		0	$-\frac{\sqrt{42}i}{56}$	0	0	$-\frac{\sqrt{70}i}{40}$	0	0
207	symmetry	$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$						
	$\mathbb{M}_{4,2}^{(a)}(T_u, 2)$	0	0	0	0	0	0	$-\frac{\sqrt{210}i}{35}$
		0	0	0	$\frac{\sqrt{42}i}{14}$	0	0	0
		0	0	$-\frac{\sqrt{42}i}{56}$	0	0	$-\frac{\sqrt{70}i}{40}$	0
		0	$\frac{\sqrt{42}i}{56}$	0	0	$-\frac{\sqrt{70}i}{40}$	0	0
		0	0	0	0	0	0	0

bra:  $= \langle f_3 |, \langle f_{ax} |, \langle f_{ay} |, \langle f_{az} |, \langle f_{bx} |, \langle f_{by} |, \langle f_{bz} |$   
ket:  $= |f_3\rangle, |f_{ax}\rangle, |f_{ay}\rangle, |f_{az}\rangle, |f_{bx}\rangle, |f_{by}\rangle, |f_{bz}\rangle$

Table 10: (f,f) block.

No.	multipole	matrix						
208	symmetry	1						
	$\mathbb{Q}_0^{(a)}(A_g)$	$\frac{\sqrt{7}}{7}$	0	0	0	0	0	0
		0	$\frac{\sqrt{7}}{7}$	0	0	0	0	0
		0	0	$\frac{\sqrt{7}}{7}$	0	0	0	0
		0	0	0	$\frac{\sqrt{7}}{7}$	0	0	0
		0	0	0	0	$\frac{\sqrt{7}}{7}$	0	0
		0	0	0	0	0	$\frac{\sqrt{7}}{7}$	0
		0	0	0	0	0	0	$\frac{\sqrt{7}}{7}$
209	symmetry	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$						

*continued ...*



Table 10

No.	multipole	matrix
	$\mathbb{Q}_{2,0}^{(a)}(E_g)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{21}}{21} & 0 & 0 & \frac{\sqrt{35}}{14} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{21}}{21} & 0 & 0 & -\frac{\sqrt{35}}{14} & 0 \\ 0 & 0 & 0 & \frac{2\sqrt{21}}{21} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{35}}{14} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{35}}{14} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
210	symmetry	$\frac{\sqrt{3}(x-y)(x+y)}{2}$ $\mathbb{Q}_{2,1}^{(a)}(E_g) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{7}}{7} & 0 & 0 & \frac{\sqrt{105}}{42} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{7}}{7} & 0 & 0 & \frac{\sqrt{105}}{42} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{105}}{21} \\ 0 & \frac{\sqrt{105}}{42} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{105}}{42} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{105}}{21} & 0 & 0 & 0 \end{bmatrix}$
211	symmetry	$\sqrt{3}yz$ $\mathbb{Q}_{2,0}^{(a)}(T_g) \begin{bmatrix} 0 & -\frac{\sqrt{105}}{21} & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{105}}{21} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{7}}{28} & 0 & 0 & -\frac{\sqrt{105}}{84} \\ 0 & 0 & -\frac{\sqrt{7}}{28} & 0 & 0 & \frac{\sqrt{105}}{84} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{105}}{84} & 0 & 0 & -\frac{5\sqrt{7}}{28} \\ 0 & 0 & -\frac{\sqrt{105}}{84} & 0 & 0 & -\frac{5\sqrt{7}}{28} & 0 \end{bmatrix}$
212	symmetry	$\sqrt{3}xz$

continued ...

Table 10

No.	multipole	matrix						
	$\mathbb{Q}_{2,1}^{(a)}(T_g)$	0	0	$-\frac{\sqrt{105}}{21}$	0	0	0	0
		0	0	0	$-\frac{\sqrt{7}}{28}$	0	0	$\frac{\sqrt{105}}{84}$
		$-\frac{\sqrt{105}}{21}$	0	0	0	0	0	0
		0	$-\frac{\sqrt{7}}{28}$	0	0	$-\frac{\sqrt{105}}{84}$	0	0
		0	0	0	$-\frac{\sqrt{105}}{84}$	0	0	$-\frac{5\sqrt{7}}{28}$
		0	0	0	0	0	0	0
		0	$\frac{\sqrt{105}}{84}$	0	0	$-\frac{5\sqrt{7}}{28}$	0	0
213	symmetry	$\sqrt{3}xy$						
	$\mathbb{Q}_{2,2}^{(a)}(T_g)$	0	0	0	$-\frac{\sqrt{105}}{21}$	0	0	0
		0	0	$-\frac{\sqrt{7}}{28}$	0	0	$-\frac{\sqrt{105}}{84}$	0
		0	$-\frac{\sqrt{7}}{28}$	0	0	$\frac{\sqrt{105}}{84}$	0	0
		$-\frac{\sqrt{105}}{21}$	0	0	0	0	0	0
		0	0	$\frac{\sqrt{105}}{84}$	0	0	$-\frac{5\sqrt{7}}{28}$	0
		0	$-\frac{\sqrt{105}}{84}$	0	0	$-\frac{5\sqrt{7}}{28}$	0	0
		0	0	0	0	0	0	0
214	symmetry	$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$						
	$\mathbb{Q}_4^{(a)}(A_g)$	$-\frac{\sqrt{66}}{11}$	0	0	0	0	0	0
		0	$\frac{\sqrt{66}}{22}$	0	0	0	0	0
		0	0	$\frac{\sqrt{66}}{22}$	0	0	0	0
		0	0	0	$\frac{\sqrt{66}}{22}$	0	0	0
		0	0	0	0	$-\frac{\sqrt{66}}{66}$	0	0
		0	0	0	0	0	$-\frac{\sqrt{66}}{66}$	0
		0	0	0	0	0	0	$-\frac{\sqrt{66}}{66}$
215	symmetry	$-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$						

continued ...

Table 10

No.	multipole	matrix						
	$\mathbb{Q}_{4,0}^{(a)}(E_g)$	0	0	0	0	0	0	0
		0	$-\frac{\sqrt{2310}}{308}$	0	0	$-\frac{3\sqrt{154}}{308}$	0	0
		0	0	$-\frac{\sqrt{2310}}{308}$	0	0	$\frac{3\sqrt{154}}{308}$	0
		0	0	0	$\frac{\sqrt{2310}}{154}$	0	0	0
		0	$-\frac{3\sqrt{154}}{308}$	0	0	$\frac{\sqrt{2310}}{132}$	0	0
		0	0	$\frac{3\sqrt{154}}{308}$	0	0	$\frac{\sqrt{2310}}{132}$	0
		0	0	0	0	0	0	$-\frac{\sqrt{2310}}{66}$
216	symmetry	$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$						
	$\mathbb{Q}_{4,1}^{(a)}(E_g)$	0	0	0	0	0	0	0
		0	$\frac{3\sqrt{770}}{308}$	0	0	$-\frac{\sqrt{462}}{308}$	0	0
		0	0	$-\frac{3\sqrt{770}}{308}$	0	0	$-\frac{\sqrt{462}}{308}$	0
		0	0	0	0	0	0	$\frac{\sqrt{462}}{154}$
		0	$-\frac{\sqrt{462}}{308}$	0	0	$-\frac{\sqrt{770}}{44}$	0	0
		0	0	$-\frac{\sqrt{462}}{308}$	0	0	$\frac{\sqrt{770}}{44}$	0
		0	0	0	$\frac{\sqrt{462}}{154}$	0	0	0
217	symmetry	$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$						
	$\mathbb{Q}_{4,0}^{(a)}(T_g, 1)$	0	0	0	0	$\frac{\sqrt{110}}{22}$	0	0
		0	0	0	0	0	0	0
		0	0	0	0	0	0	$-\frac{\sqrt{66}}{22}$
		0	0	0	0	0	$-\frac{\sqrt{66}}{22}$	0
		$\frac{\sqrt{110}}{22}$	0	0	0	0	0	0
		0	0	0	$-\frac{\sqrt{66}}{22}$	0	0	0
		0	0	$-\frac{\sqrt{66}}{22}$	0	0	0	0
218	symmetry	$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$						

continued ...

Table 10

No.	multipole	matrix						
	$\mathbb{Q}_{4,1}^{(a)}(T_g, 1)$	0	0	0	0	0	$\frac{\sqrt{110}}{22}$	0
		0	0	0	0	0	0	$-\frac{\sqrt{66}}{22}$
		0	0	0	0	0	0	0
		0	0	0	0	$-\frac{\sqrt{66}}{22}$	0	0
		0	0	0	$-\frac{\sqrt{66}}{22}$	0	0	0
		$\frac{\sqrt{110}}{22}$	0	0	0	0	0	0
		0	$-\frac{\sqrt{66}}{22}$	0	0	0	0	0
219	symmetry	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$						
	$\mathbb{Q}_{4,2}^{(a)}(T_g, 1)$	0	0	0	0	0	0	$\frac{\sqrt{110}}{22}$
		0	0	0	0	0	$-\frac{\sqrt{66}}{22}$	0
		0	0	0	0	$-\frac{\sqrt{66}}{22}$	0	0
		0	0	0	0	0	0	0
		0	0	$-\frac{\sqrt{66}}{22}$	0	0	0	0
		0	$-\frac{\sqrt{66}}{22}$	0	0	0	0	0
		$\frac{\sqrt{110}}{22}$	0	0	0	0	0	0
220	symmetry	$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$						
	$\mathbb{Q}_{4,0}^{(a)}(T_g, 2)$	0	$-\frac{\sqrt{462}}{154}$	0	0	0	0	0
		$-\frac{\sqrt{462}}{154}$	0	0	0	0	0	0
		0	0	0	$\frac{3\sqrt{770}}{154}$	0	0	$-\frac{\sqrt{462}}{77}$
		0	0	$\frac{3\sqrt{770}}{154}$	0	0	$\frac{\sqrt{462}}{77}$	0
		0	0	0	0	0	0	0
		0	0	0	$\frac{\sqrt{462}}{77}$	0	0	$\frac{\sqrt{770}}{154}$
		0	0	$-\frac{\sqrt{462}}{77}$	0	0	$\frac{\sqrt{770}}{154}$	0
221	symmetry	$-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$						

continued ...

Table 10

No.	multipole	matrix
	$\mathbb{Q}_{4,1}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & -\frac{\sqrt{462}}{154} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{3\sqrt{770}}{154} & 0 & 0 & \frac{\sqrt{462}}{77} \\ -\frac{\sqrt{462}}{154} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{3\sqrt{770}}{154} & 0 & 0 & -\frac{\sqrt{462}}{77} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{462}}{77} & 0 & 0 & \frac{\sqrt{770}}{154} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{462}}{77} & 0 & 0 & \frac{\sqrt{770}}{154} & 0 & 0 \end{bmatrix}$
222	symmetry	$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$ $\mathbb{Q}_{4,2}^{(a)}(T_g, 2) \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{462}}{154} & 0 & 0 & 0 \\ 0 & 0 & \frac{3\sqrt{770}}{154} & 0 & 0 & -\frac{\sqrt{462}}{77} & 0 \\ 0 & \frac{3\sqrt{770}}{154} & 0 & 0 & \frac{\sqrt{462}}{77} & 0 & 0 \\ -\frac{\sqrt{462}}{154} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{462}}{77} & 0 & 0 & \frac{\sqrt{770}}{154} & 0 \\ 0 & -\frac{\sqrt{462}}{77} & 0 & 0 & \frac{\sqrt{770}}{154} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
223	symmetry	$\frac{\sqrt{2}(2x^6-15x^4y^2-15x^4z^2-15x^2y^4+180x^2y^2z^2-15x^2z^4+2y^6-15y^4z^2-15y^2z^4+2z^6)}{8}$ $\mathbb{Q}_6^{(a)}(A_g, 1) \begin{bmatrix} \frac{2\sqrt{462}}{77} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{5\sqrt{462}}{462} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{5\sqrt{462}}{462} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{5\sqrt{462}}{462} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{3\sqrt{462}}{154} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{3\sqrt{462}}{154} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{3\sqrt{462}}{154} \end{bmatrix}$
224	symmetry	$-\frac{\sqrt{2310}(x-y)(x+y)(x-z)(x+z)(y-z)(y+z)}{8}$

continued ...

Table 10

No.	multipole	matrix
	$\mathbb{Q}_6^{(a)}(A_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 \end{bmatrix}$
225	symmetry	$-\frac{\sqrt{14}(x^6-15x^4z^2+15x^2z^4+y^6-15y^4z^2+15y^2z^4-2z^6)}{8}$ $\mathbb{Q}_{6,0}^{(a)}(E_g)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{5\sqrt{66}}{132} & 0 & 0 & -\frac{\sqrt{110}}{44} & 0 & 0 \\ 0 & 0 & -\frac{5\sqrt{66}}{132} & 0 & 0 & \frac{\sqrt{110}}{44} & 0 \\ 0 & 0 & 0 & \frac{5\sqrt{66}}{66} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{110}}{44} & 0 & 0 & -\frac{\sqrt{66}}{44} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{110}}{44} & 0 & 0 & -\frac{\sqrt{66}}{44} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{66}}{22} \end{bmatrix}$
226	symmetry	$\frac{\sqrt{42}(x-y)(x+y)(x^4-9x^2y^2-5x^2z^2+y^4-5y^2z^2+5z^4)}{8}$ $\mathbb{Q}_{6,1}^{(a)}(E_g)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{5\sqrt{22}}{44} & 0 & 0 & -\frac{\sqrt{330}}{132} & 0 & 0 \\ 0 & 0 & -\frac{5\sqrt{22}}{44} & 0 & 0 & -\frac{\sqrt{330}}{132} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{330}}{66} \\ 0 & -\frac{\sqrt{330}}{132} & 0 & 0 & \frac{3\sqrt{22}}{44} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{330}}{132} & 0 & 0 & -\frac{3\sqrt{22}}{44} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{330}}{66} & 0 & 0 & 0 \end{bmatrix}$
227	symmetry	$\frac{3\sqrt{7}yz(y-z)(y+z)(10x^2-y^2-z^2)}{4}$

continued ...

Table 10

No.	multipole	matrix
	$\mathbb{Q}_{6,0}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{33}}{11} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{55}}{22} \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{55}}{22} & 0 \\ \frac{\sqrt{33}}{11} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{55}}{22} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{55}}{22} & 0 & 0 & 0 & 0 \end{bmatrix}$
228	symmetry	$\frac{3\sqrt{7}xz(x-z)(x+z)(x^2-10y^2+z^2)}{4}$ $\mathbb{Q}_{6,1}^{(a)}(T_g, 1)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{33}}{11} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{55}}{22} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{55}}{22} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{55}}{22} & 0 & 0 & 0 \\ \frac{\sqrt{33}}{11} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{55}}{22} & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
229	symmetry	$-\frac{3\sqrt{7}xy(x-y)(x+y)(x^2+y^2-10z^2)}{4}$ $\mathbb{Q}_{6,2}^{(a)}(T_g, 1)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{33}}{11} \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{55}}{22} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{55}}{22} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{55}}{22} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{55}}{22} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{33}}{11} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
230	symmetry	$\frac{\sqrt{462}yz(y^2-3z^2)(3y^2-z^2)}{16}$

continued ...

Table 10

No.	multipole	matrix
	$\mathbb{Q}_{6,0}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{5\sqrt{2}}{16} & 0 & 0 & -\frac{\sqrt{30}}{16} \\ 0 & 0 & -\frac{5\sqrt{2}}{16} & 0 & 0 & \frac{\sqrt{30}}{16} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{30}}{16} & 0 & 0 & \frac{3\sqrt{2}}{16} \\ 0 & 0 & -\frac{\sqrt{30}}{16} & 0 & 0 & \frac{3\sqrt{2}}{16} & 0 \end{bmatrix}$
231	symmetry	$\frac{\sqrt{462}xz(x^2-3z^2)(3x^2-z^2)}{16}$ $\mathbb{Q}_{6,1}^{(a)}(T_g, 2)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{5\sqrt{2}}{16} & 0 & 0 & \frac{\sqrt{30}}{16} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{5\sqrt{2}}{16} & 0 & 0 & -\frac{\sqrt{30}}{16} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{30}}{16} & 0 & 0 & \frac{3\sqrt{2}}{16} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{30}}{16} & 0 & 0 & \frac{3\sqrt{2}}{16} & 0 & 0 \end{bmatrix}$
232	symmetry	$\frac{\sqrt{462}xy(x^2-3y^2)(3x^2-y^2)}{16}$ $\mathbb{Q}_{6,2}^{(a)}(T_g, 2)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{5\sqrt{2}}{16} & 0 & 0 & -\frac{\sqrt{30}}{16} & 0 \\ 0 & -\frac{5\sqrt{2}}{16} & 0 & 0 & \frac{\sqrt{30}}{16} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{30}}{16} & 0 & 0 & \frac{3\sqrt{2}}{16} & 0 \\ 0 & -\frac{\sqrt{30}}{16} & 0 & 0 & \frac{3\sqrt{2}}{16} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
233	symmetry	$\frac{\sqrt{210}yz(16x^4-16x^2y^2-16x^2z^2+y^4+2y^2z^2+z^4)}{16}$

continued ...



Table 10

No.	multipole	matrix						
	$\mathbb{Q}_{6,0}^{(a)}(T_g, 3)$	0	$\frac{2\sqrt{66}}{33}$	0	0	0	0	0
		$\frac{2\sqrt{66}}{33}$	0	0	0	0	0	0
		0	0	0	$\frac{\sqrt{110}}{176}$	0	0	$-\frac{13\sqrt{66}}{528}$
		0	0	$\frac{\sqrt{110}}{176}$	0	0	$\frac{13\sqrt{66}}{528}$	0
		0	0	0	0	0	0	0
		0	0	0	$\frac{13\sqrt{66}}{528}$	0	0	$-\frac{7\sqrt{110}}{176}$
		0	0	$-\frac{13\sqrt{66}}{528}$	0	0	$-\frac{7\sqrt{110}}{176}$	0
234	symmetry	$\frac{\sqrt{210}xz(x^4-16x^2y^2+2x^2z^2+16y^4-16y^2z^2+z^4)}{16}$						
	$\mathbb{Q}_{6,1}^{(a)}(T_g, 3)$	0	0	$\frac{2\sqrt{66}}{33}$	0	0	0	0
		0	0	0	$\frac{\sqrt{110}}{176}$	0	0	$\frac{13\sqrt{66}}{528}$
		$\frac{2\sqrt{66}}{33}$	0	0	0	0	0	0
		0	$\frac{\sqrt{110}}{176}$	0	0	$-\frac{13\sqrt{66}}{528}$	0	0
		0	0	0	$-\frac{13\sqrt{66}}{528}$	0	0	$-\frac{7\sqrt{110}}{176}$
		0	0	0	0	0	0	0
		0	$\frac{13\sqrt{66}}{528}$	0	0	$-\frac{7\sqrt{110}}{176}$	0	0
235	symmetry	$\frac{\sqrt{210}xy(x^4+2x^2y^2-16x^2z^2+y^4-16y^2z^2+16z^4)}{16}$						
	$\mathbb{Q}_{6,2}^{(a)}(T_g, 3)$	0	0	0	$\frac{2\sqrt{66}}{33}$	0	0	0
		0	0	$\frac{\sqrt{110}}{176}$	0	0	$-\frac{13\sqrt{66}}{528}$	0
		0	$\frac{\sqrt{110}}{176}$	0	0	$\frac{13\sqrt{66}}{528}$	0	0
		$\frac{2\sqrt{66}}{33}$	0	0	0	0	0	0
		0	0	$\frac{13\sqrt{66}}{528}$	0	0	$-\frac{7\sqrt{110}}{176}$	0
		0	$-\frac{13\sqrt{66}}{528}$	0	0	$-\frac{7\sqrt{110}}{176}$	0	0
		0	0	0	0	0	0	0
236	symmetry	$x$						

continued ...

Table 10

No.	multipole	matrix							
	$M_{1,0}^{(a)}(T_g)$	0	0	0	0	$\frac{\sqrt{7}i}{7}$	0	0	
		0	0	0	0	0	0	0	
		0	0	0	$\frac{3\sqrt{7}i}{28}$	0	0	$\frac{\sqrt{105}i}{28}$	
		0	0	$-\frac{3\sqrt{7}i}{28}$	0	0	$\frac{\sqrt{105}i}{28}$	0	
		$-\frac{\sqrt{7}i}{7}$	0	0	0	0	0	0	
		0	0	0	$-\frac{\sqrt{105}i}{28}$	0	0	$-\frac{\sqrt{7}i}{28}$	
		0	0	$-\frac{\sqrt{105}i}{28}$	0	0	$\frac{\sqrt{7}i}{28}$	0	
237	symmetry	$y$							
	$M_{1,1}^{(a)}(T_g)$	0	0	0	0	0	$\frac{\sqrt{7}i}{7}$	0	
		0	0	0	$-\frac{3\sqrt{7}i}{28}$	0	0	$\frac{\sqrt{105}i}{28}$	
		0	0	0	0	0	0	0	
		0	$\frac{3\sqrt{7}i}{28}$	0	0	$\frac{\sqrt{105}i}{28}$	0	0	
		0	0	0	$-\frac{\sqrt{105}i}{28}$	0	0	$\frac{\sqrt{7}i}{28}$	
		$-\frac{\sqrt{7}i}{7}$	0	0	0	0	0	0	
		0	$-\frac{\sqrt{105}i}{28}$	0	0	$-\frac{\sqrt{7}i}{28}$	0	0	
238	symmetry	$z$							
	$M_{1,2}^{(a)}(T_g)$	0	0	0	0	0	0	$\frac{\sqrt{7}i}{7}$	
		0	0	$\frac{3\sqrt{7}i}{28}$	0	0	$\frac{\sqrt{105}i}{28}$	0	
		0	$-\frac{3\sqrt{7}i}{28}$	0	0	$\frac{\sqrt{105}i}{28}$	0	0	
		0	0	0	0	0	0	0	
		0	0	$-\frac{\sqrt{105}i}{28}$	0	0	$-\frac{\sqrt{7}i}{28}$	0	
		0	$-\frac{\sqrt{105}i}{28}$	0	0	$\frac{\sqrt{7}i}{28}$	0	0	
		$-\frac{\sqrt{7}i}{7}$	0	0	0	0	0	0	
239	symmetry	$\sqrt{15}xyz$							

continued ...

Table 10

No.	multipole	matrix
	$\mathbb{M}_3^{(a)}(A_g)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \end{bmatrix}$
240	symmetry	$\frac{x(2x^2-3y^2-3z^2)}{2}$ $\mathbb{M}_{3,0}^{(a)}(T_g, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$
241	symmetry	$-\frac{y(3x^2-2y^2+3z^2)}{2}$ $\mathbb{M}_{3,1}^{(a)}(T_g, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \end{bmatrix}$
242	symmetry	$-\frac{z(3x^2+3y^2-2z^2)}{2}$

continued ...

Table 10

No.	multipole	matrix
	$\mathbb{M}_{3,2}^{(a)}(T_g, 1)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
243	symmetry	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$ $\mathbb{M}_{3,0}^{(a)}(T_g, 2)$ $\begin{bmatrix} 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \end{bmatrix}$
244	symmetry	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$ $\mathbb{M}_{3,1}^{(a)}(T_g, 2)$ $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
245	symmetry	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$

continued ...

Table 10

No.	multipole	matrix
	$\mathbb{M}_{3,2}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
246	symmetry	$\frac{3\sqrt{35}xyz(x-y)(x+y)}{2}$ $\mathbb{M}_{5,0}^{(a)}(E_g) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{i}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
247	symmetry	$\frac{\sqrt{105}xyz(x^2+y^2-2z^2)}{2}$ $\mathbb{M}_{5,1}^{(a)}(E_g) \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{3} \\ 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}i}{3} & 0 & 0 & 0 \end{bmatrix}$
248	symmetry	$\frac{x(8x^4-40x^2y^2-40x^2z^2+15y^4+30y^2z^2+15z^4)}{8}$

continued ...

Table 10

No.	multipole	matrix						
	$\mathbb{M}_{5,0}^{(a)}(T_g, 1)$	0	0	0	0	$-\frac{2\sqrt{21}i}{21}$	0	0
		0	0	0	0	0	0	0
		0	0	0	$-\frac{5\sqrt{21}i}{168}$	0	0	$\frac{3\sqrt{35}i}{56}$
		0	0	$\frac{5\sqrt{21}i}{168}$	0	0	$\frac{3\sqrt{35}i}{56}$	0
		$\frac{2\sqrt{21}i}{21}$	0	0	0	0	0	0
		0	0	0	$-\frac{3\sqrt{35}i}{56}$	0	0	$\frac{11\sqrt{21}i}{168}$
		0	0	$-\frac{3\sqrt{35}i}{56}$	0	0	$-\frac{11\sqrt{21}i}{168}$	0
249	symmetry	$\frac{y(15x^4 - 40x^2y^2 + 30x^2z^2 + 8y^4 - 40y^2z^2 + 15z^4)}{8}$						
	$\mathbb{M}_{5,1}^{(a)}(T_g, 1)$	0	0	0	0	$-\frac{2\sqrt{21}i}{21}$	0	
		0	0	0	$\frac{5\sqrt{21}i}{168}$	0	0	$\frac{3\sqrt{35}i}{56}$
		0	0	0	0	0	0	0
		0	$-\frac{5\sqrt{21}i}{168}$	0	0	$\frac{3\sqrt{35}i}{56}$	0	0
		0	0	0	$-\frac{3\sqrt{35}i}{56}$	0	0	$-\frac{11\sqrt{21}i}{168}$
		$\frac{2\sqrt{21}i}{21}$	0	0	0	0	0	0
		0	$-\frac{3\sqrt{35}i}{56}$	0	0	$\frac{11\sqrt{21}i}{168}$	0	0
250	symmetry	$\frac{z(15x^4 + 30x^2y^2 - 40x^2z^2 + 15y^4 - 40y^2z^2 + 8z^4)}{8}$						
	$\mathbb{M}_{5,2}^{(a)}(T_g, 1)$	0	0	0	0	0	$-\frac{2\sqrt{21}i}{21}$	
		0	0	$-\frac{5\sqrt{21}i}{168}$	0	0	$\frac{3\sqrt{35}i}{56}$	0
		0	$\frac{5\sqrt{21}i}{168}$	0	0	$\frac{3\sqrt{35}i}{56}$	0	0
		0	0	0	0	0	0	0
		0	0	$-\frac{3\sqrt{35}i}{56}$	0	0	$\frac{11\sqrt{21}i}{168}$	0
		0	$-\frac{3\sqrt{35}i}{56}$	0	0	$-\frac{11\sqrt{21}i}{168}$	0	0
		$\frac{2\sqrt{21}i}{21}$	0	0	0	0	0	0
251	symmetry	$\frac{3\sqrt{35}x(y^2 - 2yz - z^2)(y^2 + 2yz - z^2)}{8}$						

continued ...

Table 10

No.	multipole	matrix
	$\mathbb{M}_{5,0}^{(a)}(T_g, 2)$	$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{15}i}{8} & 0 & 0 & -\frac{i}{8} \\ 0 & 0 & -\frac{\sqrt{15}i}{8} & 0 & 0 & -\frac{i}{8} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{8} & 0 & 0 & \frac{\sqrt{15}i}{8} \\ 0 & 0 & \frac{i}{8} & 0 & 0 & -\frac{\sqrt{15}i}{8} & 0 \end{bmatrix}$
252	symmetry	$\frac{3\sqrt{35}y(x^2-2xz-z^2)(x^2+2xz-z^2)}{8}$ $\mathbb{M}_{5,1}^{(a)}(T_g, 2)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{15}i}{8} & 0 & 0 & -\frac{i}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{15}i}{8} & 0 & 0 & -\frac{i}{8} & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{8} & 0 & 0 & -\frac{\sqrt{15}i}{8} \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{8} & 0 & 0 & \frac{\sqrt{15}i}{8} & 0 & 0 \end{bmatrix}$
253	symmetry	$\frac{3\sqrt{35}z(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$ $\mathbb{M}_{5,2}^{(a)}(T_g, 2)$ $\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{15}i}{8} & 0 & 0 & -\frac{i}{8} & 0 \\ 0 & -\frac{\sqrt{15}i}{8} & 0 & 0 & -\frac{i}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{i}{8} & 0 & 0 & \frac{\sqrt{15}i}{8} & 0 \\ 0 & \frac{i}{8} & 0 & 0 & -\frac{\sqrt{15}i}{8} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
254	symmetry	$\frac{\sqrt{105}x(y-z)(y+z)(2x^2-y^2-z^2)}{4}$

continued ...

Table 10

No.	multipole	matrix
	$\mathbb{M}_{5,0}^{(a)}(T_g, 3)$	$\begin{bmatrix} 0 & -\frac{\sqrt{3}i}{3} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{3}i}{3} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 \end{bmatrix}$
255	symmetry	$\frac{\sqrt{105}y(x-z)(x+z)(x^2-2y^2+z^2)}{4}$ $\mathbb{M}_{5,1}^{(a)}(T_g, 3)$ $\begin{bmatrix} 0 & 0 & -\frac{\sqrt{3}i}{3} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} \\ \frac{\sqrt{3}i}{3} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$
256	symmetry	$-\frac{\sqrt{105}z(x-y)(x+y)(x^2+y^2-2z^2)}{4}$ $\mathbb{M}_{5,2}^{(a)}(T_g, 3)$ $\begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{3}i}{3} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ \frac{\sqrt{3}i}{3} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$