

Model for “SnTe”

Generated on 2026-01-20 13:10:16 by MultiPie 2.0.1

General Condition

- Basis type: 1gs
- SAMB selection:
 - Type: [Q, G]
 - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
 - Irrep.: [A₁, A₂, B₁, B₂]
 - Spin (s): [0, 1]
- Atomic selection:
 - Type: [Q, G, M, T]
 - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
 - Irrep.: [A₁, A₂, B₁, B₂]
 - Spin (s): [0, 1]
- Site-cluster selection:
 - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
 - Irrep.: [A₁, A₂, B₁, B₂]
- Bond-cluster selection:
 - Type: [Q, G, M, T]
 - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
 - Irrep.: [A₁, A₂, B₁, B₂]
- Max. neighbor: 10
- Search cell range: (-2, 3), (-2, 3), (-2, 3)
- Toroidal priority: false

Group and Unit Cell

- Group: SG No. 31 C_{2v}⁷ Pmn2₁ [orthorhombic]
- Associated point group: PG No. 31 C_{2v} mm2 [orthorhombic]
- Unit cell:
 $a = 4.55900, b = 6.00000, c = 4.57000, \alpha = 90.0, \beta = 90.0, \gamma = 90.0$
- Lattice vectors (conventional cell):
 $\mathbf{a}_1 = [4.55900, 0.00000, 0.00000]$
 $\mathbf{a}_2 = [0.00000, 6.00000, 0.00000]$
 $\mathbf{a}_3 = [0.00000, 0.00000, 4.57000]$

 — Symmetry Operation —

Table 1: Symmetry operation

#	SO	#	SO	#	SO	#	SO	#	SO
1	{1 0}	2	{2001 $\frac{1}{2}0\frac{1}{2}$ }	3	{m ₀₁₀ $\frac{1}{2}0\frac{1}{2}$ }	4	{m ₁₀₀ 0}		

 — Harmonics —

Table 2: Harmonics

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
1	$Q_0(A_1)$	A_1	0	Q, T	-	-	1
2	$Q_1(A_1)$	A_1	1	Q, T	-	-	z
3	$G_2(A_1)$	A_1	2	G, M	-	-	$\sqrt{3}xy$
4	$Q_2(A_1, 1)$	A_1	2	Q, T	1	-	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
5	$Q_2(A_1, 2)$	A_1	2	Q, T	2	-	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
6	$G_3(A_1)$	A_1	3	G, M	-	-	$\sqrt{15}xyz$
7	$Q_3(A_1, 1)$	A_1	3	Q, T	1	-	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
8	$Q_3(A_1, 2)$	A_1	3	Q, T	2	-	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
9	$G_4(A_1, 1)$	A_1	4	G, M	1	-	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$

continued ...

Table 2

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
10	$\mathbb{G}_0(A_2)$	A_2	0	G, M	-	-	1
11	$\mathbb{G}_1(A_2)$	A_2	1	G, M	-	-	z
12	$\mathbb{G}_2(A_2, 1)$	A_2	2	G, M	1	-	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
13	$\mathbb{G}_2(A_2, 2)$	A_2	2	G, M	2	-	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
14	$\mathbb{Q}_2(A_2)$	A_2	2	Q, T	-	-	$\sqrt{3}xy$
15	$\mathbb{G}_3(A_2, 1)$	A_2	3	G, M	1	-	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
16	$\mathbb{G}_3(A_2, 2)$	A_2	3	G, M	2	-	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
17	$\mathbb{Q}_3(A_2)$	A_2	3	Q, T	-	-	$\sqrt{15}xyz$
18	$\mathbb{G}_4(A_2, 1)$	A_2	4	G, M	1	-	$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$
19	$\mathbb{Q}_4(A_2, 1)$	A_2	4	Q, T	1	-	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$
20	$\mathbb{G}_1(B_1)$	B_1	1	G, M	-	-	y
21	$\mathbb{Q}_1(B_1)$	B_1	1	Q, T	-	-	x
22	$\mathbb{G}_2(B_1)$	B_1	2	G, M	-	-	$\sqrt{3}yz$
23	$\mathbb{Q}_2(B_1)$	B_1	2	Q, T	-	-	$\sqrt{3}xz$
24	$\mathbb{G}_3(B_1, 1)$	B_1	3	G, M	1	-	$-\frac{y(3x^2-2y^2+3z^2)}{2}$
25	$\mathbb{G}_3(B_1, 2)$	B_1	3	G, M	2	-	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
26	$\mathbb{Q}_3(B_1, 1)$	B_1	3	Q, T	1	-	$\frac{x(2x^2-3y^2-3z^2)}{2}$
27	$\mathbb{Q}_3(B_1, 2)$	B_1	3	Q, T	2	-	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$
28	$\mathbb{Q}_4(B_1, 1)$	B_1	4	Q, T	1	-	$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$
29	$\mathbb{G}_1(B_2)$	B_2	1	G, M	-	-	x
30	$\mathbb{Q}_1(B_2)$	B_2	1	Q, T	-	-	y

continued ...

Table 2

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
31	$\mathbb{G}_2(B_2)$	B_2	2	G, M	-	-	$\sqrt{3}xz$
32	$\mathbb{Q}_2(B_2)$	B_2	2	Q, T	-	-	$\sqrt{3}yz$
33	$\mathbb{G}_3(B_2, 1)$	B_2	3	G, M	1	-	$\frac{x(2x^2 - 3y^2 - 3z^2)}{2}$
34	$\mathbb{G}_3(B_2, 2)$	B_2	3	G, M	2	-	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$
35	$\mathbb{Q}_3(B_2, 1)$	B_2	3	Q, T	1	-	$-\frac{y(3x^2 - 2y^2 + 3z^2)}{2}$
36	$\mathbb{Q}_3(B_2, 2)$	B_2	3	Q, T	2	-	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
37	$\mathbb{Q}_4(B_2, 1)$	B_2	4	Q, T	1	-	$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$

Basis in full matrix

Table 3: dimension = 24

#	orbital@atom(SL)								
0	$ p_x, \uparrow\rangle @\text{Sn}(1)$	1	$ p_x, \downarrow\rangle @\text{Sn}(1)$	2	$ p_y, \uparrow\rangle @\text{Sn}(1)$	3	$ p_y, \downarrow\rangle @\text{Sn}(1)$	4	$ p_z, \uparrow\rangle @\text{Sn}(1)$
5	$ p_z, \downarrow\rangle @\text{Sn}(1)$	6	$ p_x, \uparrow\rangle @\text{Sn}(2)$	7	$ p_x, \downarrow\rangle @\text{Sn}(2)$	8	$ p_y, \uparrow\rangle @\text{Sn}(2)$	9	$ p_y, \downarrow\rangle @\text{Sn}(2)$
10	$ p_z, \uparrow\rangle @\text{Sn}(2)$	11	$ p_z, \downarrow\rangle @\text{Sn}(2)$	12	$ p_x, \uparrow\rangle @\text{Te}(1)$	13	$ p_x, \downarrow\rangle @\text{Te}(1)$	14	$ p_y, \uparrow\rangle @\text{Te}(1)$
15	$ p_y, \downarrow\rangle @\text{Te}(1)$	16	$ p_z, \uparrow\rangle @\text{Te}(1)$	17	$ p_z, \downarrow\rangle @\text{Te}(1)$	18	$ p_x, \uparrow\rangle @\text{Te}(2)$	19	$ p_x, \downarrow\rangle @\text{Te}(2)$
20	$ p_y, \uparrow\rangle @\text{Te}(2)$	21	$ p_y, \downarrow\rangle @\text{Te}(2)$	22	$ p_z, \uparrow\rangle @\text{Te}(2)$	23	$ p_z, \downarrow\rangle @\text{Te}(2)$		

Table 4: Atomic basis (orbital part only)

orbital	definition
$ p_x\rangle$	x
$ p_y\rangle$	y
$ p_z\rangle$	z

SAMB

564 (all 564) SAMBs

- 'Sn' site-cluster

- * bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$
- * ket: $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$
- * wyckoff: 2a

[z1] $\mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$

[z2] $\mathbb{Q}_1^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(s)}(B_2)$

[z3] $\mathbb{Q}_2^{(c)}(A_1, 1) = \mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_0^{(s)}(A_1)$

[z4] $\mathbb{Q}_2^{(c)}(A_1, 2) = \mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_0^{(s)}(A_1)$

[z5] $\mathbb{Q}_1^{(1, -1;c)}(A_1) = \mathbb{Q}_2^{(1, -1;a)}(B_2)\mathbb{Q}_1^{(s)}(B_2)$

[z6] $\mathbb{Q}_2^{(1, -1;c)}(A_1, 1) = \mathbb{Q}_2^{(1, -1;a)}(A_1, 1)\mathbb{Q}_0^{(s)}(A_1)$

[z7] $\mathbb{Q}_2^{(1, -1;c)}(A_1, 2) = \mathbb{Q}_2^{(1, -1;a)}(A_1, 2)\mathbb{Q}_0^{(s)}(A_1)$

[z8] $\mathbb{Q}_1^{(1, 0;c)}(A_1) = \mathbb{G}_1^{(1, 0;a)}(B_2)\mathbb{Q}_1^{(s)}(B_2)$

$$\boxed{\text{z9}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z145}} \quad \mathbb{Q}_2^{(c)}(A_2) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z146}} \quad \mathbb{Q}_3^{(c)}(A_2) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z147}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z148}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z149}} \quad \mathbb{G}_0^{(1,0;c)}(A_2) = \mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z150}} \quad \mathbb{G}_1^{(1,0;c)}(A_2) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z283}} \quad \mathbb{Q}_1^{(c)}(B_1) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z284}} \quad \mathbb{Q}_2^{(c)}(B_1) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z285}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z286}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z287}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1) = -\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z288}} \quad \mathbb{G}_1^{(1,0;c)}(B_1) = \mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z421}} \quad \mathbb{Q}_1^{(c)}(B_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z422}} \quad \mathbb{Q}_1^{(c)}(B_2, b) = -\frac{\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(s)}(B_2)}{2} - \frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(s)}(B_2)}{2}$$

$$\boxed{\text{z423}} \quad \mathbb{Q}_2^{(c)}(B_2) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z424}} \quad \mathbb{Q}_3^{(c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(s)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(s)}(B_2)}{2}$$

$$\boxed{\text{z425}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_2) = -\frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(s)}(B_2)}{2} - \frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(s)}(B_2)}{2}$$

$$\boxed{\text{z426}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z427}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(s)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(s)}(B_2)}{2}$$

$$\boxed{\text{z428}} \quad \mathbb{Q}_1^{(1,1;c)}(B_2) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z429}} \quad \mathbb{G}_1^{(1,0;c)}(B_2) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_0^{(s)}(A_1)$$

- 'Te' site-cluster

* bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

* ket: $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

* wyckoff: 2a

$$\boxed{\text{z10}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z11}} \quad \mathbb{Q}_1^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z12}} \quad \mathbb{Q}_2^{(c)}(A_1, 1) = \mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z13}} \quad \mathbb{Q}_2^{(c)}(A_1, 2) = \mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z14}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z15}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 1) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z16}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 2) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z17}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z18}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z151}} \quad \mathbb{Q}_2^{(c)}(A_2) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z152}} \quad \mathbb{Q}_3^{(c)}(A_2) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z153}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z154}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z155}} \quad \mathbb{G}_0^{(1,0;c)}(A_2) = \mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z156}} \quad \mathbb{G}_1^{(1,0;c)}(A_2) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z289}} \quad \mathbb{Q}_1^{(c)}(B_1) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z290}} \quad \mathbb{Q}_2^{(c)}(B_1) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z291}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z292}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z293}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1) = -\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z294}} \quad \mathbb{G}_1^{(1,0;c)}(B_1) = \mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z430}} \quad \mathbb{Q}_1^{(c)}(B_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(s)}(B_2)$$

$$\boxed{\text{z431}} \quad \mathbb{Q}_1^{(c)}(B_2, b) = -\frac{\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(s)}(B_2)}{2} - \frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(s)}(B_2)}{2}$$

$$\boxed{\text{z432}} \quad \mathbb{Q}_2^{(c)}(B_2) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z433}} \quad \mathbb{Q}_3^{(c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(s)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(s)}(B_2)}{2}$$

$$\boxed{\text{z434}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_2) = -\frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(s)}(B_2)}{2} - \frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(s)}(B_2)}{2}$$

$$\boxed{\text{z435}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z436}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(s)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(s)}(B_2)}{2}$$

$$\boxed{\text{z437}} \quad \mathbb{Q}_1^{(1,1;c)}(B_2) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(s)}(B_2)$$

[z438] $\mathbb{G}_1^{(1,0;c)}(B_2) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_0^{(s)}(A_1)$

- 'Sn'-'Sn' bond-cluster

- * bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$
- * ket: $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$
- * wyckoff: 4a@4b

[z19] $\mathbb{Q}_0^{(c)}(A_1, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$

[z20] $\mathbb{Q}_0^{(c)}(A_1, b) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_2^{(b)}(A_2)$

[z21] $\mathbb{Q}_0^{(c)}(A_1, c) = \mathbb{M}_1^{(a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$

[z22] $\mathbb{Q}_1^{(c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$

[z23] $\mathbb{Q}_1^{(c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$

[z24] $\mathbb{Q}_2^{(c)}(A_1, 1) = \mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_0^{(b)}(A_1)$

[z25] $\mathbb{Q}_2^{(c)}(A_1, 2) = \mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_0^{(b)}(A_1)$

[z26] $\mathbb{Q}_3^{(c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$

[z27] $\mathbb{Q}_0^{(1,-1;c)}(A_1, a) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_2^{(b)}(A_2)$

[z28] $\mathbb{Q}_0^{(1,-1;c)}(A_1, b) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$

[z29] $\mathbb{Q}_1^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$

[z30] $\mathbb{Q}_1^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$

[z31] $\mathbb{Q}_2^{(1,-1;c)}(A_1, 1a) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_0^{(b)}(A_1)$

$$\boxed{\text{z32}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 1b) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z33}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 2a) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z34}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 2b) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z35}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 1) = \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z36}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z37}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2b) = \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{8} - \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{8} + \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{8} + \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{8}$$

$$\boxed{\text{z38}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z39}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z40}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 1) = \mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z41}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2a) = -\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z42}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2b) = \mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z43}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2c) = \mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z44}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} - \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z45}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z46}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, b) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z47}} \quad \mathbb{Q}_1^{(1,1;c)}(A_1) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z48}} \quad \mathbb{G}_2^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z49}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{8} - \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{8} - \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{8} + \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{8}$$

$$\boxed{\text{z50}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z51}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1) = \mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z52}} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 1) = -\frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{4} + \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z53}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z54}} \quad \mathbb{G}_2^{(1,1;c)}(A_1) = \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z157}} \quad \mathbb{Q}_2^{(c)}(A_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z158}} \quad \mathbb{Q}_2^{(c)}(A_2, b) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z159}} \quad \mathbb{Q}_2^{(c)}(A_2, c) = -\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z160}} \quad \mathbb{Q}_3^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z161}} \quad \mathbb{Q}_4^{(c)}(A_2, 1) = \mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z162}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2, a) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z163}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2, b) = -\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z164}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2, c) = \mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z165}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z166}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z167}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2, 1) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z168}} \quad \mathbb{Q}_2^{(1,0;c)}(A_2, a) = \mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z169}} \quad \mathbb{Q}_2^{(1,0;c)}(A_2, b) = -\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z170}} \quad \mathbb{Q}_3^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z171}} \quad \mathbb{Q}_2^{(1,1;c)}(A_2) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z172}} \quad \mathbb{G}_0^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z173}} \quad \mathbb{G}_1^{(c)}(A_2) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z174}} \quad \mathbb{G}_2^{(c)}(A_2, 1) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z175}} \quad \mathbb{G}_2^{(c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z176}} \quad \mathbb{G}_0^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z177}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z178}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 1a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z179}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 1b) = -\frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_1)}{4}$$

$$\boxed{\text{z180}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 2a) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z181}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 2b) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z182}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z183}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z184}} \quad \mathbb{G}_4^{(1,-1;c)}(A_2, 1) = \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_1)}{4}$$

$$\boxed{\text{z185}} \quad \mathbb{G}_0^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z186}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z187}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = \mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z188}} \quad \mathbb{G}_2^{(1,0;c)}(A_2, 1) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z189}} \quad \mathbb{G}_2^{(1,0;c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z190}} \quad \mathbb{G}_0^{(1,1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z191}} \quad \mathbb{G}_1^{(1,1;c)}(A_2) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z192}} \quad \mathbb{G}_2^{(1,1;c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z295}} \quad \mathbb{Q}_1^{(c)}(B_1, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(B_1)$$

$$\boxed{\text{z296}} \quad \mathbb{Q}_1^{(c)}(B_1, b) = -\frac{\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z297}} \quad \mathbb{Q}_1^{(c)}(B_1, c) = -\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z298}} \quad \mathbb{Q}_2^{(c)}(B_1, a) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z299}} \quad \mathbb{Q}_2^{(c)}(B_1, b) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z300}} \quad \mathbb{Q}_2^{(c)}(B_1, c) = \mathbb{M}_1^{(a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z301}} \quad \mathbb{Q}_3^{(c)}(B_1, 1) = -\frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{14} + \frac{3\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z302}} \quad \mathbb{Q}_3^{(c)}(B_1, 2) = -\frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z303}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1, a) = -\frac{\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z304}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1, b) = -\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z305}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, a) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z306}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, b) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z307}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, c) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{M}_1^{(b)}(A_2)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z308}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, d) = \mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z309}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 1a) = -\frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{14} + \frac{3\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z310}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 1b) = \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z311}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 2a) = -\frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z312}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 2b) = \frac{2\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_1)}{11} + \frac{\sqrt{330}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{44} + \frac{3\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{44}$$

$$\boxed{\text{z313}} \quad \mathbb{Q}_4^{(1,-1;c)}(B_1, 1) = -\frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{M}_1^{(b)}(A_2)}{4} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z314}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1, a) = -\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z315}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1, b) = -\frac{\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z316}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1, a) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z317}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1, b) = \mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z318}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1, c) = \mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z319}} \quad \mathbb{Q}_3^{(1,0;c)}(B_1, 1) = -\frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_1)}{14} + \frac{3\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_1)}{14} - \frac{2\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z320}} \quad \mathbb{Q}_3^{(1,0;c)}(B_1, 2) = -\frac{\sqrt{3}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_1)}{2} - \frac{\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z321}} \quad \mathbb{Q}_1^{(1,1;c)}(B_1, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(B_1)$$

$$\boxed{\text{z322}} \quad \mathbb{Q}_1^{(1,1;c)}(B_1, b) = -\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z323}} \quad \mathbb{Q}_2^{(1,1;c)}(B_1) = \mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z324}} \quad \mathbb{G}_1^{(c)}(B_1) = \mathbb{M}_1^{(a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z325}} \quad \mathbb{G}_1^{(1,-1;c)}(B_1) = \mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z326}} \quad \mathbb{G}_2^{(1,-1;c)}(B_1) = \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_1)}{11} - \frac{\sqrt{55}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{11} - \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{11}$$

$$\boxed{\text{z327}} \quad \mathbb{G}_3^{(1,-1;c)}(B_1, 1) = \mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z328}} \quad \mathbb{G}_3^{(1,-1;c)}(B_1, 2) = \mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z329}} \quad \mathbb{G}_1^{(1,0;c)}(B_1) = \mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z330}} \quad \mathbb{G}_1^{(1,1;c)}(B_1) = \mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z439}} \quad \mathbb{Q}_1^{(c)}(B_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z440}} \quad \mathbb{Q}_1^{(c)}(B_2, b) = -\frac{\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{7} - \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z441}} \quad \mathbb{Q}_1^{(c)}(B_2, c) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(B_1)$$

$$\boxed{\text{z442}} \quad \mathbb{Q}_2^{(c)}(B_2, a) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z443}} \quad \mathbb{Q}_2^{(c)}(B_2, b) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z444}} \quad \mathbb{Q}_2^{(c)}(B_2, c) = \mathbb{M}_1^{(a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z445}} \quad \mathbb{Q}_3^{(c)}(B_2, 1) = -\frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{3\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z446}} \quad \mathbb{Q}_3^{(c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z447}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_2, a) = -\frac{\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{7} - \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z448}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_2, b) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)$$

$$\boxed{\text{z449}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, a) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z450}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, b) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z451}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, c) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{M}_1^{(b)}(A_2)}{4} + \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z452}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, d) = \mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z453}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 1a) = -\frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{3\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z454}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 1b) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_1)}{4}$$

$$\boxed{\text{z455}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2a) = \frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z456}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2b) = \frac{2\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_2)}{11} + \frac{\sqrt{330}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_1)}{44} - \frac{3\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_1)}{44}$$

$$\boxed{\text{z457}} \quad \mathbb{Q}_4^{(1,-1;c)}(B_2, 1) = \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{M}_1^{(b)}(A_2)}{4} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z458}} \quad \mathbb{Q}_1^{(1,0;c)}(B_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)$$

$$\boxed{\text{z459}} \quad \mathbb{Q}_1^{(1,0;c)}(B_2, b) = -\frac{\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{7} - \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{7} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z460}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2, a) = -\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z461}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2, b) = \mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z462}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2, c) = -\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z463}} \quad \mathbb{Q}_3^{(1,0;c)}(B_2, 1) = -\frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{14} - \frac{3\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{14} - \frac{2\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z464}} \quad \mathbb{Q}_3^{(1,0;c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z465}} \quad \mathbb{Q}_1^{(1,1;c)}(B_2, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z466}} \quad \mathbb{Q}_1^{(1,1;c)}(B_2, b) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)$$

$$\boxed{\text{z467}} \quad \mathbb{Q}_2^{(1,1;c)}(B_2) = \mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z468}} \quad \mathbb{G}_1^{(c)}(B_2) = \mathbb{M}_1^{(a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z469}} \quad \mathbb{G}_1^{(1,-1;c)}(B_2) = \mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z470}} \quad \mathbb{G}_2^{(1,-1;c)}(B_2) = \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_2)}{11} - \frac{\sqrt{55}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_1)}{11} + \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_1)}{11}$$

$$\boxed{\text{z471}} \quad \mathbb{G}_3^{(1,-1;c)}(B_2, 1) = \mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z472}} \quad \mathbb{G}_3^{(1,-1;c)}(B_2, 2) = \mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z473}} \quad \mathbb{G}_1^{(1,0;c)}(B_2) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z474}} \quad \mathbb{G}_1^{(1,1;c)}(B_2) = \mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

- 'Sn'-'Te' bond-cluster

* bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

* ket: $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

* wyckoff: 2a02a

$$\boxed{\text{z55}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z56}} \quad \mathbb{Q}_1^{(c)}(A_1, a) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z57}} \quad \mathbb{Q}_1^{(c)}(A_1, b) = \mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z58}} \quad \mathbb{Q}_2^{(c)}(A_1, 1) = \mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z59}} \quad \mathbb{Q}_2^{(c)}(A_1, 2) = \mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z60}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1, a) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z61}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1, b) = \mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z62}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 1) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z63}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 2) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z64}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 1) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z65}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2) = \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z66}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, a) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z67}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, b) = \mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z68}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 1) = \mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z69}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2) = \mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z70}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z71}} \quad \mathbb{Q}_1^{(1,1;c)}(A_1) = \mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z72}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1) = \mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z193}} \quad \mathbb{Q}_2^{(c)}(A_2) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z194}} \quad \mathbb{Q}_3^{(c)}(A_2) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z195}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z196}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, a) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z197}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, b) = -\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z198}} \quad \mathbb{Q}_2^{(1,0;c)}(A_2) = \mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z199}} \quad \mathbb{Q}_3^{(1,0;c)}(A_2) = \mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z200}} \quad \mathbb{G}_0^{(c)}(A_2) = \mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z201}} \quad \mathbb{G}_1^{(c)}(A_2) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z202}} \quad \mathbb{G}_0^{(1,-1;c)}(A_2) = \mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z203}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z204}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 1) = -\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z205}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z206}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z207}} \quad \mathbb{G}_0^{(1,0;c)}(A_2) = \mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z208}} \quad \mathbb{G}_1^{(1,0;c)}(A_2) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z209}} \quad \mathbb{G}_0^{(1,1;c)}(A_2) = \mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z210}} \quad \mathbb{G}_1^{(1,1;c)}(A_2) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z331}} \quad \mathbb{Q}_1^{(c)}(B_1, a) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z332}} \quad \mathbb{Q}_1^{(c)}(B_1, b) = -\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z333}} \quad \mathbb{Q}_2^{(c)}(B_1) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z334}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1, a) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z335}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1, b) = -\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z336}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z337}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 1) = \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z338}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 2) = \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z339}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1, a) = -\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z340}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1, b) = \mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z341}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1) = \mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z342}} \quad \mathbb{Q}_1^{(1,1;c)}(B_1) = -\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z343}} \quad \mathbb{G}_1^{(c)}(B_1) = \mathbb{M}_1^{(a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z344}} \quad \mathbb{G}_1^{(1,-1;c)}(B_1) = \mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z345}} \quad \mathbb{G}_3^{(1,-1;c)}(B_1, 1) = \mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z346}} \quad \mathbb{G}_3^{(1,-1;c)}(B_1, 2) = \mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z347}} \quad \mathbb{G}_1^{(1,0;c)}(B_1) = \mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z348}} \quad \mathbb{G}_1^{(1,1;c)}(B_1) = \mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z475}} \quad \mathbb{Q}_1^{(c)}(B_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z476}} \quad \mathbb{Q}_1^{(c)}(B_2, b) = -\frac{\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z477}} \quad \mathbb{Q}_2^{(c)}(B_2) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z478}} \quad \mathbb{Q}_3^{(c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z479}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_2) = -\frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z480}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z481}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2a) = \frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z482}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2b) = \mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z483}} \quad \mathbb{Q}_1^{(1,0;c)}(B_2) = -\frac{\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\sqrt{3}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z484}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2) = \mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z485}} \quad \mathbb{Q}_3^{(1,0;c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z486}} \quad \mathbb{Q}_1^{(1,1;c)}(B_2) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z487}} \quad \mathbb{G}_1^{(c)}(B_2) = \mathbb{M}_1^{(a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z488}} \quad \mathbb{G}_1^{(1,-1;c)}(B_2) = \mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z489}} \quad \mathbb{G}_3^{(1,-1;c)}(B_2, 1) = \mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z490}} \quad \mathbb{G}_3^{(1,-1;c)}(B_2, 2) = \mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z491}} \quad \mathbb{G}_1^{(1,0;c)}(B_2) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z492}} \quad \mathbb{G}_1^{(1,1;c)}(B_2) = \mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

• 'Sn'-'Te' bond-cluster

* bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

* ket: $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

* wyckoff: 4a@4b

$$\boxed{\text{z73}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z74}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z75}} \quad \mathbb{Q}_0^{(c)}(A_1, c) = \mathbb{M}_1^{(a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z76}} \quad \mathbb{Q}_1^{(c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z77}} \quad \mathbb{Q}_1^{(c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z78}} \quad \mathbb{Q}_2^{(c)}(A_1, 1) = \mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z79}} \quad \mathbb{Q}_2^{(c)}(A_1, 2) = \mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z80}} \quad \mathbb{Q}_3^{(c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z81}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, a) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z82}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, b) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z83}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z84}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z85}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 1a) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z86}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 1b) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z87}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 2a) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z88}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 2b) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z89}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 1) = \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z90}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z91}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2b) = \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{8} - \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{8} + \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{8} + \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{8}$$

$$\boxed{\text{z92}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z93}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z94}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 1) = \mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z95}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2a) = -\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z96}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2b) = \mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z97}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2c) = \mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z98}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} - \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z99}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z100}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, b) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z101}} \quad \mathbb{Q}_1^{(1,1;c)}(A_1) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z102}} \quad \mathbb{G}_2^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z103}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{8} - \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{8} - \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{8} + \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{8}$$

$$\boxed{\text{z104}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z105}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1) = \mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z106}} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 1) = -\frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{4} + \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z107}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z108}} \quad \mathbb{G}_2^{(1,1;c)}(A_1) = \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z211}} \quad \mathbb{Q}_2^{(c)}(A_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z212}} \quad \mathbb{Q}_2^{(c)}(A_2, b) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z213}} \quad \mathbb{Q}_2^{(c)}(A_2, c) = -\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z214}} \quad \mathbb{Q}_3^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z215}} \quad \mathbb{Q}_4^{(c)}(A_2, 1) = \mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z216}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2, a) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z217}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2, b) = -\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z218}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2, c) = \mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z219}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z220}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z221}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2, 1) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z222}} \quad \mathbb{Q}_2^{(1,0;c)}(A_2, a) = \mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z223}} \quad \mathbb{Q}_2^{(1,0;c)}(A_2, b) = -\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z224}} \quad \mathbb{Q}_3^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z225}} \quad \mathbb{Q}_2^{(1,1;c)}(A_2) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z226}} \quad \mathbb{G}_0^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z227}} \quad \mathbb{G}_1^{(c)}(A_2) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z228}} \quad \mathbb{G}_2^{(c)}(A_2, 1) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z229}} \quad \mathbb{G}_2^{(c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z230}} \quad \mathbb{G}_0^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z231}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z232}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 1a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z233}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 1b) = -\frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_1)}{4}$$

$$\boxed{\text{z234}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 2a) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z235}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 2b) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z236}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z237}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z238}} \quad \mathbb{G}_4^{(1,-1;c)}(A_2, 1) = \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_1)}{4}$$

$$\boxed{\text{z239}} \quad \mathbb{G}_0^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z240}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z241}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = \mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z242}} \quad \mathbb{G}_2^{(1,0;c)}(A_2, 1) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z243}} \quad \mathbb{G}_2^{(1,0;c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z244}} \quad \mathbb{G}_0^{(1,1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z245}} \quad \mathbb{G}_1^{(1,1;c)}(A_2) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z246}} \quad \mathbb{G}_2^{(1,1;c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z349}} \quad \mathbb{Q}_1^{(c)}(B_1, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(B_1)$$

$$\boxed{\text{z350}} \quad \mathbb{Q}_1^{(c)}(B_1, b) = -\frac{\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z351}} \quad \mathbb{Q}_1^{(c)}(B_1, c) = -\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z352}} \quad \mathbb{Q}_2^{(c)}(B_1, a) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z353}} \quad \mathbb{Q}_2^{(c)}(B_1, b) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z354}} \quad \mathbb{Q}_2^{(c)}(B_1, c) = \mathbb{M}_1^{(a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z355}} \quad \mathbb{Q}_3^{(c)}(B_1, 1) = -\frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{14} + \frac{3\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z356}} \quad \mathbb{Q}_3^{(c)}(B_1, 2) = -\frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z357}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1, a) = -\frac{\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z358}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1, b) = -\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z359}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, a) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z360}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, b) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z361}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, c) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{M}_1^{(b)}(A_2)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z362}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, d) = \mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z363}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 1a) = -\frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{14} + \frac{3\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z364}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 1b) = \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z365}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 2a) = -\frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z366}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 2b) = \frac{2\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_1)}{11} + \frac{\sqrt{330}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{44} + \frac{3\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{44}$$

$$\boxed{\text{z367}} \quad \mathbb{Q}_4^{(1,-1;c)}(B_1, 1) = -\frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{M}_1^{(b)}(A_2)}{4} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z368}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1, a) = -\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z369}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1, b) = -\frac{\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z370}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1, a) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z371}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1, b) = \mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z372}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1, c) = \mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z373}} \quad \mathbb{Q}_3^{(1,0;c)}(B_1, 1) = -\frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_1)}{14} + \frac{3\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_1)}{14} - \frac{2\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z374}} \quad \mathbb{Q}_3^{(1,0;c)}(B_1, 2) = -\frac{\sqrt{3}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_1)}{2} - \frac{\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z375}} \quad \mathbb{Q}_1^{(1,1;c)}(B_1, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(B_1)$$

$$\boxed{\text{z376}} \quad \mathbb{Q}_1^{(1,1;c)}(B_1, b) = -\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z377}} \quad \mathbb{Q}_2^{(1,1;c)}(B_1) = \mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z378}} \quad \mathbb{G}_1^{(c)}(B_1) = \mathbb{M}_1^{(a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z379}} \quad \mathbb{G}_1^{(1,-1;c)}(B_1) = \mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z380}} \quad \mathbb{G}_2^{(1,-1;c)}(B_1) = \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_1)}{11} - \frac{\sqrt{55}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{11} - \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{11}$$

$$\boxed{\text{z381}} \quad \mathbb{G}_3^{(1,-1;c)}(B_1, 1) = \mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z382}} \quad \mathbb{G}_3^{(1,-1;c)}(B_1, 2) = \mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z383}} \quad \mathbb{G}_1^{(1,0;c)}(B_1) = \mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z384}} \quad \mathbb{G}_1^{(1,1;c)}(B_1) = \mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z493}} \quad \mathbb{Q}_1^{(c)}(B_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z494}} \quad \mathbb{Q}_1^{(c)}(B_2, b) = -\frac{\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{7} - \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z495}} \quad \mathbb{Q}_1^{(c)}(B_2, c) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(B_1)$$

$$\boxed{\text{z496}} \quad \mathbb{Q}_2^{(c)}(B_2, a) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z497}} \quad \mathbb{Q}_2^{(c)}(B_2, b) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z498}} \quad \mathbb{Q}_2^{(c)}(B_2, c) = \mathbb{M}_1^{(a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z499}} \quad \mathbb{Q}_3^{(c)}(B_2, 1) = -\frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{3\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z500}} \quad \mathbb{Q}_3^{(c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z501}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_2, a) = -\frac{\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{7} - \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z502}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_2, b) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)$$

$$\boxed{\text{z503}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, a) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z504}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, b) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z505}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, c) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{M}_1^{(b)}(A_2)}{4} + \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z506}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, d) = \mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z507}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 1a) = -\frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{3\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z508}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 1b) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_1)}{4}$$

$$\boxed{\text{z509}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2a) = \frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z510}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2b) = \frac{2\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_2)}{11} + \frac{\sqrt{330}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_1)}{44} - \frac{3\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_1)}{44}$$

$$\boxed{\text{z511}} \quad \mathbb{Q}_4^{(1,-1;c)}(B_2, 1) = \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{M}_1^{(b)}(A_2)}{4} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z512}} \quad \mathbb{Q}_1^{(1,0;c)}(B_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)$$

$$\boxed{\text{z513}} \quad \mathbb{Q}_1^{(1,0;c)}(B_2, b) = -\frac{\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{7} - \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{7} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z514}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2, a) = -\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z515}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2, b) = \mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z516}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2, c) = -\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z517}} \quad \mathbb{Q}_3^{(1,0;c)}(B_2, 1) = -\frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{14} - \frac{3\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{14} - \frac{2\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z518}} \quad \mathbb{Q}_3^{(1,0;c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z519}} \quad \mathbb{Q}_1^{(1,1;c)}(B_2, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z520}} \quad \mathbb{Q}_1^{(1,1;c)}(B_2, b) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)$$

$$\boxed{\text{z521}} \quad \mathbb{Q}_2^{(1,1;c)}(B_2) = \mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z522}} \quad \mathbb{G}_1^{(c)}(B_2) = \mathbb{M}_1^{(a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z523}} \quad \mathbb{G}_1^{(1,-1;c)}(B_2) = \mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z524}} \quad \mathbb{G}_2^{(1,-1;c)}(B_2) = \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_2)}{11} - \frac{\sqrt{55}\mathbb{M}_3^{(1,-1;a)}(A_2,1)\mathbb{T}_1^{(b)}(B_1)}{11} + \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2,2)\mathbb{T}_1^{(b)}(B_1)}{11}$$

$$\boxed{\text{z525}} \quad \mathbb{G}_3^{(1,-1;c)}(B_2,1) = \mathbb{M}_3^{(1,-1;a)}(B_2,1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z526}} \quad \mathbb{G}_3^{(1,-1;c)}(B_2,2) = \mathbb{M}_3^{(1,-1;a)}(B_2,2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z527}} \quad \mathbb{G}_1^{(1,0;c)}(B_2) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z528}} \quad \mathbb{G}_1^{(1,1;c)}(B_2) = \mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

• 'Te'-'Te' bond-cluster

* bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

* ket: $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

* wyckoff: 4a@4b

$$\boxed{\text{z109}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z110}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z111}} \quad \mathbb{Q}_0^{(c)}(A_1, c) = \mathbb{M}_1^{(a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z112}} \quad \mathbb{Q}_1^{(c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z113}} \quad \mathbb{Q}_1^{(c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z114}} \quad \mathbb{Q}_2^{(c)}(A_1, 1) = \mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z115}} \quad \mathbb{Q}_2^{(c)}(A_1, 2) = \mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z116}} \quad \mathbb{Q}_3^{(c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z117}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, a) = \mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z118}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, b) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z119}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z120}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z121}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 1a) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z122}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 1b) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z123}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 2a) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z124}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, 2b) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z125}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 1) = \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z126}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z127}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2b) = \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{8} - \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{8} + \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{8} + \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{8}$$

$$\boxed{\text{z128}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z129}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z130}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 1) = \mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z131}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2a) = -\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z132}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2b) = \mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z133}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, 2c) = \mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z134}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} - \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z135}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, a) = \mathbb{Q}_0^{(1,1;a)}(A_1) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z136}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, b) = \mathbb{M}_1^{(1,1;a)}(A_2) \mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z137}} \quad \mathbb{Q}_1^{(1,1;c)}(A_1) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z138}} \quad \mathbb{G}_2^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z139}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{8} - \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{8} - \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{8} + \frac{\sqrt{30}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{8}$$

$$\boxed{\text{z140}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z141}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1) = \mathbb{M}_3^{(1,-1;a)}(A_1) \mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z142}} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 1) = -\frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_1)}{4} + \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z143}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z144}} \quad \mathbb{G}_2^{(1,1;c)}(A_1) = \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_1)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z247}} \quad \mathbb{Q}_2^{(c)}(A_2, a) = \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z248}} \quad \mathbb{Q}_2^{(c)}(A_2, b) = \mathbb{Q}_2^{(a)}(A_2) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z249}} \quad \mathbb{Q}_2^{(c)}(A_2, c) = -\mathbb{Q}_2^{(a)}(A_1, 1) \mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z250}} \quad \mathbb{Q}_3^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z251}} \quad \mathbb{Q}_4^{(c)}(A_2, 1) = \mathbb{Q}_2^{(a)}(A_1, 2) \mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z252}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2, a) = \mathbb{Q}_2^{(1,-1;a)}(A_2) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z253}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2, b) = -\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z254}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_2, c) = \mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z255}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z256}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z257}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2, 1) = \mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z258}} \quad \mathbb{Q}_2^{(1,0;c)}(A_2, a) = \mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z259}} \quad \mathbb{Q}_2^{(1,0;c)}(A_2, b) = -\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z260}} \quad \mathbb{Q}_3^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z261}} \quad \mathbb{Q}_2^{(1,1;c)}(A_2) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z262}} \quad \mathbb{G}_0^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z263}} \quad \mathbb{G}_1^{(c)}(A_2) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z264}} \quad \mathbb{G}_2^{(c)}(A_2, 1) = \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z265}} \quad \mathbb{G}_2^{(c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z266}} \quad \mathbb{G}_0^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z267}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z268}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 1a) = \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z269}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 1b) = -\frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_1)}{4}$$

$$\boxed{\text{z270}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 2a) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z271}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, 2b) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z272}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z273}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z274}} \quad \mathbb{G}_4^{(1,-1;c)}(A_2, 1) = \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_1^{(b)}(B_2)}{4} + \frac{\sqrt{5}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{T}_1^{(b)}(B_1)}{4}$$

$$\boxed{\text{z275}} \quad \mathbb{G}_0^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z276}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z277}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = \mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z278}} \quad \mathbb{G}_2^{(1,0;c)}(A_2, 1) = \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\sqrt{2}\mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z279}} \quad \mathbb{G}_2^{(1,0;c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z280}} \quad \mathbb{G}_0^{(1,1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z281}} \quad \mathbb{G}_1^{(1,1;c)}(A_2) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z282}} \quad \mathbb{G}_2^{(1,1;c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_1^{(b)}(B_2)}{2} + \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z385}} \quad \mathbb{Q}_1^{(c)}(B_1, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(B_1)$$

$$\boxed{\text{z386}} \quad \mathbb{Q}_1^{(c)}(B_1, b) = -\frac{\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z387}} \quad \mathbb{Q}_1^{(c)}(B_1, c) = -\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z388}} \quad \mathbb{Q}_2^{(c)}(B_1, a) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z389}} \quad \mathbb{Q}_2^{(c)}(B_1, b) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z390}} \quad \mathbb{Q}_2^{(c)}(B_1, c) = \mathbb{M}_1^{(a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z391}} \quad \mathbb{Q}_3^{(c)}(B_1, 1) = -\frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{14} + \frac{3\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z392}} \quad \mathbb{Q}_3^{(c)}(B_1, 2) = -\frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z393}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1, a) = -\frac{\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z394}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_1, b) = -\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z395}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, a) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z396}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, b) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z397}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, c) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{M}_1^{(b)}(A_2)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z398}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_1, d) = \mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z399}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 1a) = -\frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{14} + \frac{3\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z400}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 1b) = \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{4}$$

$$\boxed{\text{z401}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 2a) = -\frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_1)}{2} - \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z402}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_1, 2b) = \frac{2\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_1)}{11} + \frac{\sqrt{330}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{44} + \frac{3\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{44}$$

$$\boxed{\text{z403}} \quad \mathbb{Q}_4^{(1,-1;c)}(B_1, 1) = -\frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_2, 1)\mathbb{M}_1^{(b)}(A_2)}{4} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_2, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z404}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1, a) = -\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z405}} \quad \mathbb{Q}_1^{(1,0;c)}(B_1, b) = -\frac{\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_1)}{7} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z406}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1, a) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z407}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1, b) = \mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z408}} \quad \mathbb{Q}_2^{(1,0;c)}(B_1, c) = \mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z409}} \quad \mathbb{Q}_3^{(1,0;c)}(B_1, 1) = -\frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_1)}{14} + \frac{3\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_1)}{14} - \frac{2\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)}{7}$$

$$\boxed{\text{z410}} \quad \mathbb{Q}_3^{(1,0;c)}(B_1, 2) = -\frac{\sqrt{3}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_1)}{2} - \frac{\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_1)}{2}$$

$$\boxed{\text{z411}} \quad \mathbb{Q}_1^{(1,1;c)}(B_1, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(B_1)$$

$$\boxed{\text{z412}} \quad \mathbb{Q}_1^{(1,1;c)}(B_1, b) = -\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(B_2)$$

$$\boxed{\text{z413}} \quad \mathbb{Q}_2^{(1,1;c)}(B_1) = \mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z414}} \quad \mathbb{G}_1^{(c)}(B_1) = \mathbb{M}_1^{(a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z415}} \quad \mathbb{G}_1^{(1,-1;c)}(B_1) = \mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z416}} \quad \mathbb{G}_2^{(1,-1;c)}(B_1) = \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_1)}{11} - \frac{\sqrt{55}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_2)}{11} - \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_2)}{11}$$

$$\boxed{\text{z417}} \quad \mathbb{G}_3^{(1,-1;c)}(B_1, 1) = \mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z418}} \quad \mathbb{G}_3^{(1,-1;c)}(B_1, 2) = \mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z419}} \quad \mathbb{G}_1^{(1,0;c)}(B_1) = \mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z420}} \quad \mathbb{G}_1^{(1,1;c)}(B_1) = \mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z529}} \quad \mathbb{Q}_1^{(c)}(B_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z530}} \quad \mathbb{Q}_1^{(c)}(B_2, b) = -\frac{\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{7} - \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z531}} \quad \mathbb{Q}_1^{(c)}(B_2, c) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(B_1)$$

$$\boxed{\text{z532}} \quad \mathbb{Q}_2^{(c)}(B_2, a) = \mathbb{Q}_2^{(a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z533}} \quad \mathbb{Q}_2^{(c)}(B_2, b) = \mathbb{Q}_2^{(a)}(B_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z534}} \quad \mathbb{Q}_2^{(c)}(B_2, c) = \mathbb{M}_1^{(a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z535}} \quad \mathbb{Q}_3^{(c)}(B_2, 1) = -\frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{3\sqrt{7}\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z536}} \quad \mathbb{Q}_3^{(c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{Q}_2^{(a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z537}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_2, a) = -\frac{\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{7} - \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{7} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z538}} \quad \mathbb{Q}_1^{(1,-1;c)}(B_2, b) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)$$

$$\boxed{\text{z539}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, a) = \mathbb{Q}_2^{(1,-1;a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z540}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, b) = \mathbb{Q}_2^{(1,-1;a)}(B_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z541}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, c) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{M}_1^{(b)}(A_2)}{4} + \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z542}} \quad \mathbb{Q}_2^{(1,-1;c)}(B_2, d) = \mathbb{M}_1^{(1,-1;a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z543}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 1a) = -\frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{3\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{14} - \frac{2\sqrt{7}\mathbb{Q}_2^{(1,-1;a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z544}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 1b) = -\frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_1)}{4} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_1)}{4}$$

$$\boxed{\text{z545}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2a) = \frac{\sqrt{3}\mathbb{Q}_2^{(1,-1;a)}(A_1, 1)\mathbb{Q}_1^{(b)}(B_2)}{2} - \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1, 2)\mathbb{Q}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z546}} \quad \mathbb{Q}_3^{(1,-1;c)}(B_2, 2b) = \frac{2\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_2)}{11} + \frac{\sqrt{330}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(B_1)}{44} - \frac{3\sqrt{22}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(B_1)}{44}$$

$$\boxed{\text{z547}} \quad \mathbb{Q}_4^{(1,-1;c)}(B_2, 1) = \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(B_1, 1)\mathbb{M}_1^{(b)}(A_2)}{4} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(B_1, 2)\mathbb{M}_1^{(b)}(A_2)}{4}$$

$$\boxed{\text{z548}} \quad \mathbb{Q}_1^{(1,0;c)}(B_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(B_1)$$

$$\boxed{\text{z549}} \quad \mathbb{Q}_1^{(1,0;c)}(B_2, b) = -\frac{\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{7} - \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{7} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z550}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2, a) = -\mathbb{G}_1^{(1,0;a)}(B_1)\mathbb{Q}_2^{(b)}(A_2)$$

$$\boxed{\text{z551}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2, b) = \mathbb{T}_2^{(1,0;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z552}} \quad \mathbb{Q}_2^{(1,0;c)}(B_2, c) = -\mathbb{T}_2^{(1,0;a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z553}} \quad \mathbb{Q}_3^{(1,0;c)}(B_2, 1) = -\frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{14} - \frac{3\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{14} - \frac{2\sqrt{7}\mathbb{T}_2^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)}{7}$$

$$\boxed{\text{z554}} \quad \mathbb{Q}_3^{(1,0;c)}(B_2, 2) = \frac{\sqrt{3}\mathbb{T}_2^{(1,0;a)}(A_1, 1)\mathbb{T}_1^{(b)}(B_2)}{2} - \frac{\mathbb{T}_2^{(1,0;a)}(A_1, 2)\mathbb{T}_1^{(b)}(B_2)}{2}$$

$$\boxed{\text{z555}} \quad \mathbb{Q}_1^{(1,1;c)}(B_2, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(B_2)$$

$$\boxed{\text{z556}} \quad \mathbb{Q}_1^{(1,1;c)}(B_2, b) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(B_1)$$

$$\boxed{\text{z557}} \quad \mathbb{Q}_2^{(1,1;c)}(B_2) = \mathbb{M}_1^{(1,1;a)}(B_1)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z558}} \quad \mathbb{G}_1^{(c)}(B_2) = \mathbb{M}_1^{(a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z559}} \quad \mathbb{G}_1^{(1,-1;c)}(B_2) = \mathbb{M}_1^{(1,-1;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z560}} \quad \mathbb{G}_2^{(1,-1;c)}(B_2) = \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(B_2)}{11} - \frac{\sqrt{55}\mathbb{M}_3^{(1,-1;a)}(A_2,1)\mathbb{T}_1^{(b)}(B_1)}{11} + \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2,2)\mathbb{T}_1^{(b)}(B_1)}{11}$$

$$\boxed{\text{z561}} \quad \mathbb{G}_3^{(1,-1;c)}(B_2,1) = \mathbb{M}_3^{(1,-1;a)}(B_2,1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z562}} \quad \mathbb{G}_3^{(1,-1;c)}(B_2,2) = \mathbb{M}_3^{(1,-1;a)}(B_2,2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z563}} \quad \mathbb{G}_1^{(1,0;c)}(B_2) = \mathbb{G}_1^{(1,0;a)}(B_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z564}} \quad \mathbb{G}_1^{(1,1;c)}(B_2) = \mathbb{M}_1^{(1,1;a)}(B_2)\mathbb{T}_0^{(b)}(A_1)$$

— Atomic SAMB —

- bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$
- ket: $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

$$\boxed{\text{x1}} \quad \mathbb{Q}_0^{(a)}(A_1) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{\text{x2}} \quad \mathbb{Q}_2^{(a)}(A_1, 1) = \begin{bmatrix} -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{3} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{3} \end{bmatrix}$$

$$\boxed{\text{x3}} \quad \mathbb{Q}_2^{(a)}(A_1, 2) = \begin{bmatrix} \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{1}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x4} \quad \mathbb{Q}_2^{(a)}(A_2) = \begin{bmatrix} 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{2} & 0 & 0 \\ \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x5} \quad \mathbb{Q}_2^{(a)}(B_1) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x6} \quad \mathbb{Q}_2^{(a)}(B_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \\ 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{x7} \quad \mathbb{Q}_2^{(1,-1;a)}(A_1, 1) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & \frac{\sqrt{6}}{12} & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{12} \\ 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & \frac{\sqrt{6}i}{12} & 0 \\ 0 & \frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 \\ -\frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x8} \quad \mathbb{Q}_2^{(1,-1;a)}(A_1, 2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x9} \quad \mathbb{Q}_2^{(1,-1;a)}(A_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x10} \quad \mathbb{Q}_2^{(1,-1;a)}(B_1) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \end{bmatrix}$$

$$\boxed{x11} \quad \mathbb{Q}_2^{(1,-1;a)}(B_2) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x12} \quad \mathbb{Q}_0^{(1,1;a)}(A_1) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & -\frac{\sqrt{3}}{6} & 0 \\ \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x13} \quad \mathbb{G}_1^{(1,0;a)}(A_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x14} \quad \mathbb{G}_1^{(1,0;a)}(B_1) = \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \end{bmatrix}$$

$$\boxed{x15} \quad \mathbb{G}_1^{(1,0;a)}(B_2) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x16} \quad \mathbb{M}_1^{(a)}(A_2) = \begin{bmatrix} 0 & 0 & -\frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{i}{2} & 0 & 0 \\ \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x17} \quad \mathbb{M}_1^{(a)}(B_1) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{i}{2} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x18} \quad \mathbb{M}_1^{(a)}(B_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{i}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & \frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & \frac{i}{2} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x19} \quad \mathbb{M}_3^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & \frac{\sqrt{3}i}{6} & 0 \\ \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ \frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x20} \quad \mathbb{M}_1^{(1,-1;a)}(A_2) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{x21} \quad \mathbb{M}_3^{(1,-1;a)}(A_2, 1) = \begin{bmatrix} -\frac{\sqrt{5}}{10} & 0 & 0 & 0 & 0 & -\frac{\sqrt{5}}{10} \\ 0 & \frac{\sqrt{5}}{10} & 0 & 0 & -\frac{\sqrt{5}}{10} & 0 \\ 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & \frac{\sqrt{5}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{5}}{10} & -\frac{\sqrt{5}i}{10} & 0 \\ 0 & -\frac{\sqrt{5}}{10} & 0 & \frac{\sqrt{5}i}{10} & \frac{\sqrt{5}}{5} & 0 \\ -\frac{\sqrt{5}}{10} & 0 & -\frac{\sqrt{5}i}{10} & 0 & 0 & -\frac{\sqrt{5}}{5} \end{bmatrix}$$

$$\boxed{x22} \quad \mathbb{M}_3^{(1,-1;a)}(A_2, 2) = \begin{bmatrix} \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ \frac{\sqrt{3}}{6} & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x23} \quad \mathbb{M}_1^{(1,-1;a)}(B_1) = \begin{bmatrix} 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$$

$$\boxed{x24} \quad \mathbb{M}_3^{(1,-1;a)}(B_1, 1) = \begin{bmatrix} 0 & \frac{\sqrt{5}i}{10} & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 \\ -\frac{\sqrt{5}i}{10} & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{5}}{10} & 0 & -\frac{\sqrt{5}i}{5} & -\frac{\sqrt{5}}{10} & 0 \\ -\frac{\sqrt{5}}{10} & 0 & \frac{\sqrt{5}i}{5} & 0 & 0 & \frac{\sqrt{5}i}{10} \\ 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & \frac{\sqrt{5}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{5}}{10} & -\frac{\sqrt{5}i}{10} & 0 \end{bmatrix}$$

$$\boxed{x25} \quad \mathbb{M}_3^{(1,-1;a)}(B_1, 2) = \begin{bmatrix} 0 & \frac{\sqrt{3}i}{6} & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \\ -\frac{\sqrt{3}i}{6} & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}}{6} \\ 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & \frac{\sqrt{3}i}{6} & 0 \end{bmatrix}$$

$$\boxed{x26} \quad \mathbb{M}_1^{(1,-1;a)}(B_2) = \begin{bmatrix} 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \end{bmatrix}$$

$$\boxed{x27} \quad \mathbb{M}_3^{(1,-1;a)}(B_2, 1) = \begin{bmatrix} 0 & \frac{\sqrt{5}}{5} & 0 & \frac{\sqrt{5}i}{10} & -\frac{\sqrt{5}}{10} & 0 \\ \frac{\sqrt{5}}{5} & 0 & -\frac{\sqrt{5}i}{10} & 0 & 0 & \frac{\sqrt{5}}{10} \\ 0 & \frac{\sqrt{5}i}{10} & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 \\ -\frac{\sqrt{5}i}{10} & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & 0 \\ -\frac{\sqrt{5}}{10} & 0 & 0 & 0 & 0 & -\frac{\sqrt{5}}{10} \\ 0 & \frac{\sqrt{5}}{10} & 0 & 0 & -\frac{\sqrt{5}}{10} & 0 \end{bmatrix}$$

$$\boxed{x28} \quad \mathbb{M}_3^{(1,-1;a)}(B_2, 2) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} & -\frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ \frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}}{6} \\ 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 \end{bmatrix}$$

$$\boxed{x29} \quad \mathbb{M}_1^{(1,1;a)}(A_2) = \begin{bmatrix} -\frac{\sqrt{30}}{30} & 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{20} \\ 0 & \frac{\sqrt{30}}{30} & 0 & 0 & \frac{\sqrt{30}}{20} & 0 \\ 0 & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & -\frac{\sqrt{30}i}{20} \\ 0 & 0 & 0 & \frac{\sqrt{30}}{30} & \frac{\sqrt{30}i}{20} & 0 \\ 0 & \frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{15} & 0 \\ \frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{15} \end{bmatrix}$$

$$\boxed{x30} \quad \mathbb{M}_1^{(1,1;a)}(B_1) = \begin{bmatrix} 0 & \frac{\sqrt{30}i}{30} & 0 & \frac{\sqrt{30}}{20} & 0 & 0 \\ -\frac{\sqrt{30}i}{30} & 0 & \frac{\sqrt{30}}{20} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{15} & \frac{\sqrt{30}}{20} & 0 \\ \frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{15} & 0 & 0 & -\frac{\sqrt{30}}{20} \\ 0 & 0 & \frac{\sqrt{30}}{20} & 0 & 0 & \frac{\sqrt{30}i}{30} \\ 0 & 0 & 0 & -\frac{\sqrt{30}}{20} & -\frac{\sqrt{30}i}{30} & 0 \end{bmatrix}$$

$$\boxed{x31} \quad \mathbb{M}_1^{(1,1;a)}(B_2) = \begin{bmatrix} 0 & \frac{\sqrt{30}}{15} & 0 & -\frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{20} & 0 \\ \frac{\sqrt{30}}{15} & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{20} \\ 0 & -\frac{\sqrt{30}i}{20} & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 \\ \frac{\sqrt{30}i}{20} & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & 0 \\ \frac{\sqrt{30}}{20} & 0 & 0 & 0 & 0 & -\frac{\sqrt{30}}{30} \\ 0 & -\frac{\sqrt{30}}{20} & 0 & 0 & -\frac{\sqrt{30}}{30} & 0 \end{bmatrix}$$

$$\boxed{x32} \quad \mathbb{T}_2^{(1,0;a)}(A_1, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x33} \quad \mathbb{T}_2^{(1,0;a)}(A_1, 2) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{6}i}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & \frac{\sqrt{6}i}{12} & 0 \\ -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 \\ 0 & -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 \\ \frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x34} \quad \mathbb{T}_2^{(1,0;a)}(A_2) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{6}}{12} & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{6}i}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & \frac{\sqrt{6}i}{12} & 0 \\ 0 & -\frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 \\ -\frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}i}{12} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x35} \quad \mathbb{T}_2^{(1,0;a)}(B_1) = \begin{bmatrix} 0 & \frac{\sqrt{6}i}{6} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}}{12} & 0 \\ \frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{12} \\ 0 & 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{12} & \frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$$

$$\boxed{x36} \quad \mathbb{T}_2^{(1,0;a)}(B_2) = \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}i}{12} & \frac{\sqrt{6}}{12} & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ \frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 \end{bmatrix}$$

— Cluster SAMB —

- Site cluster

** Wyckoff: 2a

$$\boxed{y1} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[\frac{\sqrt{2}}{2}, \frac{\sqrt{2}}{2} \right]$$

$$\boxed{y2} \quad \mathbb{Q}_1^{(s)}(B_2) = \left[\frac{\sqrt{2}}{2}, -\frac{\sqrt{2}}{2} \right]$$

- Bond cluster

** Wyckoff: 2a@2a

$$\boxed{y3} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[\frac{\sqrt{2}}{2}, \frac{\sqrt{2}}{2} \right]$$

$$\boxed{y4} \quad \mathbb{T}_0^{(s)}(A_1) = \left[\frac{\sqrt{2}i}{2}, \frac{\sqrt{2}i}{2} \right]$$

$$\boxed{y5} \quad \mathbb{Q}_1^{(s)}(B_2) = \left[\frac{\sqrt{2}}{2}, -\frac{\sqrt{2}}{2} \right]$$

$$\boxed{y6} \quad \mathbb{T}_1^{(s)}(B_2) = \left[\frac{\sqrt{2}i}{2}, -\frac{\sqrt{2}i}{2} \right]$$

** Wyckoff: 4a@4b

$$\boxed{y7} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[\frac{1}{2}, \frac{1}{2}, \frac{1}{2}, \frac{1}{2} \right]$$

$$\boxed{y8} \quad \mathbb{T}_0^{(s)}(A_1) = \left[\frac{i}{2}, \frac{i}{2}, \frac{i}{2}, \frac{i}{2} \right]$$

$$\boxed{y9} \quad \mathbb{M}_1^{(s)}(A_2) = \left[\frac{i}{2}, \frac{i}{2}, -\frac{i}{2}, -\frac{i}{2} \right]$$

$$\boxed{y10} \quad \mathbb{Q}_2^{(s)}(A_2) = \left[\frac{1}{2}, \frac{1}{2}, -\frac{1}{2}, -\frac{1}{2} \right]$$

$$\boxed{y11} \quad \mathbb{Q}_1^{(s)}(B_1) = \left[\frac{1}{2}, -\frac{1}{2}, \frac{1}{2}, -\frac{1}{2} \right]$$

$$\boxed{y12} \quad \mathbb{T}_1^{(s)}(B_1) = \left[\frac{i}{2}, -\frac{i}{2}, \frac{i}{2}, -\frac{i}{2} \right]$$

$$\boxed{y13} \quad \mathbb{Q}_1^{(s)}(B_2) = \left[\frac{1}{2}, -\frac{1}{2}, -\frac{1}{2}, \frac{1}{2} \right]$$

$$\boxed{y14} \quad \mathbb{T}_1^{(s)}(B_2) = \left[\frac{i}{2}, -\frac{i}{2}, -\frac{i}{2}, \frac{i}{2} \right]$$

— Site and Bond —

Table 5: Orbital of each site

#	site	orbital
1	Sn	$ p_x, \uparrow\rangle, p_x, \downarrow\rangle, p_y, \uparrow\rangle, p_y, \downarrow\rangle, p_z, \uparrow\rangle, p_z, \downarrow\rangle$
2	Te	$ p_x, \uparrow\rangle, p_x, \downarrow\rangle, p_y, \uparrow\rangle, p_y, \downarrow\rangle, p_z, \uparrow\rangle, p_z, \downarrow\rangle$

Table 6: Neighbor and bra-ket of each bond

#	head	tail	neighbor	head (bra)	tail (ket)
1	Sn	Sn	[1]	[p]	[p]
2	Sn	Te	[1, 2]	[p]	[p]
3	Te	Te	[1]	[p]	[p]

— Site in Unit Cell —————

Sites in (conventional) cell (no plus set), SL = sublattice

Table 7: 'Sn' (#1) site cluster (2a), m..

SL	position (s)	mapping
1	[0.00000, 0.40000, 0.10000]	[1, 4]
2	[0.50000, 0.60000, 0.60000]	[2, 3]

Table 8: 'Te' (#2) site cluster (2a), m..

SL	position (s)	mapping
1	[0.00000, 0.65000, 0.90000]	[1,4]
2	[0.50000, 0.35000, 0.40000]	[2,3]

Bond in Unit Cell

Bonds in (conventional) cell (no plus set): tail, head = (SL, plus set), (N)D = (non)directional (listed up to 5th neighbor at most)

Table 9: 1-th 'Sn'-'Sn' [1] (#1) bond cluster (4a@4b), D, $|v|=3.44345$ (cartesian)

SL	vector (v)	center (c)	mapping	head	tail	R (primitive)
1	[-0.50000, 0.20000, -0.50000]	[0.75000, 0.50000, 0.85000]	[1]	(2,1)	(1,1)	[1,0,1]
2	[0.50000, -0.20000, -0.50000]	[0.75000, 0.50000, 0.35000]	[2]	(1,1)	(2,1)	[-1,0,0]
3	[-0.50000, -0.20000, -0.50000]	[0.25000, 0.50000, 0.35000]	[3]	(1,1)	(2,1)	[0,0,0]
4	[0.50000, 0.20000, -0.50000]	[0.25000, 0.50000, 0.85000]	[4]	(2,1)	(1,1)	[0,0,1]

Table 10: 1-th 'Sn'-'Te' [1] (#2) bond cluster (2a@2a), D, $|\mathbf{v}| = 1.75653$ (cartesian)

SL	vector (\mathbf{v})	center (\mathbf{c})	mapping	head	tail	\mathbf{R} (primitive)
1	[0.00000, -0.25000, 0.20000]	[0.00000, 0.52500, 0.00000]	[1,4]	(1,1)	(1,1)	[0,0,-1]
2	[0.00000, 0.25000, 0.20000]	[0.50000, 0.47500, 0.50000]	[2,3]	(2,1)	(2,1)	[0,0,0]

Table 11: 2-th 'Sn'-'Te' [1] (#3) bond cluster (4a@4b), D, $|\mathbf{v}| = 2.67689$ (cartesian)

SL	vector (\mathbf{v})	center (\mathbf{c})	mapping	head	tail	\mathbf{R} (primitive)
1	[-0.50000, -0.05000, -0.30000]	[0.75000, 0.62500, 0.75000]	[1]	(2,1)	(1,1)	[1,0,0]
2	[0.50000, 0.05000, -0.30000]	[0.75000, 0.37500, 0.25000]	[2]	(1,1)	(2,1)	[-1,0,0]
3	[-0.50000, 0.05000, -0.30000]	[0.25000, 0.37500, 0.25000]	[3]	(1,1)	(2,1)	[0,0,0]
4	[0.50000, -0.05000, -0.30000]	[0.25000, 0.62500, 0.75000]	[4]	(2,1)	(1,1)	[0,0,0]

Table 12: 1-th 'Te'-'Te' [1] (#4) bond cluster (**4a@4b**), D, $|\mathbf{v}| = 3.69558$ (cartesian)

SL	vector (\mathbf{v})	center (\mathbf{c})	mapping	head	tail	\mathbf{R} (primitive)
1	[-0.50000, -0.30000, -0.50000]	[0.75000, 0.50000, 0.65000]	[1]	(2,1)	(1,1)	[1,0,0]
2	[0.50000, 0.30000, -0.50000]	[0.75000, 0.50000, 0.15000]	[2]	(1,1)	(2,1)	[-1,0,1]
3	[-0.50000, 0.30000, -0.50000]	[0.25000, 0.50000, 0.15000]	[3]	(1,1)	(2,1)	[0,0,1]
4	[0.50000, -0.30000, -0.50000]	[0.25000, 0.50000, 0.65000]	[4]	(2,1)	(1,1)	[0,0,0]