

# Model for “D3”

Generated on 2026-01-24 10:54:58 by MultiPie 2.0.4

---

## General Condition

---

- Basis type: 1gs
- SAMB selection:
  - Type: [Q, G]
  - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
  - Irrep.: [A<sub>1</sub>, A<sub>2</sub>, E]
  - Spin (s): [0, 1]
- Atomic selection:
  - Type: [Q, G, M, T]
  - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
  - Irrep.: [A<sub>1</sub>, A<sub>2</sub>, E]
  - Spin (s): [0, 1]
- Site-cluster selection:
  - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
  - Irrep.: [A<sub>1</sub>, A<sub>2</sub>, E]
- Bond-cluster selection:
  - Type: [Q, G, M, T]
  - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
  - Irrep.: [A<sub>1</sub>, A<sub>2</sub>, E]
- Max. neighbor: 10
- Search cell range: (-2, 3), (-2, 3), (-2, 3)
- Toroidal priority: false

---

## Group and Unit Cell

---

- Group: PG No. 18 D<sub>3</sub> 32 (321 setting) [ trigonal ]
- Unit cell:  
 $a = 1.00000, b = 1.00000, c = 1.00000, \alpha = 90.0, \beta = 90.0, \gamma = 120.0$
- Lattice vectors (conventional cell):  
 $\mathbf{a}_1 = [1.00000, 0.00000, 0.00000]$   
 $\mathbf{a}_2 = [-0.50000, 0.86603, 0.00000]$   
 $\mathbf{a}_3 = [0.00000, 0.00000, 1.00000]$

---

 — Symmetry Operation —

Table 1: Symmetry operation

|   | # SO | # SO | # SO        | # SO | # SO        |
|---|------|------|-------------|------|-------------|
| 1 | 1    | 2    | $3^+_{001}$ | 3    | $3^-_{001}$ |
| 6 | 2010 |      |             | 4    | $2_{110}$   |
|   |      |      |             | 5    | $2_{100}$   |

---

 — Harmonics —

Table 2: Harmonics

| # | symbol                 | irrep. | rank | X      | multiplicity | component | symmetry                                                                        |
|---|------------------------|--------|------|--------|--------------|-----------|---------------------------------------------------------------------------------|
| 1 | $\mathbb{G}_0(A_1)$    | $A_1$  | 0    | $G, M$ | -            | -         | 1                                                                               |
| 2 | $\mathbb{Q}_0(A_1)$    | $A_1$  | 0    | $Q, T$ | -            | -         | 1                                                                               |
| 3 | $\mathbb{G}_2(A_1)$    | $A_1$  | 2    | $G, M$ | -            | -         | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$                                          |
| 4 | $\mathbb{Q}_2(A_1)$    | $A_1$  | 2    | $Q, T$ | -            | -         | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$                                          |
| 5 | $\mathbb{G}_3(A_1)$    | $A_1$  | 3    | $G, M$ | -            | -         | $\frac{\sqrt{10}x(x^2-3y^2)}{4}$                                                |
| 6 | $\mathbb{Q}_3(A_1)$    | $A_1$  | 3    | $Q, T$ | -            | -         | $\frac{\sqrt{10}x(x^2-3y^2)}{4}$                                                |
| 7 | $\mathbb{G}_4(A_1, 1)$ | $A_1$  | 4    | $G, M$ | 1            | -         | $\frac{3x^4}{8} + \frac{3x^2y^2}{4} - 3x^2z^2 + \frac{3y^4}{8} - 3y^2z^2 + z^4$ |
| 8 | $\mathbb{G}_4(A_1, 2)$ | $A_1$  | 4    | $G, M$ | 2            | -         | $\frac{\sqrt{70}yz(3x^2-y^2)}{4}$                                               |

continued ...

Table 2

| #  | symbol                   | irrep. | rank | X      | multiplicity | component | symmetry                          |
|----|--------------------------|--------|------|--------|--------------|-----------|-----------------------------------|
| 9  | $\mathbb{Q}_4(A_1, 2)$   | $A_1$  | 4    | $Q, T$ | 2            | -         | $\frac{\sqrt{70}yz(3x^2-y^2)}{4}$ |
| 10 | $\mathbb{G}_1(A_2)$      | $A_2$  | 1    | $G, M$ | -            | -         | $z$                               |
| 11 | $\mathbb{Q}_1(A_2)$      | $A_2$  | 1    | $Q, T$ | -            | -         | $z$                               |
| 12 | $\mathbb{G}_3(A_2, 1)$   | $A_2$  | 3    | $G, M$ | 1            | -         | $-\frac{z(3x^2+3y^2-2z^2)}{2}$    |
| 13 | $\mathbb{G}_3(A_2, 2)$   | $A_2$  | 3    | $G, M$ | 2            | -         | $\frac{\sqrt{10}y(3x^2-y^2)}{4}$  |
| 14 | $\mathbb{Q}_3(A_2, 1)$   | $A_2$  | 3    | $Q, T$ | 1            | -         | $-\frac{z(3x^2+3y^2-2z^2)}{2}$    |
| 15 | $\mathbb{Q}_3(A_2, 2)$   | $A_2$  | 3    | $Q, T$ | 2            | -         | $\frac{\sqrt{10}y(3x^2-y^2)}{4}$  |
| 16 | $\mathbb{G}_4(A_2)$      | $A_2$  | 4    | $G, M$ | -            | -         | $\frac{\sqrt{70}xz(x^2-3y^2)}{4}$ |
| 17 | $\mathbb{Q}_4(A_2)$      | $A_2$  | 4    | $Q, T$ | -            | -         | $\frac{\sqrt{70}xz(x^2-3y^2)}{4}$ |
| 18 | $\mathbb{G}_{1,1}(E)$    | $E$    | 1    | $G, M$ | -            | 1         | $x$                               |
| 19 | $\mathbb{G}_{1,2}(E)$    |        |      |        |              | 2         | $y$                               |
| 20 | $\mathbb{Q}_{1,1}(E)$    | $E$    | 1    | $Q, T$ | -            | 1         | $x$                               |
| 21 | $\mathbb{Q}_{1,2}(E)$    |        |      |        |              | 2         | $y$                               |
| 22 | $\mathbb{G}_{2,1}(E, 1)$ | $E$    | 2    | $G, M$ | 1            | 1         | $\sqrt{3}yz$                      |
| 23 | $\mathbb{G}_{2,2}(E, 1)$ |        |      |        |              | 2         | $-\sqrt{3}xz$                     |
| 24 | $\mathbb{G}_{2,1}(E, 2)$ | $E$    | 2    | $G, M$ | 2            | 1         | $\frac{\sqrt{3}(x-y)(x+y)}{2}$    |
| 25 | $\mathbb{G}_{2,2}(E, 2)$ |        |      |        |              | 2         | $-\sqrt{3}xy$                     |
| 26 | $\mathbb{Q}_{2,1}(E, 1)$ | $E$    | 2    | $Q, T$ | 1            | 1         | $\sqrt{3}yz$                      |
| 27 | $\mathbb{Q}_{2,2}(E, 1)$ |        |      |        |              | 2         | $-\sqrt{3}xz$                     |
| 28 | $\mathbb{Q}_{2,1}(E, 2)$ | $E$    | 2    | $Q, T$ | 2            | 1         | $\frac{\sqrt{3}(x-y)(x+y)}{2}$    |
| 29 | $\mathbb{Q}_{2,2}(E, 2)$ |        |      |        |              | 2         | $-\sqrt{3}xy$                     |

continued ...

Table 2

| #  | symbol                   | irrep. | rank | X      | multiplicity | component | symmetry                                        |
|----|--------------------------|--------|------|--------|--------------|-----------|-------------------------------------------------|
| 30 | $\mathbb{G}_{3,1}(E, 1)$ | $E$    | 3    | $G, M$ | 1            | 1         | $-\frac{\sqrt{6}x(x^2+y^2-4z^2)}{4}$            |
| 31 | $\mathbb{G}_{3,2}(E, 1)$ |        |      |        |              | 2         | $-\frac{\sqrt{6}y(x^2+y^2-4z^2)}{4}$            |
| 32 | $\mathbb{G}_{3,1}(E, 2)$ | $E$    | 3    | $G, M$ | 2            | 1         | $\sqrt{15}xyz$                                  |
| 33 | $\mathbb{G}_{3,2}(E, 2)$ |        |      |        |              | 2         | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$                |
| 34 | $\mathbb{Q}_{3,1}(E, 1)$ | $E$    | 3    | $Q, T$ | 1            | 1         | $-\frac{\sqrt{6}x(x^2+y^2-4z^2)}{4}$            |
| 35 | $\mathbb{Q}_{3,2}(E, 1)$ |        |      |        |              | 2         | $-\frac{\sqrt{6}y(x^2+y^2-4z^2)}{4}$            |
| 36 | $\mathbb{Q}_{3,1}(E, 2)$ | $E$    | 3    | $Q, T$ | 2            | 1         | $\sqrt{15}xyz$                                  |
| 37 | $\mathbb{Q}_{3,2}(E, 2)$ |        |      |        |              | 2         | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$                |
| 38 | $\mathbb{G}_{4,1}(E, 1)$ | $E$    | 4    | $G, M$ | 1            | 1         | $-\frac{\sqrt{10}yz(3x^2+3y^2-4z^2)}{4}$        |
| 39 | $\mathbb{G}_{4,2}(E, 1)$ |        |      |        |              | 2         | $\frac{\sqrt{10}xz(3x^2+3y^2-4z^2)}{4}$         |
| 40 | $\mathbb{G}_{4,1}(E, 2)$ | $E$    | 4    | $G, M$ | 2            | 1         | $\frac{\sqrt{35}(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$ |
| 41 | $\mathbb{G}_{4,2}(E, 2)$ |        |      |        |              | 2         | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$               |
| 42 | $\mathbb{G}_{4,1}(E, 3)$ | $E$    | 4    | $G, M$ | 3            | 1         | $-\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$   |
| 43 | $\mathbb{G}_{4,2}(E, 3)$ |        |      |        |              | 2         | $\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$            |
| 44 | $\mathbb{Q}_{4,1}(E, 1)$ | $E$    | 4    | $Q, T$ | 1            | 1         | $-\frac{\sqrt{10}yz(3x^2+3y^2-4z^2)}{4}$        |
| 45 | $\mathbb{Q}_{4,2}(E, 1)$ |        |      |        |              | 2         | $\frac{\sqrt{10}xz(3x^2+3y^2-4z^2)}{4}$         |
| 46 | $\mathbb{Q}_{4,1}(E, 2)$ | $E$    | 4    | $Q, T$ | 2            | 1         | $\frac{\sqrt{35}(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$ |
| 47 | $\mathbb{Q}_{4,2}(E, 2)$ |        |      |        |              | 2         | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$               |
| 48 | $\mathbb{Q}_{4,1}(E, 3)$ | $E$    | 4    | $Q, T$ | 3            | 1         | $-\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$   |
| 49 | $\mathbb{Q}_{4,2}(E, 3)$ |        |      |        |              | 2         | $\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$            |

---

Basis in full matrix

---

Table 3: dimension = 48

| #  | orbital@atom(SL)                |
|----|---------------------------------|----|---------------------------------|----|---------------------------------|----|---------------------------------|----|---------------------------------|
| 0  | $ s, \uparrow\rangle @A(1)$     | 1  | $ s, \downarrow\rangle @A(1)$   | 2  | $ p_x, \uparrow\rangle @A(1)$   | 3  | $ p_x, \downarrow\rangle @A(1)$ | 4  | $ p_y, \uparrow\rangle @A(1)$   |
| 5  | $ p_y, \downarrow\rangle @A(1)$ | 6  | $ p_z, \uparrow\rangle @A(1)$   | 7  | $ p_z, \downarrow\rangle @A(1)$ | 8  | $ s, \uparrow\rangle @A(2)$     | 9  | $ s, \downarrow\rangle @A(2)$   |
| 10 | $ p_x, \uparrow\rangle @A(2)$   | 11 | $ p_x, \downarrow\rangle @A(2)$ | 12 | $ p_y, \uparrow\rangle @A(2)$   | 13 | $ p_y, \downarrow\rangle @A(2)$ | 14 | $ p_z, \uparrow\rangle @A(2)$   |
| 15 | $ p_z, \downarrow\rangle @A(2)$ | 16 | $ s, \uparrow\rangle @A(3)$     | 17 | $ s, \downarrow\rangle @A(3)$   | 18 | $ p_x, \uparrow\rangle @A(3)$   | 19 | $ p_x, \downarrow\rangle @A(3)$ |
| 20 | $ p_y, \uparrow\rangle @A(3)$   | 21 | $ p_y, \downarrow\rangle @A(3)$ | 22 | $ p_z, \uparrow\rangle @A(3)$   | 23 | $ p_z, \downarrow\rangle @A(3)$ | 24 | $ s, \uparrow\rangle @A(4)$     |
| 25 | $ s, \downarrow\rangle @A(4)$   | 26 | $ p_x, \uparrow\rangle @A(4)$   | 27 | $ p_x, \downarrow\rangle @A(4)$ | 28 | $ p_y, \uparrow\rangle @A(4)$   | 29 | $ p_y, \downarrow\rangle @A(4)$ |
| 30 | $ p_z, \uparrow\rangle @A(4)$   | 31 | $ p_z, \downarrow\rangle @A(4)$ | 32 | $ s, \uparrow\rangle @A(5)$     | 33 | $ s, \downarrow\rangle @A(5)$   | 34 | $ p_x, \uparrow\rangle @A(5)$   |
| 35 | $ p_x, \downarrow\rangle @A(5)$ | 36 | $ p_y, \uparrow\rangle @A(5)$   | 37 | $ p_y, \downarrow\rangle @A(5)$ | 38 | $ p_z, \uparrow\rangle @A(5)$   | 39 | $ p_z, \downarrow\rangle @A(5)$ |
| 40 | $ s, \uparrow\rangle @A(6)$     | 41 | $ s, \downarrow\rangle @A(6)$   | 42 | $ p_x, \uparrow\rangle @A(6)$   | 43 | $ p_x, \downarrow\rangle @A(6)$ | 44 | $ p_y, \uparrow\rangle @A(6)$   |
| 45 | $ p_y, \downarrow\rangle @A(6)$ | 46 | $ p_z, \uparrow\rangle @A(6)$   | 47 | $ p_z, \downarrow\rangle @A(6)$ |    |                                 |    |                                 |

Table 4: Atomic basis (orbital part only)

| orbital       | definition |
|---------------|------------|
| $ s\rangle$   | 1          |
| $ p_x\rangle$ | $x$        |
| $ p_y\rangle$ | $y$        |
| $ p_z\rangle$ | $z$        |

---

### SAMB

---

744 (all 744) SAMBs

- 'A' site-cluster : A
  - \* bra:  $\langle s, \uparrow |$ ,  $\langle s, \downarrow |$
  - \* ket:  $|s, \uparrow \rangle$ ,  $|s, \downarrow \rangle$
  - \* wyckoff: **6c**

$$\boxed{\text{z1}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z129}} \quad \mathbb{Q}_1^{(c)}(A_2) = \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_1^{(s)}(A_2)$$

$$\boxed{\text{z249}} \quad \mathbb{Q}_{1,1}^{(c)}(E) = \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z250}} \quad \mathbb{Q}_{1,2}^{(c)}(E) = \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z251}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1) = \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z252}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1) = \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

- ' $\mathbb{A}$ ' site-cluster :  $\mathbb{A}$

- \* bra:  $\langle s, \uparrow |, \langle s, \downarrow |$

- \* ket:  $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

- \* wyckoff: **6c**

$$\boxed{\text{z2}} \quad \mathbb{Q}_0^{(c)}(A_1) = \frac{\sqrt{3}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z3}} \quad \mathbb{Q}_2^{(c)}(A_1) = -\frac{\sqrt{6}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z4}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1) = -\frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z5}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z6}} \quad \mathbb{Q}_0^{(1,0;c)}(A_1) = \frac{\sqrt{3}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z7}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1) = -\frac{\sqrt{6}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z8}} \quad \mathbb{G}_2^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z9}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z10}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) = \mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z11}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z12}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z13}} \quad \mathbb{G}_0^{(1,1;c)}(A_1) = \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z130}} \quad \mathbb{Q}_1^{(c)}(A_2, a) = \mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z131}} \quad \mathbb{Q}_1^{(c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z132}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z133}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z134}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, a) = \mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z135}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z136}} \quad \mathbb{G}_1^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z137}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{30}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{30}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{10} + \frac{\sqrt{10}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z138}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{5} + \frac{\sqrt{5}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{5} + \frac{\sqrt{15}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z139}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z140}} \quad \mathbb{G}_1^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z141}} \quad \mathbb{G}_1^{(1,1;c)}(A_2) = \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)$$

$$\boxed{\text{z253}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z254}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z255}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = -\frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z256}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = \frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z257}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1) = \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z258}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z259}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2) = \frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z260}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z261}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) = \frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z262}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z263}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E) = -\frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{10} + \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{10} - \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{10}$$

$$\boxed{\text{z264}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E) = \frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{10} + \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{10} - \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{10}$$

$$\boxed{\text{z265}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z266}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z267}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2) = -\frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z268}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2) = \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6}$$

$$\boxed{\text{z269}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{5}$$

$$\boxed{\text{z270}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E,1) = -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{5}$$

$$\boxed{\text{z271}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E,a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z272}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E,a) = \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z273}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E,b) = -\frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z274}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E,b) = \frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z275}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,1) = \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z276}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,1) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z277}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,2) = \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z278}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,2) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z279}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E,2) = \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z280}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E,2) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z281}} \quad \mathbb{G}_{1,1}^{(c)}(E) = \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z282}} \quad \mathbb{G}_{1,2}^{(c)}(E) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z283}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{10}$$

$$\boxed{\text{z284}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{10}$$

$$\boxed{\text{z285}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z286}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,1) = \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z287}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,2a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z288}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,2a) = \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z289}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,2b) = -\frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z290}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,2b) = \frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z291}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E,1) = -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} - \frac{2\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{5}$$

$$\boxed{\text{z292}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E,1) = \frac{2\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{5}$$

$$\boxed{\text{z293}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E,2) = \frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{6}$$

$$\boxed{\text{z294}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E,2) = -\frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6}$$

$$\boxed{\text{z295}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z296}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z297}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z298}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z299}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E,1) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z300}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E,1) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

• 'A' site-cluster : A

\* bra:  $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

\* ket:  $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

\* wyckoff: 6c

$$\boxed{\text{z14}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z15}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z16}} \quad \mathbb{Q}_2^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z17}} \quad \mathbb{Q}_3^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z18}} \quad \mathbb{Q}_4^{(c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z19}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z20}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1) = \mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z21}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z22}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z23}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z24}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z25}} \quad \mathbb{G}_2^{(c)}(A_1) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z26}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z27}} \quad \mathbb{G}_0^{(1,0;c)}(A_1) = \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{3} + \frac{\sqrt{3}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z28}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) = -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z142}} \quad \mathbb{Q}_1^{(c)}(A_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)$$

$$\boxed{\text{z143}} \quad \mathbb{Q}_1^{(c)}(A_2, b) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{10} + \frac{\sqrt{10}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z144}} \quad \mathbb{Q}_3^{(c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{5} + \frac{\sqrt{5}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{5} + \frac{\sqrt{15}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z145}} \quad \mathbb{Q}_3^{(c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z146}} \quad \mathbb{Q}_4^{(c)}(A_2) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z147}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{10} + \frac{\sqrt{10}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z148}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{5} + \frac{\sqrt{5}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{5} + \frac{\sqrt{15}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)}{5}$$

$$\boxed{\text{z149}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z150}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z151}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z152}} \quad \mathbb{Q}_1^{(1,1;c)}(A_2) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(s)}(A_2)$$

$$\boxed{\text{z153}} \quad \mathbb{G}_1^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z154}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z155}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z156}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z301}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z302}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z303}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{10}$$

$$\boxed{\text{z304}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{10}$$

$$\boxed{\text{z305}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z306}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z307}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z308}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z309}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1c) = -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14}$$

$$\boxed{\text{z310}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1c) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14}$$

$$\boxed{\text{z311}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z312}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z313}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) = -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z314}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) = \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z315}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 1) = -\frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} - \frac{2\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{5}$$

$$\boxed{\text{z316}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 1) = \frac{2\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{5}$$

$$\boxed{\text{z317}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) = \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{6}$$

$$\boxed{\text{z318}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) = -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6}$$

$$\boxed{\text{z319}} \quad \mathbb{Q}_{4,1}^{(c)}(E, 1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{7}$$

$$\boxed{\text{z320}} \quad \mathbb{Q}_{4,2}^{(c)}(E, 1) = -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{7}$$

$$\boxed{\text{z321}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{10}$$

$$\boxed{\text{z322}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{10}$$

$$\boxed{\text{z323}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z324}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z325}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14}$$

$$\boxed{\text{z326}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14}$$

$$\boxed{\text{z327}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z328}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z329}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2b) = -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z330}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2b) = \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{2}$$

$$\boxed{\text{z331}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} - \frac{2\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{5}$$

$$\boxed{\text{z332}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1) = \frac{2\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(s)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{30} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{5}$$

$$\boxed{\text{z333}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2) = \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{6}$$

$$\boxed{\text{z334}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2) = -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{6}$$

$$\boxed{\text{z335}} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{7}$$

$$\boxed{\text{z336}} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 1)}{7}$$

$$\boxed{\text{z337}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E) = \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z338}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z339}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,1) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z340}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,1) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z341}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z342}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,2) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z343}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z344}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z345}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E,1) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z346}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E,1) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E,1)}{2}$$

$$\boxed{\text{z347}} \quad \mathbb{G}_{2,1}^{(c)}(E,1) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z348}} \quad \mathbb{G}_{2,2}^{(c)}(E,1) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z349}} \quad \mathbb{G}_{2,1}^{(c)}(E,2) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z350}} \quad \mathbb{G}_{2,2}^{(c)}(E,2) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6}$$

$$\boxed{\text{z351}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,1) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z352}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,1) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(s)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z353}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E,2) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{3}$$

$$\boxed{\text{z354}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E,2) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_1^{(s)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{6}$$

$$\boxed{\text{z355}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z356}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z357}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,1) = \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} + \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z358}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,1) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(s)}(A_2)}{2} - \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z359}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z360}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,2) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

• 'A-A' bond-cluster : A;A\_001\_1

\* bra:  $\langle s, \uparrow |$ ,  $\langle s, \downarrow |$

\* ket:  $|s, \uparrow \rangle$ ,  $|s, \downarrow \rangle$

\* wyckoff: 6a@6c

$$\boxed{\text{z29}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z30}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z31}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z32}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z157}} \quad \mathbb{Q}_1^{(c)}(A_2) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)$$

$$\boxed{\text{z158}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z159}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, a) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z160}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z361}} \quad \mathbb{Q}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z362}} \quad \mathbb{Q}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z363}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z364}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z365}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z366}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z367}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z368}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z369}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z370}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z371}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z372}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z373}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z374}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z375}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z376}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

• 'A-A' bond-cluster : A;A\_001\_1

\* bra:  $\langle s, \uparrow |$ ,  $\langle s, \downarrow |$

\* ket:  $|p_x, \uparrow\rangle$ ,  $|p_x, \downarrow\rangle$ ,  $|p_y, \uparrow\rangle$ ,  $|p_y, \downarrow\rangle$ ,  $|p_z, \uparrow\rangle$ ,  $|p_z, \downarrow\rangle$

\* wyckoff: 6a@6c

$$\boxed{\text{z33}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \frac{\sqrt{3}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z34}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{3}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z35}} \quad \mathbb{Q}_2^{(c)}(A_1, a) = -\frac{\sqrt{6}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z36}} \quad \mathbb{Q}_2^{(c)}(A_1, b) = -\frac{\sqrt{6}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z37}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z38}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z39}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z40}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z41}} \quad \mathbb{Q}_0^{(1,0;c)}(A_1, a) = \frac{\sqrt{3}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z42}} \quad \mathbb{Q}_0^{(1,0;c)}(A_1, b) = \frac{\sqrt{3}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z43}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, a) = -\frac{\sqrt{6}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z44}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, b) = -\frac{\sqrt{6}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z45}} \quad \mathbb{G}_0^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z46}} \quad \mathbb{G}_2^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z47}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z48}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, a) = \mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z49}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, b) = \mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z50}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, c) = -\frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z51}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z52}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z53}} \quad \mathbb{G}_0^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z54}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z55}} \quad \mathbb{G}_0^{(1,1;c)}(A_1, a) = \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z56}} \quad \mathbb{G}_0^{(1,1;c)}(A_1, b) = \mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z161}} \quad \mathbb{Q}_1^{(c)}(A_2, a) = \mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z162}} \quad \mathbb{Q}_1^{(c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z163}} \quad \mathbb{Q}_1^{(c)}(A_2, c) = \mathbb{T}_1^{(a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z164}} \quad \mathbb{Q}_1^{(c)}(A_2, d) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z165}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z166}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z167}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z168}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z169}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, a) = \mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z170}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z171}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, c) = \mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z172}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, d) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z173}} \quad \mathbb{G}_1^{(c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z174}} \quad \mathbb{G}_1^{(c)}(A_2, b) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z175}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, a) = \frac{\sqrt{30}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z176}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, b) = \frac{\sqrt{30}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z177}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1a) = -\frac{\sqrt{5}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z178}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1b) = -\frac{\sqrt{5}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z179}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z180}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z181}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z182}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z183}} \quad \mathbb{G}_1^{(1,1;c)}(A_2, a) = \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)$$

$$\boxed{\text{z184}} \quad \mathbb{G}_1^{(1,1;c)}(A_2, b) = \mathbb{M}_0^{(1,1;a)}(A_1) \mathbb{T}_1^{(b)}(A_2)$$

$$\boxed{\text{z377}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z378}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z379}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = -\frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z380}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = \frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z381}} \quad \mathbb{Q}_{1,1}^{(c)}(E, c) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z382}} \quad \mathbb{Q}_{1,2}^{(c)}(E, c) = \frac{\sqrt{2}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z383}} \quad \mathbb{Q}_{1,1}^{(c)}(E, d) = -\frac{\sqrt{2}\mathbb{T}_1^{(a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z384}} \quad \mathbb{Q}_{1,2}^{(c)}(E, d) = \frac{\sqrt{2}\mathbb{T}_1^{(a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z385}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) = \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z386}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z387}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) = \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z388}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z389}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) = \frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z390}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z391}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) = \frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z392}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z393}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) = \frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z394}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z395}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, a) = -\frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10} + \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10} - \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10}$$

$$\boxed{\text{z396}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, a) = \frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10} + \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10} - \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10}$$

$$\boxed{\text{z397}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, b) = \frac{\sqrt{42}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z398}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, b) = -\frac{\sqrt{42}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z399}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z400}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z401}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z402}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z403}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2a) = -\frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z404}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z405}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2b) = -\frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z406}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2b) = \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z407}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{5}$$

$$\boxed{\text{z408}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{5}$$

$$\boxed{\text{z409}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{7}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{7}$$

$$\boxed{\text{z410}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{7}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{7}$$

$$\boxed{\text{z411}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z412}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2) = -\frac{\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z413}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z414}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z415}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, b) = -\frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z416}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, b) = \frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z417}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, c) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z418}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E,c) = \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z419}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E,d) = -\frac{\sqrt{2}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z420}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E,d) = \frac{\sqrt{2}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z421}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,1a) = \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z422}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,1a) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z423}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,1b) = \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z424}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,1b) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z425}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,2a) = \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z426}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,2a) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z427}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E,2b) = \frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z428}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E,2b) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z429}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E,2) = \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E,1)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E,1)}{2}$$

$$\boxed{\text{z430}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E,2) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E,1)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E,1)}{2}$$

$$\boxed{\text{z431}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z432}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z433}} \quad \mathbb{G}_{1,1}^{(c)}(E, a) = \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z434}} \quad \mathbb{G}_{1,2}^{(c)}(E, a) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z435}} \quad \mathbb{G}_{1,1}^{(c)}(E, b) = \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z436}} \quad \mathbb{G}_{1,2}^{(c)}(E, b) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z437}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2) = \frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z438}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z439}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E, a) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z440}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E, a) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z441}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E, b) = \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z442}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E, b) = \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z443}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z444}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z445}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z446}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z447}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z448}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z449}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2b) = -\frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z450}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2b) = \frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z451}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2c) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z452}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2c) = \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z453}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z454}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 1a) = \frac{2\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z455}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z456}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 1b) = \frac{2\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z457}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6}$$

$$\boxed{\text{z458}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 2a) = -\frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z459}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 2b) = \frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6}$$

$$\boxed{\text{z460}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 2b) = -\frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z461}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E, a) = \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z462}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E, a) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z463}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E, b) = \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z464}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E, b) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z465}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 2) = \frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z466}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 2) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z467}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z468}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z469}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E, b) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z470}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E, b) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z471}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z472}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

• 'A'-'A' bond-cluster : A;A\_001\_-1

\* bra:  $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$   
 \* ket:  $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$   
 \* wyckoff: **6a@6c**

$$\boxed{\text{z57}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z58}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z59}} \quad \mathbb{Q}_0^{(c)}(A_1, c) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z60}} \quad \mathbb{Q}_2^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z61}} \quad \mathbb{Q}_3^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z62}} \quad \mathbb{Q}_4^{(c)}(A_1, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z63}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z64}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z65}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, a) = \mathbb{Q}_2^{(1,-1;a)}(A_1) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z66}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z67}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z68}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z69}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_1, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z70}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_1, 2b) = \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z71}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z72}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, b) = \mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z73}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1, c) = -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z74}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z75}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z76}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z77}} \quad \mathbb{G}_0^{(c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z78}} \quad \mathbb{G}_2^{(c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z79}} \quad \mathbb{G}_2^{(c)}(A_1, b) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z80}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z81}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z82}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, b) = \frac{\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{7} + \frac{\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{7} + \frac{\sqrt{21}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(A_2)}{7}$$

$$\boxed{\text{z83}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, c) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z84}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1) = \mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z85}} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 1) = -\frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14} + \frac{2\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(A_2)}{7}$$

$$\boxed{\text{z86}} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 2) = \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z87}} \quad \mathbb{G}_0^{(1,0;c)}(A_1) = \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z88}} \quad \mathbb{G}_2^{(1,0;c)}(A_1, a) = -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z89}} \quad \mathbb{G}_2^{(1,0;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z90}} \quad \mathbb{G}_3^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z91}} \quad \mathbb{G}_0^{(1,1;c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z92}} \quad \mathbb{G}_2^{(1,1;c)}(A_1) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z185}} \quad \mathbb{Q}_1^{(c)}(A_2, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)$$

$$\boxed{\text{z186}} \quad \mathbb{Q}_1^{(c)}(A_2, b) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z187}} \quad \mathbb{Q}_1^{(c)}(A_2, c) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z188}} \quad \mathbb{Q}_3^{(c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z189}} \quad \mathbb{Q}_3^{(c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z190}} \quad \mathbb{Q}_4^{(c)}(A_2) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z191}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, a) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z192}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z193}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 1a) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z194}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 1b) = \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z195}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z196}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2b) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z197}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z198}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z199}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z200}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, b) = \frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z201}} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z202}} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z203}} \quad \mathbb{Q}_1^{(1,1;c)}(A_2, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_1^{(b)}(A_2)$$

$$\boxed{\text{z204}} \quad \mathbb{Q}_1^{(1,1;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z205}} \quad \mathbb{G}_1^{(c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z206}} \quad \mathbb{G}_1^{(c)}(A_2, b) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z207}} \quad \mathbb{G}_1^{(c)}(A_2, c) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z208}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z209}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, b) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z210}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, c) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z211}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1a) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z212}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1b) = \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z213}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z214}} \quad \mathbb{G}_4^{(1,-1;c)}(A_2) = -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z215}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z216}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z217}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, c) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z218}} \quad \mathbb{G}_3^{(1,0;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z219}} \quad \mathbb{G}_1^{(1,1;c)}(A_2, a) = \mathbb{M}_1^{(1,1;a)}(A_2) \mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z220}} \quad \mathbb{G}_1^{(1,1;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z473}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z474}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z475}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z476}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z477}} \quad \mathbb{Q}_{1,1}^{(c)}(E, c) = \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z478}} \quad \mathbb{Q}_{1,2}^{(c)}(E, c) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z479}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z480}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z481}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z482}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z483}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1c) = -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14}$$

$$\boxed{\text{z484}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1c) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14}$$

$$\boxed{\text{z485}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1d) = \frac{\sqrt{2}\mathbb{M}_1^{(a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z486}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1d) = -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z487}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z488}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z489}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) = -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z490}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) = \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z491}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2c) = \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z492}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2c) = -\frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z493}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 1) = -\frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z494}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 1) = \frac{2\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z495}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) = \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6}$$

$$\boxed{\text{z496}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) = -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z497}} \quad \mathbb{Q}_{4,1}^{(c)}(E, 1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{7}$$

$$\boxed{\text{z498}} \quad \mathbb{Q}_{4,2}^{(c)}(E, 1) = -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{7}$$

$$\boxed{\text{z499}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E,a) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z500}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E,a) = \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z501}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E,b) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z502}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E,b) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z503}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z504}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z505}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1b) = -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,1}^{(b)}(E,1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,2}^{(b)}(E,1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E,1)}{14}$$

$$\boxed{\text{z506}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1b) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,2}^{(b)}(E,1)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{2,1}^{(b)}(E,1)}{14} + \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E,1)}{14}$$

$$\boxed{\text{z507}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1c) = \frac{\sqrt{130}\mathbb{M}_{3,1}^{(1,-1;a)}(E,2)\mathbb{M}_{1,1}^{(b)}(E)}{26} - \frac{\sqrt{130}\mathbb{M}_{3,2}^{(1,-1;a)}(E,2)\mathbb{M}_{1,2}^{(b)}(E)}{26} - \frac{\sqrt{78}\mathbb{M}_3^{(1,-1;a)}(A_2,1)\mathbb{M}_{1,2}^{(b)}(E)}{26}$$

$$\boxed{\text{z508}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1c) = -\frac{\sqrt{130}\mathbb{M}_{3,1}^{(1,-1;a)}(E,2)\mathbb{M}_{1,2}^{(b)}(E)}{26} - \frac{\sqrt{130}\mathbb{M}_{3,2}^{(1,-1;a)}(E,2)\mathbb{M}_{1,1}^{(b)}(E)}{26} + \frac{\sqrt{78}\mathbb{M}_3^{(1,-1;a)}(A_2,1)\mathbb{M}_{1,1}^{(b)}(E)}{26}$$

$$\boxed{\text{z509}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1d) = \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z510}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1d) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z511}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z512}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,2a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z513}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2b) = -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z514}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2b) = \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z515}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2c) = -\frac{\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{8} + \frac{\sqrt{15}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\sqrt{15}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,2}^{(b)}(E)}{8}$$

$$\boxed{\text{z516}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2c) = \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{8} + \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\sqrt{15}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{8} - \frac{\sqrt{15}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,1}^{(b)}(E)}{8}$$

$$\boxed{\text{z517}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2d) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z518}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2d) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z519}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z520}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1a) = \frac{2\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z521}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{12} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z522}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z523}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6}$$

$$\boxed{\text{z524}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2a) = -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z525}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2b) = \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{12} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{12} - \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4}$$

$$\boxed{\text{z526}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2b) = -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{4} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4}$$

$$\boxed{\text{z527}} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{7}$$

$$\boxed{\text{z528}} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{7}$$

$$\boxed{\text{z529}} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{39}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{26} - \frac{\sqrt{39}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{26} + \frac{\sqrt{65}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{M}_{1,2}^{(b)}(E)}{13}$$

$$\boxed{\text{z530}} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{39}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{26} - \frac{\sqrt{39}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{26} - \frac{\sqrt{65}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{M}_{1,1}^{(b)}(E)}{13}$$

$$\boxed{\text{z531}} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z532}} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z533}} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 3) = \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{8} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{8} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,2}^{(b)}(E)}{8}$$

$$\boxed{\text{z534}} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 3) = -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{8} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{8} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{8} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_{1,1}^{(b)}(E)}{8}$$

$$\boxed{\text{z535}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, a) = \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z536}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, a) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z537}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, b) = \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z538}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, b) = \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z539}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1a) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z540}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1a) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z541}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1b) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z542}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1b) = \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z543}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1c) = \frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{10} + \frac{\sqrt{30}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z544}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1c) = -\frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{M}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{M}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{30}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z545}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2a) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z546}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2a) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 1)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 1)}{2}$$

$$\boxed{\text{z547}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2b) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z548}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2b) = \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z549}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2c) = -\frac{\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z550}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2c) = \frac{\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{M}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z551}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 1) = -\frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z552}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 1) = \frac{2\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z553}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 2) = \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6}$$

$$\boxed{\text{z554}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 2) = -\frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z555}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E,a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z556}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E,a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z557}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E,b) = \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z558}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E,b) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z559}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E,1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E,1)}{2}$$

$$\boxed{\text{z560}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E,1a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E,1)}{2}$$

$$\boxed{\text{z561}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E,1b) = \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z562}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E,1b) = -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z563}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E,2) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z564}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E,2) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{M}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{M}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z565}} \quad \mathbb{G}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z566}} \quad \mathbb{G}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z567}} \quad \mathbb{G}_{2,1}^{(c)}(E,1a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z568}} \quad \mathbb{G}_{2,2}^{(c)}(E,1a) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z569}} \quad \mathbb{G}_{2,1}^{(c)}(E, 1b) = \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z570}} \quad \mathbb{G}_{2,2}^{(c)}(E, 1b) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z571}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2a) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z572}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z573}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2b) = \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z574}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2b) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z575}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z576}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z577}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z578}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z579}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{2\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{21} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{14}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z580}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1b) = -\frac{2\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{21} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{14}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z581}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1c) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z582}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1c) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z583}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2a) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z584}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z585}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2b) = -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{42} + \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{42} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z586}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2b) = \frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{42} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z587}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2c) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z588}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2c) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z589}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z590}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z591}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z592}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z593}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28} + \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z594}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z595}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z596}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z597}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E,3) = \frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{14} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2,2)\mathbb{T}_{1,2}^{(b)}(E)}{28}$$

$$\boxed{\text{z598}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E,3) = -\frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{28} - \frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{14} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2,2)\mathbb{T}_{1,1}^{(b)}(E)}{28}$$

$$\boxed{\text{z599}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E,a) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z600}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E,a) = \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z601}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E,b) = \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{M}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{M}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{M}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z602}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E,b) = -\frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{M}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{M}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{M}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z603}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,1a) = \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} + \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z604}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,1a) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_1^{(b)}(A_2)}{2} - \frac{\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z605}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,1b) = \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z606}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,1b) = -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z607}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,2a) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z608}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,2a) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z609}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E,2b) = -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z610}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E,2b) = \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z611}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z612}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z613}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z614}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z615}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z616}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

• 'A'-A' bond-cluster : A;A\_002\_1

- \* bra:  $\langle s, \uparrow |$ ,  $\langle s, \downarrow |$
- \* ket:  $|s, \uparrow \rangle$ ,  $|s, \downarrow \rangle$
- \* wyckoff: 3a@3b

$$\boxed{\text{z93}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z94}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z95}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z221}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z617}} \quad \mathbb{Q}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z618}} \quad \mathbb{Q}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z619}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z620}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z621}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z622}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z623}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z624}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

• 'A'-'A' bond-cluster : A;A\_002\_1

\* bra:  $\langle s, \uparrow |, \langle s, \downarrow |$

\* ket:  $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

\* wyckoff: 3a@3b

$$\boxed{\text{z96}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z97}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{3}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z98}} \quad \mathbb{Q}_2^{(c)}(A_1) = -\frac{\sqrt{6}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z99}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z100}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z101}} \quad \mathbb{Q}_0^{(1,0;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z102}} \quad \mathbb{Q}_0^{(1,0;c)}(A_1, b) = \frac{\sqrt{3}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z103}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1) = -\frac{\sqrt{6}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z104}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1) = \mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z105}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z106}} \quad \mathbb{G}_3^{(1,-1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z107}} \quad \mathbb{G}_0^{(1,1;c)}(A_1) = \mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z222}} \quad \mathbb{Q}_1^{(c)}(A_2) = \mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z223}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2) = \mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z224}} \quad \mathbb{G}_1^{(c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z225}} \quad \mathbb{G}_1^{(c)}(A_2, b) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z226}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z227}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, b) = \frac{\sqrt{30}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z228}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z229}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2a) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z230}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2b) = \frac{\sqrt{2}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z231}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z232}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z233}} \quad \mathbb{G}_1^{(1,1;c)}(A_2) = \mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)$$

$$\boxed{\text{z625}} \quad \mathbb{Q}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z626}} \quad \mathbb{Q}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z627}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z628}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) = -\frac{\sqrt{2}\mathbb{Q}_1^{(a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z629}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) = \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z630}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z631}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) = \frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z632}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) = -\frac{\mathbb{Q}_{1,1}^{(a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z633}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) = \frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z634}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z635}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} + \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z636}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{10}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{10}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{30}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z637}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z638}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z639}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2a) = -\frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z640}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2a) = \frac{\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z641}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2b) = -\frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z642}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2b) = \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z643}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z644}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z645}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z646}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1a) = -\frac{\sqrt{2}\mathbb{Q}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z647}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1b) = \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z648}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1b) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z649}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2a) = \frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z650}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2a) = -\frac{\mathbb{Q}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z651}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2b) = \frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z652}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2b) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z653}} \quad \mathbb{G}_{1,1}^{(c)}(E) = \frac{\mathbb{T}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z654}} \quad \mathbb{G}_{1,2}^{(c)}(E) = -\frac{\mathbb{T}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z655}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E, a) = \frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z656}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E, a) = -\frac{\sqrt{15}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{G}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z657}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E, b) = \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z658}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E, b) = \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z659}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z660}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z661}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z662}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z663}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z664}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E,1) = \frac{2\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E,1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{M}_{2,1}^{(1,-1;a)}(E,2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{M}_{2,2}^{(1,-1;a)}(E,2)\mathbb{T}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{M}_2^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z665}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E,2) = \frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{6}$$

$$\boxed{\text{z666}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E,2) = -\frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_{2,1}^{(1,-1;a)}(E,2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{M}_{2,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z667}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\mathbb{T}_{1,2}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z668}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = -\frac{\mathbb{T}_{1,1}^{(1,0;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{T}_1^{(1,0;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z669}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E,a) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z670}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E,a) = \frac{\sqrt{2}\mathbb{G}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z671}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E,b) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z672}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E,b) = \frac{\sqrt{2}\mathbb{M}_0^{(1,1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

• 'A'-A' bond-cluster : A;A\_002\_1

\* bra:  $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

\* ket:  $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

\* wyckoff: 3a@3b

$$\boxed{\text{z108}} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z109}} \quad \mathbb{Q}_2^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z110}} \quad \mathbb{Q}_3^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z111}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1) = \mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z112}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z113}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, b) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z114}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z115}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z116}} \quad \mathbb{G}_0^{(c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z117}} \quad \mathbb{G}_2^{(c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z118}} \quad \mathbb{G}_2^{(c)}(A_1, b) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z119}} \quad \mathbb{G}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z120}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z121}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, b) = \frac{\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{7} + \frac{\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{7} + \frac{\sqrt{21}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(A_2)}{7}$$

$$\boxed{\text{z122}} \quad \mathbb{G}_2^{(1,-1;c)}(A_1, c) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z123}} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 1) = -\frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14} + \frac{2\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_1^{(b)}(A_2)}{7}$$

$$\boxed{\text{z124}} \quad \mathbb{G}_4^{(1,-1;c)}(A_1, 2) = \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z125}} \quad \mathbb{G}_0^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z126}} \quad \mathbb{G}_2^{(1,0;c)}(A_1) = -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z127}} \quad \mathbb{G}_0^{(1,1;c)}(A_1) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{3} + \frac{\sqrt{3}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z128}} \quad \mathbb{G}_2^{(1,1;c)}(A_1) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{\text{z234}} \quad \mathbb{Q}_1^{(c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z235}} \quad \mathbb{Q}_1^{(c)}(A_2, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z236}} \quad \mathbb{Q}_3^{(c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z237}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z238}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_2, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z239}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 1) = \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z240}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z241}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, 2b) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E,2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E,2)\mathbb{T}_{1,1}^{(b)}(E)}{4} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z242}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z243}} \quad \mathbb{Q}_1^{(1,0;c)}(A_2, b) = \frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{30}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{10} + \frac{\sqrt{10}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z244}} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, 1) = -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E,1)\mathbb{T}_{1,2}^{(b)}(E)}{5} + \frac{\sqrt{5}\mathbb{T}_{2,2}^{(1,0;a)}(E,1)\mathbb{T}_{1,1}^{(b)}(E)}{5} + \frac{\sqrt{15}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{5}$$

$$\boxed{\text{z245}} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, 2) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z246}} \quad \mathbb{Q}_1^{(1,1;c)}(A_2) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z247}} \quad \mathbb{G}_4^{(1,-1;c)}(A_2) = -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z248}} \quad \mathbb{G}_1^{(1,0;c)}(A_2) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z673}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z674}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z675}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z676}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z677}} \quad \mathbb{Q}_{1,1}^{(c)}(E, c) = \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z678}} \quad \mathbb{Q}_{1,2}^{(c)}(E, c) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z679}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z680}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z681}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z682}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z683}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{7}$$

$$\boxed{\text{z684}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 1) = -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{7}$$

$$\boxed{\text{z685}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) = \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z686}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) = -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z687}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, a) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z688}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, a) = -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z689}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, b) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z690}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, b) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z691}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z692}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z693}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z694}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z695}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{7}$$

$$\boxed{\text{z696}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1a) = -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{7}$$

$$\boxed{\text{z697}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{12} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z698}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1b) = -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z699}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2a) = \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z700}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2a) = -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z701}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2b) = \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{12} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{12} - \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{4} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{4}$$

$$\boxed{\text{z702}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2b) = -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{4} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{4}$$

$$\boxed{\text{z703}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, a) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z704}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, a) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z705}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, b) = \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{10}$$

$$\boxed{\text{z706}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, b) = \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{10} - \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{10}$$

$$\boxed{\text{z707}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 1) = -\frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} - \frac{2\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{5}$$

$$\boxed{\text{z708}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 1) = \frac{2\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{30} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{30} + \frac{\sqrt{5}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{5}$$

$$\boxed{\text{z709}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 2) = \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6}$$

$$\boxed{\text{z710}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 2) = -\frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{\text{z711}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z712}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z713}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E, b) = \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z714}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E, b) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z715}} \quad \mathbb{G}_{2,1}^{(c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z716}} \quad \mathbb{G}_{2,2}^{(c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z717}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z718}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z719}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{2\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{21} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{14}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z720}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1a) = -\frac{2\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{21} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{14}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z721}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1b) = \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z722}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1b) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z723}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2a) = -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{42} + \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{42} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z724}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2a) = \frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{42} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{42} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{42} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z725}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2b) = \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z726}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2b) = -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z727}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28} + \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z728}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 1) = -\frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z729}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z730}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 2) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z731}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 3) = \frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{14} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E)}{28}$$

$$\boxed{\text{z732}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 3) = -\frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{28} - \frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{14} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{28} - \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E)}{28}$$

$$\boxed{\text{z733}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z734}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z735}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 1) = \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z736}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 1) = -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_1^{(b)}(A_2)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z737}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 2a) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z738}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 2a) = -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{z739} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 2b) = -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3}$$

$$\boxed{z740} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 2b) = \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_1^{(b)}(A_2)}{3} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E)}{6}$$

$$\boxed{z741} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 1) = \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} + \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{z742} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 1) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_1^{(b)}(A_2)}{2} - \frac{\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{z743} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 2) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{z744} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 2) = -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E)}{2}$$

---

### — Atomic SAMB —

---

- bra:  $\langle s, \uparrow |, \langle s, \downarrow |$
- ket:  $|s, \uparrow \rangle, |s, \downarrow \rangle$

$$\boxed{x1} \quad \mathbb{Q}_0^{(a)}(A_1) = \begin{bmatrix} \frac{\sqrt{2}}{2} & 0 \\ 0 & \frac{\sqrt{2}}{2} \end{bmatrix}$$

$$\boxed{x2} \quad \mathbb{M}_1^{(1,-1;a)}(A_2) = \begin{bmatrix} \frac{\sqrt{2}}{2} & 0 \\ 0 & -\frac{\sqrt{2}}{2} \end{bmatrix}$$

$$\boxed{x3} \quad \mathbb{M}_{1,1}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{2}}{2} \\ \frac{\sqrt{2}}{2} & 0 \end{bmatrix}$$

$$\boxed{x4} \quad \mathbb{M}_{1,2}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & -\frac{\sqrt{2}i}{2} \\ \frac{\sqrt{2}i}{2} & 0 \end{bmatrix}$$

- bra:  $\langle s, \uparrow |, \langle s, \downarrow |$

- ket:  $|p_x, \uparrow\rangle, |p_x, \downarrow\rangle, |p_y, \uparrow\rangle, |p_y, \downarrow\rangle, |p_z, \uparrow\rangle, |p_z, \downarrow\rangle$

[x5]  $\mathbb{Q}_1^{(a)}(A_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \end{bmatrix}$

[x6]  $\mathbb{Q}_{1,1}^{(a)}(E) = \begin{bmatrix} \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$

[x7]  $\mathbb{Q}_{1,2}^{(a)}(E) = \begin{bmatrix} 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{2} & 0 & 0 \end{bmatrix}$

[x8]  $\mathbb{Q}_1^{(1,0;a)}(A_2) = \begin{bmatrix} 0 & -\frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$

[x9]  $\mathbb{Q}_{1,1}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & -\frac{\sqrt{2}}{4} & 0 \end{bmatrix}$

[x10]  $\mathbb{Q}_{1,2}^{(1,0;a)}(E) = \begin{bmatrix} \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \end{bmatrix}$

[x11]  $\mathbb{G}_2^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & -\frac{\sqrt{6}i}{12} & 0 & -\frac{\sqrt{6}}{12} & \frac{\sqrt{6}i}{6} & 0 \\ -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}i}{6} \end{bmatrix}$

[x12]  $\mathbb{G}_{2,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & -\frac{\sqrt{2}}{4} & 0 \end{bmatrix}$

[x13]  $\mathbb{G}_{2,2}^{(1,-1;a)}(E, 1) = \begin{bmatrix} -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \end{bmatrix}$

[x14]  $\mathbb{G}_{2,1}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & \frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$

[x15]  $\mathbb{G}_{2,2}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & -\frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$

[x16]  $\mathbb{G}_0^{(1,1;a)}(A_1) = \begin{bmatrix} 0 & \frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & \frac{\sqrt{3}i}{6} & 0 \\ \frac{\sqrt{3}i}{6} & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} \end{bmatrix}$

$$\boxed{x17} \quad \mathbb{M}_2^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & -\frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}i}{12} & \frac{\sqrt{6}}{6} & 0 \\ -\frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & -\frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{x18} \quad \mathbb{M}_{2,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & \frac{\sqrt{2}i}{4} & 0 \end{bmatrix}$$

$$\boxed{x19} \quad \mathbb{M}_{2,2}^{(1,-1;a)}(E, 1) = \begin{bmatrix} -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \end{bmatrix}$$

$$\boxed{x20} \quad \mathbb{M}_{2,1}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x21} \quad \mathbb{M}_{2,2}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & \frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x22} \quad \mathbb{M}_0^{(1,1;a)}(A_1) = \begin{bmatrix} 0 & \frac{\sqrt{3}}{6} & 0 & -\frac{\sqrt{3}i}{6} & \frac{\sqrt{3}}{6} & 0 \\ \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{3}}{6} \end{bmatrix}$$

$$\boxed{x23} \quad \mathbb{T}_1^{(a)}(A_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{i}{2} \end{bmatrix}$$

$$\boxed{x24} \quad \mathbb{T}_{1,1}^{(a)}(E) = \begin{bmatrix} \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x25} \quad \mathbb{T}_{1,2}^{(a)}(E) = \begin{bmatrix} 0 & 0 & \frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{x26} \quad \mathbb{T}_1^{(1,0;a)}(A_2) = \begin{bmatrix} 0 & \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x27} \quad \mathbb{T}_{1,1}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & \frac{\sqrt{2}}{4} & \frac{\sqrt{2}i}{4} & 0 \end{bmatrix}$$

$$\boxed{x28} \quad \mathbb{T}_{1,2}^{(1,0;a)}(E) = \begin{bmatrix} \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \end{bmatrix}$$

- bra:  $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

- ket:  $|p_x, \uparrow\rangle, |p_x, \downarrow\rangle, |p_y, \uparrow\rangle, |p_y, \downarrow\rangle, |p_z, \uparrow\rangle, |p_z, \downarrow\rangle$

$$\boxed{x29} \quad \mathbb{Q}_0^{(a)}(A_1) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{x30} \quad \mathbb{Q}_2^{(a)}(A_1) = \begin{bmatrix} -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{3} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{3} \end{bmatrix}$$

$$\boxed{x31} \quad \mathbb{Q}_{2,1}^{(a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \\ 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{x32} \quad \mathbb{Q}_{2,2}^{(a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{1}{2} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{1}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x33} \quad \mathbb{Q}_{2,1}^{(a)}(E, 2) = \begin{bmatrix} \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{1}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x34} \quad \mathbb{Q}_{2,2}^{(a)}(E, 2) = \begin{bmatrix} 0 & 0 & -\frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{1}{2} & 0 & 0 \\ -\frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{1}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x35} \quad \mathbb{Q}_2^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & \frac{\sqrt{6}}{12} & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{12} \\ 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & \frac{\sqrt{6}i}{12} & 0 \\ 0 & \frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 \\ -\frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x36} \quad \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x37} \quad \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \end{bmatrix}$$

$$\boxed{x38} \quad \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x39} \quad \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x40} \quad \mathbb{Q}_0^{(1,1;a)}(A_1) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & -\frac{\sqrt{3}}{6} & 0 \\ \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x41} \quad \mathbb{G}_1^{(1,0;a)}(A_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x42} \quad \mathbb{G}_{1,1}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x43} \quad \mathbb{G}_{1,2}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \end{bmatrix}$$

$$\boxed{x44} \quad \mathbb{M}_1^{(a)}(A_2) = \begin{bmatrix} 0 & 0 & -\frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{i}{2} & 0 & 0 \\ \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x45} \quad \mathbb{M}_{1,1}^{(a)}(E) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & \frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{x46} \quad \mathbb{M}_{1,2}^{(a)}(E) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{i}{2} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x47} \quad \mathbb{M}_3^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x48} \quad \mathbb{M}_1^{(1,-1;a)}(A_2) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{x49} \quad \mathbb{M}_3^{(1,-1;a)}(A_2, 1) = \begin{bmatrix} -\frac{\sqrt{5}}{10} & 0 & 0 & 0 & 0 & -\frac{\sqrt{5}}{10} \\ 0 & \frac{\sqrt{5}}{10} & 0 & 0 & -\frac{\sqrt{5}}{10} & 0 \\ 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & \frac{\sqrt{5}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{5}}{10} & -\frac{\sqrt{5}i}{10} & 0 \\ 0 & -\frac{\sqrt{5}}{10} & 0 & \frac{\sqrt{5}i}{10} & \frac{\sqrt{5}}{5} & 0 \\ -\frac{\sqrt{5}}{10} & 0 & -\frac{\sqrt{5}i}{10} & 0 & 0 & -\frac{\sqrt{5}}{5} \end{bmatrix}$$

$$\boxed{x50} \quad \mathbb{M}_3^{(1,-1;a)}(A_2, 2) = \begin{bmatrix} 0 & -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x51} \quad \mathbb{M}_{1,1}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \end{bmatrix}$$

$$\boxed{x52} \quad \mathbb{M}_{1,2}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$$

$$\boxed{x53} \quad \mathbb{M}_{3,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & -\frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{60} & \frac{\sqrt{30}}{15} & 0 \\ -\frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{60} & 0 & 0 & -\frac{\sqrt{30}}{15} \\ 0 & \frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 \\ -\frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 & 0 \\ \frac{\sqrt{30}}{15} & 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{15} \\ 0 & -\frac{\sqrt{30}}{15} & 0 & 0 & \frac{\sqrt{30}}{15} & 0 \end{bmatrix}$$

$$\boxed{x54} \quad \mathbb{M}_{3,2}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & \frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 \\ -\frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{30}}{60} & 0 & \frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{15} & 0 \\ -\frac{\sqrt{30}}{60} & 0 & -\frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{15} \\ 0 & 0 & \frac{\sqrt{30}}{15} & 0 & 0 & -\frac{\sqrt{30}i}{15} \\ 0 & 0 & 0 & -\frac{\sqrt{30}}{15} & \frac{\sqrt{30}i}{15} & 0 \end{bmatrix}$$

$$\boxed{x55} \quad \mathbb{M}_{3,1}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & \frac{\sqrt{3}i}{6} & 0 \\ \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ \frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x56} \quad \mathbb{M}_{3,2}^{(1,-1;a)}(E, 2) = \begin{bmatrix} \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & -\frac{\sqrt{3}i}{6} & 0 \\ 0 & \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ \frac{\sqrt{3}}{6} & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x57} \quad \mathbb{M}_1^{(1,1;a)}(A_2) = \begin{bmatrix} -\frac{\sqrt{30}}{30} & 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{20} \\ 0 & \frac{\sqrt{30}}{30} & 0 & 0 & \frac{\sqrt{30}}{20} & 0 \\ 0 & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & -\frac{\sqrt{30}i}{20} \\ 0 & 0 & 0 & \frac{\sqrt{30}}{30} & \frac{\sqrt{30}i}{20} & 0 \\ 0 & \frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{15} & 0 \\ \frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{15} \end{bmatrix}$$

$$\boxed{x58} \quad \mathbb{M}_{1,1}^{(1,1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{30}}{15} & 0 & -\frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{20} & 0 \\ \frac{\sqrt{30}}{15} & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{20} \\ 0 & -\frac{\sqrt{30}i}{20} & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 \\ \frac{\sqrt{30}i}{20} & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & 0 \\ \frac{\sqrt{30}}{20} & 0 & 0 & 0 & 0 & -\frac{\sqrt{30}}{30} \\ 0 & -\frac{\sqrt{30}}{20} & 0 & 0 & -\frac{\sqrt{30}}{30} & 0 \end{bmatrix}$$

$$\boxed{x59} \quad \mathbb{M}_{1,2}^{(1,1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{30}i}{30} & 0 & \frac{\sqrt{30}}{20} & 0 & 0 \\ -\frac{\sqrt{30}i}{30} & 0 & \frac{\sqrt{30}}{20} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{15} & \frac{\sqrt{30}}{20} & 0 \\ \frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{15} & 0 & 0 & -\frac{\sqrt{30}}{20} \\ 0 & 0 & \frac{\sqrt{30}}{20} & 0 & 0 & \frac{\sqrt{30}i}{30} \\ 0 & 0 & 0 & -\frac{\sqrt{30}}{20} & -\frac{\sqrt{30}i}{30} & 0 \end{bmatrix}$$

$$\boxed{x60} \quad \mathbb{T}_2^{(1,0;a)}(A_1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x61} \quad \mathbb{T}_{2,1}^{(1,0;a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}i}{12} & \frac{\sqrt{6}}{12} & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ \frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 \end{bmatrix}$$

$$\boxed{x62} \quad \mathbb{T}_{2,2}^{(1,0;a)}(E, 1) = \begin{bmatrix} 0 & -\frac{\sqrt{6}i}{6} & 0 & -\frac{\sqrt{6}}{12} & 0 & 0 \\ \frac{\sqrt{6}i}{6} & 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 \\ -\frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{12} & -\frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$$

$$\boxed{x63} \quad \mathbb{T}_{2,1}^{(1,0;a)}(E, 2) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{6}i}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & \frac{\sqrt{6}i}{12} & 0 \\ -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 \\ 0 & -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 \\ \frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{x64} \quad \mathbb{T}_{2,2}^{(1,0;a)}(E, 2) = \begin{bmatrix} -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{6}i}{12} \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & -\frac{\sqrt{6}i}{12} & 0 \\ 0 & \frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}i}{12} & 0 & 0 \\ \frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 \end{bmatrix}$$

---

### Cluster SAMB

---

- Site cluster

\*\* Wyckoff: 6c

$$\boxed{y1} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[ \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6} \right]$$

$$\boxed{y2} \quad \mathbb{Q}_1^{(s)}(A_2) = \left[ \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6} \right]$$

$$\boxed{y3} \quad \mathbb{Q}_{1,1}^{(s)}(E) = \left[ \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21}, -\frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

$$\boxed{y4} \quad \mathbb{Q}_{1,2}^{(s)}(E) = \left[ \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, \frac{3\sqrt{7}}{14}, -\frac{\sqrt{7}}{14}, -\frac{\sqrt{7}}{7} \right]$$

$$\boxed{y5} \quad \mathbb{Q}_{2,1}^{(s)}(E, 1) = \left[ \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, -\frac{3\sqrt{7}}{14}, \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7} \right]$$

$$\boxed{y6} \quad \mathbb{Q}_{2,2}^{(s)}(E, 1) = \left[ -\frac{5\sqrt{21}}{42}, \frac{2\sqrt{21}}{21}, \frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

• Bond cluster

\*\* Wyckoff: 3a@3b

$$\boxed{y7} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[ \frac{\sqrt{3}}{3}, \frac{\sqrt{3}}{3}, \frac{\sqrt{3}}{3} \right]$$

$$\boxed{y8} \quad \mathbb{T}_1^{(s)}(A_2) = \left[ \frac{\sqrt{3}i}{3}, \frac{\sqrt{3}i}{3}, \frac{\sqrt{3}i}{3} \right]$$

$$\boxed{y9} \quad \mathbb{Q}_{1,1}^{(s)}(E) = \left[ \frac{\sqrt{6}}{3}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6} \right]$$

$$\boxed{y10} \quad \mathbb{Q}_{1,2}^{(s)}(E) = \left[ 0, \frac{\sqrt{2}}{2}, -\frac{\sqrt{2}}{2} \right]$$

$$\boxed{y11} \quad \mathbb{T}_{1,1}^{(s)}(E) = \left[ 0, -\frac{\sqrt{2}i}{2}, \frac{\sqrt{2}i}{2} \right]$$

$$\boxed{y12} \quad \mathbb{T}_{1,2}^{(s)}(E) = \left[ \frac{\sqrt{6}i}{3}, -\frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6} \right]$$

\*\* Wyckoff: 6a@6c

$$\boxed{y13} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[ \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y14}} \quad \mathbb{T}_0^{(s)}(A_1) = \left[ \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6} \right]$$

$$\boxed{\text{y15}} \quad \mathbb{Q}_1^{(s)}(A_2) = \left[ \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y16}} \quad \mathbb{T}_1^{(s)}(A_2) = \left[ \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6} \right]$$

$$\boxed{\text{y17}} \quad \mathbb{Q}_{1,1}^{(s)}(E) = \left[ \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21}, -\frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

$$\boxed{\text{y18}} \quad \mathbb{Q}_{1,2}^{(s)}(E) = \left[ \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, \frac{3\sqrt{7}}{14}, -\frac{\sqrt{7}}{14}, -\frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y19}} \quad \mathbb{T}_{1,1}^{(s)}(E) = \left[ \frac{5\sqrt{21}i}{42}, -\frac{2\sqrt{21}i}{21}, -\frac{\sqrt{21}i}{42}, -\frac{\sqrt{21}i}{42}, \frac{5\sqrt{21}i}{42}, -\frac{2\sqrt{21}i}{21} \right]$$

$$\boxed{\text{y20}} \quad \mathbb{T}_{1,2}^{(s)}(E) = \left[ \frac{\sqrt{7}i}{14}, \frac{\sqrt{7}i}{7}, -\frac{3\sqrt{7}i}{14}, \frac{3\sqrt{7}i}{14}, -\frac{\sqrt{7}i}{14}, -\frac{\sqrt{7}i}{7} \right]$$

$$\boxed{\text{y21}} \quad \mathbb{M}_{1,1}^{(s)}(E) = \left[ \frac{\sqrt{7}i}{14}, \frac{\sqrt{7}i}{7}, -\frac{3\sqrt{7}i}{14}, -\frac{3\sqrt{7}i}{14}, \frac{\sqrt{7}i}{14}, \frac{\sqrt{7}i}{7} \right]$$

$$\boxed{\text{y22}} \quad \mathbb{M}_{1,2}^{(s)}(E) = \left[ -\frac{5\sqrt{21}i}{42}, \frac{2\sqrt{21}i}{21}, \frac{\sqrt{21}i}{42}, -\frac{\sqrt{21}i}{42}, \frac{5\sqrt{21}i}{42}, -\frac{2\sqrt{21}i}{21} \right]$$

$$\boxed{\text{y23}} \quad \mathbb{Q}_{2,1}^{(s)}(E, 1) = \left[ \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, -\frac{3\sqrt{7}}{14}, \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y24}} \quad \mathbb{Q}_{2,2}^{(s)}(E, 1) = \left[ -\frac{5\sqrt{21}}{42}, \frac{2\sqrt{21}}{21}, \frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

Table 5: Orbital of each site

| # | site | orbital                                                                                                                                                                              |
|---|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | A    | $ s,\uparrow\rangle,  s,\downarrow\rangle,  p_x,\uparrow\rangle,  p_x,\downarrow\rangle,  p_y,\uparrow\rangle,  p_y,\downarrow\rangle,  p_z,\uparrow\rangle,  p_z,\downarrow\rangle$ |

Table 6: Neighbor and bra-ket of each bond

| # | head | tail | neighbor | head (bra) | tail (ket) |
|---|------|------|----------|------------|------------|
| 1 | A    | A    | [1,2]    | [s,p]      | [s,p]      |

---

### — Site in Unit Cell —

Sites in (conventional) cell (no plus set), SL = sublattice

Table 7: 'A' (#1) site cluster (6c), 1

| SL | position ( $s$ )                | mapping |
|----|---------------------------------|---------|
| 1  | [ 1.00000, 0.00000, 1.00000 ]   | [1]     |
| 2  | [ 0.00000, 1.00000, 1.00000 ]   | [2]     |
| 3  | [ -1.00000, -1.00000, 1.00000 ] | [3]     |

*continued ...*

Table 7

| SL | position ( $s$ )               | mapping |
|----|--------------------------------|---------|
| 4  | [ 0.00000, 1.00000, -1.00000]  | [4]     |
| 5  | [ 1.00000, 0.00000, -1.00000]  | [5]     |
| 6  | [-1.00000, -1.00000, -1.00000] | [6]     |

---

Bond in Unit Cell

---

Bonds in (conventional) cell (no plus set): tail, head = (SL, plus set), (N)D = (non)directional (listed up to 5th neighbor at most)

Table 8: 1-th 'A'-'A' [1] (#1) bond cluster (6a@6c), D,  $|\mathbf{v}|=1.73205$  (cartesian)

| SL | vector ( $\mathbf{v}$ )       | center ( $\mathbf{c}$ )        | mapping | head  | tail  | $\mathbf{R}$ (primitive) |
|----|-------------------------------|--------------------------------|---------|-------|-------|--------------------------|
| 1  | [-1.00000, 1.00000, 0.00000]  | [ 0.50000, 0.50000, 1.00000]   | [1]     | (2,1) | (1,1) | [0,0,0]                  |
| 2  | [-1.00000, -2.00000, 0.00000] | [-0.50000, 0.00000, 1.00000]   | [2]     | (3,1) | (2,1) | [0,0,0]                  |
| 3  | [ 2.00000, 1.00000, 0.00000]  | [ 0.00000, -0.50000, 1.00000]  | [3]     | (1,1) | (3,1) | [0,0,0]                  |
| 4  | [ 1.00000, -1.00000, 0.00000] | [ 0.50000, 0.50000, -1.00000]  | [4]     | (5,1) | (4,1) | [0,0,0]                  |
| 5  | [-2.00000, -1.00000, 0.00000] | [ 0.00000, -0.50000, -1.00000] | [5]     | (6,1) | (5,1) | [0,0,0]                  |
| 6  | [ 1.00000, 2.00000, 0.00000]  | [-0.50000, 0.00000, -1.00000]  | [6]     | (4,1) | (6,1) | [0,0,0]                  |

Table 9: 2-th 'A'-A' [1] (#2) bond cluster (3a@3b), ND,  $|\mathbf{v}|=2.0$  (cartesian)

| SL | vector ( $\mathbf{v}$ )       | center ( $\mathbf{c}$ )        | mapping | head  | tail  | $\mathbf{R}$ (primitive) |
|----|-------------------------------|--------------------------------|---------|-------|-------|--------------------------|
| 1  | [ 0.00000, 0.00000, -2.00000] | [ 1.00000, 0.00000, 0.00000]   | [1,-5]  | (5,1) | (1,1) | [0,0,0]                  |
| 2  | [ 0.00000, 0.00000, -2.00000] | [ 0.00000, 1.00000, 0.00000]   | [2,-4]  | (4,1) | (2,1) | [0,0,0]                  |
| 3  | [ 0.00000, 0.00000, -2.00000] | [ -1.00000, -1.00000, 0.00000] | [3,-6]  | (6,1) | (3,1) | [0,0,0]                  |