

Model for “Th”

Generated on 2026-01-18 16:54:40 by MultiPie 2.0.0

General Condition

- Basis type: jml
- SAMB selection:
 - Type: [Q, G]
 - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
 - Irrep.: [A_g , E_g , T_g , A_u , E_u , T_u]
 - Spin (s): [0, 1]
- Max. neighbor: 10
- Search cell range: (-2, 3), (-2, 3), (-2, 3)
- Toroidal priority: false

Group and Unit Cell

- Group: PG No. 29 T_h $m\bar{3}$ [cubic]
- Unit cell:
 - $a = 1.00000$, $b = 1.00000$, $c = 1.00000$, $\alpha = 90.0$, $\beta = 90.0$, $\gamma = 90.0$
- Lattice vectors (conventional cell):
 - $\mathbf{a}_1 = [1.00000, 0.00000, 0.00000]$
 - $\mathbf{a}_2 = [0.00000, 1.00000, 0.00000]$
 - $\mathbf{a}_3 = [0.00000, 0.00000, 1.00000]$

Symmetry Operation

Table 1: Symmetry operation

#	SO	#	SO	#	SO	#	SO	#	SO
1	1	2	2_{001}	3	2_{010}	4	2_{100}	5	3_{111}^+
6	3_{-11-1}^+	7	3_{1-1-1}^+	8	3_{-1-11}^+	9	3_{111}^-	10	3_{1-1-1}^-

continued ...

Table 1

#	SO	#	SO	#	SO	#	SO	#	SO
11	3^-_{-1-11}	12	3^-_{-11-1}	13	-1	14	m_{001}	15	m_{010}
16	m_{100}	17	-3^+_{111}	18	-3^+_{-11-1}	19	-3^+_{1-1-1}	20	-3^+_{-1-11}
21	-3^-_{111}	22	-3^-_{1-1-1}	23	-3^-_{-1-11}	24	-3^-_{-11-1}		

Harmonics

Table 2: Harmonics

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
1	$\mathbb{Q}_0(A_g)$	A_g	0	Q, T	-	-	1
2	$\mathbb{G}_3(A_g)$	A_g	3	G, M	-	-	$\sqrt{15}xyz$
3	$\mathbb{Q}_4(A_g)$	A_g	4	Q, T	-	-	$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$
4	$\mathbb{G}_0(A_u)$	A_u	0	G, M	-	-	1
5	$\mathbb{Q}_3(A_u)$	A_u	3	Q, T	-	-	$\sqrt{15}xyz$
6	$\mathbb{G}_4(A_u)$	A_u	4	G, M	-	-	$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$
7	$\mathbb{Q}_{2,1}(E_g)$	E_g	2	Q, T	-	1	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
8	$\mathbb{Q}_{2,2}(E_g)$					2	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
9	$\mathbb{Q}_{4,1}(E_g)$	E_g	4	Q, T	-	1	$-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$

continued ...

Table 2

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
10	$\mathbb{Q}_{4,2}(E_g)$					2	$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$
11	$\mathbb{G}_{2,1}(E_u)$	E_u	2	G, M	-	1	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
12	$\mathbb{G}_{2,2}(E_u)$					2	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
13	$\mathbb{G}_{4,1}(E_u)$	E_u	4	G, M	-	1	$-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$
14	$\mathbb{G}_{4,2}(E_u)$					2	$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$
15	$\mathbb{Q}_{5,1}(E_u)$	E_u	5	Q, T	-	1	$\frac{3\sqrt{35}xyz(x-y)(x+y)}{2}$
16	$\mathbb{Q}_{5,2}(E_u)$					2	$\frac{\sqrt{105}xyz(x^2+y^2-2z^2)}{2}$
17	$\mathbb{G}_{1,1}(T_g)$	T_g	1	G, M	-	1	x
18	$\mathbb{G}_{1,2}(T_g)$					2	y
19	$\mathbb{G}_{1,3}(T_g)$					3	z
20	$\mathbb{Q}_{2,1}(T_g)$	T_g	2	Q, T	-	1	$\sqrt{3}yz$
21	$\mathbb{Q}_{2,2}(T_g)$					2	$\sqrt{3}xz$
22	$\mathbb{Q}_{2,3}(T_g)$					3	$\sqrt{3}xy$
23	$\mathbb{G}_{3,1}(T_g, 1)$	T_g	3	G, M	1	1	$\frac{x(2x^2-3y^2-3z^2)}{2}$
24	$\mathbb{G}_{3,2}(T_g, 1)$					2	$-\frac{y(3x^2-2y^2+3z^2)}{2}$
25	$\mathbb{G}_{3,3}(T_g, 1)$					3	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
26	$\mathbb{G}_{3,1}(T_g, 2)$	T_g	3	G, M	2	1	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$
27	$\mathbb{G}_{3,2}(T_g, 2)$					2	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
28	$\mathbb{G}_{3,3}(T_g, 2)$					3	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
29	$\mathbb{Q}_{4,1}(T_g, 1)$	T_g	4	Q, T	1	1	$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$
30	$\mathbb{Q}_{4,2}(T_g, 1)$					2	$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$

continued ...

Table 2

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
31	$\mathbb{Q}_{4,3}(T_g, 1)$					3	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$
32	$\mathbb{Q}_{4,1}(T_g, 2)$	T_g	4	Q, T	2	1	$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$
33	$\mathbb{Q}_{4,2}(T_g, 2)$					2	$-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$
34	$\mathbb{Q}_{4,3}(T_g, 2)$					3	$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$
35	$\mathbb{Q}_{1,1}(T_u)$	T_u	1	Q, T	-	1	x
36	$\mathbb{Q}_{1,2}(T_u)$					2	y
37	$\mathbb{Q}_{1,3}(T_u)$					3	z
38	$\mathbb{G}_{2,1}(T_u)$	T_u	2	G, M	-	1	$\sqrt{3}yz$
39	$\mathbb{G}_{2,2}(T_u)$					2	$\sqrt{3}xz$
40	$\mathbb{G}_{2,3}(T_u)$					3	$\sqrt{3}xy$
41	$\mathbb{Q}_{3,1}(T_u, 1)$	T_u	3	Q, T	1	1	$\frac{x(2x^2-3y^2-3z^2)}{2}$
42	$\mathbb{Q}_{3,2}(T_u, 1)$					2	$-\frac{y(3x^2-2y^2+3z^2)}{2}$
43	$\mathbb{Q}_{3,3}(T_u, 1)$					3	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
44	$\mathbb{Q}_{3,1}(T_u, 2)$	T_u	3	Q, T	2	1	$\frac{\sqrt{15}x(y-z)(y+z)}{2}$
45	$\mathbb{Q}_{3,2}(T_u, 2)$					2	$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$
46	$\mathbb{Q}_{3,3}(T_u, 2)$					3	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
47	$\mathbb{G}_{4,1}(T_u, 1)$	T_u	4	G, M	1	1	$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$
48	$\mathbb{G}_{4,2}(T_u, 1)$					2	$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$
49	$\mathbb{G}_{4,3}(T_u, 1)$					3	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$
50	$\mathbb{G}_{4,1}(T_u, 2)$	T_u	4	G, M	2	1	$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$
51	$\mathbb{G}_{4,2}(T_u, 2)$					2	$-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$

continued ...

Table 2

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
52	$\mathbb{G}_{4,3}(T_u, 2)$					3	$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$
53	$\mathbb{Q}_{5,1}(T_u, 3)$	T_u	5	Q, T	3	1	$\frac{\sqrt{105}x(y-z)(y+z)(2x^2-y^2-z^2)}{4}$
54	$\mathbb{Q}_{5,2}(T_u, 3)$					2	$\frac{\sqrt{105}y(x-z)(x+z)(x^2-2y^2+z^2)}{4}$
55	$\mathbb{Q}_{5,3}(T_u, 3)$					3	$-\frac{\sqrt{105}z(x-y)(x+y)(x^2+y^2-2z^2)}{4}$

— Basis in full matrix —

Table 3: dimension = 48

#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)
1	$ \frac{1}{2}, \frac{1}{2}; p\rangle @A(1)$	2	$ \frac{1}{2}, -\frac{1}{2}; p\rangle @A(1)$	3	$ \frac{3}{2}, \frac{3}{2}; p\rangle @A(1)$	4	$ \frac{3}{2}, \frac{1}{2}; p\rangle @A(1)$	5	$ \frac{3}{2}, -\frac{1}{2}; p\rangle @A(1)$
6	$ \frac{3}{2}, -\frac{3}{2}; p\rangle @A(1)$	7	$ \frac{1}{2}, \frac{1}{2}; p\rangle @A(2)$	8	$ \frac{1}{2}, -\frac{1}{2}; p\rangle @A(2)$	9	$ \frac{3}{2}, \frac{3}{2}; p\rangle @A(2)$	10	$ \frac{3}{2}, \frac{1}{2}; p\rangle @A(2)$
11	$ \frac{3}{2}, -\frac{1}{2}; p\rangle @A(2)$	12	$ \frac{3}{2}, -\frac{3}{2}; p\rangle @A(2)$	13	$ \frac{1}{2}, \frac{1}{2}; p\rangle @A(3)$	14	$ \frac{1}{2}, -\frac{1}{2}; p\rangle @A(3)$	15	$ \frac{3}{2}, \frac{3}{2}; p\rangle @A(3)$
16	$ \frac{3}{2}, \frac{1}{2}; p\rangle @A(3)$	17	$ \frac{3}{2}, -\frac{1}{2}; p\rangle @A(3)$	18	$ \frac{3}{2}, -\frac{3}{2}; p\rangle @A(3)$	19	$ \frac{1}{2}, \frac{1}{2}; p\rangle @A(4)$	20	$ \frac{1}{2}, -\frac{1}{2}; p\rangle @A(4)$
21	$ \frac{3}{2}, \frac{3}{2}; p\rangle @A(4)$	22	$ \frac{3}{2}, \frac{1}{2}; p\rangle @A(4)$	23	$ \frac{3}{2}, -\frac{1}{2}; p\rangle @A(4)$	24	$ \frac{3}{2}, -\frac{3}{2}; p\rangle @A(4)$	25	$ \frac{1}{2}, \frac{1}{2}; p\rangle @A(5)$
26	$ \frac{1}{2}, -\frac{1}{2}; p\rangle @A(5)$	27	$ \frac{3}{2}, \frac{3}{2}; p\rangle @A(5)$	28	$ \frac{3}{2}, \frac{1}{2}; p\rangle @A(5)$	29	$ \frac{3}{2}, -\frac{1}{2}; p\rangle @A(5)$	30	$ \frac{3}{2}, -\frac{3}{2}; p\rangle @A(5)$
31	$ \frac{1}{2}, \frac{1}{2}; p\rangle @A(6)$	32	$ \frac{1}{2}, -\frac{1}{2}; p\rangle @A(6)$	33	$ \frac{3}{2}, \frac{3}{2}; p\rangle @A(6)$	34	$ \frac{3}{2}, \frac{1}{2}; p\rangle @A(6)$	35	$ \frac{3}{2}, -\frac{1}{2}; p\rangle @A(6)$
36	$ \frac{3}{2}, -\frac{3}{2}; p\rangle @A(6)$	37	$ \frac{1}{2}, \frac{1}{2}; p\rangle @A(7)$	38	$ \frac{1}{2}, -\frac{1}{2}; p\rangle @A(7)$	39	$ \frac{3}{2}, \frac{3}{2}; p\rangle @A(7)$	40	$ \frac{3}{2}, \frac{1}{2}; p\rangle @A(7)$
41	$ \frac{3}{2}, -\frac{1}{2}; p\rangle @A(7)$	42	$ \frac{3}{2}, -\frac{3}{2}; p\rangle @A(7)$	43	$ \frac{1}{2}, \frac{1}{2}; p\rangle @A(8)$	44	$ \frac{1}{2}, -\frac{1}{2}; p\rangle @A(8)$	45	$ \frac{3}{2}, \frac{3}{2}; p\rangle @A(8)$

continued ...

Table 3

#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)
46	$ \frac{3}{2}, \frac{1}{2}; p\rangle @A(8)$	47	$ \frac{3}{2}, -\frac{1}{2}; p\rangle @A(8)$	48	$ \frac{3}{2}, -\frac{3}{2}; p\rangle @A(8)$				

SAMB

230 (all 552) SAMBs

• 'A' site-cluster

* bra: $\langle \frac{1}{2}, \frac{1}{2}; p|, \langle \frac{1}{2}, -\frac{1}{2}; p|, \langle \frac{3}{2}, \frac{3}{2}; p|, \langle \frac{3}{2}, \frac{1}{2}; p|, \langle \frac{3}{2}, -\frac{1}{2}; p|, \langle \frac{3}{2}, -\frac{3}{2}; p|$ * ket: $|\frac{1}{2}, \frac{1}{2}; p\rangle, |\frac{1}{2}, -\frac{1}{2}; p\rangle, |\frac{3}{2}, \frac{3}{2}; p\rangle, |\frac{3}{2}, \frac{1}{2}; p\rangle, |\frac{3}{2}, -\frac{1}{2}; p\rangle, |\frac{3}{2}, -\frac{3}{2}; p\rangle$ * wyckoff: **8b**

$$\boxed{\text{z1}} \quad \mathbb{Q}_0^{(c)}(A_g, a) = \mathbb{Q}_0^{(a)}(A_g) \mathbb{Q}_0^{(s)}(A_g)$$

$$\boxed{\text{z2}} \quad \mathbb{Q}_0^{(c)}(A_g, b) = \frac{\sqrt{3} \mathbb{Q}_{2,1}^{(a)}(T_g) \mathbb{Q}_{2,1}^{(s)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,2}^{(a)}(T_g) \mathbb{Q}_{2,2}^{(s)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,3}^{(a)}(T_g) \mathbb{Q}_{2,3}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z3}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_g) = \frac{\sqrt{3} \mathbb{Q}_{2,1}^{(1,-1;a)}(T_g) \mathbb{Q}_{2,1}^{(s)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,2}^{(1,-1;a)}(T_g) \mathbb{Q}_{2,2}^{(s)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,3}^{(1,-1;a)}(T_g) \mathbb{Q}_{2,3}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z4}} \quad \mathbb{Q}_0^{(1,1;c)}(A_g) = \mathbb{Q}_0^{(1,1;a)}(A_g) \mathbb{Q}_0^{(s)}(A_g)$$

$$\boxed{\text{z5}} \quad \mathbb{Q}_3^{(c)}(A_u, a) = \mathbb{Q}_0^{(a)}(A_g) \mathbb{Q}_3^{(s)}(A_u)$$

$$\boxed{\text{z27}} \quad \mathbb{Q}_3^{(c)}(A_u, b) = \frac{\sqrt{3} \mathbb{Q}_{2,1}^{(a)}(T_g) \mathbb{Q}_{1,1}^{(s)}(T_u)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,2}^{(a)}(T_g) \mathbb{Q}_{1,2}^{(s)}(T_u)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,3}^{(a)}(T_g) \mathbb{Q}_{1,3}^{(s)}(T_u)}{3}$$

$$\boxed{\text{z28}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_u) = \frac{\sqrt{3} \mathbb{Q}_{2,1}^{(1,-1;a)}(T_g) \mathbb{Q}_{1,1}^{(s)}(T_u)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,2}^{(1,-1;a)}(T_g) \mathbb{Q}_{1,2}^{(s)}(T_u)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,3}^{(1,-1;a)}(T_g) \mathbb{Q}_{1,3}^{(s)}(T_u)}{3}$$

$$\boxed{\text{z29}} \quad \mathbb{Q}_3^{(1,1;c)}(A_u) = \mathbb{Q}_0^{(1,1;a)}(A_g) \mathbb{Q}_3^{(s)}(A_u)$$

$$\boxed{\text{z30}} \quad \mathbb{Q}_{2,1}^{(c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_0^{(s)}(A_g)}{2}$$

$$\boxed{\text{z31}} \quad \mathbb{Q}_{2,2}^{(c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_0^{(s)}(A_g)}{2}$$

$$\boxed{\text{z32}} \quad \mathbb{Q}_{2,1}^{(c)}(E_g, b) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z33}} \quad \mathbb{Q}_{2,2}^{(c)}(E_g, b) = -\frac{\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{2}$$

$$\boxed{\text{z34}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_0^{(s)}(A_g)}{2}$$

$$\boxed{\text{z35}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_0^{(s)}(A_g)}{2}$$

$$\boxed{\text{z36}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E_g, b) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z79}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E_g, b) = -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{2}$$

$$\boxed{\text{z80}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E_g) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{2}$$

$$\boxed{\text{z81}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E_g) = \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z82}} \quad \mathbb{Q}_{5,1}^{(c)}(E_u) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_3^{(s)}(A_u)}{2}$$

$$\boxed{\text{z83}} \quad \mathbb{Q}_{5,2}^{(c)}(E_u) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_3^{(s)}(A_u)}{2}$$

$$\boxed{\text{z84}} \quad \mathbb{Q}_{5,1}^{(1,-1;c)}(E_u) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_3^{(s)}(A_u)}{2}$$

$$\boxed{\text{z85}} \quad \mathbb{Q}_{5,2}^{(1,-1;c)}(E_u) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_3^{(s)}(A_u)}{2}$$

$$\boxed{\text{z86}} \quad \mathbb{Q}_{2,1}^{(c)}(T_g, a) = \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z87}} \quad \mathbb{Q}_{2,2}^{(c)}(T_g, a) = \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z88}} \quad \mathbb{Q}_{2,3}^{(c)}(T_g, a) = \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z89}} \quad \mathbb{Q}_{2,1}^{(c)}(T_g, b) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_0^{(s)}(A_g)}{3}$$

$$\boxed{\text{z90}} \quad \mathbb{Q}_{2,2}^{(c)}(T_g, b) = \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_0^{(s)}(A_g)}{3}$$

$$\boxed{\text{z91}} \quad \mathbb{Q}_{2,3}^{(c)}(T_g, b) = \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_0^{(s)}(A_g)}{3}$$

$$\boxed{\text{z92}} \quad \mathbb{Q}_{2,1}^{(c)}(T_g, c) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{30} - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10}$$

$$\boxed{\text{z93}} \quad \mathbb{Q}_{2,2}^{(c)}(T_g, c) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10}$$

$$\boxed{\text{z94}} \quad \mathbb{Q}_{2,3}^{(c)}(T_g, c) = -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{15} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10}$$

$$\boxed{\text{z95}} \quad \mathbb{Q}_{4,1}^{(c)}(T_g, 1) = -\frac{\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{2} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z96}} \quad \mathbb{Q}_{4,2}^{(c)}(T_g, 1) = \frac{\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{2} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z97}} \quad \mathbb{Q}_{4,3}^{(c)}(T_g, 1) = \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z98}} \quad \mathbb{Q}_{4,1}^{(c)}(T_g, 2) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{15}$$

$$\boxed{\text{z99}} \quad \mathbb{Q}_{4,2}^{(c)}(T_g, 2) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{15}$$

$$\begin{aligned}
\text{z100} \quad \mathbb{Q}_{4,3}^{(c)}(T_g, 2) &= \frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{5} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{15} \\
\text{z101} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_0^{(s)}(A_g)}{3} \\
\text{z102} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_0^{(s)}(A_g)}{3} \\
\text{z103} \quad \mathbb{Q}_{2,3}^{(1,-1;c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_0^{(s)}(A_g)}{3} \\
\text{z104} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(T_g, b) &= \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{30} - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10} \\
\text{z105} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(T_g, b) &= \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10} \\
\text{z106} \quad \mathbb{Q}_{2,3}^{(1,-1;c)}(T_g, b) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{15} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10} \\
\text{z107} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(T_g, 1) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{2} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6} \\
\text{z108} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(T_g, 1) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{2} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6} \\
\text{z109} \quad \mathbb{Q}_{4,3}^{(1,-1;c)}(T_g, 1) &= \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{3} \\
\text{z110} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(T_g, 2) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{15} \\
\text{z111} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(T_g, 2) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{15} \\
\text{z112} \quad \mathbb{Q}_{4,3}^{(1,-1;c)}(T_g, 2) &= \frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{5} + \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{15} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{15} \\
\text{z113} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(T_g) &= -\frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6}
\end{aligned}$$

$$\boxed{\text{z114}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(T_g) = \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z115}} \quad \mathbb{Q}_{2,3}^{(1,0;c)}(T_g) = -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z116}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(T_g) = \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z117}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(T_g) = \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z118}} \quad \mathbb{Q}_{2,3}^{(1,1;c)}(T_g) = \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{3}$$

$$\boxed{\text{z119}} \quad \mathbb{Q}_{1,1}^{(c)}(T_u, a) = \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{3}$$

$$\boxed{\text{z120}} \quad \mathbb{Q}_{1,2}^{(c)}(T_u, a) = \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{3}$$

$$\boxed{\text{z121}} \quad \mathbb{Q}_{1,3}^{(c)}(T_u, a) = \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3}$$

$$\boxed{\text{z122}} \quad \mathbb{Q}_{1,1}^{(c)}(T_u, b) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_3^{(s)}(A_u)}{3}$$

$$\boxed{\text{z123}} \quad \mathbb{Q}_{1,2}^{(c)}(T_u, b) = \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_3^{(s)}(A_u)}{3}$$

$$\boxed{\text{z277}} \quad \mathbb{Q}_{1,3}^{(c)}(T_u, b) = \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_3^{(s)}(A_u)}{3}$$

$$\boxed{\text{z278}} \quad \mathbb{Q}_{1,1}^{(c)}(T_u, c) = -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{10}$$

$$\boxed{\text{z279}} \quad \mathbb{Q}_{1,2}^{(c)}(T_u, c) = -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{10} - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{10}$$

$$\boxed{\text{z280}} \quad \mathbb{Q}_{1,3}^{(c)}(T_u, c) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{15} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{10}$$

$$\boxed{\text{z281}} \quad \mathbb{Q}_{3,1}^{(c)}(Tu, 1) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(Eg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(Eg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(Tg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(a)}(Tg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{15}$$

$$\boxed{\text{z297}} \quad \mathbb{Q}_{3,2}^{(c)}(Tu, 1) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(Eg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(Tg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(Eg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(a)}(Tg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{15}$$

$$\boxed{\text{z298}} \quad \mathbb{Q}_{3,3}^{(c)}(Tu, 1) = \frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(Eg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{5} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(Tg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(Tg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{15}$$

$$\boxed{\text{z299}} \quad \mathbb{Q}_{3,1}^{(c)}(Tu, 2) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(Eg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{6} - \frac{\mathbb{Q}_{2,2}^{(a)}(Eg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{6} - \frac{\mathbb{Q}_{2,2}^{(a)}(Tg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{3} + \frac{\mathbb{Q}_{2,3}^{(a)}(Tg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{3}$$

$$\boxed{\text{z300}} \quad \mathbb{Q}_{3,2}^{(c)}(Tu, 2) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(Eg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{6} + \frac{\mathbb{Q}_{2,1}^{(a)}(Tg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{3} - \frac{\mathbb{Q}_{2,2}^{(a)}(Eg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{6} - \frac{\mathbb{Q}_{2,3}^{(a)}(Tg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{3}$$

$$\boxed{\text{z301}} \quad \mathbb{Q}_{3,3}^{(c)}(Tu, 2) = -\frac{\mathbb{Q}_{2,1}^{(a)}(Tg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{3} + \frac{\mathbb{Q}_{2,2}^{(a)}(Eg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{3} + \frac{\mathbb{Q}_{2,2}^{(a)}(Tg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{3}$$

$$\boxed{\text{z302}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(Tu, a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(Tg)\mathbb{Q}_3^{(s)}(Au)}{3}$$

$$\boxed{\text{z303}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(Tu, a) = \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(Tg)\mathbb{Q}_3^{(s)}(Au)}{3}$$

$$\boxed{\text{z304}} \quad \mathbb{Q}_{1,3}^{(1,-1;c)}(Tu, a) = \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(Tg)\mathbb{Q}_3^{(s)}(Au)}{3}$$

$$\boxed{\text{z305}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(Tu, b) = -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(Eg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(Eg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{10}$$

$$\boxed{\text{z306}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(Tu, b) = -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(Eg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{10} - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(Eg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{10}$$

$$\boxed{\text{z337}} \quad \mathbb{Q}_{1,3}^{(1,-1;c)}(Tu, b) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(Eg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{15} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{10}$$

$$\boxed{\text{z338}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(Tu, 1) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(Eg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(Eg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{15}$$

$$\boxed{\text{z339}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(Tu, 1) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(Eg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,3}^{(s)}(Tu)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(Eg)\mathbb{Q}_{1,2}^{(s)}(Tu)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(1,-1;a)}(Tg)\mathbb{Q}_{1,1}^{(s)}(Tu)}{15}$$

$$\begin{aligned}
\text{z340} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 1) &= \frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{5} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{15} \\
\text{z341} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 2) &= -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3} + \frac{\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{3} \\
\text{z342} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 2) &= \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} + \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} - \frac{\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{3} \\
\text{z343} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 2) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{3} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{3} \\
\text{z344} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(T_u) &= \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} \\
\text{z345} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(T_u) &= -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} \\
\text{z346} \quad \mathbb{Q}_{1,3}^{(1,0;c)}(T_u) &= \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} \\
\text{z347} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(T_u, 2) &= -\frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_3^{(s)}(A_u)}{3} \\
\text{z348} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(T_u, 2) &= -\frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_3^{(s)}(A_u)}{3} \\
\text{z349} \quad \mathbb{Q}_{3,3}^{(1,0;c)}(T_u, 2) &= -\frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_3^{(s)}(A_u)}{3} \\
\text{z350} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(T_u) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{3} \\
\text{z351} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(T_u) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{3} \\
\text{z352} \quad \mathbb{Q}_{1,3}^{(1,1;c)}(T_u) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3} \\
\text{z353} \quad \mathbb{G}_3^{(1,0;c)}(A_g) &= \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{3}
\end{aligned}$$

$$\boxed{\text{z354}} \quad \mathbb{G}_0^{(1,0;c)}(A_u) = \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3}$$

$$\boxed{\text{z355}} \quad \mathbb{G}_{2,1}^{(c)}(E_u) = -\frac{\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{2}$$

$$\boxed{\text{z356}} \quad \mathbb{G}_{2,2}^{(c)}(E_u) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3}$$

$$\boxed{\text{z357}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E_u) = -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{2}$$

$$\boxed{\text{z358}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E_u) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3}$$

$$\boxed{\text{z359}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E_u) = -\frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3}$$

$$\boxed{\text{z360}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E_u) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{2}$$

$$\boxed{\text{z361}} \quad \mathbb{G}_{1,1}^{(c)}(T_g) = -\frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z362}} \quad \mathbb{G}_{1,2}^{(c)}(T_g) = \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z363}} \quad \mathbb{G}_{1,3}^{(c)}(T_g) = -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z364}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(T_g) = -\frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z365}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(T_g) = \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z366}} \quad \mathbb{G}_{1,3}^{(1,-1;c)}(T_g) = -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z367}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(T_g, a) = \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_0^{(s)}(A_g)}{3}$$

$$\boxed{\text{z368}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(T_g, a) = \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_0^{(s)}(A_g)}{3}$$

$$\boxed{\text{z369}} \quad \mathbb{G}_{1,3}^{(1,0;c)}(T_g, a) = \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_0^{(s)}(A_g)}{3}$$

$$\boxed{\text{z370}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(T_g, b) = \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z371}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(T_g, b) = \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(s)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z372}} \quad \mathbb{G}_{1,3}^{(1,0;c)}(T_g, b) = \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(s)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(s)}(T_g)}{6}$$

$$\boxed{\text{z373}} \quad \mathbb{G}_{2,1}^{(c)}(T_u) = \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6}$$

$$\boxed{\text{z374}} \quad \mathbb{G}_{2,2}^{(c)}(T_u) = -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6}$$

$$\boxed{\text{z375}} \quad \mathbb{G}_{2,3}^{(c)}(T_u) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6}$$

$$\boxed{\text{z376}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(T_u) = \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6}$$

$$\boxed{\text{z377}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(T_u) = -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6}$$

$$\boxed{\text{z378}} \quad \mathbb{G}_{2,3}^{(1,-1;c)}(T_u) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{3} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6}$$

$$\boxed{\text{z379}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(T_u) = \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6}$$

$$\boxed{\text{z380}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(T_u) = \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(s)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6}$$

$$\boxed{\text{z381}} \quad \mathbb{G}_{2,3}^{(1,0;c)}(T_u) = \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(s)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(s)}(T_u)}{6}$$

• 'A'-A' bond-cluster

* bra: $\langle \frac{1}{2}, \frac{1}{2}; p |, \langle \frac{1}{2}, -\frac{1}{2}; p |, \langle \frac{3}{2}, \frac{3}{2}; p |, \langle \frac{3}{2}, \frac{1}{2}; p |, \langle \frac{3}{2}, -\frac{1}{2}; p |, \langle \frac{3}{2}, -\frac{3}{2}; p |$

* ket: $|\frac{1}{2}, \frac{1}{2}; p\rangle, |\frac{1}{2}, -\frac{1}{2}; p\rangle, |\frac{3}{2}, \frac{3}{2}; p\rangle, |\frac{3}{2}, \frac{1}{2}; p\rangle, |\frac{3}{2}, -\frac{1}{2}; p\rangle, |\frac{3}{2}, -\frac{3}{2}; p\rangle$

* wyckoff: 12b@12c

$$\boxed{\text{z6}} \quad \mathbb{Q}_0^{(c)}(A_g, a) = \mathbb{Q}_0^{(a)}(A_g) \mathbb{Q}_0^{(b)}(A_g)$$

$$\boxed{\text{z7}} \quad \mathbb{Q}_0^{(c)}(A_g, b) = \frac{\sqrt{5} \mathbb{Q}_{2,1}^{(a)}(E_g) \mathbb{Q}_{2,1}^{(b)}(E_g)}{5} + \frac{\sqrt{5} \mathbb{Q}_{2,1}^{(a)}(T_g) \mathbb{Q}_{2,1}^{(b)}(T_g)}{5} + \frac{\sqrt{5} \mathbb{Q}_{2,2}^{(a)}(E_g) \mathbb{Q}_{2,2}^{(b)}(E_g)}{5} + \frac{\sqrt{5} \mathbb{Q}_{2,2}^{(a)}(T_g) \mathbb{Q}_{2,2}^{(b)}(T_g)}{5} + \frac{\sqrt{5} \mathbb{Q}_{2,3}^{(a)}(T_g) \mathbb{Q}_{2,3}^{(b)}(T_g)}{5}$$

$$\boxed{\text{z8}} \quad \mathbb{Q}_0^{(c)}(A_g, c) = \frac{\sqrt{3} \mathbb{M}_{1,1}^{(a)}(T_g) \mathbb{M}_{1,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{M}_{1,2}^{(a)}(T_g) \mathbb{M}_{1,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{M}_{1,3}^{(a)}(T_g) \mathbb{M}_{1,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z9}} \quad \mathbb{Q}_4^{(c)}(A_g) = \frac{\sqrt{30} \mathbb{Q}_{2,1}^{(a)}(E_g) \mathbb{Q}_{2,1}^{(b)}(E_g)}{10} - \frac{\sqrt{30} \mathbb{Q}_{2,1}^{(a)}(T_g) \mathbb{Q}_{2,1}^{(b)}(T_g)}{15} + \frac{\sqrt{30} \mathbb{Q}_{2,2}^{(a)}(E_g) \mathbb{Q}_{2,2}^{(b)}(E_g)}{10} - \frac{\sqrt{30} \mathbb{Q}_{2,2}^{(a)}(T_g) \mathbb{Q}_{2,2}^{(b)}(T_g)}{15} - \frac{\sqrt{30} \mathbb{Q}_{2,3}^{(a)}(T_g) \mathbb{Q}_{2,3}^{(b)}(T_g)}{15}$$

$$\boxed{\text{z10}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_g, a) = \frac{\sqrt{5} \mathbb{Q}_{2,1}^{(1,-1;a)}(E_g) \mathbb{Q}_{2,1}^{(b)}(E_g)}{5} + \frac{\sqrt{5} \mathbb{Q}_{2,1}^{(1,-1;a)}(T_g) \mathbb{Q}_{2,1}^{(b)}(T_g)}{5} + \frac{\sqrt{5} \mathbb{Q}_{2,2}^{(1,-1;a)}(E_g) \mathbb{Q}_{2,2}^{(b)}(E_g)}{5} + \frac{\sqrt{5} \mathbb{Q}_{2,2}^{(1,-1;a)}(T_g) \mathbb{Q}_{2,2}^{(b)}(T_g)}{5} + \frac{\sqrt{5} \mathbb{Q}_{2,3}^{(1,-1;a)}(T_g) \mathbb{Q}_{2,3}^{(b)}(T_g)}{5}$$

$$\boxed{\text{z11}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_g, b) = \frac{\sqrt{3} \mathbb{M}_{1,1}^{(1,-1;a)}(T_g) \mathbb{M}_{1,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{M}_{1,2}^{(1,-1;a)}(T_g) \mathbb{M}_{1,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{M}_{1,3}^{(1,-1;a)}(T_g) \mathbb{M}_{1,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z12}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_g, a) = \frac{\sqrt{30} \mathbb{Q}_{2,1}^{(1,-1;a)}(E_g) \mathbb{Q}_{2,1}^{(b)}(E_g)}{10} - \frac{\sqrt{30} \mathbb{Q}_{2,1}^{(1,-1;a)}(T_g) \mathbb{Q}_{2,1}^{(b)}(T_g)}{15} + \frac{\sqrt{30} \mathbb{Q}_{2,2}^{(1,-1;a)}(E_g) \mathbb{Q}_{2,2}^{(b)}(E_g)}{10} - \frac{\sqrt{30} \mathbb{Q}_{2,2}^{(1,-1;a)}(T_g) \mathbb{Q}_{2,2}^{(b)}(T_g)}{15} - \frac{\sqrt{30} \mathbb{Q}_{2,3}^{(1,-1;a)}(T_g) \mathbb{Q}_{2,3}^{(b)}(T_g)}{15}$$

$$\boxed{\text{z13}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_g, b) = \frac{\sqrt{3} \mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1) \mathbb{M}_{1,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1) \mathbb{M}_{1,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1) \mathbb{M}_{1,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z14}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_g, c) = -\frac{\sqrt{3} \mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2) \mathbb{T}_{2,1}^{(b)}(T_g)}{3} - \frac{\sqrt{3} \mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2) \mathbb{T}_{2,2}^{(b)}(T_g)}{3} - \frac{\sqrt{3} \mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2) \mathbb{T}_{2,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z15}} \quad \mathbb{Q}_0^{(1,0;c)}(A_g) = \frac{\sqrt{3} \mathbb{T}_{2,1}^{(1,0;a)}(T_g) \mathbb{T}_{2,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{T}_{2,2}^{(1,0;a)}(T_g) \mathbb{T}_{2,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{T}_{2,3}^{(1,0;a)}(T_g) \mathbb{T}_{2,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z16}} \quad \mathbb{Q}_0^{(1,1;c)}(A_g, a) = \mathbb{Q}_0^{(1,1;a)}(A_g) \mathbb{Q}_0^{(b)}(A_g)$$

$$\boxed{\text{z17}} \quad \mathbb{Q}_0^{(1,1;c)}(A_g, b) = \frac{\sqrt{3} \mathbb{M}_{1,1}^{(1,1;a)}(T_g) \mathbb{M}_{1,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{M}_{1,2}^{(1,1;a)}(T_g) \mathbb{M}_{1,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3} \mathbb{M}_{1,3}^{(1,1;a)}(T_g) \mathbb{M}_{1,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z18}} \quad \mathbb{Q}_3^{(c)}(A_u, a) = \frac{\sqrt{3} \mathbb{Q}_{2,1}^{(a)}(T_g) \mathbb{Q}_{1,1}^{(b)}(T_u)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,2}^{(a)}(T_g) \mathbb{Q}_{1,2}^{(b)}(T_u)}{3} + \frac{\sqrt{3} \mathbb{Q}_{2,3}^{(a)}(T_g) \mathbb{Q}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z19}} \quad \mathbb{Q}_3^{(c)}(A_u, b) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{3} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{3} - \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{3}$$

$$\boxed{\text{z20}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_u, a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z21}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_u, b) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{3} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{3} - \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{3}$$

$$\boxed{\text{z22}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_u, c) = -\frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{3} - \frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{3} - \frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z23}} \quad \mathbb{Q}_3^{(1,0;c)}(A_u, a) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2}$$

$$\boxed{\text{z24}} \quad \mathbb{Q}_3^{(1,0;c)}(A_u, b) = \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z25}} \quad \mathbb{Q}_{2,1}^{(c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{2}$$

$$\boxed{\text{z26}} \quad \mathbb{Q}_{2,2}^{(c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{2}$$

$$\boxed{\text{z37}} \quad \mathbb{Q}_{2,1}^{(c)}(E_g, b) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_0^{(b)}(A_g)}{2}$$

$$\boxed{\text{z38}} \quad \mathbb{Q}_{2,2}^{(c)}(E_g, b) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_0^{(b)}(A_g)}{2}$$

$$\boxed{\text{z39}} \quad \mathbb{Q}_{2,1}^{(c)}(E_g, c) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{7} + \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{7} + \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{7}$$

$$\boxed{\text{z40}} \quad \mathbb{Q}_{2,2}^{(c)}(E_g, c) = -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{7} - \frac{\sqrt{21}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{7} + \frac{\sqrt{21}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14}$$

$$\boxed{\text{z41}} \quad \mathbb{Q}_{2,1}^{(c)}(E_g, d) = -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z42}} \quad \mathbb{Q}_{2,2}^{(c)}(E_g, d) = \frac{\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{2}$$

$$\boxed{\text{z43}} \quad \mathbb{Q}_{2,1}^{(c)}(E_g, e) = \frac{\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{2}$$

$$\boxed{\text{z44}} \quad \mathbb{Q}_{2,2}^{(c)}(E_g, e) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z45}} \quad \mathbb{Q}_{4,1}^{(c)}(E_g) = \frac{\sqrt{21}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{14} - \frac{\sqrt{21}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{21} - \frac{\sqrt{21}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{14} - \frac{\sqrt{21}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{21} + \frac{2\sqrt{21}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{21}$$

$$\boxed{\text{z46}} \quad \mathbb{Q}_{4,2}^{(c)}(E_g) = -\frac{\sqrt{21}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{14} + \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{7} - \frac{\sqrt{21}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{7}$$

$$\boxed{\text{z47}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_0^{(b)}(A_g)}{2}$$

$$\boxed{\text{z48}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_0^{(b)}(A_g)}{2}$$

$$\boxed{\text{z49}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E_g, b) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{7} + \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{7} + \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{7}$$

$$\boxed{\text{z50}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E_g, b) = -\frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{7} - \frac{\sqrt{21}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{7} + \frac{\sqrt{21}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14}$$

$$\boxed{\text{z51}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E_g, c) = -\frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{28} - \frac{\sqrt{70}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{28} - \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{28} + \frac{\sqrt{70}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{14}$$

$$\boxed{\text{z52}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E_g, c) = \frac{3\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{28} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{84} - \frac{3\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{28} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{84} + \frac{\sqrt{210}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{42}$$

$$\boxed{\text{z53}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E_g, d) = -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{12} - \frac{\sqrt{10}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{12} - \frac{\sqrt{10}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{12} + \frac{\sqrt{10}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{6}$$

$$\boxed{\text{z54}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E_g, d) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{12} + \frac{\sqrt{30}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{12} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{12} - \frac{\sqrt{30}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{12} + \frac{\sqrt{2}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{6}$$

$$\boxed{\text{z55}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E_g, e) = -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3}$$

$$\begin{aligned}
\text{z56} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E_g, e) &= \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{2} \\
\text{z57} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E_g, f) &= \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{2} \\
\text{z58} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E_g, f) &= \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{3} \\
\text{z59} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E_g, a) &= \frac{\sqrt{21}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{14} - \frac{\sqrt{21}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{21} - \frac{\sqrt{21}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{14} - \frac{\sqrt{21}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{21} + \frac{2\sqrt{21}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{21} \\
\text{z60} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E_g, a) &= -\frac{\sqrt{21}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{14} + \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{7} - \frac{\sqrt{21}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{7} \\
\text{z61} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E_g, b) &= -\frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{84} + \frac{3\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{28} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{84} \\
&\quad - \frac{3\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{28} + \frac{\sqrt{210}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{42} \\
\text{z62} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E_g, b) &= \frac{\sqrt{70}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{28} - \frac{\sqrt{70}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{28} - \frac{\sqrt{42}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{14} \\
\text{z63} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E_g, c) &= -\frac{\sqrt{30}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{12} + \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{12} + \frac{\sqrt{30}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{12} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{12} - \frac{\sqrt{2}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} \\
\text{z64} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E_g, c) &= -\frac{\sqrt{10}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{12} - \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{12} - \frac{\sqrt{10}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{12} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{12} + \frac{\sqrt{10}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} \\
\text{z65} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E_g, a) &= \frac{\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{2} \\
\text{z66} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E_g, a) &= \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{3} \\
\text{z67} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E_g, b) &= -\frac{\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{2} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{2} \\
\text{z68} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E_g, b) &= -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3}
\end{aligned}$$

$$\boxed{\text{z69}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E_g, c) = \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z70}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E_g, c) = -\frac{\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{2} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{2}$$

$$\boxed{\text{z71}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{2}$$

$$\boxed{\text{z72}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E_g, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{2}$$

$$\boxed{\text{z73}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E_g, b) = -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z74}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E_g, b) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{2}$$

$$\boxed{\text{z75}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E_g, c) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{2}$$

$$\boxed{\text{z76}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E_g, c) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} - \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{3}$$

$$\boxed{\text{z77}} \quad \mathbb{Q}_{5,1}^{(c)}(E_u) = \frac{\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{2}$$

$$\boxed{\text{z78}} \quad \mathbb{Q}_{5,2}^{(c)}(E_u) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{3}$$

$$\boxed{\text{z124}} \quad \mathbb{Q}_{5,1}^{(1,-1;c)}(E_u, a) = \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{2}$$

$$\boxed{\text{z125}} \quad \mathbb{Q}_{5,2}^{(1,-1;c)}(E_u, a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{3}$$

$$\boxed{\text{z126}} \quad \mathbb{Q}_{5,1}^{(1,-1;c)}(E_u, b) = \frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2}$$

$$\boxed{\text{z127}} \quad \mathbb{Q}_{5,2}^{(1,-1;c)}(E_u, b) = -\frac{\sqrt{2}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2}$$

$$\begin{aligned}
\boxed{\text{z128}} \quad \mathbb{Q}_{5,1}^{(1,0;c)}(E_u) &= \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_3^{(b)}(A_u)}{2} \\
\boxed{\text{z129}} \quad \mathbb{Q}_{5,2}^{(1,0;c)}(E_u) &= -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_3^{(b)}(A_u)}{2} \\
\boxed{\text{z130}} \quad \mathbb{Q}_{2,1}^{(c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{3} \\
\boxed{\text{z131}} \quad \mathbb{Q}_{2,2}^{(c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{3} \\
\boxed{\text{z132}} \quad \mathbb{Q}_{2,3}^{(c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{3} \\
\boxed{\text{z133}} \quad \mathbb{Q}_{2,1}^{(c)}(T_g, b) &= \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_0^{(b)}(A_g)}{3} \\
\boxed{\text{z134}} \quad \mathbb{Q}_{2,2}^{(c)}(T_g, b) &= \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_0^{(b)}(A_g)}{3} \\
\boxed{\text{z135}} \quad \mathbb{Q}_{2,3}^{(c)}(T_g, b) &= \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_0^{(b)}(A_g)}{3} \\
\boxed{\text{z136}} \quad \mathbb{Q}_{2,1}^{(c)}(T_g, c) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{42} + \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{42} - \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{14} - \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14} \\
\boxed{\text{z137}} \quad \mathbb{Q}_{2,2}^{(c)}(T_g, c) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{42} + \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{42} + \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} \\
\boxed{\text{z138}} \quad \mathbb{Q}_{2,3}^{(c)}(T_g, c) &= -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{21} + \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{21} \\
\boxed{\text{z139}} \quad \mathbb{Q}_{2,1}^{(c)}(T_g, d) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} \\
\boxed{\text{z140}} \quad \mathbb{Q}_{2,2}^{(c)}(T_g, d) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\boxed{\text{z141}} \quad \mathbb{Q}_{2,3}^{(c)}(T_g, d) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6}
\end{aligned}$$

$$\boxed{\text{z142}} \quad \mathbb{Q}_{2,1}^{(c)}(T_g, e) = -\frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6}$$

$$\boxed{\text{z143}} \quad \mathbb{Q}_{2,2}^{(c)}(T_g, e) = \frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6}$$

$$\boxed{\text{z144}} \quad \mathbb{Q}_{2,3}^{(c)}(T_g, e) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6}$$

$$\boxed{\text{z145}} \quad \mathbb{Q}_{4,1}^{(c)}(T_g, 1) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{4} - \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{4} - \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{12} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{12}$$

$$\boxed{\text{z146}} \quad \mathbb{Q}_{4,2}^{(c)}(T_g, 1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{4} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{12} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{4} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{12}$$

$$\boxed{\text{z147}} \quad \mathbb{Q}_{4,3}^{(c)}(T_g, 1) = \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{6}$$

$$\boxed{\text{z148}} \quad \mathbb{Q}_{4,1}^{(c)}(T_g, 2) = -\frac{\sqrt{14}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{28} - \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{28} + \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{28} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{28} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(E_g)}{21} + \frac{\sqrt{42}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{21}$$

$$\boxed{\text{z149}} \quad \mathbb{Q}_{4,2}^{(c)}(T_g, 2) = -\frac{\sqrt{14}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{28} + \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{21} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{28} - \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{28} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{28} + \frac{\sqrt{42}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{21}$$

$$\boxed{\text{z150}} \quad \mathbb{Q}_{4,3}^{(c)}(T_g, 2) = \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{21} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{21} + \frac{\sqrt{14}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{14}$$

$$\boxed{\text{z151}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(T_g, a) = \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_0^{(b)}(A_g)}{3}$$

$$\boxed{\text{z152}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(T_g, a) = \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_0^{(b)}(A_g)}{3}$$

$$\boxed{\text{z153}} \quad \mathbb{Q}_{2,3}^{(1,-1;c)}(T_g, a) = \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_0^{(b)}(A_g)}{3}$$

$$\boxed{\text{z154}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(T_g, b) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{42} + \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{42} - \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{14} \\ - \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14}$$

$$\begin{aligned}
\text{z155} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(T_g, b) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{42} + \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14} \\
&\quad + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{42} + \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} \\
\text{z156} \quad \mathbb{Q}_{2,3}^{(1,-1;c)}(T_g, b) &= -\frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{21} + \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{14} + \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{21} \\
\text{z157} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(T_g, c) &= -\frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{21} + \frac{\sqrt{35}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{21} - \frac{\sqrt{21}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{21} - \frac{\sqrt{35}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{21} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{21} \\
\text{z158} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(T_g, c) &= -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{21} - \frac{\sqrt{35}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{21} - \frac{\sqrt{21}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{21} + \frac{\sqrt{35}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{21} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{21} \\
\text{z159} \quad \mathbb{Q}_{2,3}^{(1,-1;c)}(T_g, c) &= -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{21} + \frac{\sqrt{35}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{21} - \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{21} - \frac{\sqrt{35}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{21} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{21} \\
\text{z160} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(T_g, d) &= -\frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} \\
\text{z161} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(T_g, d) &= \frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z162} \quad \mathbb{Q}_{2,3}^{(1,-1;c)}(T_g, d) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z163} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(T_g, e) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} \\
\text{z164} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(T_g, e) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\text{z165} \quad \mathbb{Q}_{2,3}^{(1,-1;c)}(T_g, e) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\text{z166} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(T_g, f) &= -\frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} \\
\text{z167} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(T_g, f) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6}
\end{aligned}$$

$$\begin{aligned}
\text{z168} \quad \mathbb{Q}_{2,3}^{(1,-1;c)}(T_g, f) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z169} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(T_g, 1a) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{4} - \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{4} - \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{12} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{12} \\
\text{z170} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(T_g, 1a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{4} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{12} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{4} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{12} \\
\text{z171} \quad \mathbb{Q}_{4,3}^{(1,-1;c)}(T_g, 1a) &= \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{6} \\
\text{z172} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(T_g, 1b) &= \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{4} \\
\text{z173} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(T_g, 1b) &= -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{4} + \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{4} \\
\text{z174} \quad \mathbb{Q}_{4,3}^{(1,-1;c)}(T_g, 1b) &= \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{4} \\
\text{z175} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(T_g, 1c) &= -\frac{\sqrt{5}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{8} + \frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{8} - \frac{\sqrt{5}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{8} - \frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{8} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z176} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(T_g, 1c) &= -\frac{\sqrt{5}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{8} - \frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{8} - \frac{\sqrt{5}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{8} + \frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{8} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} \\
\text{z177} \quad \mathbb{Q}_{4,3}^{(1,-1;c)}(T_g, 1c) &= -\frac{\sqrt{5}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{8} + \frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{8} - \frac{\sqrt{5}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{8} - \frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{8} - \frac{\sqrt{3}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} \\
\text{z178} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(T_g, 2a) &= -\frac{\sqrt{14}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{28} - \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{28} + \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{28} \\
&\quad + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{28} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{21} + \frac{\sqrt{42}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{21} \\
\text{z179} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(T_g, 2a) &= -\frac{\sqrt{14}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{28} + \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{21} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{28} \\
&\quad - \frac{\sqrt{14}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{28} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{28} + \frac{\sqrt{42}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{21}
\end{aligned}$$

$$\begin{aligned}
\text{z180} \quad \mathbb{Q}_{4,3}^{(1,-1;c)}(T_g, 2a) &= \frac{\sqrt{14}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{21} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{21} + \frac{\sqrt{14}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{14} \\
\text{z181} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(T_g, 2b) &= -\frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{84} - \frac{3\sqrt{7}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{84} + \frac{3\sqrt{7}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{7} \\
\text{z182} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(T_g, 2b) &= -\frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{84} + \frac{3\sqrt{7}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{84} - \frac{3\sqrt{7}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{7} \\
\text{z183} \quad \mathbb{Q}_{4,3}^{(1,-1;c)}(T_g, 2b) &= -\frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{84} - \frac{3\sqrt{7}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{84} + \frac{3\sqrt{7}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{7} \\
\text{z184} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(T_g, 2c) &= -\frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} \\
\text{z185} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(T_g, 2c) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z186} \quad \mathbb{Q}_{4,3}^{(1,-1;c)}(T_g, 2c) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z187} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(T_g, a) &= -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{6} - \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{6} - \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{2}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{6} \\
\text{z188} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(T_g, a) &= \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{6} - \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{6} - \frac{\sqrt{2}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{6} \\
\text{z189} \quad \mathbb{Q}_{2,3}^{(1,0;c)}(T_g, a) &= -\frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{6} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{6} + \frac{\sqrt{2}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{3} \\
\text{z190} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(T_g, b) &= \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{2}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} \\
\text{z191} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(T_g, b) &= -\frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} + \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} - \frac{\sqrt{2}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\text{z192} \quad \mathbb{Q}_{2,3}^{(1,0;c)}(T_g, b) &= -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\text{z193} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(T_g, c) &= \frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{30} - \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{10}
\end{aligned}$$

$$\begin{aligned}
\text{z194} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(T_g, c) &= \frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{30} + \frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{10} \\
\text{z195} \quad \mathbb{Q}_{2,3}^{(1,0;c)}(T_g, c) &= -\frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{15} + \frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{10} \\
\text{z196} \quad \mathbb{Q}_{4,1}^{(1,0;c)}(T_g, 1) &= -\frac{\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{2} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z197} \quad \mathbb{Q}_{4,2}^{(1,0;c)}(T_g, 1) &= \frac{\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{2} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} \\
\text{z198} \quad \mathbb{Q}_{4,3}^{(1,0;c)}(T_g, 1) &= \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{3} \\
\text{z199} \quad \mathbb{Q}_{4,1}^{(1,0;c)}(T_g, 2) &= -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{15} \\
\text{z200} \quad \mathbb{Q}_{4,2}^{(1,0;c)}(T_g, 2) &= -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{15} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{15} \\
\text{z201} \quad \mathbb{Q}_{4,3}^{(1,0;c)}(T_g, 2) &= \frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{5} + \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{15} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{15} \\
\text{z202} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{3} \\
\text{z203} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{3} \\
\text{z204} \quad \mathbb{Q}_{2,3}^{(1,1;c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{3} \\
\text{z205} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(T_g, b) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} \\
\text{z206} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(T_g, b) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\text{z207} \quad \mathbb{Q}_{2,3}^{(1,1;c)}(T_g, b) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6}
\end{aligned}$$

$$\text{z208} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(T_g, c) = -\frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6}$$

$$\text{z209} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(T_g, c) = \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6}$$

$$\text{z210} \quad \mathbb{Q}_{2,3}^{(1,1;c)}(T_g, c) = -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6}$$

$$\text{z211} \quad \mathbb{Q}_{1,1}^{(c)}(T_u, a) = \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{3}$$

$$\text{z212} \quad \mathbb{Q}_{1,2}^{(c)}(T_u, a) = \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{3}$$

$$\text{z213} \quad \mathbb{Q}_{1,3}^{(c)}(T_u, a) = \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3}$$

$$\text{z214} \quad \mathbb{Q}_{1,1}^{(c)}(T_u, b) = -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10}$$

$$\text{z215} \quad \mathbb{Q}_{1,2}^{(c)}(T_u, b) = -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{10} - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10}$$

$$\text{z216} \quad \mathbb{Q}_{1,3}^{(c)}(T_u, b) = \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{15} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10}$$

$$\text{z217} \quad \mathbb{Q}_{1,1}^{(c)}(T_u, c) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{15}$$

$$\text{z218} \quad \mathbb{Q}_{1,2}^{(c)}(T_u, c) = -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{15}$$

$$\text{z219} \quad \mathbb{Q}_{1,3}^{(c)}(T_u, c) = \frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{5} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{15}$$

$$\text{z220} \quad \mathbb{Q}_{1,1}^{(c)}(T_u, d) = -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} + \frac{\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2}$$

$$\text{z221} \quad \mathbb{Q}_{1,2}^{(c)}(T_u, d) = -\frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} - \frac{\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2}$$

$$\begin{aligned}
\boxed{\text{z222}} \quad \mathbb{Q}_{1,3}^{(c)}(T_u, d) &= \frac{\sqrt{3}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{3} \\
\boxed{\text{z223}} \quad \mathbb{Q}_{1,1}^{(c)}(T_u, e) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} \\
\boxed{\text{z224}} \quad \mathbb{Q}_{1,2}^{(c)}(T_u, e) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z225}} \quad \mathbb{Q}_{1,3}^{(c)}(T_u, e) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z226}} \quad \mathbb{Q}_{3,1}^{(c)}(T_u, 1a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{3} \\
\boxed{\text{z227}} \quad \mathbb{Q}_{3,2}^{(c)}(T_u, 1a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{3} \\
\boxed{\text{z228}} \quad \mathbb{Q}_{3,3}^{(c)}(T_u, 1a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(a)}(A_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{3} \\
\boxed{\text{z229}} \quad \mathbb{Q}_{3,1}^{(c)}(T_u, 1b) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{15} \\
\boxed{\text{z230}} \quad \mathbb{Q}_{3,2}^{(c)}(T_u, 1b) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{15} \\
\boxed{\text{z231}} \quad \mathbb{Q}_{3,3}^{(c)}(T_u, 1b) &= \frac{\sqrt{5}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{5} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{15} \\
\boxed{\text{z232}} \quad \mathbb{Q}_{3,1}^{(c)}(T_u, 1c) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} \\
\boxed{\text{z233}} \quad \mathbb{Q}_{3,2}^{(c)}(T_u, 1c) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{10} - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} \\
\boxed{\text{z234}} \quad \mathbb{Q}_{3,3}^{(c)}(T_u, 1c) &= \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{15} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} \\
\boxed{\text{z235}} \quad \mathbb{Q}_{3,1}^{(c)}(T_u, 2a) &= -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} - \frac{\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} - \frac{\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} + \frac{\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{3}
\end{aligned}$$

$$\begin{aligned}
\text{z236} \quad \mathbb{Q}_{3,2}^{(c)}(T_u, 2a) &= \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} + \frac{\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} - \frac{\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} - \frac{\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{3} \\
\text{z237} \quad \mathbb{Q}_{3,3}^{(c)}(T_u, 2a) &= -\frac{\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{3} + \frac{\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} + \frac{\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{3} \\
\text{z238} \quad \mathbb{Q}_{3,1}^{(c)}(T_u, 2b) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{3} + \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{9} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{18} + \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{18} \\
\text{z239} \quad \mathbb{Q}_{3,2}^{(c)}(T_u, 2b) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{3} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{18} + \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{9} - \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{18} \\
\text{z240} \quad \mathbb{Q}_{3,3}^{(c)}(T_u, 2b) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{18} - \frac{2\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{9} + \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{18} \\
\text{z241} \quad \mathbb{Q}_{3,1}^{(c)}(T_u, 2c) &= -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z242} \quad \mathbb{Q}_{3,2}^{(c)}(T_u, 2c) &= -\frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z243} \quad \mathbb{Q}_{3,3}^{(c)}(T_u, 2c) &= -\frac{\sqrt{3}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z244} \quad \mathbb{Q}_{3,1}^{(c)}(T_u, 2d) &= -\frac{\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} - \frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\text{z245} \quad \mathbb{Q}_{3,2}^{(c)}(T_u, 2d) &= \frac{\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} - \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\text{z246} \quad \mathbb{Q}_{3,3}^{(c)}(T_u, 2d) &= \frac{\sqrt{3}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{3} \\
\text{z247} \quad \mathbb{Q}_{5,1}^{(c)}(T_u, 3) &= \frac{\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{18} + \frac{2\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{9} - \frac{2\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{9} \\
\text{z248} \quad \mathbb{Q}_{5,2}^{(c)}(T_u, 3) &= -\frac{\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{6} - \frac{2\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{9} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{18} + \frac{2\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{9} \\
\text{z249} \quad \mathbb{Q}_{5,3}^{(c)}(T_u, 3) &= \frac{2\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{9} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{9} - \frac{2\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{9}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z250}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(T_u, a) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10} \\
\boxed{\text{z251}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(T_u, a) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{10} - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10} \\
\boxed{\text{z252}} \quad \mathbb{Q}_{1,3}^{(1,-1;c)}(T_u, a) &= \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{15} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10} \\
\boxed{\text{z253}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(T_u, b) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{15} \\
\boxed{\text{z254}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(T_u, b) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{15} \\
\boxed{\text{z255}} \quad \mathbb{Q}_{1,3}^{(1,-1;c)}(T_u, b) &= \frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{5} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{15} \\
\boxed{\text{z256}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(T_u, c) &= \frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\boxed{\text{z257}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(T_u, c) &= \frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\boxed{\text{z258}} \quad \mathbb{Q}_{1,3}^{(1,-1;c)}(T_u, c) &= \frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\boxed{\text{z259}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(T_u, d) &= -\frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,1}^{(b)}(E_u)}{28} + \frac{3\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,2}^{(b)}(E_u)}{28} - \frac{\sqrt{70}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,1}^{(b)}(E_u)}{28} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,2}^{(b)}(E_u)}{84} \\
\boxed{\text{z260}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(T_u, d) &= -\frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,1}^{(b)}(E_u)}{28} - \frac{3\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,2}^{(b)}(E_u)}{28} + \frac{\sqrt{70}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,1}^{(b)}(E_u)}{28} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,2}^{(b)}(E_u)}{84} \\
\boxed{\text{z261}} \quad \mathbb{Q}_{1,3}^{(1,-1;c)}(T_u, d) &= \frac{\sqrt{42}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,1}^{(b)}(E_u)}{14} + \frac{\sqrt{210}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,2}^{(b)}(E_u)}{42} \\
\boxed{\text{z262}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(T_u, e) &= -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} + \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2} \\
\boxed{\text{z263}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(T_u, e) &= -\frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2}
\end{aligned}$$

$$\begin{aligned}
\text{z264} \quad \mathbb{Q}_{1,3}^{(1,-1;c)}(T_u, e) &= \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{3} \\
\text{z265} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(T_u, f) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} \\
\text{z266} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(T_u, f) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\text{z267} \quad \mathbb{Q}_{1,3}^{(1,-1;c)}(T_u, f) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\text{z268} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 1a) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10} + \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{15} \\
\text{z269} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 1a) &= -\frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{10} - \frac{\sqrt{15}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{15} \\
\text{z270} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 1a) &= \frac{\sqrt{5}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{5} - \frac{\sqrt{15}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{15} \\
\text{z271} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 1b) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} \\
\text{z272} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 1b) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{30} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{10} - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} \\
\text{z273} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 1b) &= \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{15} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{10} \\
\text{z274} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 1c) &= -\frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,1}^{(b)}(E_u)}{84} + \frac{\sqrt{70}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,2}^{(b)}(E_u)}{28} + \frac{3\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,1}^{(b)}(E_u)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,2}^{(b)}(E_u)}{28} \\
\text{z275} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 1c) &= -\frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,1}^{(b)}(E_u)}{84} - \frac{\sqrt{70}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,2}^{(b)}(E_u)}{28} - \frac{3\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,1}^{(b)}(E_u)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,2}^{(b)}(E_u)}{28} \\
\text{z276} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 1c) &= \frac{\sqrt{210}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,1}^{(b)}(E_u)}{42} - \frac{\sqrt{42}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,2}^{(b)}(E_u)}{14} \\
\text{z282} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 1d) &= -\frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{12} + \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{12}
\end{aligned}$$

$$\begin{aligned}
\text{z283} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 1d) &= \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{12} \\
\text{z284} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 1d) &= -\frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{12} + \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{12} \\
\text{z285} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 2a) &= -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} + \frac{\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{3} \\
\text{z286} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 2a) &= \frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} + \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} - \frac{\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{3} \\
\text{z287} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 2a) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{3} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{3} \\
\text{z288} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 2b) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{3} + \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{9} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{18} + \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{18} \\
\text{z289} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 2b) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{3} + \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{18} + \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{9} - \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{18} \\
\text{z290} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 2b) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{18} - \frac{2\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{9} + \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{18} \\
\text{z291} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 2c) &= -\frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z292} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 2c) &= -\frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z293} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 2c) &= -\frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z294} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 2d) &= \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} + \frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\text{z295} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 2d) &= -\frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} + \frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\text{z296} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 2d) &= -\frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{2,2}^{(b)}(E_u)}{3}
\end{aligned}$$

$$\begin{aligned}
\text{z307} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 2e) &= \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{12} + \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{3} \\
\text{z308} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 2e) &= \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{12} + \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{3} \\
\text{z309} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 2e) &= \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{12} + \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3} \\
\text{z310} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 2f) &= -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z311} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 2f) &= -\frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z312} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 2f) &= -\frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z313} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(T_u, 2g) &= -\frac{\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} - \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\text{z314} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(T_u, 2g) &= \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} - \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\text{z315} \quad \mathbb{Q}_{3,3}^{(1,-1;c)}(T_u, 2g) &= \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{3} \\
\text{z316} \quad \mathbb{Q}_{5,1}^{(1,-1;c)}(T_u, 3a) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{18} + \frac{2\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{9} - \frac{2\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{9} \\
\text{z317} \quad \mathbb{Q}_{5,2}^{(1,-1;c)}(T_u, 3a) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{6} - \frac{2\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{9} + \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{18} + \frac{2\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{9} \\
\text{z318} \quad \mathbb{Q}_{5,3}^{(1,-1;c)}(T_u, 3a) &= \frac{2\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{9} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{9} - \frac{2\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{9} \\
\text{z319} \quad \mathbb{Q}_{5,1}^{(1,-1;c)}(T_u, 3b) &= -\frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} + \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,2}^{(b)}(E_u)}{2} \\
\text{z320} \quad \mathbb{Q}_{5,2}^{(1,-1;c)}(T_u, 3b) &= -\frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} - \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,2}^{(b)}(E_u)}{2}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z321}} \quad \mathbb{Q}_{5,3}^{(1,-1;c)}(T_u, 3b) &= \frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{2,1}^{(b)}(E_u)}{3} \\
\boxed{\text{z322}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(T_u, a) &= \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} \\
\boxed{\text{z323}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(T_u, a) &= -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z324}} \quad \mathbb{Q}_{1,3}^{(1,0;c)}(T_u, a) &= \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z325}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(T_u, b) &= \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\boxed{\text{z326}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(T_u, b) &= \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\boxed{\text{z327}} \quad \mathbb{Q}_{1,3}^{(1,0;c)}(T_u, b) &= \frac{\sqrt{3}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\boxed{\text{z328}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(T_u, c) &= \frac{\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} + \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\boxed{\text{z329}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(T_u, c) &= -\frac{\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\boxed{\text{z330}} \quad \mathbb{Q}_{1,3}^{(1,0;c)}(T_u, c) &= -\frac{\sqrt{3}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{3} \\
\boxed{\text{z331}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(T_u, d) &= -\frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{30} + \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{10} \\
\boxed{\text{z332}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(T_u, d) &= -\frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{30} + \frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{10} - \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{10} \\
\boxed{\text{z333}} \quad \mathbb{Q}_{1,3}^{(1,0;c)}(T_u, d) &= \frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{15} + \frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{10} \\
\boxed{\text{z334}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(T_u, 1a) &= -\frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{6}
\end{aligned}$$

$$\begin{aligned}
\text{z335} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(T_u, 1a) &= \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{6} \\
\text{z336} \quad \mathbb{Q}_{3,3}^{(1,0;c)}(T_u, 1a) &= -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{6} \\
\text{z382} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(T_u, 1b) &= -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{10} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{15} \\
\text{z383} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(T_u, 1b) &= -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{15} \\
\text{z384} \quad \mathbb{Q}_{3,3}^{(1,0;c)}(T_u, 1b) &= \frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{5} - \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{15} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{15} \\
\text{z385} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(T_u, 2a) &= -\frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{6} \\
\text{z386} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(T_u, 2a) &= -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{6} \\
\text{z387} \quad \mathbb{Q}_{3,3}^{(1,0;c)}(T_u, 2a) &= -\frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{6} - \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{6} \\
\text{z388} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(T_u, 2b) &= -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} + \frac{\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2} \\
\text{z389} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(T_u, 2b) &= -\frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2} \\
\text{z390} \quad \mathbb{Q}_{3,3}^{(1,0;c)}(T_u, 2b) &= \frac{\sqrt{3}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{3} \\
\text{z391} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(T_u, 2c) &= -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3} + \frac{\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{3} \\
\text{z392} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(T_u, 2c) &= \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} + \frac{\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} - \frac{\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{3} \\
\text{z393} \quad \mathbb{Q}_{3,3}^{(1,0;c)}(T_u, 2c) &= -\frac{\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{3} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{3}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z394}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(T_u, a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{3} \\
\boxed{\text{z395}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(T_u, a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{3} \\
\boxed{\text{z396}} \quad \mathbb{Q}_{1,3}^{(1,1;c)}(T_u, a) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} \\
\boxed{\text{z397}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(T_u, b) &= -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} + \frac{\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2} \\
\boxed{\text{z398}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(T_u, b) &= -\frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{6} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2} \\
\boxed{\text{z399}} \quad \mathbb{Q}_{1,3}^{(1,1;c)}(T_u, b) &= \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{3} \\
\boxed{\text{z400}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(T_u, c) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} \\
\boxed{\text{z401}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(T_u, c) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z402}} \quad \mathbb{Q}_{1,3}^{(1,1;c)}(T_u, c) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z403}} \quad \mathbb{Q}_{3,1}^{(1,1;c)}(T_u, 1) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{3} \\
\boxed{\text{z404}} \quad \mathbb{Q}_{3,2}^{(1,1;c)}(T_u, 1) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{3} \\
\boxed{\text{z405}} \quad \mathbb{Q}_{3,3}^{(1,1;c)}(T_u, 1) &= \frac{\sqrt{3}\mathbb{Q}_0^{(1,1;a)}(A_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{3} \\
\boxed{\text{z406}} \quad \mathbb{Q}_{3,1}^{(1,1;c)}(T_u, 2a) &= -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\boxed{\text{z407}} \quad \mathbb{Q}_{3,2}^{(1,1;c)}(T_u, 2a) &= -\frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3}
\end{aligned}$$

$$\begin{aligned}
\text{z408} \quad \mathbb{Q}_{3,3}^{(1,1;c)}(T_u, 2a) &= -\frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_3^{(b)}(A_u)}{3} \\
\text{z409} \quad \mathbb{Q}_{3,1}^{(1,1;c)}(T_u, 2b) &= -\frac{\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} - \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\text{z410} \quad \mathbb{Q}_{3,2}^{(1,1;c)}(T_u, 2b) &= \frac{\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} - \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{6} \\
\text{z411} \quad \mathbb{Q}_{3,3}^{(1,1;c)}(T_u, 2b) &= \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{3} \\
\text{z412} \quad \mathbb{G}_3^{(c)}(A_g, a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{2} \\
\text{z413} \quad \mathbb{G}_3^{(c)}(A_g, b) &= \frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{3} \\
\text{z414} \quad \mathbb{G}_3^{(1,-1;c)}(A_g, a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{2} \\
\text{z415} \quad \mathbb{G}_3^{(1,-1;c)}(A_g, b) &= -\frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{3} - \frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{3} - \frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{3} \\
\text{z416} \quad \mathbb{G}_3^{(1,-1;c)}(A_g, c) &= -\frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{3} - \frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{3} - \frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{3} \\
\text{z417} \quad \mathbb{G}_3^{(1,-1;c)}(A_g, d) &= \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{3} \\
\text{z418} \quad \mathbb{G}_3^{(1,0;c)}(A_g, a) &= \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{3} \\
\text{z419} \quad \mathbb{G}_3^{(1,0;c)}(A_g, b) &= \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3} \\
\text{z420} \quad \mathbb{G}_3^{(1,1;c)}(A_g) &= \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{3} \\
\text{z421} \quad \mathbb{G}_0^{(c)}(A_u) &= \frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3}
\end{aligned}$$

$$\boxed{\text{z422}} \quad \mathbb{G}_0^{(1,-1;c)}(A_u, a) = \mathbb{M}_3^{(1,-1;a)}(A_g) \mathbb{T}_3^{(b)}(A_u)$$

$$\boxed{\text{z423}} \quad \mathbb{G}_0^{(1,-1;c)}(A_u, b) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g) \mathbb{T}_{1,1}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g) \mathbb{T}_{1,2}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g) \mathbb{T}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z424}} \quad \mathbb{G}_4^{(1,-1;c)}(A_u) = \frac{\sqrt{3}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1) \mathbb{T}_{1,1}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1) \mathbb{T}_{1,2}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1) \mathbb{T}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z425}} \quad \mathbb{G}_0^{(1,0;c)}(A_u, a) = \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g) \mathbb{Q}_{1,1}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g) \mathbb{Q}_{1,2}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g) \mathbb{Q}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z426}} \quad \mathbb{G}_0^{(1,0;c)}(A_u, b) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E_g) \mathbb{M}_{2,1}^{(b)}(E_u)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E_g) \mathbb{M}_{2,2}^{(b)}(E_u)}{2}$$

$$\boxed{\text{z427}} \quad \mathbb{G}_4^{(1,0;c)}(A_u) = \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g) \mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g) \mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g) \mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{3}$$

$$\boxed{\text{z428}} \quad \mathbb{G}_0^{(1,1;c)}(A_u) = \frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(T_g) \mathbb{T}_{1,1}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(T_g) \mathbb{T}_{1,2}^{(b)}(T_u)}{3} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,1;a)}(T_g) \mathbb{T}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z429}} \quad \mathbb{G}_{2,1}^{(c)}(E_u, a) = -\frac{\mathbb{Q}_{2,1}^{(a)}(T_g) \mathbb{Q}_{1,1}^{(b)}(T_u)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(T_g) \mathbb{Q}_{1,2}^{(b)}(T_u)}{2}$$

$$\boxed{\text{z430}} \quad \mathbb{G}_{2,2}^{(c)}(E_u, a) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(a)}(T_g) \mathbb{Q}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(a)}(T_g) \mathbb{Q}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(a)}(T_g) \mathbb{Q}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z431}} \quad \mathbb{G}_{2,1}^{(c)}(E_u, b) = -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(a)}(T_g) \mathbb{T}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{M}_{1,2}^{(a)}(T_g) \mathbb{T}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(a)}(T_g) \mathbb{T}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z432}} \quad \mathbb{G}_{2,2}^{(c)}(E_u, b) = \frac{\mathbb{M}_{1,1}^{(a)}(T_g) \mathbb{T}_{1,1}^{(b)}(T_u)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(T_g) \mathbb{T}_{1,2}^{(b)}(T_u)}{2}$$

$$\boxed{\text{z433}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E_u, a) = -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g) \mathbb{Q}_{1,1}^{(b)}(T_u)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g) \mathbb{Q}_{1,2}^{(b)}(T_u)}{2}$$

$$\boxed{\text{z434}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E_u, a) = -\frac{\sqrt{3}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g) \mathbb{Q}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g) \mathbb{Q}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g) \mathbb{Q}_{1,3}^{(b)}(T_u)}{3}$$

$$\boxed{\text{z435}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E_u, b) = -\frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1) \mathbb{T}_{1,1}^{(b)}(T_u)}{28} - \frac{\sqrt{70}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2) \mathbb{T}_{1,1}^{(b)}(T_u)}{28} - \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1) \mathbb{T}_{1,2}^{(b)}(T_u)}{28} + \frac{\sqrt{70}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2) \mathbb{T}_{1,2}^{(b)}(T_u)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1) \mathbb{T}_{1,3}^{(b)}(T_u)}{14}$$

$$\begin{aligned}
\text{z436} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E_u, b) &= \frac{3\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{28} - \frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{84} - \frac{3\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{28} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{84} + \frac{\sqrt{210}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{42} \\
\text{z437} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E_u, c) &= -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3} \\
\text{z438} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E_u, c) &= \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{2} \\
\text{z439} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E_u) &= -\frac{\sqrt{210}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{84} + \frac{3\sqrt{14}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{28} - \frac{\sqrt{210}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{84} - \frac{3\sqrt{14}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{28} + \frac{\sqrt{210}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{42} \\
\text{z440} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E_u) &= \frac{\sqrt{70}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{28} - \frac{\sqrt{70}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{28} + \frac{\sqrt{42}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{28} - \frac{\sqrt{42}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{14} \\
\text{z441} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E_u, a) &= -\frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} \\
\text{z442} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E_u, a) &= \frac{\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{2} \\
\text{z443} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E_u, b) &= -\frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{6} - \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{6} + \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{3,3}^{(b)}(T_u, 1)}{3} \\
\text{z444} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E_u, b) &= \frac{\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{3,1}^{(b)}(T_u, 1)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{3,2}^{(b)}(T_u, 1)}{2} \\
\text{z445} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E_u, c) &= \frac{\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2} \\
\text{z446} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E_u, c) &= -\frac{\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{2,2}^{(b)}(E_u)}{2} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{2,1}^{(b)}(E_u)}{2} \\
\text{z447} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E_u, d) &= -\frac{\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{2} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{2} \\
\text{z448} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E_u, d) &= -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3} \\
\text{z449} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E_u) &= -\frac{\sqrt{3}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{3}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{3}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z450}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E_u) &= \frac{\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{2} \\
\boxed{\text{z451}} \quad \mathbb{G}_{1,1}^{(c)}(T_g, a) &= -\frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{10} + \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{30} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{30} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{30} + \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{30} \\
\boxed{\text{z452}} \quad \mathbb{G}_{1,2}^{(c)}(T_g, a) &= \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{10} + \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{30} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{30} - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{10} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{30} - \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{30} \\
\boxed{\text{z453}} \quad \mathbb{G}_{1,3}^{(c)}(T_g, a) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{30} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{15} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{30} - \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{15} \\
\boxed{\text{z454}} \quad \mathbb{G}_{1,1}^{(c)}(T_g, b) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} \\
\boxed{\text{z455}} \quad \mathbb{G}_{1,2}^{(c)}(T_g, b) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\boxed{\text{z456}} \quad \mathbb{G}_{1,3}^{(c)}(T_g, b) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\boxed{\text{z457}} \quad \mathbb{G}_{1,1}^{(c)}(T_g, c) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} \\
\boxed{\text{z458}} \quad \mathbb{G}_{1,2}^{(c)}(T_g, c) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\boxed{\text{z459}} \quad \mathbb{G}_{1,3}^{(c)}(T_g, c) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\boxed{\text{z460}} \quad \mathbb{G}_{3,1}^{(c)}(T_g, 1) &= \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{20} - \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{20} - \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{60} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{60} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{15} + \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{15} \\
\boxed{\text{z461}} \quad \mathbb{G}_{3,2}^{(c)}(T_g, 1) &= -\frac{\sqrt{10}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{20} + \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{15} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{60} + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{20} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{60} - \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{15} \\
\boxed{\text{z462}} \quad \mathbb{G}_{3,3}^{(c)}(T_g, 1) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{15} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{30} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{15} + \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{30} \\
\boxed{\text{z463}} \quad \mathbb{G}_{3,1}^{(c)}(T_g, 2) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{12} - \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{12} + \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{4} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{4}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z464}} \quad \mathbb{G}_{3,2}^{(c)}(T_g, 2) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{12} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{4} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{12} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{4} \\
\boxed{\text{z465}} \quad \mathbb{G}_{3,3}^{(c)}(T_g, 2) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{6} \\
\boxed{\text{z466}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(T_g, a) &= -\frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{10} + \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{30} \\
&\quad - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{30} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{30} + \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{30} \\
\boxed{\text{z467}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(T_g, a) &= \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{10} + \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{30} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{30} \\
&\quad - \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{10} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{30} - \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{30} \\
\boxed{\text{z468}} \quad \mathbb{G}_{1,3}^{(1,-1;c)}(T_g, a) &= -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{30} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{15} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{30} - \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{15} \\
\boxed{\text{z469}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(T_g, b) &= -\frac{21\sqrt{79}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{632} - \frac{13\sqrt{1185}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{1896} - \frac{21\sqrt{79}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{632} \\
&\quad + \frac{13\sqrt{1185}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{1896} + \frac{\sqrt{1185}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{158} \\
\boxed{\text{z470}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(T_g, b) &= -\frac{21\sqrt{79}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{632} + \frac{13\sqrt{1185}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{1896} - \frac{21\sqrt{79}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{632} \\
&\quad - \frac{13\sqrt{1185}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{1896} + \frac{\sqrt{1185}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{158} \\
\boxed{\text{z471}} \quad \mathbb{G}_{1,3}^{(1,-1;c)}(T_g, b) &= -\frac{21\sqrt{79}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{632} - \frac{13\sqrt{1185}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{1896} - \frac{21\sqrt{79}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{632} \\
&\quad + \frac{13\sqrt{1185}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{1896} + \frac{\sqrt{1185}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{158} \\
\boxed{\text{z472}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(T_g, c) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} \\
\boxed{\text{z473}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(T_g, c) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6}
\end{aligned}$$

$$\boxed{\text{z474}} \quad \mathbb{G}_{1,3}^{(1,-1;c)}(T_g, c) = \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6}$$

$$\boxed{\text{z475}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(T_g, d) = \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6}$$

$$\boxed{\text{z476}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(T_g, d) = \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6}$$

$$\boxed{\text{z477}} \quad \mathbb{G}_{1,3}^{(1,-1;c)}(T_g, d) = \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6}$$

$$\boxed{\text{z478}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(T_g, 1a) = \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{20} - \frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{20} - \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{60} \\ + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{60} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{15} + \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{15}$$

$$\boxed{\text{z479}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(T_g, 1a) = -\frac{\sqrt{10}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{20} + \frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{15} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{60} \\ + \frac{\sqrt{10}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{20} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{60} - \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{15}$$

$$\boxed{\text{z480}} \quad \mathbb{G}_{3,3}^{(1,-1;c)}(T_g, 1a) = -\frac{\sqrt{30}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{15} - \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{30} + \frac{\sqrt{30}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{15} + \frac{\sqrt{30}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{30}$$

$$\boxed{\text{z481}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(T_g, 1b) = -\frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{12} + \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{12}$$

$$\boxed{\text{z482}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(T_g, 1b) = \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{12}$$

$$\boxed{\text{z483}} \quad \mathbb{G}_{3,3}^{(1,-1;c)}(T_g, 1b) = -\frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{12} + \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{12}$$

$$\boxed{\text{z484}} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(T_g, 1c) = \frac{\sqrt{1185}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{948} - \frac{9\sqrt{79}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{316} + \frac{\sqrt{1185}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{948} + \frac{9\sqrt{79}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{316} - \frac{4\sqrt{79}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{79}$$

$$\boxed{\text{z485}} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(T_g, 1c) = \frac{\sqrt{1185}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,3}^{(b)}(T_g)}{948} + \frac{9\sqrt{79}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,3}^{(b)}(T_g)}{316} + \frac{\sqrt{1185}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{948} - \frac{9\sqrt{79}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{316} - \frac{4\sqrt{79}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{79}$$

$$\begin{aligned}
\text{z486} \quad \mathbb{G}_{3,3}^{(1,-1;c)}(T_g, 1c) &= \frac{\sqrt{1185}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,2}^{(b)}(T_g)}{948} - \frac{9\sqrt{79}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,2}^{(b)}(T_g)}{316} + \frac{\sqrt{1185}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{2,1}^{(b)}(T_g)}{948} + \frac{9\sqrt{79}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{2,1}^{(b)}(T_g)}{316} - \frac{4\sqrt{79}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{79} \\
\text{z487} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(T_g, 2a) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{12} - \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{12} + \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{4} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{4} \\
\text{z488} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(T_g, 2a) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{12} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{4} - \frac{\sqrt{6}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{12} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{4} \\
\text{z489} \quad \mathbb{G}_{3,3}^{(1,-1;c)}(T_g, 2a) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{6} \\
\text{z490} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(T_g, 2b) &= \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{12} + \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{3} \\
\text{z491} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(T_g, 2b) &= \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,3}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,3}^{(b)}(T_g)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{12} + \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{3} \\
\text{z492} \quad \mathbb{G}_{3,3}^{(1,-1;c)}(T_g, 2b) &= \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,2}^{(b)}(T_g)}{12} + \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,2}^{(b)}(T_g)}{12} + \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{M}_{1,1}^{(b)}(T_g)}{12} - \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{M}_{1,1}^{(b)}(T_g)}{12} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3} \\
\text{z493} \quad \mathbb{G}_{1,1}^{(1,0;c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_0^{(b)}(A_g)}{3} \\
\text{z494} \quad \mathbb{G}_{1,2}^{(1,0;c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_0^{(b)}(A_g)}{3} \\
\text{z495} \quad \mathbb{G}_{1,3}^{(1,0;c)}(T_g, a) &= \frac{\sqrt{3}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_0^{(b)}(A_g)}{3} \\
\text{z496} \quad \mathbb{G}_{1,1}^{(1,0;c)}(T_g, b) &= -\frac{\sqrt{30}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{30} + \frac{\sqrt{10}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{10} + \frac{\sqrt{10}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{10} \\
\text{z497} \quad \mathbb{G}_{1,2}^{(1,0;c)}(T_g, b) &= \frac{\sqrt{10}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{10} - \frac{\sqrt{30}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{30} - \frac{\sqrt{10}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{10} + \frac{\sqrt{10}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{10} \\
\text{z498} \quad \mathbb{G}_{1,3}^{(1,0;c)}(T_g, b) &= \frac{\sqrt{10}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{10} + \frac{\sqrt{30}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{15} \\
\text{z499} \quad \mathbb{G}_{1,1}^{(1,0;c)}(T_g, c) &= -\frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{30} + \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{10}
\end{aligned}$$

$$\begin{aligned}
\text{z500} \quad \mathbb{G}_{1,2}^{(1,0;c)}(T_g, c) &= -\frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{30} + \frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{10} - \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{10} \\
\text{z501} \quad \mathbb{G}_{1,3}^{(1,0;c)}(T_g, c) &= \frac{\sqrt{30}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{15} + \frac{\sqrt{10}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{10} + \frac{\sqrt{10}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{10} \\
\text{z502} \quad \mathbb{G}_{1,1}^{(1,0;c)}(T_g, d) &= -\frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} \\
\text{z503} \quad \mathbb{G}_{1,2}^{(1,0;c)}(T_g, d) &= \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z504} \quad \mathbb{G}_{1,3}^{(1,0;c)}(T_g, d) &= -\frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z505} \quad \mathbb{G}_{3,1}^{(1,0;c)}(T_g, 1a) &= -\frac{\sqrt{5}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{10} + \frac{\sqrt{15}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{10} - \frac{\sqrt{15}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{15} - \frac{\sqrt{15}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{15} \\
\text{z506} \quad \mathbb{G}_{3,2}^{(1,0;c)}(T_g, 1a) &= -\frac{\sqrt{15}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{15} - \frac{\sqrt{5}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{10} - \frac{\sqrt{15}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{10} - \frac{\sqrt{15}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{15} \\
\text{z507} \quad \mathbb{G}_{3,3}^{(1,0;c)}(T_g, 1a) &= -\frac{\sqrt{15}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{15} - \frac{\sqrt{15}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{15} + \frac{\sqrt{5}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{5} \\
\text{z508} \quad \mathbb{G}_{3,1}^{(1,0;c)}(T_g, 1b) &= -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{10} + \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{15} - \frac{\sqrt{15}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{15} \\
\text{z509} \quad \mathbb{G}_{3,2}^{(1,0;c)}(T_g, 1b) &= -\frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{15} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{10} - \frac{\sqrt{15}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{15} \\
\text{z510} \quad \mathbb{G}_{3,3}^{(1,0;c)}(T_g, 1b) &= \frac{\sqrt{5}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{5} - \frac{\sqrt{15}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{15} - \frac{\sqrt{15}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{15} \\
\text{z511} \quad \mathbb{G}_{3,1}^{(1,0;c)}(T_g, 2a) &= -\frac{\sqrt{3}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{6} - \frac{\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{6} + \frac{\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{3} - \frac{\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{3} \\
\text{z512} \quad \mathbb{G}_{3,2}^{(1,0;c)}(T_g, 2a) &= -\frac{\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,3}^{(b)}(T_g)}{3} + \frac{\sqrt{3}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(E_g)}{6} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{6} + \frac{\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{3} \\
\text{z513} \quad \mathbb{G}_{3,3}^{(1,0;c)}(T_g, 2a) &= \frac{\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(T_g)}{3} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{2,1}^{(b)}(T_g)}{3} + \frac{\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{2,2}^{(b)}(E_g)}{3}
\end{aligned}$$

$$\begin{aligned}
\text{z514} \quad \mathbb{G}_{3,1}^{(1,0;c)}(T_g, 2b) &= -\frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3} + \frac{\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{3} \\
\text{z515} \quad \mathbb{G}_{3,2}^{(1,0;c)}(T_g, 2b) &= \frac{\sqrt{3}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} + \frac{\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} - \frac{\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{3} \\
\text{z516} \quad \mathbb{G}_{3,3}^{(1,0;c)}(T_g, 2b) &= -\frac{\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{3} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{3} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{3} \\
\text{z517} \quad \mathbb{G}_{1,1}^{(1,1;c)}(T_g, a) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} \\
\text{z518} \quad \mathbb{G}_{1,2}^{(1,1;c)}(T_g, a) &= -\frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{1,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\text{z519} \quad \mathbb{G}_{1,3}^{(1,1;c)}(T_g, a) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{M}_{1,2}^{(b)}(T_g)}{6} - \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{M}_{1,1}^{(b)}(T_g)}{6} \\
\text{z520} \quad \mathbb{G}_{1,1}^{(1,1;c)}(T_g, b) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} \\
\text{z521} \quad \mathbb{G}_{1,2}^{(1,1;c)}(T_g, b) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{2,3}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z522} \quad \mathbb{G}_{1,3}^{(1,1;c)}(T_g, b) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{2,2}^{(b)}(T_g)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{2,1}^{(b)}(T_g)}{6} \\
\text{z523} \quad \mathbb{G}_{2,1}^{(c)}(T_u, a) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} \\
\text{z524} \quad \mathbb{G}_{2,2}^{(c)}(T_u, a) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,3}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} \\
\text{z525} \quad \mathbb{G}_{2,3}^{(c)}(T_u, a) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} \\
\text{z526} \quad \mathbb{G}_{2,1}^{(c)}(T_u, b) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} \\
\text{z527} \quad \mathbb{G}_{2,2}^{(c)}(T_u, b) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6}
\end{aligned}$$

$$\begin{aligned}
\text{z528} \quad \mathbb{G}_{2,3}^{(c)}(T_u, b) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\text{z529} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(T_u, a) &= \frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} \\
\text{z530} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(T_u, a) &= -\frac{\sqrt{6}\mathbb{Q}_{2,1}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,3}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} \\
\text{z531} \quad \mathbb{G}_{2,3}^{(1,-1;c)}(T_u, a) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{3} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} \\
\text{z532} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(T_u, b) &= -\frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{21} + \frac{\sqrt{35}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{21} - \frac{\sqrt{21}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{21} - \frac{\sqrt{35}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{21} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{21} \\
\text{z533} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(T_u, b) &= -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{21} - \frac{\sqrt{35}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{21} - \frac{\sqrt{21}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{21} + \frac{\sqrt{35}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{21} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{21} \\
\text{z534} \quad \mathbb{G}_{2,3}^{(1,-1;c)}(T_u, b) &= -\frac{\sqrt{21}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{21} + \frac{\sqrt{35}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{21} - \frac{\sqrt{21}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{21} - \frac{\sqrt{35}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{21} + \frac{\sqrt{35}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{21} \\
\text{z535} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(T_u, c) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} \\
\text{z536} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(T_u, c) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,-1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\text{z537} \quad \mathbb{G}_{2,3}^{(1,-1;c)}(T_u, c) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,-1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,-1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\text{z538} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(T_u, 1) &= \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{4} \\
\text{z539} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(T_u, 1) &= -\frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{4} + \frac{\sqrt{15}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{4} \\
\text{z540} \quad \mathbb{G}_{4,3}^{(1,-1;c)}(T_u, 1) &= \frac{\sqrt{15}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{4} - \frac{\sqrt{15}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{12} - \frac{\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{4} \\
\text{z541} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(T_u, 2) &= -\frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{84} - \frac{3\sqrt{7}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{84} + \frac{3\sqrt{7}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{7}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z542}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(T_u, 2) &= -\frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,3}^{(b)}(T_u)}{84} + \frac{3\sqrt{7}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,3}^{(b)}(T_u)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{84} - \frac{3\sqrt{7}\mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{7} \\
\boxed{\text{z543}} \quad \mathbb{G}_{4,3}^{(1,-1;c)}(T_u, 2) &= -\frac{\sqrt{105}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,2}^{(b)}(T_u)}{84} - \frac{3\sqrt{7}\mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,2}^{(b)}(T_u)}{28} - \frac{\sqrt{105}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1)\mathbb{T}_{1,1}^{(b)}(T_u)}{84} + \frac{3\sqrt{7}\mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2)\mathbb{T}_{1,1}^{(b)}(T_u)}{28} + \frac{\sqrt{7}\mathbb{M}_3^{(1,-1;a)}(A_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{7} \\
\boxed{\text{z544}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(T_u, a) &= \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} \\
\boxed{\text{z545}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(T_u, a) &= \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,3}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z546}} \quad \mathbb{G}_{2,3}^{(1,0;c)}(T_u, a) &= \frac{\sqrt{6}\mathbb{G}_{1,1}^{(1,0;a)}(T_g)\mathbb{Q}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{G}_{1,2}^{(1,0;a)}(T_g)\mathbb{Q}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z547}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(T_u, b) &= \frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} \\
\boxed{\text{z548}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(T_u, b) &= -\frac{\sqrt{6}\mathbb{T}_{2,1}^{(1,0;a)}(E_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{T}_{2,3}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z549}} \quad \mathbb{G}_{2,3}^{(1,0;c)}(T_u, b) &= -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} - \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{3} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z550}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(T_u) &= \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} \\
\boxed{\text{z551}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(T_u) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{1,3}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,3}^{(1,1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6} \\
\boxed{\text{z552}} \quad \mathbb{G}_{2,3}^{(1,1;c)}(T_u) &= \frac{\sqrt{6}\mathbb{M}_{1,1}^{(1,1;a)}(T_g)\mathbb{T}_{1,2}^{(b)}(T_u)}{6} + \frac{\sqrt{6}\mathbb{M}_{1,2}^{(1,1;a)}(T_g)\mathbb{T}_{1,1}^{(b)}(T_u)}{6}
\end{aligned}$$

— Atomic SAMB —

- bra: $\langle \frac{1}{2}, \frac{1}{2}; p |, \langle \frac{1}{2}, -\frac{1}{2}; p |, \langle \frac{3}{2}, \frac{3}{2}; p |, \langle \frac{3}{2}, \frac{1}{2}; p |, \langle \frac{3}{2}, -\frac{1}{2}; p |, \langle \frac{3}{2}, -\frac{3}{2}; p |$

- ket: $|\frac{1}{2}, \frac{1}{2}; p\rangle, |\frac{1}{2}, -\frac{1}{2}; p\rangle, |\frac{3}{2}, \frac{3}{2}; p\rangle, |\frac{3}{2}, \frac{1}{2}; p\rangle, |\frac{3}{2}, -\frac{1}{2}; p\rangle, |\frac{3}{2}, -\frac{3}{2}; p\rangle$

$$\boxed{\text{x1}} \quad \mathbb{Q}_0^{(a)}(A_g) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{\text{x2}} \quad \mathbb{Q}_{2,1}^{(a)}(E_g) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}}{6} \end{bmatrix}$$

$$\boxed{\text{x3}} \quad \mathbb{Q}_{2,2}^{(a)}(E_g) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}}{6} \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x4}} \quad \mathbb{Q}_{2,1}^{(a)}(T_g) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{6}i}{12} \\ -\frac{\sqrt{6}i}{12} & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & \frac{\sqrt{6}i}{12} & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x5}} \quad \mathbb{Q}_{2,2}^{(a)}(T_g) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{6}}{12} \\ \frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & -\frac{\sqrt{2}}{4} & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & \frac{\sqrt{6}}{12} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x6}} \quad \mathbb{Q}_{2,3}^{(a)}(T_g) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} \\ 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x7}} \quad \mathbb{Q}_{2,1}^{(1,-1;a)}(E_g) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{\text{x8}} \quad \mathbb{Q}_{2,2}^{(1,-1;a)}(E_g) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}}{6} \\ 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x9}} \quad \mathbb{Q}_{2,1}^{(1,-1;a)}(T_g) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{3}i}{12} & 0 & \frac{i}{4} & 0 \\ 0 & 0 & 0 & -\frac{i}{4} & 0 & -\frac{\sqrt{3}i}{12} \\ -\frac{\sqrt{3}i}{12} & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & \frac{i}{4} & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ -\frac{i}{4} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & \frac{\sqrt{3}i}{12} & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x10}} \quad \mathbb{Q}_{2,2}^{(1,-1;a)}(T_g) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{3}}{12} & 0 & -\frac{1}{4} & 0 \\ 0 & 0 & 0 & -\frac{1}{4} & 0 & \frac{\sqrt{3}}{12} \\ \frac{\sqrt{3}}{12} & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & -\frac{1}{4} & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ -\frac{1}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & \frac{\sqrt{3}}{12} & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x11}} \quad \mathbb{Q}_{2,3}^{(1,-1;a)}(T_g) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}i}{6} \\ 0 & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ -\frac{\sqrt{3}i}{6} & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x12}} \quad \mathbb{Q}_0^{(1,1;a)}(A_g) = \begin{bmatrix} -\frac{\sqrt{3}}{3} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{3} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \end{bmatrix}$$

$$\boxed{\text{x13}} \quad \mathbb{G}_{1,1}^{(1,0;a)}(T_g) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{3}i}{4} & 0 & -\frac{i}{4} & 0 \\ 0 & 0 & 0 & \frac{i}{4} & 0 & -\frac{\sqrt{3}i}{4} \\ -\frac{\sqrt{3}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{i}{4} & 0 & 0 & 0 & 0 \\ \frac{i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{3}i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x14}} \quad \mathbb{G}_{1,2}^{(1,0;a)}(T_g) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{3}}{4} & 0 & -\frac{1}{4} & 0 \\ 0 & 0 & 0 & -\frac{1}{4} & 0 & -\frac{\sqrt{3}}{4} \\ -\frac{\sqrt{3}}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{1}{4} & 0 & 0 & 0 & 0 \\ -\frac{1}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x15}} \quad \mathbb{G}_{1,3}^{(1,0;a)}(T_g) = \begin{bmatrix} 0 & 0 & 0 & -\frac{i}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x16}} \quad \mathbb{M}_{1,1}^{(a)}(T_g) = \begin{bmatrix} 0 & \frac{1}{3} & -\frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{2}}{12} & 0 \\ \frac{1}{3} & 0 & 0 & -\frac{\sqrt{2}}{12} & 0 & \frac{\sqrt{6}}{12} \\ -\frac{\sqrt{6}}{12} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & -\frac{\sqrt{2}}{12} & \frac{\sqrt{3}}{6} & 0 & \frac{1}{3} & 0 \\ \frac{\sqrt{2}}{12} & 0 & 0 & \frac{1}{3} & 0 & \frac{\sqrt{3}}{6} \\ 0 & \frac{\sqrt{6}}{12} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x17}} \quad \mathbb{M}_{1,2}^{(a)}(T_g) = \begin{bmatrix} 0 & -\frac{i}{3} & -\frac{\sqrt{6}i}{12} & 0 & -\frac{\sqrt{2}i}{12} & 0 \\ \frac{i}{3} & 0 & 0 & -\frac{\sqrt{2}i}{12} & 0 & -\frac{\sqrt{6}i}{12} \\ \frac{\sqrt{6}i}{12} & 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{12} & \frac{\sqrt{3}i}{6} & 0 & -\frac{i}{3} & 0 \\ \frac{\sqrt{2}i}{12} & 0 & 0 & \frac{i}{3} & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & \frac{\sqrt{6}i}{12} & 0 & 0 & \frac{\sqrt{3}i}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x18}} \quad \mathbb{M}_{1,3}^{(a)}(T_g) = \begin{bmatrix} \frac{1}{3} & 0 & 0 & \frac{\sqrt{2}}{6} & 0 & 0 \\ 0 & -\frac{1}{3} & 0 & 0 & \frac{\sqrt{2}}{6} & 0 \\ 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ \frac{\sqrt{2}}{6} & 0 & 0 & \frac{1}{6} & 0 & 0 \\ 0 & \frac{\sqrt{2}}{6} & 0 & 0 & -\frac{1}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{1}{2} \end{bmatrix}$$

$$\boxed{\text{x19}} \quad \mathbb{M}_3^{(1,-1;a)}(A_g) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & -\frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x20}} \quad \mathbb{M}_{1,1}^{(1,-1;a)}(T_g) = \begin{bmatrix} 0 & -\frac{\sqrt{6}}{18} & \frac{1}{3} & 0 & -\frac{\sqrt{3}}{9} & 0 \\ -\frac{\sqrt{6}}{18} & 0 & 0 & \frac{\sqrt{3}}{9} & 0 & -\frac{1}{3} \\ \frac{1}{3} & 0 & 0 & \frac{\sqrt{2}}{6} & 0 & 0 \\ 0 & \frac{\sqrt{3}}{9} & \frac{\sqrt{2}}{6} & 0 & \frac{\sqrt{6}}{9} & 0 \\ -\frac{\sqrt{3}}{9} & 0 & 0 & \frac{\sqrt{6}}{9} & 0 & \frac{\sqrt{2}}{6} \\ 0 & -\frac{1}{3} & 0 & 0 & \frac{\sqrt{2}}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x21}} \quad \mathbb{M}_{1,2}^{(1,-1;a)}(T_g) = \begin{bmatrix} 0 & \frac{\sqrt{6}i}{18} & \frac{i}{3} & 0 & \frac{\sqrt{3}i}{9} & 0 \\ -\frac{\sqrt{6}i}{18} & 0 & 0 & \frac{\sqrt{3}i}{9} & 0 & \frac{i}{3} \\ -\frac{i}{3} & 0 & 0 & -\frac{\sqrt{2}i}{6} & 0 & 0 \\ 0 & -\frac{\sqrt{3}i}{9} & \frac{\sqrt{2}i}{6} & 0 & -\frac{\sqrt{6}i}{9} & 0 \\ -\frac{\sqrt{3}i}{9} & 0 & 0 & \frac{\sqrt{6}i}{9} & 0 & -\frac{\sqrt{2}i}{6} \\ 0 & -\frac{i}{3} & 0 & 0 & \frac{\sqrt{2}i}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x22}} \quad \mathbb{M}_{1,3}^{(1,-1;a)}(T_g) = \begin{bmatrix} -\frac{\sqrt{6}}{18} & 0 & 0 & -\frac{2\sqrt{3}}{9} & 0 & 0 \\ 0 & \frac{\sqrt{6}}{18} & 0 & 0 & -\frac{2\sqrt{3}}{9} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ -\frac{2\sqrt{3}}{9} & 0 & 0 & \frac{\sqrt{6}}{18} & 0 & 0 \\ 0 & -\frac{2\sqrt{3}}{9} & 0 & 0 & -\frac{\sqrt{6}}{18} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{\text{x23}} \quad \mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{15}}{20} & 0 & -\frac{\sqrt{5}}{4} \\ 0 & 0 & \frac{\sqrt{15}}{20} & 0 & -\frac{3\sqrt{5}}{20} & 0 \\ 0 & 0 & 0 & -\frac{3\sqrt{5}}{20} & 0 & \frac{\sqrt{15}}{20} \\ 0 & 0 & -\frac{\sqrt{5}}{4} & 0 & \frac{\sqrt{15}}{20} & 0 \end{bmatrix}$$

$$\boxed{\text{x24}} \quad \mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{15}i}{20} & 0 & -\frac{\sqrt{5}i}{4} \\ 0 & 0 & \frac{\sqrt{15}i}{20} & 0 & \frac{3\sqrt{5}i}{20} & 0 \\ 0 & 0 & 0 & -\frac{3\sqrt{5}i}{20} & 0 & -\frac{\sqrt{15}i}{20} \\ 0 & 0 & \frac{\sqrt{5}i}{4} & 0 & \frac{\sqrt{15}i}{20} & 0 \end{bmatrix}$$

$$\boxed{\text{x25}} \quad \mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{3\sqrt{5}}{10} & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{3\sqrt{5}}{10} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{5}}{10} \end{bmatrix}$$

$$\boxed{\text{x26}} \quad \mathbb{M}_{3,1}^{(1,-1;a)}(T_g, 2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{4} & 0 & \frac{\sqrt{3}}{4} \\ 0 & 0 & \frac{1}{4} & 0 & -\frac{\sqrt{3}}{4} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{4} & 0 & \frac{1}{4} \\ 0 & 0 & \frac{\sqrt{3}}{4} & 0 & \frac{1}{4} & 0 \end{bmatrix}$$

$$\boxed{\text{x27}} \quad \mathbb{M}_{3,2}^{(1,-1;a)}(T_g, 2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{4} & 0 & -\frac{\sqrt{3}i}{4} \\ 0 & 0 & -\frac{i}{4} & 0 & -\frac{\sqrt{3}i}{4} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{4} & 0 & \frac{i}{4} \\ 0 & 0 & \frac{\sqrt{3}i}{4} & 0 & -\frac{i}{4} & 0 \end{bmatrix}$$

$$\boxed{\text{x28}} \quad \mathbb{M}_{3,3}^{(1,-1;a)}(T_g, 2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \\ 0 & 0 & -\frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x29}} \quad \mathbb{M}_{1,1}^{(1,1;a)}(T_g) = \begin{bmatrix} 0 & \frac{\sqrt{30}}{9} & \frac{\sqrt{5}}{12} & 0 & -\frac{\sqrt{15}}{36} & 0 \\ \frac{\sqrt{30}}{9} & 0 & 0 & \frac{\sqrt{15}}{36} & 0 & -\frac{\sqrt{5}}{12} \\ \frac{\sqrt{5}}{12} & 0 & 0 & -\frac{\sqrt{10}}{30} & 0 & 0 \\ 0 & \frac{\sqrt{15}}{36} & -\frac{\sqrt{10}}{30} & 0 & -\frac{\sqrt{30}}{45} & 0 \\ -\frac{\sqrt{15}}{36} & 0 & 0 & -\frac{\sqrt{30}}{45} & 0 & -\frac{\sqrt{10}}{30} \\ 0 & -\frac{\sqrt{5}}{12} & 0 & 0 & -\frac{\sqrt{10}}{30} & 0 \end{bmatrix}$$

$$\boxed{\text{x30}} \quad \mathbb{M}_{1,2}^{(1,1;a)}(T_g) = \begin{bmatrix} 0 & -\frac{\sqrt{30}i}{9} & \frac{\sqrt{5}i}{12} & 0 & \frac{\sqrt{15}i}{36} & 0 \\ \frac{\sqrt{30}i}{9} & 0 & 0 & \frac{\sqrt{15}i}{36} & 0 & \frac{\sqrt{5}i}{12} \\ -\frac{\sqrt{5}i}{12} & 0 & 0 & \frac{\sqrt{10}i}{30} & 0 & 0 \\ 0 & -\frac{\sqrt{15}i}{36} & -\frac{\sqrt{10}i}{30} & 0 & \frac{\sqrt{30}i}{45} & 0 \\ -\frac{\sqrt{15}i}{36} & 0 & 0 & -\frac{\sqrt{30}i}{45} & 0 & \frac{\sqrt{10}i}{30} \\ 0 & -\frac{\sqrt{5}i}{12} & 0 & 0 & -\frac{\sqrt{10}i}{30} & 0 \end{bmatrix}$$

$$\boxed{\text{x31}} \quad \mathbb{M}_{1,3}^{(1,1;a)}(T_g) = \begin{bmatrix} \frac{\sqrt{30}}{9} & 0 & 0 & -\frac{\sqrt{15}}{18} & 0 & 0 \\ 0 & -\frac{\sqrt{30}}{9} & 0 & 0 & -\frac{\sqrt{15}}{18} & 0 \\ 0 & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & 0 \\ -\frac{\sqrt{15}}{18} & 0 & 0 & -\frac{\sqrt{30}}{90} & 0 & 0 \\ 0 & -\frac{\sqrt{15}}{18} & 0 & 0 & \frac{\sqrt{30}}{90} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{30} \end{bmatrix}$$

$$\boxed{\text{x32}} \quad \mathbb{T}_{2,1}^{(1,0;a)}(E_g) = \begin{bmatrix} 0 & 0 & 0 & \frac{i}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x33}} \quad \mathbb{T}_{2,2}^{(1,0;a)}(E_g) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{i}{2} \\ 0 & 0 & -\frac{i}{2} & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x34}} \quad \mathbb{T}_{2,1}^{(1,0;a)}(T_g) = \begin{bmatrix} 0 & 0 & \frac{1}{4} & 0 & \frac{\sqrt{3}}{4} & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{4} & 0 & -\frac{1}{4} \\ \frac{1}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{4} & 0 & 0 & 0 & 0 \\ \frac{\sqrt{3}}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{1}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x35}} \quad \mathbb{T}_{2,2}^{(1,0;a)}(T_g) = \begin{bmatrix} 0 & 0 & -\frac{i}{4} & 0 & \frac{\sqrt{3}i}{4} & 0 \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{4} & 0 & -\frac{i}{4} \\ \frac{i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}i}{4} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{3}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x36}} \quad \mathbb{T}_{2,3}^{(1,0;a)}(T_g) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \\ 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

Cluster SAMB

• Site cluster

** Wyckoff: 8b

$$\boxed{\text{y1}} \quad \mathbb{Q}_0^{(s)}(A_g) = \left[\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4} \right]$$

$$\boxed{\text{y2}} \quad \mathbb{Q}_3^{(s)}(A_u) = \left[\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4} \right]$$

$$\boxed{\text{y3}} \quad \mathbb{Q}_{2,1}^{(s)}(T_g) = \left[\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4} \right]$$

$$\boxed{\text{y4}} \quad \mathbb{Q}_{2,2}^{(s)}(T_g) = \left[\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4} \right]$$

$$\boxed{\text{y5}} \quad \mathbb{Q}_{2,3}^{(s)}(T_g) = \left[\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4} \right]$$

$$\boxed{\text{y6}} \quad \mathbb{Q}_{1,1}^{(s)}(T_u) = \left[\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4} \right]$$

$$\boxed{\text{y7}} \quad \mathbb{Q}_{1,2}^{(s)}(T_u) = \left[\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4} \right]$$

$$\boxed{\text{y8}} \quad \mathbb{Q}_{1,3}^{(s)}(T_u) = \left[\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, -\frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4}, \frac{\sqrt{2}}{4} \right]$$

• Bond cluster

** Wyckoff: 12b@12c

$$\boxed{\text{y9}} \quad \mathbb{Q}_0^{(s)}(A_g) = \left[\frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6}, \frac{\sqrt{3}}{6} \right]$$

$$\boxed{\text{y10}} \quad \mathbb{T}_3^{(s)}(A_u) = \left[\frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6}, \frac{\sqrt{3}i}{6} \right]$$

$$\begin{aligned}
\boxed{\text{y11}} \quad \mathbb{Q}_{2,1}^{(s)}(E_g) &= \left[-\frac{5\sqrt{2778}}{1389}, -\frac{5\sqrt{2778}}{1389}, -\frac{5\sqrt{2778}}{1389}, -\frac{5\sqrt{2778}}{1389}, -\frac{23\sqrt{2778}}{5556}, -\frac{23\sqrt{2778}}{5556}, -\frac{23\sqrt{2778}}{5556}, -\frac{23\sqrt{2778}}{5556}, \frac{43\sqrt{2778}}{5556}, \frac{43\sqrt{2778}}{5556}, \frac{43\sqrt{2778}}{5556}, \frac{43\sqrt{2778}}{5556} \right] \\
\boxed{\text{y12}} \quad \mathbb{Q}_{2,2}^{(s)}(E_g) &= \left[\frac{11\sqrt{926}}{926}, \frac{11\sqrt{926}}{926}, \frac{11\sqrt{926}}{926}, \frac{11\sqrt{926}}{926}, -\frac{21\sqrt{926}}{1852}, -\frac{21\sqrt{926}}{1852}, -\frac{21\sqrt{926}}{1852}, -\frac{21\sqrt{926}}{1852}, -\frac{\sqrt{926}}{1852}, -\frac{\sqrt{926}}{1852}, -\frac{\sqrt{926}}{1852}, -\frac{\sqrt{926}}{1852} \right] \\
\boxed{\text{y13}} \quad \mathbb{M}_{2,1}^{(s)}(E_u) &= \left[\frac{11\sqrt{926}i}{926}, \frac{11\sqrt{926}i}{926}, \frac{11\sqrt{926}i}{926}, \frac{11\sqrt{926}i}{926}, -\frac{21\sqrt{926}i}{1852}, -\frac{21\sqrt{926}i}{1852}, -\frac{21\sqrt{926}i}{1852}, -\frac{21\sqrt{926}i}{1852}, -\frac{\sqrt{926}i}{1852}, -\frac{\sqrt{926}i}{1852}, -\frac{\sqrt{926}i}{1852}, -\frac{\sqrt{926}i}{1852} \right] \\
\boxed{\text{y14}} \quad \mathbb{M}_{2,2}^{(s)}(E_u) &= \left[\frac{5\sqrt{2778}i}{1389}, \frac{5\sqrt{2778}i}{1389}, \frac{5\sqrt{2778}i}{1389}, \frac{5\sqrt{2778}i}{1389}, \frac{23\sqrt{2778}i}{5556}, \frac{23\sqrt{2778}i}{5556}, \frac{23\sqrt{2778}i}{5556}, \frac{23\sqrt{2778}i}{5556}, -\frac{43\sqrt{2778}i}{5556}, -\frac{43\sqrt{2778}i}{5556}, -\frac{43\sqrt{2778}i}{5556}, -\frac{43\sqrt{2778}i}{5556} \right] \\
\boxed{\text{y15}} \quad \mathbb{M}_{1,1}^{(s)}(T_g) &= \left[0, 0, 0, 0, \frac{\sqrt{21}i}{14}, \frac{\sqrt{21}i}{14}, -\frac{\sqrt{21}i}{14}, -\frac{\sqrt{21}i}{14}, \frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, \frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7} \right] \\
\boxed{\text{y16}} \quad \mathbb{M}_{1,2}^{(s)}(T_g) &= \left[\frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, \frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, 0, 0, 0, 0, \frac{\sqrt{21}i}{14}, \frac{\sqrt{21}i}{14}, -\frac{\sqrt{21}i}{14}, -\frac{\sqrt{21}i}{14} \right] \\
\boxed{\text{y17}} \quad \mathbb{M}_{1,3}^{(s)}(T_g) &= \left[\frac{\sqrt{21}i}{14}, \frac{\sqrt{21}i}{14}, -\frac{\sqrt{21}i}{14}, -\frac{\sqrt{21}i}{14}, \frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, \frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, 0, 0, 0, 0 \right] \\
\boxed{\text{y18}} \quad \mathbb{Q}_{2,1}^{(s)}(T_g) &= \left[\frac{1}{2}, -\frac{1}{2}, -\frac{1}{2}, \frac{1}{2}, 0, 0, 0, 0, 0, 0, 0, 0 \right] \\
\boxed{\text{y19}} \quad \mathbb{Q}_{2,2}^{(s)}(T_g) &= \left[0, 0, 0, 0, \frac{1}{2}, -\frac{1}{2}, -\frac{1}{2}, \frac{1}{2}, 0, 0, 0, 0 \right] \\
\boxed{\text{y20}} \quad \mathbb{Q}_{2,3}^{(s)}(T_g) &= \left[0, 0, 0, 0, 0, 0, 0, \frac{1}{2}, -\frac{1}{2}, -\frac{1}{2}, \frac{1}{2} \right] \\
\boxed{\text{y21}} \quad \mathbb{T}_{2,1}^{(s)}(T_g) &= \left[0, 0, 0, 0, \frac{\sqrt{7}i}{7}, \frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, -\frac{\sqrt{21}i}{14}, \frac{\sqrt{21}i}{14}, -\frac{\sqrt{21}i}{14}, \frac{\sqrt{21}i}{14} \right] \\
\boxed{\text{y22}} \quad \mathbb{T}_{2,2}^{(s)}(T_g) &= \left[-\frac{\sqrt{21}i}{14}, \frac{\sqrt{21}i}{14}, -\frac{\sqrt{21}i}{14}, \frac{\sqrt{21}i}{14}, 0, 0, 0, 0, \frac{\sqrt{7}i}{7}, \frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7} \right] \\
\boxed{\text{y23}} \quad \mathbb{T}_{2,3}^{(s)}(T_g) &= \left[\frac{\sqrt{7}i}{7}, \frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, -\frac{\sqrt{7}i}{7}, -\frac{\sqrt{21}i}{14}, \frac{\sqrt{21}i}{14}, -\frac{\sqrt{21}i}{14}, \frac{\sqrt{21}i}{14}, 0, 0, 0, 0 \right]
\end{aligned}$$

$$\boxed{\text{y24}} \quad \mathbb{Q}_{1,1}^{(s)}(T_u) = \left[0, 0, 0, 0, \frac{\sqrt{7}}{7}, \frac{\sqrt{7}}{7}, -\frac{\sqrt{7}}{7}, -\frac{\sqrt{7}}{7}, \frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, \frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14} \right]$$

$$\boxed{\text{y25}} \quad \mathbb{Q}_{1,2}^{(s)}(T_u) = \left[\frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, \frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, 0, 0, 0, 0, \frac{\sqrt{7}}{7}, \frac{\sqrt{7}}{7}, -\frac{\sqrt{7}}{7}, -\frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y26}} \quad \mathbb{Q}_{1,3}^{(s)}(T_u) = \left[\frac{\sqrt{7}}{7}, \frac{\sqrt{7}}{7}, -\frac{\sqrt{7}}{7}, -\frac{\sqrt{7}}{7}, \frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, \frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, 0, 0, 0, 0 \right]$$

$$\boxed{\text{y27}} \quad \mathbb{T}_{1,1}^{(s)}(T_u) = \left[\frac{i}{2}, -\frac{i}{2}, -\frac{i}{2}, \frac{i}{2}, 0, 0, 0, 0, 0, 0, 0, 0 \right]$$

$$\boxed{\text{y28}} \quad \mathbb{T}_{1,2}^{(s)}(T_u) = \left[0, 0, 0, 0, \frac{i}{2}, -\frac{i}{2}, -\frac{i}{2}, \frac{i}{2}, 0, 0, 0, 0 \right]$$

$$\boxed{\text{y29}} \quad \mathbb{T}_{1,3}^{(s)}(T_u) = \left[0, 0, 0, 0, 0, 0, 0, 0, \frac{i}{2}, -\frac{i}{2}, -\frac{i}{2}, \frac{i}{2} \right]$$

$$\boxed{\text{y30}} \quad \mathbb{Q}_{3,1}^{(s)}(T_u, 1) = \left[0, 0, 0, 0, \frac{\sqrt{21}}{14}, \frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, -\frac{\sqrt{7}}{7}, \frac{\sqrt{7}}{7}, -\frac{\sqrt{7}}{7}, \frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y31}} \quad \mathbb{Q}_{3,2}^{(s)}(T_u, 1) = \left[-\frac{\sqrt{7}}{7}, \frac{\sqrt{7}}{7}, -\frac{\sqrt{7}}{7}, \frac{\sqrt{7}}{7}, 0, 0, 0, 0, \frac{\sqrt{21}}{14}, \frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14} \right]$$

$$\boxed{\text{y32}} \quad \mathbb{Q}_{3,3}^{(s)}(T_u, 1) = \left[\frac{\sqrt{21}}{14}, \frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, -\frac{\sqrt{21}}{14}, -\frac{\sqrt{7}}{7}, \frac{\sqrt{7}}{7}, -\frac{\sqrt{7}}{7}, \frac{\sqrt{7}}{7}, 0, 0, 0, 0 \right]$$

— Site and Bond —

Table 4: Orbital of each site

#	site	orbital
1	A	$ \frac{1}{2}, \frac{1}{2}; p\rangle, \frac{1}{2}, -\frac{1}{2}; p\rangle, \frac{3}{2}, \frac{3}{2}; p\rangle, \frac{3}{2}, \frac{1}{2}; p\rangle, \frac{3}{2}, -\frac{1}{2}; p\rangle, \frac{3}{2}, -\frac{3}{2}; p\rangle$

Table 5: Neighbor and bra-ket of each bond

#	head	tail	neighbor	head (bra)	tail (ket)
1	A	A	[1]	[p]	[p]

Site in Unit Cell

Sites in (conventional) cell (no plus set), SL = sublattice

Table 6: 'A' (#1) site cluster (8b), .3.

SL	position (s)	mapping
1	[1.00000, 1.00000, 1.00000]	[1,5,9]
2	[-1.00000,-1.00000, 1.00000]	[2,7,12]
3	[-1.00000, 1.00000,-1.00000]	[3,8,10]
4	[1.00000,-1.00000,-1.00000]	[4,6,11]
5	[-1.00000,-1.00000,-1.00000]	[13,17,21]
6	[1.00000, 1.00000,-1.00000]	[14,19,24]
7	[1.00000,-1.00000, 1.00000]	[15,20,22]
8	[-1.00000, 1.00000, 1.00000]	[16,18,23]

Bonds in (conventional) cell (no plus set): tail, head = (SL, plus set), (N)D = (non)directional (listed up to 5th neighbor at most)

Table 7: 1-th 'A'-'A' [1] (#1) bond cluster (12b@12c), ND, $|\mathbf{v}|=2.0$ (cartesian)

SL	vector (\mathbf{v})	center (\mathbf{c})	mapping	head	tail	\mathbf{R} (primitive)
1	[-2.00000, 0.00000, 0.00000]	[0.00000, 1.00000, 1.00000]	[1,-16]	(8,1)	(1,1)	[0,0,0]
2	[2.00000, 0.00000, 0.00000]	[0.00000,-1.00000, 1.00000]	[2,-15]	(7,1)	(2,1)	[0,0,0]
3	[2.00000, 0.00000, 0.00000]	[0.00000, 1.00000,-1.00000]	[3,-14]	(6,1)	(3,1)	[0,0,0]
4	[-2.00000, 0.00000, 0.00000]	[0.00000,-1.00000,-1.00000]	[4,-13]	(5,1)	(4,1)	[0,0,0]
5	[0.00000,-2.00000, 0.00000]	[1.00000, 0.00000, 1.00000]	[5,-20]	(7,1)	(1,1)	[0,0,0]
6	[0.00000, 2.00000, 0.00000]	[1.00000, 0.00000,-1.00000]	[6,-19]	(6,1)	(4,1)	[0,0,0]
7	[0.00000, 2.00000, 0.00000]	[-1.00000, 0.00000, 1.00000]	[7,-18]	(8,1)	(2,1)	[0,0,0]
8	[0.00000,-2.00000, 0.00000]	[-1.00000, 0.00000,-1.00000]	[8,-17]	(5,1)	(3,1)	[0,0,0]
9	[0.00000, 0.00000,-2.00000]	[1.00000, 1.00000, 0.00000]	[9,-24]	(6,1)	(1,1)	[0,0,0]
10	[0.00000, 0.00000, 2.00000]	[-1.00000, 1.00000, 0.00000]	[10,-23]	(8,1)	(3,1)	[0,0,0]
11	[0.00000, 0.00000, 2.00000]	[1.00000,-1.00000, 0.00000]	[11,-22]	(7,1)	(4,1)	[0,0,0]
12	[0.00000, 0.00000,-2.00000]	[-1.00000,-1.00000, 0.00000]	[12,-21]	(5,1)	(2,1)	[0,0,0]