

PG No. 7  $C_{2v}$   $mm2$  [ orthorhombic ] (axial, internal axial quadrupole)

\* Harmonics for rank 0

$$\vec{G}_0^{(2,2)}[g](A_2)$$

\*\* symmetry

$$1$$

\*\* expression

$$-\frac{\sqrt{5}G_u(x^2+y^2-2z^2)}{10} + \frac{\sqrt{15}G_v(x-y)(x+y)}{10} + \frac{\sqrt{15}G_{xy}xy}{5} + \frac{\sqrt{15}G_{xz}xz}{5} + \frac{\sqrt{15}G_{yz}yz}{5}$$

\* Harmonics for rank 1

$$\vec{G}_1^{(2,0)}[g](A_2)$$

\*\* symmetry

$$z$$

\*\* expression

$$\frac{\sqrt{10}G_u z}{5} + \frac{\sqrt{30}G_{xz}x}{10} + \frac{\sqrt{30}G_{yz}y}{10}$$

$$\vec{G}_1^{(2,2)}[g](A_2)$$

\*\* symmetry

$$z$$

\*\* expression

$$-\frac{3\sqrt{35}G_u z(3x^2+3y^2-2z^2)}{70} + \frac{\sqrt{105}G_v z(x-y)(x+y)}{14} + \frac{\sqrt{105}G_{xy}xyz}{7} - \frac{\sqrt{105}G_{xz}x(x^2+y^2-4z^2)}{35} - \frac{\sqrt{105}G_{yz}y(x^2+y^2-4z^2)}{35}$$

$$\vec{G}_1^{(2,0)}[g](B_1)$$

\*\* symmetry

$$y$$

\*\* expression

$$-\frac{\sqrt{10}G_u y}{10} - \frac{\sqrt{30}G_v y}{10} + \frac{\sqrt{30}G_{xy}x}{10} + \frac{\sqrt{30}G_{yz}z}{10}$$

$$\vec{G}_1^{(2,2)}[g](B_1)$$

\*\* symmetry

$$y$$

\*\* expression

$$-\frac{3\sqrt{35}G_u y(x^2+y^2-4z^2)}{70} + \frac{\sqrt{105}G_v y(7x^2-3y^2+2z^2)}{70} - \frac{\sqrt{105}G_{xy}x(x^2-4y^2+z^2)}{35} + \frac{\sqrt{105}G_{xz}xyz}{7} - \frac{\sqrt{105}G_{yz}z(x^2-4y^2+z^2)}{35}$$

$$\vec{G}_1^{(2,0)}[g](B_2)$$

\*\* symmetry

$$x$$

\*\* expression

$$-\frac{\sqrt{10}G_u x}{10} + \frac{\sqrt{30}G_v x}{10} + \frac{\sqrt{30}G_{xy}y}{10} + \frac{\sqrt{30}G_{xz}z}{10}$$

$$\vec{G}_1^{(2,2)}[g](B_2)$$

\*\* symmetry

$$x$$

\*\* expression

$$-\frac{3\sqrt{35}G_u x(x^2+y^2-4z^2)}{70} + \frac{\sqrt{105}G_v x(3x^2-7y^2-2z^2)}{70} + \frac{\sqrt{105}G_{xy}y(4x^2-y^2-z^2)}{35} + \frac{\sqrt{105}G_{xz}z(4x^2-y^2-z^2)}{35} + \frac{\sqrt{105}G_{yz}xyz}{7}$$

\* Harmonics for rank 2

$$\vec{G}_2^{(2,-2)}[g](A_1)$$

\*\* symmetry

$$\sqrt{3}xy$$

\*\* expression

$$G_{xy}$$

$$\vec{\mathbb{G}}_2^{(2,0)}[g](A_1)$$

\*\* symmetry

$$\sqrt{3}xy$$

\*\* expression

$$-\frac{\sqrt{42}G_u xy}{7} + \frac{\sqrt{14}G_{xy}(x^2 + y^2 - 2z^2)}{14} + \frac{3\sqrt{14}G_{xz}yz}{14} + \frac{3\sqrt{14}G_{yz}xz}{14}$$

$$\vec{\mathbb{G}}_2^{(2,2)}[g](A_1)$$

\*\* symmetry

$$\sqrt{3}xy$$

\*\* expression

$$-\frac{5\sqrt{42}G_u xy (x^2 + y^2 - 6z^2)}{84} + \frac{5\sqrt{14}G_v xy (x - y) (x + y)}{12} - \frac{\sqrt{14}G_{xy} (4x^4 - 27x^2y^2 + 3x^2z^2 + 4y^4 + 3y^2z^2 - z^4)}{42} \\ + \frac{5\sqrt{14}G_{xz}yz (6x^2 - y^2 - z^2)}{42} - \frac{5\sqrt{14}G_{yz}xz (x^2 - 6y^2 + z^2)}{42}$$

$$\vec{\mathbb{G}}_2^{(2,-2)}[g](A_2, 1)$$

\*\* symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

\*\* expression

$$G_u$$

$$\vec{\mathbb{G}}_2^{(2,-2)}[g](A_2, 2)$$

\*\* symmetry

$$\frac{\sqrt{3}(x - y)(x + y)}{2}$$

\*\* expression

$$G_v$$

$$\vec{\mathbb{G}}_2^{(2,0)}[g](A_2, 1)$$

\*\* symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

\*\* expression

$$-\frac{\sqrt{14}G_u (x^2 + y^2 - 2z^2)}{14} - \frac{\sqrt{42}G_v (x - y) (x + y)}{14} - \frac{\sqrt{42}G_{xy}xy}{7} + \frac{\sqrt{42}G_{xz}xz}{14} + \frac{\sqrt{42}G_{yz}yz}{14}$$

$$\vec{\mathbb{G}}_2^{(2,0)}[g](A_2, 2)$$

\*\* symmetry

$$\frac{\sqrt{3}(x - y)(x + y)}{2}$$

\*\* expression

$$-\frac{\sqrt{42}G_u (x - y) (x + y)}{14} + \frac{\sqrt{14}G_v (x^2 + y^2 - 2z^2)}{14} + \frac{3\sqrt{14}G_{xz}xz}{14} - \frac{3\sqrt{14}G_{yz}yz}{14}$$

$$\vec{\mathbb{G}}_2^{(2,2)}[g](A_2, 1)$$

\*\* symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

\*\* expression

$$\frac{\sqrt{14}G_u (3x^4 + 6x^2y^2 - 24x^2z^2 + 3y^4 - 24y^2z^2 + 8z^4)}{56} - \frac{5\sqrt{42}G_v (x - y) (x + y) (x^2 + y^2 - 6z^2)}{168} \\ - \frac{5\sqrt{42}G_{xy}xy (x^2 + y^2 - 6z^2)}{84} - \frac{5\sqrt{42}G_{xz}xz (3x^2 + 3y^2 - 4z^2)}{84} - \frac{5\sqrt{42}G_{yz}yz (3x^2 + 3y^2 - 4z^2)}{84}$$

$$\vec{\mathbb{G}}_2^{(2,2)}[g](A_2, 2)$$

\*\* symmetry

$$\frac{\sqrt{3}(x - y)(x + y)}{2}$$

\*\* expression

$$-\frac{5\sqrt{42}G_u(x-y)(x+y)(x^2+y^2-6z^2)}{168} + \frac{\sqrt{14}G_v(19x^4-102x^2y^2-12x^2z^2+19y^4-12y^2z^2+4z^4)}{168} \\ + \frac{5\sqrt{14}G_{xy}xy(x-y)(x+y)}{12} + \frac{5\sqrt{14}G_{xz}xz(5x^2-9y^2-2z^2)}{84} + \frac{5\sqrt{14}G_{yz}yz(9x^2-5y^2+2z^2)}{84}$$

$$\vec{\mathbb{G}}_2^{(2,-2)}[g](B_1)$$

\*\* symmetry

$$\sqrt{3}yz$$

\*\* expression

$$G_{yz}$$

$$\vec{\mathbb{G}}_2^{(2,0)}[g](B_1)$$

\*\* symmetry

$$\sqrt{3}yz$$

\*\* expression

$$\frac{\sqrt{42}G_u yz}{14} - \frac{3\sqrt{14}G_v yz}{14} + \frac{3\sqrt{14}G_{xy}xz}{14} + \frac{3\sqrt{14}G_{xz}xy}{14} - \frac{\sqrt{14}G_{yz}(2x^2-y^2-z^2)}{14}$$

$$\vec{\mathbb{G}}_2^{(2,2)}[g](B_1)$$

\*\* symmetry

$$\sqrt{3}yz$$

\*\* expression

$$-\frac{5\sqrt{42}G_u yz(3x^2+3y^2-4z^2)}{84} + \frac{5\sqrt{14}G_v yz(9x^2-5y^2+2z^2)}{84} - \frac{5\sqrt{14}G_{xy}xz(x^2-6y^2+z^2)}{42} \\ - \frac{5\sqrt{14}G_{xz}xy(x^2+y^2-6z^2)}{42} + \frac{\sqrt{14}G_{yz}(x^4-3x^2y^2-3x^2z^2-4y^4+27y^2z^2-4z^4)}{42}$$

$$\vec{\mathbb{G}}_2^{(2,-2)}[g](B_2)$$

\*\* symmetry

$$\sqrt{3}xz$$

\*\* expression

$$G_{xz}$$

$$\vec{\mathbb{G}}_2^{(2,0)}[g](B_2)$$

\*\* symmetry

$$\sqrt{3}xz$$

\*\* expression

$$\frac{\sqrt{42}G_u xz}{14} + \frac{3\sqrt{14}G_v xz}{14} + \frac{3\sqrt{14}G_{xy}yz}{14} + \frac{\sqrt{14}G_{xz}(x^2-2y^2+z^2)}{14} + \frac{3\sqrt{14}G_{yz}xy}{14}$$

$$\vec{\mathbb{G}}_2^{(2,2)}[g](B_2)$$

\*\* symmetry

$$\sqrt{3}xz$$

\*\* expression

$$-\frac{5\sqrt{42}G_u xz(3x^2+3y^2-4z^2)}{84} + \frac{5\sqrt{14}G_v xz(5x^2-9y^2-2z^2)}{84} + \frac{5\sqrt{14}G_{xy}yz(6x^2-y^2-z^2)}{42} \\ - \frac{\sqrt{14}G_{xz}(4x^4+3x^2y^2-27x^2z^2-y^4+3y^2z^2+4z^4)}{42} - \frac{5\sqrt{14}G_{yz}xy(x^2+y^2-6z^2)}{42}$$

\* Harmonics for rank 3

$$\vec{\mathbb{G}}_3^{(2,-2)}[g](A_1)$$

\*\* symmetry

$$\sqrt{15}xyz$$

\*\* expression

$$\frac{\sqrt{3}G_{xyz}}{3} + \frac{\sqrt{3}G_{xzy}}{3} + \frac{\sqrt{3}G_{yzx}}{3}$$

$$\vec{\mathbb{G}}_3^{(2,0)}[g](A_1)$$

\*\* symmetry

$$\sqrt{15}xyz$$

\*\* expression

$$\frac{\sqrt{3}G_{xy}z(3x^2+3y^2-2z^2)}{6} + \frac{\sqrt{3}G_{xz}y(3x^2-2y^2+3z^2)}{6} - \frac{\sqrt{3}G_{yz}x(2x^2-3y^2-3z^2)}{6}$$

$$\vec{\mathbb{G}}_3^{(2,2)}[g](A_1)$$

\*\* symmetry

$$\sqrt{15}xyz$$

\*\* expression

$$-\frac{21\sqrt{22}G_uxyz(x^2+y^2-2z^2)}{44} + \frac{21\sqrt{66}G_vxyz(x-y)(x+y)}{44} - \frac{\sqrt{66}G_{xy}z(6x^4-51x^2y^2+5x^2z^2+6y^4+5y^2z^2-z^4)}{66} \\ - \frac{\sqrt{66}G_{xz}y(6x^4+5x^2y^2-51x^2z^2-y^4+5y^2z^2+6z^4)}{66} + \frac{\sqrt{66}G_{yz}x(x^4-5x^2y^2-5x^2z^2-6y^4+51y^2z^2-6z^4)}{66}$$

$$\vec{\mathbb{G}}_3^{(2,-2)}[g](A_2, 1)$$

\*\* symmetry

$$-\frac{z(3x^2+3y^2-2z^2)}{2}$$

\*\* expression

$$\frac{\sqrt{15}G_u z}{5} - \frac{\sqrt{5}G_{xz}x}{5} - \frac{\sqrt{5}G_{yz}y}{5}$$

$$\vec{\mathbb{G}}_3^{(2,-2)}[g](A_2, 2)$$

\*\* symmetry

$$\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

\*\* expression

$$\frac{\sqrt{3}G_v z}{3} + \frac{\sqrt{3}G_{xz}x}{3} - \frac{\sqrt{3}G_{yz}y}{3}$$

$$\vec{\mathbb{G}}_3^{(2,0)}[g](A_2, 1)$$

\*\* symmetry

$$-\frac{z(3x^2+3y^2-2z^2)}{2}$$

\*\* expression

$$-\frac{\sqrt{15}G_u z(3x^2+3y^2-2z^2)}{15} - \frac{\sqrt{5}G_v z(x-y)(x+y)}{2} - \sqrt{5}G_{xy}xyz - \frac{\sqrt{5}G_{xz}x(x^2+y^2-4z^2)}{20} - \frac{\sqrt{5}G_{yz}y(x^2+y^2-4z^2)}{20}$$

$$\vec{\mathbb{G}}_3^{(2,0)}[g](A_2, 2)$$

\*\* symmetry

$$\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

\*\* expression

$$\frac{\sqrt{3}G_v z(3x^2+3y^2-2z^2)}{6} + \frac{\sqrt{3}G_{xz}x(x^2-9y^2+6z^2)}{12} + \frac{\sqrt{3}G_{yz}y(9x^2-y^2-6z^2)}{12}$$

$$\vec{\mathbb{G}}_3^{(2,2)}[g](A_2, 1)$$

\*\* symmetry

$$-\frac{z(3x^2+3y^2-2z^2)}{2}$$

\*\* expression

$$\frac{\sqrt{330}G_u z(15x^4+30x^2y^2-40x^2z^2+15y^4-40y^2z^2+8z^4)}{264} - \frac{7\sqrt{110}G_v z(x-y)(x+y)(x^2+y^2-2z^2)}{88} - \frac{7\sqrt{110}G_{xy}xyz(x^2+y^2-2z^2)}{44} \\ + \frac{\sqrt{110}G_{xz}x(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44} + \frac{\sqrt{110}G_{yz}y(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44}$$

$$\vec{\mathbb{G}}_3^{(2,2)}[g](A_2, 2)$$

\*\* symmetry

$$\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

\*\* expression

$$-\frac{21\sqrt{22}G_uz(x-y)(x+y)(x^2+y^2-2z^2)}{88} + \frac{\sqrt{66}G_vz(39x^4-174x^2y^2-20x^2z^2+39y^4-20y^2z^2+4z^4)}{264} + \frac{21\sqrt{66}G_{xy}xyz(x-y)(x+y)}{44} \\ - \frac{\sqrt{66}G_{xz}x(5x^4-4x^2y^2-46x^2z^2-9y^4+66y^2z^2+12z^4)}{132} - \frac{\sqrt{66}G_{yz}y(9x^4+4x^2y^2-66x^2z^2-5y^4+46y^2z^2-12z^4)}{132}$$

$$\vec{\mathbb{G}}_3^{(2,-2)}[g](B_1, 1)$$

\*\* symmetry

$$-\frac{y(3x^2-2y^2+3z^2)}{2}$$

\*\* expression

$$-\frac{\sqrt{15}G_uy}{10} - \frac{3\sqrt{5}G_vy}{10} - \frac{\sqrt{5}G_{xy}x}{5} - \frac{\sqrt{5}G_{yz}z}{5}$$

$$\vec{\mathbb{G}}_3^{(2,-2)}[g](B_1, 2)$$

\*\* symmetry

$$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$$

\*\* expression

$$\frac{G_uy}{2} - \frac{\sqrt{3}G_vy}{6} - \frac{\sqrt{3}G_{xy}x}{3} + \frac{\sqrt{3}G_{yz}z}{3}$$

$$\vec{\mathbb{G}}_3^{(2,0)}[g](B_1, 1)$$

\*\* symmetry

$$-\frac{y(3x^2-2y^2+3z^2)}{2}$$

\*\* expression

$$\frac{\sqrt{15}G_uy(21x^2-4y^2-9z^2)}{60} + \frac{\sqrt{5}G_vy(x^2-4y^2+11z^2)}{20} - \frac{\sqrt{5}G_{xy}x(x^2-4y^2+z^2)}{20} - \sqrt{5}G_{xz}xyz - \frac{\sqrt{5}G_{yz}z(x^2-4y^2+z^2)}{20}$$

$$\vec{\mathbb{G}}_3^{(2,0)}[g](B_1, 2)$$

\*\* symmetry

$$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$$

\*\* expression

$$\frac{G_uy(3x^2-2y^2+3z^2)}{4} - \frac{\sqrt{3}G_vy(3x^2-2y^2+3z^2)}{12} - \frac{\sqrt{3}G_{xy}x(x^2+6y^2-9z^2)}{12} - \frac{\sqrt{3}G_{yz}z(9x^2-6y^2-z^2)}{12}$$

$$\vec{\mathbb{G}}_3^{(2,2)}[g](B_1, 1)$$

\*\* symmetry

$$-\frac{y(3x^2-2y^2+3z^2)}{2}$$

\*\* expression

$$\frac{\sqrt{330}G_uy(3x^4-x^2y^2-15x^2z^2-4y^4+41y^2z^2-18z^4)}{264} - \frac{\sqrt{110}G_vy(11x^4-27x^2y^2+15x^2z^2+4y^4-13y^2z^2+4z^4)}{88} \\ + \frac{\sqrt{110}G_{xy}x(x^4-12x^2y^2+2x^2z^2+8y^4-12y^2z^2+z^4)}{44} - \frac{7\sqrt{110}G_{xz}xyz(x^2-2y^2+z^2)}{44} + \frac{\sqrt{110}G_{yz}z(x^4-12x^2y^2+2x^2z^2+8y^4-12y^2z^2+z^4)}{44}$$

$$\vec{\mathbb{G}}_3^{(2,2)}[g](B_1, 2)$$

\*\* symmetry

$$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$$

\*\* expression

$$\frac{\sqrt{22}G_uy(9x^4+11x^2y^2-87x^2z^2+2y^4-31y^2z^2+30z^4)}{88} - \frac{\sqrt{66}G_vy(51x^4-73x^2y^2-87x^2z^2+2y^4+53y^2z^2-12z^4)}{264} \\ + \frac{\sqrt{66}G_{xy}x(5x^4-46x^2y^2-4x^2z^2+12y^4+66y^2z^2-9z^4)}{132} - \frac{21\sqrt{66}G_{xz}xyz(x-z)(x+z)}{44} \\ + \frac{\sqrt{66}G_{yz}z(9x^4-66x^2y^2+4x^2z^2-12y^4+46y^2z^2-5z^4)}{132}$$

$$\vec{\mathbb{G}}_3^{(2,-2)}[g](B_2, 1)$$

\*\* symmetry

$$\frac{x(2x^2 - 3y^2 - 3z^2)}{2}$$

\*\* expression

$$-\frac{\sqrt{15}G_u x}{10} + \frac{3\sqrt{5}G_v x}{10} - \frac{\sqrt{5}G_{xy}y}{5} - \frac{\sqrt{5}G_{xz}z}{5}$$

$$\vec{\mathbb{G}}_3^{(2,-2)}[g](B_2, 2)$$

\*\* symmetry

$$\frac{\sqrt{15}x(y-z)(y+z)}{2}$$

\*\* expression

$$-\frac{G_u x}{2} - \frac{\sqrt{3}G_v x}{6} + \frac{\sqrt{3}G_{xy}y}{3} - \frac{\sqrt{3}G_{xz}z}{3}$$

$$\vec{\mathbb{G}}_3^{(2,0)}[g](B_2, 1)$$

\*\* symmetry

$$\frac{x(2x^2 - 3y^2 - 3z^2)}{2}$$

\*\* expression

$$-\frac{\sqrt{15}G_u x(4x^2 - 21y^2 + 9z^2)}{60} + \frac{\sqrt{5}G_v x(4x^2 - y^2 - 11z^2)}{20} + \frac{\sqrt{5}G_{xy}y(4x^2 - y^2 - z^2)}{20} + \frac{\sqrt{5}G_{xz}z(4x^2 - y^2 - z^2)}{20} - \sqrt{5}G_{yz}xyz$$

$$\vec{\mathbb{G}}_3^{(2,0)}[g](B_2, 2)$$

\*\* symmetry

$$\frac{\sqrt{15}x(y-z)(y+z)}{2}$$

\*\* expression

$$\frac{G_u x(2x^2 - 3y^2 - 3z^2)}{4} + \frac{\sqrt{3}G_v x(2x^2 - 3y^2 - 3z^2)}{12} + \frac{\sqrt{3}G_{xy}y(6x^2 + y^2 - 9z^2)}{12} - \frac{\sqrt{3}G_{xz}z(6x^2 - 9y^2 + z^2)}{12}$$

$$\vec{\mathbb{G}}_3^{(2,2)}[g](B_2, 1)$$

\*\* symmetry

$$\frac{x(2x^2 - 3y^2 - 3z^2)}{2}$$

\*\* expression

$$-\frac{\sqrt{330}G_u x(4x^4 + x^2y^2 - 41x^2z^2 - 3y^4 + 15y^2z^2 + 18z^4)}{264} + \frac{\sqrt{110}G_v x(4x^4 - 27x^2y^2 - 13x^2z^2 + 11y^4 + 15y^2z^2 + 4z^4)}{88} \\ + \frac{\sqrt{110}G_{xy}y(8x^4 - 12x^2y^2 - 12x^2z^2 + y^4 + 2y^2z^2 + z^4)}{44} + \frac{\sqrt{110}G_{xz}z(8x^4 - 12x^2y^2 - 12x^2z^2 + y^4 + 2y^2z^2 + z^4)}{44} + \frac{7\sqrt{110}G_{yz}xyz(2x^2 - y^2 - z^2)}{44}$$

$$\vec{\mathbb{G}}_3^{(2,2)}[g](B_2, 2)$$

\*\* symmetry

$$\frac{\sqrt{15}x(y-z)(y+z)}{2}$$

\*\* expression

$$-\frac{\sqrt{22}G_u x(2x^4 + 11x^2y^2 - 31x^2z^2 + 9y^4 - 87y^2z^2 + 30z^4)}{88} - \frac{\sqrt{66}G_v x(2x^4 - 73x^2y^2 + 53x^2z^2 + 51y^4 - 87y^2z^2 - 12z^4)}{264} \\ - \frac{\sqrt{66}G_{xy}y(12x^4 - 46x^2y^2 + 66x^2z^2 + 5y^4 - 4y^2z^2 - 9z^4)}{132} \\ + \frac{\sqrt{66}G_{xz}z(12x^4 + 66x^2y^2 - 46x^2z^2 - 9y^4 - 4y^2z^2 + 5z^4)}{132} + \frac{21\sqrt{66}G_{yz}xyz(y-z)(y+z)}{44}$$

\* Harmonics for rank 4

$$\vec{\mathbb{G}}_4^{(2,-2)}[g](A_1, 1)$$

\*\* symmetry

$$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$$

\*\* expression

$$\frac{\sqrt{6}G_v xy}{2} + \frac{\sqrt{6}G_{xy}(x-y)(x+y)}{4}$$

$$\bar{\mathbb{G}}_4^{(2,-2)}[g](A_1, 2)$$

\*\* symmetry

$$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$$

\*\* expression

$$\frac{3\sqrt{14}G_u xy}{14} - \frac{\sqrt{42}G_{xy}(x^2+y^2-2z^2)}{28} + \frac{\sqrt{42}G_{xz}yz}{7} + \frac{\sqrt{42}G_{yz}xz}{7}$$

$$\bar{\mathbb{G}}_4^{(2,0)}[g](A_1, 1)$$

\*\* symmetry

$$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$$

\*\* expression

$$-\frac{7\sqrt{11}G_u xy(x-y)(x+y)}{11} + \frac{\sqrt{33}G_v xy(x^2+y^2-6z^2)}{22} + \frac{\sqrt{33}G_{xy}(x-y)(x+y)(x^2+y^2-6z^2)}{44} + \frac{7\sqrt{33}G_{xz}yz(3x^2-y^2)}{44} + \frac{7\sqrt{33}G_{yz}xz(x^2-3y^2)}{44}$$

$$\bar{\mathbb{G}}_4^{(2,0)}[g](A_1, 2)$$

\*\* symmetry

$$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$$

\*\* expression

$$-\frac{2\sqrt{77}G_u xy(x^2+y^2-6z^2)}{77} - \frac{\sqrt{231}G_v xy(x-y)(x+y)}{22} - \frac{\sqrt{231}G_{xy}(x^4+30x^2y^2-36x^2z^2+y^4-36y^2z^2+12z^4)}{308} + \frac{\sqrt{231}G_{xz}yz(39x^2-31y^2+18z^2)}{308} - \frac{\sqrt{231}G_{yz}xz(31x^2-39y^2-18z^2)}{308}$$

$$\bar{\mathbb{G}}_4^{(2,2)}[g](A_1, 1)$$

\*\* symmetry

$$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$$

\*\* expression

$$-\frac{9\sqrt{1001}G_u xy(x-y)(x+y)(x^2+y^2-10z^2)}{572} + \frac{\sqrt{3003}G_v xy(25x^4-82x^2y^2-4x^2z^2+25y^4-4y^2z^2+4z^4)}{572} - \frac{\sqrt{3003}G_{xy}(x-y)(x+y)(2x^4-29x^2y^2+x^2z^2+2y^4+y^2z^2-z^4)}{286} + \frac{3\sqrt{3003}G_{xz}yz(8x^4-13x^2y^2-3x^2z^2+y^4+y^2z^2)}{286} - \frac{3\sqrt{3003}G_{yz}xz(x^4-13x^2y^2+x^2z^2+8y^4-3y^2z^2)}{286}$$

$$\bar{\mathbb{G}}_4^{(2,2)}[g](A_1, 2)$$

\*\* symmetry

$$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$$

\*\* expression

$$\frac{21\sqrt{143}G_u xy(x^4+2x^2y^2-16x^2z^2+y^4-16y^2z^2+16z^4)}{572} - \frac{21\sqrt{429}G_v xy(x-y)(x+y)(x^2+y^2-10z^2)}{572} + \frac{\sqrt{429}G_{xy}(2x^6-15x^4y^2-15x^4z^2-15x^2y^4+180x^2y^2z^2-15x^2z^4+2y^6-15y^4z^2-15y^2z^4+2z^6)}{286} - \frac{7\sqrt{429}G_{xz}yz(8x^4+7x^2y^2-23x^2z^2-y^4+y^2z^2+2z^4)}{286} + \frac{7\sqrt{429}G_{yz}xz(x^4-7x^2y^2-x^2z^2-8y^4+23y^2z^2-2z^4)}{286}$$

$$\bar{\mathbb{G}}_4^{(2,-2)}[g](A_2, 1)$$

\*\* symmetry

$$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$$

\*\* expression

$$-\frac{\sqrt{30}G_u(x^2+y^2-2z^2)}{20} + \frac{3\sqrt{10}G_v(x-y)(x+y)}{20} - \frac{\sqrt{10}G_{xy}xy}{5} - \frac{\sqrt{10}G_{xz}xz}{5} - \frac{\sqrt{10}G_{yz}yz}{5}$$

$$\bar{\mathbb{G}}_4^{(2,-2)}[g](A_2, 2)$$

\*\* symmetry

$$-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$$

\*\* expression

$$-\frac{\sqrt{42}G_u(x^2 + y^2 - 2z^2)}{28} - \frac{3\sqrt{14}G_v(x - y)(x + y)}{28} + \frac{2\sqrt{14}G_{xy}xy}{7} - \frac{\sqrt{14}G_{xz}xz}{7} - \frac{\sqrt{14}G_{yz}yz}{7}$$

$$\vec{\mathbb{G}}_4^{(2,-2)}[g](A_2, 3)$$

\*\* symmetry

$$\frac{\sqrt{5}(x - y)(x + y)(x^2 + y^2 - 6z^2)}{4}$$

\*\* expression

$$-\frac{3\sqrt{14}G_u(x - y)(x + y)}{28} + \frac{\sqrt{42}G_v(x^2 + y^2 - 2z^2)}{28} - \frac{\sqrt{42}G_{xz}xz}{7} + \frac{\sqrt{42}G_{yz}yz}{7}$$

$$\vec{\mathbb{G}}_4^{(2,0)}[g](A_2, 1)$$

\*\* symmetry

$$\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$$

\*\* expression

$$-\frac{\sqrt{165}G_u(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{66} + \frac{\sqrt{55}G_v(x - y)(x + y)(x^2 + y^2 - 6z^2)}{22} \\ + \frac{\sqrt{55}G_{xy}xy(x^2 + y^2 - 6z^2)}{22} + \frac{\sqrt{55}G_{xz}xz(x^2 - 6y^2 + z^2)}{22} - \frac{\sqrt{55}G_{yz}yz(6x^2 - y^2 - z^2)}{22}$$

$$\vec{\mathbb{G}}_4^{(2,0)}[g](A_2, 2)$$

\*\* symmetry

$$-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$$

\*\* expression

$$\frac{\sqrt{231}G_u(8x^4 - 33x^2y^2 - 15x^2z^2 + 8y^4 - 15y^2z^2 + 5z^4)}{231} + \frac{\sqrt{77}G_v(x - y)(x + y)(x^2 + y^2 - 6z^2)}{77} \\ + \frac{\sqrt{77}G_{xy}xy(x^2 + y^2 - 6z^2)}{14} - \frac{\sqrt{77}G_{xz}xz(16x^2 - 33y^2 - 5z^2)}{154} + \frac{\sqrt{77}G_{yz}yz(33x^2 - 16y^2 + 5z^2)}{154}$$

$$\vec{\mathbb{G}}_4^{(2,0)}[g](A_2, 3)$$

\*\* symmetry

$$\frac{\sqrt{5}(x - y)(x + y)(x^2 + y^2 - 6z^2)}{4}$$

\*\* expression

$$\frac{\sqrt{77}G_u(x - y)(x + y)(x^2 + y^2 - 6z^2)}{77} + \frac{\sqrt{231}G_v(2x^4 - 3x^2y^2 - 9x^2z^2 + 2y^4 - 9y^2z^2 + 3z^4)}{77} \\ + \frac{\sqrt{231}G_{xy}xy(x - y)(x + y)}{22} - \frac{\sqrt{231}G_{xz}xz(2x^2 - 33y^2 + 9z^2)}{154} - \frac{\sqrt{231}G_{yz}yz(33x^2 - 2y^2 - 9z^2)}{154}$$

$$\vec{\mathbb{G}}_4^{(2,2)}[g](A_2, 1)$$

\*\* symmetry

$$\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$$

\*\* expression

$$-\frac{\sqrt{15015}G_u(x^6 - 15x^4z^2 + 15x^2z^4 + y^6 - 15y^4z^2 + 15y^2z^4 - 2z^6)}{572} \\ + \frac{3\sqrt{5005}G_v(x - y)(x + y)(x^4 - 9x^2y^2 - 5x^2z^2 + y^4 - 5y^2z^2 + 5z^4)}{572} + \frac{\sqrt{5005}G_{xy}xy(7x^4 - 19x^2y^2 - 13x^2z^2 + 7y^4 - 13y^2z^2 + 13z^4)}{286} \\ + \frac{\sqrt{5005}G_{xz}xz(7x^4 - 13x^2y^2 - 19x^2z^2 + 13y^4 - 13y^2z^2 + 7z^4)}{286} + \frac{\sqrt{5005}G_{yz}yz(13x^4 - 13x^2y^2 - 13x^2z^2 + 7y^4 - 19y^2z^2 + 7z^4)}{286}$$

$$\vec{\mathbb{G}}_4^{(2,2)}[g](A_2, 2)$$

\*\* symmetry

$$-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$$



\*\* expression

$$\begin{aligned} & - \frac{\sqrt{429}G_u (x^6 + 45x^4y^2 - 60x^4z^2 + 45x^2y^4 - 540x^2y^2z^2 + 150x^2z^4 + y^6 - 60y^4z^2 + 150y^2z^4 - 20z^6)}{1144} \\ & - \frac{21\sqrt{143}G_v (x-y)(x+y)(x^4 - 20x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 6z^4)}{1144} - \frac{7\sqrt{143}G_{xy}xy (x^4 - 4x^2y^2 + 2x^2z^2 + y^4 + 2y^2z^2 - 2z^4)}{52} \\ & + \frac{7\sqrt{143}G_{xz}xz (x^4 + 56x^2y^2 - 22x^2z^2 - 11y^4 - 34y^2z^2 + 10z^4)}{572} - \frac{7\sqrt{143}G_{yz}yz (11x^4 - 56x^2y^2 + 34x^2z^2 - y^4 + 22y^2z^2 - 10z^4)}{572} \end{aligned}$$

$$\vec{\mathbb{G}}_4^{(2,2)}[g](A_2, 3)$$

\*\* symmetry

$$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$$

\*\* expression

$$\begin{aligned} & - \frac{21\sqrt{143}G_u (x-y)(x+y)(x^4 + 2x^2y^2 - 16x^2z^2 + y^4 - 16y^2z^2 + 16z^4)}{1144} \\ & + \frac{\sqrt{429}G_v (13x^6 - 45x^4y^2 - 150x^4z^2 - 45x^2y^4 + 540x^2y^2z^2 + 60x^2z^4 + 13y^6 - 150y^4z^2 + 60y^2z^4 - 8z^6)}{1144} \\ & + \frac{21\sqrt{429}G_{xy}xy (x-y)(x+y)(x^2+y^2-10z^2)}{572} + \frac{7\sqrt{429}G_{xz}xz (7x^4 - 4x^2y^2 - 22x^2z^2 - 11y^4 + 26y^2z^2 + 4z^4)}{572} \\ & + \frac{7\sqrt{429}G_{yz}yz (11x^4 + 4x^2y^2 - 26x^2z^2 - 7y^4 + 22y^2z^2 - 4z^4)}{572} \end{aligned}$$

$$\vec{\mathbb{G}}_4^{(2,-2)}[g](B_1, 1)$$

\*\* symmetry

$$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$$

\*\* expression

$$-\frac{3\sqrt{2}G_u yz}{4} - \frac{\sqrt{6}G_v yz}{4} + \frac{\sqrt{6}G_{yz}(y-z)(y+z)}{4}$$

$$\vec{\mathbb{G}}_4^{(2,-2)}[g](B_1, 2)$$

\*\* symmetry

$$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$$

\*\* expression

$$-\frac{3\sqrt{14}G_u yz}{28} + \frac{3\sqrt{42}G_v yz}{28} + \frac{\sqrt{42}G_{xy}xz}{7} + \frac{\sqrt{42}G_{xz}xy}{7} + \frac{\sqrt{42}G_{yz}(2x^2-y^2-z^2)}{28}$$

$$\vec{\mathbb{G}}_4^{(2,0)}[g](B_1, 1)$$

\*\* symmetry

$$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$$

\*\* expression

$$\begin{aligned} & \frac{\sqrt{11}G_u yz (18x^2 + 11y^2 - 17z^2)}{44} + \frac{\sqrt{33}G_v yz (6x^2 - 15y^2 + 13z^2)}{44} + \frac{7\sqrt{33}G_{xy}xz (3y^2 - z^2)}{44} \\ & + \frac{7\sqrt{33}G_{xz}xy (y^2 - 3z^2)}{44} - \frac{\sqrt{33}G_{yz}(y-z)(y+z)(6x^2-y^2-z^2)}{44} \end{aligned}$$

$$\vec{\mathbb{G}}_4^{(2,0)}[g](B_1, 2)$$

\*\* symmetry

$$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$$

\*\* expression

$$\begin{aligned} & - \frac{\sqrt{77}G_u yz (24x^2 - 25y^2 + 17z^2)}{308} + \frac{\sqrt{231}G_v yz (24x^2 + 3y^2 - 11z^2)}{308} + \frac{\sqrt{231}G_{xy}xz (18x^2 + 39y^2 - 31z^2)}{308} \\ & + \frac{\sqrt{231}G_{xz}xy (18x^2 - 31y^2 + 39z^2)}{308} - \frac{\sqrt{231}G_{yz}(12x^4 - 36x^2y^2 - 36x^2z^2 + y^4 + 30y^2z^2 + z^4)}{308} \end{aligned}$$

$$\vec{\mathbb{G}}_4^{(2,2)}[g](B_1, 1)$$

\*\* symmetry

$$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$$

\*\* expression

$$\begin{aligned} & - \frac{3\sqrt{1001}G_u y z (2x^4 + 13x^2y^2 - 17x^2z^2 + 11y^4 - 41y^2z^2 + 14z^4)}{572} - \frac{\sqrt{3003}G_v y z (2x^4 - 47x^2y^2 + 43x^2z^2 + 17y^4 - 41y^2z^2 + 8z^4)}{572} \\ & - \frac{3\sqrt{3003}G_{xy} x z (3x^2y^2 - x^2z^2 - 8y^4 + 13y^2z^2 - z^4)}{286} - \frac{3\sqrt{3003}G_{xz} x y (x^2y^2 - 3x^2z^2 + y^4 - 13y^2z^2 + 8z^4)}{286} \\ & + \frac{\sqrt{3003}G_{yz} (y - z) (y + z) (x^4 - x^2y^2 - x^2z^2 - 2y^4 + 29y^2z^2 - 2z^4)}{286} \end{aligned}$$

$$\tilde{\mathbb{G}}_4^{(2,2)}[g](B_1, 2)$$

\*\* symmetry

$$\frac{\sqrt{5}yz(6x^2 - y^2 - z^2)}{2}$$

\*\* expression

$$\begin{aligned} & - \frac{21\sqrt{143}G_u y z (8x^4 + 7x^2y^2 - 23x^2z^2 - y^4 + y^2z^2 + 2z^4)}{572} + \frac{21\sqrt{429}G_v y z (8x^4 - 13x^2y^2 - 3x^2z^2 + y^4 + y^2z^2)}{572} \\ & - \frac{7\sqrt{429}G_{xy} x z (2x^4 - 23x^2y^2 + x^2z^2 + 8y^4 + 7y^2z^2 - z^4)}{286} - \frac{7\sqrt{429}G_{xz} x y (2x^4 + x^2y^2 - 23x^2z^2 - y^4 + 7y^2z^2 + 8z^4)}{286} \\ & + \frac{\sqrt{429}G_{yz} (2x^6 - 15x^4y^2 - 15x^4z^2 - 15x^2y^4 + 180x^2y^2z^2 - 15x^2z^4 + 2y^6 - 15y^4z^2 - 15y^2z^4 + 2z^6)}{286} \end{aligned}$$

$$\tilde{\mathbb{G}}_4^{(2,-2)}[g](B_2, 1)$$

\*\* symmetry

$$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$$

\*\* expression

$$\frac{3\sqrt{2}G_u x z}{4} - \frac{\sqrt{6}G_v x z}{4} - \frac{\sqrt{6}G_{xz}(x-z)(x+z)}{4}$$

$$\tilde{\mathbb{G}}_4^{(2,-2)}[g](B_2, 2)$$

\*\* symmetry

$$-\frac{\sqrt{5}xz(x^2 - 6y^2 + z^2)}{2}$$

\*\* expression

$$-\frac{3\sqrt{14}G_u x z}{28} - \frac{3\sqrt{42}G_v x z}{28} + \frac{\sqrt{42}G_{xy} y z}{7} - \frac{\sqrt{42}G_{xz}(x^2 - 2y^2 + z^2)}{28} + \frac{\sqrt{42}G_{yz} x y}{7}$$

$$\tilde{\mathbb{G}}_4^{(2,0)}[g](B_2, 1)$$

\*\* symmetry

$$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$$

\*\* expression

$$\begin{aligned} & - \frac{\sqrt{11}G_u x z (11x^2 + 18y^2 - 17z^2)}{44} - \frac{\sqrt{33}G_v x z (15x^2 - 6y^2 - 13z^2)}{44} - \frac{7\sqrt{33}G_{xy} y z (3x^2 - z^2)}{44} \\ & - \frac{\sqrt{33}G_{xz}(x-z)(x+z)(x^2 - 6y^2 + z^2)}{44} - \frac{7\sqrt{33}G_{yz} x y (x^2 - 3z^2)}{44} \end{aligned}$$

$$\tilde{\mathbb{G}}_4^{(2,0)}[g](B_2, 2)$$

\*\* symmetry

$$-\frac{\sqrt{5}xz(x^2 - 6y^2 + z^2)}{2}$$

\*\* expression

$$\begin{aligned} & \frac{\sqrt{77}G_u x z (25x^2 - 24y^2 - 17z^2)}{308} - \frac{\sqrt{231}G_v x z (3x^2 + 24y^2 - 11z^2)}{308} + \frac{\sqrt{231}G_{xy} y z (39x^2 + 18y^2 - 31z^2)}{308} \\ & - \frac{\sqrt{231}G_{xz}(x^4 - 36x^2y^2 + 30x^2z^2 + 12y^4 - 36y^2z^2 + z^4)}{308} - \frac{\sqrt{231}G_{yz} x y (31x^2 - 18y^2 - 39z^2)}{308} \end{aligned}$$

$$\tilde{\mathbb{G}}_4^{(2,2)}[g](B_2, 1)$$

\*\* symmetry

$$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$$

\*\* expression

$$\begin{aligned} & \frac{3\sqrt{1001}G_u xz (11x^4 + 13x^2y^2 - 41x^2z^2 + 2y^4 - 17y^2z^2 + 14z^4)}{572} \\ & - \frac{\sqrt{3003}G_v xz (17x^4 - 47x^2y^2 - 41x^2z^2 + 2y^4 + 43y^2z^2 + 8z^4)}{572} - \frac{3\sqrt{3003}G_{xy}yz (8x^4 - 3x^2y^2 - 13x^2z^2 + y^2z^2 + z^4)}{286} \\ & + \frac{\sqrt{3003}G_{xz} (x-z)(x+z) (2x^4 + x^2y^2 - 29x^2z^2 - y^4 + y^2z^2 + 2z^4)}{286} + \frac{3\sqrt{3003}G_{yz}xy (x^4 + x^2y^2 - 13x^2z^2 - 3y^2z^2 + 8z^4)}{286} \end{aligned}$$

$\vec{\mathbb{G}}_4^{(2,2)}[g](B_2, 2)$

\*\* symmetry

$$- \frac{\sqrt{5}xz (x^2 - 6y^2 + z^2)}{2}$$

\*\* expression

$$\begin{aligned} & \frac{21\sqrt{143}G_u xz (x^4 - 7x^2y^2 - x^2z^2 - 8y^4 + 23y^2z^2 - 2z^4)}{572} - \frac{21\sqrt{429}G_v xz (x^4 - 13x^2y^2 + x^2z^2 + 8y^4 - 3y^2z^2)}{572} \\ & - \frac{7\sqrt{429}G_{xy}yz (8x^4 - 23x^2y^2 + 7x^2z^2 + 2y^4 + y^2z^2 - z^4)}{286} \\ & + \frac{\sqrt{429}G_{xz} (2x^6 - 15x^4y^2 - 15x^4z^2 - 15x^2y^4 + 180x^2y^2z^2 - 15x^2z^4 + 2y^6 - 15y^4z^2 - 15y^2z^4 + 2z^6)}{286} \\ & + \frac{7\sqrt{429}G_{yz}xy (x^4 - x^2y^2 - 7x^2z^2 - 2y^4 + 23y^2z^2 - 8z^4)}{286} \end{aligned}$$