

PG No. 14  $D_{2d}$   $\bar{4}2m$  (-42m setting) [ tetragonal ] (axial, internal polar quadrupole)

\* Harmonics for rank 0

\* Harmonics for rank 1

$\vec{G}_1^{(2,1)}[q](A_2)$

\*\* symmetry

$z$

\*\* expression

$$\frac{\sqrt{30}Q_vxy}{5} - \frac{\sqrt{30}Q_{xy}(x-y)(x+y)}{10} + \frac{\sqrt{30}Q_{xz}yz}{10} - \frac{\sqrt{30}Q_{yz}xz}{10}$$

$\vec{G}_{1,1}^{(2,1)}[q](E), \vec{G}_{1,2}^{(2,1)}[q](E)$

\*\* symmetry

$x$

$-y$

\*\* expression

$$-\frac{3\sqrt{10}Q_uyz}{10} - \frac{\sqrt{30}Q_vyz}{10} + \frac{\sqrt{30}Q_{xy}xz}{10} - \frac{\sqrt{30}Q_{xz}xy}{10} - \frac{\sqrt{30}Q_{yz}(y-z)(y+z)}{10}$$

$$-\frac{3\sqrt{10}Q_{uxz}}{10} + \frac{\sqrt{30}Q_vxz}{10} + \frac{\sqrt{30}Q_{xy}yz}{10} - \frac{\sqrt{30}Q_{xz}(x-z)(x+z)}{10} - \frac{\sqrt{30}Q_{yz}xy}{10}$$

\* Harmonics for rank 2

$\vec{G}_2^{(2,-1)}[q](A_1)$

\*\* symmetry

$$\frac{\sqrt{3}(x-y)(x+y)}{2}$$

\*\* expression

$$\frac{\sqrt{6}Q_{xy}z}{3} - \frac{\sqrt{6}Q_{xz}y}{6} - \frac{\sqrt{6}Q_{yz}x}{6}$$

$\vec{G}_2^{(2,1)}[q](A_1)$

\*\* symmetry

$$\frac{\sqrt{3}(x-y)(x+y)}{2}$$

\*\* expression

$$-\frac{5\sqrt{42}Q_{uxyz}}{14} + \frac{\sqrt{14}Q_{xy}z(3x^2+3y^2-2z^2)}{28} - \frac{\sqrt{14}Q_{xz}y(9x^2-y^2-6z^2)}{28} + \frac{\sqrt{14}Q_{yz}x(x^2-9y^2+6z^2)}{28}$$

$\vec{G}_2^{(2,-1)}[q](A_2)$

\*\* symmetry

$$\sqrt{3}xy$$

\*\* expression

$$-\frac{\sqrt{6}Q_vz}{3} + \frac{\sqrt{6}Q_{xz}x}{6} - \frac{\sqrt{6}Q_{yz}y}{6}$$

$\vec{G}_2^{(2,1)}[q](A_2)$

\*\* symmetry

$$\sqrt{3}xy$$

\*\* expression

$$\frac{5\sqrt{42}Q_{uxz}(x-y)(x+y)}{28} - \frac{\sqrt{14}Q_vz(3x^2+3y^2-2z^2)}{28} + \frac{\sqrt{14}Q_{xz}x(2x^2-3y^2-3z^2)}{14} + \frac{\sqrt{14}Q_{yz}y(3x^2-2y^2+3z^2)}{14}$$

$\vec{G}_2^{(2,-1)}[q](B_1)$

\*\* symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

\*\* expression

$$\frac{\sqrt{2}Q_{xzy}}{2} - \frac{\sqrt{2}Q_{yzy}}{2}$$

$$\vec{\mathbb{G}}_2^{(2,1)}[q](B_1)$$

\*\* symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

\*\* expression

$$\frac{5\sqrt{42}Q_vxyz}{14} - \frac{5\sqrt{42}Q_{xy}z(x-y)(x+y)}{28} - \frac{\sqrt{42}Q_{xz}y(x^2+y^2-4z^2)}{28} + \frac{\sqrt{42}Q_{yz}x(x^2+y^2-4z^2)}{28}$$

$$\vec{\mathbb{G}}_{2,1}^{(2,-1)}[q](E), \vec{\mathbb{G}}_{2,2}^{(2,-1)}[q](E)$$

\*\* symmetry

$$\sqrt{3}yz$$

$$-\sqrt{3}xz$$

\*\* expression

$$\frac{\sqrt{2}Q_{ux}}{2} + \frac{\sqrt{6}Q_{vx}}{6} + \frac{\sqrt{6}Q_{xyy}}{6} - \frac{\sqrt{6}Q_{xzz}}{6}$$

$$\frac{\sqrt{2}Q_{uy}}{2} - \frac{\sqrt{6}Q_{vy}}{6} + \frac{\sqrt{6}Q_{xyx}}{6} - \frac{\sqrt{6}Q_{yzz}}{6}$$

$$\vec{\mathbb{G}}_{2,1}^{(2,1)}[q](E), \vec{\mathbb{G}}_{2,2}^{(2,1)}[q](E)$$

\*\* symmetry

$$\sqrt{3}yz$$

$$-\sqrt{3}xz$$

\*\* expression

$$-\frac{\sqrt{42}Q_{ux}(x^2+y^2-4z^2)}{28} - \frac{\sqrt{14}Q_{vx}(x^2-9y^2+6z^2)}{28} - \frac{\sqrt{14}Q_{xyy}(3x^2-2y^2+3z^2)}{14} + \frac{\sqrt{14}Q_{xzz}(3x^2+3y^2-2z^2)}{14}$$

$$-\frac{\sqrt{42}Q_{uy}(x^2+y^2-4z^2)}{28} - \frac{\sqrt{14}Q_{vy}(9x^2-y^2-6z^2)}{28} + \frac{\sqrt{14}Q_{xyx}(2x^2-3y^2-3z^2)}{14} + \frac{\sqrt{14}Q_{yzz}(3x^2+3y^2-2z^2)}{14}$$

\* Harmonics for rank 3

$$\vec{\mathbb{G}}_3^{(2,-1)}[q](A_2)$$

\*\* symmetry

$$-\frac{z(3x^2+3y^2-2z^2)}{2}$$

\*\* expression

$$-\frac{\sqrt{30}Q_vxy}{10} + \frac{\sqrt{30}Q_{xy}(x-y)(x+y)}{20} + \frac{\sqrt{30}Q_{xzy}}{5} - \frac{\sqrt{30}Q_{yzy}}{5}$$

$$\vec{\mathbb{G}}_3^{(2,1)}[q](A_2)$$

\*\* symmetry

$$-\frac{z(3x^2+3y^2-2z^2)}{2}$$

\*\* expression

$$-\frac{\sqrt{15}Q_vxy(x^2+y^2-6z^2)}{6} + \frac{\sqrt{15}Q_{xy}(x-y)(x+y)(x^2+y^2-6z^2)}{12} - \frac{\sqrt{15}Q_{xzy}(3x^2+3y^2-4z^2)}{12} + \frac{\sqrt{15}Q_{yzy}(3x^2+3y^2-4z^2)}{12}$$

$$\vec{\mathbb{G}}_3^{(2,-1)}[q](B_1)$$

\*\* symmetry

$$\sqrt{15}xyz$$

\*\* expression

$$\frac{\sqrt{6}Q_u(x-y)(x+y)}{4} + \frac{\sqrt{2}Q_v(x^2+y^2-2z^2)}{4}$$

$$\vec{\mathbb{G}}_3^{(2,1)}[q](B_1)$$

\*\* symmetry

$$\sqrt{15}xyz$$

\*\* expression

$$-\frac{\sqrt{3}Q_u(x-y)(x+y)(x^2+y^2-6z^2)}{6}-\frac{Q_v(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{6}-\frac{7Q_{xy}xy(x-y)(x+y)}{6}+\frac{7Q_{xz}xz(x-z)(x+z)}{6}-\frac{7Q_{yz}yz(y-z)(y+z)}{6}$$

$$\vec{\mathbb{G}}_3^{(2,-1)}[q](B_2)$$

\*\* symmetry

$$\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

\*\* expression

$$-\frac{\sqrt{6}Q_uxy}{2}-\frac{\sqrt{2}Q_{xy}(x^2+y^2-2z^2)}{4}$$

$$\vec{\mathbb{G}}_3^{(2,1)}[q](B_2)$$

\*\* symmetry

$$\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

\*\* expression

$$\frac{\sqrt{3}Q_uxy(x^2+y^2-6z^2)}{3}+\frac{7Q_vxy(x-y)(x+y)}{6}-\frac{Q_{xy}(5x^4-18x^2y^2-12x^2z^2+5y^4-12y^2z^2+4z^4)}{12}-\frac{7Q_{xz}yz(3x^2+y^2-2z^2)}{12}-\frac{7Q_{yz}xz(x^2+3y^2-2z^2)}{12}$$

$$\vec{\mathbb{G}}_{3,1}^{(2,-1)}[q](E,1), \vec{\mathbb{G}}_{3,2}^{(2,-1)}[q](E,1)$$

\*\* symmetry

$$\frac{x(2x^2-3y^2-3z^2)}{2}$$

$$\frac{y(3x^2-2y^2+3z^2)}{2}$$

\*\* expression

$$\frac{3\sqrt{10}Q_uyz}{20}+\frac{\sqrt{30}Q_vyz}{20}+\frac{\sqrt{30}Q_{xy}xz}{5}-\frac{\sqrt{30}Q_{xz}xy}{5}+\frac{\sqrt{30}Q_{yz}(y-z)(y+z)}{20}$$

$$\frac{3\sqrt{10}Q_uxz}{20}-\frac{\sqrt{30}Q_vxz}{20}+\frac{\sqrt{30}Q_{xy}yz}{5}+\frac{\sqrt{30}Q_{xz}(x-z)(x+z)}{20}-\frac{\sqrt{30}Q_{yz}xy}{5}$$

$$\vec{\mathbb{G}}_{3,1}^{(2,-1)}[q](E,2), \vec{\mathbb{G}}_{3,2}^{(2,-1)}[q](E,2)$$

\*\* symmetry

$$\frac{\sqrt{15}x(y-z)(y+z)}{2}$$

$$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$$

\*\* expression

$$\frac{\sqrt{6}Q_uyz}{4}-\frac{3\sqrt{2}Q_vyz}{4}+\frac{\sqrt{2}Q_{yz}(2x^2-y^2-z^2)}{4}$$

$$\frac{\sqrt{6}Q_uxz}{4}+\frac{3\sqrt{2}Q_vxz}{4}-\frac{\sqrt{2}Q_{xz}(x^2-2y^2+z^2)}{4}$$

$$\vec{\mathbb{G}}_{3,1}^{(2,1)}[q](E,1), \vec{\mathbb{G}}_{3,2}^{(2,1)}[q](E,1)$$

\*\* symmetry

$$\frac{x(2x^2-3y^2-3z^2)}{2}$$

$$\frac{y(3x^2-2y^2+3z^2)}{2}$$

\*\* expression

$$\begin{aligned} & -\frac{\sqrt{5}Q_{uyz}(6x^2-y^2-z^2)}{4} - \frac{\sqrt{15}Q_{vyz}(6x^2-y^2-z^2)}{12} + \frac{\sqrt{15}Q_{xyz}(4x^2-3y^2-3z^2)}{12} \\ & - \frac{\sqrt{15}Q_{xzy}(4x^2-3y^2-3z^2)}{12} - \frac{\sqrt{15}Q_{yz}(y-z)(y+z)(6x^2-y^2-z^2)}{12} \\ & \frac{\sqrt{5}Q_{uxz}(x^2-6y^2+z^2)}{4} - \frac{\sqrt{15}Q_{vzx}(x^2-6y^2+z^2)}{12} - \frac{\sqrt{15}Q_{xyyz}(3x^2-4y^2+3z^2)}{12} \\ & + \frac{\sqrt{15}Q_{xz}(x-z)(x+z)(x^2-6y^2+z^2)}{12} + \frac{\sqrt{15}Q_{yzxy}(3x^2-4y^2+3z^2)}{12} \end{aligned}$$

$$\vec{\mathbb{G}}_{3,1}^{(2,1)}[q](E,2), \vec{\mathbb{G}}_{3,2}^{(2,1)}[q](E,2)$$

\*\* symmetry

$$\begin{aligned} & \frac{\sqrt{15}x(y-z)(y+z)}{2} \\ & - \frac{\sqrt{15}y(x-z)(x+z)}{2} \end{aligned}$$

\*\* expression

$$\begin{aligned} & \frac{\sqrt{3}Q_{uyz}(12x^2-9y^2+5z^2)}{12} - \frac{Q_{vyz}(36x^2+y^2-13z^2)}{12} + \frac{7Q_{xyz}(2x^2-3y^2-z^2)}{12} \\ & + \frac{7Q_{xzy}(2x^2-y^2-3z^2)}{12} - \frac{Q_{yz}(4x^4-12x^2y^2-12x^2z^2+5y^4-18y^2z^2+5z^4)}{12} \\ & - \frac{\sqrt{3}Q_{uxz}(9x^2-12y^2-5z^2)}{12} + \frac{Q_{vzx}(x^2+36y^2-13z^2)}{12} - \frac{7Q_{xyyz}(3x^2-2y^2+z^2)}{12} \\ & - \frac{Q_{xz}(5x^4-12x^2y^2-18x^2z^2+4y^4-12y^2z^2+5z^4)}{12} - \frac{7Q_{yzxy}(x^2-2y^2+3z^2)}{12} \end{aligned}$$

\* Harmonics for rank 4

$$\vec{\mathbb{G}}_4^{(2,-1)}[q](A_1)$$

\*\* symmetry

$$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$$

\*\* expression

$$\frac{6\sqrt{7}Q_{uxyz}}{7} + \frac{\sqrt{21}Q_{xyz}(3x^2+3y^2-2z^2)}{14} - \frac{\sqrt{21}Q_{xzy}(2x^2-y^2+z^2)}{14} + \frac{\sqrt{21}Q_{yzx}(x^2-2y^2-z^2)}{14}$$

$$\vec{\mathbb{G}}_4^{(2,1)}[q](A_1)$$

\*\* symmetry

$$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$$

\*\* expression

$$\begin{aligned} & -\frac{21\sqrt{22}Q_{uxyz}(x^2+y^2-2z^2)}{44} - \frac{21\sqrt{66}Q_{vxyz}(x-y)(x+y)}{44} + \frac{\sqrt{66}Q_{xyz}(9x^4-24x^2y^2-10x^2z^2+9y^4-10y^2z^2+2z^4)}{44} \\ & - \frac{\sqrt{66}Q_{xzy}(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44} - \frac{\sqrt{66}Q_{yzx}(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44} \end{aligned}$$

$$\vec{\mathbb{G}}_4^{(2,-1)}[q](A_2)$$

\*\* symmetry

$$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$$

\*\* expression

$$\frac{3\sqrt{7}Q_{uz}(x-y)(x+y)}{7} + \frac{\sqrt{21}Q_{vz}(3x^2+3y^2-2z^2)}{14} - \frac{\sqrt{21}Q_{xzx}(x^2-5y^2+2z^2)}{28} - \frac{\sqrt{21}Q_{yzx}(5x^2-y^2-2z^2)}{28}$$

$$\vec{\mathbb{G}}_4^{(2,1)}[q](A_2)$$

\*\* symmetry

$$-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$$

\*\* expression

$$-\frac{21\sqrt{22}Q_u z (x-y)(x+y)(x^2+y^2-2z^2)}{88} - \frac{\sqrt{66}Q_v z (3x^4-78x^2y^2+20x^2z^2+3y^4+20y^2z^2-4z^4)}{88} - \frac{21\sqrt{66}Q_{xy}xyz(x-y)(x+y)}{44} \\ - \frac{\sqrt{66}Q_{xz}x(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44} + \frac{\sqrt{66}Q_{yz}y(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44}$$

$$\vec{\mathbb{G}}_4^{(2,-1)}[q](B_1, 1)$$

\*\* symmetry

$$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$$

\*\* expression

$$\frac{\sqrt{5}Q_{xy}z(x-y)(x+y)}{2} - \frac{\sqrt{5}Q_{xz}y(x-z)(x+z)}{2} + \frac{\sqrt{5}Q_{yz}x(y-z)(y+z)}{2}$$

$$\vec{\mathbb{G}}_4^{(2,-1)}[q](B_1, 2)$$

\*\* symmetry

$$-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$$

\*\* expression

$$-\frac{6\sqrt{7}Q_vxyz}{7} - \frac{\sqrt{7}Q_{xy}z(x-y)(x+y)}{14} + \frac{\sqrt{7}Q_{xz}y(4x^2-3y^2+5z^2)}{14} + \frac{\sqrt{7}Q_{yz}x(3x^2-4y^2-5z^2)}{14}$$

$$\vec{\mathbb{G}}_4^{(2,1)}[q](B_1, 1)$$

\*\* symmetry

$$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$$

\*\* expression

$$-\frac{3\sqrt{2310}Q_uxyz(x-y)(x+y)}{44} - \frac{3\sqrt{770}Q_vxyz(x^2+y^2-2z^2)}{44} + \frac{\sqrt{770}Q_{xy}z(x-y)(x+y)(x^2+y^2-2z^2)}{22} \\ - \frac{\sqrt{770}Q_{xz}y(x-z)(x+z)(x^2-2y^2+z^2)}{22} - \frac{\sqrt{770}Q_{yz}x(y-z)(y+z)(2x^2-y^2-z^2)}{22}$$

$$\vec{\mathbb{G}}_4^{(2,1)}[q](B_1, 2)$$

\*\* symmetry

$$-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$$

\*\* expression

$$\frac{21\sqrt{66}Q_uxyz(x-y)(x+y)}{44} - \frac{21\sqrt{22}Q_vxyz(x^2+y^2-2z^2)}{44} + \frac{7\sqrt{22}Q_{xy}z(x-y)(x+y)(x^2+y^2-2z^2)}{44} \\ + \frac{\sqrt{22}Q_{xz}y(17x^4-22x^2y^2-36x^2z^2+3y^4-8y^2z^2+10z^4)}{44} - \frac{\sqrt{22}Q_{yz}x(3x^4-22x^2y^2-8x^2z^2+17y^4-36y^2z^2+10z^4)}{44}$$

$$\vec{\mathbb{G}}_4^{(2,-1)}[q](B_2)$$

\*\* symmetry

$$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$$

\*\* expression

$$-\frac{\sqrt{3}Q_vz(x-y)(x+y)}{2} + \sqrt{3}Q_{xy}xyz + \frac{\sqrt{3}Q_{xz}x(x^2-3y^2)}{4} - \frac{\sqrt{3}Q_{yz}y(3x^2-y^2)}{4}$$

$$\vec{\mathbb{G}}_4^{(2,1)}[q](B_2)$$

\*\* symmetry

$$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$$

\*\* expression

$$\frac{9\sqrt{154}Q_u z (x^2-2xy-y^2)(x^2+2xy-y^2)}{88} - \frac{\sqrt{462}Q_v z (x-y)(x+y)(x^2+y^2-2z^2)}{88} + \frac{\sqrt{462}Q_{xy}xyz(x^2+y^2-2z^2)}{44} \\ + \frac{\sqrt{462}Q_{xz}x(x^4-8x^2y^2-2x^2z^2+3y^4+6y^2z^2)}{44} + \frac{\sqrt{462}Q_{yz}y(3x^4-8x^2y^2+6x^2z^2+y^4-2y^2z^2)}{44}$$

$$\vec{\mathbb{G}}_{4,1}^{(2,-1)}[q](E, 1), \vec{\mathbb{G}}_{4,2}^{(2,-1)}[q](E, 1)$$

\*\* symmetry

$$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$$

$$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$$

\*\* expression

$$\frac{3Q_u x(y-z)(y+z)}{4} + \frac{\sqrt{3}Q_v x(y-z)(y+z)}{4} + \frac{\sqrt{3}Q_{xy} y(y^2-3z^2)}{4} - \frac{\sqrt{3}Q_{xz} z(3y^2-z^2)}{4} + \sqrt{3}Q_{yz} xyz$$

$$\frac{3Q_u y(x-z)(x+z)}{4} - \frac{\sqrt{3}Q_v y(x-z)(x+z)}{4} + \frac{\sqrt{3}Q_{xy} x(x^2-3z^2)}{4} + \sqrt{3}Q_{xz} xyz - \frac{\sqrt{3}Q_{yz} z(3x^2-z^2)}{4}$$

$$\vec{\mathbb{G}}_{4,1}^{(2,-1)}[q](E, 2), \vec{\mathbb{G}}_{4,2}^{(2,-1)}[q](E, 2)$$

\*\* symmetry

$$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$$

$$\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$$

\*\* expression

$$\frac{3\sqrt{7}Q_u x(2x^2-5y^2-z^2)}{28} + \frac{\sqrt{21}Q_v x(2x^2+3y^2-9z^2)}{28} - \frac{\sqrt{21}Q_{xy} y(2x^2+y^2-5z^2)}{28} + \frac{\sqrt{21}Q_{xz} z(2x^2-5y^2+z^2)}{28}$$

$$-\frac{3\sqrt{7}Q_u y(5x^2-2y^2+z^2)}{28} - \frac{\sqrt{21}Q_v y(3x^2+2y^2-9z^2)}{28} - \frac{\sqrt{21}Q_{xy} x(x^2+2y^2-5z^2)}{28} - \frac{\sqrt{21}Q_{yz} z(5x^2-2y^2-z^2)}{28}$$

$$\vec{\mathbb{G}}_{4,1}^{(2,1)}[q](E, 1), \vec{\mathbb{G}}_{4,2}^{(2,1)}[q](E, 1)$$

\*\* symmetry

$$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$$

$$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$$

\*\* expression

$$-\frac{3\sqrt{154}Q_u x(x^2y^2-x^2z^2+y^4-9y^2z^2+2z^4)}{88} - \frac{\sqrt{462}Q_v x(x^2y^2-x^2z^2-5y^4+27y^2z^2-4z^4)}{88}$$

$$-\frac{\sqrt{462}Q_{xy} y(2x^2y^2-6x^2z^2-y^4+8y^2z^2-3z^4)}{44} + \frac{\sqrt{462}Q_{xz} z(6x^2y^2-2x^2z^2+3y^4-8y^2z^2+z^4)}{44} - \frac{\sqrt{462}Q_{yz} xyz(2x^2-y^2-z^2)}{44}$$

$$-\frac{3\sqrt{154}Q_u y(x^4+x^2y^2-9x^2z^2-y^2z^2+2z^4)}{88} - \frac{\sqrt{462}Q_v y(5x^4-x^2y^2-27x^2z^2+y^2z^2+4z^4)}{88}$$

$$+\frac{\sqrt{462}Q_{xy} x(x^4-2x^2y^2-8x^2z^2+6y^2z^2+3z^4)}{44} + \frac{\sqrt{462}Q_{xz} xyz(x^2-2y^2+z^2)}{44} + \frac{\sqrt{462}Q_{yz} z(3x^4+6x^2y^2-8x^2z^2-2y^2z^2+z^4)}{44}$$

$$\vec{\mathbb{G}}_{4,1}^{(2,1)}[q](E, 2), \vec{\mathbb{G}}_{4,2}^{(2,1)}[q](E, 2)$$

\*\* symmetry

$$\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$$

$$\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$$

\*\* expression

$$-\frac{3\sqrt{22}Q_u x(2x^4-3x^2y^2-17x^2z^2-5y^4+39y^2z^2+2z^4)}{88} - \frac{\sqrt{66}Q_v x(2x^4-31x^2y^2+11x^2z^2+9y^4+39y^2z^2-12z^4)}{88}$$

$$-\frac{\sqrt{66}Q_{xy} y(8x^4-12x^2y^2-12x^2z^2+y^4+2y^2z^2+z^4)}{44} + \frac{\sqrt{66}Q_{xz} z(8x^4-12x^2y^2-12x^2z^2+y^4+2y^2z^2+z^4)}{44} - \frac{21\sqrt{66}Q_{yz} xyz(y-z)(y+z)}{44}$$

$$\frac{3\sqrt{22}Q_u y(5x^4+3x^2y^2-39x^2z^2-2y^4+17y^2z^2-2z^4)}{88} + \frac{\sqrt{66}Q_v y(9x^4-31x^2y^2+39x^2z^2+2y^4+11y^2z^2-12z^4)}{88}$$

$$-\frac{\sqrt{66}Q_{xy} x(x^4-12x^2y^2+2x^2z^2+8y^4-12y^2z^2+z^4)}{44} - \frac{21\sqrt{66}Q_{xz} xyz(x-z)(x+z)}{44} + \frac{\sqrt{66}Q_{yz} z(x^4-12x^2y^2+2x^2z^2+8y^4-12y^2z^2+z^4)}{44}$$