

PG No. 46 $T(c)$ 23 [cubic]

* generator : 2_{001} , 2_{100} , 3^+_{111}

* conjugacy class

[1] : 1
 $[2_{001}]$: 2_{001} , 2_{100} , 2_{010}

$[3^+_{111}]$: 3^+_{111} , 3^+_{1-1-1} , 3^+_{-11-1} , 3^+_{-1-11}
 $[3^-_{111}]$: 3^-_{111} , 3^-_{1-1-1} , 3^-_{-11-1} , 3^-_{-1-11}

* symmetry operation

Table 1: Symmetry operations for 3d polar vector.

| No. | tag | matrix (polar) | det |
|-----|---------------|---|-----|
| 1 | 1 | $\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ | 1 |
| 2 | 2_{001} | $\begin{bmatrix} -1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ | 1 |
| 3 | 2_{010} | $\begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$ | 1 |
| 4 | 2_{100} | $\begin{bmatrix} 1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$ | 1 |
| 5 | 3^+_{111} | $\begin{bmatrix} 0 & 0 & 1 \\ 1 & 0 & 0 \\ 0 & 1 & 0 \end{bmatrix}$ | 1 |
| 6 | 3^+_{-11-1} | $\begin{bmatrix} 0 & 0 & 1 \\ -1 & 0 & 0 \\ 0 & -1 & 0 \end{bmatrix}$ | 1 |
| 7 | 3^+_{1-1-1} | $\begin{bmatrix} 0 & 0 & -1 \\ -1 & 0 & 0 \\ 0 & 1 & 0 \end{bmatrix}$ | 1 |
| 8 | 3^+_{-1-11} | $\begin{bmatrix} 0 & 0 & -1 \\ 1 & 0 & 0 \\ 0 & -1 & 0 \end{bmatrix}$ | 1 |
| 9 | 3^-_{111} | $\begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 0 & 0 \end{bmatrix}$ | 1 |
| 10 | 3^-_{1-1-1} | $\begin{bmatrix} 0 & -1 & 0 \\ 0 & 0 & 1 \\ -1 & 0 & 0 \end{bmatrix}$ | 1 |
| 11 | 3^-_{-1-11} | $\begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & -1 \\ -1 & 0 & 0 \end{bmatrix}$ | 1 |

continued ...

Table 1

| No. | tag | matrix (polar) | det |
|-----|---------------|---|-----|
| 12 | 3^-_{-11-1} | $\begin{bmatrix} 0 & -1 & 0 \\ 0 & 0 & -1 \\ 1 & 0 & 0 \end{bmatrix}$ | 1 |