

Table 1 Harmonics for rank 0.

| No. | multipole         | expression |
|-----|-------------------|------------|
| 1   | $\mathbb{Q}_0(A)$ | 1          |

Table 2 Harmonics for rank 1.

| No. | multipole             | expression |
|-----|-----------------------|------------|
| 2   | $\mathbb{Q}_{1,1}(T)$ | $x$        |
| 3   | $\mathbb{Q}_{1,2}(T)$ | $y$        |
| 4   | $\mathbb{Q}_{1,3}(T)$ | $z$        |

Table 3 Harmonics for rank 2.

| No. | multipole             | expression                             |
|-----|-----------------------|--|
| 5   | $\mathbb{Q}_{2,1}(E)$ | $-\frac{x^2}{2} - \frac{y^2}{2} + z^2$ |
| 6   | $\mathbb{Q}_{2,2}(E)$ | $\frac{\sqrt{3}(x-y)(x+y)}{2}$         |
| 7   | $\mathbb{Q}_{2,1}(T)$ | $\sqrt{3}yz$                           |
| 8   | $\mathbb{Q}_{2,2}(T)$ | $\sqrt{3}xz$                           |
| 9   | $\mathbb{Q}_{2,3}(T)$ | $\sqrt{3}xy$                           |

Table 4 Harmonics for rank 3.

| No. | multipole                | expression                        |
|-----|--------------------------|-----------------------------------|
| 10  | $\mathbb{Q}_3(A)$        | $\sqrt{15}xyz$                    |
| 11  | $\mathbb{Q}_{3,1}(T, 1)$ | $\frac{x(2x^2-3y^2-3z^2)}{2}$     |
| 12  | $\mathbb{Q}_{3,2}(T, 1)$ | $-\frac{y(3x^2-2y^2+3z^2)}{2}$    |
| 13  | $\mathbb{Q}_{3,3}(T, 1)$ | $-\frac{z(3x^2+3y^2-2z^2)}{2}$    |
| 14  | $\mathbb{Q}_{3,1}(T, 2)$ | $\frac{\sqrt{15}x(y-z)(y+z)}{2}$  |
| 15  | $\mathbb{Q}_{3,2}(T, 2)$ | $-\frac{\sqrt{15}y(x-z)(x+z)}{2}$ |
| 16  | $\mathbb{Q}_{3,3}(T, 2)$ | $\frac{\sqrt{15}z(x-y)(x+y)}{2}$  |

Table 5 Harmonics for rank 4.

| No. | multipole                | expression   |
|-----|--------------------------|--|
| 17  | $\mathbb{Q}_4(A)$        | $\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$     |
| 18  | $\mathbb{Q}_{4,1}(E)$    | $-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$ |
| 19  | $\mathbb{Q}_{4,2}(E)$    | $\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$                   |
| 20  | $\mathbb{Q}_{4,1}(T, 1)$ | $\frac{\sqrt{35}yz(y-z)(y+z)}{2}$                              |
| 21  | $\mathbb{Q}_{4,2}(T, 1)$ | $-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$                             |
| 22  | $\mathbb{Q}_{4,3}(T, 1)$ | $\frac{\sqrt{35}xy(x-y)(x+y)}{2}$                              |
| 23  | $\mathbb{Q}_{4,1}(T, 2)$ | $\frac{\sqrt{5}yz(6x^2-y^2-z^2)}{2}$                           |
| 24  | $\mathbb{Q}_{4,2}(T, 2)$ | $-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$                          |
| 25  | $\mathbb{Q}_{4,3}(T, 2)$ | $-\frac{\sqrt{5}xy(x^2+y^2-6z^2)}{2}$                          |

Table 6 Harmonics for rank 5.

| No. | multipole                | expression   |
|-----|--------------------------|--|
| 26  | $\mathbb{Q}_{5,1}(E)$    | $\frac{3\sqrt{35}xyz(x-y)(x+y)}{2}$                        |
| 27  | $\mathbb{Q}_{5,2}(E)$    | $\frac{\sqrt{105}xyz(x^2+y^2-2z^2)}{2}$                    |
| 28  | $\mathbb{Q}_{5,1}(T, 1)$ | $\frac{x(8x^4-40x^2y^2-40x^2z^2+15y^4+30y^2z^2+15z^4)}{8}$ |
| 29  | $\mathbb{Q}_{5,2}(T, 1)$ | $\frac{y(15x^4-40x^2y^2+30x^2z^2+8y^4-40y^2z^2+15z^4)}{8}$ |
| 30  | $\mathbb{Q}_{5,3}(T, 1)$ | $\frac{z(15x^4+30x^2y^2-40x^2z^2+15y^4-40y^2z^2+8z^4)}{8}$ |
| 31  | $\mathbb{Q}_{5,1}(T, 2)$ | $\frac{3\sqrt{35}x(y^2-2yz-z^2)(y^2+2yz-z^2)}{8}$          |
| 32  | $\mathbb{Q}_{5,2}(T, 2)$ | $\frac{3\sqrt{35}y(x^2-2xz-z^2)(x^2+2xz-z^2)}{8}$          |
| 33  | $\mathbb{Q}_{5,3}(T, 2)$ | $\frac{3\sqrt{35}z(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$          |
| 34  | $\mathbb{Q}_{5,1}(T, 3)$ | $\frac{\sqrt{105}x(y-z)(y+z)(2x^2-y^2-z^2)}{4}$            |
| 35  | $\mathbb{Q}_{5,2}(T, 3)$ | $\frac{\sqrt{105}y(x-z)(x+z)(x^2-2y^2+z^2)}{4}$            |
| 36  | $\mathbb{Q}_{5,3}(T, 3)$ | $-\frac{\sqrt{105}z(x-y)(x+y)(x^2+y^2-2z^2)}{4}$           |

Table 7 Harmonics for rank 6.

| No. | multipole                | expression  |
|-----|--------------------------|---|
| 37  | $\mathbb{Q}_6(A, 1)$     | $\frac{\sqrt{2}(2x^6-15x^4y^2-15x^4z^2-15x^2y^4+180x^2y^2z^2-15x^2z^4+2y^6-15y^4z^2-15y^2z^4+2z^6)}{8}$ |
| 38  | $\mathbb{Q}_6(A, 2)$     | $-\frac{\sqrt{2310}(x-y)(x+y)(x-z)(x+z)(y-z)(y+z)}{8}$  |
| 39  | $\mathbb{Q}_{6,1}(E)$    | $-\frac{\sqrt{14}(x^6-15x^4z^2+15x^2z^4+y^6-15y^4z^2+15y^2z^4-2z^6)}{8}$                                |
| 40  | $\mathbb{Q}_{6,2}(E)$    | $\frac{\sqrt{42}(x-y)(x+y)(x^4-9x^2y^2-5x^2z^2+y^4-5y^2z^2+5z^4)}{8}$                                   |
| 41  | $\mathbb{Q}_{6,1}(T, 1)$ | $\frac{3\sqrt{7}yz(y-z)(y+z)(10x^2-y^2-z^2)}{4}$  |
| 42  | $\mathbb{Q}_{6,2}(T, 1)$ | $\frac{3\sqrt{7}xz(x-z)(x+z)(x^2-10y^2+z^2)}{4}$  |
| 43  | $\mathbb{Q}_{6,3}(T, 1)$ | $-\frac{3\sqrt{7}xy(x-y)(x+y)(x^2+y^2-10z^2)}{4}$   |
| 44  | $\mathbb{Q}_{6,1}(T, 2)$ | $\frac{\sqrt{462}yz(y^2-3z^2)(3y^2-z^2)}{16}$   |
| 45  | $\mathbb{Q}_{6,2}(T, 2)$ | $\frac{\sqrt{462}xz(x^2-3z^2)(3x^2-z^2)}{16}$   |
| 46  | $\mathbb{Q}_{6,3}(T, 2)$ | $\frac{\sqrt{462}xy(x^2-3y^2)(3x^2-y^2)}{16}$   |
| 47  | $\mathbb{Q}_{6,1}(T, 3)$ | $\frac{\sqrt{210}yz(16x^4-16x^2y^2-16x^2z^2+y^4+2y^2z^2+z^4)}{16}$                                      |
| 48  | $\mathbb{Q}_{6,2}(T, 3)$ | $\frac{\sqrt{210}xz(x^4-16x^2y^2+2x^2z^2+16y^4-16y^2z^2+z^4)}{16}$                                      |
| 49  | $\mathbb{Q}_{6,3}(T, 3)$ | $\frac{\sqrt{210}xy(x^4+2x^2y^2-16x^2z^2+y^4-16y^2z^2+16z^4)}{16}$                                      |

Table 8 Harmonics for rank 7.

| No. | multipole                | expression  |
|-----|--------------------------|---|
| 50  | $\mathbb{Q}_7(A)$        | $\frac{\sqrt{91}xyz(3x^4-5x^2y^2-5x^2z^2+3y^4-5y^2z^2+3z^4)}{2}$  |
| 51  | $\mathbb{Q}_{7,1}(E)$    | $-\frac{\sqrt{231}xyz(x-y)(x+y)(3x^2+3y^2-10z^2)}{4}$   |
| 52  | $\mathbb{Q}_{7,2}(E)$    | $-\frac{\sqrt{77}xyz(3x^4-20x^2y^2+10x^2z^2+3y^4+10y^2z^2-6z^4)}{4}$  |
| 53  | $\mathbb{Q}_{7,1}(T, 1)$ | $\frac{x(16x^6-168x^4y^2-168x^4z^2+210x^2y^4+420x^2y^2z^2+210x^2z^4-35y^6-105y^4z^2-105y^2z^4-35z^6)}{16}$  |
| 54  | $\mathbb{Q}_{7,2}(T, 1)$ | $-\frac{y(35x^6-210x^4y^2+105x^4z^2+168x^2y^4-420x^2y^2z^2+105x^2z^4-16y^6+168y^4z^2-210y^2z^4+35z^6)}{16}$ |
| 55  | $\mathbb{Q}_{7,3}(T, 1)$ | $-\frac{z(35x^6+105x^4y^2-210x^4z^2+105x^2y^4-420x^2y^2z^2+168x^2z^4+35y^6-210y^4z^2+168y^2z^4-16z^6)}{16}$ |
| 56  | $\mathbb{Q}_{7,1}(T, 2)$ | $\frac{\sqrt{231}x(10x^2-3y^2-3z^2)(y^2-2yz-z^2)(y^2+2yz-z^2)}{16}$   |
| 57  | $\mathbb{Q}_{7,2}(T, 2)$ | $-\frac{\sqrt{231}y(x^2-2xz-z^2)(x^2+2xz-z^2)(3x^2-10y^2+3z^2)}{16}$  |
| 58  | $\mathbb{Q}_{7,3}(T, 2)$ | $-\frac{\sqrt{231}z(x^2-2xy-y^2)(x^2+2xy-y^2)(3x^2+3y^2-10z^2)}{16}$  |
| 59  | $\mathbb{Q}_{7,1}(T, 3)$ | $\frac{\sqrt{6006}x(y-z)(y+z)(y^2-4yz+z^2)(y^2+4yz+z^2)}{32}$   |
| 60  | $\mathbb{Q}_{7,2}(T, 3)$ | $-\frac{\sqrt{6006}y(x-z)(x+z)(x^2-4xz+z^2)(x^2+4xz+z^2)}{32}$  |
| 61  | $\mathbb{Q}_{7,3}(T, 3)$ | $\frac{\sqrt{6006}z(x-y)(x+y)(x^2-4xy+y^2)(x^2+4xy+y^2)}{32}$   |
| 62  | $\mathbb{Q}_{7,1}(T, 4)$ | $\frac{\sqrt{42}x(y-z)(y+z)(48x^4-80x^2y^2-80x^2z^2+15y^4+30y^2z^2+15z^4)}{32}$                             |
| 63  | $\mathbb{Q}_{7,2}(T, 4)$ | $-\frac{\sqrt{42}y(x-z)(x+z)(15x^4-80x^2y^2+30x^2z^2+48y^4-80y^2z^2+15z^4)}{32}$                            |
| 64  | $\mathbb{Q}_{7,3}(T, 4)$ | $\frac{\sqrt{42}z(x-y)(x+y)(15x^4+30x^2y^2-80x^2z^2+15y^4-80y^2z^2+48z^4)}{32}$                             |

Table 9 Harmonics for rank 8.

| No. | multipole                | expression  |
|-----|--------------------------|---|
| 65  | $\mathbb{Q}_8(A)$        | $\frac{\sqrt{33}(x^8-14x^6y^2-14x^6z^2+35x^4y^4+35x^4z^4-14x^2y^6-14x^2z^6+y^8-14y^6z^2+35y^4z^4-14y^2z^6+z^8)}{8}$   |
| 66  | $\mathbb{Q}_{8,1}(E, 1)$ | $\frac{\sqrt{286}(x^8-14x^6y^2-14x^6z^2+210x^4y^2z^2-14x^2y^6+210x^2y^4z^2-420x^2y^2z^4+28x^2z^6+y^8-14y^6z^2+28y^2z^6-2z^8)}{64}$                          |
| 67  | $\mathbb{Q}_{8,2}(E, 1)$ | $-\frac{\sqrt{858}(x-y)(x+y)(x^2+y^2-14z^2)(x^2-4xy+y^2)(x^2+4xy+y^2)}{64}$   |
| 68  | $\mathbb{Q}_{8,1}(E, 2)$ | $\frac{\sqrt{210}(x^8-62x^6y^2+34x^6z^2+160x^4y^4-30x^4y^2z^2-80x^4z^4-62x^2y^6-30x^2y^4z^2+60x^2y^2z^4+28x^2z^6+y^8+34y^6z^2-80y^4z^4+28y^2z^6-2z^8)}{64}$ |
| 69  | $\mathbb{Q}_{8,2}(E, 2)$ | $-\frac{3\sqrt{70}(x-y)(x+y)(x^6+3x^4y^2-30x^4z^2+3x^2y^4-60x^2y^2z^2+80x^2z^4+y^6-30y^4z^2+80y^2z^4-32z^6)}{64}$   |
| 70  | $\mathbb{Q}_{8,1}(T, 1)$ | $\frac{3\sqrt{715}yz(y-z)(y+z)(y^2-2yz-z^2)(y^2+2yz-z^2)}{16}$  |
| 71  | $\mathbb{Q}_{8,2}(T, 1)$ | $-\frac{3\sqrt{715}xz(x-z)(x+z)(x^2-2xz-z^2)(x^2+2xz-z^2)}{16}$   |
| 72  | $\mathbb{Q}_{8,3}(T, 1)$ | $\frac{3\sqrt{715}xy(x-y)(x+y)(x^2-2xy-y^2)(x^2+2xy-y^2)}{16}$  |
| 73  | $\mathbb{Q}_{8,1}(T, 2)$ | $\frac{3\sqrt{77}yz(y-z)(y+z)(40x^4-24x^2y^2-24x^2z^2+y^4+2y^2z^2+z^4)}{16}$  |
| 74  | $\mathbb{Q}_{8,2}(T, 2)$ | $-\frac{3\sqrt{77}xz(x-z)(x+z)(x^4-24x^2y^2+2x^2z^2+40y^4-24y^2z^2+z^4)}{16}$   |
| 75  | $\mathbb{Q}_{8,3}(T, 2)$ | $\frac{3\sqrt{77}xy(x-y)(x+y)(x^4+2x^2y^2-24x^2z^2+y^4-24y^2z^2+40z^4)}{16}$  |
| 76  | $\mathbb{Q}_{8,1}(T, 3)$ | $\frac{\sqrt{858}yz(y^2-3z^2)(3y^2-z^2)(14x^2-y^2-z^2)}{32}$  |
| 77  | $\mathbb{Q}_{8,2}(T, 3)$ | $-\frac{\sqrt{858}xz(x^2-3z^2)(3x^2-z^2)(x^2-14y^2+z^2)}{32}$   |
| 78  | $\mathbb{Q}_{8,3}(T, 3)$ | $-\frac{\sqrt{858}xy(x^2-3y^2)(3x^2-y^2)(x^2+y^2-14z^2)}{32}$   |
| 79  | $\mathbb{Q}_{8,1}(T, 4)$ | $\frac{3\sqrt{70}yz(32x^6-80x^4y^2-80x^4z^2+30x^2y^4+60x^2y^2z^2+30x^2z^4-y^6-3y^4z^2-3y^2z^4-z^6)}{32}$  |
| 80  | $\mathbb{Q}_{8,2}(T, 4)$ | $-\frac{3\sqrt{70}xz(x^6-30x^4y^2+3x^4z^2+80x^2y^4-60x^2y^2z^2+3x^2z^4-32y^6+80y^4z^2-30y^2z^4+z^6)}{32}$   |
| 81  | $\mathbb{Q}_{8,3}(T, 4)$ | $-\frac{3\sqrt{70}xy(x^6+3x^4y^2-30x^4z^2+3x^2y^4-60x^2y^2z^2+80x^2z^4+y^6-30y^4z^2+80y^2z^4-32z^6)}{32}$   |

Table 10 Harmonics for rank 9.

| No. | multipole                | expression  |
|-----|--------------------------|---|
| 82  | $\mathbb{Q}_9(A, 1)$     | $-\frac{\sqrt{510510}xyz(x-y)(x+y)(x-z)(x+z)(y-z)(y+z)}{8}$   |
| 83  | $\mathbb{Q}_9(A, 2)$     | $\frac{\sqrt{330}xyz(6x^6-21x^4y^2-21x^4z^2-21x^2y^4+140x^2y^2z^2-21x^2z^4+6y^6-21y^4z^2-21y^2z^4+6z^6)}{8}$  |
| 84  | $\mathbb{Q}_{9,1}(E)$    | $\frac{\sqrt{4290}xyz(x-y)(x+y)(3x^4-11x^2y^2-7x^2z^2+3y^4-7y^2z^2+7z^4)}{8}$   |
| 85  | $\mathbb{Q}_{9,2}(E)$    | $\frac{3\sqrt{1430}xyz(x^6-7x^4z^2+7x^2z^4+y^6-7y^4z^2+7y^2z^4-2z^6)}{8}$   |
| 86  | $\mathbb{Q}_{9,1}(T, 1)$ | $\frac{x(128x^8-2304x^6y^2-2304x^6z^2+6048x^4y^4+12096x^4y^2z^2+6048x^4z^4-3360x^2y^6-10080x^2y^4z^2-10080x^2y^2z^4-3360x^2z^6+315y^8+1260y^6z^2+1890y^4z^4+1260y^2z^6+315z^8)}{128}$ |
| 87  | $\mathbb{Q}_{9,2}(T, 1)$ | $\frac{y(315x^8-3360x^6y^2+1260x^6z^2+6048x^4y^4-10080x^4y^2z^2+1890x^4z^4-2304x^2y^6+12096x^2y^4z^2-10080x^2y^2z^4+1260x^2z^6+128y^8-2304y^6z^2+6048y^4z^4-3360y^2z^6+315z^8)}{128}$ |
| 88  | $\mathbb{Q}_{9,3}(T, 1)$ | $\frac{z(315x^8+1260x^6y^2-3360x^6z^2+1890x^4y^4-10080x^4y^2z^2+6048x^4z^4+1260x^2y^6-10080x^2y^4z^2+12096x^2y^2z^4-2304x^2z^6+315y^8-3360y^6z^2+6048y^4z^4-2304y^2z^6+128z^8)}{128}$ |
| 89  | $\mathbb{Q}_{9,1}(T, 2)$ | $\frac{3\sqrt{12155}x(y^4-4y^3z-6y^2z^2+4yz^3+z^4)(y^4+4y^3z-6y^2z^2-4yz^3+z^4)}{128}$  |
| 90  | $\mathbb{Q}_{9,2}(T, 2)$ | $\frac{3\sqrt{12155}y(x^4-4x^3z-6x^2z^2+4xz^3+z^4)(x^4+4x^3z-6x^2z^2-4xz^3+z^4)}{128}$  |
| 91  | $\mathbb{Q}_{9,3}(T, 2)$ | $\frac{3\sqrt{12155}z(x^4-4x^3y-6x^2y^2+4xy^3+y^4)(x^4+4x^3y-6x^2y^2-4xy^3+y^4)}{128}$  |
| 92  | $\mathbb{Q}_{9,1}(T, 3)$ | $\frac{3\sqrt{5005}x(y^2-2yz-z^2)(y^2+2yz-z^2)(8x^4-8x^2y^2-8x^2z^2+y^4+2y^2z^2+z^4)}{64}$  |
| 93  | $\mathbb{Q}_{9,2}(T, 3)$ | $\frac{3\sqrt{5005}y(x^2-2xz-z^2)(x^2+2xz-z^2)(x^4-8x^2y^2+2x^2z^2+8y^4-8y^2z^2+z^4)}{64}$  |
| 94  | $\mathbb{Q}_{9,3}(T, 3)$ | $\frac{3\sqrt{5005}z(x^2-2xy-y^2)(x^2+2xy-y^2)(x^4+2x^2y^2-8x^2z^2+y^4-8y^2z^2+8z^4)}{64}$  |
| 95  | $\mathbb{Q}_{9,1}(T, 4)$ | $\frac{\sqrt{4290}x(y-z)(y+z)(14x^2-3y^2-3z^2)(y^2-4yz+z^2)(y^2+4yz+z^2)}{64}$  |
| 96  | $\mathbb{Q}_{9,2}(T, 4)$ | $\frac{\sqrt{4290}y(x-z)(x+z)(x^2-4xz+z^2)(x^2+4xz+z^2)(3x^2-14y^2+3z^2)}{64}$  |
| 97  | $\mathbb{Q}_{9,3}(T, 4)$ | $-\frac{\sqrt{4290}z(x-y)(x+y)(x^2-4xy+y^2)(x^2+4xy+y^2)(3x^2+3y^2-14z^2)}{64}$   |
| 98  | $\mathbb{Q}_{9,1}(T, 5)$ | $\frac{3\sqrt{110}x(y-z)(y+z)(32x^6-112x^4y^2-112x^4z^2+70x^2y^4+140x^2y^2z^2+70x^2z^4-7y^6-21y^4z^2-21y^2z^4-7z^6)}{64}$   |
| 99  | $\mathbb{Q}_{9,2}(T, 5)$ | $\frac{3\sqrt{110}y(x-z)(x+z)(7x^6-70x^4y^2+21x^4z^2+112x^2y^4-140x^2y^2z^2+21x^2z^4-32y^6+112y^4z^2-70y^2z^4+7z^6)}{64}$   |
| 100 | $\mathbb{Q}_{9,3}(T, 5)$ | $-\frac{3\sqrt{110}z(x-y)(x+y)(7x^6+21x^4y^2-70x^4z^2+21x^2y^4-140x^2y^2z^2+112x^2z^4+7y^6-70y^4z^2+112y^2z^4-32z^6)}{64}$  |

Table 11 Harmonics for rank 10.

| No. | multipole                 | expression   |
|-----|---------------------------|--|
| 101 | $\mathbb{Q}_{10}(A, 1)$   | $\frac{\sqrt{390}(2x^{10}-45x^8y^2-45x^8z^2+42x^6y^4+1008x^6y^2z^2+42x^6z^4+42x^4y^6-1260x^4y^4z^2-1260x^4y^2z^4+42x^4z^6-45x^2y^8+1008x^2y^6z^2-1260x^2y^4z^4+1008x^2y^2z^6-45x^2z^8+2y^{10}-45y^8z^2+42y^6z^4+42y^4z^6-45y^2z^8+2z^{10})}{96}$                         |
| 102 | $\mathbb{Q}_{10}(A, 2)$   | $-\frac{\sqrt{27170}(x-y)(x+y)(x-z)(x+z)(y-z)(y+z)(3x^4-11x^2y^2-11x^2z^2+3y^4-11y^2z^2+3z^4)}{32}$  |
| 103 | $\mathbb{Q}_{10,1}(E, 1)$ | $-\frac{\sqrt{420189}(22x^{10}+45x^8y^2-1035x^8z^2-105x^6y^4-630x^6y^2z^2+4935x^6z^4-105x^4y^6+3150x^4y^4z^2-1575x^4y^2z^4-4830x^4z^6+45x^2y^8-630x^2y^6z^2-1575x^2y^4z^4+1260x^2y^2z^6+990x^2z^8+22y^{10}-1035y^8z^2+4935y^6z^4-4830y^4z^6+990y^2z^8-44z^{10})}{35952}$ |
| 104 | $\mathbb{Q}_{10,2}(E, 1)$ | $\frac{\sqrt{140063}(x-y)(x+y)(22x^8-653x^6y^2-315x^6z^2+2602x^4y^4-945x^4y^2z^2+1575x^4z^4-653x^2y^6-945x^2y^4z^2+3150x^2y^2z^4-1680x^2z^6+22y^8-315y^6z^2+1575y^4z^4-1680y^2z^6+360z^8)}{11984}$   |
| 105 | $\mathbb{Q}_{10,1}(E, 2)$ | $-\frac{\sqrt{3213210}(3x^{10}-96x^8y^2-39x^8z^2+224x^6y^4+1344x^6y^2z^2-42x^6z^4+224x^4y^6-6720x^4y^4z^2+3360x^4y^2z^4-182x^4z^6-96x^2y^8+1344x^2y^6z^2+3360x^2y^4z^4-2688x^2y^2z^6+135x^2z^8+3y^{10}-39y^8z^2-42y^6z^4-182y^4z^6+135y^2z^8-6z^{10})}{23968}$           |
| 106 | $\mathbb{Q}_{10,2}(E, 2)$ | $\frac{\sqrt{1071070}(x-y)(x+y)(9x^8-165x^6y^2-231x^6z^2-25x^4y^4+3801x^4y^2z^2+406x^4z^4-165x^2y^6+3801x^2y^4z^2-9674x^2y^2z^4+266x^2z^6+9y^8-231y^6z^2+406y^4z^4+266y^2z^6-57z^8)}{23968}$   |
| 107 | $\mathbb{Q}_{10,1}(T, 1)$ | $\frac{\sqrt{12155}yz(y-z)(y+z)(18x^2-y^2-z^2)(y^2-2yz-z^2)(y^2+2yz-z^2)}{32}$   |
| 108 | $\mathbb{Q}_{10,2}(T, 1)$ | $\frac{\sqrt{12155}xz(x-z)(x+z)(x^2-18y^2+z^2)(x^2-2xz-z^2)(x^2+2xz-z^2)}{32}$   |
| 109 | $\mathbb{Q}_{10,3}(T, 1)$ | $-\frac{\sqrt{12155}xy(x-y)(x+y)(x^2+y^2-18z^2)(x^2-2xy-y^2)(x^2+2xy-y^2)}{32}$  |
| 110 | $\mathbb{Q}_{10,1}(T, 2)$ | $\frac{\sqrt{2145}yz(y-z)(y+z)(112x^6-168x^4y^2-168x^4z^2+42x^2y^4+84x^2y^2z^2+42x^2z^4-y^6-3y^4z^2-3y^2z^4-z^6)}{32}$   |
| 111 | $\mathbb{Q}_{10,2}(T, 2)$ | $\frac{\sqrt{2145}xz(x-z)(x+z)(x^6-42x^4y^2+3x^4z^2+168x^2y^4-84x^2y^2z^2+3x^2z^4-112y^6+168y^4z^2-42y^2z^4+z^6)}{32}$   |
| 112 | $\mathbb{Q}_{10,3}(T, 2)$ | $-\frac{\sqrt{2145}xy(x-y)(x+y)(x^6+3x^4y^2-42x^4z^2+3x^2y^4-84x^2y^2z^2+168x^2z^4+y^6-42y^4z^2+168y^2z^4-112z^6)}{32}$  |
| 113 | $\mathbb{Q}_{10,1}(T, 3)$ | $\frac{\sqrt{92378}yz(y^4-10y^2z^2+5z^4)(5y^4-10y^2z^2+z^4)}{256}$   |
| 114 | $\mathbb{Q}_{10,2}(T, 3)$ | $\frac{\sqrt{92378}xz(x^4-10x^2z^2+5z^4)(5x^4-10x^2z^2+z^4)}{256}$   |
| 115 | $\mathbb{Q}_{10,3}(T, 3)$ | $\frac{\sqrt{92378}xy(x^4-10x^2y^2+5y^4)(5x^4-10x^2y^2+y^4)}{256}$   |
| 116 | $\mathbb{Q}_{10,1}(T, 4)$ | $\frac{\sqrt{4290}yz(y^2-3z^2)(3y^2-z^2)(224x^4-96x^2y^2-96x^2z^2+3y^4+6y^2z^2+3z^4)}{256}$  |
| 117 | $\mathbb{Q}_{10,2}(T, 4)$ | $\frac{\sqrt{4290}xz(x^2-3z^2)(3x^2-z^2)(3x^4-96x^2y^2+6x^2z^2+224y^4-96y^2z^2+3z^4)}{256}$  |
| 118 | $\mathbb{Q}_{10,3}(T, 4)$ | $\frac{\sqrt{4290}xy(x^2-3y^2)(3x^2-y^2)(3x^4+6x^2y^2-96x^2z^2+3y^4-96y^2z^2+224z^4)}{256}$  |
| 119 | $\mathbb{Q}_{10,1}(T, 5)$ | $\frac{\sqrt{165}yz(384x^8-1792x^6y^2-1792x^6z^2+1680x^4y^4+3360x^4y^2z^2+1680x^4z^4-336x^2y^6-1008x^2y^4z^2-1008x^2y^2z^4-336x^2z^6+7y^8+28y^6z^2+42y^4z^4+28y^2z^6+7z^8)}{128}$  |
| 120 | $\mathbb{Q}_{10,2}(T, 5)$ | $\frac{\sqrt{165}xz(7x^8-336x^6y^2+28x^6z^2+1680x^4y^4-1008x^4y^2z^2+42x^4z^4-1792x^2y^6+3360x^2y^4z^2-1008x^2y^2z^4+28x^2z^6+384y^8-1792y^6z^2+1680y^4z^4-336y^2z^6+7z^8)}{128}$  |
| 121 | $\mathbb{Q}_{10,3}(T, 5)$ | $\frac{\sqrt{165}xy(7x^8+28x^6y^2-336x^6z^2+42x^4y^4-1008x^4y^2z^2+1680x^4z^4+28x^2y^6-1008x^2y^4z^2+3360x^2y^2z^4-1792x^2z^6+7y^8-336y^6z^2+1680y^4z^4-1792y^2z^6+384z^8)}{128}$  |

Table 12 Harmonics for rank 11.

| No. | multipole                 | expression  |
|-----|---------------------------|---|
| 122 | $\mathbb{Q}_{11}(A)$      | $\frac{\sqrt{2431}xyz(5x^8-30x^6y^2-30x^6z^2+63x^4y^4+63x^4z^4-30x^2y^6-30x^2z^6+5y^8-30y^6z^2+63y^4z^4-30y^2z^6+5z^8)}{8}$   |
| 123 | $\mathbb{Q}_{11,1}(E, 1)$ | $-\frac{\sqrt{692835}xyz(x-y)(x+y)(x^2+y^2-6z^2)(x^2-2xy-y^2)(x^2+2xy-y^2)}{32}$  |
| 124 | $\mathbb{Q}_{11,2}(E, 1)$ | $-\frac{\sqrt{230945}xyz(x^8-6x^6y^2-6x^6z^2+42x^4y^2z^2-6x^2y^6+42x^2y^4z^2-84x^2y^2z^4+12x^2z^6+y^8-6y^6z^2+12y^2z^6-2z^8)}{32}$  |
| 125 | $\mathbb{Q}_{11,1}(E, 2)$ | $-\frac{3\sqrt{1001}xyz(x-y)(x+y)(5x^6+15x^4y^2-70x^4z^2+15x^2y^4-140x^2y^2z^2+168x^2z^4+5y^6-70y^4z^2+168y^2z^4-80z^6)}{32}$   |
| 126 | $\mathbb{Q}_{11,2}(E, 2)$ | $-\frac{\sqrt{3003}xyz(5x^8-150x^6y^2+90x^6z^2+336x^4y^4-70x^4y^2z^2-168x^4z^4-150x^2y^6-70x^2y^4z^2+140x^2y^2z^4+60x^2z^6+5y^8+90y^6z^2-168y^4z^4+60y^2z^6-10z^8)}{32}$  |
| 127 | $\mathbb{Q}_{11,1}(T, 1)$ | $\frac{x(256x^{10}-7040x^8y^2-7040x^8z^2+31680x^6y^4+63360x^6y^2z^2+31680x^6z^4-36960x^4y^6-110880x^4y^4z^2-110880x^4y^2z^4-36960x^4z^6+11550x^2y^8+46200x^2y^6z^2+69300x^2y^4z^4+46200x^2y^2z^6+11550x^2z^8-693y^{10}-3465y^8z^2-6930y^6z^4-6930y^4z^6-3465y^2z^8-693z^{10})}{256}$  |
| 128 | $\mathbb{Q}_{11,2}(T, 1)$ | $-\frac{y(693x^{10}-11550x^8y^2+3465x^8z^2+36960x^6y^4-46200x^6y^2z^2+6930x^6z^4-31680x^4y^6+110880x^4y^4z^2-69300x^4y^2z^4+6930x^4z^6+7040x^2y^8-63360x^2y^6z^2+110880x^2y^4z^4-46200x^2y^2z^6+3465x^2z^8-256y^{10}+7040y^8z^2-31680y^6z^4+36960y^4z^6-11550y^2z^8+693z^{10})}{256}$ |
| 129 | $\mathbb{Q}_{11,3}(T, 1)$ | $-\frac{z(693x^{10}+3465x^8y^2-11550x^8z^2+6930x^6y^4-46200x^6y^2z^2+36960x^6z^4+6930x^4y^6-69300x^4y^4z^2+110880x^4y^2z^4-31680x^4z^6+3465x^2y^8-46200x^2y^6z^2+110880x^2y^4z^4-63360x^2y^2z^6+7040x^2z^8+693y^{10}-11550y^8z^2+36960y^6z^4-31680y^4z^6+7040y^2z^8-256z^{10})}{256}$ |
| 130 | $\mathbb{Q}_{11,1}(T, 2)$ | $\frac{\sqrt{692835}x(6x^2-y^2-z^2)(y^4-4y^3z-6y^2z^2+4yz^3+z^4)(y^4+4y^3z-6y^2z^2-4yz^3+z^4)}{256}$  |
| 131 | $\mathbb{Q}_{11,2}(T, 2)$ | $-\frac{\sqrt{692835}y(x^2-6y^2+z^2)(x^4-4x^3z-6x^2z^2+4xz^3+z^4)(x^4+4x^3z-6x^2z^2-4xz^3+z^4)}{256}$   |
| 132 | $\mathbb{Q}_{11,3}(T, 2)$ | $-\frac{\sqrt{692835}z(x^2+y^2-6z^2)(x^4-4x^3y-6x^2y^2+4xy^3+y^4)(x^4+4x^3y-6x^2y^2-4xy^3+y^4)}{256}$   |
| 133 | $\mathbb{Q}_{11,1}(T, 3)$ | $\frac{3\sqrt{1001}x(y^2-2yz-z^2)(y^2+2yz-z^2)(80x^6-168x^4y^2-168x^4z^2+70x^2y^4+140x^2y^2z^2+70x^2z^4-5y^6-15y^4z^2-15y^2z^4-5z^6)}{128}$   |
| 134 | $\mathbb{Q}_{11,2}(T, 3)$ | $-\frac{3\sqrt{1001}y(x^2-2xz-z^2)(x^2+2xz-z^2)(5x^6-70x^4y^2+15x^4z^2+168x^2y^4-140x^2y^2z^2+15x^2z^4-80y^6+168y^4z^2-70y^2z^4+5z^6)}{128}$  |
| 135 | $\mathbb{Q}_{11,3}(T, 3)$ | $-\frac{3\sqrt{1001}z(x^2-2xy-y^2)(x^2+2xy-y^2)(5x^6+15x^4y^2-70x^4z^2+15x^2y^4-140x^2y^2z^2+168x^2z^4+5y^6-70y^4z^2+168y^2z^4-80z^6)}{128}$  |
| 136 | $\mathbb{Q}_{11,1}(T, 4)$ | $\frac{\sqrt{1939938}x(y-z)(y+z)(y^4-4y^3z-14y^2z^2-4yz^3+z^4)(y^4+4y^3z-14y^2z^2+4yz^3+z^4)}{512}$   |
| 137 | $\mathbb{Q}_{11,2}(T, 4)$ | $-\frac{\sqrt{1939938}y(x-z)(x+z)(x^4-4x^3z-14x^2z^2-4xz^3+z^4)(x^4+4x^3z-14x^2z^2+4xz^3+z^4)}{512}$  |
| 138 | $\mathbb{Q}_{11,3}(T, 4)$ | $\frac{\sqrt{1939938}z(x-y)(x+y)(x^4-4x^3y-14x^2y^2-4xy^3+y^4)(x^4+4x^3y-14x^2y^2+4xy^3+y^4)}{512}$   |
| 139 | $\mathbb{Q}_{11,1}(T, 5)$ | $\frac{\sqrt{14586}x(y-z)(y+z)(y^2-4yz+z^2)(y^2+4yz+z^2)(224x^4-160x^2y^2-160x^2z^2+15y^4+30y^2z^2+15z^4)}{512}$  |
| 140 | $\mathbb{Q}_{11,2}(T, 5)$ | $-\frac{\sqrt{14586}y(x-z)(x+z)(x^2-4xz+z^2)(x^2+4xz+z^2)(15x^4-160x^2y^2+30x^2z^2+224y^4-160y^2z^2+15z^4)}{512}$   |
| 141 | $\mathbb{Q}_{11,3}(T, 5)$ | $\frac{\sqrt{14586}z(x-y)(x+y)(x^2-4xy+y^2)(x^2+4xy+y^2)(15x^4+30x^2y^2-160x^2z^2+15y^4-160y^2z^2+224z^4)}{512}$  |
| 142 | $\mathbb{Q}_{11,1}(T, 6)$ | $\frac{\sqrt{2145}x(y-z)(y+z)(128x^8-768x^6y^2-768x^6z^2+1008x^4y^4+2016x^4y^2z^2+1008x^4z^4-336x^2y^6-1008x^2y^4z^2-1008x^2y^2z^4-336x^2z^6+21y^8+84y^6z^2+126y^4z^4+84y^2z^6+21z^8)}{256}$  |
| 143 | $\mathbb{Q}_{11,2}(T, 6)$ | $-\frac{\sqrt{2145}y(x-z)(x+z)(21x^8-336x^6y^2+84x^6z^2+1008x^4y^4-1008x^4y^2z^2+126x^4z^4-768x^2y^6+2016x^2y^4z^2-1008x^2y^2z^4+84x^2z^6+128y^8-768y^6z^2+1008y^4z^4-336y^2z^6+21z^8)}{256}$   |
| 144 | $\mathbb{Q}_{11,3}(T, 6)$ | $\frac{\sqrt{2145}z(x-y)(x+y)(21x^8+84x^6y^2-336x^6z^2+126x^4y^4-1008x^4y^2z^2+1008x^4z^4+84x^2y^6-1008x^2y^4z^2+2016x^2y^2z^4-768x^2z^6+21y^8-336y^6z^2+1008y^4z^4-768y^2z^6+128z^8)}{256}$  |