

PG No. 4 C_s m (b-axis setting) [monoclinic] (polar, internal axial quadrupole)

* Harmonics for rank 0

* Harmonics for rank 1

$$\vec{\mathbb{Q}}_1^{(2,1)}[g](A', 1)$$

** symmetry

x

** expression

$$-\frac{3\sqrt{10}G_{uyz}}{10} - \frac{\sqrt{30}G_{vyz}}{10} + \frac{\sqrt{30}G_{xyx}xz}{10} - \frac{\sqrt{30}G_{xzx}xy}{10} - \frac{\sqrt{30}G_{yz}(y-z)(y+z)}{10}$$

$$\vec{\mathbb{Q}}_1^{(2,1)}[g](A', 2)$$

** symmetry

z

** expression

$$\frac{\sqrt{30}G_vxy}{5} - \frac{\sqrt{30}G_{xy}(x-y)(x+y)}{10} + \frac{\sqrt{30}G_{xz}yz}{10} - \frac{\sqrt{30}G_{yz}xz}{10}$$

$$\vec{\mathbb{Q}}_1^{(2,1)}[g](A'')$$

** symmetry

y

** expression

$$\frac{3\sqrt{10}G_{uxz}}{10} - \frac{\sqrt{30}G_{vxz}}{10} - \frac{\sqrt{30}G_{xy}yz}{10} + \frac{\sqrt{30}G_{xz}(x-z)(x+z)}{10} + \frac{\sqrt{30}G_{yz}xy}{10}$$

* Harmonics for rank 2

$$\vec{\mathbb{Q}}_2^{(2,-1)}[g](A', 1)$$

** symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

** expression

$$\frac{\sqrt{2}G_{xz}y}{2} - \frac{\sqrt{2}G_{yz}x}{2}$$

$$\vec{\mathbb{Q}}_2^{(2,-1)}[g](A', 2)$$

** symmetry

$$\frac{\sqrt{3}(x-y)(x+y)}{2}$$

** expression

$$\frac{\sqrt{6}G_{xy}z}{3} - \frac{\sqrt{6}G_{xz}y}{6} - \frac{\sqrt{6}G_{yz}x}{6}$$

$$\vec{\mathbb{Q}}_2^{(2,-1)}[g](A', 3)$$

** symmetry

$$\sqrt{3}xz$$

** expression

$$-\frac{\sqrt{2}G_{uy}}{2} + \frac{\sqrt{6}G_{vy}}{6} - \frac{\sqrt{6}G_{xy}x}{6} + \frac{\sqrt{6}G_{yz}z}{6}$$

$$\vec{\mathbb{Q}}_2^{(2,1)}[g](A', 1)$$

** symmetry

$$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$$

** expression

$$-\frac{5\sqrt{42}G_{vxyz}}{14} - \frac{5\sqrt{42}G_{xyz}(x-y)(x+y)}{28} - \frac{\sqrt{42}G_{xzy}(x^2+y^2-4z^2)}{28} + \frac{\sqrt{42}G_{yzx}(x^2+y^2-4z^2)}{28}$$

$$\vec{\mathbb{Q}}_2^{(2,1)}[g](A', 2)$$

** symmetry

$$\frac{\sqrt{3}(x-y)(x+y)}{2}$$

** expression

$$-\frac{5\sqrt{42}G_uxyz}{14} + \frac{\sqrt{14}G_{xy}z(3x^2 + 3y^2 - 2z^2)}{28} - \frac{\sqrt{14}G_{xz}y(9x^2 - y^2 - 6z^2)}{28} + \frac{\sqrt{14}G_{yz}x(x^2 - 9y^2 + 6z^2)}{28}$$

$\tilde{\mathbb{Q}}_2^{(2,1)}[g](A', 3)$

** symmetry

$$\sqrt{3}xz$$

** expression

$$\frac{\sqrt{42}G_uy(x^2 + y^2 - 4z^2)}{28} + \frac{\sqrt{14}G_vy(9x^2 - y^2 - 6z^2)}{28} - \frac{\sqrt{14}G_{xy}x(2x^2 - 3y^2 - 3z^2)}{14} - \frac{\sqrt{14}G_{yz}z(3x^2 + 3y^2 - 2z^2)}{14}$$

$\tilde{\mathbb{Q}}_2^{(2,-1)}[g](A'', 1)$

** symmetry

$$\sqrt{3}yz$$

** expression

$$\frac{\sqrt{2}G_ux}{2} + \frac{\sqrt{6}G_vx}{6} + \frac{\sqrt{6}G_{xy}y}{6} - \frac{\sqrt{6}G_{xz}z}{6}$$

$\tilde{\mathbb{Q}}_2^{(2,-1)}[g](A'', 2)$

** symmetry

$$\sqrt{3}xy$$

** expression

$$-\frac{\sqrt{6}G_vz}{3} + \frac{\sqrt{6}G_{xz}x}{6} - \frac{\sqrt{6}G_{yz}y}{6}$$

$\tilde{\mathbb{Q}}_2^{(2,1)}[g](A'', 1)$

** symmetry

$$\sqrt{3}yz$$

** expression

$$-\frac{\sqrt{42}G_ux(x^2 + y^2 - 4z^2)}{28} - \frac{\sqrt{14}G_vx(x^2 - 9y^2 + 6z^2)}{28} - \frac{\sqrt{14}G_{xy}y(3x^2 - 2y^2 + 3z^2)}{14} + \frac{\sqrt{14}G_{xz}z(3x^2 + 3y^2 - 2z^2)}{14}$$

$\tilde{\mathbb{Q}}_2^{(2,1)}[g](A'', 2)$

** symmetry

$$\sqrt{3}xy$$

** expression

$$\frac{5\sqrt{42}G_uz(x-y)(x+y)}{28} - \frac{\sqrt{14}G_vz(3x^2 + 3y^2 - 2z^2)}{28} + \frac{\sqrt{14}G_{xz}x(2x^2 - 3y^2 - 3z^2)}{14} + \frac{\sqrt{14}G_{yz}y(3x^2 - 2y^2 + 3z^2)}{14}$$

* Harmonics for rank 3

$\tilde{\mathbb{Q}}_3^{(2,-1)}[g](A', 1)$

** symmetry

$$\frac{x(2x^2 - 3y^2 - 3z^2)}{2}$$

** expression

$$\frac{3\sqrt{10}G_uyz}{20} + \frac{\sqrt{30}G_vyz}{20} + \frac{\sqrt{30}G_{xy}xz}{5} - \frac{\sqrt{30}G_{xz}xy}{5} + \frac{\sqrt{30}G_{yz}(y-z)(y+z)}{20}$$

$\tilde{\mathbb{Q}}_3^{(2,-1)}[g](A', 2)$

** symmetry

$$-\frac{z(3x^2 + 3y^2 - 2z^2)}{2}$$

** expression

$$-\frac{\sqrt{30}G_vxy}{10} + \frac{\sqrt{30}G_{xy}(x-y)(x+y)}{20} + \frac{\sqrt{30}G_{xz}yz}{5} - \frac{\sqrt{30}G_{yz}xz}{5}$$

$\tilde{\mathbb{Q}}_3^{(2,-1)}[g](A', 3)$

** symmetry

$$\frac{\sqrt{15}x(y-z)(y+z)}{2}$$

** expression

$$\frac{\sqrt{6}G_uyz}{4} - \frac{3\sqrt{2}G_vyz}{4} + \frac{\sqrt{2}G_yz(2x^2-y^2-z^2)}{4}$$

$\vec{\mathbb{Q}}_3^{(2,-1)}[g](A', 4)$

** symmetry

$$\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

** expression

$$-\frac{\sqrt{6}G_uxy}{2} - \frac{\sqrt{2}G_{xy}(x^2+y^2-2z^2)}{4}$$

$\vec{\mathbb{Q}}_3^{(2,1)}[g](A', 1)$

** symmetry

$$\frac{x(2x^2-3y^2-3z^2)}{2}$$

** expression

$$-\frac{\sqrt{5}G_uyz(6x^2-y^2-z^2)}{4} - \frac{\sqrt{15}G_vyz(6x^2-y^2-z^2)}{12} + \frac{\sqrt{15}G_{xy}xz(4x^2-3y^2-3z^2)}{12} \\ - \frac{\sqrt{15}G_{xz}xy(4x^2-3y^2-3z^2)}{12} - \frac{\sqrt{15}G_yz(y-z)(y+z)(6x^2-y^2-z^2)}{12}$$

$\vec{\mathbb{Q}}_3^{(2,1)}[g](A', 2)$

** symmetry

$$-\frac{z(3x^2+3y^2-2z^2)}{2}$$

** expression

$$-\frac{\sqrt{15}G_vxy(x^2+y^2-6z^2)}{6} + \frac{\sqrt{15}G_{xy}(x-y)(x+y)(x^2+y^2-6z^2)}{12} - \frac{\sqrt{15}G_{xz}yz(3x^2+3y^2-4z^2)}{12} + \frac{\sqrt{15}G_yzxz(3x^2+3y^2-4z^2)}{12}$$

$\vec{\mathbb{Q}}_3^{(2,1)}[g](A', 3)$

** symmetry

$$\frac{\sqrt{15}x(y-z)(y+z)}{2}$$

** expression

$$\frac{\sqrt{3}G_uyz(12x^2-9y^2+5z^2)}{12} - \frac{G_vyz(36x^2+y^2-13z^2)}{12} + \frac{7G_{xy}xz(2x^2-3y^2-z^2)}{12} \\ + \frac{7G_{xz}xy(2x^2-y^2-3z^2)}{12} - \frac{G_yz(4x^4-12x^2y^2-12x^2z^2+5y^4-18y^2z^2+5z^4)}{12}$$

$\vec{\mathbb{Q}}_3^{(2,1)}[g](A', 4)$

** symmetry

$$\frac{\sqrt{15}z(x-y)(x+y)}{2}$$

** expression

$$\frac{\sqrt{3}G_uxy(x^2+y^2-6z^2)}{3} + \frac{7G_vxy(x-y)(x+y)}{6} - \frac{G_{xy}(5x^4-18x^2y^2-12x^2z^2+5y^4-12y^2z^2+4z^4)}{12} \\ - \frac{7G_{xz}yz(3x^2+y^2-2z^2)}{12} - \frac{7G_yzxz(x^2+3y^2-2z^2)}{12}$$

$\vec{\mathbb{Q}}_3^{(2,-1)}[g](A'', 1)$

** symmetry

$$\sqrt{15}xyz$$

** expression

$$\frac{\sqrt{6}G_u(x-y)(x+y)}{4} + \frac{\sqrt{2}G_v(x^2+y^2-2z^2)}{4}$$

$$\vec{\mathbb{Q}}_3^{(2,-1)}[g](A'', 2)$$

** symmetry

$$-\frac{y(3x^2 - 2y^2 + 3z^2)}{2}$$

** expression

$$-\frac{3\sqrt{10}G_u x z}{20} + \frac{\sqrt{30}G_v x z}{20} - \frac{\sqrt{30}G_{xy} y z}{5} - \frac{\sqrt{30}G_{xz}(x-z)(x+z)}{20} + \frac{\sqrt{30}G_{yz} x y}{5}$$

$$\vec{\mathbb{Q}}_3^{(2,-1)}[g](A'', 3)$$

** symmetry

$$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$$

** expression

$$\frac{\sqrt{6}G_u x z}{4} + \frac{3\sqrt{2}G_v x z}{4} - \frac{\sqrt{2}G_{xz}(x^2 - 2y^2 + z^2)}{4}$$

$$\vec{\mathbb{Q}}_3^{(2,1)}[g](A'', 1)$$

** symmetry

$$\sqrt{15}xyz$$

** expression

$$-\frac{\sqrt{3}G_u(x-y)(x+y)(x^2 + y^2 - 6z^2)}{6} - \frac{G_v(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{6} \\ - \frac{7G_{xy}xy(x-y)(x+y)}{6} + \frac{7G_{xz}xz(x-z)(x+z)}{6} - \frac{7G_{yz}yz(y-z)(y+z)}{6}$$

$$\vec{\mathbb{Q}}_3^{(2,1)}[g](A'', 2)$$

** symmetry

$$-\frac{y(3x^2 - 2y^2 + 3z^2)}{2}$$

** expression

$$-\frac{\sqrt{5}G_u x z(x^2 - 6y^2 + z^2)}{4} + \frac{\sqrt{15}G_v x z(x^2 - 6y^2 + z^2)}{12} + \frac{\sqrt{15}G_{xy}yz(3x^2 - 4y^2 + 3z^2)}{12} \\ - \frac{\sqrt{15}G_{xz}(x-z)(x+z)(x^2 - 6y^2 + z^2)}{12} - \frac{\sqrt{15}G_{yz}xy(3x^2 - 4y^2 + 3z^2)}{12}$$

$$\vec{\mathbb{Q}}_3^{(2,1)}[g](A'', 3)$$

** symmetry

$$-\frac{\sqrt{15}y(x-z)(x+z)}{2}$$

** expression

$$-\frac{\sqrt{3}G_u x z(9x^2 - 12y^2 - 5z^2)}{12} + \frac{G_v x z(x^2 + 36y^2 - 13z^2)}{12} - \frac{7G_{xy}yz(3x^2 - 2y^2 + z^2)}{12} \\ - \frac{G_{xz}(5x^4 - 12x^2y^2 - 18x^2z^2 + 4y^4 - 12y^2z^2 + 5z^4)}{12} - \frac{7G_{yz}xy(x^2 - 2y^2 + 3z^2)}{12}$$

* Harmonics for rank 4

$$\vec{\mathbb{Q}}_4^{(2,-1)}[g](A', 1)$$

** symmetry

$$\frac{\sqrt{21}(x^4 - 3x^2y^2 - 3x^2z^2 + y^4 - 3y^2z^2 + z^4)}{6}$$

** expression

$$\frac{\sqrt{5}G_{xy}z(x-y)(x+y)}{2} - \frac{\sqrt{5}G_{xz}y(x-z)(x+z)}{2} + \frac{\sqrt{5}G_{yz}x(y-z)(y+z)}{2}$$

$$\vec{\mathbb{Q}}_4^{(2,-1)}[g](A', 2)$$

** symmetry

$$-\frac{\sqrt{15}(x^4 - 12x^2y^2 + 6x^2z^2 + y^4 + 6y^2z^2 - 2z^4)}{12}$$

** expression

$$-\frac{6\sqrt{7}G_vxyz}{7} - \frac{\sqrt{7}G_{xy}z(x-y)(x+y)}{14} + \frac{\sqrt{7}G_{xz}y(4x^2 - 3y^2 + 5z^2)}{14} + \frac{\sqrt{7}G_{yz}x(3x^2 - 4y^2 - 5z^2)}{14}$$

$\vec{\mathbb{Q}}_4^{(2,-1)}[g](A', 3)$
** symmetry

$$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$$

** expression

$$\frac{6\sqrt{7}G_uxyz}{7} + \frac{\sqrt{21}G_{xy}z(3x^2+3y^2-2z^2)}{14} - \frac{\sqrt{21}G_{xz}y(2x^2-y^2+z^2)}{14} + \frac{\sqrt{21}G_{yz}x(x^2-2y^2-z^2)}{14}$$

$\vec{\mathbb{Q}}_4^{(2,-1)}[g](A', 4)$
** symmetry

$$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$$

** expression

$$\frac{3G_uy(x-z)(x+z)}{4} - \frac{\sqrt{3}G_vy(x-z)(x+z)}{4} + \frac{\sqrt{3}G_{xy}x(x^2-3z^2)}{4} + \sqrt{3}G_{xz}xyz - \frac{\sqrt{3}G_{yz}z(3x^2-z^2)}{4}$$

$\vec{\mathbb{Q}}_4^{(2,-1)}[g](A', 5)$
** symmetry

$$-\frac{\sqrt{5}xz(x^2-6y^2+z^2)}{2}$$

** expression

$$\frac{3\sqrt{7}G_uy(5x^2-2y^2+z^2)}{28} + \frac{\sqrt{21}G_vy(3x^2+2y^2-9z^2)}{28} + \frac{\sqrt{21}G_{xy}x(x^2+2y^2-5z^2)}{28} + \frac{\sqrt{21}G_{yz}z(5x^2-2y^2-z^2)}{28}$$

$\vec{\mathbb{Q}}_4^{(2,1)}[g](A', 1)$
** symmetry

$$\frac{\sqrt{21}(x^4-3x^2y^2-3x^2z^2+y^4-3y^2z^2+z^4)}{6}$$

** expression

$$\begin{aligned} & \frac{3\sqrt{2310}G_uxyz(x-y)(x+y)}{44} - \frac{3\sqrt{770}G_vxyz(x^2+y^2-2z^2)}{44} + \frac{\sqrt{770}G_{xy}z(x-y)(x+y)(x^2+y^2-2z^2)}{22} \\ & - \frac{\sqrt{770}G_{xz}y(x-z)(x+z)(x^2-2y^2+z^2)}{22} - \frac{\sqrt{770}G_{yz}x(y-z)(y+z)(2x^2-y^2-z^2)}{22} \end{aligned}$$

$\vec{\mathbb{Q}}_4^{(2,1)}[g](A', 2)$
** symmetry

$$-\frac{\sqrt{15}(x^4-12x^2y^2+6x^2z^2+y^4+6y^2z^2-2z^4)}{12}$$

** expression

$$\begin{aligned} & \frac{21\sqrt{66}G_uxyz(x-y)(x+y)}{44} - \frac{21\sqrt{22}G_vxyz(x^2+y^2-2z^2)}{44} + \frac{7\sqrt{22}G_{xy}z(x-y)(x+y)(x^2+y^2-2z^2)}{44} \\ & + \frac{\sqrt{22}G_{xz}y(17x^4-22x^2y^2-36x^2z^2+3y^4-8y^2z^2+10z^4)}{44} - \frac{\sqrt{22}G_{yz}x(3x^4-22x^2y^2-8x^2z^2+17y^4-36y^2z^2+10z^4)}{44} \end{aligned}$$

$\vec{\mathbb{Q}}_4^{(2,1)}[g](A', 3)$
** symmetry

$$\frac{\sqrt{5}(x-y)(x+y)(x^2+y^2-6z^2)}{4}$$

** expression

$$\begin{aligned} & -\frac{21\sqrt{22}G_uxyz(x^2+y^2-2z^2)}{44} - \frac{21\sqrt{66}G_vxyz(x-y)(x+y)}{44} + \frac{\sqrt{66}G_{xy}z(9x^4-24x^2y^2-10x^2z^2+9y^4-10y^2z^2+2z^4)}{44} \\ & - \frac{\sqrt{66}G_{xz}y(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44} - \frac{\sqrt{66}G_{yz}x(x^4+2x^2y^2-12x^2z^2+y^4-12y^2z^2+8z^4)}{44} \end{aligned}$$

$\vec{\mathbb{Q}}_4^{(2,1)}[g](A', 4)$
** symmetry

$$-\frac{\sqrt{35}xz(x-z)(x+z)}{2}$$

** expression

$$-\frac{3\sqrt{154}G_{uy}(x^4 + x^2y^2 - 9x^2z^2 - y^2z^2 + 2z^4)}{88} - \frac{\sqrt{462}G_{vy}(5x^4 - x^2y^2 - 27x^2z^2 + y^2z^2 + 4z^4)}{88} \\ + \frac{\sqrt{462}G_{xy}x(x^4 - 2x^2y^2 - 8x^2z^2 + 6y^2z^2 + 3z^4)}{44} + \frac{\sqrt{462}G_{xyz}(x^2 - 2y^2 + z^2)}{44} + \frac{\sqrt{462}G_{yz}z(3x^4 + 6x^2y^2 - 8x^2z^2 - 2y^2z^2 + z^4)}{44}$$

$\vec{\mathbb{Q}}_4^{(2,1)}[g](A', 5)$

** symmetry

$$-\frac{\sqrt{5}xz(x^2 - 6y^2 + z^2)}{2}$$

** expression

$$-\frac{3\sqrt{22}G_{uy}(5x^4 + 3x^2y^2 - 39x^2z^2 - 2y^4 + 17y^2z^2 - 2z^4)}{88} - \frac{\sqrt{66}G_{vy}(9x^4 - 31x^2y^2 + 39x^2z^2 + 2y^4 + 11y^2z^2 - 12z^4)}{88} \\ + \frac{\sqrt{66}G_{xy}x(x^4 - 12x^2y^2 + 2x^2z^2 + 8y^4 - 12y^2z^2 + z^4)}{44} + \frac{21\sqrt{66}G_{xyz}(x-z)(x+z)}{44} - \frac{\sqrt{66}G_{yz}z(x^4 - 12x^2y^2 + 2x^2z^2 + 8y^4 - 12y^2z^2 + z^4)}{44}$$

$\vec{\mathbb{Q}}_4^{(2,-1)}[g](A'', 1)$

** symmetry

$$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$$

** expression

$$\frac{3G_{ux}(y-z)(y+z)}{4} + \frac{\sqrt{3}G_{vx}(y-z)(y+z)}{4} + \frac{\sqrt{3}G_{xy}y(y^2 - 3z^2)}{4} - \frac{\sqrt{3}G_{xz}z(3y^2 - z^2)}{4} + \sqrt{3}G_{yz}xyz$$

$\vec{\mathbb{Q}}_4^{(2,-1)}[g](A'', 2)$

** symmetry

$$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$$

** expression

$$-\frac{\sqrt{3}G_{vz}(x-y)(x+y)}{2} + \sqrt{3}G_{xy}xyz + \frac{\sqrt{3}G_{xz}x(x^2 - 3y^2)}{4} - \frac{\sqrt{3}G_{yz}y(3x^2 - y^2)}{4}$$

$\vec{\mathbb{Q}}_4^{(2,-1)}[g](A'', 3)$

** symmetry

$$\frac{\sqrt{5}yz(6x^2 - y^2 - z^2)}{2}$$

** expression

$$\frac{3\sqrt{7}G_{ux}(2x^2 - 5y^2 - z^2)}{28} + \frac{\sqrt{21}G_{vx}(2x^2 + 3y^2 - 9z^2)}{28} - \frac{\sqrt{21}G_{xy}y(2x^2 + y^2 - 5z^2)}{28} + \frac{\sqrt{21}G_{xz}z(2x^2 - 5y^2 + z^2)}{28}$$

$\vec{\mathbb{Q}}_4^{(2,-1)}[g](A'', 4)$

** symmetry

$$-\frac{\sqrt{5}xy(x^2 + y^2 - 6z^2)}{2}$$

** expression

$$\frac{3\sqrt{7}G_{uz}(x-y)(x+y)}{7} + \frac{\sqrt{21}G_{vz}(3x^2 + 3y^2 - 2z^2)}{14} - \frac{\sqrt{21}G_{xz}x(x^2 - 5y^2 + 2z^2)}{28} - \frac{\sqrt{21}G_{yz}y(5x^2 - y^2 - 2z^2)}{28}$$

$\vec{\mathbb{Q}}_4^{(2,1)}[g](A'', 1)$

** symmetry

$$\frac{\sqrt{35}yz(y-z)(y+z)}{2}$$

** expression

$$-\frac{3\sqrt{154}G_{ux}(x^2y^2 - x^2z^2 + y^4 - 9y^2z^2 + 2z^4)}{88} - \frac{\sqrt{462}G_{vx}(x^2y^2 - x^2z^2 - 5y^4 + 27y^2z^2 - 4z^4)}{88} \\ - \frac{\sqrt{462}G_{xy}y(2x^2y^2 - 6x^2z^2 - y^4 + 8y^2z^2 - 3z^4)}{44} + \frac{\sqrt{462}G_{xz}z(6x^2y^2 - 2x^2z^2 + 3y^4 - 8y^2z^2 + z^4)}{44} - \frac{\sqrt{462}G_{yz}xyz(2x^2 - y^2 - z^2)}{44}$$

$\vec{\mathbb{Q}}_4^{(2,1)}[g](A'', 2)$

** symmetry

$$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$$

** expression

$$\begin{aligned} & \frac{9\sqrt{154}G_uz(x^2 - 2xy - y^2)(x^2 + 2xy - y^2)}{88} - \frac{\sqrt{462}G_vz(x - y)(x + y)(x^2 + y^2 - 2z^2)}{88} + \frac{\sqrt{462}G_{xy}xyz(x^2 + y^2 - 2z^2)}{44} \\ & + \frac{\sqrt{462}G_{xz}x(x^4 - 8x^2y^2 - 2x^2z^2 + 3y^4 + 6y^2z^2)}{44} + \frac{\sqrt{462}G_{yz}y(3x^4 - 8x^2y^2 + 6x^2z^2 + y^4 - 2y^2z^2)}{44} \end{aligned}$$

$\tilde{\mathbb{Q}}_4^{(2,1)}[g](A'', 3)$

** symmetry

$$\frac{\sqrt{5}yz(6x^2 - y^2 - z^2)}{2}$$

** expression

$$\begin{aligned} & -\frac{3\sqrt{22}G_ux(2x^4 - 3x^2y^2 - 17x^2z^2 - 5y^4 + 39y^2z^2 + 2z^4)}{88} - \frac{\sqrt{66}G_vx(2x^4 - 31x^2y^2 + 11x^2z^2 + 9y^4 + 39y^2z^2 - 12z^4)}{88} \\ & - \frac{\sqrt{66}G_{xy}y(8x^4 - 12x^2y^2 - 12x^2z^2 + y^4 + 2y^2z^2 + z^4)}{44} + \frac{\sqrt{66}G_{xz}z(8x^4 - 12x^2y^2 - 12x^2z^2 + y^4 + 2y^2z^2 + z^4)}{44} - \frac{21\sqrt{66}G_{yz}xyz(y - z)(y + z)}{44} \end{aligned}$$

$\tilde{\mathbb{Q}}_4^{(2,1)}[g](A'', 4)$

** symmetry

$$-\frac{\sqrt{5}xy(x^2 + y^2 - 6z^2)}{2}$$

** expression

$$\begin{aligned} & -\frac{21\sqrt{22}G_uz(x - y)(x + y)(x^2 + y^2 - 2z^2)}{88} - \frac{\sqrt{66}G_vz(3x^4 - 78x^2y^2 + 20x^2z^2 + 3y^4 + 20y^2z^2 - 4z^4)}{88} - \frac{21\sqrt{66}G_{xy}xyz(x - y)(x + y)}{44} \\ & - \frac{\sqrt{66}G_{xz}x(x^4 + 2x^2y^2 - 12x^2z^2 + y^4 - 12y^2z^2 + 8z^4)}{44} + \frac{\sqrt{66}G_{yz}y(x^4 + 2x^2y^2 - 12x^2z^2 + y^4 - 12y^2z^2 + 8z^4)}{44} \end{aligned}$$