## SAMB for "Te"

Generated on 2023-09-27 17:44 by MultiPie 1.1.15

- Group: No. 152  $D_3^4$   $P3_121$  [trigonal]
- Associated point group: No. 18  $D_3 1$  321 (321 setting) [ trigonal ]
- Generation condition
  - model type: phonon
  - time-reversal type: electric
  - irrep: [A1]
  - spinless
- Unit cell:

$$a=4.458,\ b=4.458,\ c=5.925,\ \alpha=90.0,\ \beta=90.0,\ \gamma=120.0$$

• Lattice vectors:

$$a_1 = \begin{pmatrix} 4.458 & 0 & 0 \end{pmatrix}$$
  
 $a_2 = \begin{pmatrix} -2.229 & 3.86074125007103 & 0 \end{pmatrix}$   
 $a_3 = \begin{pmatrix} 0 & 0 & 5.925 \end{pmatrix}$ 

Table 1: High-symmetry line: A- $\Gamma$ -H-A-L-H-K- $\Gamma$ -M-K.

symbol	р	ositi	on		symbol	po	ositi	on	symbol	po	ositio	on
Γ	(0	0	0	)	A	(0	0	$\frac{1}{2}$	M	$\left(\frac{1}{2}\right)$	0	0)
K	$\left(\frac{1}{3}\right)$	$\frac{1}{3}$	0	)	Н	$\left(\frac{1}{3}\right)$	$\frac{1}{3}$	$\frac{1}{2}$	L	$\left(\frac{1}{2}\right)$	0	$\frac{1}{2}$

• Kets: dimension = 9

Table 2: Hilbert space for full matrix.

No.	ket	No.	ket	No.	ket	No.	ket	No.	ket
 1	$p_x@A_1$	2	$p_y@A_1$	3	$p_z@A_1$	4	$p_x@A_2$	5	$p_y$ @A <sub>2</sub>
6	$p_z@\mathrm{A}_2$	7	$p_x@A_3$	8	$p_y@A_3$	9	$p_z@A_3$		

• Sites in (primitive) unit cell:

Table 3: Site-clusters.

	site	position	mapping
$S_1$ [3a: .2.]	$A_1$	$\begin{pmatrix} 0.274 & 0 & \frac{1}{3} \end{pmatrix}$	[1,2]
	$A_2$	(0.726  0.726  0)	[3,6]
	$A_3$	$\left(0  0.274  \frac{2}{3}\right)'$	[4,5]

• Bonds in (primitive) unit cell:

Table 4: Bond-clusters.

	bond	tail	head	n	#	b@c	mapping
$B_1 [3b: .2.]$	$b_1$	$A_2$	$A_1$	1	1	$\begin{pmatrix} -0.548 & -0.274 & -\frac{1}{3} \end{pmatrix}$ @ $\begin{pmatrix} 0 & 0.863 & \frac{1}{6} \end{pmatrix}$	[1,-3]
	$b_2$	$A_3$	$A_1$	1	1	$\left(-0.274  0.274  \frac{1}{3}\right)$ @ $\left(0.137  0.137  \frac{1}{2}\right)$	[2,-5]
	$b_3$	$A_3$	$A_2$	1	1	$\left(0.274  0.548  -\frac{1}{3}\right) @ \left(0.863  0  \frac{5}{6}\right)$	[-4,6]

• SAMB:

$$\begin{split} & \begin{bmatrix} \text{No. 1} \end{bmatrix} \ \hat{\mathbb{Q}}_0^{(A_1)} \ [M_1, S_1] \\ & \hat{\mathbb{Z}}_1 = \mathbb{X}_1[\mathbb{Q}_0^{(a, A_1)}] \otimes \mathbb{Y}_1[\mathbb{Q}_0^{(s, A_1)}] \end{split}$$

No. 2 
$$\hat{\mathbb{Q}}_{2}^{(A_1)}$$
 [M<sub>1</sub>, S<sub>1</sub>]

$$\hat{\mathbb{Z}}_2 = \mathbb{X}_2[\mathbb{Q}_2^{(a,A_1)}] \otimes \mathbb{Y}_1[\mathbb{Q}_0^{(s,A_1)}]$$

No. 3 
$$\hat{\mathbb{G}}_{2}^{(A_{1})}$$
 [M<sub>1</sub>, S<sub>1</sub>]

$$\hat{\mathbb{Z}}_3 = -\frac{\sqrt{2}\mathbb{X}_3[\mathbb{Q}_{2,0}^{(a,E,1)}] \otimes \mathbb{Y}_2[\mathbb{Q}_{1,0}^{(s,E)}]}{2} - \frac{\sqrt{2}\mathbb{X}_4[\mathbb{Q}_{2,1}^{(a,E,1)}] \otimes \mathbb{Y}_3[\mathbb{Q}_{1,1}^{(s,E)}]}{2}$$

No. 4 
$$\hat{\mathbb{Q}}_3^{(A_1)}$$
 [M<sub>1</sub>, S<sub>1</sub>]

$$\hat{\mathbb{Z}}_4 = \frac{\sqrt{2}\mathbb{X}_5[\mathbb{Q}_{2,0}^{(a,E,2)}] \otimes \mathbb{Y}_2[\mathbb{Q}_{1,0}^{(s,E)}]}{2} + \frac{\sqrt{2}\mathbb{X}_6[\mathbb{Q}_{2,1}^{(a,E,2)}] \otimes \mathbb{Y}_3[\mathbb{Q}_{1,1}^{(s,E)}]}{2}$$

No. 5 
$$\hat{\mathbb{Q}}_0^{(A_1)}$$
 [M<sub>1</sub>, B<sub>1</sub>]

$$\hat{\mathbb{Z}}_5 = \mathbb{X}_1[\mathbb{Q}_0^{(a,A_1)}] \otimes \mathbb{Y}_4[\mathbb{Q}_0^{(b,A_1)}]$$

No. 6 
$$\hat{\mathbb{Q}}_{2}^{(A_1)}$$
 [M<sub>1</sub>, B<sub>1</sub>]

$$\hat{\mathbb{Z}}_6 = \mathbb{X}_2[\mathbb{Q}_2^{(a,A_1)}] \otimes \mathbb{Y}_4[\mathbb{Q}_0^{(b,A_1)}]$$

No. 7 
$$\hat{\mathbb{G}}_{2}^{(A_{1})}$$
 [M<sub>1</sub>, B<sub>1</sub>]

$$\hat{\mathbb{Z}}_7 = -\frac{\sqrt{2}\mathbb{X}_3[\mathbb{Q}_{2,0}^{(a,E,1)}] \otimes \mathbb{Y}_5[\mathbb{Q}_{1,0}^{(b,E)}]}{2} - \frac{\sqrt{2}\mathbb{X}_4[\mathbb{Q}_{2,1}^{(a,E,1)}] \otimes \mathbb{Y}_6[\mathbb{Q}_{1,1}^{(b,E)}]}{2}$$

No. 8 
$$\hat{\mathbb{Q}}_3^{(A_1)}$$
 [M<sub>1</sub>, B<sub>1</sub>]

$$\hat{\mathbb{Z}}_8 = \frac{\sqrt{2}\mathbb{X}_5[\mathbb{Q}_{2,0}^{(a,E,2)}] \otimes \mathbb{Y}_5[\mathbb{Q}_{1,0}^{(b,E)}]}{2} + \frac{\sqrt{2}\mathbb{X}_6[\mathbb{Q}_{2,1}^{(a,E,2)}] \otimes \mathbb{Y}_6[\mathbb{Q}_{1,1}^{(b,E)}]}{2}$$

Table 5: Atomic SAMB group.

group	bra	ket
$M_1$	$p_x, p_y, p_z$	$p_x, p_y, p_z$

Table 6: Atomic SAMB.

	I		-
symbol	type	group	form
$\mathbb{X}_1$	$\mathbb{Q}_0^{(a,A_1)}$	$ m M_1$	$\begin{pmatrix} \frac{\sqrt{3}}{3} & 0 & 0\\ 0 & \frac{\sqrt{3}}{3} & 0\\ 0 & 0 & \frac{\sqrt{3}}{3} \end{pmatrix}$
$\mathbb{X}_2$	$\mathbb{Q}_2^{(a,A_1)}$	$ m M_1$	$ \begin{bmatrix} -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{6}}{3} \end{bmatrix} $
$\mathbb{X}_3$	$\mathbb{Q}_{2,0}^{(a,E,1)}$	$ m M_1$	$\begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{2}}{2} \\ 0 & \frac{\sqrt{2}}{2} & 0 \end{pmatrix}$
$\mathbb{X}_4$	$\mathbb{Q}_{2,1}^{(a,E,1)}$	$ m M_1$	$\begin{pmatrix} 0 & 0 & -\frac{\sqrt{2}}{2} \\ 0 & 0 & 0 \\ -\frac{\sqrt{2}}{2} & 0 & 0 \end{pmatrix}$ $\begin{pmatrix} \frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & -\frac{\sqrt{2}}{2} & 0 \end{pmatrix}$
$\mathbb{X}_5$	$\mathbb{Q}_{2,0}^{(a,E,2)}$	$ m M_1$	
$\mathbb{X}_6$	$\mathbb{Q}_{2,1}^{(a,E,2)}$	$ m M_1$	$ \begin{pmatrix} 0 & -\frac{\sqrt{2}}{2} & 0 \\ -\frac{\sqrt{2}}{2} & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} $

Table 7: Cluster SAMB.

symbol	type	cluster	form
$\mathbb{Y}_1$	$\mathbb{Q}_0^{(s,A_1)}$	$S_1$	$\begin{pmatrix} \sqrt{3} & \sqrt{3} & \sqrt{3} \\ 3 & 3 \end{pmatrix}$
$\mathbb{Y}_2$	$\mathbb{Q}_{1,0}^{(s,E)}$	$S_1$	$\left(\begin{array}{ccc} \frac{\sqrt{6}}{3} & -\frac{\sqrt{6}}{6} & -\frac{\sqrt{6}}{6} \end{array}\right)$
$\mathbb{Y}_3$	$\mathbb{Q}_{1,1}^{(s,E)}$	$S_1$	$\left[ \begin{array}{ccc} \left(0 & -\frac{\sqrt{2}}{2} & \frac{\sqrt{2}}{2} \right) \end{array} \right]$
$\mathbb{Y}_4$	$\mathbb{Q}_0^{(b,A_1)}$	$\mathrm{B}_1$	$\begin{pmatrix} \sqrt{3} & \sqrt{3} & \sqrt{3} \\ 3 & 3 & 3 \end{pmatrix}$
$\mathbb{Y}_5$	$\mathbb{Q}_{1,0}^{(b,E)}$	$\mathrm{B}_1$	$\left(\begin{array}{ccc} \sqrt{6} & \sqrt{6} & -\sqrt{6} \\ 6 & 6 & -\end{array}\right)$
$\mathbb{Y}_6$	$\mathbb{Q}_{1,1}^{(b,E)}$	$\mathrm{B}_1$	$\left(-\frac{\sqrt{2}}{2}  \frac{\sqrt{2}}{2}  0\right)$

Table 8: Polar harmonics.

No.	symbol	rank	irrep.	mul.	comp.	form
1	$\mathbb{Q}_0^{(A_1)}$	0	$A_1$	_	_	1
2	$\mathbb{Q}_{1,0}^{(E)}$	1	E	_	0	x
3	$\mathbb{Q}_{1,1}^{(E)}$	1	E	_	1	y
4	$\mathbb{Q}_2^{(A_1)}$	2	$A_1$	_	_	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
5	$\mathbb{Q}_{2,0}^{(E,1)}$	2	E	1	0	$\sqrt{3}yz$
6	$\mathbb{Q}_{2,1}^{(E,1)}$	2	E	1	1	$ \begin{array}{c} -\sqrt{3}xz\\ \sqrt{3}(x-y)(x+y) \end{array} $
7	$\mathbb{Q}_{2,0}^{(E,2)}$	2	E	2	0	2
8	$\mathbb{Q}_{2,1}^{(E,2)}$	2	E	2	1	$-\sqrt{3}xy$

 $\bullet$  Group info.: Generator =  $\{3^{+}_{\ 001}|00\frac{1}{3}\},\ \{2_{110}|0\}$ 

Table 9: Conjugacy class (point-group part).

rep. SO	symmetry operations
{1 0}	{1 0}
$\{2_{100} 00\frac{2}{3}\}$	$\{2_{100} 00\frac{2}{3}\}, \{2_{010} 00\frac{1}{3}\}, \{2_{110} 0\}$
$\{3^{+}_{001} 00\frac{1}{3}\}$	$\{3^{+}_{001} 00\frac{1}{3}\}, \{3^{-}_{001} 00\frac{2}{3}\}$

Table 10: Symmetry operations.

No.	SO	No.	SO	No.	SO	No.	SO	No.	SO
1	{1 0}	2	$\{2_{100} 00\frac{2}{3}\}$	3	$\{2_{010} 00\frac{1}{3}\}$	4	$\{2_{110} 0\}$	5	$\{3^{+}_{001} 00^{\frac{1}{3}}\}$
6	$\{3^{-}_{001} 00\frac{2}{3}\}$								

Table 11: Character table (point-group part).

	1	2100	3 <sup>+</sup> <sub>001</sub>
$A_1$	1	1	1
$A_2$	1	-1	1
E	2	0	-1

Table 12: Parity conversion.

$\leftrightarrow$	$\leftrightarrow$	$\leftrightarrow$
$A_1 (A_1)$	$A_2 (A_2)$	E(E)

Table 13: Symmetric product,  $[\Gamma \otimes \Gamma']_+$ .

	$A_1$	$A_2$	E
$A_1$	$A_1$	$A_2$	E
$A_2$		$A_1$	E
E			$A_1 + E$

Table 14: Anti-symmetric product,  $[\Gamma \otimes \Gamma]_-$ .

$A_1$ $A_2$	2	
	$A_2$	

Table 15: Virtual-cluster sites.

No.	position	No.	position	No.	position	No.	position
1	$\begin{pmatrix} 1 & -1 & 1 \end{pmatrix}$	2	$\begin{pmatrix} 2 & 1 & -1 \end{pmatrix}$	3	$\begin{pmatrix} -1 & -2 & -1 \end{pmatrix}$	4	$\begin{pmatrix} -1 & 1 & -1 \end{pmatrix}$
5	$\begin{pmatrix} 1 & 2 & 1 \end{pmatrix}$	6	$\begin{pmatrix} -2 & -1 & 1 \end{pmatrix}$				

Table 16: Virtual-cluster basis.

symbol	1	2	3	4	5	6
$\mathbb{Q}_0^{(A_1)}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$
$\mathbb{Q}_1^{(A_2)}$	$\frac{\sqrt{6}}{6}$	$-\frac{\sqrt{6}}{6}$	$-\frac{\sqrt{6}}{6}$	$-\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$	$\frac{\sqrt{6}}{6}$
$\mathbb{Q}_{1,0}^{(E)}$	$\frac{1}{2}$	$\frac{1}{2}$	0	$-\frac{1}{2}$	0	$-\frac{1}{2}$
$\mathbb{Q}_{1,1}^{(E)}$	$-\frac{\sqrt{3}}{6}$	$\frac{\sqrt{3}}{6}$	$-\frac{\sqrt{3}}{3}$	$\frac{\sqrt{3}}{6}$	$\frac{\sqrt{3}}{3}$	$-\frac{\sqrt{3}}{6}$

 $continued\ \dots$ 

Table 16

symbol	1	2	3	4	5	6
$\mathbb{Q}_{2,0}^{(E,1)}$	$-\frac{\sqrt{3}}{6}$	$-\frac{\sqrt{3}}{6}$	$\frac{\sqrt{3}}{3}$	$-\frac{\sqrt{3}}{6}$	$\frac{\sqrt{3}}{3}$	$-\frac{\sqrt{3}}{6}$
$\mathbb{Q}_{2,1}^{(E,1)}$	$-\frac{1}{2}$	$\frac{1}{2}$	0	$-\frac{1}{2}$	0	$\frac{1}{2}$