

Model for “C3v5”

Generated on 2026-07-19 06:52:35 by MultiPie 2.2.0

General Condition

- Basis type: **lgs**
- SAMB selection:
 - Type: [Q, G]
 - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
 - Irrep.: [A_1 , A_2 , E]
 - Spin (s): [0, 1]
- Atomic selection:
 - Type: [Q, G, M, T]
 - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
 - Irrep.: [A_1 , A_2 , E]
 - Spin (s): [0, 1]
- Site-cluster selection:
 - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
 - Irrep.: [A_1 , A_2 , E]
- Bond-cluster selection:
 - Type: [Q, G, M, T]
 - Rank: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11]
 - Irrep.: [A_1 , A_2 , E]
- Max. neighbor: 10
- Search cell range: (-2, 3), (-2, 3), (-2, 3)
- Toroidal priority: **false**

Group and Unit Cell

- Group: SG No. 160 C_{3v}^5 $R3m$ [trigonal]
- Associated point group: PG No. 160 C_{3v} $3m$ (3m1 setting) [trigonal]
- Unit cell:
 - $a = 1.00000$, $b = 1.00000$, $c = 1.00000$, $\alpha = 90.0$, $\beta = 90.0$, $\gamma = 120.0$
- Lattice vectors (conventional cell):
 - $\mathbf{a}_1 = [1.00000, 0.00000, 0.00000]$
 - $\mathbf{a}_2 = [-0.50000, 0.86603, 0.00000]$
 - $\mathbf{a}_3 = [0.00000, 0.00000, 1.00000]$

- Plus sets:
 $+ [0, 0, 0], + [\frac{2}{3}, \frac{1}{3}, \frac{1}{3}], + [\frac{1}{3}, \frac{2}{3}, \frac{2}{3}]$

Symmetry Operation

Table 1: Symmetry operation

#	SO	#	SO	#	SO	#	SO	#	SO
1	$\{1 0\}$	2	$\{3_{001}^+ 0\}$	3	$\{3_{001}^- 0\}$	4	$\{m_{110} 0\}$	5	$\{m_{100} 0\}$
6	$\{m_{010} 0\}$								

Harmonics

Table 2: Harmonics

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
1	$\mathbb{Q}_0(A_1)$	A_1	0	Q, T	-	-	1
2	$\mathbb{Q}_1(A_1)$	A_1	1	Q, T	-	-	z
3	$\mathbb{Q}_2(A_1)$	A_1	2	Q, T	-	-	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
4	$\mathbb{G}_3(A_1)$	A_1	3	G, M	-	-	$\frac{\sqrt{10}x(x^2-3y^2)}{4}$
5	$\mathbb{Q}_3(A_1, 1)$	A_1	3	Q, T	1	-	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
6	$\mathbb{Q}_3(A_1, 2)$	A_1	3	Q, T	2	-	$\frac{\sqrt{10}y(3x^2-y^2)}{4}$
7	$\mathbb{Q}_4(A_1, 2)$	A_1	4	Q, T	2	-	$\frac{\sqrt{70}yz(3x^2-y^2)}{4}$

continued ...

Table 2

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
8	$\mathbb{G}_0(A_2)$	A_2	0	G, M	-	-	1
9	$\mathbb{G}_1(A_2)$	A_2	1	G, M	-	-	z
10	$\mathbb{G}_2(A_2)$	A_2	2	G, M	-	-	$-\frac{x^2}{2} - \frac{y^2}{2} + z^2$
11	$\mathbb{G}_3(A_2, 1)$	A_2	3	G, M	1	-	$-\frac{z(3x^2+3y^2-2z^2)}{2}$
12	$\mathbb{G}_3(A_2, 2)$	A_2	3	G, M	2	-	$\frac{\sqrt{10}y(3x^2-y^2)}{4}$
13	$\mathbb{Q}_3(A_2)$	A_2	3	Q, T	-	-	$\frac{\sqrt{10}x(x^2-3y^2)}{4}$
14	$\mathbb{Q}_4(A_2)$	A_2	4	Q, T	-	-	$\frac{\sqrt{70}xz(x^2-3y^2)}{4}$
15	$\mathbb{G}_{1,1}(E)$	E	1	G, M	-	1	$-y$
16	$\mathbb{G}_{1,2}(E)$					2	x
17	$\mathbb{Q}_{1,1}(E)$	E	1	Q, T	-	1	x
18	$\mathbb{Q}_{1,2}(E)$					2	y
19	$\mathbb{G}_{2,1}(E, 1)$	E	2	G, M	1	1	$\sqrt{3}yz$
20	$\mathbb{G}_{2,2}(E, 1)$					2	$-\sqrt{3}xz$
21	$\mathbb{G}_{2,1}(E, 2)$	E	2	G, M	2	1	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
22	$\mathbb{G}_{2,2}(E, 2)$					2	$-\sqrt{3}xy$
23	$\mathbb{Q}_{2,1}(E, 1)$	E	2	Q, T	1	1	$\sqrt{3}xz$
24	$\mathbb{Q}_{2,2}(E, 1)$					2	$\sqrt{3}yz$
25	$\mathbb{Q}_{2,1}(E, 2)$	E	2	Q, T	2	1	$\sqrt{3}xy$
26	$\mathbb{Q}_{2,2}(E, 2)$					2	$\frac{\sqrt{3}(x-y)(x+y)}{2}$
27	$\mathbb{G}_{3,1}(E, 1)$	E	3	G, M	1	1	$\frac{\sqrt{6}y(x^2+y^2-4z^2)}{4}$
28	$\mathbb{G}_{3,2}(E, 1)$					2	$-\frac{\sqrt{6}x(x^2+y^2-4z^2)}{4}$

continued ...

Table 2

#	symbol	irrep.	rank	X	multiplicity	component	symmetry
29	$\mathbb{G}_{3,1}(E, 2)$	E	3	G, M	2	1	$-\frac{\sqrt{15}z(x-y)(x+y)}{2}$
30	$\mathbb{G}_{3,2}(E, 2)$					2	$\sqrt{15}xyz$
31	$\mathbb{Q}_{3,1}(E, 1)$	E	3	Q, T	1	1	$-\frac{\sqrt{6}x(x^2+y^2-4z^2)}{4}$
32	$\mathbb{Q}_{3,2}(E, 1)$					2	$-\frac{\sqrt{6}y(x^2+y^2-4z^2)}{4}$
33	$\mathbb{Q}_{3,1}(E, 2)$	E	3	Q, T	2	1	$\sqrt{15}xyz$
34	$\mathbb{Q}_{3,2}(E, 2)$					2	$\frac{\sqrt{15}z(x-y)(x+y)}{2}$
35	$\mathbb{G}_{4,1}(E, 2)$	E	4	G, M	2	1	$\frac{\sqrt{35}(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$
36	$\mathbb{G}_{4,2}(E, 2)$					2	$\frac{\sqrt{35}xy(x-y)(x+y)}{2}$
37	$\mathbb{Q}_{4,1}(E, 2)$	E	4	Q, T	2	1	$-\frac{\sqrt{35}xy(x-y)(x+y)}{2}$
38	$\mathbb{Q}_{4,2}(E, 2)$					2	$\frac{\sqrt{35}(x^2-2xy-y^2)(x^2+2xy-y^2)}{8}$

— Basis in full matrix —

Table 3: dimension = 54

#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)
0	$ p_x, \uparrow\rangle @A(1)$	1	$ p_x, \downarrow\rangle @A(1)$	2	$ p_y, \uparrow\rangle @A(1)$	3	$ p_y, \downarrow\rangle @A(1)$	4	$ p_z, \uparrow\rangle @A(1)$
5	$ p_z, \downarrow\rangle @A(1)$	6	$ p_x, \uparrow\rangle @A(2)$	7	$ p_x, \downarrow\rangle @A(2)$	8	$ p_y, \uparrow\rangle @A(2)$	9	$ p_y, \downarrow\rangle @A(2)$
10	$ p_z, \uparrow\rangle @A(2)$	11	$ p_z, \downarrow\rangle @A(2)$	12	$ p_x, \uparrow\rangle @A(3)$	13	$ p_x, \downarrow\rangle @A(3)$	14	$ p_y, \uparrow\rangle @A(3)$
15	$ p_y, \downarrow\rangle @A(3)$	16	$ p_z, \uparrow\rangle @A(3)$	17	$ p_z, \downarrow\rangle @A(3)$	18	$ p_x, \uparrow\rangle @B(1)$	19	$ p_x, \downarrow\rangle @B(1)$

continued ...

Table 3

#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)	#	orbital@atom(SL)
20	$ p_y, \uparrow\rangle @B(1)$	21	$ p_y, \downarrow\rangle @B(1)$	22	$ p_z, \uparrow\rangle @B(1)$	23	$ p_z, \downarrow\rangle @B(1)$	24	$ p_x, \uparrow\rangle @B(2)$
25	$ p_x, \downarrow\rangle @B(2)$	26	$ p_y, \uparrow\rangle @B(2)$	27	$ p_y, \downarrow\rangle @B(2)$	28	$ p_z, \uparrow\rangle @B(2)$	29	$ p_z, \downarrow\rangle @B(2)$
30	$ p_x, \uparrow\rangle @B(3)$	31	$ p_x, \downarrow\rangle @B(3)$	32	$ p_y, \uparrow\rangle @B(3)$	33	$ p_y, \downarrow\rangle @B(3)$	34	$ p_z, \uparrow\rangle @B(3)$
35	$ p_z, \downarrow\rangle @B(3)$	36	$ p_x, \uparrow\rangle @B(4)$	37	$ p_x, \downarrow\rangle @B(4)$	38	$ p_y, \uparrow\rangle @B(4)$	39	$ p_y, \downarrow\rangle @B(4)$
40	$ p_z, \uparrow\rangle @B(4)$	41	$ p_z, \downarrow\rangle @B(4)$	42	$ p_x, \uparrow\rangle @B(5)$	43	$ p_x, \downarrow\rangle @B(5)$	44	$ p_y, \uparrow\rangle @B(5)$
45	$ p_y, \downarrow\rangle @B(5)$	46	$ p_z, \uparrow\rangle @B(5)$	47	$ p_z, \downarrow\rangle @B(5)$	48	$ p_x, \uparrow\rangle @B(6)$	49	$ p_x, \downarrow\rangle @B(6)$
50	$ p_y, \uparrow\rangle @B(6)$	51	$ p_y, \downarrow\rangle @B(6)$	52	$ p_z, \uparrow\rangle @B(6)$	53	$ p_z, \downarrow\rangle @B(6)$		

Table 4: Atomic basis (orbital part only)

orbital	definition
$ p_x\rangle$	x
$ p_y\rangle$	y
$ p_z\rangle$	z

SAMB: 351 (all 351)

- **A** : 'A' site-cluster

- * bra: $\langle p_x, \uparrow |$, $\langle p_x, \downarrow |$, $\langle p_y, \uparrow |$, $\langle p_y, \downarrow |$, $\langle p_z, \uparrow |$, $\langle p_z, \downarrow |$

- * ket: $|p_x, \uparrow\rangle$, $|p_x, \downarrow\rangle$, $|p_y, \uparrow\rangle$, $|p_y, \downarrow\rangle$, $|p_z, \uparrow\rangle$, $|p_z, \downarrow\rangle$

- * wyckoff: **9b**

$$\boxed{z1} \quad \mathbb{Q}_0^{(c)}(A_1) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{z2} \quad \mathbb{Q}_1^{(c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{z3} \quad \mathbb{Q}_2^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{z4} \quad \mathbb{Q}_3^{(c)}(A_1,2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{z5} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{z6} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1) = \mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{z7} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1,2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{z8} \quad \mathbb{Q}_1^{(1,0;c)}(A_1) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{z9} \quad \mathbb{Q}_0^{(1,1;c)}(A_1) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{z61} \quad \mathbb{Q}_3^{(c)}(A_2) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{z62} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{z63} \quad \mathbb{G}_2^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{z64} \quad \mathbb{G}_2^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{z65} \quad \mathbb{G}_0^{(1,0;c)}(A_2) = -\frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{z66} \quad \mathbb{G}_1^{(1,0;c)}(A_2) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\begin{aligned}
\boxed{\text{z118}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) &= \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} \\
\boxed{\text{z119}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) &= \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} \\
\boxed{\text{z120}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{14} \\
\boxed{\text{z121}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{14} \\
\boxed{\text{z122}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z123}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z124}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z125}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z126}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 1) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{7} \\
\boxed{\text{z127}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 1) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{7} \\
\boxed{\text{z128}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2) &= \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} \\
\boxed{\text{z129}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2) &= \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} \\
\boxed{\text{z130}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{14} \\
\boxed{\text{z131}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E) &= \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{14}
\end{aligned}$$

$$\boxed{\text{z132}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z133}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z134}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z135}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,2) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z136}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E,1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{7}$$

$$\boxed{\text{z137}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E,1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{7}$$

$$\boxed{\text{z138}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E,2) = \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z139}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E,2) = \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z140}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z141}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z142}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z143}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z144}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z145}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z146}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E) \mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E) \mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z147}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E) \mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E) \mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

• **B : 'B' site-cluster**

* bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

* ket: $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

* wyckoff: **18c**

$$\boxed{\text{z10}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z11}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{2,2}^{(s)}(E, 2)}{2}$$

$$\boxed{\text{z12}} \quad \mathbb{Q}_1^{(c)}(A_1) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 1) \mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 1) \mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z13}} \quad \mathbb{Q}_2^{(c)}(A_1) = \mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z14}} \quad \mathbb{Q}_3^{(c)}(A_1, 2) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z15}} \quad \mathbb{Q}_4^{(c)}(A_1, 2) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 1) \mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 1) \mathbb{Q}_{2,2}^{(s)}(E, 2)}{2}$$

$$\boxed{\text{z16}} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2) \mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2) \mathbb{Q}_{2,2}^{(s)}(E, 2)}{2}$$

$$\boxed{\text{z17}} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1) \mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1) \mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z18}} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1) = \mathbb{Q}_2^{(1,-1;a)}(A_1) \mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z19}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2) \mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2) \mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z20}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_1, 2) = \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1) \mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1) \mathbb{Q}_{2,2}^{(s)}(E, 2)}{2}$$

$$\begin{aligned}
\boxed{\text{z21}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1) &= \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} \\
\boxed{\text{z22}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1, 2) &= \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_3^{(s)}(A_2) \\
\boxed{\text{z23}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1) &= \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(s)}(A_1) \\
\boxed{\text{z24}} \quad \mathbb{G}_3^{(1,0;c)}(A_1) &= \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} \\
\boxed{\text{z67}} \quad \mathbb{Q}_3^{(c)}(A_2, a) &= \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_3^{(s)}(A_2) \\
\boxed{\text{z68}} \quad \mathbb{Q}_3^{(c)}(A_2, b) &= -\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_3^{(s)}(A_2) \\
\boxed{\text{z69}} \quad \mathbb{Q}_3^{(c)}(A_2, c) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} \\
\boxed{\text{z70}} \quad \mathbb{Q}_4^{(c)}(A_2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} \\
\boxed{\text{z71}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, a) &= -\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_3^{(s)}(A_2) \\
\boxed{\text{z72}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, b) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} \\
\boxed{\text{z73}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} \\
\boxed{\text{z74}} \quad \mathbb{Q}_3^{(1,1;c)}(A_2) &= \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_3^{(s)}(A_2) \\
\boxed{\text{z75}} \quad \mathbb{G}_1^{(c)}(A_2) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} \\
\boxed{\text{z76}} \quad \mathbb{G}_2^{(c)}(A_2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} \\
\boxed{\text{z77}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2) &= -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2}
\end{aligned}$$

$$\boxed{\text{z78}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z79}} \quad \mathbb{G}_0^{(1,0;c)}(A_2) = -\frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z80}} \quad \mathbb{G}_1^{(1,0;c)}(A_2) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_0^{(s)}(A_1)$$

$$\boxed{\text{z81}} \quad \mathbb{G}_3^{(1,0;c)}(A_2, 2) = -\frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2}$$

$$\boxed{\text{z148}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z149}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z150}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_3^{(s)}(A_2)}{2}$$

$$\boxed{\text{z151}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_3^{(s)}(A_2)}{2}$$

$$\boxed{\text{z152}} \quad \mathbb{Q}_{1,1}^{(c)}(E, c) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{14}$$

$$\boxed{\text{z153}} \quad \mathbb{Q}_{1,2}^{(c)}(E, c) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{14}$$

$$\boxed{\text{z154}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z155}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z156}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) = \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2}$$

$$\boxed{\text{z157}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) = \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2}$$

$$\begin{aligned}
\boxed{\text{z158}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} \\
\boxed{\text{z159}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} \\
\boxed{\text{z160}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z161}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_0^{(s)}(A_1)}{2} \\
\boxed{\text{z162}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2c) &= -\frac{\sqrt{2}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} \\
\boxed{\text{z163}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2c) &= -\frac{\sqrt{2}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} \\
\boxed{\text{z164}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 1) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{7} \\
\boxed{\text{z165}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 1) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{7} \\
\boxed{\text{z166}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2a) &= -\frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_3^{(s)}(A_2)}{2} \\
\boxed{\text{z167}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_3^{(s)}(A_2)}{2} \\
\boxed{\text{z168}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} \\
\boxed{\text{z169}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} \\
\boxed{\text{z170}} \quad \mathbb{Q}_{4,1}^{(c)}(E, 2) &= -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} \\
\boxed{\text{z171}} \quad \mathbb{Q}_{4,2}^{(c)}(E, 2) &= -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2}
\end{aligned}$$

$$\boxed{\text{z172}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E,a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_3^{(s)}(A_2)}{2}$$

$$\boxed{\text{z173}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E,a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_3^{(s)}(A_2)}{2}$$

$$\boxed{\text{z174}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E,b) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{14}$$

$$\boxed{\text{z175}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E,b) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{14}$$

$$\boxed{\text{z176}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z177}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z178}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,1b) = \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,2)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,2)}{2}$$

$$\boxed{\text{z179}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,1b) = \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,1}^{(s)}(E,2)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E,1)\mathbb{Q}_{2,2}^{(s)}(E,2)}{2}$$

$$\boxed{\text{z180}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z181}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,2a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z182}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E,2b) = -\frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E,2)}{2}$$

$$\boxed{\text{z183}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E,2b) = -\frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E,2)}{2}$$

$$\boxed{\text{z184}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E,1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{7}$$

$$\boxed{\text{z185}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E,1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,1}^{(s)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E,2)\mathbb{Q}_{1,2}^{(s)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{7}$$

$$\begin{aligned}
\boxed{\text{z186}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2a) &= -\frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_3^{(s)}(A_2)}{2} \\
\boxed{\text{z187}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_3^{(s)}(A_2)}{2} \\
\boxed{\text{z188}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} \\
\boxed{\text{z189}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(s)}(E)}{2} \\
\boxed{\text{z190}} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 2) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} \\
\boxed{\text{z191}} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 2) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} \\
\boxed{\text{z192}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E) &= -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(s)}(E)}{2} \\
\boxed{\text{z193}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E) &= \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(s)}(E)}{2} \\
\boxed{\text{z194}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1) &= \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} + \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} \\
\boxed{\text{z195}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1) &= \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} \\
\boxed{\text{z196}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2) &= \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2} \\
\boxed{\text{z197}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2) &= -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2} \\
\boxed{\text{z198}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 2) &= -\frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_3^{(s)}(A_2)}{2} \\
\boxed{\text{z199}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 2) &= \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_3^{(s)}(A_2)}{2}
\end{aligned}$$

$$\boxed{\text{z200}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z201}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

$$\boxed{\text{z202}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(s)}(E, 2)}{2}$$

$$\boxed{\text{z203}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(s)}(E, 2)}{2}$$

$$\boxed{\text{z204}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z205}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(s)}(A_1)}{2}$$

$$\boxed{\text{z206}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2} + \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2}$$

$$\boxed{\text{z207}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(s)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(s)}(E)}{2}$$

• **B;A_001_1** : 'A'-'B' bond-cluster

* bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$

* ket: $|p_x, \uparrow \rangle, |p_x, \downarrow \rangle, |p_y, \uparrow \rangle, |p_y, \downarrow \rangle, |p_z, \uparrow \rangle, |p_z, \downarrow \rangle$

* wyckoff: **18a@18c**

$$\boxed{\text{z25}} \quad \mathbb{Q}_0^{(c)}(A_1, a) = \mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z26}} \quad \mathbb{Q}_0^{(c)}(A_1, b) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z27}} \quad \mathbb{Q}_0^{(c)}(A_1, c) = \mathbb{M}_1^{(a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z28}} \quad \mathbb{Q}_1^{(c)}(A_1, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\begin{aligned}
\text{z29} \quad \mathbb{Q}_1^{(c)}(A_1, b) &= \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} \\
\text{z30} \quad \mathbb{Q}_1^{(c)}(A_1, c) &= \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} \\
\text{z31} \quad \mathbb{Q}_2^{(c)}(A_1) &= \mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_0^{(b)}(A_1) \\
\text{z32} \quad \mathbb{Q}_3^{(c)}(A_1, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z33} \quad \mathbb{Q}_4^{(c)}(A_1, 2) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} \\
\text{z34} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} \\
\text{z35} \quad \mathbb{Q}_0^{(1,-1;c)}(A_1, b) &= \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{M}_1^{(b)}(A_2) \\
\text{z36} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1, a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\text{z37} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1, b) &= \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} \\
\text{z38} \quad \mathbb{Q}_1^{(1,-1;c)}(A_1, c) &= \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} \\
\text{z39} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, a) &= \mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1) \\
\text{z40} \quad \mathbb{Q}_2^{(1,-1;c)}(A_1, b) &= \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{M}_1^{(b)}(A_2) \\
\text{z41} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 1a) &= \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} \\
\text{z42} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 1b) &= \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} \\
\text{z43} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{2}
\end{aligned}$$

$$\boxed{\text{z44}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2b) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z45}} \quad \mathbb{Q}_3^{(1,-1;c)}(A_1, 2c) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} - \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z46}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_1, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z47}} \quad \mathbb{Q}_4^{(1,-1;c)}(A_1, 2b) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z48}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z49}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z50}} \quad \mathbb{Q}_1^{(1,0;c)}(A_1, c) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z51}} \quad \mathbb{Q}_2^{(1,0;c)}(A_1) = \mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z52}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1, 2a) = \mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_3^{(b)}(A_2)$$

$$\boxed{\text{z53}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1, 2b) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z54}} \quad \mathbb{Q}_3^{(1,0;c)}(A_1, 2c) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} + \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z55}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, a) = \mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z56}} \quad \mathbb{Q}_0^{(1,1;c)}(A_1, b) = \mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z57}} \quad \mathbb{Q}_1^{(1,1;c)}(A_1, a) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z58}} \quad \mathbb{Q}_1^{(1,1;c)}(A_1, b) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2}$$

$$\begin{aligned}
\text{z59} \quad \mathbb{G}_3^{(1,-1;c)}(A_1) &= \mathbb{M}_3^{(1,-1;a)}(A_1) \mathbb{T}_0^{(b)}(A_1) \\
\text{z60} \quad \mathbb{G}_3^{(1,0;c)}(A_1) &= \frac{\sqrt{2} \mathbb{G}_{1,1}^{(1,0;a)}(E) \mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} + \frac{\sqrt{2} \mathbb{G}_{1,2}^{(1,0;a)}(E) \mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} \\
\text{z82} \quad \mathbb{Q}_3^{(c)}(A_2, a) &= \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_3^{(b)}(A_2) \\
\text{z83} \quad \mathbb{Q}_3^{(c)}(A_2, b) &= -\mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_3^{(b)}(A_2) \\
\text{z84} \quad \mathbb{Q}_3^{(c)}(A_2, c) &= -\frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{1,2}^{(b)}(E)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z85} \quad \mathbb{Q}_4^{(c)}(A_2) &= \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 1) \mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} - \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 1) \mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} \\
\text{z86} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, a) &= -\mathbb{Q}_2^{(1,-1;a)}(A_1) \mathbb{Q}_3^{(b)}(A_2) \\
\text{z87} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, b) &= -\frac{\sqrt{2} \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2) \mathbb{Q}_{1,2}^{(b)}(E)}{2} + \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2) \mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\text{z88} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, c) &= \frac{\sqrt{2} \mathbb{M}_{3,1}^{(1,-1;a)}(E, 2) \mathbb{T}_{1,2}^{(b)}(E, a)}{2} - \frac{\sqrt{2} \mathbb{M}_{3,2}^{(1,-1;a)}(E, 2) \mathbb{T}_{1,1}^{(b)}(E, a)}{2} \\
\text{z89} \quad \mathbb{Q}_3^{(1,-1;c)}(A_2, d) &= \frac{\sqrt{2} \mathbb{M}_{3,1}^{(1,-1;a)}(E, 2) \mathbb{T}_{1,2}^{(b)}(E, b)}{2} - \frac{\sqrt{2} \mathbb{M}_{3,2}^{(1,-1;a)}(E, 2) \mathbb{T}_{1,1}^{(b)}(E, b)}{2} \\
\text{z90} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2, a) &= \frac{\sqrt{2} \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1) \mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} - \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1) \mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} \\
\text{z91} \quad \mathbb{Q}_4^{(1,-1;c)}(A_2, b) &= \mathbb{M}_3^{(1,-1;a)}(A_1) \mathbb{M}_1^{(b)}(A_2) \\
\text{z92} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, a) &= -\frac{\sqrt{2} \mathbb{T}_{2,1}^{(1,0;a)}(E, 2) \mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\sqrt{2} \mathbb{T}_{2,2}^{(1,0;a)}(E, 2) \mathbb{T}_{1,1}^{(b)}(E, a)}{2} \\
\text{z93} \quad \mathbb{Q}_3^{(1,0;c)}(A_2, b) &= -\frac{\sqrt{2} \mathbb{T}_{2,1}^{(1,0;a)}(E, 2) \mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\sqrt{2} \mathbb{T}_{2,2}^{(1,0;a)}(E, 2) \mathbb{T}_{1,1}^{(b)}(E, b)}{2} \\
\text{z94} \quad \mathbb{Q}_3^{(1,1;c)}(A_2) &= \mathbb{Q}_0^{(1,1;a)}(A_1) \mathbb{Q}_3^{(b)}(A_2)
\end{aligned}$$

$$\boxed{\text{z95}} \quad \mathbb{G}_0^{(c)}(A_2, a) = -\frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z96}} \quad \mathbb{G}_0^{(c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z97}} \quad \mathbb{G}_1^{(c)}(A_2, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z98}} \quad \mathbb{G}_1^{(c)}(A_2, b) = \mathbb{M}_1^{(a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z99}} \quad \mathbb{G}_2^{(c)}(A_2) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z100}} \quad \mathbb{G}_0^{(1,-1;c)}(A_2, a) = -\frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z101}} \quad \mathbb{G}_0^{(1,-1;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z102}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} + \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z103}} \quad \mathbb{G}_1^{(1,-1;c)}(A_2, b) = \mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z104}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} - \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z105}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, b) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z106}} \quad \mathbb{G}_2^{(1,-1;c)}(A_2, c) = -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z107}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 1) = \mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z108}} \quad \mathbb{G}_3^{(1,-1;c)}(A_2, 2) = \mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z109}} \quad \mathbb{G}_0^{(1,0;c)}(A_2) = -\frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} + \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z110}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, a) = \mathbb{G}_1^{(1,0;a)}(A_2) \mathbb{Q}_0^{(b)}(A_1)$$

$$\boxed{\text{z111}} \quad \mathbb{G}_1^{(1,0;c)}(A_2, b) = \mathbb{T}_2^{(1,0;a)}(A_1) \mathbb{M}_1^{(b)}(A_2)$$

$$\boxed{\text{z112}} \quad \mathbb{G}_2^{(1,0;c)}(A_2, a) = \frac{\sqrt{2} \mathbb{T}_{2,1}^{(1,0;a)}(E, 1) \mathbb{T}_{1,2}^{(b)}(E, a)}{2} - \frac{\sqrt{2} \mathbb{T}_{2,2}^{(1,0;a)}(E, 1) \mathbb{T}_{1,1}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z113}} \quad \mathbb{G}_2^{(1,0;c)}(A_2, b) = \frac{\sqrt{2} \mathbb{T}_{2,1}^{(1,0;a)}(E, 1) \mathbb{T}_{1,2}^{(b)}(E, b)}{2} - \frac{\sqrt{2} \mathbb{T}_{2,2}^{(1,0;a)}(E, 1) \mathbb{T}_{1,1}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z114}} \quad \mathbb{G}_3^{(1,0;c)}(A_2, 2) = -\frac{\sqrt{2} \mathbb{G}_{1,1}^{(1,0;a)}(E) \mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} + \frac{\sqrt{2} \mathbb{G}_{1,2}^{(1,0;a)}(E) \mathbb{Q}_{2,1}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z115}} \quad \mathbb{G}_0^{(1,1;c)}(A_2, a) = -\frac{\sqrt{2} \mathbb{M}_{1,1}^{(1,1;a)}(E) \mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\sqrt{2} \mathbb{M}_{1,2}^{(1,1;a)}(E) \mathbb{T}_{1,1}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z116}} \quad \mathbb{G}_0^{(1,1;c)}(A_2, b) = -\frac{\sqrt{2} \mathbb{M}_{1,1}^{(1,1;a)}(E) \mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\sqrt{2} \mathbb{M}_{1,2}^{(1,1;a)}(E) \mathbb{T}_{1,1}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z117}} \quad \mathbb{G}_1^{(1,1;c)}(A_2) = \mathbb{M}_1^{(1,1;a)}(A_2) \mathbb{T}_0^{(b)}(A_1)$$

$$\boxed{\text{z208}} \quad \mathbb{Q}_{1,1}^{(c)}(E, a) = \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z209}} \quad \mathbb{Q}_{1,2}^{(c)}(E, a) = \frac{\sqrt{2} \mathbb{Q}_0^{(a)}(A_1) \mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z210}} \quad \mathbb{Q}_{1,1}^{(c)}(E, b) = \frac{\sqrt{2} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_3^{(b)}(A_2)}{2}$$

$$\boxed{\text{z211}} \quad \mathbb{Q}_{1,2}^{(c)}(E, b) = -\frac{\sqrt{2} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_3^{(b)}(A_2)}{2}$$

$$\boxed{\text{z212}} \quad \mathbb{Q}_{1,1}^{(c)}(E, c) = \frac{\sqrt{42} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{42} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{14} \mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z213}} \quad \mathbb{Q}_{1,2}^{(c)}(E, c) = \frac{\sqrt{42} \mathbb{Q}_{2,1}^{(a)}(E, 2) \mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42} \mathbb{Q}_{2,2}^{(a)}(E, 2) \mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{14} \mathbb{Q}_2^{(a)}(A_1) \mathbb{Q}_{1,2}^{(b)}(E)}{14}$$

$$\boxed{\text{z214}} \quad \mathbb{Q}_{1,1}^{(c)}(E, d) = -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z215}} \quad \mathbb{Q}_{1,2}^{(c)}(E, d) = \frac{\sqrt{2}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z216}} \quad \mathbb{Q}_{1,1}^{(c)}(E, e) = -\frac{\sqrt{2}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z217}} \quad \mathbb{Q}_{1,2}^{(c)}(E, e) = \frac{\sqrt{2}\mathbb{M}_1^{(a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z218}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z219}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z220}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1b) = \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z221}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1b) = \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z222}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 1c) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{M}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z223}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 1c) = -\frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{M}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z224}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z225}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2a) = \frac{\sqrt{2}\mathbb{Q}_0^{(a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z226}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2b) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z227}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2b) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z228}} \quad \mathbb{Q}_{2,1}^{(c)}(E, 2c) = -\frac{\sqrt{2}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z229}} \quad \mathbb{Q}_{2,2}^{(c)}(E, 2c) = -\frac{\sqrt{2}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z230}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{7}$$

$$\boxed{\text{z231}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 1) = \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{7}$$

$$\boxed{\text{z232}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2a) = -\frac{\sqrt{2}\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_3^{(b)}(A_2)}{2}$$

$$\boxed{\text{z233}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2a) = \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_3^{(b)}(A_2)}{2}$$

$$\boxed{\text{z234}} \quad \mathbb{Q}_{3,1}^{(c)}(E, 2b) = \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z235}} \quad \mathbb{Q}_{3,2}^{(c)}(E, 2b) = \frac{\mathbb{Q}_{2,1}^{(a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z236}} \quad \mathbb{Q}_{4,1}^{(c)}(E, 2) = -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} - \frac{\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z237}} \quad \mathbb{Q}_{4,2}^{(c)}(E, 2) = -\frac{\mathbb{Q}_{2,1}^{(a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} + \frac{\mathbb{Q}_{2,2}^{(a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z238}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, a) = \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_3^{(b)}(A_2)}{2}$$

$$\boxed{\text{z239}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, a) = -\frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_3^{(b)}(A_2)}{2}$$

$$\boxed{\text{z240}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, b) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{14}$$

$$\boxed{\text{z241}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, b) = \frac{\sqrt{42}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{42}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} - \frac{\sqrt{14}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{14}$$

$$\begin{aligned}
\boxed{\text{z242}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, c) &= -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} \\
\boxed{\text{z243}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, c) &= \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} \\
\boxed{\text{z244}} \quad \mathbb{Q}_{1,1}^{(1,-1;c)}(E, d) &= -\frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} \\
\boxed{\text{z245}} \quad \mathbb{Q}_{1,2}^{(1,-1;c)}(E, d) &= \frac{\sqrt{2}\mathbb{M}_1^{(1,-1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} \\
\boxed{\text{z246}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z247}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z248}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1b) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} \\
\boxed{\text{z249}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1b) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} \\
\boxed{\text{z250}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1c) &= \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{M}_1^{(b)}(A_2)}{2} \\
\boxed{\text{z251}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1c) &= -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{M}_1^{(b)}(A_2)}{2} \\
\boxed{\text{z252}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 1d) &= \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{M}_1^{(b)}(A_2)}{2} \\
\boxed{\text{z253}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 1d) &= -\frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{M}_1^{(b)}(A_2)}{2} \\
\boxed{\text{z254}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2} \\
\boxed{\text{z255}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_0^{(b)}(A_1)}{2}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z256}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2b) &= -\frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} \\
\boxed{\text{z257}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2b) &= -\frac{\sqrt{2}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} \\
\boxed{\text{z258}} \quad \mathbb{Q}_{2,1}^{(1,-1;c)}(E, 2c) &= \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{M}_1^{(b)}(A_2)}{2} \\
\boxed{\text{z259}} \quad \mathbb{Q}_{2,2}^{(1,-1;c)}(E, 2c) &= -\frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{M}_1^{(b)}(A_2)}{2} \\
\boxed{\text{z260}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{7} \\
\boxed{\text{z261}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1a) &= \frac{\sqrt{7}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,1}^{(b)}(E)}{14} - \frac{\sqrt{7}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{1,2}^{(b)}(E)}{14} + \frac{\sqrt{21}\mathbb{Q}_2^{(1,-1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{7} \\
\boxed{\text{z262}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{55}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{22} - \frac{\sqrt{55}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{22} - \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{11} \\
\boxed{\text{z263}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1b) &= -\frac{\sqrt{55}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{22} + \frac{\sqrt{55}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{22} + \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{11} \\
\boxed{\text{z264}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 1c) &= -\frac{\sqrt{55}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{22} - \frac{\sqrt{55}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{22} - \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{11} \\
\boxed{\text{z265}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 1c) &= -\frac{\sqrt{55}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{22} + \frac{\sqrt{55}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{22} + \frac{\sqrt{33}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{11} \\
\boxed{\text{z266}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2a) &= -\frac{\sqrt{2}\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_3^{(b)}(A_2)}{2} \\
\boxed{\text{z267}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_3^{(b)}(A_2)}{2} \\
\boxed{\text{z268}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z269}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2b) &= \frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 1)\mathbb{Q}_{1,2}^{(b)}(E)}{2}
\end{aligned}$$

$$\begin{aligned}
\boxed{\text{z270}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2c) &= \frac{\sqrt{10}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{8} + \frac{\sqrt{10}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{8} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, a)}{8} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{8} \\
\boxed{\text{z271}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2c) &= \frac{\sqrt{10}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{8} - \frac{\sqrt{10}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{8} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, a)}{8} - \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{8} \\
\boxed{\text{z272}} \quad \mathbb{Q}_{3,1}^{(1,-1;c)}(E, 2d) &= \frac{\sqrt{10}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{8} + \frac{\sqrt{10}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{8} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, b)}{8} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{8} \\
\boxed{\text{z273}} \quad \mathbb{Q}_{3,2}^{(1,-1;c)}(E, 2d) &= \frac{\sqrt{10}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{8} - \frac{\sqrt{10}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{8} + \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, b)}{8} - \frac{\sqrt{6}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{8} \\
\boxed{\text{z274}} \quad \mathbb{Q}_{4,1}^{(1,-1;c)}(E, 2) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} - \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} \\
\boxed{\text{z275}} \quad \mathbb{Q}_{4,2}^{(1,-1;c)}(E, 2) &= -\frac{\mathbb{Q}_{2,1}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} + \frac{\mathbb{Q}_{2,2}^{(1,-1;a)}(E, 2)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} \\
\boxed{\text{z276}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, a) &= -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z277}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, a) &= \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z278}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, b) &= \frac{\sqrt{42}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{14} + \frac{\sqrt{42}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{14} - \frac{\sqrt{14}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, a)}{14} \\
\boxed{\text{z279}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, b) &= \frac{\sqrt{42}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{14} - \frac{\sqrt{42}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{14} - \frac{\sqrt{14}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, a)}{14} \\
\boxed{\text{z280}} \quad \mathbb{Q}_{1,1}^{(1,0;c)}(E, c) &= \frac{\sqrt{42}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{14} + \frac{\sqrt{42}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{14} - \frac{\sqrt{14}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, b)}{14} \\
\boxed{\text{z281}} \quad \mathbb{Q}_{1,2}^{(1,0;c)}(E, c) &= \frac{\sqrt{42}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{14} - \frac{\sqrt{42}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{14} - \frac{\sqrt{14}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, b)}{14} \\
\boxed{\text{z282}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1a) &= \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2} + \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} \\
\boxed{\text{z283}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1a) &= \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2}
\end{aligned}$$

$$\boxed{\text{z284}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1b) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z285}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1b) = \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z286}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 1c) = \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{M}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z287}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 1c) = -\frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{M}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z288}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2a) = \frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,2}(E, 2)}{2}$$

$$\boxed{\text{z289}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2a) = -\frac{\sqrt{2}\mathbb{G}_1^{(1,0;a)}(A_2)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z290}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2b) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z291}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2b) = \frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z292}} \quad \mathbb{Q}_{2,1}^{(1,0;c)}(E, 2c) = -\frac{\sqrt{2}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{M}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z293}} \quad \mathbb{Q}_{2,2}^{(1,0;c)}(E, 2c) = \frac{\sqrt{2}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{M}_1^{(b)}(A_2)}{2}$$

$$\boxed{\text{z294}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 1a) = \frac{\sqrt{7}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{14} + \frac{\sqrt{7}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{14} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, a)}{7}$$

$$\boxed{\text{z295}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 1a) = \frac{\sqrt{7}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{14} - \frac{\sqrt{7}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{14} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, a)}{7}$$

$$\boxed{\text{z296}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 1b) = \frac{\sqrt{7}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{14} + \frac{\sqrt{7}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{14} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, b)}{7}$$

$$\boxed{\text{z297}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 1b) = \frac{\sqrt{7}\mathbb{T}_{2,1}^{(1,0;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{14} - \frac{\sqrt{7}\mathbb{T}_{2,2}^{(1,0;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{14} + \frac{\sqrt{21}\mathbb{T}_2^{(1,0;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, b)}{7}$$

$$\begin{aligned}
\boxed{\text{z298}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 2a) &= -\frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_3^{(b)}(A_2)}{2} \\
\boxed{\text{z299}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 2a) &= \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_3^{(b)}(A_2)}{2} \\
\boxed{\text{z300}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 2b) &= \frac{\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} \\
\boxed{\text{z301}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 2b) &= \frac{\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} \\
\boxed{\text{z302}} \quad \mathbb{Q}_{3,1}^{(1,0;c)}(E, 2c) &= \frac{\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} \\
\boxed{\text{z303}} \quad \mathbb{Q}_{3,2}^{(1,0;c)}(E, 2c) &= \frac{\mathbb{T}_{2,1}^{(1,0;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} - \frac{\mathbb{T}_{2,2}^{(1,0;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} \\
\boxed{\text{z304}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E, a) &= \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,1}^{(b)}(E)}{2} \\
\boxed{\text{z305}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E, a) &= \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{1,2}^{(b)}(E)}{2} \\
\boxed{\text{z306}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E, b) &= -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} \\
\boxed{\text{z307}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E, b) &= \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} \\
\boxed{\text{z308}} \quad \mathbb{Q}_{1,1}^{(1,1;c)}(E, c) &= -\frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} \\
\boxed{\text{z309}} \quad \mathbb{Q}_{1,2}^{(1,1;c)}(E, c) &= \frac{\sqrt{2}\mathbb{M}_1^{(1,1;a)}(A_2)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} \\
\boxed{\text{z310}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E, 1) &= \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{M}_1^{(b)}(A_2)}{2} \\
\boxed{\text{z311}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E, 1) &= -\frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{M}_1^{(b)}(A_2)}{2}
\end{aligned}$$

$$\boxed{\text{z312}} \quad \mathbb{Q}_{2,1}^{(1,1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,1}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z313}} \quad \mathbb{Q}_{2,2}^{(1,1;c)}(E, 2) = \frac{\sqrt{2}\mathbb{Q}_0^{(1,1;a)}(A_1)\mathbb{Q}_{2,2}^{(b)}(E, 2)}{2}$$

$$\boxed{\text{z314}} \quad \mathbb{G}_{1,1}^{(c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z315}} \quad \mathbb{G}_{1,2}^{(c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z316}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2a) = \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z317}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2a) = \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z318}} \quad \mathbb{G}_{2,1}^{(c)}(E, 2b) = \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z319}} \quad \mathbb{G}_{2,2}^{(c)}(E, 2b) = \frac{\mathbb{M}_{1,1}^{(a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} - \frac{\mathbb{M}_{1,2}^{(a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z320}} \quad \mathbb{G}_{1,1}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z321}} \quad \mathbb{G}_{1,2}^{(1,-1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z322}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{66}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{22} + \frac{\sqrt{66}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{22} - \frac{\sqrt{110}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{22}$$

$$\boxed{\text{z323}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1a) = \frac{\sqrt{66}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{22} - \frac{\sqrt{66}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{22} + \frac{\sqrt{110}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{22}$$

$$\boxed{\text{z324}} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{66}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{22} + \frac{\sqrt{66}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{22} - \frac{\sqrt{110}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{22}$$

$$\boxed{\text{z325}} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 1b) = \frac{\sqrt{66}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{22} - \frac{\sqrt{66}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{22} + \frac{\sqrt{110}\mathbb{M}_3^{(1,-1;a)}(A_2, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{22}$$

$$\begin{aligned}
\text{z326} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2a) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{8} - \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{8} + \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, a)}{8} + \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{8} \\
\text{z327} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2a) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, a)}{8} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, a)}{8} + \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, a)}{8} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{8} \\
\text{z328} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2b) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{8} - \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{8} + \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, b)}{8} + \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{8} \\
\text{z329} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2b) &= -\frac{\sqrt{6}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,1}^{(b)}(E, b)}{8} + \frac{\sqrt{6}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_{1,2}^{(b)}(E, b)}{8} + \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, b)}{8} - \frac{\sqrt{10}\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{8} \\
\text{z330} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2c) &= \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} \\
\text{z331} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2c) &= \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} \\
\text{z332} \quad \mathbb{G}_{2,1}^{(1,-1;c)}(E, 2d) &= \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} \\
\text{z333} \quad \mathbb{G}_{2,2}^{(1,-1;c)}(E, 2d) &= \frac{\mathbb{M}_{1,1}^{(1,-1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} - \frac{\mathbb{M}_{1,2}^{(1,-1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} \\
\text{z334} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 1) &= \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\text{z335} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 1) &= \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 1)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\text{z336} \quad \mathbb{G}_{3,1}^{(1,-1;c)}(E, 2) &= \frac{\sqrt{2}\mathbb{M}_{3,1}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\text{z337} \quad \mathbb{G}_{3,2}^{(1,-1;c)}(E, 2) &= \frac{\sqrt{2}\mathbb{M}_{3,2}^{(1,-1;a)}(E, 2)\mathbb{T}_0^{(b)}(A_1)}{2} \\
\text{z338} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 2a) &= \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} \\
\text{z339} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 2a) &= \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E, a)}{2}
\end{aligned}$$

$$\boxed{\text{z340}} \quad \mathbb{G}_{4,1}^{(1,-1;c)}(E, 2b) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} - \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,2}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z341}} \quad \mathbb{G}_{4,2}^{(1,-1;c)}(E, 2b) = \frac{\mathbb{M}_3^{(1,-1;a)}(A_1)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\mathbb{M}_3^{(1,-1;a)}(A_2, 2)\mathbb{T}_{1,1}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z342}} \quad \mathbb{G}_{1,1}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z343}} \quad \mathbb{G}_{1,2}^{(1,0;c)}(E) = \frac{\sqrt{2}\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z344}} \quad \mathbb{G}_{2,1}^{(1,0;c)}(E, 2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2} + \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2}$$

$$\boxed{\text{z345}} \quad \mathbb{G}_{2,2}^{(1,0;c)}(E, 2) = \frac{\mathbb{G}_{1,1}^{(1,0;a)}(E)\mathbb{Q}_{1,1}^{(b)}(E)}{2} - \frac{\mathbb{G}_{1,2}^{(1,0;a)}(E)\mathbb{Q}_{1,2}^{(b)}(E)}{2}$$

$$\boxed{\text{z346}} \quad \mathbb{G}_{1,1}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z347}} \quad \mathbb{G}_{1,2}^{(1,1;c)}(E) = \frac{\sqrt{2}\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_0^{(b)}(A_1)}{2}$$

$$\boxed{\text{z348}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 2a) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2} + \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z349}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 2a) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, a)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, a)}{2}$$

$$\boxed{\text{z350}} \quad \mathbb{G}_{2,1}^{(1,1;c)}(E, 2b) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2} + \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2}$$

$$\boxed{\text{z351}} \quad \mathbb{G}_{2,2}^{(1,1;c)}(E, 2b) = \frac{\mathbb{M}_{1,1}^{(1,1;a)}(E)\mathbb{T}_{1,1}^{(b)}(E, b)}{2} - \frac{\mathbb{M}_{1,2}^{(1,1;a)}(E)\mathbb{T}_{1,2}^{(b)}(E, b)}{2}$$

- bra: $\langle p_x, \uparrow |, \langle p_x, \downarrow |, \langle p_y, \uparrow |, \langle p_y, \downarrow |, \langle p_z, \uparrow |, \langle p_z, \downarrow |$
- ket: $|p_x, \uparrow\rangle, |p_x, \downarrow\rangle, |p_y, \uparrow\rangle, |p_y, \downarrow\rangle, |p_z, \uparrow\rangle, |p_z, \downarrow\rangle$

$$\boxed{\text{x1}} \quad \mathbb{Q}_0^{(a)}(A_1) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{\text{x2}} \quad \mathbb{Q}_2^{(a)}(A_1) = \begin{bmatrix} -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{3} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{3} \end{bmatrix}$$

$$\boxed{\text{x3}} \quad \mathbb{Q}_{2,1}^{(a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x4}} \quad \mathbb{Q}_{2,2}^{(a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{1}{2} \\ 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x5}} \quad \mathbb{Q}_{2,1}^{(a)}(E, 2) = \begin{bmatrix} 0 & 0 & \frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{2} & 0 & 0 \\ \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x6}} \quad \mathbb{Q}_{2,2}^{(a)}(E, 2) = \begin{bmatrix} \frac{1}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & -\frac{1}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{1}{2} & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x7}} \quad \mathbb{Q}_2^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & \frac{\sqrt{6}}{12} & 0 \\ \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{12} \\ 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & \frac{\sqrt{6}i}{12} & 0 \\ 0 & \frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 \\ -\frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x8}} \quad \mathbb{Q}_{2,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x9}} \quad \mathbb{Q}_{2,2}^{(1,-1;a)}(E,1) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x10}} \quad \mathbb{Q}_{2,1}^{(1,-1;a)}(E,2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x11}} \quad \mathbb{Q}_{2,2}^{(1,-1;a)}(E,2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x12}} \quad \mathbb{Q}_0^{(1,1;a)}(A_1) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & 0 & 0 & \frac{\sqrt{3}i}{6} & -\frac{\sqrt{3}}{6} & 0 \\ \frac{\sqrt{3}i}{6} & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 \\ \frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x13}} \quad \mathbb{G}_1^{(1,0;a)}(A_2) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x14}} \quad \mathbb{G}_{1,1}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 \\ \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} \\ 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x15}} \quad \mathbb{G}_{1,2}^{(1,0;a)}(E) = \begin{bmatrix} 0 & 0 & 0 & -\frac{\sqrt{2}}{4} & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{2}}{4} & 0 & 0 & 0 & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x16}} \quad \mathbb{M}_1^{(a)}(A_2) = \begin{bmatrix} 0 & 0 & -\frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{i}{2} & 0 & 0 \\ \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x17}} \quad \mathbb{M}_{1,1}^{(a)}(E) = \begin{bmatrix} 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ \frac{i}{2} & 0 & 0 & 0 & 0 & 0 \\ 0 & \frac{i}{2} & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x18}} \quad \mathbb{M}_{1,2}^{(a)}(E) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -\frac{i}{2} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & \frac{i}{2} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{i}{2} & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x19}} \quad \mathbb{M}_3^{(1,-1;a)}(A_1) = \begin{bmatrix} 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & -\frac{\sqrt{2}}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x20}} \quad \mathbb{M}_1^{(1,-1;a)}(A_2) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \\ 0 & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \end{bmatrix}$$

$$\boxed{\text{x21}} \quad \mathbb{M}_3^{(1,-1;a)}(A_2, 1) = \begin{bmatrix} -\frac{\sqrt{5}}{10} & 0 & 0 & 0 & 0 & -\frac{\sqrt{5}}{10} \\ 0 & \frac{\sqrt{5}}{10} & 0 & 0 & -\frac{\sqrt{5}}{10} & 0 \\ 0 & 0 & -\frac{\sqrt{5}}{10} & 0 & 0 & \frac{\sqrt{5}i}{10} \\ 0 & 0 & 0 & \frac{\sqrt{5}}{10} & -\frac{\sqrt{5}i}{10} & 0 \\ 0 & -\frac{\sqrt{5}}{10} & 0 & \frac{\sqrt{5}i}{10} & \frac{\sqrt{5}}{5} & 0 \\ -\frac{\sqrt{5}}{10} & 0 & -\frac{\sqrt{5}i}{10} & 0 & 0 & -\frac{\sqrt{5}}{5} \end{bmatrix}$$

$$\boxed{\text{x22}} \quad \mathbb{M}_3^{(1,-1;a)}(A_2, 2) = \begin{bmatrix} 0 & -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{2}}{4} & 0 & \frac{\sqrt{2}i}{4} & 0 & 0 \\ \frac{\sqrt{2}}{4} & 0 & -\frac{\sqrt{2}i}{4} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x23}} \quad \mathbb{M}_{1,1}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}i}{6} & 0 & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x24}} \quad \mathbb{M}_{1,2}^{(1,-1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 \\ \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ 0 & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x25}} \quad \mathbb{M}_{3,1}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & -\frac{\sqrt{30}i}{60} & 0 & \frac{\sqrt{30}}{60} & 0 & 0 \\ \frac{\sqrt{30}i}{60} & 0 & \frac{\sqrt{30}}{60} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{30}}{60} & 0 & -\frac{\sqrt{30}i}{20} & -\frac{\sqrt{30}}{15} & 0 \\ \frac{\sqrt{30}}{60} & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 & \frac{\sqrt{30}}{15} \\ 0 & 0 & -\frac{\sqrt{30}}{15} & 0 & 0 & \frac{\sqrt{30}i}{15} \\ 0 & 0 & 0 & \frac{\sqrt{30}}{15} & -\frac{\sqrt{30}i}{15} & 0 \end{bmatrix}$$

$$\boxed{\text{x26}} \quad \mathbb{M}_{3,2}^{(1,-1;a)}(E, 1) = \begin{bmatrix} 0 & -\frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{60} & \frac{\sqrt{30}}{15} & 0 \\ -\frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{60} & 0 & 0 & -\frac{\sqrt{30}}{15} \\ 0 & \frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 \\ -\frac{\sqrt{30}i}{60} & 0 & -\frac{\sqrt{30}}{60} & 0 & 0 & 0 \\ \frac{\sqrt{30}}{15} & 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{15} \\ 0 & -\frac{\sqrt{30}}{15} & 0 & 0 & \frac{\sqrt{30}}{15} & 0 \end{bmatrix}$$

$$\boxed{\text{x27}} \quad \mathbb{M}_{3,1}^{(1,-1;a)}(E, 2) = \begin{bmatrix} -\frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & -\frac{\sqrt{3}}{6} \\ 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}}{6} & 0 \\ 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & \frac{\sqrt{3}i}{6} & 0 \\ 0 & -\frac{\sqrt{3}}{6} & 0 & -\frac{\sqrt{3}i}{6} & 0 & 0 \\ -\frac{\sqrt{3}}{6} & 0 & \frac{\sqrt{3}i}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x28}} \quad \mathbb{M}_{3,2}^{(1,-1;a)}(E, 2) = \begin{bmatrix} 0 & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & -\frac{\sqrt{3}i}{6} \\ 0 & 0 & 0 & -\frac{\sqrt{3}}{6} & \frac{\sqrt{3}i}{6} & 0 \\ \frac{\sqrt{3}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{3}}{6} \\ 0 & -\frac{\sqrt{3}}{6} & 0 & 0 & \frac{\sqrt{3}}{6} & 0 \\ 0 & -\frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 \\ \frac{\sqrt{3}i}{6} & 0 & \frac{\sqrt{3}}{6} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x29}} \quad \mathbb{M}_1^{(1,1;a)}(A_2) = \begin{bmatrix} -\frac{\sqrt{30}}{30} & 0 & 0 & 0 & 0 & \frac{\sqrt{30}}{20} \\ 0 & \frac{\sqrt{30}}{30} & 0 & 0 & \frac{\sqrt{30}}{20} & 0 \\ 0 & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & -\frac{\sqrt{30}i}{20} \\ 0 & 0 & 0 & \frac{\sqrt{30}}{30} & \frac{\sqrt{30}i}{20} & 0 \\ 0 & \frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{15} & 0 \\ \frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{15} \end{bmatrix}$$

$$\boxed{\text{x30}} \quad \mathbb{M}_{1,1}^{(1,1;a)}(E) = \begin{bmatrix} 0 & -\frac{\sqrt{30}i}{30} & 0 & -\frac{\sqrt{30}}{20} & 0 & 0 \\ \frac{\sqrt{30}i}{30} & 0 & -\frac{\sqrt{30}}{20} & 0 & 0 & 0 \\ 0 & -\frac{\sqrt{30}}{20} & 0 & \frac{\sqrt{30}i}{15} & -\frac{\sqrt{30}}{20} & 0 \\ -\frac{\sqrt{30}}{20} & 0 & -\frac{\sqrt{30}i}{15} & 0 & 0 & \frac{\sqrt{30}}{20} \\ 0 & 0 & -\frac{\sqrt{30}}{20} & 0 & 0 & -\frac{\sqrt{30}i}{30} \\ 0 & 0 & 0 & \frac{\sqrt{30}}{20} & \frac{\sqrt{30}i}{30} & 0 \end{bmatrix}$$

$$\boxed{\text{x31}} \quad \mathbb{M}_{1,2}^{(1,1;a)}(E) = \begin{bmatrix} 0 & \frac{\sqrt{30}}{15} & 0 & -\frac{\sqrt{30}i}{20} & \frac{\sqrt{30}}{20} & 0 \\ \frac{\sqrt{30}}{15} & 0 & \frac{\sqrt{30}i}{20} & 0 & 0 & -\frac{\sqrt{30}}{20} \\ 0 & -\frac{\sqrt{30}i}{20} & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 \\ \frac{\sqrt{30}i}{20} & 0 & -\frac{\sqrt{30}}{30} & 0 & 0 & 0 \\ \frac{\sqrt{30}}{20} & 0 & 0 & 0 & 0 & -\frac{\sqrt{30}}{30} \\ 0 & -\frac{\sqrt{30}}{20} & 0 & 0 & -\frac{\sqrt{30}}{30} & 0 \end{bmatrix}$$

$$\boxed{\text{x32}} \quad \mathbb{T}_2^{(1,0;a)}(A_1) = \begin{bmatrix} 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}i}{4} \\ 0 & 0 & 0 & 0 & -\frac{\sqrt{2}i}{4} & 0 \\ 0 & 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} \\ 0 & 0 & 0 & 0 & \frac{\sqrt{2}}{4} & 0 \\ 0 & \frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 \\ -\frac{\sqrt{2}i}{4} & 0 & \frac{\sqrt{2}}{4} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x33}} \quad \mathbb{T}_{2,1}^{(1,0;a)}(E, 1) = \begin{bmatrix} 0 & \frac{\sqrt{6}i}{6} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 \\ -\frac{\sqrt{6}i}{6} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0 \\ 0 & \frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}}{12} & 0 \\ \frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{12} \\ 0 & 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}i}{6} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{12} & \frac{\sqrt{6}i}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x34}} \quad \mathbb{T}_{2,2}^{(1,0;a)}(E, 1) = \begin{bmatrix} 0 & 0 & 0 & \frac{\sqrt{6}i}{12} & \frac{\sqrt{6}}{12} & 0 \\ 0 & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 \\ -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{6} & 0 & 0 & 0 \\ \frac{\sqrt{6}}{12} & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{6} \\ 0 & -\frac{\sqrt{6}}{12} & 0 & 0 & -\frac{\sqrt{6}}{6} & 0 \end{bmatrix}$$

$$\boxed{\text{x35}} \quad \mathbb{T}_{2,1}^{(1,0;a)}(E, 2) = \begin{bmatrix} \frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & -\frac{\sqrt{6}}{12} \\ 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{6}}{12} & 0 \\ 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{6}i}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & \frac{\sqrt{6}i}{12} & 0 \\ 0 & -\frac{\sqrt{6}}{12} & 0 & -\frac{\sqrt{6}i}{12} & 0 & 0 \\ -\frac{\sqrt{6}}{12} & 0 & \frac{\sqrt{6}i}{12} & 0 & 0 & 0 \end{bmatrix}$$

$$\boxed{\text{x36}} \quad \mathbb{T}_{2,2}^{(1,0;a)}(E, 2) = \begin{bmatrix} 0 & 0 & -\frac{\sqrt{6}}{6} & 0 & 0 & -\frac{\sqrt{6}i}{12} \\ 0 & 0 & 0 & \frac{\sqrt{6}}{6} & \frac{\sqrt{6}i}{12} & 0 \\ -\frac{\sqrt{6}}{6} & 0 & 0 & 0 & 0 & \frac{\sqrt{6}}{12} \\ 0 & \frac{\sqrt{6}}{6} & 0 & 0 & \frac{\sqrt{6}}{12} & 0 \\ 0 & -\frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 \\ \frac{\sqrt{6}i}{12} & 0 & \frac{\sqrt{6}}{12} & 0 & 0 & 0 \end{bmatrix}$$

- Site cluster

** Wyckoff: 9b

$$\boxed{\text{y1}} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[\frac{\sqrt{3}}{3}, \frac{\sqrt{3}}{3}, \frac{\sqrt{3}}{3} \right]$$

$$\boxed{\text{y2}} \quad \mathbb{Q}_{1,1}^{(s)}(E) = \left[\frac{\sqrt{2}}{2}, 0, -\frac{\sqrt{2}}{2} \right]$$

$$\boxed{\text{y3}} \quad \mathbb{Q}_{1,2}^{(s)}(E) = \left[-\frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{3}, -\frac{\sqrt{6}}{6} \right]$$

** Wyckoff: 18c

$$\boxed{\text{y4}} \quad \mathbb{Q}_0^{(s)}(A_1) = \left[\frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y5}} \quad \mathbb{Q}_3^{(s)}(A_2) = \left[\frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y6}} \quad \mathbb{Q}_{1,1}^{(s)}(E) = \left[\frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21}, -\frac{\sqrt{21}}{42}, \frac{\sqrt{21}}{42}, -\frac{5\sqrt{21}}{42}, \frac{2\sqrt{21}}{21} \right]$$

$$\boxed{\text{y7}} \quad \mathbb{Q}_{1,2}^{(s)}(E) = \left[\frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, -\frac{3\sqrt{7}}{14}, \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y8}} \quad \mathbb{Q}_{2,1}^{(s)}(E, 2) = \left[-\frac{\sqrt{7}}{14}, -\frac{\sqrt{7}}{7}, \frac{3\sqrt{7}}{14}, -\frac{3\sqrt{7}}{14}, \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y9}} \quad \mathbb{Q}_{2,2}^{(s)}(E, 2) = \left[\frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21}, -\frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

- Bond cluster

** Wyckoff: 18a@18c

$$\boxed{\text{y10}} \quad \mathbb{Q}_0^{(b)}(A_1) = \left[\frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y11}} \quad \mathbb{T}_0^{(b)}(A_1) = \left[\frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6} \right]$$

$$\boxed{\text{y12}} \quad \mathbb{M}_1^{(b)}(A_2) = \left[\frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, \frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6}, -\frac{\sqrt{6}i}{6} \right]$$

$$\boxed{\text{y13}} \quad \mathbb{Q}_3^{(b)}(A_2) = \left[\frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, \frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6}, -\frac{\sqrt{6}}{6} \right]$$

$$\boxed{\text{y14}} \quad \mathbb{Q}_{1,1}^{(b)}(E) = \left[\frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21}, -\frac{\sqrt{21}}{42}, \frac{\sqrt{21}}{42}, -\frac{5\sqrt{21}}{42}, \frac{2\sqrt{21}}{21} \right]$$

$$\boxed{\text{y15}} \quad \mathbb{Q}_{1,2}^{(b)}(E) = \left[\frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7}, -\frac{3\sqrt{7}}{14}, -\frac{3\sqrt{7}}{14}, \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y16}} \quad \mathbb{T}_{1,1}^{(b)}(E, a) = \left[\frac{5\sqrt{21}i}{42}, -\frac{2\sqrt{21}i}{21}, -\frac{\sqrt{21}i}{42}, \frac{\sqrt{21}i}{42}, -\frac{5\sqrt{21}i}{42}, \frac{2\sqrt{21}i}{21} \right]$$

$$\boxed{\text{y17}} \quad \mathbb{T}_{1,2}^{(b)}(E, a) = \left[\frac{\sqrt{7}i}{14}, \frac{\sqrt{7}i}{7}, -\frac{3\sqrt{7}i}{14}, -\frac{3\sqrt{7}i}{14}, \frac{\sqrt{7}i}{14}, \frac{\sqrt{7}i}{7} \right]$$

$$\boxed{\text{y18}} \quad \mathbb{T}_{1,1}^{(b)}(E, b) = \left[-\frac{\sqrt{7}i}{14}, -\frac{\sqrt{7}i}{7}, \frac{3\sqrt{7}i}{14}, -\frac{3\sqrt{7}i}{14}, \frac{\sqrt{7}i}{14}, \frac{\sqrt{7}i}{7} \right]$$

$$\boxed{\text{y19}} \quad \mathbb{T}_{1,2}^{(b)}(E, b) = \left[\frac{5\sqrt{21}i}{42}, -\frac{2\sqrt{21}i}{21}, -\frac{\sqrt{21}i}{42}, -\frac{\sqrt{21}i}{42}, \frac{5\sqrt{21}i}{42}, -\frac{2\sqrt{21}i}{21} \right]$$

$$\boxed{\text{y20}} \quad \mathbb{Q}_{2,1}^{(b)}(E, 2) = \left[-\frac{\sqrt{7}}{14}, -\frac{\sqrt{7}}{7}, \frac{3\sqrt{7}}{14}, -\frac{3\sqrt{7}}{14}, \frac{\sqrt{7}}{14}, \frac{\sqrt{7}}{7} \right]$$

$$\boxed{\text{y21}} \quad \mathbb{Q}_{2,2}^{(b)}(E, 2) = \left[\frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21}, -\frac{\sqrt{21}}{42}, -\frac{\sqrt{21}}{42}, \frac{5\sqrt{21}}{42}, -\frac{2\sqrt{21}}{21} \right]$$

Table 5: Orbital of each site

#	site	orbital
1	A	$ p_x, \uparrow\rangle, p_x, \downarrow\rangle, p_y, \uparrow\rangle, p_y, \downarrow\rangle, p_z, \uparrow\rangle, p_z, \downarrow\rangle$
2	B	$ p_x, \uparrow\rangle, p_x, \downarrow\rangle, p_y, \uparrow\rangle, p_y, \downarrow\rangle, p_z, \uparrow\rangle, p_z, \downarrow\rangle$

Table 6: Neighbor and bra-ket of each bond

#	head	tail	neighbor	head (bra)	tail (ket)
1	A	B	[1]	[p]	[p]

Site in Unit Cell

Sites in (conventional) cell (no plus set), SL = sublattice

Table 7: 'A' (#1) site cluster (9b), .m

SL	position (s)	mapping
1	[0.16667, 0.83333, 0.33333]	[1,4]
2	[0.16667, 0.33333, 0.33333]	[2,6]
3	[0.66667, 0.83333, 0.33333]	[3,5]

Table 8: 'B' (#2) site cluster (18c), 1

SL	position ($\mathbf{s}$)	mapping
1	[0.83333, 0.00000, 0.66667]	[1]
2	[0.00000, 0.83333, 0.66667]	[2]
3	[0.16667, 0.16667, 0.66667]	[3]
4	[0.00000, 0.16667, 0.66667]	[4]
5	[0.16667, 0.00000, 0.66667]	[5]
6	[0.83333, 0.83333, 0.66667]	[6]

— Bond in Unit Cell —

Bonds in (conventional) cell (no plus set): tail, head = (SL, plus set), (N)D = (non)directional (listed up to 5th neighbor at most)

Table 9: 1-th 'A'-'B' [1] (#1) bond cluster (18a@18c), D, $|\mathbf{v}| = 0.16667$ (cartesian)

SL	vector ($\mathbf{v}$)	center ($\mathbf{c}$)	mapping	head	tail	$\mathbf{R}$ (primitive)
1	[0.00000, 0.16667, -0.00000]	[0.83333, 0.08333, 0.66667]	[1]	(1,2)	(1,1)	[-1,1,-1]
2	[-0.16667, -0.16667, -0.00000]	[0.91667, 0.75000, 0.66667]	[2]	(2,2)	(2,1)	[0,-1,0]
3	[0.16667, -0.00000, -0.00000]	[0.25000, 0.16667, 0.66667]	[3]	(3,2)	(3,1)	[0,0,-1]
4	[-0.16667, -0.00000, -0.00000]	[0.91667, 0.16667, 0.66667]	[4]	(1,2)	(4,1)	[0,0,-1]
5	[0.16667, 0.16667, -0.00000]	[0.25000, 0.08333, 0.66667]	[5]	(3,2)	(5,1)	[0,0,-1]
6	[0.00000, -0.16667, -0.00000]	[0.83333, 0.75000, 0.66667]	[6]	(2,2)	(6,1)	[-1,0,0]