

MPG No. 26.3.97 $\bar{6}'m'2$ (-6'm'2 setting) [Type III, hexagonal] [T tensor]

* Rank 0 tensor. * Rank 1 tensor. * Rank 2 tensor (s). * Rank 2 tensor (a). * Rank 3 tensor (ss). * Rank 3 tensor (sa).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ T_{yzx} & 0 & 0 \\ 0 & -T_{yzx} & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$T_{yzx} = 3\mathbb{M}_u^{(1)}$$

* Rank 3 tensor (a).

$$\begin{bmatrix} T_{yzx} & 0 & 0 \\ 0 & T_{yzx} & 0 \\ 0 & 0 & T_{xyz} \end{bmatrix}$$

$$T_{yzx} = \mathbb{M}_0^{(1)} - \mathbb{M}_u^{(2)}$$

$$T_{xyz} = \mathbb{M}_0^{(1)} + 2\mathbb{M}_u^{(2)}$$

* Rank 4 tensor (sss).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & T_{xxx} & 0 \\ 0 & 0 & 0 & 0 & -T_{xxx} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -T_{xxx} \\ T_{xxx} & -T_{xxx} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -T_{xxx} & 0 & 0 \end{bmatrix}$$

$$T_{xxx} = \mathbb{T}_{4b}^{(1)}$$

* Rank 4 tensor (ssa).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & T_{xxx} & 0 \\ 0 & 0 & 0 & 0 & -T_{xxx} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & T_{xxx} \\ -T_{xxx} & T_{xxx} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -T_{xxx} & 0 & 0 \end{bmatrix}$$

$$T_{xxx} = -2\mathbb{M}_{3b}^{(1)}$$

* Rank 4 tensor (aas). * Rank 4 tensor (aaa). * Rank 4 tensor (sa).

$$\begin{bmatrix} 0 & T_{xxx} & 0 \\ 0 & -T_{xxx} & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ T_{xxx} & 0 & 0 \end{bmatrix}$$

$$T_{xxx} = \mathbb{M}_{3b}^{(2)}$$

* Rank 4 tensor (as).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & T_{yzxy} \\ T_{yzxy} & -T_{yzxy} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$T_{yzxy} = \mathbb{M}_{3b}^{(3)}$$

* Rank 4 tensor (s).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & T_{xxzx} & 0 & 0 & T_{xxxz} & 0 \\ 0 & 0 & 0 & 0 & -T_{xxzx} & 0 & 0 & -T_{xxxz} & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & T_{yzxy} & 0 & 0 & T_{yzxy} \\ -T_{yzxy} & T_{yzxy} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -T_{xxzx} & 0 & 0 & -T_{xxzx} & 0 & 0 \end{bmatrix}$$

$$T_{xxzx} = -2\mathbb{M}_{3b}^{(1)} + \mathbb{M}_{3b}^{(2)} + \mathbb{T}_{4b}^{(1)}$$

$$T_{xxxz} = -2\mathbb{M}_{3b}^{(1)} - \mathbb{M}_{3b}^{(2)} + \mathbb{T}_{4b}^{(1)}$$

$$T_{yzxy} = -2\mathbb{M}_{3b}^{(1)} - \mathbb{T}_{4b}^{(1)}$$

* Rank 4 tensor (a).

$$\begin{bmatrix} 0 & 0 & 0 & 0 & 0 & T_{yzxy} & 0 & 0 & T_{yzxy} \\ T_{yzxy} & -T_{yzxy} & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$T_{yzxy} = \mathbb{M}_{3b}^{(3)}$$

* Rank 4 tensor (t).

$$\begin{bmatrix} 0 & 0 & T_{xxxz} \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ -T_{xxxz} & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ T_{xxxz} & 0 & 0 \\ 0 & 0 & -T_{xxxz} \\ 0 & -T_{xxxz} & 0 \end{bmatrix}$$

$$T_{xxxz} = \mathbb{T}_{4b}^{(1)}$$