

* Rank 0 tensor. * Rank 1 tensor.

$$\begin{bmatrix} M_x & 0 & M_z \end{bmatrix}$$

$$M_x = \mathbb{M}_x^{(1)}$$

$$M_z = \mathbb{M}_z^{(1)}$$

* Rank 2 tensor (s).

$$\begin{bmatrix} 0 & M_{xy} & 0 \\ M_{xy} & 0 & M_{yz} \\ 0 & M_{yz} & 0 \end{bmatrix}$$

$$M_{xy} = \mathbb{M}_{xy}^{(1)}$$

$$M_{yz} = \mathbb{M}_{yz}^{(1)}$$

* Rank 2 tensor (a).

$$\begin{bmatrix} 0 & M_{xy} & 0 \\ -M_{xy} & 0 & M_{yz} \\ 0 & -M_{yz} & 0 \end{bmatrix}$$

$$M_{xy} = \mathbb{T}_z^{(1)}$$

$$M_{yz} = \mathbb{T}_x^{(1)}$$

* Rank 3 tensor (ss).

$$\begin{bmatrix} M_{xxx} & 0 & M_{xxz} \\ M_{yyx} & 0 & M_{yyz} \\ M_{zzx} & 0 & M_{zzz} \\ 0 & M_{yyz} & 0 \\ M_{xxz} & 0 & M_{zzx} \\ 0 & M_{yyx} & 0 \end{bmatrix}$$

$$M_{xxx} = 3\mathbb{M}_x^{(1)} + 2\mathbb{M}_x^{\alpha(1)}$$

$$M_{xxz} = \mathbb{M}_z^{(1)} - \mathbb{M}_z^{\alpha(1)} + \mathbb{M}_z^{\beta(1)}$$

$$M_{yyx} = \mathbb{M}_x^{(1)} - \mathbb{M}_x^{\alpha(1)} + \mathbb{M}_x^{\beta(1)}$$

$$M_{yyz} = \mathbb{M}_z^{(1)} - \mathbb{M}_z^{\alpha(1)} - \mathbb{M}_z^{\beta(1)}$$

$$M_{zzx} = \mathbb{M}_x^{(1)} - \mathbb{M}_x^{\alpha(1)} - \mathbb{M}_x^{\beta(1)}$$

$$M_{zzz} = 3\mathbb{M}_z^{(1)} + 2\mathbb{M}_z^{\alpha(1)}$$

* Rank 3 tensor (sa).

$$\begin{bmatrix} 0 & 0 & M_{xxz} \\ M_{yyx} & 0 & M_{yyz} \\ M_{zzx} & 0 & 0 \\ 0 & -\frac{M_{yyz}}{2} & 0 \\ -\frac{M_{zzx}}{2} & 0 & -\frac{M_{zzx}}{2} \\ 0 & -\frac{M_{yyx}}{2} & 0 \end{bmatrix}$$

$$M_{xxz} = 2\mathbb{M}_z^{(2)} + 2\mathbb{T}_{xy}^{(1)}$$

$$M_{yyx} = 2\mathbb{M}_x^{(2)} + 2\mathbb{T}_{yz}^{(1)}$$

$$M_{yyz} = 2\mathbb{M}_z^{(2)} - 2\mathbb{T}_{xy}^{(1)}$$

$$M_{zzx} = 2\mathbb{M}_x^{(2)} - 2\mathbb{T}_{yz}^{(1)}$$

$$\frac{M_{yyz}}{2} = \mathbb{M}_z^{(2)} - \mathbb{T}_{xy}^{(1)}$$

$$\frac{M_{xxz}}{2} = \mathbb{M}_z^{(2)} + \mathbb{T}_{xy}^{(1)}$$

$$\frac{M_{zzx}}{2} = \mathbb{M}_x^{(2)} - \mathbb{T}_{yz}^{(1)}$$

$$\frac{M_{yyx}}{2} = \mathbb{M}_x^{(2)} + \mathbb{T}_{yz}^{(1)}$$

* Rank 3 tensor (a).

$$\begin{bmatrix} 0 & M_{yzy} & 0 \\ M_{zxx} & 0 & M_{zzz} \\ 0 & M_{xyy} & 0 \end{bmatrix}$$

$$M_{yzy} = \mathbb{M}_z^{(3)} + \mathbb{T}_{xy}^{(2)}$$

$$M_{zxx} = -\mathbb{M}_z^{(3)} + \mathbb{T}_{xy}^{(2)}$$

$$M_{zzz} = \mathbb{M}_x^{(3)} + \mathbb{T}_{yz}^{(2)}$$

$$M_{xyy} = -\mathbb{M}_x^{(3)} + \mathbb{T}_{yz}^{(2)}$$

* Rank 4 tensor (sss).

$$\begin{bmatrix} 0 & 0 & 0 & M_{xxyz} & 0 & M_{xxxy} \\ 0 & 0 & 0 & M_{yyyz} & 0 & M_{yyxy} \\ 0 & 0 & 0 & M_{zzyz} & 0 & M_{zzxy} \\ M_{xxyz} & M_{yyyz} & M_{zzyz} & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & M_{yzzx} & 0 & M_{zxxxy} \\ M_{xxxy} & M_{yyxy} & M_{zzxy} & 0 & M_{zxxxy} & 0 \end{bmatrix}$$

$$M_{xxyz} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)}$$

$$M_{xxxy} = \mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} - \mathbb{M}_z^{\beta(1)}$$

$$M_{yyyz} = \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)}$$

$$M_{yyxy} = -\mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} - \mathbb{M}_z^{\beta(1)}$$

$$M_{zzyz} = -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)}$$

$$M_{zzxy} = \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_z^{\beta(1)}$$

$$M_{yzzx} = \mathbb{M}_{xy}^{(2)} + 2\mathbb{M}_z^{\beta(1)}$$

$$M_{zxxxy} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)}$$

* Rank 4 tensor (ssa).

$$\begin{bmatrix} 0 & 0 & 0 & M_{xxyz} & 0 & M_{xxxy} \\ 0 & 0 & 0 & M_{yyyz} & 0 & M_{yyxy} \\ 0 & 0 & 0 & M_{zzyz} & 0 & M_{zzxy} \\ -M_{xxyz} & -M_{yyyz} & -M_{zzyz} & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & -M_{yzzx} & 0 & M_{zxxxy} \\ -M_{xxxy} & -M_{yyxy} & -M_{zzxy} & 0 & -M_{zxxxy} & 0 \end{bmatrix}$$

$$\begin{aligned}
M_{xxyz} &= \mathbb{M}_{yz}^{(3)} - 4\mathbb{T}_x^{\beta(1)} \\
M_{xxxy} &= \mathbb{M}_{xy}^{(3)} + 2\mathbb{T}_z^{(1)} - 2\mathbb{T}_z^{\alpha(1)} + 2\mathbb{T}_z^{\beta(1)} \\
M_{yyyz} &= \mathbb{M}_{yz}^{(3)} + 2\mathbb{T}_x^{(1)} - 2\mathbb{T}_x^{\alpha(1)} + 2\mathbb{T}_x^{\beta(1)} \\
M_{yyxy} &= \mathbb{M}_{xy}^{(3)} - 2\mathbb{T}_z^{(1)} + 2\mathbb{T}_z^{\alpha(1)} + 2\mathbb{T}_z^{\beta(1)} \\
M_{zzyz} &= \mathbb{M}_{yz}^{(3)} - 2\mathbb{T}_x^{(1)} + 2\mathbb{T}_x^{\alpha(1)} + 2\mathbb{T}_x^{\beta(1)} \\
M_{zzxy} &= \mathbb{M}_{xy}^{(3)} - 4\mathbb{T}_z^{\beta(1)} \\
M_{yzzx} &= -\mathbb{T}_z^{(1)} - 4\mathbb{T}_z^{\alpha(1)} \\
M_{zxxz} &= -\mathbb{T}_x^{(1)} - 4\mathbb{T}_x^{\alpha(1)}
\end{aligned}$$

* Rank 4 tensor (aas).

$$\begin{bmatrix} 0 & M_{yzzx} & 0 \\ M_{yzzx} & 0 & M_{zxxz} \\ 0 & M_{zxxz} & 0 \end{bmatrix}$$

$$\begin{aligned}
M_{yzzx} &= 2\mathbb{M}_{xy}^{(4)} \\
M_{zxxz} &= 2\mathbb{M}_{yz}^{(4)}
\end{aligned}$$

* Rank 4 tensor (aaa).

$$\begin{bmatrix} 0 & M_{yzzx} & 0 \\ -M_{yzzx} & 0 & M_{zxxz} \\ 0 & -M_{zxxz} & 0 \end{bmatrix}$$

$$\begin{aligned}
M_{yzzx} &= -\mathbb{T}_z^{(2)} \\
M_{zxxz} &= -\mathbb{T}_x^{(2)}
\end{aligned}$$

* Rank 4 tensor (sa).

$$\begin{bmatrix} M_{xxyz} & 0 & M_{xxyz} \\ M_{yyyz} & 0 & M_{yyxy} \\ M_{zzyz} & 0 & M_{zzxy} \\ 0 & M_{yzzx} & 0 \\ M_{zxyz} & 0 & M_{zxxz} \\ 0 & M_{xyzx} & 0 \end{bmatrix}$$

$$\begin{aligned}
M_{xxyz} &= \mathbb{T}_x^{(3)} + 2\mathbb{T}_x^{(4)} + 2\mathbb{T}_x^{\alpha(2)} \\
M_{xxxy} &= -2\mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(3)} - \mathbb{T}_z^{\alpha(2)} + \mathbb{T}_z^{\beta(2)} \\
M_{yyyz} &= -2\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(3)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)} \\
M_{yyxy} &= 2\mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(3)} - \mathbb{T}_z^{\alpha(2)} - \mathbb{T}_z^{\beta(2)} \\
M_{zzyz} &= 2\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(3)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)} \\
M_{zzxy} &= \mathbb{T}_z^{(3)} + 2\mathbb{T}_z^{(4)} + 2\mathbb{T}_z^{\alpha(2)} \\
M_{yzzx} &= -\mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(4)} - \mathbb{T}_z^{\alpha(2)} - \mathbb{T}_z^{\beta(2)} \\
M_{zxyz} &= \mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(4)} - \mathbb{T}_z^{\alpha(2)} + \mathbb{T}_z^{\beta(2)} \\
M_{zxxz} &= -\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(4)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)} \\
M_{xyzx} &= \mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(4)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)}
\end{aligned}$$

* Rank 4 tensor (as).

$$\begin{bmatrix} M_{yzxz} & M_{yzzy} & M_{yzzz} & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & M_{zxyz} & 0 & M_{zxxz} \\ M_{xyzx} & M_{xyyz} & M_{xyzx} & 0 & M_{xyzx} & 0 \end{bmatrix}$$

$$M_{yzxx} = \mathbb{T}_x^{(5)} + 2\mathbb{T}_x^{(6)} + 2\mathbb{T}_x^{\alpha(3)}$$

$$M_{yzyy} = -2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)}$$

$$M_{yzzz} = 2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)}$$

$$M_{yzzx} = \mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)}$$

$$M_{zxyz} = -\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)}$$

$$M_{zxxy} = \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)}$$

$$M_{xyxx} = -2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)}$$

$$M_{xyyy} = 2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)}$$

$$M_{Txyz} = \mathbb{T}_{\sim}^{(5)} + 2\mathbb{T}_{\sim}^{(6)} + 2\mathbb{T}_{\sim}^{\alpha(3)}$$

$$M_{TUTT} = -M_{uz}^{(6)} + T_x^{(6)} - T_x^{\alpha(3)} - T_x^{\beta(3)}$$

* Rank 4 tensor (s).

$$\begin{bmatrix} 0 & 0 & 0 & M_{xyz} & 0 & M_{xxy} & M_{xzy} & 0 & M_{xyx} \\ 0 & 0 & 0 & M_{yyz} & 0 & M_{yyx} & M_{yyz} & 0 & M_{yyy} \\ 0 & 0 & 0 & M_{zzz} & 0 & M_{zzx} & M_{zzz} & 0 & M_{zzx} \\ M_{yzz} & M_{yzy} & M_{yzz} & 0 & M_{yzz} & 0 & 0 & M_{yzz} & 0 \\ 0 & 0 & 0 & M_{zzz} & 0 & M_{zzx} & M_{zzz} & 0 & M_{zzx} \\ M_{xyx} & M_{xyy} & M_{xyz} & 0 & M_{xyz} & 0 & 0 & M_{xyz} & 0 \end{bmatrix}$$

$$M_{xyz} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + \mathbb{M}_{yz}^{(3)} + \mathbb{T}_x^{(3)} + 2\mathbb{T}_x^{(4)} + 2\mathbb{T}_x^{\alpha(2)} - 4\mathbb{T}_x^{\beta(1)}$$

$$M_{xxxy} = M_{xz}^{\alpha(1)} + M_{xy}^{(1)} + 2M_{xy}^{(2)} + M_{xy}^{(3)} - 2M_{xy}^{(5)} - M_{yz}^{\beta(1)} + 2T_{yz}^{(1)} + T_{yz}^{(3)} - 2T_{yz}^{\alpha(1)} - T_{yz}^{\alpha(2)} + 2T_{yz}^{\beta(1)} + T_{yz}^{\beta(2)}$$

$$M_{rrzu} = 2M_x^{\beta(1)} + M_y^{(1)} + M_{yz}^{(3)} - T_x^{(3)} - 2T_x^{(4)} - 2T_x^{\alpha(2)} - 4T_x^{\beta(1)}$$

$$M_{\text{max}} = M^{\alpha(1)} + M^{(1)} + 2M^{(2)} + M^{(3)} + 2M^{(5)} - M^{\beta(1)} + 2T^{(1)} - T^{(3)} - 2T^{\alpha(1)} + T^{\alpha(2)} + 2T^{\beta(1)} - T^{\beta(2)}$$

$$M = M^{\alpha(1)} - M^{\beta(1)} + M^{(1)} + 2M^{(2)} + M^{(3)} - 2M^{(5)} + 2T^{(1)} + T^{(3)} - 2T^{\alpha(1)} - T^{\alpha(2)} + 2T^{\beta(1)} + T^{\beta(2)}$$

$$M = \mathbb{M}^{\alpha(1)} \mid \mathbb{M}^{(1)} \mid \mathbb{M}^{(2)} \mid \mathbb{M}^{(3)} \mid \mathbb{M}^{(5)} \mid \mathbb{M}^{\beta(1)} \mid \mathbb{T}^{(1)} \mid \mathbb{T}^{(3)} \mid \mathbb{T}^{\alpha(1)} \mid \mathbb{T}^{\alpha(2)} \mid \mathbb{T}^{\beta(1)} \mid \mathbb{T}^{\beta(2)}$$

[illegible]

[illegible]

$$M_{yyyy} = -M_{4z}^{(1)} + M_{xy}^{(1)} + 2M_{xy}^{(1)} + M_{xy}^{(2)} - 2M_{xy}^{(2)} - M_z^{(5)} - 2M_z^{(1)} - M_z^{(2)} + 2M_z^{(1)} + M_z^{(2)} + 2M_z^{(1)} + M_z^{(2)}$$

$$M_{zzyz} = -M_{4x}^{(1)} - M_x^{(2)} + M_{yz}^{(3)} + 2M_{yz}^{(4)} + M_{yz}^{(5)} + 2M_{yz}^{(6)} = 2I_x^{(1)} + I_x^{(2)} + 2I_x^{(3)} - I_x^{(4)} + 2I_x^{(5)} - I_x^{(6)}$$

$$M_{zzxy} = M_{xy}^{(1)} + M_{xy}^{(2)} + 2M_z^{(1)} + \mathbb{I}_z^{(2)} + 2\mathbb{I}_z^{(1)} + 2\mathbb{I}_z^{(2)} - 4\mathbb{I}_z^{(1)} \quad (1)$$

$$M_{zzzy} = -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(3)} - 2\mathbb{T}_x^{(1)} - \mathbb{T}_x^{(3)} + 2\mathbb{T}_x^{\alpha(1)} + \mathbb{T}_x^{\alpha(2)} + 2\mathbb{T}_x^{\beta(1)} + \mathbb{T}_x^{\beta(2)}$$

$$M_{zzyx} = M_{xy}^{(1)} + M_{xy}^{(3)} + 2M_z^{(1)} - T_z^{(3)} - 2T_z^{(4)} - 2T_z^{\alpha(z)} - 4T_z^{(1)}$$

$$M_{yzxx} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} - \mathbb{M}_{yz}^{(3)} + 4\mathbb{T}_x^{\beta(1)}$$

$$M_{zyzy} = \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(3)} - 2\mathbb{T}_x^{(1)} + 2\mathbb{T}_x^{\alpha(1)} - 2\mathbb{T}_x^{\beta(1)}$$

$$M_{yyyy} = -M_{4x}^{\alpha(1)} - M_x^{\beta(1)} + M_{yz}^{(1)} + 2M_{yz}^{(2)} - M_{yz}^{(3)} + 2T_x^{(1)} - 2T_x^{\alpha(1)} - 2T_x^{\beta(1)}$$

$$M_{yzz} = M_{xy}^{(2)} - M_{xy}^{(5)} + 2M_z^{\beta(1)} - T_z^{(1)} + T_z^{(4)} - 4T_z^{\alpha(1)} - T_z^{\alpha(2)} - T_z^{\beta(2)}$$

$$M_{yzxz} = \mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(5)} + 2\mathbb{M}_z^{\beta(1)} - \mathbb{T}_z^{(1)} - \mathbb{T}_z^{(4)} - 4\mathbb{T}_z^{\alpha(1)} + \mathbb{T}_z^{\alpha(2)} + \mathbb{T}_z^{\beta(2)}$$

$$M_{xyz} = M_{xy}^{(2)} + M_{xy}^{(5)} + 2M_z^{\beta(1)} + T_z^{(1)} + T_z^{(4)} + 4T_z^{\alpha(1)} - T_z^{\alpha(2)} + T_z^{\beta(2)}$$

$$M_{zxy} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(5)} - \mathbb{T}_x^{(1)} + \mathbb{T}_x^{(4)} - 4\mathbb{T}_x^{\alpha(1)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)},$$

$$M_{zxyz} = M_{xy}^{(2)} - M_{xy}^{(5)} + 2M_z^{\beta(1)} + T_z^{(1)} - T_z^{(4)} + 4T_z^{\alpha(1)} + T_z^{\alpha(2)} - T_z^{\beta(2)}$$

$$M_{zyx} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(5)} - \mathbb{T}_x^{(1)} - \mathbb{T}_x^{(4)} - 4\mathbb{T}_x^{\alpha(1)} + \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)},$$

$$M_{xxx} = M_{4z}^{\alpha(1)} + M_{xy}^{(1)} + 2M_{xy}^{(2)} - M_{xy}^{(3)} - M_z^{\beta(1)} - 2T_z^{(1)} + 2T_z^{\alpha(1)} - 2T_z^{\beta(1)},$$

$$M_{xxxx} = -M_{xz}^{\alpha(1)} + M_{xy}^{(1)} + 2M_{xy}^{(2)} - M_{xy}^{(3)} - M_{\tilde{z}\tilde{z}}^{\beta(1)} + 2T_{\tilde{z}\tilde{z}}^{(1)} - 2T_{\tilde{z}\tilde{z}}^{\alpha(1)} - 2T_{\tilde{z}\tilde{z}}^{\beta(1)}$$

$$M_{xuzx} = \mathbb{M}_{xy}^{(1)} - \mathbb{M}_{xy}^{(3)} + 2\mathbb{M}_z^{\beta(1)} + 4\mathbb{T}_z^{\beta(1)}$$

$$M_{xyz} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_x^{\beta(2)} + \mathbb{M}_x^{(5)} + \mathbb{T}_x^{(1)} + \mathbb{T}_x^{(4)} + 4\mathbb{T}_x^{\alpha(1)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)}$$

$$M_{\text{flux}} = 2\mathbb{M}_\infty^{\beta(1)} + \mathbb{M}_\infty^{(2)} - \mathbb{M}_\infty^{(5)} + \mathbb{T}_\infty^{(1)} - \mathbb{T}_\infty^{(4)} + 4\mathbb{T}_\infty^{\alpha(1)} + \mathbb{T}_\infty^{\alpha(2)} - \mathbb{T}_\infty^{\beta(2)}$$

* Rank 4 tensor (a).

$$\begin{bmatrix} M_{yzxx} & M_{yzyy} & M_{yzzz} & 0 & M_{yzzx} & 0 & 0 & M_{yzxz} & 0 \\ 0 & 0 & 0 & M_{zxyz} & 0 & M_{zxxxy} & M_{zxxzy} & 0 & M_{zxyxx} \\ M_{xyxx} & M_{xyyy} & M_{xyzx} & 0 & M_{xyzx} & 0 & 0 & M_{xyxz} & 0 \end{bmatrix}$$

$$\begin{aligned} M_{yzxx} &= \mathbb{T}_x^{(5)} + 2\mathbb{T}_x^{(6)} + 2\mathbb{T}_x^{\alpha(3)} \\ M_{yzyy} &= -2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{yzzz} &= 2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{yzzx} &= 2\mathbb{M}_{xy}^{(4)} + \mathbb{M}_{xy}^{(6)} - \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\ M_{yzxz} &= -2\mathbb{M}_{xy}^{(4)} + \mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\ M_{zxyz} &= 2\mathbb{M}_{xy}^{(4)} - \mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\ M_{zxxxy} &= 2\mathbb{M}_{yz}^{(4)} + \mathbb{M}_{yz}^{(6)} - \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{zxxzy} &= -2\mathbb{M}_{xy}^{(4)} - \mathbb{M}_{xy}^{(6)} - \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\ M_{zxyxx} &= -2\mathbb{M}_{yz}^{(4)} + \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{xyxx} &= -2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\ M_{xyyy} &= 2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\ M_{xyzx} &= \mathbb{T}_z^{(5)} + 2\mathbb{T}_z^{(6)} + 2\mathbb{T}_z^{\alpha(3)} \\ M_{xyyz} &= 2\mathbb{M}_{yz}^{(4)} - \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{xyxz} &= -2\mathbb{M}_{yz}^{(4)} - \mathbb{M}_{yz}^{(6)} - \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \end{aligned}$$

* Rank 4 tensor (t).

$$\begin{bmatrix} 0 & M_{xxxy} & 0 \\ M_{yyyyx} & 0 & M_{yyyyz} \\ 0 & M_{zzzy} & 0 \\ 0 & M_{yyzy} & 0 \\ 0 & M_{zzxy} & 0 \\ M_{xxyx} & 0 & M_{xxyz} \\ M_{yzzx} & 0 & M_{yzzz} \\ 0 & M_{zxxxy} & 0 \\ 0 & M_{xyyy} & 0 \\ -\frac{M_{yyyyz}}{2} + \frac{M_{yyzy}}{2} + M_{zxxxy} & 0 & \frac{M_{xxxy}}{2} - \frac{M_{xxyx}}{2} + M_{xyyy} - M_{yyyy} + M_{zzxy} \end{bmatrix}$$

$$\begin{aligned} M_{xxxy} &= \mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(3)} - 2\mathbb{M}_{xy}^{(5)} - \mathbb{M}_z^{\beta(1)} \\ M_{yyyyx} &= -\mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(3)} - 2\mathbb{M}_{xy}^{(5)} - \mathbb{M}_z^{\beta(1)} \\ M_{yyyyz} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} \\ M_{zzzy} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} \\ M_{yyzy} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} + 2\mathbb{M}_{yz}^{(5)} \\ M_{zzxy} &= \mathbb{M}_{xy}^{(1)} + \mathbb{M}_{xy}^{(3)} + 2\mathbb{M}_z^{\beta(1)} \\ M_{xxyx} &= \mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(3)} + 2\mathbb{M}_{xy}^{(5)} - \mathbb{M}_z^{\beta(1)} \\ M_{xxyz} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + \mathbb{M}_{yz}^{(3)} \\ M_{yzzx} &= \mathbb{M}_{xy}^{(2)} - \mathbb{M}_{xy}^{(5)} + 2\mathbb{M}_z^{\beta(1)} \\ M_{yzzz} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(3)} \\ M_{zxxxy} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(5)} \\ M_{xyyy} &= -\mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} - \mathbb{M}_{xy}^{(3)} - \mathbb{M}_z^{\beta(1)} \end{aligned}$$