

* Rank 0 tensor.

$$[M]$$

$$M = \mathbb{M}_0^{(1)}$$

* Rank 1 tensor. * Rank 2 tensor (s).

$$\begin{bmatrix} M_{xx} & M_{xy} & M_{xz} \\ M_{xy} & M_{yy} & M_{yz} \\ M_{xz} & M_{yz} & M_{zz} \end{bmatrix}$$

$$M_{xx} = \mathbb{M}_0^{(1)} - \mathbb{M}_u^{(1)} + \mathbb{M}_v^{(1)}$$

$$M_{xy} = \mathbb{M}_{xy}^{(1)}$$

$$M_{xz} = \mathbb{M}_{xz}^{(1)}$$

$$M_{yy} = \mathbb{M}_0^{(1)} - \mathbb{M}_u^{(1)} - \mathbb{M}_v^{(1)}$$

$$M_{yz} = \mathbb{M}_{yz}^{(1)}$$

$$M_{zz} = \mathbb{M}_0^{(1)} + 2\mathbb{M}_u^{(1)}$$

* Rank 2 tensor (a).

$$\begin{bmatrix} 0 & M_{xy} & M_{xz} \\ -M_{xy} & 0 & M_{yz} \\ -M_{xz} & -M_{yz} & 0 \end{bmatrix}$$

$$M_{xy} = \mathbb{T}_z^{(1)}$$

$$M_{xz} = -\mathbb{T}_y^{(1)}$$

$$M_{yz} = \mathbb{T}_x^{(1)}$$

* Rank 3 tensor (ss). * Rank 3 tensor (sa). * Rank 3 tensor (a). * Rank 4 tensor (sss).

$$\begin{bmatrix} M_{xxxx} & M_{xxyy} & M_{xxzz} & M_{xxyz} & M_{xxxx} & M_{xxxxy} \\ M_{xxyy} & M_{yyyy} & M_{yyzz} & M_{yyyz} & M_{yyyzx} & M_{yyxy} \\ M_{xxzz} & M_{yyyz} & M_{zzzz} & M_{zzyz} & M_{zzzx} & M_{zzxy} \\ M_{xxyz} & M_{yyyz} & M_{zzyz} & M_{yyyz} & M_{yyzzx} & M_{yzxy} \\ M_{xxxx} & M_{yyyzx} & M_{zzzx} & M_{yyzzx} & M_{zzzx} & M_{zxxxy} \\ M_{xxxxy} & M_{yyxy} & M_{zzxy} & M_{yyzxy} & M_{zzxy} & M_{xyxy} \end{bmatrix}$$

$$M_{xxxx} = \mathbb{M}_0^{(1)} + 2\mathbb{M}_0^{(2)} - \mathbb{M}_{4u}^{(1)} + \mathbb{M}_{4v}^{(1)} + 2\mathbb{M}_4^{(1)} - 2\mathbb{M}_u^{(1)} - 4\mathbb{M}_u^{(2)} + 2\mathbb{M}_v^{(1)} + 4\mathbb{M}_v^{(2)}$$

$$M_{xxyy} = \mathbb{M}_0^{(1)} + 2\mathbb{M}_{4u}^{(1)} - \mathbb{M}_4^{(1)} - 2\mathbb{M}_u^{(1)}$$

$$M_{xxzz} = \mathbb{M}_0^{(1)} - \mathbb{M}_{4u}^{(1)} - \mathbb{M}_{4v}^{(1)} - \mathbb{M}_4^{(1)} + \mathbb{M}_u^{(1)} + \mathbb{M}_v^{(1)}$$

$$M_{xxyz} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)}$$

$$M_{xxzx} = -\mathbb{M}_{4y}^{\alpha(1)} + \mathbb{M}_{xz}^{(1)} + 2\mathbb{M}_{xz}^{(2)} - \mathbb{M}_y^{\beta(1)}$$

$$M_{xxxy} = \mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} - \mathbb{M}_z^{\beta(1)}$$

$$M_{yyyy} = \mathbb{M}_0^{(1)} + 2\mathbb{M}_0^{(2)} - \mathbb{M}_{4u}^{(1)} - \mathbb{M}_{4v}^{(1)} + 2\mathbb{M}_4^{(1)} - 2\mathbb{M}_u^{(1)} - 4\mathbb{M}_u^{(2)} - 2\mathbb{M}_v^{(1)} - 4\mathbb{M}_v^{(2)}$$

$$M_{yyyz} = \mathbb{M}_0^{(1)} - \mathbb{M}_{4u}^{(1)} + \mathbb{M}_{4v}^{(1)} - \mathbb{M}_4^{(1)} + \mathbb{M}_u^{(1)} - \mathbb{M}_v^{(1)}$$

$$M_{yyyz} = \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)}$$

$$M_{yyzx} = \mathbb{M}_{xz}^{(1)} + 2\mathbb{M}_y^{\beta(1)}$$

$$M_{yyxy} = -\mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} - \mathbb{M}_z^{\beta(1)}$$

$$M_{zzzz} = \mathbb{M}_0^{(1)} + 2\mathbb{M}_0^{(2)} + 2\mathbb{M}_{4u}^{(1)} + 2\mathbb{M}_4^{(1)} + 4\mathbb{M}_u^{(1)} + 8\mathbb{M}_u^{(2)}$$

$$M_{zzyz} = -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)}$$

$$M_{zzzx} = \mathbb{M}_{4y}^{\alpha(1)} + \mathbb{M}_{xz}^{(1)} + 2\mathbb{M}_{xz}^{(2)} - \mathbb{M}_y^{\beta(1)}$$

$$M_{zzxy} = \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_z^{\beta(1)}$$

$$M_{yzyz} = \mathbb{M}_0^{(2)} - \mathbb{M}_{4u}^{(1)} + \mathbb{M}_{4v}^{(1)} - \mathbb{M}_4^{(1)} + \mathbb{M}_u^{(2)} - \mathbb{M}_v^{(2)}$$

$$M_{yzzx} = \mathbb{M}_{xy}^{(2)} + 2\mathbb{M}_z^{\beta(1)}$$

$$M_{yzxy} = \mathbb{M}_{xz}^{(2)} + 2\mathbb{M}_y^{\beta(1)}$$

$$M_{zzzx} = \mathbb{M}_0^{(2)} - \mathbb{M}_{4u}^{(1)} - \mathbb{M}_{4v}^{(1)} - \mathbb{M}_4^{(1)} + \mathbb{M}_u^{(2)} + \mathbb{M}_v^{(2)}$$

$$M_{zxyy} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)}$$

$$M_{xyxy} = \mathbb{M}_0^{(2)} + 2\mathbb{M}_{4u}^{(1)} - \mathbb{M}_4^{(1)} - 2\mathbb{M}_u^{(2)}$$

* Rank 4 tensor (ssa).

$$\begin{bmatrix} 0 & M_{xxyy} & M_{xxzz} & M_{xxyz} & M_{xxzx} & M_{xxxy} \\ -M_{xxyy} & 0 & M_{yyzz} & M_{yyyz} & M_{yyzx} & M_{yyxy} \\ -M_{xxzz} & -M_{yyzz} & 0 & M_{zzyz} & M_{zzzx} & M_{zzxy} \\ -M_{xxyz} & -M_{yyyz} & -M_{zzyz} & 0 & M_{yzzx} & M_{yzxy} \\ -M_{xxzx} & -M_{yyzx} & -M_{zzzx} & -M_{yzzx} & 0 & M_{zzxy} \\ -M_{xxxy} & -M_{yyxy} & -M_{zzxy} & -M_{yzxy} & -M_{zxxy} & 0 \end{bmatrix}$$

$$M_{xxyy} = -2\mathbb{M}_v^{(3)} + 4\mathbb{T}_{xyz}^{(1)}$$

$$M_{xxzz} = 3\mathbb{M}_u^{(3)} - \mathbb{M}_v^{(3)} - 4\mathbb{T}_{xyz}^{(1)}$$

$$M_{xxyz} = \mathbb{M}_{yz}^{(3)} - 4\mathbb{T}_x^{\beta(1)}$$

$$M_{xxzx} = \mathbb{M}_{xz}^{(3)} - 2\mathbb{T}_y^{(1)} + 2\mathbb{T}_y^{\alpha(1)} + 2\mathbb{T}_y^{\beta(1)}$$

$$M_{xxxy} = \mathbb{M}_{xy}^{(3)} + 2\mathbb{T}_z^{(1)} - 2\mathbb{T}_z^{\alpha(1)} + 2\mathbb{T}_z^{\beta(1)}$$

$$M_{yyyz} = 3\mathbb{M}_u^{(3)} + \mathbb{M}_v^{(3)} + 4\mathbb{T}_{xyz}^{(1)}$$

$$M_{yyyz} = \mathbb{M}_{yz}^{(3)} + 2\mathbb{T}_x^{(1)} - 2\mathbb{T}_x^{\alpha(1)} + 2\mathbb{T}_x^{\beta(1)}$$

$$M_{yyzx} = \mathbb{M}_{xz}^{(3)} - 4\mathbb{T}_y^{\beta(1)}$$

$$M_{yyxy} = \mathbb{M}_{xy}^{(3)} - 2\mathbb{T}_z^{(1)} + 2\mathbb{T}_z^{\alpha(1)} + 2\mathbb{T}_z^{\beta(1)}$$

$$M_{zzyz} = \mathbb{M}_{yz}^{(3)} - 2\mathbb{T}_x^{(1)} + 2\mathbb{T}_x^{\alpha(1)} + 2\mathbb{T}_x^{\beta(1)}$$

$$M_{zzzx} = \mathbb{M}_{xz}^{(3)} + 2\mathbb{T}_y^{(1)} - 2\mathbb{T}_y^{\alpha(1)} + 2\mathbb{T}_y^{\beta(1)}$$

$$M_{zzxy} = \mathbb{M}_{xy}^{(3)} - 4\mathbb{T}_z^{\beta(1)}$$

$$M_{yzzx} = -\mathbb{T}_z^{(1)} - 4\mathbb{T}_z^{\alpha(1)}$$

$$M_{yzxy} = \mathbb{T}_y^{(1)} + 4\mathbb{T}_y^{\alpha(1)}$$

$$M_{zxyy} = -\mathbb{T}_x^{(1)} - 4\mathbb{T}_x^{\alpha(1)}$$

* Rank 4 tensor (aas).

$$\begin{bmatrix} M_{yzyz} & M_{yzzx} & M_{yzxy} \\ M_{yzzx} & M_{zxzx} & M_{zxxy} \\ M_{yzxy} & M_{zxxy} & M_{xyxy} \end{bmatrix}$$

$$M_{yzyz} = \mathbb{M}_0^{(3)} - 2\mathbb{M}_u^{(4)} + 2\mathbb{M}_v^{(4)}$$

$$M_{yzzx} = 2\mathbb{M}_{xy}^{(4)}$$

$$M_{yzxy} = 2\mathbb{M}_{xz}^{(4)}$$

$$M_{zxzx} = \mathbb{M}_0^{(3)} - 2\mathbb{M}_u^{(4)} - 2\mathbb{M}_v^{(4)}$$

$$M_{zxxy} = 2\mathbb{M}_{yz}^{(4)}$$

$$M_{xyxy} = \mathbb{M}_0^{(3)} + 4\mathbb{M}_u^{(4)}$$

* Rank 4 tensor (aaa).

$$\begin{bmatrix} 0 & M_{yzzx} & M_{yzxy} \\ -M_{yzzx} & 0 & M_{zxxy} \\ -M_{yzxy} & -M_{zxxy} & 0 \end{bmatrix}$$

$$M_{yzzx} = -\mathbb{T}_z^{(2)}$$

$$M_{yzxy} = \mathbb{T}_y^{(2)}$$

$$M_{zxxy} = -\mathbb{T}_x^{(2)}$$

* Rank 4 tensor (sa).

$$\begin{bmatrix} M_{xxyz} & M_{xxzx} & M_{xxxy} \\ M_{yyyz} & M_{yyzx} & M_{yyxy} \\ M_{zzyz} & M_{zzzx} & M_{zzxy} \\ M_{yxyz} & M_{yzzx} & M_{yzxy} \\ M_{zxyz} & M_{zxzx} & M_{zxxy} \\ M_{xyyz} & M_{xyzx} & M_{xyxy} \end{bmatrix}$$

$$M_{xxyz} = \mathbb{T}_x^{(3)} + 2\mathbb{T}_x^{(4)} + 2\mathbb{T}_x^{\alpha(2)}$$

$$M_{xxzx} = 2\mathbb{M}_{xz}^{(5)} + \mathbb{T}_y^{(3)} - \mathbb{T}_y^{\alpha(2)} - \mathbb{T}_y^{\beta(2)}$$

$$M_{xxxy} = -2\mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(3)} - \mathbb{T}_z^{\alpha(2)} + \mathbb{T}_z^{\beta(2)}$$

$$M_{yyyz} = -2\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(3)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)}$$

$$M_{yyzx} = \mathbb{T}_y^{(3)} + 2\mathbb{T}_y^{(4)} + 2\mathbb{T}_y^{\alpha(2)}$$

$$M_{yyxy} = 2\mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(3)} - \mathbb{T}_z^{\alpha(2)} - \mathbb{T}_z^{\beta(2)}$$

$$M_{zzyz} = 2\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(3)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)}$$

$$M_{zzzx} = -2\mathbb{M}_{xz}^{(5)} + \mathbb{T}_y^{(3)} - \mathbb{T}_y^{\alpha(2)} + \mathbb{T}_y^{\beta(2)}$$

$$M_{zzxy} = \mathbb{T}_z^{(3)} + 2\mathbb{T}_z^{(4)} + 2\mathbb{T}_z^{\alpha(2)}$$

$$M_{yzyz} = -3\mathbb{M}_u^{(5)} - \mathbb{M}_v^{(5)} + \mathbb{T}_{xyz}^{(2)}$$

$$M_{yzzx} = -\mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(4)} - \mathbb{T}_z^{\alpha(2)} - \mathbb{T}_z^{\beta(2)}$$

$$M_{yzxy} = \mathbb{M}_{xz}^{(5)} + \mathbb{T}_y^{(4)} - \mathbb{T}_y^{\alpha(2)} + \mathbb{T}_y^{\beta(2)}$$

$$M_{zxyz} = \mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(4)} - \mathbb{T}_z^{\alpha(2)} + \mathbb{T}_z^{\beta(2)}$$

$$M_{zxzx} = 3\mathbb{M}_u^{(5)} - \mathbb{M}_v^{(5)} + \mathbb{T}_{xyz}^{(2)}$$

$$M_{zxxy} = -\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(4)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)}$$

$$M_{xyyz} = -\mathbb{M}_{xz}^{(5)} + \mathbb{T}_y^{(4)} - \mathbb{T}_y^{\alpha(2)} - \mathbb{T}_y^{\beta(2)}$$

$$M_{xyzx} = \mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(4)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)}$$

$$M_{xyxy} = 2\mathbb{M}_v^{(5)} + \mathbb{T}_{xyz}^{(2)}$$

* Rank 4 tensor (as).

$$\begin{bmatrix} M_{yzxx} & M_{yzyy} & M_{yzzz} & M_{yzyz} & M_{yzzx} & M_{yzxy} \\ M_{zxxx} & M_{zxyy} & M_{zxxz} & M_{zxyz} & M_{zxzx} & M_{zxxxy} \\ M_{xyxx} & M_{xyyy} & M_{xyzz} & M_{xyyz} & M_{xyzx} & M_{xyxy} \end{bmatrix}$$

$$\begin{aligned} M_{yzxx} &= \mathbb{T}_x^{(5)} + 2\mathbb{T}_x^{(6)} + 2\mathbb{T}_x^{\alpha(3)} \\ M_{yzyy} &= -2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{yzzz} &= 2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{yzyz} &= -3\mathbb{M}_u^{(6)} - \mathbb{M}_v^{(6)} + \mathbb{T}_{xyz}^{(3)} \\ M_{yzzx} &= \mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\ M_{yzxy} &= -\mathbb{M}_{xz}^{(6)} + \mathbb{T}_y^{(6)} - \mathbb{T}_y^{\alpha(3)} - \mathbb{T}_y^{\beta(3)} \\ M_{zxxx} &= 2\mathbb{M}_{xz}^{(6)} + \mathbb{T}_y^{(5)} - \mathbb{T}_y^{\alpha(3)} - \mathbb{T}_y^{\beta(3)} \\ M_{zxyy} &= \mathbb{T}_y^{(5)} + 2\mathbb{T}_y^{(6)} + 2\mathbb{T}_y^{\alpha(3)} \\ M_{zxxz} &= -2\mathbb{M}_{xz}^{(6)} + \mathbb{T}_y^{(5)} - \mathbb{T}_y^{\alpha(3)} + \mathbb{T}_y^{\beta(3)} \\ M_{zxyz} &= -\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\ M_{zxxx} &= 3\mathbb{M}_u^{(6)} - \mathbb{M}_v^{(6)} + \mathbb{T}_{xyz}^{(3)} \\ M_{zxyy} &= \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{xyxx} &= -2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\ M_{xyyy} &= 2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\ M_{xyzz} &= \mathbb{T}_z^{(5)} + 2\mathbb{T}_z^{(6)} + 2\mathbb{T}_z^{\alpha(3)} \\ M_{xyyz} &= \mathbb{M}_{xz}^{(6)} + \mathbb{T}_y^{(6)} - \mathbb{T}_y^{\alpha(3)} + \mathbb{T}_y^{\beta(3)} \\ M_{xyzx} &= -\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{xyxy} &= 2\mathbb{M}_v^{(6)} + \mathbb{T}_{xyz}^{(3)} \end{aligned}$$

* Rank 4 tensor (s).

$$\begin{bmatrix} M_{xxxx} & M_{xxyy} & M_{xxzz} & M_{xxyz} & M_{xxzx} & M_{xxxy} & M_{xxzy} & M_{xxxz} & M_{xxyx} \\ M_{yyxx} & M_{yyyy} & M_{yyzz} & M_{yyyz} & M_{yyzx} & M_{yyxy} & M_{yyzy} & M_{yyxz} & M_{yyyx} \\ M_{zzxx} & M_{zzyy} & M_{zzzz} & M_{zzyz} & M_{zzzx} & M_{zzxy} & M_{zzzy} & M_{zzxz} & M_{zzyx} \\ M_{yzxx} & M_{yzyy} & M_{yzzz} & M_{yzyz} & M_{yzzx} & M_{yzxy} & M_{yzzy} & M_{yzxz} & M_{yzyx} \\ M_{zxxx} & M_{zxyy} & M_{zxxz} & M_{zxyz} & M_{zxzx} & M_{zxxy} & M_{zxzy} & M_{zxxz} & M_{zxyx} \\ M_{xyxx} & M_{xyyy} & M_{xyzz} & M_{xyyz} & M_{xyzx} & M_{xyxy} & M_{xyzy} & M_{xyxz} & M_{xyyx} \end{bmatrix}$$

* Rank 4 tensor (a).

$$\begin{bmatrix} M_{yzxx} & M_{yzyy} & M_{yzzz} & M_{yzyz} & M_{yzzx} & M_{yzxy} & M_{yzzy} & M_{yzxz} & M_{yzyx} \\ M_{zxxx} & M_{zxyy} & M_{zxxz} & M_{zxyz} & M_{zxzx} & M_{zxxy} & M_{zxxz} & M_{zxxx} & M_{zxyx} \\ M_{xyxx} & M_{xyyy} & M_{xyzx} & M_{xyyz} & M_{xyzx} & M_{xyxy} & M_{xyzy} & M_{xyxz} & M_{xyyx} \end{bmatrix}$$

$$\begin{aligned} M_{yzxx} &= \mathbb{T}_x^{(5)} + 2\mathbb{T}_x^{(6)} + 2\mathbb{T}_x^{\alpha(3)} \\ M_{yzyy} &= -2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{yzzz} &= 2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{yzyz} &= \mathbb{M}_0^{(3)} - 2\mathbb{M}_u^{(4)} - 3\mathbb{M}_u^{(6)} + 2\mathbb{M}_v^{(4)} - \mathbb{M}_v^{(6)} + \mathbb{T}_{xyz}^{(3)} \\ M_{yzzx} &= 2\mathbb{M}_{xy}^{(4)} + \mathbb{M}_{xy}^{(6)} - \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\ M_{yzxy} &= 2\mathbb{M}_{xz}^{(4)} - \mathbb{M}_{xz}^{(6)} + \mathbb{T}_y^{(2)} + \mathbb{T}_y^{(6)} - \mathbb{T}_y^{\alpha(3)} - \mathbb{T}_y^{\beta(3)} \\ M_{yzzy} &= -\mathbb{M}_0^{(3)} + 2\mathbb{M}_u^{(4)} - 3\mathbb{M}_u^{(6)} - 2\mathbb{M}_v^{(4)} - \mathbb{M}_v^{(6)} + \mathbb{T}_{xyz}^{(3)} \\ M_{yzzx} &= -2\mathbb{M}_{xy}^{(4)} + \mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\ M_{yzyx} &= -2\mathbb{M}_{xz}^{(4)} - \mathbb{M}_{xz}^{(6)} - \mathbb{T}_y^{(2)} + \mathbb{T}_y^{(6)} - \mathbb{T}_y^{\alpha(3)} - \mathbb{T}_y^{\beta(3)} \\ M_{zxxx} &= 2\mathbb{M}_{xz}^{(6)} + \mathbb{T}_y^{(5)} - \mathbb{T}_y^{\alpha(3)} - \mathbb{T}_y^{\beta(3)} \\ M_{zxyy} &= \mathbb{T}_y^{(5)} + 2\mathbb{T}_y^{(6)} + 2\mathbb{T}_y^{\alpha(3)} \\ M_{zxxz} &= -2\mathbb{M}_{xz}^{(6)} + \mathbb{T}_y^{(5)} - \mathbb{T}_y^{\alpha(3)} + \mathbb{T}_y^{\beta(3)} \\ M_{zxyz} &= 2\mathbb{M}_{xy}^{(4)} - \mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\ M_{zxxz} &= \mathbb{M}_0^{(3)} - 2\mathbb{M}_u^{(4)} + 3\mathbb{M}_u^{(6)} - 2\mathbb{M}_v^{(4)} - \mathbb{M}_v^{(6)} + \mathbb{T}_{xyz}^{(3)} \\ M_{zxyy} &= 2\mathbb{M}_{yz}^{(4)} + \mathbb{M}_{yz}^{(6)} - \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{zxxz} &= -2\mathbb{M}_{xy}^{(4)} - \mathbb{M}_{xy}^{(6)} - \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\ M_{zxxx} &= -\mathbb{M}_0^{(3)} + 2\mathbb{M}_u^{(4)} + 3\mathbb{M}_u^{(6)} + 2\mathbb{M}_v^{(4)} - \mathbb{M}_v^{(6)} + \mathbb{T}_{xyz}^{(3)} \\ M_{zxyx} &= -2\mathbb{M}_{yz}^{(4)} + \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{xyxx} &= -2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\ M_{xyyy} &= 2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\ M_{xyzz} &= \mathbb{T}_z^{(5)} + 2\mathbb{T}_z^{(6)} + 2\mathbb{T}_z^{\alpha(3)} \\ M_{xyyz} &= 2\mathbb{M}_{xz}^{(4)} + \mathbb{M}_{xz}^{(6)} - \mathbb{T}_y^{(2)} + \mathbb{T}_y^{(6)} - \mathbb{T}_y^{\alpha(3)} + \mathbb{T}_y^{\beta(3)} \\ M_{xyzx} &= 2\mathbb{M}_{yz}^{(4)} - \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{xyxy} &= \mathbb{M}_0^{(3)} + 4\mathbb{M}_u^{(4)} + 2\mathbb{M}_v^{(6)} + \mathbb{T}_{xyz}^{(3)} \\ M_{xyzy} &= -2\mathbb{M}_{xz}^{(4)} + \mathbb{M}_{xz}^{(6)} + \mathbb{T}_y^{(2)} + \mathbb{T}_y^{(6)} - \mathbb{T}_y^{\alpha(3)} + \mathbb{T}_y^{\beta(3)} \\ M_{xyxz} &= -2\mathbb{M}_{yz}^{(4)} - \mathbb{M}_{yz}^{(6)} - \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{xyyx} &= -\mathbb{M}_0^{(3)} - 4\mathbb{M}_u^{(4)} + 2\mathbb{M}_v^{(6)} + \mathbb{T}_{xyz}^{(3)} \end{aligned}$$

* Rank 4 tensor (t).

$$\begin{bmatrix} M_{xxxx} & M_{xxxx} & M_{xxxx} & M_{xxxx} & M_{xxxx} & M_{xxxx} & M_{xxxx} & M_{xxxx} & M_{xxxx} \\ M_{yyyy} & M_{yyyy} & M_{yyyy} & M_{yyyy} & M_{yyyy} & M_{yyyy} & M_{yyyy} & M_{yyyy} & M_{yyyy} \\ M_{zzzz} & M_{zzzz} & M_{zzzz} & M_{zzzz} & M_{zzzz} & M_{zzzz} & M_{zzzz} & M_{zzzz} & M_{zzzz} \\ M_{yyyz} & M_{yyyz} & M_{yyyz} & M_{yyyz} & M_{yyyz} & M_{yyyz} & M_{yyyz} & M_{yyyz} & M_{yyyz} \\ M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} \\ M_{xxxy} & M_{xxxy} & M_{xxxy} & M_{xxxy} & M_{xxxy} & M_{xxxy} & M_{xxxy} & M_{xxxy} & M_{xxxy} \\ M_{yyzz} & M_{yyzz} & M_{yyzz} & M_{yyzz} & M_{yyzz} & M_{yyzz} & M_{yyzz} & M_{yyzz} & M_{yyzz} \\ M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} & M_{zzxx} \\ M_{xyyy} + M_{yyyz} - M_{yzzy} - M_{zxxz} + M_{zzxx} & M_{xyyy} + M_{yyyz} - M_{yzzy} - M_{zxxz} + M_{zzxx} & M_{xyyy} + M_{yyyz} - M_{yzzy} - M_{zxxz} + M_{zzxx} & M_{xyyy} + M_{yyyz} - M_{yzzy} - M_{zxxz} + M_{zzxx} & M_{xyyy} + M_{yyyz} - M_{yzzy} - M_{zxxz} + M_{zzxx} & M_{xyyy} + M_{yyyz} - M_{yzzy} - M_{zxxz} + M_{zzxx} & M_{xyyy} + M_{yyyz} - M_{yzzy} - M_{zxxz} + M_{zzxx} & M_{xyyy} + M_{yyyz} - M_{yzzy} - M_{zxxz} + M_{zzxx} & M_{xyyy} + M_{yyyz} - M_{yzzy} - M_{zxxz} + M_{zzxx} \\ -\frac{M_{yyyy}}{2} + \frac{M_{yyyz}}{2} + M_{zxyx} & -\frac{M_{yyyy}}{2} + \frac{M_{yyyz}}{2} + M_{zxyx} & -\frac{M_{yyyy}}{2} + \frac{M_{yyyz}}{2} + M_{zxyx} & -\frac{M_{yyyy}}{2} + \frac{M_{yyyz}}{2} + M_{zxyx} & -\frac{M_{yyyy}}{2} + \frac{M_{yyyz}}{2} + M_{zxyx} & -\frac{M_{yyyy}}{2} + \frac{M_{yyyz}}{2} + M_{zxyx} & -\frac{M_{yyyy}}{2} + \frac{M_{yyyz}}{2} + M_{zxyx} & -\frac{M_{yyyy}}{2} + \frac{M_{yyyz}}{2} + M_{zxyx} & -\frac{M_{yyyy}}{2} + \frac{M_{yyyz}}{2} + M_{zxyx} \end{bmatrix}$$

$$\begin{aligned}
M_{xxxx} &= 3\mathbb{M}_0^{(1)} - \mathbb{M}_{4u}^{(1)} + \mathbb{M}_{4v}^{(1)} + 2\mathbb{M}_4^{(1)} - 2\mathbb{M}_u^{(1)} - 4\mathbb{M}_u^{(2)} + 2\mathbb{M}_v^{(1)} + 4\mathbb{M}_v^{(2)} \\
M_{xxxy} &= \mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(3)} - 2\mathbb{M}_{xy}^{(5)} - \mathbb{M}_z^{\beta(1)} \\
M_{xxxz} &= -\mathbb{M}_{4y}^{\alpha(1)} + \mathbb{M}_{xz}^{(1)} + 2\mathbb{M}_{xz}^{(2)} + \mathbb{M}_{xz}^{(3)} - 2\mathbb{M}_{xz}^{(5)} - \mathbb{M}_y^{\beta(1)} \\
M_{yyyx} &= -\mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(3)} - 2\mathbb{M}_{xy}^{(5)} - \mathbb{M}_z^{\beta(1)} \\
M_{yyyy} &= 3\mathbb{M}_0^{(1)} - \mathbb{M}_{4u}^{(1)} - \mathbb{M}_{4v}^{(1)} + 2\mathbb{M}_4^{(1)} - 2\mathbb{M}_u^{(1)} - 4\mathbb{M}_u^{(2)} - 2\mathbb{M}_v^{(1)} - 4\mathbb{M}_v^{(2)} \\
M_{yyyz} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} \\
M_{zzzx} &= \mathbb{M}_{4y}^{\alpha(1)} + \mathbb{M}_{xz}^{(1)} + 2\mathbb{M}_{xz}^{(2)} + \mathbb{M}_{xz}^{(3)} - 2\mathbb{M}_{xz}^{(5)} - \mathbb{M}_y^{\beta(1)} \\
M_{zzzy} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} \\
M_{zzzz} &= 3\mathbb{M}_0^{(1)} + 2\mathbb{M}_{4u}^{(1)} + 2\mathbb{M}_4^{(1)} + 4\mathbb{M}_u^{(1)} + 8\mathbb{M}_u^{(2)} \\
M_{yyzx} &= \mathbb{M}_{xz}^{(1)} + \mathbb{M}_{xz}^{(3)} + 2\mathbb{M}_y^{\beta(1)} \\
M_{yyzy} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} + 2\mathbb{M}_{yz}^{(5)} \\
M_{yyzz} &= \mathbb{M}_0^{(1)} - \mathbb{M}_{4u}^{(1)} + \mathbb{M}_{4v}^{(1)} - \mathbb{M}_4^{(1)} + \mathbb{M}_u^{(1)} + 3\mathbb{M}_u^{(3)} - \mathbb{M}_v^{(1)} + \mathbb{M}_v^{(3)} \\
M_{zzxx} &= \mathbb{M}_0^{(1)} - \mathbb{M}_{4u}^{(1)} - \mathbb{M}_{4v}^{(1)} - \mathbb{M}_4^{(1)} + \mathbb{M}_u^{(1)} - 3\mathbb{M}_u^{(3)} + \mathbb{M}_v^{(1)} + \mathbb{M}_v^{(3)} \\
M_{zzxy} &= \mathbb{M}_{xy}^{(1)} + \mathbb{M}_{xy}^{(3)} + 2\mathbb{M}_z^{\beta(1)} \\
M_{zzxz} &= \mathbb{M}_{4y}^{\alpha(1)} + \mathbb{M}_{xz}^{(1)} + 2\mathbb{M}_{xz}^{(2)} + \mathbb{M}_{xz}^{(3)} + 2\mathbb{M}_{xz}^{(5)} - \mathbb{M}_y^{\beta(1)} \\
M_{xxyx} &= \mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(3)} + 2\mathbb{M}_{xy}^{(5)} - \mathbb{M}_z^{\beta(1)} \\
M_{xxyy} &= \mathbb{M}_0^{(1)} + 2\mathbb{M}_{4u}^{(1)} - \mathbb{M}_4^{(1)} - 2\mathbb{M}_u^{(1)} - 2\mathbb{M}_v^{(3)} \\
M_{xxyz} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + \mathbb{M}_{yz}^{(3)} \\
M_{yzzx} &= \mathbb{M}_{xy}^{(2)} - \mathbb{M}_{xy}^{(5)} + 2\mathbb{M}_z^{\beta(1)} \\
M_{yzyy} &= \mathbb{M}_0^{(1)} - \mathbb{M}_{4u}^{(1)} + \mathbb{M}_{4v}^{(1)} - \mathbb{M}_4^{(1)} + \mathbb{M}_u^{(2)} + 3\mathbb{M}_u^{(5)} - \mathbb{M}_v^{(2)} + \mathbb{M}_v^{(5)} \\
M_{yzzz} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(3)} \\
M_{zzxx} &= -\mathbb{M}_{4y}^{\alpha(1)} + \mathbb{M}_{xz}^{(1)} + 2\mathbb{M}_{xz}^{(2)} - \mathbb{M}_{xz}^{(3)} - \mathbb{M}_y^{\beta(1)} \\
M_{zxxxy} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(5)} \\
M_{zxxz} &= \mathbb{M}_0^{(1)} - \mathbb{M}_{4u}^{(1)} - \mathbb{M}_{4v}^{(1)} - \mathbb{M}_4^{(1)} + \mathbb{M}_u^{(2)} - 3\mathbb{M}_u^{(5)} + \mathbb{M}_v^{(2)} + \mathbb{M}_v^{(5)} \\
M_{xyyy} &= -\mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} - \mathbb{M}_{xy}^{(3)} - \mathbb{M}_z^{\beta(1)} \\
M_{xyyz} &= \mathbb{M}_{xz}^{(2)} - \mathbb{M}_{xz}^{(5)} + 2\mathbb{M}_y^{\beta(1)}
\end{aligned}$$