

* Rank 0 tensor.

$$[T]$$

$$T = \mathbb{T}_0^{(1)}$$

* Rank 1 tensor. * Rank 2 tensor (s).

$$\begin{bmatrix} T_{xx} & 0 & 0 \\ 0 & T_{yy} & 0 \\ 0 & 0 & T_{zz} \end{bmatrix}$$

$$T_{xx} = \mathbb{T}_0^{(1)} - \mathbb{T}_u^{(1)} + \mathbb{T}_v^{(1)}$$

$$T_{yy} = \mathbb{T}_0^{(1)} - \mathbb{T}_u^{(1)} - \mathbb{T}_v^{(1)}$$

$$T_{zz} = \mathbb{T}_0^{(1)} + 2\mathbb{T}_u^{(1)}$$

* Rank 2 tensor (a). * Rank 3 tensor (ss).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ T_{yzx} & 0 & 0 \\ 0 & T_{yzx} & 0 \\ 0 & 0 & T_{yzx} \end{bmatrix}$$

$$T_{yzx} = \mathbb{T}_{xyz}^{(1)}$$

* Rank 3 tensor (sa).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ T_{yzx} & 0 & 0 \\ 0 & T_{zxy} & 0 \\ 0 & 0 & -T_{yzx} - T_{zxy} \end{bmatrix}$$

$$T_{yzx} = 3\mathbb{M}_u^{(1)} + \mathbb{M}_v^{(1)}$$

$$T_{zxy} = -3\mathbb{M}_u^{(1)} + \mathbb{M}_v^{(1)}$$

* Rank 3 tensor (a).

$$\begin{bmatrix} T_{yzx} & 0 & 0 \\ 0 & T_{zxy} & 0 \\ 0 & 0 & T_{xyz} \end{bmatrix}$$

$$T_{yzx} = \mathbb{M}_0^{(1)} - \mathbb{M}_u^{(2)} + \mathbb{M}_v^{(2)}$$

$$T_{zxy} = \mathbb{M}_0^{(1)} - \mathbb{M}_u^{(2)} - \mathbb{M}_v^{(2)}$$

$$T_{xyz} = \mathbb{M}_0^{(1)} + 2\mathbb{M}_u^{(2)}$$

* Rank 4 tensor (sss).

$$\begin{bmatrix} T_{xxxx} & T_{xxyy} & T_{xxzz} & 0 & 0 & 0 \\ T_{xxyy} & T_{yyyy} & T_{yyzz} & 0 & 0 & 0 \\ T_{xxzz} & T_{yyzz} & T_{zzzz} & 0 & 0 & 0 \\ 0 & 0 & 0 & T_{yzyz} & 0 & 0 \\ 0 & 0 & 0 & 0 & T_{zxzx} & 0 \\ 0 & 0 & 0 & 0 & 0 & T_{xyxy} \end{bmatrix}$$

$$T_{xxxx} = \mathbb{T}_0^{(1)} + 2\mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} + 2\mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)} - 4\mathbb{T}_u^{(2)} + 2\mathbb{T}_v^{(1)} + 4\mathbb{T}_v^{(2)}$$

$$T_{xyyy} = \mathbb{T}_0^{(1)} + 2\mathbb{T}_{4u}^{(1)} - \mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)}$$

$$T_{xxzz} = \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(1)} + \mathbb{T}_v^{(1)}$$

$$T_{yyyy} = \mathbb{T}_0^{(1)} + 2\mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} + 2\mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)} - 4\mathbb{T}_u^{(2)} - 2\mathbb{T}_v^{(1)} - 4\mathbb{T}_v^{(2)}$$

$$T_{yyzz} = \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(1)} - \mathbb{T}_v^{(1)}$$

$$T_{zzzz} = \mathbb{T}_0^{(1)} + 2\mathbb{T}_0^{(2)} + 2\mathbb{T}_{4u}^{(1)} + 2\mathbb{T}_4^{(1)} + 4\mathbb{T}_u^{(1)} + 8\mathbb{T}_u^{(2)}$$

$$T_{yzyz} = \mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(2)} - \mathbb{T}_v^{(2)}$$

$$T_{zzxx} = \mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(2)} + \mathbb{T}_v^{(2)}$$

$$T_{xyxy} = \mathbb{T}_0^{(2)} + 2\mathbb{T}_{4u}^{(1)} - \mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(2)}$$

* Rank 4 tensor (ssa).

$$\begin{bmatrix} 0 & T_{xyyy} & T_{xxzz} & 0 & 0 & 0 \\ -T_{xyyy} & 0 & T_{yyzz} & 0 & 0 & 0 \\ -T_{xxzz} & -T_{yyzz} & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$$

$$T_{xyyy} = 4\mathbb{M}_{xyz}^{(1)} - 2\mathbb{T}_v^{(3)}$$

$$T_{xxzz} = -4\mathbb{M}_{xyz}^{(1)} + 3\mathbb{T}_u^{(3)} - \mathbb{T}_v^{(3)}$$

$$T_{yyzz} = 4\mathbb{M}_{xyz}^{(1)} + 3\mathbb{T}_u^{(3)} + \mathbb{T}_v^{(3)}$$

* Rank 4 tensor (aas).

$$\begin{bmatrix} T_{yzyz} & 0 & 0 \\ 0 & T_{zzxx} & 0 \\ 0 & 0 & T_{xyxy} \end{bmatrix}$$

$$T_{yzyz} = \mathbb{T}_0^{(3)} - 2\mathbb{T}_u^{(4)} + 2\mathbb{T}_v^{(4)}$$

$$T_{zzxx} = \mathbb{T}_0^{(3)} - 2\mathbb{T}_u^{(4)} - 2\mathbb{T}_v^{(4)}$$

$$T_{xyxy} = \mathbb{T}_0^{(3)} + 4\mathbb{T}_u^{(4)}$$

* Rank 4 tensor (aaa). * Rank 4 tensor (sa).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ T_{yzyz} & 0 & 0 \\ 0 & T_{zzxx} & 0 \\ 0 & 0 & T_{xyxy} \end{bmatrix}$$

$$T_{yzyz} = \mathbb{M}_{xyz}^{(2)} - 3\mathbb{T}_u^{(5)} - \mathbb{T}_v^{(5)}$$

$$T_{zzxx} = \mathbb{M}_{xyz}^{(2)} + 3\mathbb{T}_u^{(5)} - \mathbb{T}_v^{(5)}$$

$$T_{xyxy} = \mathbb{M}_{xyz}^{(2)} + 2\mathbb{T}_v^{(5)}$$

* Rank 4 tensor (as).

$$\begin{bmatrix} 0 & 0 & 0 & T_{yzyz} & 0 & 0 \\ 0 & 0 & 0 & 0 & T_{zzxx} & 0 \\ 0 & 0 & 0 & 0 & 0 & T_{xyxy} \end{bmatrix}$$

$$T_{yzyz} = \mathbb{M}_{xyz}^{(3)} - 3\mathbb{T}_u^{(6)} - \mathbb{T}_v^{(6)}$$

$$T_{zzxx} = \mathbb{M}_{xyz}^{(3)} + 3\mathbb{T}_u^{(6)} - \mathbb{T}_v^{(6)}$$

$$T_{xyxy} = \mathbb{M}_{xyz}^{(3)} + 2\mathbb{T}_v^{(6)}$$

* Rank 4 tensor (s).

$$\begin{bmatrix} T_{xxxx} & T_{xxyy} & T_{xxzz} & 0 & 0 & 0 & 0 & 0 & 0 \\ T_{yyxx} & T_{yyyy} & T_{yyzz} & 0 & 0 & 0 & 0 & 0 & 0 \\ T_{zzxx} & T_{zzyy} & T_{zzzz} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & T_{yzyz} & 0 & 0 & T_{yzzy} & 0 & 0 \\ 0 & 0 & 0 & 0 & T_{zzxx} & 0 & 0 & T_{zzxz} & 0 \\ 0 & 0 & 0 & 0 & 0 & T_{xyxy} & 0 & 0 & T_{xyyx} \end{bmatrix}$$

$$\begin{aligned} T_{xxxx} &= \mathbb{T}_0^{(1)} + 2\mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} + 2\mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)} - 4\mathbb{T}_u^{(2)} + 2\mathbb{T}_v^{(1)} + 4\mathbb{T}_v^{(2)} \\ T_{xxyy} &= 4\mathbb{M}_{xyz}^{(1)} + \mathbb{T}_0^{(1)} + 2\mathbb{T}_{4u}^{(1)} - \mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)} - 2\mathbb{T}_v^{(3)} \\ T_{xxzz} &= -4\mathbb{M}_{xyz}^{(1)} + \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(1)} + 3\mathbb{T}_u^{(3)} + \mathbb{T}_v^{(1)} - \mathbb{T}_v^{(3)} \\ T_{yyxx} &= -4\mathbb{M}_{xyz}^{(1)} + \mathbb{T}_0^{(1)} + 2\mathbb{T}_{4u}^{(1)} - \mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)} + 2\mathbb{T}_v^{(3)} \\ T_{yyyy} &= \mathbb{T}_0^{(1)} + 2\mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} + 2\mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)} - 4\mathbb{T}_u^{(2)} - 2\mathbb{T}_v^{(1)} - 4\mathbb{T}_v^{(2)} \\ T_{yyzz} &= 4\mathbb{M}_{xyz}^{(1)} + \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(1)} + 3\mathbb{T}_u^{(3)} - \mathbb{T}_v^{(1)} + \mathbb{T}_v^{(3)} \\ T_{zzxx} &= 4\mathbb{M}_{xyz}^{(1)} + \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(1)} - 3\mathbb{T}_u^{(3)} + \mathbb{T}_v^{(1)} + \mathbb{T}_v^{(3)} \\ T_{zzyy} &= -4\mathbb{M}_{xyz}^{(1)} + \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(1)} - 3\mathbb{T}_u^{(3)} - \mathbb{T}_v^{(1)} - \mathbb{T}_v^{(3)} \\ T_{zzzz} &= \mathbb{T}_0^{(1)} + 2\mathbb{T}_0^{(2)} + 2\mathbb{T}_{4u}^{(1)} + 2\mathbb{T}_4^{(1)} + 4\mathbb{T}_u^{(1)} + 8\mathbb{T}_u^{(2)} \\ T_{yzyz} &= \mathbb{M}_{xyz}^{(2)} + \mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(2)} - 3\mathbb{T}_u^{(5)} - \mathbb{T}_v^{(2)} - \mathbb{T}_v^{(5)} \\ T_{yzzy} &= -\mathbb{M}_{xyz}^{(2)} + \mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(2)} + 3\mathbb{T}_u^{(5)} - \mathbb{T}_v^{(2)} + \mathbb{T}_v^{(5)} \\ T_{zxxz} &= \mathbb{M}_{xyz}^{(2)} + \mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(2)} + 3\mathbb{T}_u^{(5)} + \mathbb{T}_v^{(2)} - \mathbb{T}_v^{(5)} \\ T_{zzxz} &= -\mathbb{M}_{xyz}^{(2)} + \mathbb{T}_0^{(2)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(2)} - 3\mathbb{T}_u^{(5)} + \mathbb{T}_v^{(2)} + \mathbb{T}_v^{(5)} \\ T_{xyxy} &= \mathbb{M}_{xyz}^{(2)} + \mathbb{T}_0^{(2)} + 2\mathbb{T}_{4u}^{(1)} - \mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(2)} + 2\mathbb{T}_v^{(5)} \\ T_{xyyx} &= -\mathbb{M}_{xyz}^{(2)} + \mathbb{T}_0^{(2)} + 2\mathbb{T}_{4u}^{(1)} - \mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(2)} - 2\mathbb{T}_v^{(5)} \end{aligned}$$

* Rank 4 tensor (a).

$$\begin{bmatrix} 0 & 0 & 0 & T_{yzyz} & 0 & 0 & T_{yzzy} & 0 & 0 \\ 0 & 0 & 0 & 0 & T_{zzxx} & 0 & 0 & T_{zzxz} & 0 \\ 0 & 0 & 0 & 0 & 0 & T_{xyxy} & 0 & 0 & T_{xyyx} \end{bmatrix}$$

$$\begin{aligned} T_{yzyz} &= \mathbb{M}_{xyz}^{(3)} + \mathbb{T}_0^{(3)} - 2\mathbb{T}_u^{(4)} - 3\mathbb{T}_u^{(6)} + 2\mathbb{T}_v^{(4)} - \mathbb{T}_v^{(6)} \\ T_{yzzy} &= \mathbb{M}_{xyz}^{(3)} - \mathbb{T}_0^{(3)} + 2\mathbb{T}_u^{(4)} - 3\mathbb{T}_u^{(6)} - 2\mathbb{T}_v^{(4)} - \mathbb{T}_v^{(6)} \\ T_{zxxz} &= \mathbb{M}_{xyz}^{(3)} + \mathbb{T}_0^{(3)} - 2\mathbb{T}_u^{(4)} + 3\mathbb{T}_u^{(6)} - 2\mathbb{T}_v^{(4)} - \mathbb{T}_v^{(6)} \\ T_{zzxz} &= \mathbb{M}_{xyz}^{(3)} - \mathbb{T}_0^{(3)} + 2\mathbb{T}_u^{(4)} + 3\mathbb{T}_u^{(6)} + 2\mathbb{T}_v^{(4)} - \mathbb{T}_v^{(6)} \\ T_{xyxy} &= \mathbb{M}_{xyz}^{(3)} + \mathbb{T}_0^{(3)} + 4\mathbb{T}_u^{(4)} + 2\mathbb{T}_v^{(6)} \\ T_{xyyx} &= \mathbb{M}_{xyz}^{(3)} - \mathbb{T}_0^{(3)} - 4\mathbb{T}_u^{(4)} + 2\mathbb{T}_v^{(6)} \end{aligned}$$

* Rank 4 tensor (t).

$$\begin{bmatrix} & T_{xxxx} & & 0 & 0 \\ & 0 & & T_{yyyy} & 0 \\ & 0 & & 0 & T_{zzzz} \\ & 0 & & 0 & T_{yyzz} \\ & T_{zzxx} & & 0 & 0 \\ & 0 & & T_{xxyy} & 0 \\ & 0 & & T_{yzzz} & 0 \\ & 0 & & 0 & T_{zzxz} \\ T_{xxyy} + T_{yyzz} - T_{yzzz} - T_{zxxz} + T_{zzxx} & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$T_{xxxx} = 3\mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} + 2\mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)} - 4\mathbb{T}_u^{(2)} + 2\mathbb{T}_v^{(1)} + 4\mathbb{T}_v^{(2)}$$

$$T_{yyyy} = 3\mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} + 2\mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)} - 4\mathbb{T}_u^{(2)} - 2\mathbb{T}_v^{(1)} - 4\mathbb{T}_v^{(2)}$$

$$T_{zzzz} = 3\mathbb{T}_0^{(1)} + 2\mathbb{T}_{4u}^{(1)} + 2\mathbb{T}_4^{(1)} + 4\mathbb{T}_u^{(1)} + 8\mathbb{T}_u^{(2)}$$

$$T_{yyzz} = \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(1)} + 3\mathbb{T}_u^{(3)} - \mathbb{T}_v^{(1)} + \mathbb{T}_v^{(3)}$$

$$T_{zzxx} = \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(1)} - 3\mathbb{T}_u^{(3)} + \mathbb{T}_v^{(1)} + \mathbb{T}_v^{(3)}$$

$$T_{xxyy} = \mathbb{T}_0^{(1)} + 2\mathbb{T}_{4u}^{(1)} - \mathbb{T}_4^{(1)} - 2\mathbb{T}_u^{(1)} - 2\mathbb{T}_v^{(3)}$$

$$T_{yzzz} = \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(2)} + 3\mathbb{T}_u^{(5)} - \mathbb{T}_v^{(2)} + \mathbb{T}_v^{(5)}$$

$$T_{zzxz} = \mathbb{T}_0^{(1)} - \mathbb{T}_{4u}^{(1)} - \mathbb{T}_{4v}^{(1)} - \mathbb{T}_4^{(1)} + \mathbb{T}_u^{(2)} - 3\mathbb{T}_u^{(5)} + \mathbb{T}_v^{(2)} + \mathbb{T}_v^{(5)}$$