

MPG No. 8.3.26 $m'mm$ (m'mm setting) [Type III, orthorhombic] [M tensor]

* Rank 0 tensor. * Rank 1 tensor. * Rank 2 tensor (s).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & M_{yz} \\ 0 & M_{yz} & 0 \end{bmatrix}$$

$$M_{yz} = \mathbb{M}_{yz}^{(1)}$$

* Rank 2 tensor (a).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & M_{yz} \\ 0 & -M_{yz} & 0 \end{bmatrix}$$

$$M_{yz} = \mathbb{T}_x^{(1)}$$

* Rank 3 tensor (ss). * Rank 3 tensor (sa). * Rank 3 tensor (a). * Rank 4 tensor (sss).

$$\begin{bmatrix} 0 & 0 & 0 & M_{xyz} & 0 & 0 \\ 0 & 0 & 0 & M_{yyy} & 0 & 0 \\ 0 & 0 & 0 & M_{zzz} & 0 & 0 \\ M_{xyz} & M_{yyy} & M_{zzz} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & M_{zxy} \\ 0 & 0 & 0 & 0 & M_{zxy} & 0 \end{bmatrix}$$

$$M_{xyz} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)}$$

$$M_{yyy} = \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)}$$

$$M_{zzz} = -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)}$$

$$M_{zxy} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)}$$

* Rank 4 tensor (ssa).

$$\begin{bmatrix} 0 & 0 & 0 & M_{xyz} & 0 & 0 \\ 0 & 0 & 0 & M_{yyy} & 0 & 0 \\ 0 & 0 & 0 & M_{zzz} & 0 & 0 \\ -M_{xyz} & -M_{yyy} & -M_{zzz} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & M_{zxy} \\ 0 & 0 & 0 & 0 & -M_{zxy} & 0 \end{bmatrix}$$

$$M_{xyz} = \mathbb{M}_{yz}^{(3)} - 4\mathbb{T}_x^{\beta(1)}$$

$$M_{yyy} = \mathbb{M}_{yz}^{(3)} + 2\mathbb{T}_x^{(1)} - 2\mathbb{T}_x^{\alpha(1)} + 2\mathbb{T}_x^{\beta(1)}$$

$$M_{zzz} = \mathbb{M}_{yz}^{(3)} - 2\mathbb{T}_x^{(1)} + 2\mathbb{T}_x^{\alpha(1)} + 2\mathbb{T}_x^{\beta(1)}$$

$$M_{zxy} = -\mathbb{T}_x^{(1)} - 4\mathbb{T}_x^{\alpha(1)}$$

* Rank 4 tensor (aas).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & M_{zxy} \\ 0 & M_{zxy} & 0 \end{bmatrix}$$

$$M_{zxy} = 2\mathbb{M}_{yz}^{(4)}$$

* Rank 4 tensor (aaa).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & M_{zxy} \\ 0 & -M_{zxy} & 0 \end{bmatrix}$$

$$M_{zxy} = -\mathbb{T}_x^{(2)}$$

* Rank 4 tensor (sa).

$$\begin{bmatrix} M_{xxyz} & 0 & 0 \\ M_{yyyz} & 0 & 0 \\ M_{zzyz} & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & M_{zxy} \\ 0 & M_{yxz} & 0 \end{bmatrix}$$

$$\begin{aligned} M_{xxyz} &= \mathbb{T}_x^{(3)} + 2\mathbb{T}_x^{(4)} + 2\mathbb{T}_x^{\alpha(2)} \\ M_{yyyz} &= -2\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(3)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)} \\ M_{zzyz} &= 2\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(3)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)} \\ M_{zxy} &= -\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(4)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)} \\ M_{yxz} &= \mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(4)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)} \end{aligned}$$

* Rank 4 tensor (as).

$$\begin{bmatrix} M_{yzxx} & M_{zyyy} & M_{yzzz} & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & M_{zxy} \\ 0 & 0 & 0 & 0 & M_{yxz} & 0 \end{bmatrix}$$

$$\begin{aligned} M_{yzxx} &= \mathbb{T}_x^{(5)} + 2\mathbb{T}_x^{(6)} + 2\mathbb{T}_x^{\alpha(3)} \\ M_{zyyy} &= -2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{yzzz} &= 2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{zxy} &= \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{yxz} &= -\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \end{aligned}$$

* Rank 4 tensor (s).

$$\begin{bmatrix} 0 & 0 & 0 & M_{xxyz} & 0 & 0 & M_{xxzy} & 0 & 0 \\ 0 & 0 & 0 & M_{yyyz} & 0 & 0 & M_{yyzy} & 0 & 0 \\ 0 & 0 & 0 & M_{zzyz} & 0 & 0 & M_{zzzy} & 0 & 0 \\ M_{yzxx} & M_{zyyy} & M_{yzzz} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & M_{zxy} & 0 & 0 & M_{zxyx} \\ 0 & 0 & 0 & 0 & M_{yxz} & 0 & 0 & M_{yxzx} & 0 \end{bmatrix}$$

$$\begin{aligned} M_{xxyz} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + \mathbb{M}_{yz}^{(3)} + \mathbb{T}_x^{(3)} + 2\mathbb{T}_x^{(4)} + 2\mathbb{T}_x^{\alpha(2)} - 4\mathbb{T}_x^{\beta(1)} \\ M_{xxzy} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + \mathbb{M}_{yz}^{(3)} - \mathbb{T}_x^{(3)} - 2\mathbb{T}_x^{(4)} - 2\mathbb{T}_x^{\alpha(2)} - 4\mathbb{T}_x^{\beta(1)} \\ M_{yyyz} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} + 2\mathbb{T}_x^{(1)} + \mathbb{T}_x^{(3)} - 2\mathbb{T}_x^{\alpha(1)} - \mathbb{T}_x^{\alpha(2)} + 2\mathbb{T}_x^{\beta(1)} + \mathbb{T}_x^{\beta(2)} \\ M_{yyzy} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} + 2\mathbb{M}_{yz}^{(5)} + 2\mathbb{T}_x^{(1)} - \mathbb{T}_x^{(3)} - 2\mathbb{T}_x^{\alpha(1)} + \mathbb{T}_x^{\alpha(2)} + 2\mathbb{T}_x^{\beta(1)} - \mathbb{T}_x^{\beta(2)} \\ M_{zzyz} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} + 2\mathbb{M}_{yz}^{(5)} - 2\mathbb{T}_x^{(1)} + \mathbb{T}_x^{(3)} + 2\mathbb{T}_x^{\alpha(1)} - \mathbb{T}_x^{\alpha(2)} + 2\mathbb{T}_x^{\beta(1)} - \mathbb{T}_x^{\beta(2)} \\ M_{zzzy} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} - 2\mathbb{T}_x^{(1)} - \mathbb{T}_x^{(3)} + 2\mathbb{T}_x^{\alpha(1)} + \mathbb{T}_x^{\alpha(2)} + 2\mathbb{T}_x^{\beta(1)} + \mathbb{T}_x^{\beta(2)} \\ M_{yzxx} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} - \mathbb{M}_{yz}^{(3)} + 4\mathbb{T}_x^{\beta(1)} \\ M_{yzyy} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(3)} - 2\mathbb{T}_x^{(1)} + 2\mathbb{T}_x^{\alpha(1)} - 2\mathbb{T}_x^{\beta(1)} \\ M_{yzzz} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(3)} + 2\mathbb{T}_x^{(1)} - 2\mathbb{T}_x^{\alpha(1)} - 2\mathbb{T}_x^{\beta(1)} \\ M_{zxxy} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(5)} - \mathbb{T}_x^{(1)} + \mathbb{T}_x^{(4)} - 4\mathbb{T}_x^{\alpha(1)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)} \\ M_{zxyx} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(5)} - \mathbb{T}_x^{(1)} - \mathbb{T}_x^{(4)} - 4\mathbb{T}_x^{\alpha(1)} + \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)} \\ M_{xyzx} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(1)} + \mathbb{T}_x^{(4)} + 4\mathbb{T}_x^{\alpha(1)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)} \\ M_{xyxz} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(1)} - \mathbb{T}_x^{(4)} + 4\mathbb{T}_x^{\alpha(1)} + \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)} \end{aligned}$$

* Rank 4 tensor (a).

$$\begin{bmatrix} M_{yzxx} & M_{yzyy} & M_{yzzz} & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & M_{zxxxy} & 0 & 0 & M_{zxyx} \\ 0 & 0 & 0 & 0 & M_{xyzx} & 0 & 0 & M_{xyxz} & 0 \end{bmatrix}$$

$$\begin{aligned} M_{yzxx} &= \mathbb{T}_x^{(5)} + 2\mathbb{T}_x^{(6)} + 2\mathbb{T}_x^{\alpha(3)} \\ M_{yzyy} &= -2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{yzzz} &= 2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{zxxxy} &= 2\mathbb{M}_{yz}^{(4)} + \mathbb{M}_{yz}^{(6)} - \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{zxyx} &= -2\mathbb{M}_{yz}^{(4)} + \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\ M_{xyzx} &= 2\mathbb{M}_{yz}^{(4)} - \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\ M_{xyxz} &= -2\mathbb{M}_{yz}^{(4)} - \mathbb{M}_{yz}^{(6)} - \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \end{aligned}$$

* Rank 4 tensor (t).

$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & M_{yyyyz} \\ 0 & M_{zzzy} & 0 \\ 0 & M_{yyzy} & 0 \\ 0 & 0 & 0 \\ 0 & 0 & M_{xxyz} \\ 0 & 0 & M_{yzzz} \\ 0 & M_{zxxxy} & 0 \\ 0 & 0 & 0 \\ -\frac{M_{yyyyz}}{2} + \frac{M_{yyzy}}{2} + M_{zxxxy} & 0 & 0 \end{bmatrix}$$

$$\begin{aligned} M_{yyyyz} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} \\ M_{zzzy} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} \\ M_{yyzy} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} + 2\mathbb{M}_{yz}^{(5)} \\ M_{xxyz} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + \mathbb{M}_{yz}^{(3)} \\ M_{yzzz} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(3)} \\ M_{zxxxy} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(5)} \end{aligned}$$