

* Rank 0 tensor. * Rank 1 tensor. * Rank 2 tensor (s).

$$\begin{bmatrix} T_{xx} & T_{xy} & 0 \\ T_{xy} & -T_{xx} & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$T_{xx} = \mathbb{T}_v^{(1)}$$

$$T_{xy} = \mathbb{T}_{xy}^{(1)}$$

* Rank 2 tensor (a). * Rank 3 tensor (ss).

$$\begin{bmatrix} 0 & 0 & T_{xxz} \\ 0 & 0 & -T_{xxz} \\ 0 & 0 & 0 \\ T_{yzx} & -T_{xxz} & 0 \\ T_{xxz} & T_{yzx} & 0 \\ 0 & 0 & T_{yzx} \end{bmatrix}$$

$$T_{xxz} = \mathbb{T}_z^{\beta(1)}$$

$$T_{yzx} = \mathbb{T}_{xyz}^{(1)}$$

* Rank 3 tensor (sa).

$$\begin{bmatrix} 0 & 0 & T_{xxz} \\ 0 & 0 & -T_{xxz} \\ 0 & 0 & 0 \\ T_{yzx} & \frac{T_{xxz}}{2} & 0 \\ -\frac{T_{xxz}}{2} & T_{yzx} & 0 \\ 0 & 0 & -2T_{yzx} \end{bmatrix}$$

$$T_{xxz} = 2\mathbb{M}_{xy}^{(1)}$$

$$T_{yzx} = \mathbb{M}_v^{(1)}$$

$$\frac{T_{xxz}}{2} = \mathbb{M}_{xy}^{(1)}$$

$$2T_{yzx} = 2\mathbb{M}_v^{(1)}$$

* Rank 3 tensor (a).

$$\begin{bmatrix} T_{yzx} & T_{zyy} & 0 \\ T_{zyy} & -T_{yzx} & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$T_{yzx} = \mathbb{M}_v^{(2)}$$

$$T_{zyy} = \mathbb{M}_{xy}^{(2)}$$

* Rank 4 tensor (sss).

$$\begin{bmatrix} T_{xxxx} & 0 & T_{xxzz} & 0 & 0 & T_{xxxy} \\ 0 & -T_{xxxx} & -T_{xxzz} & 0 & 0 & T_{xxxy} \\ T_{xxzz} & -T_{xxzz} & 0 & 0 & 0 & T_{zzxy} \\ 0 & 0 & 0 & T_{yzyz} & T_{yzzx} & 0 \\ 0 & 0 & 0 & T_{yzzx} & -T_{yzyz} & 0 \\ T_{xxxy} & T_{xxxy} & T_{zzxy} & 0 & 0 & 0 \end{bmatrix}$$

$$T_{xxxx} = \mathbb{T}_{4v}^{(1)} + 2\mathbb{T}_v^{(1)} + 4\mathbb{T}_v^{(2)}$$

$$T_{xxzz} = -\mathbb{T}_{4v}^{(1)} + \mathbb{T}_v^{(1)}$$

$$T_{xxxy} = \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} - \mathbb{T}_z^{\beta(1)}$$

$$T_{zzxy} = \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_z^{\beta(1)}$$

$$T_{yzyz} = \mathbb{T}_{4v}^{(1)} - \mathbb{T}_v^{(2)}$$

$$T_{yzzx} = \mathbb{T}_{xy}^{(2)} + 2\mathbb{T}_z^{\beta(1)}$$

* Rank 4 tensor (ssa).

$$\begin{bmatrix} 0 & T_{xxyy} & T_{xxzz} & 0 & 0 & T_{xxxy} \\ -T_{xxyy} & 0 & -T_{xxzz} & 0 & 0 & T_{xxxy} \\ -T_{xxzz} & T_{xxzz} & 0 & 0 & 0 & T_{zzxy} \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ -T_{xxxy} & -T_{xxxy} & -T_{zzxy} & 0 & 0 & 0 \end{bmatrix}$$

$$T_{xxyy} = 4\mathbb{M}_{xyz}^{(1)} - 2\mathbb{T}_v^{(3)}$$

$$T_{xxzz} = -4\mathbb{M}_{xyz}^{(1)} - \mathbb{T}_v^{(3)}$$

$$T_{xxxy} = 2\mathbb{M}_z^{\beta(1)} + \mathbb{T}_{xy}^{(3)}$$

$$T_{zzxy} = -4\mathbb{M}_z^{\beta(1)} + \mathbb{T}_{xy}^{(3)}$$

* Rank 4 tensor (aas).

$$\begin{bmatrix} T_{yzyz} & T_{yzzx} & 0 \\ T_{yzzx} & -T_{yzyz} & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$T_{yzyz} = 2\mathbb{T}_v^{(4)}$$

$$T_{yzzx} = 2\mathbb{T}_{xy}^{(4)}$$

* Rank 4 tensor (aaa). * Rank 4 tensor (sa).

$$\begin{bmatrix} 0 & 0 & T_{xxxy} \\ 0 & 0 & -T_{xxxy} \\ 0 & 0 & 0 \\ T_{yzyz} & T_{yzzx} & 0 \\ -T_{yzzx} & T_{yzyz} & 0 \\ 0 & 0 & T_{xyxy} \end{bmatrix}$$

$$T_{xxxy} = \mathbb{M}_z^{\beta(2)} - 2\mathbb{T}_{xy}^{(5)}$$

$$T_{yzyz} = \mathbb{M}_{xyz}^{(2)} - \mathbb{T}_v^{(5)}$$

$$T_{yzzx} = -\mathbb{M}_z^{\beta(2)} - \mathbb{T}_{xy}^{(5)}$$

$$T_{xyxy} = \mathbb{M}_{xyz}^{(2)} + 2\mathbb{T}_v^{(5)}$$

* Rank 4 tensor (as).

$$\begin{bmatrix} 0 & 0 & 0 & T_{yzyz} & T_{yzzx} & 0 \\ 0 & 0 & 0 & -T_{yzzx} & T_{yzyz} & 0 \\ T_{xyxx} & -T_{xyxx} & 0 & 0 & 0 & T_{xyxy} \end{bmatrix}$$

$$T_{yzyz} = \mathbb{M}_{xyz}^{(3)} - \mathbb{T}_v^{(6)}$$

$$T_{yzzx} = \mathbb{M}_z^{\beta(3)} + \mathbb{T}_{xy}^{(6)}$$

$$T_{xyxx} = \mathbb{M}_z^{\beta(3)} - 2\mathbb{T}_{xy}^{(6)}$$

$$T_{xyxy} = \mathbb{M}_{xyz}^{(3)} + 2\mathbb{T}_v^{(6)}$$

* Rank 4 tensor (s).

$$\begin{bmatrix} T_{xxxx} & T_{xxyy} & T_{xxzz} & 0 & 0 & T_{xxyx} & 0 & 0 & T_{xyyx} \\ -T_{xxyy} & -T_{xxxx} & -T_{xxzz} & 0 & 0 & T_{xxyx} & 0 & 0 & T_{xxxy} \\ T_{zzxx} & -T_{zzxx} & 0 & 0 & 0 & T_{zzxy} & 0 & 0 & T_{zzxy} \\ 0 & 0 & 0 & T_{yzyz} & T_{yzzx} & 0 & T_{yzzy} & T_{yzxz} & 0 \\ 0 & 0 & 0 & T_{yzxz} & -T_{yzzy} & 0 & T_{yzzx} & -T_{yzyz} & 0 \\ T_{xyxx} & T_{xyxx} & T_{xyzz} & 0 & 0 & T_{xyxy} & 0 & 0 & -T_{xyxy} \end{bmatrix}$$

$$\begin{aligned} T_{xxxx} &= \mathbb{T}_{4v}^{(1)} + 2\mathbb{T}_v^{(1)} + 4\mathbb{T}_v^{(2)} \\ T_{xxyy} &= 4\mathbb{M}_{xyz}^{(1)} - 2\mathbb{T}_v^{(3)} \\ T_{xxzz} &= -4\mathbb{M}_{xyz}^{(1)} - \mathbb{T}_{4v}^{(1)} + \mathbb{T}_v^{(1)} - \mathbb{T}_v^{(3)} \\ T_{xxyx} &= 2\mathbb{M}_z^{\beta(1)} + \mathbb{M}_z^{\beta(2)} + \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} + \mathbb{T}_{xy}^{(3)} - 2\mathbb{T}_{xy}^{(5)} - \mathbb{T}_z^{\beta(1)} \\ T_{xyyx} &= 2\mathbb{M}_z^{\beta(1)} - \mathbb{M}_z^{\beta(2)} + \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} + \mathbb{T}_{xy}^{(3)} + 2\mathbb{T}_{xy}^{(5)} - \mathbb{T}_z^{\beta(1)} \\ T_{zzxx} &= 4\mathbb{M}_{xyz}^{(1)} - \mathbb{T}_{4v}^{(1)} + \mathbb{T}_v^{(1)} + \mathbb{T}_v^{(3)} \\ T_{zzxy} &= -4\mathbb{M}_z^{\beta(1)} + \mathbb{T}_{xy}^{(1)} + \mathbb{T}_{xy}^{(3)} + 2\mathbb{T}_z^{\beta(1)} \\ T_{yzyz} &= \mathbb{M}_{xyz}^{(2)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_v^{(2)} - \mathbb{T}_v^{(5)} \\ T_{yzzx} &= -\mathbb{M}_z^{\beta(2)} + \mathbb{T}_{xy}^{(2)} - \mathbb{T}_{xy}^{(5)} + 2\mathbb{T}_z^{\beta(1)} \\ T_{yzzy} &= -\mathbb{M}_{xyz}^{(2)} + \mathbb{T}_{4v}^{(1)} - \mathbb{T}_v^{(2)} + \mathbb{T}_v^{(5)} \\ T_{yzxz} &= \mathbb{M}_z^{\beta(2)} + \mathbb{T}_{xy}^{(2)} + \mathbb{T}_{xy}^{(5)} + 2\mathbb{T}_z^{\beta(1)} \\ T_{xyxx} &= -2\mathbb{M}_z^{\beta(1)} + \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} - \mathbb{T}_{xy}^{(3)} - \mathbb{T}_z^{\beta(1)} \\ T_{xyzz} &= 4\mathbb{M}_z^{\beta(1)} + \mathbb{T}_{xy}^{(1)} - \mathbb{T}_{xy}^{(3)} + 2\mathbb{T}_z^{\beta(1)} \\ T_{xyxy} &= \mathbb{M}_{xyz}^{(2)} + 2\mathbb{T}_v^{(5)} \end{aligned}$$

* Rank 4 tensor (a).

$$\begin{bmatrix} 0 & 0 & 0 & T_{yzyz} & T_{yzzx} & 0 & T_{yzzy} & T_{yzxz} & 0 \\ 0 & 0 & 0 & -T_{yzxz} & T_{yzzy} & 0 & -T_{yzzx} & T_{yzyz} & 0 \\ T_{xyxx} & -T_{xyxx} & 0 & 0 & 0 & T_{xyxy} & 0 & 0 & T_{xyxy} \end{bmatrix}$$

$$\begin{aligned} T_{yzyz} &= \mathbb{M}_{xyz}^{(3)} + 2\mathbb{T}_v^{(4)} - \mathbb{T}_v^{(6)} \\ T_{yzzx} &= \mathbb{M}_z^{\beta(3)} + 2\mathbb{T}_{xy}^{(4)} + \mathbb{T}_{xy}^{(6)} \\ T_{yzzy} &= \mathbb{M}_{xyz}^{(3)} - 2\mathbb{T}_v^{(4)} - \mathbb{T}_v^{(6)} \\ T_{yzxz} &= \mathbb{M}_z^{\beta(3)} - 2\mathbb{T}_{xy}^{(4)} + \mathbb{T}_{xy}^{(6)} \\ T_{xyxx} &= \mathbb{M}_z^{\beta(3)} - 2\mathbb{T}_{xy}^{(6)} \\ T_{xyxy} &= \mathbb{M}_{xyz}^{(3)} + 2\mathbb{T}_v^{(6)} \end{aligned}$$

* Rank 4 tensor (t).

$$\begin{bmatrix} T_{xxxx} & T_{xxyy} & 0 \\ T_{xxyy} & -T_{xxxx} & 0 \\ 0 & 0 & 0 \\ 0 & 0 & T_{yyzz} \\ T_{zzxx} & T_{zzxy} & 0 \\ T_{xxyx} & -T_{yyzz} - T_{zzxx} & 0 \\ T_{yzzx} & T_{yzzy} & 0 \\ 0 & 0 & T_{zzxz} \\ -T_{yzzy} - T_{zzxz} & T_{xyyy} & 0 \\ 0 & 0 & -\frac{T_{xxxx}}{2} - \frac{T_{xxyx}}{2} + T_{xyyy} + T_{zzxy} \end{bmatrix}$$

$$\begin{aligned}
T_{xxxx} &= \mathbb{T}_{4v}^{(1)} + 2\mathbb{T}_v^{(1)} + 4\mathbb{T}_v^{(2)} \\
T_{xxxy} &= \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} + \mathbb{T}_{xy}^{(3)} - 2\mathbb{T}_{xy}^{(5)} - \mathbb{T}_z^{\beta(1)} \\
T_{yyzz} &= \mathbb{T}_{4v}^{(1)} - \mathbb{T}_v^{(1)} + \mathbb{T}_v^{(3)} \\
T_{zzxx} &= -\mathbb{T}_{4v}^{(1)} + \mathbb{T}_v^{(1)} + \mathbb{T}_v^{(3)} \\
T_{zzxy} &= \mathbb{T}_{xy}^{(1)} + \mathbb{T}_{xy}^{(3)} + 2\mathbb{T}_z^{\beta(1)} \\
T_{xxyx} &= \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} + \mathbb{T}_{xy}^{(3)} + 2\mathbb{T}_{xy}^{(5)} - \mathbb{T}_z^{\beta(1)} \\
T_{yzzx} &= \mathbb{T}_{xy}^{(2)} - \mathbb{T}_{xy}^{(5)} + 2\mathbb{T}_z^{\beta(1)} \\
T_{yzz y} &= \mathbb{T}_{4v}^{(1)} - \mathbb{T}_v^{(2)} + \mathbb{T}_v^{(5)} \\
T_{zzxz} &= -\mathbb{T}_{4v}^{(1)} + \mathbb{T}_v^{(2)} + \mathbb{T}_v^{(5)} \\
T_{xyyy} &= \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} - \mathbb{T}_{xy}^{(3)} - \mathbb{T}_z^{\beta(1)}
\end{aligned}$$