

* Rank 0 tensor. * Rank 1 tensor. * Rank 2 tensor (s).

$$\begin{bmatrix} 0 & T_{xy} & 0 \\ T_{xy} & 0 & T_{yz} \\ 0 & T_{yz} & 0 \end{bmatrix}$$

$$T_{xy} = \mathbb{T}_{xy}^{(1)}$$

$$T_{yz} = \mathbb{T}_{yz}^{(1)}$$

* Rank 2 tensor (a).

$$\begin{bmatrix} 0 & T_{xy} & 0 \\ -T_{xy} & 0 & T_{yz} \\ 0 & -T_{yz} & 0 \end{bmatrix}$$

$$T_{xy} = \mathbb{M}_z^{(1)}$$

$$T_{yz} = \mathbb{M}_x^{(1)}$$

* Rank 3 tensor (ss). * Rank 3 tensor (sa). * Rank 3 tensor (a). * Rank 4 tensor (sss).

$$\begin{bmatrix} 0 & 0 & 0 & T_{xxyz} & 0 & T_{xxxx} \\ 0 & 0 & 0 & T_{yyyz} & 0 & T_{yyyy} \\ 0 & 0 & 0 & T_{zzyz} & 0 & T_{zzzy} \\ T_{xxyz} & T_{yyyz} & T_{zzyz} & 0 & T_{yzzx} & 0 \\ 0 & 0 & 0 & T_{yzzx} & 0 & T_{zxxxy} \\ T_{xxxx} & T_{yyxy} & T_{zzxy} & 0 & T_{zxxxy} & 0 \end{bmatrix}$$

$$T_{xxyz} = 2\mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(1)}$$

$$T_{xxxx} = \mathbb{T}_{4z}^{\alpha(1)} + \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} - \mathbb{T}_z^{\beta(1)}$$

$$T_{yyyz} = \mathbb{T}_{4x}^{\alpha(1)} - \mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(1)} + 2\mathbb{T}_{yz}^{(2)}$$

$$T_{yyxy} = -\mathbb{T}_{4z}^{\alpha(1)} + \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} - \mathbb{T}_z^{\beta(1)}$$

$$T_{zzyz} = -\mathbb{T}_{4x}^{\alpha(1)} - \mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(1)} + 2\mathbb{T}_{yz}^{(2)}$$

$$T_{zzxy} = \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_z^{\beta(1)}$$

$$T_{yzzx} = \mathbb{T}_{xy}^{(2)} + 2\mathbb{T}_z^{\beta(1)}$$

$$T_{zxxxy} = 2\mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(2)}$$

* Rank 4 tensor (ssa).

$$\begin{bmatrix} 0 & 0 & 0 & T_{xxyz} & 0 & T_{xxxx} \\ 0 & 0 & 0 & T_{yyyz} & 0 & T_{yyxy} \\ 0 & 0 & 0 & T_{zzyz} & 0 & T_{zzxy} \\ -T_{xxyz} & -T_{yyyz} & -T_{zzyz} & 0 & T_{yzzx} & 0 \\ 0 & 0 & 0 & -T_{yzzx} & 0 & T_{zxxxy} \\ -T_{xxxx} & -T_{yyxy} & -T_{zzxy} & 0 & -T_{zxxxy} & 0 \end{bmatrix}$$

$$T_{xxyz} = -4\mathbb{M}_x^{\beta(1)} + \mathbb{T}_{yz}^{(3)}$$

$$T_{xxxx} = 2\mathbb{M}_z^{(1)} - 2\mathbb{M}_z^{\alpha(1)} + 2\mathbb{M}_z^{\beta(1)} + \mathbb{T}_{xy}^{(3)}$$

$$T_{yyyz} = 2\mathbb{M}_x^{(1)} - 2\mathbb{M}_x^{\alpha(1)} + 2\mathbb{M}_x^{\beta(1)} + \mathbb{T}_{yz}^{(3)}$$

$$T_{yyxy} = -2\mathbb{M}_z^{(1)} + 2\mathbb{M}_z^{\alpha(1)} + 2\mathbb{M}_z^{\beta(1)} + \mathbb{T}_{xy}^{(3)}$$

$$T_{zzyz} = -2\mathbb{M}_x^{(1)} + 2\mathbb{M}_x^{\alpha(1)} + 2\mathbb{M}_x^{\beta(1)} + \mathbb{T}_{yz}^{(3)}$$

$$T_{zzxy} = -4\mathbb{M}_z^{\beta(1)} + \mathbb{T}_{xy}^{(3)}$$

$$T_{yzzx} = -\mathbb{M}_z^{(1)} - 4\mathbb{M}_z^{\alpha(1)}$$

$$T_{zxxxy} = -\mathbb{M}_x^{(1)} - 4\mathbb{M}_x^{\alpha(1)}$$

* Rank 4 tensor (aas).

$$\begin{bmatrix} 0 & T_{yzzx} & 0 \\ T_{yzzx} & 0 & T_{zxxy} \\ 0 & T_{zxxy} & 0 \end{bmatrix}$$

$$T_{yzzx} = 2\mathbb{T}_{xy}^{(4)}$$

$$T_{zxxy} = 2\mathbb{T}_{yz}^{(4)}$$

* Rank 4 tensor (aaa).

$$\begin{bmatrix} 0 & T_{yzzx} & 0 \\ -T_{yzzx} & 0 & T_{zxxy} \\ 0 & -T_{zxxy} & 0 \end{bmatrix}$$

$$T_{yzzx} = -\mathbb{M}_z^{(2)}$$

$$T_{zxxy} = -\mathbb{M}_x^{(2)}$$

* Rank 4 tensor (sa).

$$\begin{bmatrix} T_{xxyz} & 0 & T_{xxxy} \\ T_{yyyz} & 0 & T_{yyxy} \\ T_{zzyz} & 0 & T_{zzxy} \\ 0 & T_{yzzx} & 0 \\ T_{zxyz} & 0 & T_{zxxy} \\ 0 & T_{xyzx} & 0 \end{bmatrix}$$

$$T_{xxyz} = \mathbb{M}_x^{(3)} + 2\mathbb{M}_x^{(4)} + 2\mathbb{M}_x^{\alpha(2)}$$

$$T_{xxxy} = \mathbb{M}_z^{(3)} - \mathbb{M}_z^{\alpha(2)} + \mathbb{M}_z^{\beta(2)} - 2\mathbb{T}_{xy}^{(5)}$$

$$T_{yyyz} = \mathbb{M}_x^{(3)} - \mathbb{M}_x^{\alpha(2)} + \mathbb{M}_x^{\beta(2)} - 2\mathbb{T}_{yz}^{(5)}$$

$$T_{yyxy} = \mathbb{M}_z^{(3)} - \mathbb{M}_z^{\alpha(2)} - \mathbb{M}_z^{\beta(2)} + 2\mathbb{T}_{xy}^{(5)}$$

$$T_{zzyz} = \mathbb{M}_x^{(3)} - \mathbb{M}_x^{\alpha(2)} - \mathbb{M}_x^{\beta(2)} + 2\mathbb{T}_{yz}^{(5)}$$

$$T_{zzxy} = \mathbb{M}_z^{(3)} + 2\mathbb{M}_z^{(4)} + 2\mathbb{M}_z^{\alpha(2)}$$

$$T_{yzzx} = \mathbb{M}_z^{(4)} - \mathbb{M}_z^{\alpha(2)} - \mathbb{M}_z^{\beta(2)} - \mathbb{T}_{xy}^{(5)}$$

$$T_{zxyz} = \mathbb{M}_z^{(4)} - \mathbb{M}_z^{\alpha(2)} + \mathbb{M}_z^{\beta(2)} + \mathbb{T}_{xy}^{(5)}$$

$$T_{zxxy} = \mathbb{M}_x^{(4)} - \mathbb{M}_x^{\alpha(2)} - \mathbb{M}_x^{\beta(2)} - \mathbb{T}_{yz}^{(5)}$$

$$T_{xyzx} = \mathbb{M}_x^{(4)} - \mathbb{M}_x^{\alpha(2)} + \mathbb{M}_x^{\beta(2)} + \mathbb{T}_{yz}^{(5)}$$

* Rank 4 tensor (as).

$$\begin{bmatrix} T_{yzxx} & T_{yzyy} & T_{yzzz} & 0 & T_{yzzx} & 0 \\ 0 & 0 & 0 & T_{zxyz} & 0 & T_{zxxy} \\ T_{xyxx} & T_{xyyy} & T_{xyzz} & 0 & T_{xyzx} & 0 \end{bmatrix}$$

$$T_{yzxx} = \mathbb{M}_x^{(5)} + 2\mathbb{M}_x^{(6)} + 2\mathbb{M}_x^{\alpha(3)}$$

$$T_{yzyy} = \mathbb{M}_x^{(5)} - \mathbb{M}_x^{\alpha(3)} + \mathbb{M}_x^{\beta(3)} - 2\mathbb{T}_{yz}^{(6)}$$

$$T_{yzzz} = \mathbb{M}_x^{(5)} - \mathbb{M}_x^{\alpha(3)} - \mathbb{M}_x^{\beta(3)} + 2\mathbb{T}_{yz}^{(6)}$$

$$T_{yzzx} = \mathbb{M}_z^{(6)} - \mathbb{M}_z^{\alpha(3)} + \mathbb{M}_z^{\beta(3)} + \mathbb{T}_{xy}^{(6)}$$

$$T_{zxyz} = \mathbb{M}_z^{(6)} - \mathbb{M}_z^{\alpha(3)} - \mathbb{M}_z^{\beta(3)} - \mathbb{T}_{xy}^{(6)}$$

$$T_{zxxy} = \mathbb{M}_x^{(6)} - \mathbb{M}_x^{\alpha(3)} + \mathbb{M}_x^{\beta(3)} + \mathbb{T}_{yz}^{(6)}$$

$$T_{xyxx} = \mathbb{M}_z^{(5)} - \mathbb{M}_z^{\alpha(3)} + \mathbb{M}_z^{\beta(3)} - 2\mathbb{T}_{xy}^{(6)}$$

$$T_{xyyy} = \mathbb{M}_z^{(5)} - \mathbb{M}_z^{\alpha(3)} - \mathbb{M}_z^{\beta(3)} + 2\mathbb{T}_{xy}^{(6)}$$

$$T_{xyzz} = \mathbb{M}_z^{(5)} + 2\mathbb{M}_z^{(6)} + 2\mathbb{M}_z^{\alpha(3)}$$

$$T_{xyzx} = \mathbb{M}_x^{(6)} - \mathbb{M}_x^{\alpha(3)} - \mathbb{M}_x^{\beta(3)} - \mathbb{T}_{yz}^{(6)}$$

* Rank 4 tensor (s).

$$\begin{bmatrix} 0 & 0 & 0 & T_{xyz} & 0 & T_{xxy} & T_{xxz} & 0 & T_{xyx} \\ 0 & 0 & 0 & T_{yyz} & 0 & T_{yyx} & T_{yyz} & 0 & T_{yyy} \\ 0 & 0 & 0 & T_{zzz} & 0 & T_{zzx} & T_{zzz} & 0 & T_{zzx} \\ T_{yxx} & T_{yzy} & T_{yzz} & 0 & T_{yzz} & 0 & 0 & T_{yzz} & 0 \\ 0 & 0 & 0 & T_{zyz} & 0 & T_{zxy} & T_{zxz} & 0 & T_{zxy} \\ T_{yxx} & T_{yyy} & T_{yzz} & 0 & T_{yzz} & 0 & 0 & T_{yxx} & 0 \end{bmatrix}$$

$$\begin{aligned}
T_{xyz} &= M_x^{(3)} + 2M_x^{(4)} + 2M_x^{\alpha(2)} - 4M_x^{\beta(1)} + 2T_x^{\beta(1)} + T_{yz}^{(1)} + T_{yz}^{(3)} \\
T_{xxy} &= 2M_z^{(1)} + M_z^{(3)} - 2M_z^{\alpha(1)} - M_z^{\alpha(2)} + 2M_z^{\beta(1)} + M_z^{\beta(2)} + T_{4z}^{\alpha(1)} + T_{xy}^{(1)} + 2T_{xy}^{(2)} + T_{xy}^{(3)} - 2T_{xy}^{(5)} - T_z^{\beta(1)} \\
T_{xzy} &= -M_x^{(3)} - 2M_x^{(4)} - 2M_x^{\alpha(2)} - 4M_x^{\beta(1)} + 2T_x^{\beta(1)} + T_{yz}^{(1)} + T_{yz}^{(3)} \\
T_{xyx} &= 2M_z^{(1)} - M_z^{(3)} - 2M_z^{\alpha(1)} + M_z^{\alpha(2)} + 2M_z^{\beta(1)} - M_z^{\beta(2)} + T_{4z}^{\alpha(1)} + T_{xy}^{(1)} + 2T_{xy}^{(2)} + T_{xy}^{(3)} + 2T_{xy}^{(5)} - T_z^{\beta(1)} \\
T_{yyy} &= 2M_x^{(1)} + M_x^{(3)} - 2M_x^{\alpha(1)} - M_x^{\alpha(2)} + 2M_x^{\beta(1)} + M_x^{\beta(2)} + T_{4x}^{\alpha(1)} - T_x^{\beta(1)} + T_{yz}^{(1)} + 2T_{yz}^{(2)} + T_{yz}^{(3)} - 2T_{yz}^{(5)} \\
T_{yyx} &= -2M_z^{(1)} + M_z^{(3)} + 2M_z^{\alpha(1)} - M_z^{\alpha(2)} + 2M_z^{\beta(1)} - M_z^{\beta(2)} - T_{4z}^{\alpha(1)} + T_{xy}^{(1)} + 2T_{xy}^{(2)} + T_{xy}^{(3)} + 2T_{xy}^{(5)} - T_z^{\beta(1)} \\
T_{yyz} &= 2M_x^{(1)} - M_x^{(3)} - 2M_x^{\alpha(1)} + M_x^{\alpha(2)} + 2M_x^{\beta(1)} - M_x^{\beta(2)} + T_{4x}^{\alpha(1)} - T_x^{\beta(1)} + T_{yz}^{(1)} + 2T_{yz}^{(2)} + T_{yz}^{(3)} + 2T_{yz}^{(5)} \\
T_{yyx} &= -2M_z^{(1)} - M_z^{(3)} + 2M_z^{\alpha(1)} + M_z^{\alpha(2)} + 2M_z^{\beta(1)} + M_z^{\beta(2)} - T_{4z}^{\alpha(1)} + T_{xy}^{(1)} + 2T_{xy}^{(2)} + T_{xy}^{(3)} - 2T_{xy}^{(5)} - T_z^{\beta(1)} \\
T_{zyz} &= -2M_x^{(1)} + M_x^{(3)} + 2M_x^{\alpha(1)} - M_x^{\alpha(2)} + 2M_x^{\beta(1)} - M_x^{\beta(2)} - T_{4x}^{\alpha(1)} - T_x^{\beta(1)} + T_{yz}^{(1)} + 2T_{yz}^{(2)} + T_{yz}^{(3)} + 2T_{yz}^{(5)} \\
T_{zzy} &= M_z^{(3)} + 2M_z^{(4)} + 2M_z^{\alpha(2)} - 4M_z^{\beta(1)} + T_{xy}^{(1)} + T_{xy}^{(3)} + 2T_z^{\beta(1)} \\
T_{zzz} &= -2M_x^{(1)} - M_x^{(3)} + 2M_x^{\alpha(1)} + M_x^{\alpha(2)} + 2M_x^{\beta(1)} + M_x^{\beta(2)} - T_{4x}^{\alpha(1)} - T_x^{\beta(1)} + T_{yz}^{(1)} + 2T_{yz}^{(2)} + T_{yz}^{(3)} - 2T_{yz}^{(5)} \\
T_{zzy} &= -M_z^{(3)} - 2M_z^{(4)} - 2M_z^{\alpha(2)} - 4M_z^{\beta(1)} + T_{xy}^{(1)} + T_{xy}^{(3)} + 2T_z^{\beta(1)} \\
T_{yzz} &= 4M_x^{\beta(1)} + 2T_x^{\beta(1)} + T_{yz}^{(1)} - T_{yz}^{(3)} \\
T_{yzy} &= -2M_x^{(1)} + 2M_x^{\alpha(1)} - 2M_x^{\beta(1)} + T_{4x}^{\alpha(1)} - T_x^{\beta(1)} + T_{yz}^{(1)} + 2T_{yz}^{(2)} - T_{yz}^{(3)} \\
T_{yzz} &= 2M_x^{(1)} - 2M_x^{\alpha(1)} - 2M_x^{\beta(1)} - T_{4x}^{\alpha(1)} - T_x^{\beta(1)} + T_{yz}^{(1)} + 2T_{yz}^{(2)} - T_{yz}^{(3)} \\
T_{yzz} &= -M_z^{(1)} + M_z^{(4)} - 4M_z^{\alpha(1)} - M_z^{\alpha(2)} - M_z^{\beta(2)} + T_{xy}^{(2)} - T_{xy}^{(5)} + 2T_z^{\beta(1)} \\
T_{yzz} &= -M_z^{(1)} - M_z^{(4)} - 4M_z^{\alpha(1)} + M_z^{\alpha(2)} + M_z^{\beta(2)} + T_{xy}^{(2)} + T_{xy}^{(5)} + 2T_z^{\beta(1)} \\
T_{zxy} &= M_z^{(1)} + M_z^{(4)} + 4M_z^{\alpha(1)} - M_z^{\alpha(2)} + M_z^{\beta(2)} + T_{xy}^{(2)} + T_{xy}^{(5)} + 2T_z^{\beta(1)} \\
T_{zxy} &= -M_x^{(1)} + M_x^{(4)} - 4M_x^{\alpha(1)} - M_x^{\alpha(2)} - M_x^{\beta(2)} + 2T_x^{\beta(1)} + T_{yz}^{(2)} - T_{yz}^{(5)} \\
T_{zxy} &= M_z^{(1)} - M_z^{(4)} + 4M_z^{\alpha(1)} + M_z^{\alpha(2)} - M_z^{\beta(2)} + T_{xy}^{(2)} - T_{xy}^{(5)} + 2T_z^{\beta(1)} \\
T_{zxy} &= -M_x^{(1)} - M_x^{(4)} - 4M_x^{\alpha(1)} + M_x^{\alpha(2)} + M_x^{\beta(2)} + 2T_x^{\beta(1)} + T_{yz}^{(2)} + T_{yz}^{(5)} \\
T_{xyx} &= -2M_z^{(1)} + 2M_z^{\alpha(1)} - 2M_z^{\beta(1)} + T_{4z}^{\alpha(1)} + T_{xy}^{(1)} + 2T_{xy}^{(2)} - T_{xy}^{(3)} - T_z^{\beta(1)} \\
T_{xyy} &= 2M_z^{(1)} - 2M_z^{\alpha(1)} - 2M_z^{\beta(1)} - T_{4z}^{\alpha(1)} + T_{xy}^{(1)} + 2T_{xy}^{(2)} - T_{xy}^{(3)} - T_z^{\beta(1)} \\
T_{xyz} &= 4M_z^{\beta(1)} + T_{xy}^{(1)} - T_{xy}^{(3)} + 2T_z^{\beta(1)} \\
T_{xyz} &= M_x^{(1)} + M_x^{(4)} + 4M_x^{\alpha(1)} - M_x^{\alpha(2)} + M_x^{\beta(2)} + 2T_x^{\beta(1)} + T_{yz}^{(2)} + T_{yz}^{(5)} \\
T_{xyz} &= M_x^{(1)} - M_x^{(4)} + 4M_x^{\alpha(1)} + M_x^{\alpha(2)} - M_x^{\beta(2)} + 2T_x^{\beta(1)} + T_{yz}^{(2)} - T_{yz}^{(5)}
\end{aligned}$$

* Rank 4 tensor (a).

$$\begin{bmatrix} T_{yzzx} & T_{yzzy} & T_{yzzz} & 0 & T_{yzxx} & 0 & 0 & T_{yzxz} & 0 \\ 0 & 0 & 0 & T_{zyyz} & 0 & T_{zxyy} & T_{zxzy} & 0 & T_{zyyx} \\ T_{xyxx} & T_{xyyy} & T_{xyzx} & 0 & T_{xyzx} & 0 & 0 & T_{xyzx} & 0 \end{bmatrix}$$

$$\begin{aligned}
T_{yzxx} &= \mathbb{M}_x^{(5)} + 2\mathbb{M}_x^{(6)} + 2\mathbb{M}_x^{\alpha(3)} \\
T_{yzyy} &= \mathbb{M}_x^{(5)} - \mathbb{M}_x^{\alpha(3)} + \mathbb{M}_x^{\beta(3)} - 2\mathbb{T}_{yz}^{(6)} \\
T_{yzzz} &= \mathbb{M}_x^{(5)} - \mathbb{M}_x^{\alpha(3)} - \mathbb{M}_x^{\beta(3)} + 2\mathbb{T}_{yz}^{(6)} \\
T_{yzzx} &= -\mathbb{M}_z^{(2)} + \mathbb{M}_z^{(6)} - \mathbb{M}_z^{\alpha(3)} + \mathbb{M}_z^{\beta(3)} + 2\mathbb{T}_{xy}^{(4)} + \mathbb{T}_{xy}^{(6)} \\
T_{yzxz} &= \mathbb{M}_z^{(2)} + \mathbb{M}_z^{(6)} - \mathbb{M}_z^{\alpha(3)} + \mathbb{M}_z^{\beta(3)} - 2\mathbb{T}_{xy}^{(4)} + \mathbb{T}_{xy}^{(6)} \\
T_{zxyz} &= \mathbb{M}_z^{(2)} + \mathbb{M}_z^{(6)} - \mathbb{M}_z^{\alpha(3)} - \mathbb{M}_z^{\beta(3)} + 2\mathbb{T}_{xy}^{(4)} - \mathbb{T}_{xy}^{(6)} \\
T_{zxxxy} &= -\mathbb{M}_x^{(2)} + \mathbb{M}_x^{(6)} - \mathbb{M}_x^{\alpha(3)} + \mathbb{M}_x^{\beta(3)} + 2\mathbb{T}_{yz}^{(4)} + \mathbb{T}_{yz}^{(6)} \\
T_{zxxz} &= -\mathbb{M}_z^{(2)} + \mathbb{M}_z^{(6)} - \mathbb{M}_z^{\alpha(3)} - \mathbb{M}_z^{\beta(3)} - 2\mathbb{T}_{xy}^{(4)} - \mathbb{T}_{xy}^{(6)} \\
T_{zxyx} &= \mathbb{M}_x^{(2)} + \mathbb{M}_x^{(6)} - \mathbb{M}_x^{\alpha(3)} + \mathbb{M}_x^{\beta(3)} - 2\mathbb{T}_{yz}^{(4)} + \mathbb{T}_{yz}^{(6)} \\
T_{xyxx} &= \mathbb{M}_z^{(5)} - \mathbb{M}_z^{\alpha(3)} + \mathbb{M}_z^{\beta(3)} - 2\mathbb{T}_{xy}^{(6)} \\
T_{xyyy} &= \mathbb{M}_z^{(5)} - \mathbb{M}_z^{\alpha(3)} - \mathbb{M}_z^{\beta(3)} + 2\mathbb{T}_{xy}^{(6)} \\
T_{xyzx} &= \mathbb{M}_z^{(5)} + 2\mathbb{M}_z^{(6)} + 2\mathbb{M}_z^{\alpha(3)} \\
T_{xyzx} &= \mathbb{M}_x^{(2)} + \mathbb{M}_x^{(6)} - \mathbb{M}_x^{\alpha(3)} - \mathbb{M}_x^{\beta(3)} + 2\mathbb{T}_{yz}^{(4)} - \mathbb{T}_{yz}^{(6)} \\
T_{xyzx} &= -\mathbb{M}_x^{(2)} + \mathbb{M}_x^{(6)} - \mathbb{M}_x^{\alpha(3)} - \mathbb{M}_x^{\beta(3)} - 2\mathbb{T}_{yz}^{(4)} - \mathbb{T}_{yz}^{(6)}
\end{aligned}$$

* Rank 4 tensor (t).

$$\begin{bmatrix}
0 & T_{xxxy} & 0 \\
T_{yyyyx} & 0 & T_{yyyz} \\
0 & T_{zzzy} & 0 \\
0 & T_{yyzy} & 0 \\
0 & T_{zzxy} & 0 \\
T_{xxyx} & 0 & T_{xxyz} \\
T_{yzzx} & 0 & T_{yzzz} \\
0 & T_{zxxxy} & 0 \\
0 & T_{xyyy} & 0 \\
-\frac{T_{yyyyz}}{2} + \frac{T_{yyzyx}}{2} + T_{zxxy} & 0 & \frac{T_{xxxxy}}{2} - \frac{T_{xxyxx}}{2} + T_{xyyy} - T_{yyyx} + T_{zzxy}
\end{bmatrix}$$

$$\begin{aligned}
T_{xxxy} &= \mathbb{T}_{4z}^{\alpha(1)} + \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} + \mathbb{T}_{xy}^{(3)} - 2\mathbb{T}_{xy}^{(5)} - \mathbb{T}_z^{\beta(1)} \\
T_{yyyyx} &= -\mathbb{T}_{4z}^{\alpha(1)} + \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} + \mathbb{T}_{xy}^{(3)} - 2\mathbb{T}_{xy}^{(5)} - \mathbb{T}_z^{\beta(1)} \\
T_{yyyz} &= \mathbb{T}_{4x}^{\alpha(1)} - \mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(1)} + 2\mathbb{T}_{yz}^{(2)} + \mathbb{T}_{yz}^{(3)} - 2\mathbb{T}_{yz}^{(5)} \\
T_{zzzy} &= -\mathbb{T}_{4x}^{\alpha(1)} - \mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(1)} + 2\mathbb{T}_{yz}^{(2)} + \mathbb{T}_{yz}^{(3)} - 2\mathbb{T}_{yz}^{(5)} \\
T_{yyzy} &= \mathbb{T}_{4x}^{\alpha(1)} - \mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(1)} + 2\mathbb{T}_{yz}^{(2)} + \mathbb{T}_{yz}^{(3)} + 2\mathbb{T}_{yz}^{(5)} \\
T_{zzxy} &= \mathbb{T}_{xy}^{(1)} + \mathbb{T}_{xy}^{(3)} + 2\mathbb{T}_z^{\beta(1)} \\
T_{xxyx} &= \mathbb{T}_{4z}^{\alpha(1)} + \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} + \mathbb{T}_{xy}^{(3)} + 2\mathbb{T}_{xy}^{(5)} - \mathbb{T}_z^{\beta(1)} \\
T_{xxyz} &= 2\mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(1)} + \mathbb{T}_{yz}^{(3)} \\
T_{yzzx} &= \mathbb{T}_{xy}^{(2)} - \mathbb{T}_{xy}^{(5)} + 2\mathbb{T}_z^{\beta(1)} \\
T_{yzzz} &= -\mathbb{T}_{4x}^{\alpha(1)} - \mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(1)} + 2\mathbb{T}_{yz}^{(2)} - \mathbb{T}_{yz}^{(3)} \\
T_{zxxxy} &= 2\mathbb{T}_x^{\beta(1)} + \mathbb{T}_{yz}^{(2)} - \mathbb{T}_{yz}^{(5)} \\
T_{xyyy} &= -\mathbb{T}_{4z}^{\alpha(1)} + \mathbb{T}_{xy}^{(1)} + 2\mathbb{T}_{xy}^{(2)} - \mathbb{T}_{xy}^{(3)} - \mathbb{T}_z^{\beta(1)}
\end{aligned}$$