

* Rank 0 tensor. * Rank 1 tensor. * Rank 2 tensor (s).

$$\begin{bmatrix} 0 & M_{xy} & 0 \\ M_{xy} & 0 & M_{yz} \\ 0 & M_{yz} & 0 \end{bmatrix}$$

$$M_{xy} = \mathbb{M}_{xy}^{(1)}$$

$$M_{yz} = \mathbb{M}_{yz}^{(1)}$$

* Rank 2 tensor (a).

$$\begin{bmatrix} 0 & M_{xy} & 0 \\ -M_{xy} & 0 & M_{yz} \\ 0 & -M_{yz} & 0 \end{bmatrix}$$

$$M_{xy} = \mathbb{T}_z^{(1)}$$

$$M_{yz} = \mathbb{T}_x^{(1)}$$

* Rank 3 tensor (ss). * Rank 3 tensor (sa). * Rank 3 tensor (a). * Rank 4 tensor (sss).

$$\begin{bmatrix} 0 & 0 & 0 & M_{xxyz} & 0 & M_{xxxy} \\ 0 & 0 & 0 & M_{yyyz} & 0 & M_{yyxy} \\ 0 & 0 & 0 & M_{zzyz} & 0 & M_{zzxy} \\ M_{xxyz} & M_{yyyz} & M_{zzyz} & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & M_{yzzx} & 0 & M_{zxxxy} \\ M_{xxxy} & M_{yyxy} & M_{zzxy} & 0 & M_{zxxxy} & 0 \end{bmatrix}$$

$$M_{xxyz} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)}$$

$$M_{xxxy} = \mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} - \mathbb{M}_z^{\beta(1)}$$

$$M_{yyyz} = \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)}$$

$$M_{yyxy} = -\mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} - \mathbb{M}_z^{\beta(1)}$$

$$M_{zzyz} = -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)}$$

$$M_{zzxy} = \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_z^{\beta(1)}$$

$$M_{yzzx} = \mathbb{M}_{xy}^{(2)} + 2\mathbb{M}_z^{\beta(1)}$$

$$M_{zxxxy} = 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)}$$

* Rank 4 tensor (ssa).

$$\begin{bmatrix} 0 & 0 & 0 & M_{xxyz} & 0 & M_{xxxy} \\ 0 & 0 & 0 & M_{yyyz} & 0 & M_{yyxy} \\ 0 & 0 & 0 & M_{zzyz} & 0 & M_{zzxy} \\ -M_{xxyz} & -M_{yyyz} & -M_{zzyz} & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & -M_{yzzx} & 0 & M_{zxxxy} \\ -M_{xxxy} & -M_{yyxy} & -M_{zzxy} & 0 & -M_{zxxxy} & 0 \end{bmatrix}$$

$$M_{xxyz} = \mathbb{M}_{yz}^{(3)} - 4\mathbb{T}_x^{\beta(1)}$$

$$M_{xxxy} = \mathbb{M}_{xy}^{(3)} + 2\mathbb{T}_z^{(1)} - 2\mathbb{T}_z^{\alpha(1)} + 2\mathbb{T}_z^{\beta(1)}$$

$$M_{yyyz} = \mathbb{M}_{yz}^{(3)} + 2\mathbb{T}_x^{(1)} - 2\mathbb{T}_x^{\alpha(1)} + 2\mathbb{T}_x^{\beta(1)}$$

$$M_{yyxy} = \mathbb{M}_{xy}^{(3)} - 2\mathbb{T}_z^{(1)} + 2\mathbb{T}_z^{\alpha(1)} + 2\mathbb{T}_z^{\beta(1)}$$

$$M_{zzyz} = \mathbb{M}_{yz}^{(3)} - 2\mathbb{T}_x^{(1)} + 2\mathbb{T}_x^{\alpha(1)} + 2\mathbb{T}_x^{\beta(1)}$$

$$M_{zzxy} = \mathbb{M}_{xy}^{(3)} - 4\mathbb{T}_z^{\beta(1)}$$

$$M_{yzzx} = -\mathbb{T}_z^{(1)} - 4\mathbb{T}_z^{\alpha(1)}$$

$$M_{zxxxy} = -\mathbb{T}_x^{(1)} - 4\mathbb{T}_x^{\alpha(1)}$$

* Rank 4 tensor (aas).

$$\begin{bmatrix} 0 & M_{yzzx} & 0 \\ M_{yzzx} & 0 & M_{zxxxy} \\ 0 & M_{zxxxy} & 0 \end{bmatrix}$$

$$M_{yzzx} = 2\mathbb{M}_{xy}^{(4)}$$

$$M_{zxxxy} = 2\mathbb{M}_{yz}^{(4)}$$

* Rank 4 tensor (aaa).

$$\begin{bmatrix} 0 & M_{yzzx} & 0 \\ -M_{yzzx} & 0 & M_{zxxxy} \\ 0 & -M_{zxxxy} & 0 \end{bmatrix}$$

$$M_{yzzx} = -\mathbb{T}_z^{(2)}$$

$$M_{zxxxy} = -\mathbb{T}_x^{(2)}$$

* Rank 4 tensor (sa).

$$\begin{bmatrix} M_{xxyz} & 0 & M_{xxxy} \\ M_{yyyz} & 0 & M_{yyxy} \\ M_{zzyz} & 0 & M_{zzxy} \\ 0 & M_{yzzx} & 0 \\ M_{zxyz} & 0 & M_{zxxxy} \\ 0 & M_{xyzx} & 0 \end{bmatrix}$$

$$M_{xxyz} = \mathbb{T}_x^{(3)} + 2\mathbb{T}_x^{(4)} + 2\mathbb{T}_x^{\alpha(2)}$$

$$M_{xxxy} = -2\mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(3)} - \mathbb{T}_z^{\alpha(2)} + \mathbb{T}_z^{\beta(2)}$$

$$M_{yyyz} = -2\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(3)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)}$$

$$M_{yyxy} = 2\mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(3)} - \mathbb{T}_z^{\alpha(2)} - \mathbb{T}_z^{\beta(2)}$$

$$M_{zzyz} = 2\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(3)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)}$$

$$M_{zzxy} = \mathbb{T}_z^{(3)} + 2\mathbb{T}_z^{(4)} + 2\mathbb{T}_z^{\alpha(2)}$$

$$M_{yzzx} = -\mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(4)} - \mathbb{T}_z^{\alpha(2)} - \mathbb{T}_z^{\beta(2)}$$

$$M_{zxyz} = \mathbb{M}_{xy}^{(5)} + \mathbb{T}_z^{(4)} - \mathbb{T}_z^{\alpha(2)} + \mathbb{T}_z^{\beta(2)}$$

$$M_{zxxxy} = -\mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(4)} - \mathbb{T}_x^{\alpha(2)} - \mathbb{T}_x^{\beta(2)}$$

$$M_{xyzx} = \mathbb{M}_{yz}^{(5)} + \mathbb{T}_x^{(4)} - \mathbb{T}_x^{\alpha(2)} + \mathbb{T}_x^{\beta(2)}$$

* Rank 4 tensor (as).

$$\begin{bmatrix} M_{yzxx} & M_{yzyy} & M_{yzzz} & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & M_{zxyz} & 0 & M_{zxxxy} \\ M_{xyxx} & M_{xyyy} & M_{xyzx} & 0 & M_{xyzx} & 0 \end{bmatrix}$$

$$M_{yzxx} = \mathbb{T}_x^{(5)} + 2\mathbb{T}_x^{(6)} + 2\mathbb{T}_x^{\alpha(3)}$$

$$M_{yzyy} = -2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)}$$

$$M_{yzzz} = 2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)}$$

$$M_{yzzx} = \mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)}$$

$$M_{zxyz} = -\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)}$$

$$M_{zxxxy} = \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)}$$

$$M_{xyxx} = -2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)}$$

$$M_{xyyy} = 2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)}$$

$$M_{xyzx} = \mathbb{T}_z^{(5)} + 2\mathbb{T}_z^{(6)} + 2\mathbb{T}_z^{\alpha(3)}$$

$$M_{xyzx} = -\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)}$$

* Rank 4 tensor (s).

$$\begin{bmatrix} 0 & 0 & 0 & M_{xyz} & 0 & M_{xxy} & M_{xzy} & 0 & M_{xyx} \\ 0 & 0 & 0 & M_{yyz} & 0 & M_{yyx} & M_{yyz} & 0 & M_{yyy} \\ 0 & 0 & 0 & M_{zzy} & 0 & M_{zxy} & M_{zzy} & 0 & M_{zxx} \\ M_{yxx} & M_{yzy} & M_{yzz} & 0 & M_{yzz} & 0 & 0 & M_{yzz} & 0 \\ 0 & 0 & 0 & M_{zzy} & 0 & M_{zxy} & M_{zzy} & 0 & M_{zxx} \\ M_{yxx} & M_{yyy} & M_{xyz} & 0 & M_{yxx} & 0 & 0 & M_{yxx} & 0 \end{bmatrix}$$

[illegible]

* Rank 4 tensor (a).

$$\begin{bmatrix} M_{yzzx} & M_{yzyy} & M_{yzzz} & 0 & M_{yzzx} & 0 & 0 & M_{yzzx} & 0 \\ 0 & 0 & 0 & M_{zyyz} & 0 & M_{zxyy} & M_{zxyy} & 0 & M_{zxyx} \\ M_{xyxx} & M_{xyyy} & M_{xyyz} & 0 & M_{xyyz} & 0 & 0 & M_{xyxz} & 0 \end{bmatrix}$$

$$\begin{aligned}
M_{yzxx} &= \mathbb{T}_x^{(5)} + 2\mathbb{T}_x^{(6)} + 2\mathbb{T}_x^{\alpha(3)} \\
M_{yzyy} &= -2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\
M_{yzzz} &= 2\mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(5)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\
M_{yzzx} &= 2\mathbb{M}_{xy}^{(4)} + \mathbb{M}_{xy}^{(6)} - \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\
M_{yzxz} &= -2\mathbb{M}_{xy}^{(4)} + \mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\
M_{zxyy} &= 2\mathbb{M}_{xy}^{(4)} - \mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\
M_{zxxy} &= 2\mathbb{M}_{yz}^{(4)} + \mathbb{M}_{yz}^{(6)} - \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\
M_{zxyz} &= -2\mathbb{M}_{xy}^{(4)} - \mathbb{M}_{xy}^{(6)} - \mathbb{T}_z^{(2)} + \mathbb{T}_z^{(6)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\
M_{zxyx} &= -2\mathbb{M}_{yz}^{(4)} + \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} + \mathbb{T}_x^{\beta(3)} \\
M_{xyxx} &= -2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} + \mathbb{T}_z^{\beta(3)} \\
M_{xyyy} &= 2\mathbb{M}_{xy}^{(6)} + \mathbb{T}_z^{(5)} - \mathbb{T}_z^{\alpha(3)} - \mathbb{T}_z^{\beta(3)} \\
M_{xyzx} &= \mathbb{T}_z^{(5)} + 2\mathbb{T}_z^{(6)} + 2\mathbb{T}_z^{\alpha(3)} \\
M_{xyzx} &= 2\mathbb{M}_{yz}^{(4)} - \mathbb{M}_{yz}^{(6)} + \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)} \\
M_{xyxz} &= -2\mathbb{M}_{yz}^{(4)} - \mathbb{M}_{yz}^{(6)} - \mathbb{T}_x^{(2)} + \mathbb{T}_x^{(6)} - \mathbb{T}_x^{\alpha(3)} - \mathbb{T}_x^{\beta(3)}
\end{aligned}$$

* Rank 4 tensor (t).

$$\begin{bmatrix}
0 & M_{xxxy} & 0 \\
M_{yyyx} & 0 & M_{yyyz} \\
0 & M_{zzzy} & 0 \\
0 & M_{yyzy} & 0 \\
0 & M_{zzxy} & 0 \\
M_{xxyx} & 0 & M_{xxyz} \\
M_{yzzx} & 0 & M_{yzzz} \\
0 & M_{zxxy} & 0 \\
0 & M_{xyyy} & 0 \\
-\frac{M_{yyyyz}}{2} + \frac{M_{yyzyy}}{2} + M_{zxxxy} & 0 & \frac{M_{xxxxy}}{2} - \frac{M_{xxxyx}}{2} + M_{xyyy} - M_{yyyx} + M_{zzxy}
\end{bmatrix}$$

$$\begin{aligned}
M_{xxxy} &= \mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(3)} - 2\mathbb{M}_{xy}^{(5)} - \mathbb{M}_z^{\beta(1)} \\
M_{yyyx} &= -\mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(3)} - 2\mathbb{M}_{xy}^{(5)} - \mathbb{M}_z^{\beta(1)} \\
M_{yyyz} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} \\
M_{zzzy} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} - 2\mathbb{M}_{yz}^{(5)} \\
M_{yyzy} &= \mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} + \mathbb{M}_{yz}^{(3)} + 2\mathbb{M}_{yz}^{(5)} \\
M_{zzxy} &= \mathbb{M}_{xy}^{(1)} + \mathbb{M}_{xy}^{(3)} + 2\mathbb{M}_z^{\beta(1)} \\
M_{xxyx} &= \mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} + \mathbb{M}_{xy}^{(3)} + 2\mathbb{M}_{xy}^{(5)} - \mathbb{M}_z^{\beta(1)} \\
M_{xxyz} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + \mathbb{M}_{yz}^{(3)} \\
M_{yzzx} &= \mathbb{M}_{xy}^{(2)} - \mathbb{M}_{xy}^{(5)} + 2\mathbb{M}_z^{\beta(1)} \\
M_{yzzz} &= -\mathbb{M}_{4x}^{\alpha(1)} - \mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(1)} + 2\mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(3)} \\
M_{zxxxy} &= 2\mathbb{M}_x^{\beta(1)} + \mathbb{M}_{yz}^{(2)} - \mathbb{M}_{yz}^{(5)} \\
M_{xyyy} &= -\mathbb{M}_{4z}^{\alpha(1)} + \mathbb{M}_{xy}^{(1)} + 2\mathbb{M}_{xy}^{(2)} - \mathbb{M}_{xy}^{(3)} - \mathbb{M}_z^{\beta(1)}
\end{aligned}$$