CMTAT - Audit-20210910

Introduction

This document concerned the audit report <u>ABDK-CMTAT-audit-20210910.pdf</u> which was made on the project <u>CMTAT</u>.

The audited version is that of commit cd3af7

Vocabulary

Header	Description
Id	Id of the concerned CVF
Severity	Same notation that in the report Color : Minor Moderate Major
Object	The concerned object [Functions, variables, event name, etc]
Decision	Which decision has been taken and why
Status	[Full Fixed] => CVF has been fixed as recommended by the audit [Fixed] => CVF has been fixed, but there are some modifications compared to the audit [In progress] => CVF is being fixed (pull request / issue) [Partially fixed] => CVF is fixed in part, but there are still issues to be resolved [No better solution found] => CVF was resolved as best we could [Open] => CVF is NOT fixed, not processed

	was removed	l	•	r relevant, e.g		e problematic	functionality
	Full Fixed	Fixed	Partially fixed	No (better) solution found	Open	No longer relevant	Closed
Commit / pull request fix	The concerne	ed commit / po	ull request on	github which	fix the CVF		
Remark	Any other rele	evant informa	tion, by exam	ple suggestio	ns to fix the C	VF.	

Summary

ID	Severity		Object [Functions, variables, event name, etc]	Description (evt recommendation)	Decision	Status	Commit / pull request fix	Remark
1	Minor	SnapshotM odule.sol All modules are concerned	pragma solidity	Solidity version	To avoid to change all the files for each little upgrade of solidity, we keep a floating pragma with the last tested version	Closed		See issues/68
2	Minor	SnapshotM odule.sol	-	The version of the imported library should be provided.	The OpenZeppelin version is indicated in the file USAGE.md	Full Fixed	Pull/98/ Commit	

3	Minor	SnapshotM odule.sol	-	Provide a short function description and parameter meaning in the comments preceding the function.		Full Fixed	Commit	
4	Minor	SnapshotM odule.sol	SNAPSHOTE R_ROLE	The word "snapshoter" (12K results in Google) sounds odd.	The variable is renamed in snapshooter	Full Fixed	pull/13 Commit	
5	Minor	SnapshotM odule.sol	_currentSnaps hot	This variable is not initialized.	explicitly initializing to 0 Fixed Remark: in v2.3.1, we have decided to rollback, leave uninitialized but to insert a comment to explain this in order to save gas	Full Fixed	pull/14 Commit	The commit fix broke the proxy construction. Commit fix
6	Moderat e	SnapshotM odule.sol	_scheduled Snapshots	Using an unordered list of scheduled snapshots and removing already created snapshots from it is suboptimal and have several important drawbacks []	-Use an ordered list of snapshots instead of an unordered list -We can still remove a scheduled snaphot (time situated in the future) from the list, but the order is maintained -We keep the principle to use the time to identify a snapshot (not the snapshot IDs) -We can only have one	Fixed	Pull/123 Main commit	

					scheduled snapshot for a given time			
7	Minor	SnapshotM odule.sol	scheduleSnap shot	Function scheduleSnapshot always returns its argument.	No return value	Full Fixed	Pull/76 Commit	
8	Minor	SnapshotM odule.sol	_rescheduleS napshot	Here two passes over the array are made while just one suffices.	The second passage was removed during transformations to use an ordered list of snapshot	No longer relevant	Pull/123 Commit	
9	Minor	SnapshotM odule.sol	_rescheduleS napshot	This function always returns its second argument which is clearly redundant.	No return value	Full Fixed	Pull/76 Commit	
10	Minor	SnapshotM odule.sol	_unschedule Sna pshot	function always returns its argument which is clearly redundant	No return value	Full Fixed	Pull/76 Commit	
11	Minor	SnapshotM odule.sol	getNextSnaps hots()	This method returns also uncleared snapshots from the past.	Fix by using an ordered list of snapshot + moving to the first next snapshot	Full Fixed	Pull/123 Main commit	
12	Minor	SnapshotM odule.sol	snapshotBalan ceOf snapshotTotal Supply	Is it desired behavior that the current balance is returned for an invalid snapshot time?	Yes, if no snapshots are found, it means that the value of the balance was never modified, we can return the current balance Same behavior as for	closed		

					OpenZeppelin erc20Snapshot			
13	Moderat e	SnapshotM odule.sol	_setCurrentSn apshot	This call reads the entire snapshot array, which is a significant overhead over each transfer.	Fix by using an ordered list of snapshot (new complexity : O(1))	Full Fixed	Pull/123 Main commit	
14	Minor	SnapshotM odule.sol	_beforeToken Transfer	The most often used branch is the last one.	refactoring order of conditions as indicated in the audit report	Full Fixed	pull/16 Commit	
15	Minor	SnapshotM odule.sol	_valueAt	Semantics of returned values is unclear	Add comments and descriptive names.	Full Fixed	Pull/115 Commit	
16	Minor	SnapshotM odule.sol	_getCurrentSn apshot	This function is redundant as it just returns the value of a storage variable.	The function was removed	Full Fixed	Pull/115 Commit	
17	Minor	SnapshotM odule.sol	Several functions (see report)	These loops do linear searches through the array whose length is unlimited. This makes the contract vulnerable to DoS attacks by scheduling a large number of snapshots.	Fix by using an ordered list of snapshot + we have an access control on the public function, so only authorized address can execute the function	Full Fixed	Pull/123 Main commit	
18	Minor	SnapshotM odule.sol	_clearPastSch eduled()	The "_scheduledSnapshots.length" value is read on every iteration.	cache scheduledSnapshot.leng th in a local variable	Full Fixed	Pull/115 Commit	

19	Minor	SnapshotM odule.sol	_clearPastSch eduled()	The element to be moved to this position will be once again read from storage at the next iteration	The function was removed	No longer relevant	Pull/123 Main commit	
20	Minor	SnapshotM odule.sol	_removeSche duledItem	This line executes even if index is the last element.	Add an if condition	Full Fixed	Pull/115 Commit	The modification is not tested in the tests!!!!
21	Minor	ValidationM odule.sol	event RuleEngineSe t	The parameter type should be "IRuleEngine".	Proposed changes have been implemented	Full Fixed	Pull Commit	
22	Minor	ValidationM odule.sol	IRule Engine pub lic rule Engine	This module should use "IRule" instead of "IRuleEngine" as it doesn't need to know that the rule used is actually a composition of several nested rules.	We think it makes sens to keep a distinction between the RuleEngine and the rules. It is clearer.	Closed	It's clearer and functions specific to the ruleEngine can be added to this one	
23	Minor	ValidationM odule.sol	IRule Engine public ruleEngine	The module doesn't allow changing the rule engine after the deployment.	The module ValidationModule implements now a function setRuleEngine. This function was moved from CMTAT.sol to the concerned module	Full Fixed	pull/88 Commit	
24	Minor	ValidationM odule.sol	_validateTrans fer	This will revert in case the rule engine is not set.	A comment was added to explain the requirement.	Fixed	Pull Commit	

25	Minor	ValidationM odule.sol	_messageFor TransferRestri ction	This will revert in case the rule engine is not set.	A comment was added to explain the requirement	Fixed	Pull Commit	
26	Minor	ValidationM odule.sol	_detectTransf erRestrictionc	This will revert in case the rule engine is not set.	A comment was added to explain the requirement	Fixed	Pull Commit	
27	Minor	CMTAT.sol	TRANSFER_ OK	Defining restriction code constants in several placed is error-prone.	Define an enum in CMTAT.sol for the restriction code	Fixed	Pull/78 Commit	Messages are still defined in each file. Other concerned CVF: CVF-48, CVF-55
28	Moderat e	CMTAT.sol	CMTAT_init	There should be a call to the "Validation_init_unchained" function somewhere after this call.	Proposed changes have been implemented	Full Fixed	pull/121 Commit	
29	Minor	CMTAT.sol	CMTAT_init	There should be a call to the "ERC165_init_unchained" function before this call.	Proposed changes have been implemented	Full Fixed	Pull/105 Commit	
30	Minor	CMTAT.sol	CMTAT_init	This should be done before the "Base_init_unchained" call as Base module inherits from ERC20 module.	Proposed changes have been implemented Later, the ERC20 functions have been moved from BaseModule to ERC20BaseModuleFixe	Full Fixed	Pull/105 Commit	

					d			
31	Minor	CMTAT.sol	CMTAT_init	There should be a call to the "ERC2771Context_init_unc hained" function before this call.	No more relevant becauseERC2771Context_init _unchained" do not exist anymore in the recent version of OZ	No longer relevant		
32	Minor	CMTAT.sol	mint	This event should be emitted inside the "_mint" function.	_mint is a function from OpenZeppelin library. It is not possible to modify it directly. We can override it but it is a bit overkill	Closed		
33	Minor	CMTAT.sol	BurnFrom (replaced by forceBurn in the version 2.1)	This would emit the "Approval" event (which is not desired) but will not emit the "Spend" event (which is actually desired).	No more relevant, the concerned code was removed by replacing the function burnFrom by forceBurn	No longer relevant		
34	Minor	CMTAT.sol	BurnFrom (replaced by forceBurn in the version 2.1)	This event should be emitted inside the "_burn" function.	_burn is a function from OpenZeppelin library. It is not possible to modify it directly. We can override it but it is a bit overkill	Closed		
35	Minor	CMTAT.sol	Several functions (see report)	With multiple inheritance, it is unclear what base contract is referred as "super"	The parent module / base contract is explicitly indicated.	Full Fixed	Pull/92 Commit	

				here.			pull/93 Commit	
36	Minor	CMTAT.sol	DetectTransfer Restriction messageForTr ansferRestricti on	This logic should be moved to the "PauseModule" contract.	The ValidationModule defines the different code of rejection, it is better to keep all the validation logic in the same module.	Closed		
37	Minor	CMTAT.sol	detectTransfer Restriction	Should be "} else" for readability.	Proposed changes have been implemented	Full Fixed	Pull/17 Commit	
38	Minor	CMTAT.sol	DetectTransfer Restriction messageForTr ansferRestricti on	This logic should be moved to the "EnforcementModule" contact.	The ValidationModule defines the different code of rejection, it is better to keep all the validation logic in the same module.	Closed		
39	Minor	CMTAT.sol		This logic should be moved to the "ValidationModule".	Proposed changes have been implemented	Full Fixed	Commit pull/89	
40	Minor	CMTAT.sol	setTokenId setTerms set- TrustedForwar der	These functions should log some event. The function setTrustedForwarder was removed from the code.	Define events setTokenId & setTerms	Full Fixed	Pull/80 Commit	
41	Minor	CMTAT.sol	kill	Due to various misuse cases, it is best practice to use	The function kill is a legal requirement, it can	Closed	pull/102	

				selfdestruct only when multiple short-lived contracts are created	not be removed. Protections were added: - If the CMTAT is deployed with a proxy, the function kill can only be triggered through the proxy - The function is protected by an access control			
42	Minor	CMTAT.sol	_beforeToken Transfer	These checks should be the first to save gas.	Proposed changes have been implemented	Full Fixed	Pull/18 Commit	
43	Minor	CMTAT.sol	_beforeToken Transfer	This check should be done in the "PauseModule" smart contract.	The code calls a function from the PauseModule. We don't see what more we could do	Closed		
44	Minor	CMTAT.sol	_beforeToken Transfer	This check should be done in the "EnforcementModule" smart contract.	The code calls a function from the EnforcementModule. We don't see what more we could do	Closed		

45	Minor	CMTAT.sol	_beforeToken Transfer	This code should be moved to the "ValidationModule" smart contract.	Move the concerned code inside the ValidationModule	Full Fixed	Commit pull/89
46	Minor	PauseMod ule.sol	-	The version of the imported library (OZ) should be provided.	The OpenZeppelin version is indicated in the file USAGE.md	Full Fixed	Pull/98/ Commit
47	Minor	PauseMod ule.sol	-	This contract should defines the "Pause_init" and "Pause_init_unchained" functions.	Define the functions PauseModule_init & PauseModule_init_unch ained	Full Fixed	Pull/104 Commit
48	Minor	PauseMod ule.sol	TRANSFER_ REJECTED_P AUSED	Defining constants for different transfer rejection reasons in different contracts is error-prone	Define an enum in CMTAT.sol	Full Fixed	Pull/78 Commit
49	Minor	Authorizati onModule.	-	The version of the imported library (OZ) should be provided.	The OpenZeppelin version is indicated in the file USAGE.md	Full Fixed	Pull/98/ Commit
50	Minor	Authorizati onModule.	-	It is a good practice to put a comment into an empty block to explain why it is empty.	The block is no longer empty.	No longer relevant	
51	Minor	Authorizati onModule. sol	-	This contract should define the "Authorization_init" and "Autho-rization_init_unchained" functions.	Define the functions Authorization_init & Authorization_init_uncha ined	Full Fixed	Pull/104 Commit
52	Minor	MintModul e.sol	-	This module doesn't actually implement minting	Move the mint functionality inside the	Full Fixed	pull/88 Commit

				functionality.	MintModule		
53	Minor	Enforceme ntModule.s ol		The version of the imported library (OZ) should be provided.	The OpenZeppelin version is indicated in the file USAGE.md	Full Fixed	Pull/98/ Commit
54	Minor	Enforceme ntModule.s ol	Freeze Unfreeze	These events should probably also have the "reason" parameter.	Add the parameters reasonIndexed & reason	Full Fixed	Pull/122 Commit
55	Minor	Enforceme ntModule.s ol	TRANSFER_ REJECTED_F ROZEN	Defining constants for different transfer rejection reasons in different contracts is error-prone.	Define an enum in CMTAT.sol	Full Fixed	Pull/78 Commit
56	Moderat e	Enforceme ntModule.s ol	TEXT_TRANS FER_REJECT ED_FROZEN	The message is exactly the same as in the "PauseModule" contract. Also, the message is misleading.	The text message has been changed	Full Fixed	Pull/79 Commit
57	Minor	MetaTxMo dule.sol	-	The version of the imported library (OZ) should be provided.	The OpenZeppelin version is indicated in the file USAGE.md	Full Fixed	Pull/98/ Commit
58	Minor	MetaTxMo dule.sol	MetaTx_init	This code relies on how the base contract is implemented.	No more relevant becauseERC2771Context_init _unchained" do not exist anymore in the recent version of OZ	No longer relevant	
59	Major	MetaTxMo dule.sol	MetaTx_init _unchained	An unchained initializer is not supposed to call the base contract initializer.	The problematic function call was removed.	Full Fixed	Commit

60	Minor	BurnModul e.sol	-	The version of the imported library (OZ) should be provided.	The OpenZeppelin version is indicated in the file USAGE.md	Full Fixed	Pull/98/ Commit	
61	Minor	BurnModul e.sol	-	a) This module doesn't actually implement burning. b) Also, in inherits from the "Initializable" interface but doesn't have any initializer functions	- Move the burn functionality inside the BurnModule - Add initialize functions	Full Fixed	a) pull/88 Commit b) pull/104 Commit	
62	Minor	BaseModul e.sol	-	The version of the imported library (OZ) should be provided.	The OpenZeppelin version is indicated in the file USAGE.md	Full Fixed	Pull/98/ Commit	
63	Minor	BaseModul e.sol	-	This requirement is not present in the module documentation	The requirement was added to the documentation in base.md	Full Fixed	Pull/19 Commit	
64	Major	BaseModul e.sol	transferFrom	The returned value is ignored.	Proposed changes have been implemented	Full Fixed	Commit	
65	Major	BaseModul e.sol	approve	It would be better to call "super.approve" here. The current code relies on the knowledge of how the base contract is implemented.	Proposed changes have been implemented	Full Fixed	Commit	

66	Minor	IRuleEngin e.sol	-	It is common practice to provide a short function description and parameter meaning in the comments preceding the function.	Proposed changes have been implemented	Full Fixed	Pull/74 Commit	
67	Minor	IRuleEngin e.sol	-	This interface is redundant. It basically defines a composite rule, i.e. a rule composed from other rules, but for those tokens that use such composite rule, it's composite nature doesn't not make any difference and is basically an implementation details.	Not fixed, it is no real necessary to fix this CVF, it is clearer to separate IRuleEngine and IRule. Thus, we have a clear separation between the engine and the rules.	Closed		
68	Minor	IRuleEngin e.sol	setRules	Setting all rules at once effectively limits the maximum number of rules, as size of a transaction is limited by block gas limit.	The interface defines the minimal requirements for a ruleEngine. The developers are free to add more sophisticated functions to the ruleEngine An example can be found here: CMTA/RuleEngine	Closed		
69	Minor	IRuleEngin e.sol	ValidateTransf er detectTransfer Restriction	These functions are very similar to the functions defined in the "IRule" interface.	Create two interfaces IERC1404 & IERC1404Wrapper (initially called	Full Fixed	Pull/74 Commit-1 Commit-2	

			messageForTr ansferRestricti on		IERC1404Common)			
70	Minor	IRule.sol	-	It is common practice to provide a short function description and parameter meaning in the comments preceding the function.	Proposed changes have been implemented	Full Fixed	pull/74 Commit	
71	Minor	IRule.sol	IRule	The interface name is too generic. The interface is all about transfers, consider reflecting this in the name.	Not really a necessity	Closed		
72	Minor	IRule.sol	detectTransfer Restriction canReturnTra nsferRestrictio nCode messageForTr ansferRestricti on	The semantics of these functions is unclear from their signatures.	Add a short description + create interface IERC1404	Full Fixed	pull/74 Commit	
73	Minor	IRule.sol	Restriction canReturnTra	limit the range of possible	No change The original goal was to be compliant with EIP- 1404: ethereum/EIPs#1404 and restrictionCode is uint8	Closed	See <u>pull/70</u>	Remark on the save gas part The parameter argument is linked with variable stored in storage and in storage use uint8

	on			rather than 256 can
				save gas