

Software Archaeology and Anthropology

17-313 Fall 2023

Foundations of Software Engineering

<https://cmu-313.github.io>

Andrew Begel and Rohan Padhye

Administrivia

- Slack
 - Please add a profile picture.
 - Ask questions in #general or #technical-questions. Please use threads.
- Office hours can be found on the course home page: <http://cmu-313.github.io>
- For those of you who requested to swap recitations, stay tuned.
- COVID or other health issues? Please stay home.

Smoking Section

- Last full row



Homework

- Homework 1 is released.
 - Part (a) is due Friday Sept 1, 11:59 pm. **That's tomorrow!**
 - Part (b) is due Thursday, Sept 7, 11:59pm.
 - This is an individual assignment; we will compose groups next week.
 - Get started early, ask for help, and check the #technical-questions channel; chances are your questions have been asked by others!

Team Formation Survey Due Friday

- Team formation survey is posted on Canvas and in Slack #announcements.
- Please fill in by TONIGHT!




Learning Goals

- Understand and scope the task of taking on and understanding a new and complex piece of existing software
- Appreciate the importance of configuring an effective IDE
- Contrast different types of code execution environments including local, remote, application, and libraries
- Enumerate both static and dynamic strategies for understanding and modifying a new codebase


Context: big ole pile of code

- ... do something with it!



You will never
understand the
entire system!

Challenge: How do I tackle this codebase?



Challenge: How do I tackle this codebase?

- Leverage your previous experiences (languages, technologies, patterns)
- Consult documentation, whitepapers
- Talk to experts, code owners
- Follow best practices to build a working model of the system

Bad news: There are few helpful resources!

- **Working Effectively with Legacy Code.**

Michael C. Feathers. 2004.

- **Re-Engineering Legacy Software.**

Chris Birchall. 2016.


- **The Legacy Code Programmer's Toolbox.**

Jonathan Boccaro. 2019.




A screenshot of the Wealthsimple Magazine website. At the top right, there are navigation links for 'START INVESTING', 'Wealthsimple Magazine', and 'MENU'. Below the header, there is a section titled 'MONEY & THE WORLD' with an article thumbnail for 'The Code That Controls Your Money'. The main content area contains text about COBOL, followed by a sidebar with a cartoon illustration of a man in a top hat and a toolbox, and a callout for 'PRACTICAL SKILLS FOR DEVELOPERS WORKING WITH LEGACY CODE'.

Why? Because of Tacit Knowledge



Today: How to tackle codebases

- Goal: develop and test a working model or set of working hypotheses about how (some part of) a system works
- Working model: an understanding of the pieces of the system (components), and the way they interact (connections)
- Focus: Observation, probes, and hypothesis testing
 - Helpful tools and techniques!



essentially,
all models are wrong,
but some are useful

George E. P. Box

Live Demonstration: sismics/Reader

README.md

Sismics Reader build passing

Demo application: <https://reader-demo.sismics.com> (Username: **demo** / password: **demo**)

NEW SUBSCRIPTION

Latest

Unread (590)
All
Starred

Subscriptions

- Blogs (67)
 - Boing Boing (31)
 - Mashable (36)
- Technology (129)
- Comics (10)
- News (109)
 - BBC News - Home (109)
 - Nature / Wildlife (113)
 - About.com Cats (10)
 - National Geographic (103)
- Space (60)
 - APOD (8)
 - SPACE.com (52)
- Books (15)
 - librarian.net (15)
- Food (41)
 - Food Porn (41)
- Books (39)
 - Books | The Gutenberg Project (39)
- Food (5)
 - Title's Busy Kitchen (5)
- Dictionary.com (2)

Category

Show new All read

This Thanksgiving will be the first I'm spending away from Virginia (we're having both of our families at our house for the first time!), so I've got a little bit of homesickness for ideas and decorations from the south. Thankfully, Elizabeth Ulrich, the stylist/designer behind Stockroom Vintage and Elizabeth Ulrich Design in Nashville, TN, wrote me an email and was up to sharing an incredibly beautiful Thanksgiving tablescape idea that makes the most of autumn flowers and branches. Inspired by the rustic style at Whooping Crane Farm (where this was photographed), Elizabeth made placecards and styled the table to create a relaxed but festive look for the holiday. Christie Craig of The Farmer's Florist crafted a beautiful floral centerpiece with dahlias, marigolds and smoke bush, and she's sharing her how-to steps here for anyone who wants to pull together a beautiful, last-minute look for Thanksgiving. Thanks so much to Elizabeth, Christie and everyone in Nashville for sharing this gorgeous table idea with us today! xo, grace

Photography by Catherine Truman Photography

<https://github.com/CMU-313/reader>

Steps to Understand a New Codebase

- Look at README.md
- Clone the repo.
- Build the codebase.
- Figure out how to make it run.
- What do you want to mess with?
 - Clone and own
- Traceability - Attach a debugger
 - View Source
 - Find the logs.
 - Search for constants (strings, colors, weird integers (#DEADBEEF))

Participation Activities

- Pull out your phone.
- Download the Gradescope app.
- Log into Gradescope.
 - Use email login, not SSO.
- Click “+” button to add 17-313.
 - Entry Code: G24487



Download Gradescope
for iPhone




Download Gradescope
for Android

Participation Activity

- Take out a piece of paper.
- Write down one pro and one con about trying to understand a new codebase by compiling and building it vs. just reading the code.
- Pair with your neighbor and discuss your answers. Do you agree?
- Share with the class!
- Take a picture of your paper.
- Submit it on Gradescope by the end of class.
 - Under Not Submitted (Assignments), click on August 31 Activity.
 - Select your photo.
 - Assign the photo to Question 1.
 - Submit.

Observation: Software is full of patterns

- File structure
- System architecture
- Code structure
- Names
- ...




A screenshot of a computer monitor displaying a code editor with a large amount of Python code. The code is color-coded for syntax. The visible portion of the code includes several methods and variables:


```
31     def __init__(self, path):
32         self.file = None
33         self.fingerprints = set()
34         self.logdups = True
35         self.debug = debug
36         self.logger = logging.getLogger(__name__)
37         if path:
38             self.file = open(os.path.join(path, 'request_log'), 'w')
39             self.file.seek(0)
40             self.fingerprints.update(fp for fp in self._read_lines())
41
42     @classmethod
43     def from_settings(cls, settings):
44         debug = settings.getbool('DEBUG', False)
45         return cls(job_dir(settings), debug)
46
47     def request_seen(self, request):
48         fp = self.request_fingerprint(request)
49         if fp in self.fingerprints:
50             return True
51         self.fingerprints.add(fp)
52         if self.file:
53             self.file.write(fp + os.linesep)
54
55     def request_fingerprint(self, request):
56         return request_fingerprint(request)
```

Observation: Software is massively redundant

- There's always something to copy/use as a starting point!




Observation: Code must run to do stuff!



Observation: If code runs, it must have a beginning...



Observation: If code runs, it must exist...



```
0x08048414 <+16>:    jg    DWORD PTR [ebp+0x8],0x1
0x08048416 <+18>:    mov   0x804843c <main+56>
0x08048419 <+21>:    mov   eax,DWORD PTR [ebp+0xc]
0x0804841b <+23>:    mov   ecx,DWORD PTR [eax]
0x08048420 <+28>:    mov   edx,0x8048520
0x08048425 <+33>:    mov   eax,ds:0x8049648
0x08048429 <+37>:    mov   DWORD PTR [esp+0x8],ecx
0x0804842d <+41>:    mov   DWORD PTR [esp+0x4],edx
0x08048430 <+44>:    mov   DWORD PTR [esp],eax
0x08048435 <+49>:    call  0x8048338 <fprintf@plt>
0x0804843a <+54>:    mov   eax,0x1
0x0804843c <+56>:    jmp   0x8048459 <main+85>
0x0804843f <+59>:    mov   eax,DWORD PTR [ebp+0xc]
0x08048442 <+62>:    add   eax,0x4
0x08048444 <+64>:    mov   eax,DWORD PTR [eax]
0x08048448 <+68>:    mov   DWORD PTR [esp+0x4],eax
0x0804844c <+72>:    lea   eax,[esp+0x10]
0x0804844f <+75>:    mov   DWORD PTR .
0x08048454 <+76>:
```


The Beginning: Entry Points

- Locally installed programs: run cmd, OS launch, I/O events, etc.
- Local applications in dev: build + run, test, deploy (e.g., docker)
- Web apps server-side: Browser sends HTTP request (GET/POST)
- Web apps client-side: Browser runs JavaScript, event handlers

Code must exist. But where?

- Locally installed programs: run cmd, OS launch, I/O events, etc.
 - Binaries (machine code) on your computer
- Local applications in dev: build + run, test, deploy (e.g., docker)
 - Source code in repository (+ dependencies)
- Web apps server-side: Browser sends HTTP request (e.g., GET, POST)
 - Code runs remotely (you can only observe outputs)
- Web apps client-side: Browser runs JavaScript, event handlers
 - Source code is downloaded and run locally (see: browser dev tools!)

Can running code be Probed/Understood/Edited?



Creating a model of unfamiliar code

Source code built
locally

Information Gathering




- Basic needs:
 - Code/file search and navigation
 - Code editing (probes)
 - Execution of code, tests
 - Observation of output (observation)
- Many choices here on tools! Depends on circumstance.
 - grep/find/etc. Knowing Unix tools is invaluable
 - A decent IDE
 - Debugger
 - Test frameworks + coverage reports
 - Google (or your favorite web search engine)
 - ChatGPT or LaMA



At the command line: **grep** and **find!**
(Google for tutorials)


Static Information Gathering: Use an IDE!

Real software is too complex to keep in your head



Consider documentation and tutorials judiciously

- Great for discovering entry points!
- Can teach you about general structure, architecture (more on this later in the semester)
- Often out of date.
- As you gain experience, you will recognize more of these, and you will immediately know something about how the program works
- Also: discussion boards; issue trackers

A screenshot of the official TypeScript Documentation website. The header features the "TypeScript" logo and navigation links for Download, Docs, Handbook, Community, Playground, and Tools. A search bar labeled "Search Docs" is also present. The main title "TypeScript Documentation" is centered above three columns of content. The left column, titled "Get Started", contains links to "TS for the New Programmer", "TypeScript for JS Programmers", "TS for Java/C# Programmers", "TS for Functional Programmers", and "TypeScript Tooling in 5 minutes". The middle column, titled "Handbook", contains links to "The TypeScript Handbook", "The Basics", "Everyday Types", "Narrowing", "More on Functions", "Object Types", "Type Manipulation", "Creating Types from Types", and "Generics". The right column, titled "Reference", contains links to "Utility Types", "Cheat Sheets", "Decorators", "Declaration Merging", "Enums", "Iterators and Generators", "JSX", "Mixins", and "ECMAScript Modules in Node.js".

TypeScript Documentation

Get Started

Quick introductions based on your background or preference.

[TS for the New Programmer](#)
[TypeScript for JS Programmers](#)
[TS for Java/C# Programmers](#)
[TS for Functional Programmers](#)
[TypeScript Tooling in 5 minutes](#)

Handbook

A great first read for your daily TS work.

[The TypeScript Handbook](#)
[The Basics](#)
[Everyday Types](#)
[Narrowing](#)
[More on Functions](#)
[Object Types](#)
[Type Manipulation](#)
[Creating Types from Types](#)
[Generics](#)

Reference

Deep dive reference materials.

[Utility Types](#)
[Cheat Sheets](#)
[Decorators](#)
[Declaration Merging](#)
[Enums](#)
[Iterators and Generators](#)
[JSX](#)
[Mixins](#)
[ECMAScript Modules in Node.js](#)

Discussion Boards and Issue Trackers

- Software is written by people.
- How can we talk to them?
- Fortunately, they probably aren't dead.
- So, you can report problems on GitHub.
- Or, ask them questions on StackOverflow.

The screenshot shows the Stack Overflow search results page for the query "java on mac". The search bar at the top contains "java on mac". The left sidebar has navigation links for Home, PUBLIC Questions (which is selected), Tags, Users, Companies, COLLECTIVES (Explore Collectives), and TEAMS. The main content area is titled "Search Results" and shows "500 results" for the query "Results for java on mac". The first result is a question titled "How to set or change the default Java (JDK) version on mac-OS?" with 1311 votes, 36 answers, and 1.4m views. The second result is "How to install Java 8 on Mac" with 1271 votes, 34 answers, and 1.3m views. The third result is "Where is Java Installed on Mac OS X?" with 861 votes, 20 answers, and 1.0m views. The fourth result is "How do I install Java on Mac OSX allowing version switching?" with 479 votes, 11 answers, and 1.0m views. On the right side, there is an advertisement for "stack overflow FOR TEAMS" with the tagline "With no silos to hold you back, you could be unstoppable." and a "Become Unstoppable" button. Below the ad, there is a section titled "Hot Network Questions" with several more questions listed.

Dynamic Information Gathering

Change helps to inform and refine mental models

- Build it.
- Run it.
- Change it.
- Run it again.
- How did the behavior change?



Probes: Observe, control or “lightly” manipulate execution

- print("this code is running!")
- Structured logging
- Debuggers
 - Breakpoint, eval, step through / step over
 - (Some tools even support remote debugging)
- Delete debugging
- Chrome Developer Tools


The screenshot shows the Visual Studio Code interface during a Java application debug session. The main window displays the code for `Owner.java` from the `spring-petclinic` project. A tooltip is open over the `telephone` variable in the `Local` pane, with the option `Break When Value Changes` highlighted. The `CALL STACK` pane shows multiple threads, with one entry for `Owner.setTelephone(String)` at line 85:1, labeled `PAUSED ON DATA BREAKPOINT`. The `BREAKPOINTS` pane at the bottom shows two breakpoints set: one for `Owner.telephone : String` and another for `OwnerController.java` at line 108. Yellow arrows point from the text labels in the previous slide to these specific UI elements.

Step 0: Sanity check basic model + hypotheses


- Confirm that you can build and run the code.
 - Ideally both using the tests provided, and by hand.
- Confirm that the code you are running is the code you built
- Confirm that you can make an externally visible change
- How? Where? Starting points:
 - Run an existing test, change it
 - Write a new test
 - Change the code, write or rerun a test that should notice the change
- Ask someone for help

Document and share your findings!

- Update README and docs
 - Or better: use a Developer Wiki
 - Use [Mermaid](#) for diagrams
 - Screencast on Twitch
 - Collaborate with others
 - Include negative results, too!



Let's try some of these techniques again...



<https://github.com/CMU-313/reader>