

[/static/swagger.ya](/static/swagger.yaml)[Explore](#)

# API for Carnegie Mellon Success Predictor <sup>1.0.0</sup>

</static/swagger.yaml>

Various endpoints for communicating with a server for predicting the success of CMU applicants

## Predictors

**GET****/predict**

Predicts the final grade of a CMU applicant through various metrics.  
Metrics were chosen for two goals:

- accurately represent an applicant's academic background, and
- Provide additional context on factors and conditions outside of the applicant's control.

Thus, we chose the following fields to consider initially:

*Academic Background:* amount of time studied, failures, absences, activities

*Additional environment context:* access to internet, mother's education, father's education.

*(Note: We chose not to include fields related to personal relationships because we felt that it would be a breach of privacy and also not as informative.)*

### Parameters

[Try it out](#)**Name****Description****studytime** ★ required

integer  
(query)

Weekly study time  
1 - less than 2 hours  
2 - 2 to 5 hours  
3 - 5 to 10 hours  
4 - greater than 10 hours

Name	Description
<b>failures</b> * required integer (query)	Number of past class failures n if $1 \leq n \leq 3$ , otherwise 4  failures
<b>absences</b> * required integer (query)	The number of absences of this applicant between 0 and 93  absences
<b>activities</b> * required boolean (query)	Whether or not the applicant participates in extracurricular activities  --
<b>internet</b> * required boolean (query)	Whether or not the applicant has internet access at home  --
<b>medu</b> * required integer (query)	Mother's education 0 - none 1 - primary education (4th grade) 2 – 5th to 9th grade 3 - secondary education 4 – higher education  medu

Models

^

**Grade**    **integer**

*minimum: 0*

*maximum: 20*

*example: 17*