

Simplified Interprocedural Analysis Algorithm for Non-Recursive Programs

```

type Context
  val fn : Function
  val input :  $\sigma$ 
  ▷ the function being called
  ▷ input for this set of calls

type Summary
  val input :  $\sigma$ 
  val output :  $\sigma$ 
  ▷ the input/output summary for a context

val results : Map[Context, Summary]
  ▷ the analysis results

function ANALYZE(ctx,  $\sigma_{in}$ )
   $\sigma'_{out} \leftarrow \text{INTRAPROCEDURAL}(ctx, \sigma_{in})$ 
  results[ctx]  $\leftarrow \text{Summary}(\sigma_{in}, \sigma'_{out})$ 
  return  $\sigma'_{out}$ 
end function

function FLOW( $\llbracket n: x := f(y) \rrbracket$ , ctx,  $\sigma_n$ )
   $\sigma_{in} \leftarrow \llbracket \text{formal}(f) \mapsto \sigma_n(y) \rrbracket$ 
  calleeCtx  $\leftarrow \text{Context}(f, \sigma_{in})$ 
   $\sigma_{out} \leftarrow \text{RESULTSFOR}(calleeCtx, \sigma_{in})$ 
  return  $\sigma_n[x \mapsto \sigma_{out}[\text{result}]]$ 
  ▷ called by intraprocedural analysis
  ▷ map f's formal parameter to info on actual from  $\sigma_n$ 
  ▷ constructs a new Context with f and  $\sigma_{in}$ 
end function
▷ update dataflow with the function's result

function FLOW( $\llbracket n: \text{return } x \rrbracket$ , ctx,  $\sigma_n$ )
  return  $\sigma_n[\text{result} \mapsto \sigma_n[x]]$ 
  ▷ called by intraprocedural analysis
end function

function RESULTSFOR(ctx,  $\sigma_{in}$ )
  if ctx  $\in \text{dom}(\text{results})$  then
    if  $\sigma_{in} \sqsubseteq \text{results}[ctx].\text{input}$  then
      return results[ctx].output
      ▷ existing results are good
    else
      return ANALYZE(ctx, results[ctx].input  $\sqcup \sigma_{in}$ )
      ▷ possibly more general input
    end if
  else
    return ANALYZE(ctx,  $\sigma_{in}$ )
  end if
end function

```